




Layer Material	Layer (File) Name	Thickness (mm)	Permittivity	Loss Tangent
Silkscreen	F.Silk	0.00762	-----	-----
Soldermask	F.Mask	0.0254	4.5	0.029
Copper	F.Cu	0.0432	-----	-----
FR408HR 2113	-----	0.2021	3.6	0.010
Copper	In1.Cu	0.0175	-----	-----
FR408-HR	-----	0.9906	3.64	0.0098
Copper	In2.Cu	0.0175	-----	-----
FR408HR 2113	-----	0.2021	3.6	0.010
Copper	B.Cu	0.0432	-----	-----
Soldermask	B.Mask	0.0254	4.5	0.029
Silkscreen	B.Silk	0.00762	-----	-----





Layer Material	Layer (File) Name	Thickness (mm)	Permittivity	Loss Tangent
Silkscreen	F.Silk	0.00762	-----	-----
Soldermask	F.Mask	0.0254	4.5	0.029
Copper	F.Cu	0.0432	-----	-----
FR408HR 2113	-----	0.2021	3.6	0.010
Copper	In1.Cu	0.0175	-----	-----
FR408-HR	-----	0.9906	3.64	0.0098
Copper	In2.Cu	0.0175	-----	-----
FR408HR 2113	-----	0.2021	3.6	0.010
Copper	B.Cu	0.0432	-----	-----
Soldermask	B.Mask	0.0254	4.5	0.029
Silkscreen	B.Silk	0.00762	-----	-----

Board2Pdf: In-1 - Page 2/4


Remy Nguyen

Sheet: In-1
File: Ku RF BPF.kicad_pcb



Title: 10 - 18 GHz Bandpass Filter

Size: USLetter Date: 6/26/2026
KiCad E.D.A. 10.0.1

Rev: A
Id: /1



BOT-L4



Layer Material	Layer (File) Name	Thickness (mm)	Permittivity	Loss Tangent
Silkscreen	F.Silk	0.00762	-----	-----
Soldermask	F.Mask	0.0254	4.5	0.029
Copper	F.Cu	0.0432	-----	-----
FR408HR 2113	-----	0.2021	3.6	0.010
Copper	In1.Cu	0.0175	-----	-----
FR408-HR	-----	0.9906	3.64	0.0098
Copper	In2.Cu	0.0175	-----	-----
FR408HR 2113	-----	0.2021	3.6	0.010
Copper	B.Cu	0.0432	-----	-----
Soldermask	B.Mask	0.0254	4.5	0.029
Silkscreen	B.Silk	0.00762	-----	-----

Board2Pdf: Colored-BOT - Page 4/4

Remy Nguyen

Sheet: Colored-BOT
File: Ku RF BPF.kicad_pcb

Title: 10 - 18 GHz Bandpass Filter

Size: USLetter Date: 6/26/2026
KiCad E.D.A. 10.0.1

Rev: A
Id: /1