

STRUCTURAL BEAM DETAILS AT 1ST BASEMENT FLOOR LEVEL.

BEAM DETAIL AT 1ST BASEMENT FLOOR LVL										
BEAM NO.	SIZE	TOP R/F			BOTTOM R/F		STIRRUPS			REMARKS
		THROUGH	EXTRA LEFT	EXTRA RIGHT	THROUGH	EXTRA MID	LEFT	MID	RIGHT	
B1	300X600	3-T16	-	-	3-T16	-	T8@125C/C(ALL)	T8@125C/C(ALL)	T8@125C/C(ALL)	-
B2a	230X600	2-T16+1-T12	-	-	2-T16+1-T12	-	T8@125C/C(ALL)	T8@150C/C(ALL)	T8@125C/C(ALL)	REBARING IN D-WALL
B2b	230X600	2-T16+1-T12	-	-	2-T16+1-T12	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	-
B2c	230X600	2-T16+1-T12	-	-	2-T16+1-T12	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	-
B2d	230X600	2-T16+1-T12	-	-	2-T16+1-T12	-	T8@150C/C(ALL)	T8@150C/C(ALL)	T8@150C/C(ALL)	-
B2e	230X600	2-T16+1-T12	-	-	2-T16+1-T12	-	T8@150C/C(ALL)	T8@150C/C(ALL)	T8@150C/C(ALL)	-
B2f	230X600	2-T16+1-T12	-	-	2-T16+1-T12	-	T8@150C/C(ALL)	T8@150C/C(ALL)	T8@150C/C(ALL)	-
B2g	230X600	2-T16+1-T12	-	-	2-T16+1-T12	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	-
B2h	230X600	2-T16+1-T12	-	3-T16	2-T16+1-T12	3-T16(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	REBARING IN D-WALL
B3a	300X600	3-T16	-	2-T20+1-T16	3-T16	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	REBARING IN D-WALL
B3b	300X600	3-T16	2-T20+1-T16	2-T20+1-T16	3-T20	2-T20+1-T25 (ALL)	T10@100C/C(ALL)	T10@125C/C(ALL)	T10@100C/C(ALL)	3-T16 STOP&3-T20 START.
B3c	300X600	3-T16	2-T20+1-T16	-	3-T16	-	T10@125C/C(ALL)	T10@175C/C(ALL)	T10@125C/C(ALL)	3-T20 STOP & 3-T16 START
B3d	300X600	3-T16	-	-	3-T16	-	T8@100C/C(ALL)	T8@125C/C(ALL)	T8@100C/C(ALL)	-
B3e	300X600	3-T16	-	3-T20	3-T16	-	T8@100C/C(ALL)	T8@125C/C(ALL)	T8@100C/C(ALL)	-
B3f	300X600	3-T16	3-T20	3-T16	3-T16	3-T20(ALL)	T10-3L@125C/C(ALL)	T10@125C/C(ALL)	T10-3L@125C/C(ALL)	REBARING IN D-WALL
B4a	230X600	2-T16+1-T12		2-T12	2-T16+1-T12	-	T8@125C/C(ALL)	T8@125C/C(ALL)	T8@125C/C(ALL)	REBARING IN D-WALL
B4b	230X600	2-T16+1-T12	2-T12	-	2-T16+1-T12	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	-
B4c	230X600	2-T16+1-T12	-	2-T12	2-T16+1-T12	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	-
B4d	230X600	2-T16+1-T12	2-T12	-	2-T16+1-T12	-	T8@125C/C(ALL)	T8@150C/C(ALL)	T8@125C/C(ALL)	-
B4e	230X600	2-T16+1-T12	-	-	2-T16+1-T12	-	T8@150C/C(ALL)	T8@150C/C(ALL)	T8@150C/C(ALL)	-
B4f	230X600	2-T16+1-T12	-	-	2-T16+1-T12	-	T8@150C/C(ALL)	T8@150C/C(ALL)	T8@150C/C(ALL)	-
B4g	230X600	2-T16+1-T12	-	-	2-T16+1-T12	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	-
B4h	230X600	2-T16+1-T12	-	3-T16	2-T16+1-T12	2-T16(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	REBARING IN D-WALL
B5	300X600	3-T16	-	2-T12	3-T16	2-T12	T10@100C/C(ALL)	T10@100C/C(ALL)	T10@100C/C(ALL)	REBARING IN D-WALL
B6a	300X600	2-T20+1-T16	3-T16	3-T16	3-T20	2-T25+1-T20 (ALL)	T10@100C/C(ALL)	T10@125C/C(ALL)	T10@100C/C(ALL)	-
B6b	300X600	2-T20+1-T16	3-T16	-	3-T20	-	T10@100C/C(ALL)	T10@125C/C(ALL)	T10@100C/C(ALL)	3-T20 STOP & 3-T16 START
B6c	300X600	2-T20+1-T16	-	-	3-T20	-	T10@100C/C(ALL)	T10@150C/C(ALL)	T10@100C/C(ALL)	-
B6d	300X600	2-T20+1-T16	-	3-T25	3-T20	-	T10@100C/C(ALL)	T10@150C/C(ALL)	T10@100C/C(ALL)	-
B6e	300X600	2-T20+1-T16	3-T25	3-T16	3-T20	2-T25+1-T20(ALL)	T10-3L@100C/C(ALL)	T10-3L@125C/C(ALL)	T10-3L@100C/C(ALL)	REBARING IN D-WALL
B7	300X600	2-T20+1-T16	2-T16+1-T20	2-T20+1-T16	3-T20	2-T25+1-T20 (ALL)	T10-3L@125C/C(ALL)	T10@125C/C(ALL)	T10-3L@125C/C(ALL)	-
B8a	300X600	3-T20	-	2-T16+1-T20	2-T20+1-T25	2-T20	T10-3L@125C/C(ALL)	T10@100C/C(ALL)	T10-3L@125C/C(ALL)	REBARING IN D-WALL
B8b	300X600	3-T20	2-T16+1-T20	-	2-T20+1-T25	2-T20	T10@100C/C(ALL)	T10@125C/C(ALL)	T10@100C/C(ALL)	-
B8c	300X600	3-T20	-	2-T20+1-T25	2-T20+1-T25	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	-
B8d	300X600	3-T20	2-T20+1-T25	3-T20	2-T20+1-T25	3-T25(ALL)	T10-3L@125C/C(ALL)	T10-3L@125C/C(ALL)	T10-3L@125C/C(ALL)	-
B8e	230X600	3-T20	3-T20	2-T16	2-T20+1-T25	-	T8@125C/C(ALL)	T8@125C/C(ALL)	T8@125C/C(ALL)	-
B8f	300X600	3-T20	2-T16	2-T16	2-T20+1-T25	2-T20	T10-3L@125C/C(ALL)	T10@125C/C(ALL)	T10-3L@125C/C(ALL)	-
B8g	230X600	3-T20	2-T16	3-T20	2-T20+1-T25	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	-
B8h	300X600	3-T20	3-T20	2-T20+1-T25	2-T20+1-T25	3-T25(ALL)	T10-3L@125C/C(ALL)	T10-3L@125C/C(ALL)	T10-3L@125C/C(ALL)	-
B8i	300X600	3-T20	2-T20+1-T25	-	2-T20+1-T25	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	-
B8j	300X600	3-T20	-	2-T16	2-T20+1-T25	2-T20	T10@100C/C(ALL)	T10@125C/C(ALL)	T10@100C/C(ALL)	-
B8k	300X600	3-T20	2-T16	-	2-T20+1-T25	2-T20	T10@100C/C(ALL)	T10@125C/C(ALL)	T10@100C/C(ALL)	-
B9a	300X600	3-T20	2-T16	2-T16	2-T20+1-T25	2-T20	T10@100C/C(ALL)	T10@100C/C(ALL)	T10@100C/C(ALL)	-
B9b	300X600	3-T20	2-T16	2-T16	2-T20+1-T25	2-T16	T10@100C/C(ALL)	T10@125C/C(ALL)	T10@100C/C(ALL)	-
B9c	300X600	3-T20	2-T16	2-T20+1-T25	2-T20+1-T25	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	-

*BEAMS THOSE HAVING SPAN MORE THAN 6.5M, MUST BE CAMBER BY 20MM FROM THE CENTER POINT OF BEAM

STRUCTURAL BEAM DETAILS AT 1ST BASEMENT FLOOR LEVEL.

BEAM DETAIL AT 1ST BASEMENT FLOOR LVL										
BEAM NO.	SIZE	TOP R/F			BOTTOM R/F		STIRRUPS			REMARKS
		THROUGH	EXTRA LEFT	EXTRA RIGHT	THROUGH	EXTRA MID	LEFT	MID	RIGHT	
B9d	300X600	3-T20	2-T20+1-T25	2-T20+1-T25	2-T20+1-T25	3-T25(ALL)	T10-3L@125C/C(ALL)	T10@100C/C(ALL)	T10-3L@125C/C(ALL)	-
B9e	300X600	3-T20	2-T20+1-T25	2-T16	2-T20+1-T25	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	-
B9f	300X600	3-T20	2-T16	2-T16	2-T20+1-T25	2-T16	T10@100C/C(ALL)	T8@100C/C(ALL)	T10@100C/C(ALL)	-
B9g	300X600	3-T20	2-T16	3-T16	2-T20+1-T25	-	T10@100C/C(ALL)	T10@100C/C(ALL)	T10@100C/C(ALL)	-
B9h	300X600	3-T20	3-T16	2-T16	2-T20+1-T25	2-T20+1-T16 (ALL)	T10-3L@125C/C(ALL)	T10@125C/C(ALL)	T10-3L@125C/C(ALL)	-
B9i	300X600	3-T20	2-T16	2-T16	2-T20+1-T25	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	-
B9j	300X600	3-T20	2-T16	3-T25+3-T20	2-T20+1-T25	2-T20	T10@100C/C(ALL)	T10@125C/C(ALL)	T10@100C/C(ALL)	-
B9k	300X600	3-T20	3-T25+3-T20	3-T25	2-T20+1-T25	3-T20+3-T20(ALL)	T10-3L@100C/C(ALL)	T10-3L@125C/C(ALL)	T10-3L@100C/C(ALL)	REBARING IN D-WALL
B10a	300X600	2-T20+1-T16	-	2-T20+1-T16	2-T20+1-T25	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	-
B10b	300X600	2-T20+1-T16	2-T20+1-T16	2-T20+1-T16	2-T20+1-T25	3-T20(ALL)	T10-3L@100C/C(ALL)	T10-3L@100C/C(ALL)	T10-3L@100C/C(ALL)	STUB (SC1) START.
B11	230X600	2-T16+1-T12	-	-	2-T16+1-T12	-	T10@125C/C(ALL)	T10@125C/C(ALL)	T10@125C/C(ALL)	-
B12a	230X600	2-T16+1-T12	-	-	2-T16+1-T12	-	T10@125C/C(ALL)	T10@125C/C(ALL)	T10@125C/C(ALL)	-
B12b	300X600	2-T16+1-T12	-	-	2-T16+1-T12	-	T10@125C/C(ALL)	T10@125C/C(ALL)	T10@125C/C(ALL)	-
B12c	230X600	2-T16+1-T12	-	-	2-T16+1-T12	-	T10@125C/C(ALL)	T10@125C/C(ALL)	T10@125C/C(ALL)	-
B13a	230X600	2-T16+1-T12	-	-	2-T16+1-T12	-	T10@125C/C(ALL)	T10@125C/C(ALL)	T10@125C/C(ALL)	-
B13b	300X600	2-T16+1-T12	-	-	2-T16+1-T12	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	-
B14a	300X600	3-T16	2-T16+1-T20	2-T16+1-T20	3-T20	2-T20+1-T25	T10@100C/C(ALL)	T10@125C/C(ALL)	T10@100C/C(ALL)	-
B14b	300X600	3-T16	2-T16+1-T20	2-T16	3-T20	2-T16	T10@125C/C(ALL)	T10@125C/C(ALL)	T10@125C/C(ALL)	-
B15a	300X600	3-T20	-	2-T16	3-T20	2-T16	T10@100C/C(ALL)	T10@125C/C(ALL)	T10@100C/C(ALL)	REBARING IN D-WALL
B15b	300X600	3-T20	2-T16	-	3-T20	2-T12	T10@125C/C(ALL)	T10@150C/C(ALL)	T10@125C/C(ALL)	-
B15c	300X600	3-T20	-	3-T16	3-T20	-	T10@100C/C(ALL)	T10@150C/C(ALL)	T10@100C/C(ALL)	-
B15d	300X600	3-T20	3-T16	3-T16	3-T20	2-T20+1-T25 (ALL)	T10@100C/C(ALL)	T10@100C/C(ALL)	T10@100C/C(ALL)	-
B15e	230X600	3-T20	3-T16	-	3-T20	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	-
B15f	230X600	3-T20	-	-	3-T20	-	T8@125C/C(ALL)	T8@125C/C(ALL)	T8@125C/C(ALL)	-
B15g	230X600	3-T20	-	3-T16	3-T20	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	-
B15h	300X600	3-T20	3-T16	3-T16	3-T20	2-T20+1-T25 (ALL)	T10-3L@125C/C(ALL)	T10-3L@150C/C(ALL)	T10-3L@125C/C(ALL)	-
B15i	300X600	3-T20	3-T16	-	3-T20	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	-
B15j	300X600	3-T20	-	2-T16	3-T20	2-T12	T10@125C/C(ALL)	T10@125C/C(ALL)	T10@125C/C(ALL)	-
B15k	300X600	3-T20	2-T16	-	3-T20	2-T16	T10@100C/C(ALL)	T10@125C/C(ALL)	T10@100C/C(ALL)	-
B16a	300X600	2-T20+1-T16	-	-	3-T20	-	T10@125C/C(ALL)	T10@150C/C(ALL)	T10@125C/C(ALL)	-
B16b	300X600	2-T20+1-T16	-	2-T20+1-T16	3-T20	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	-
B16c	300X600	2-T20+1-T16	2-T20+1-T16	2-T20+1-T16	3-T20	2-T20+1-T25 (ALL)	T10-3L@125C/C(ALL)	T10@100C/C(ALL)	T10-3L@125C/C(ALL)	-
B16d	230X600	2-T20+1-T16	2-T20+1-T16	-	3-T20	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	-
B16e	230X600	2-T20+1-T16	-	-	3-T20	-	T8@125C/C(ALL)	T8@125C/C(ALL)	T8@125C/C(ALL)	-
B16f	230X600	2-T20+1-T16	-	3-T25	3-T20	-	T10@125C/C(ALL)	T10@125C/C(ALL)	T10@125C/C(ALL)	-
B16g	300X600	2-T20+1-T16	3-T25	2-T20+1-T25	3-T20	3-T25(ALL)	T10-3L@100C/C(ALL)	T10-3L@100C/C(ALL)	T10-3L@100C/C(ALL)	STUB (SC1) START.
B16h	300X600	2-T20+1-T16	2-T20+1-T25	-	3-T20	-	T10-3L@125C/C(ALL)	T10-3L@125C/C(ALL)	T10-3L@125C/C(ALL)	-
B16i	300X600	2-T20+1-T16	-	3-T25+2-T20	3-T20	2-T16	T10@125C/C(ALL)	T10@150C/C(ALL)	T10@125C/C(ALL)	-
B16j	300X600	2-T20+1-T16	3-T25+2-T20	3-T25	3-T20	2-T25+1-T20(ALL)	T10-3L@100C/C(ALL)	T10-3L@125C/C(ALL)	T10-3L@100C/C(ALL)	REBARING IN D-WALL
B17a	230X600	2-T16+1-T12	-	-	2-T16+1-T12	-	T10@125C/C(ALL)	T10@125C/C(ALL)	T10@125C/C(ALL)	-
B17b	230X600	2-T16+1-T12	-	-	2-T16+1-T12	-	T10@125C/C(ALL)	T10@125C/C(ALL)	T10@125C/C(ALL)	-
B17c	230X600	2-T16+1-T12	-	-	2-T16+1-T12	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	-
B17d	230X600	2-T16+1-T12	-	-	2-T16+1-T12	-	T10@125C/C(ALL)	T10@125C/C(ALL)	T10@125C/C(ALL)	-
B17e	230X600	2-T16+1-T12	-	-	2-T16+1-T12	-	T10@125C/C(ALL)	T10@125C/C(ALL)	T10@125C/C(ALL)	-
B18a	300X600	2-T25+1-T20	3-T25	2-T25+1-T20	2-T25+1-T20	2-T25(ALL)	T10-3L@100C/C(ALL)	T10@100C/C(ALL)	T10-3L@100C/C(ALL)	REBARING IN D-WALL
B18b	300X600	2-T25+1-T20	2-T25+1-T20	-	2-T25+1-T20	-	T10@100C/C(ALL)	T10@100C/C(ALL)	T10@100C/C(ALL)	-
B18c	300X600	2-T25+1-T20	-	-	2-T25+1-T20	-	T8@100C/C(ALL)	T8@100C/C(ALL)	T8@100C/C(ALL)	-