


CheckMyMetal(CMM) report for PDB code: 5c8t


PDB title: Crystal structure of the sars coronavirus nsp14-nsp10 complex with functional ligand sam (3.2Å)

ID	Res.	Metal	Occupancy	B factor (env.) <sup>1</sup>	Ligands	Valence <sup>2</sup>	nVECSUM <sup>3</sup>	Geometry <sup>1,4</sup>	gRMSD(°) <sup>1</sup>	Vacancy <sup>1</sup>	Bidentate	Alt. metal
A:201	ZN	Zn	1	108.4 (108.4)	N <sub>1</sub> S <sub>3</sub>	2	0.1	Tetrahedral	2.4°	0	0	
A:202	ZN	Zn	1	198.5 (165.1)	S <sub>4</sub>	2.3	0.055	Tetrahedral	2.4°	0	0	
B:601	ZN	Zn	1	222.4 (176.3)	N <sub>2</sub> S <sub>3</sub>	2.2	0.31	Tetrahedral	23.5°	0	1	Cu, Zn, Fe, Mn
B:602	ZN	Zn	1	103.4 (95.7)	N <sub>2</sub> S <sub>2</sub>	2.1	0.29	Tetrahedral	5.5°	0	0	
B:603	ZN	Zn	1	126.5 (152.9)	N <sub>2</sub> S <sub>3</sub>	2.2	0.11	Tetrahedral	9.8°	0	1	
B:604	MG	Mg	1	126.1 (117.8)	O <sub>2</sub>	1	0.7	Square Planar	1.6°	50%	0	
C:201	ZN	Zn	1	109.4 (94.4)	N <sub>1</sub> S <sub>3</sub>	1.8	0.24	Tetrahedral	8.6°	0	0	
C:202	ZN	Zn	1	141.1 (141.5)	S <sub>4</sub>	2.1	0.049	Tetrahedral	1.9°	0	0	
D:601	ZN	Zn	1	120.5 (100)	N <sub>1</sub> S <sub>3</sub>	1.8	0.21	Tetrahedral	6°	0	0	
D:602	ZN	Zn	1	125.2 (126.6)	N <sub>3</sub> S <sub>2</sub>	3.5	0.32	Tetrahedral	16.4°	0	1	
D:603	ZN	Zn	1	133.7 (133.8)	N <sub>1</sub> S <sub>3</sub>	2.7	0.44	Octahedral	12.7°	33%	0	Ni, Fe, Cu
D:604	MG	Mg	1	124.2 (126.7)	O <sub>3</sub>	1	0.56	Tetrahedral	32.1°	25%	0	
Legend:			Not applicable	Outlier	Borderline	Acceptable						

Column	Description
Occupancy	Occupancy of ion under consideration
B factor (env.) <sup>1</sup>	Metal ion B factor, with valence-weighted environmental average B factor in parenthesis
Ligands	Elemental composition of the coordination sphere
Valence <sup>2</sup>	Summation of bond valence values for an ion binding site. Valence accounts for metal-ligand distances
nVECSUM <sup>3</sup>	Summation of ligand vectors, weighted by bond valence values and normalized by overall valence. Increase when the coordination sphere is not symmetrical due to incompleteness.
Geometry <sup>1,4</sup>	Arrangement of ligands around the ion, as defined by the NEIGHBORHOOD algorithm
gRMSD(°) <sup>1</sup>	R.M.S. Deviation of observed geometry angles (L-M-L angles) compared to ideal geometry, in degrees
Vacancy <sup>1</sup>	Percentage of unoccupied sites in the coordination sphere for the given geometry
Bidentate	Number of residues that form a bidentate interaction instead of being considered as multiple ligands
Alt. metal	A list of alternative metal(s) is proposed in descending order of confidency, assuming metal environment is accurately determined. This feature is still experimental. It requires user discrimination and cannot be blindly accepted

Metal-ligand distance distributions for pdb5c8t.ent in comparison with CSD





(1) Zheng H, Chordia MD, Cooper DR, Chruszcz M, Müller P, Sheldrick GM, Minor W (2014) *Nature Protocols*, 9(1), 156-70.

(2) Brown ID (2009) *Chem. Rev.*, 109, 6858-6919.

(3) Müller P, Köpke S, Sheldrick GM (2003) *Acta Crystallogr. D Biol. Crystallogr.*, 59, 32-37.

(4) Kuppuraj G, Dudev M, Lim C (2009) *J. Phys. Chem. B*, 113, 2952-2960.

(5) *CSD: Cambridge Structural Database*

Maintained by: Heping Zheng <[dust@iwonka.med.virginia.edu](mailto:dust@iwonka.med.virginia.edu)>

#### Citing CheckMyMetal (CMM):

**Validation of metal-binding sites in macromolecular structures with the CheckMyMetal web server.** Zheng,H., Chordia,M.D., Cooper,D.R., Chruszcz,M., Müller,P., Sheldrick,G.M., Minor,W. (2014) *Nature Protocols*, 9(1), 156-70.