BASE24-teller®

Files Maintenance Manual

## Print Record

12/93, Version 1 (new)

# Contents


**Preface** . . . . . . . . . . vii

**Section 1**
**Introduction** . . . . . . . . . . 1-1
- BASE24-teller Files and Functions . . . . . . . . . . 1-2
- File Access . . . . . . . . . . 1-3
- Function Keys . . . . . . . . . . 1-4
- Field Descriptions . . . . . . . . . . 1-5

**Section 2**
**No Book File (NBF)** . . . . . . . . . . 2-1
- Function Keys . . . . . . . . . . 2-3
- Screen 1 . . . . . . . . . . 2-4
- Screen 2 . . . . . . . . . . 2-9

**Section 3**
**Override Response File (ORF)** . . . . . . . . . . 3-1
- Function Keys . . . . . . . . . . 3-3
- Screen 1 . . . . . . . . . . 3-4
- Default Override Response File (ORF) Records . . . . . . . . . . 3-7

**Section 4**
**Teller Report Generator (TRPT)** . . . . . . . . . . 4-1

**Section 5**
**Teller Terminal Data File (TTDF)** . . . . . . . . . . 5-1
- Screen 1 . . . . . . . . . . 5-2
- Screen 2 . . . . . . . . . . 5-10
- Screen 3 . . . . . . . . . . 5-15

**Section 6**

**Teller Transaction File (TTF) . . . . . . . . . . 6-1**

Function Keys . . . . . . . . . . 6-2

Screen 1 . . . . . . . . . . 6-3

Default Teller Transaction File (TTF) Transaction Set . . . . . . . . . . 6-10

**Section 7**

**Teller Transaction Log File (TTLF) . . . . . . . . . . 7-1**

Alternate Keys . . . . . . . . . . 7-4

Summary Screen Function Keys . . . . . . . . . . 7-5

Paging Forward or Backward . . . . . . . . . . 7-6

Information From Tokens . . . . . . . . . . 7-7

TTLF Summary Screen . . . . . . . . . . 7-8

TTLF Summary Screen—Teller ID Format . . . . . . . . . . 7-8

TTLF Summary Screen—Account Number Format . . . . . . . . . . 7-9

Detail Screen Function Keys . . . . . . . . . . 7-15

Administrative Transaction Detail Screen . . . . . . . . . . 7-17

Cardholder Authorization File Inquiry/Update Detail Screen . . . . . . . . . . 7-21

Financial Transaction Detail Screen . . . . . . . . . . 7-27

No Book File Inquiry/Print Detail Screen . . . . . . . . . . 7-34

Override Response Code Detail Screen . . . . . . . . . . 7-40

Positive Balance File Inquiry/Update Detail Screen . . . . . . . . . . 7-42

Stop Pay File Inquiry/Update Detail Screen . . . . . . . . . . 7-48

Transaction Detail Screen . . . . . . . . . . 7-54

Warning/Hold/Float File Inquiry/Update Detail Screen . . . . . . . . . . 7-58

**Section 8**

**Warning/Hold/Float File (WHFF) . . . . . . . . . . 8-1**

Function Keys . . . . . . . . . . 8-3

Screen 1 . . . . . . . . . . 8-4

Screen 2 . . . . . . . . . . 8-8

**Index by Field Name. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . Index-1**

**Index by Data Name . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . Index-5**

*Applied Communications, Inc.*

# Preface

This manual provides complete descriptions of the BASE24 CRT screens that access BASE24-teller files and functions. The information in this manual will enable users to correctly enter and update records in these files. BASE24-teller files are accessed from the TELLER entry on the Virtual Menu and consist of those files that are used exclusively with BASE24-teller. Users should be aware that BASE24-teller uses other files not included in this manual. These additional files are included in the ***BASE24 Base Files Maintenance Manual***, since they are shared with several BASE24 products.

The screen descriptions included in this manual contain information about the purpose of the fields on the screen, the codes that can be placed in these fields, their default values and lengths, and any function keys that operate differently from the standard.

## Audience

ACI prepared this publication for distribution to institution personnel responsible for updating and maintaining the BASE24-teller database.

## Prerequisites

It is recommended that readers be familiar with the ***BASE24 CRT Access Manual*** before reading this manual. The ***BASE24 CRT Access Manual*** provides information about logging on to BASE24, accessing the screens, and using the function keys. Some knowledge of BASE24-teller processing is also suggested.

## Software

This manual documents standard processing for BASE24-teller Release 5.0.

Customer-specific code modifications (i.e., RPQs) may result in processing that differs from the material presented in this manual. The customer is responsible for identifying and noting these changes.

## Manual Summary

The ***BASE24-teller Files Maintenance Manual*** is divided into the following sections:

**Section 1**, “Introduction,” introduces the reader to the files and functions specific to BASE24-teller and the file maintenance screens and function keys used to access them.

**Section 2**, “No Book File (NBF),” contains information about the No Book File (NBF) and the screens and function keys provided for its maintenance. The NBF contains one record for each transaction that is processed on a passbook account.

**Section 3**, “Override Response File (ORF),” contains information about the Override Response File (ORF) and the screen and function keys provided for its maintenance. During normal institution processing of daily teller line activity, the ORF is used to determine if the level of the teller terminal operator is sufficient to allow approval of a transaction that might normally be declined.

**Section 4**, “Teller Report Generator (TRPT),” defines the function of the Teller Report Generator (TRPT) screen and its use. The TRPT is used to initiate daily and periodic statistical reports on the Tandem processor.

**Section 5**, “Teller Terminal Data File (TTDF),” contains information about the Teller Terminal Data File (TTDF) and the screens provided for its maintenance. TTDF records are used to define the characteristics of each teller terminal, including terminal owner and device-dependent data.

**Section 6**, “Teller Transaction File (TTF),” contains information about the Teller Transaction File (TTF) and the screen and function keys provided for its maintenance. TTF records determine whether a transaction is supported, the type of account or accounts that are affected by the transaction, whether the level of the teller terminal operator is sufficient to allow him or her to perform the transaction, and which process handles the authorization of the transaction.

**Section 7**, “Teller Transaction Log File (TTLF),” contains information about the Teller Transaction Log File (TTLF) and the screens and function keys provided for obtaining transaction information from it.

**Section 8**, “Warning/Hold/Float File (WHFF),” contains information about the Warning/Hold/Float File (WHFF) and the screens and function keys provided for its maintenance. The WHFF contains warning records, hold records, and deposit float records.  A warning record indicates special instructions regarding a particular account.  Hold and deposit float records adjust account balances in the Positive Balance File (PBF).

## Publication Identification

Two entries appearing at the bottom of each page uniquely identify this BASE24 publication.  The publication number (e.g., TR-AE000-02 for the ***BASE24-teller Files Maintenance Manual***) appears on every page to assist readers in applying updates to the appropriate manual.  The publication date (e.g., 12/93 for December, 1993) identifies the last time material on a particular page has been revised.  This date can be used to verify that the reader has the most current information and is particularly helpful when dealing with HELP24 to answer operating questions.

The print record, located on the page immediately following the title page, is also helpful when verifying that a manual contains the most current information.  An entry is added to the print record each time a BASE24 publication is modified in any way.  Each print record entry includes the date of the change, a unique version number, and the type of change (new, update, or reissue).  Version 1 is assigned to a *new* manual.  Later versions can be updates or reissues, depending on the changes being made.  An *update* typically involves changes on a small number of pages throughout the manual.  A *reissue* occurs when all pages of the manual are replaced because changes affect a large number of pages.

*Applied Communications, Inc.*

# Section 1

# Introduction

This section provides an introduction to the files specific to BASE24-teller and the file maintenance screens and function keys used to access them.

# BASE24-teller Files and Functions

The BASE24-teller files that can be accessed via file maintenance screens are as follows:

- No Book File (NBF)
- Override Response File (ORF)
- Teller Terminal Data File (TTDF)
- Teller Transaction File (TTF)
- Teller Transaction Log File (TTLF)
- Warning/Hold/Float File (WHFF)

In addition to these files, there is a report generator that can be accessed through the files maintenance system. The Teller Report Generator (TRPT) screen can be used to produce daily and periodic reports. Periodic reports are produced using data stored in the Report Transactions by Time Block File (RTTB) and the Report Transactions by Type File (RTTF). Daily reports are produced using data stored in the Teller Transaction Log File (TTLF). The Teller Report Generator screen is described in the ***BASE24-teller Settlement and Reporting Manual***.

# File Access

All BASE24-teller files accessible to the user are listed below on the Teller Product Menu, which can be accessed from the BASE24 Virtual Menu. Each operator will see only the files and screen groupings available to him or her. A sample Teller Product Menu listing all possible files is shown below. The order in which the files are displayed for individual users is dependent on the order in which the user received access to the files.

Users can access a file listed on the menu by placing the cursor beside an individual item and pressing the **F1** key. More detailed instructions for accessing files are given in the ***BASE24 CRT Access Manual.***

```
BASE24-ADMN  MENU                     LLLL        YY/MM/DD  HH:MM  01 OF 01
                   T L R   P R O D U C T  M E N U

          NBF             ORF             TRPT            TTDF

          TTF             TTLF            WHFF













*********************************** BASE24 ***********************************
                    FILE DESTINATION:
F1-ENTER DATA    F10-PRINT     F12-HELP      F16-EXIT   SF16-LOGOFF
```

# Function Keys

The standard BASE24 function keys are used on BASE24-teller screens. These are described in the ***BASE24 Base Files Maintenance Manual*** and the ***BASE24 CRT Access Manual***. When the use of these keys differs for BASE24-teller, the differences are noted in the section of the manual dealing with the screen grouping to which they apply.

BASE24 also supplies an online Help Screen that lists the function keys that apply on each screen. The Help Screen is displayed by pressing the **F12** key.

# Field Descriptions

Each field appearing on a file maintenance screen is listed by name and then described. Field descriptions briefly summarize the contents, purpose, and permissable values, as shown in the following example taken from the Teller Terminal Data File (TTDF).

#### *Example*

**DH PROCESS —** The symbolic name of the Device Handler designated to receive transactions from the teller terminal. Terminals must be set up to send their transactions to the appropriate Device Handler (the one specified in the TTDF record for the terminal) or the transactions will not be processed.

| | |
|---|---|
| Example: | P1A^TISC |
| Field Length: | 1–16 alphanumeric characters |
| Required Field: | Yes |
| Default Value: | No default value |
| Data Name: | TTDF.DH-PRO-NAM |

#### *Explanation*

Each field description is completed by one or more of the following items of information:

- **Example —** Demonstrates a possible entry for the field to further clarify the value or values that can be entered.
- **Field Length —** Specifies the size of the field and the type of characters that can be entered. This length refers to the field and valid values for the file maintenance screen, not the field in the DDLs. Possible values are alphabetic (A–Z), alphanumeric (all characters), hexadecimal (0–9, A–F), and numeric (0–9). When a field value cannot be modified by the operator, the field length is System-protected.
- **Required Field —** Specifies whether a value has to be entered in the field. Possible values are Yes and No. Some fields are required only under certain conditions. In this case, the entry is Yes, followed by the conditions that determine whether the field is required.

- **Default Value —** Specifies the value that is automatically placed in the field when the screen is first displayed or when function key **F8** is pressed to clear the screen.
- **Data Name —** Provides the DDL name associated with the field appearing on the screen.

# Section 2

# No Book File (NBF)

The No Book File (NBF) contains one record for each transaction that is processed on a passbook account. When the customer presents the passbook for update at the time a transaction occurs, the teller can update the passbook by performing a passbook print transaction. If the customer presents the passbook when a certain set of financial transactions is performed, the BASE24-teller system can update the passbook automatically.

When the automatic passbook printing feature is not supported, the teller must perform two separate transactions to print transactions in a customer's passbook. First, the teller performs the financial transaction which returns the financial information. Second, the teller performs the passbook print transaction which returns the NBF records to be printed in the passbook.

Automatic passbook printing by the BASE24-teller system allows institutions to configure their teller terminals to support automatic printing in the customer's passbook for a specific set of financial transactions. BASE24-teller returns the passbook information immediately following the financial transaction. The teller is not required to perform a separate passbook print transaction. Automatic passbook printing is dependent on the capabilities of the teller device used.

Each passbook account transaction (no book transaction) is stored in this file until a request (manual or automatic) is made to update the customer's passbook with the transaction. When BASE24-teller returns an NBF record to be printed in the passbook, the NBF record is flagged to indicate it has been printed, and the record is deleted, if specified, when the Refresh process performs NBF file refresh.

While BASE24-teller allows users to read, add, and delete records in this file, inquiry is the primary function performed via the NBF file maintenance screens. Additions and deletions typically occur as a result of the normal teller line activity and the regular file refresh.

Records in the NBF are in chronological order for posting to the passbook in the proper sequence. The NBF is a key-sequenced file with fixed-length records. The key to the NBF records is a combination of the data entered in the FIID, ACCOUNT NUMBER, ACCOUNT TYPE, DATE, and TIME fields. When selecting an NBF record, the FIID, ACCOUNT NUMBER, and ACCOUNT TYPE fields are mandatory and the remaining key fields are optional. A key with one or more of the optional key values missing is a partial key.

# Function Keys

The use of four function keys on NBF screens differs from that specified for the standard function keys explained in the ***BASE24 CRT Access Manual*** and the ***BASE24 Base Files Maintenance Manual***. The use of these function keys is explained below.

The first column of information below shows the BASE24 keys. The second column describes the functions that can be accomplished with these function keys.

| Key | Description |
|---|---|
| **F6** | **READ NEXT RECORD**—Retrieves the next NBF record available for the current combination of values in the FIID, ACCOUNT NUMBER, and ACCOUNT TYPE fields displayed on NBF screen 1. Pressing this key retrieves only the remaining NBF records, if any, for the account that is currently identified by the values in these fields. |
| **F7** | **SELECT RECORD—**Selects a specific NBF record. Using the cursor, the user can move to the desired NBF record listed on NBF screen 2 and press the **F7** key. This procedure displays NBF screen 1 which details the desired NBF record. |
| **F9** | **NEXT PAGE—**Retrieves the *next* summary page of NBF records for an account that requires a series of screens to display all records. |
| **F11** | **PREVIOUS PAGE**—Retrieves the *previous* summary page of NBF records for an account that requires a series of screens to display all records. |

# Screen 1

NBF screen 1 details a customer's transaction from the identified passbook account. When a partial key (i.e., one or more of the optional key fields is omitted) is entered from NBF screen 1, all NBF records matching the partial key are displayed on NBF screen 2. From NBF screen 2, the user can move the cursor to the desired record and press the **F7** key. This procedure retrieves NBF screen 1 and displays the desired record in detail. NBF screen 1 is shown below, followed by descriptions of its fields.

```
BASE24-TLR   NO BOOK FILE             LLLL        YY/MM/DD  HH:MM  01 OF 02
         FIID:               ACCOUNT NUMBER:
 ACCOUNT TYPE: 00  (**********)      DATE:             TIME:


                     POST DATE: 000000    (YYMMDD)
       BASE24 TRANSACTION CODE:
              TRANSACTION TYPE:    (***************)
            TRANSACTION AMOUNT:                 0
                  PRINT STATUS:    (*******)
               PRINTED BALANCE:                    0
          PBF PASSBOOK BALANCE:                    0
  RECORD ORIGINATING INDICATOR:    (***********)
       DEVICE TRANSACTION CODE:
                     TELLER ID:
                        REGION:
                        BRANCH:
                          CITY:


*********************************** BASE24 ***********************************
                  FILE DESTINATION:       NEW LOGICAL NETWORK ID:
                          F12-HELP
```

**FIID —** The FIID of the financial institution owning the passbook account.

| | |
|---|---|
| Field Length: | 1–4 alphanumeric characters |
| Required Field: | Yes |
| Default Value: | The FIID previously entered |
| Data Name: | NBF.PRIKEY.FIID |

**ACCOUNT NUMBER —** The account number of the passbook account. The account number must be left-justified and any unused positions on the right must be filled with blanks.

Field Length: 1–28 numeric characters (Currently 1–19 characters are allowed)
Required Field: Yes
Default Value: No default value
Data Name: NBF.PRIKEY.ACCT-NUM

**ACCOUNT TYPE —** A code identifying the type of account. Passbooks can be associated with the accounts listed below. Valid values are:

11 = Savings
12 = IRA
13 = Certificate of Deposit
14–19 = Savings
21 = NOW
41 = Installment Loan
42 = Mortgage Loan
43 = Commercial Loan

Field Length: 2 numeric characters
Required Field: Yes
Default Value: 00
Data Name: NBF.PRIKEY.ACCT-TYP

**DATE —** The calendar date (YYMMDD) the transaction occurred.

Field Length: 6 numeric characters
Required Field: Yes
Default Value: No default value
Data Name: NBF.PRIKEY.TRAN-DAT

**TIME —** The time (HHMMSSTT) the transaction occurred.

Field Length: 8 numeric characters
Required Field: Yes
Default Value: No default value
Data Name: NBF.PRIKEY.TRAN-TIM

**POST DATE —** The BASE24 posting date (YYMMDD) when the transaction was logged to the TTLF. This field may contain a value of zeros (000000) when there is no corresponding record in the TTLF for the transaction.

For example, if an NBF record for an interest payment is refreshed from the host, there will be no corresponding record in the TTLF.

| | |
|---|---|
| Field Length: | 6 numeric characters |
| Required Field: | Yes |
| Default Value: | 000000 |
| Data Name: | NBF.POST-DAT |

**BASE24 TRANSACTION CODE —** The transaction code that identifies the type of transaction. A complete set of teller transactions is defined in section 6.

| | |
|---|---|
| Field Length: | 6 numeric characters |
| Required Field: | Yes |
| Default Value: | No default value |
| Data Name: | NBF.TRAN-CDE |

**TRANSACTION TYPE —** The transaction type code identifies whether the customer’s transaction was a credit, a credit reversal, a debit, or a debit reversal. A system-protected description of the transaction type follows the code. Valid values are:

D = Debit
C = Credit
DR = Debit Reversal
CR = Credit Reversal

| | |
|---|---|
| Field Length: | 1–2 alphabetic characters |
| Required Field: | Yes |
| Default Value: | No default value |
| Data Name: | NBF.TRAN-TYP |

**TRANSACTION AMOUNT —** The amount of the transaction in whole and fractional currency units (e.g., dollars and cents).

| | |
|---|---|
| Field Length: | 1–17 numeric characters |
| Required Field: | Yes |
| Default Value: | 0 |
| Data Name: | NBF.TRAN-AMT |

**PRINT STATUS —** A code indicating whether the transaction has been printed in the customer's passbook. Valid values are:

Y = Yes, the record has been printed.
N = No, the record has not been printed.

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | NBF.PRNT-STAT |

**PRINTED BALANCE —** The passbook balance amount in whole and fractional currency units (e.g., dollars and cents) after the no book transaction was printed in the passbook. The printed balance field is not maintained by the Refresh process but is maintained by the Authorization process.

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | NBF.PRNT-BAL |

**PBF PASSBOOK BALANCE —** The passbook balance, in whole and fractional currency units (e.g., dollars and cents), stored in the Positive Balance File (PBF).

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | PBF.TLRPBF.PASSBOOK-BAL |

**RECORD ORIGINATING INDICATOR —** A code identifying the origin of the NBF record. Valid values are:

A = BASE24 file maintenance
H = Host
R = Refresh
T = Teller

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | NBF.POSTING-SYS |

**DEVICE TRANSACTION CODE —** The teller device's transaction code identifying the type of transaction which the teller performed.

| | |
|---|---|
| Field Length: | 6 alphanumeric characters |
| Required Field: | No |
| Default Value: | No default value |
| Data Name: | NBF.DEV-TRAN-CDE |

**TELLER ID —** The identification number or value assigned to the teller who performed the transaction.

Field Length: 1–8 alphanumeric characters
Required Field: No
Default Value: No default value
Data Name: NBF.TLR-ID

**REGION —** The region of the terminal where the transaction was initiated.

Field Length: 1–4 alphanumeric characters
Required Field: No
Default Value: No default value
Data Name: NBF.REGN-ID

**BRANCH —** The branch of the terminal where the transaction was initiated.

Field Length: 1–4 alphanumeric characters
Required Field: No
Default Value: No default value
Data Name: NBF.BRCH-ID

**CITY —** The city of the terminal where the transaction was initiated.

Field Length: 1–13 alphanumeric characters
Required Field: No
Default Value: No default value
Data Name: NBF.CITY

# Screen 2

NBF screen 2 lists a customer's transactions that occurred for the identified passbook account. When a partial key (i.e., one or more of the optional key fields is omitted) is entered from NBF screen 1, all NBF records matching the partial key are displayed on NBF screen 2. From NBF screen 2, the user can move the cursor to the desired record and press the **F7** key. This procedure retrieves NBF screen 1 and displays the desired record in detail. NBF screen 2 is shown below, followed by descriptions of its fields.

```
BASE24-TLR   NO BOOK FILE            LLLL        YY/MM/DD  HH:MM  01 OF 02
         FIID:            ACCOUNT NUMBER:
 ACCOUNT TYPE: 00  (**********)      DATE:             TIME:
             PBF PASSBOOK BALANCE:
                          BASE24
  TR DAT  TR TIME  PO DAT TR CDE TYP PRNT     TR AMOUNT        PRINTED BAL
_
_
_
_
_
_
_
_
_
_




*********************************** BASE24 ***********************************
                  FILE DESTINATION:        NEW LOGICAL NETWORK ID:
F7-SELECT RECORD    F9-NEXT PAGE    F11-PREVIOUS PAGE    F12-HELP    F16-EXIT
```

**PBF PASSBOOK BALANCE —** The passbook balance, in whole and fractional currency units (e.g., dollars and cents), stored in the Positive Balance File (PBF).

Field Length: System-protected
Data Name: PBF.TLRPBF.PASSBOOK-BAL

**TR DAT —** The calendar date (YYMMDD) the transaction occurred.

Field Length: System-protected
Data Name: NBF.TRAN-DAT

**TR TIME —** The time (HHMMSSTT) the transaction occurred.

Field Length: System-protected
Data Name: NBF.TRAN-TIM

**PO DAT —** The date (YYMMDD) the transaction was logged to the TTLF.

Field Length: System-protected
Data Name: NBF.POST-DAT

**BASE24 TR CDE —** The transaction code that identifies the type of transaction. The complete set of teller transactions is defined in section 6.

Field Length: System-protected
Data Name: NBF.TRAN-CDE

**TYP —** The transaction type identifies whether the transaction was a credit, a credit reversal, a debit, or a debit reversal. Valid values are:

D = Debit
C = Credit
DR = Debit Reversal
CR = Credit Reversal

Field Length: System-protected
Data Name: NBF.TRAN-TYP

**PRNT —** A code indicating whether the transaction has been printed in the customer's passbook. Valid values are:

Y = Yes, the record was printed.
N = No, the record was not printed.

Field Length: System-protected
Data Name: NBF.PRNT-STAT

**TR AMOUNT —** The amount of the customer's passbook account transaction in whole and fractional currency units (e.g., dollars and cents).

Field Length: System-protected
Data Name: NBF.TRAN-AMT

**PRINTED BAL —** The passbook balance in whole and fractional currency units (e.g., dollars and cents) after the no book transaction was printed in the passbook. The printed balance field is not maintained by the Refresh process but is maintained by the Authorization process.

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | NBF.PRNT-BAL |

*Applied Communications, Inc.*

# Section 3

# Override Response File (ORF)

The Override Response File (ORF) contains one record for each response code supported in the BASE24-teller system for each ORF profile. An ORF profile is an identifier used to group institutions together for override processing. The ORF profile enables institutions in the same logical network to share ORF records instead of duplicating the ORF records for each institution.

Each teller transaction receives one or more response codes, which indicate whether the transaction was approved or denied. The ORF enables the institutions in the ORF profile to establish the level of override required to approve the transaction in the event that any one of these response codes is encountered. During normal institution processing of daily teller line activity, the ORF is used to determine if the level of the teller terminal operator is sufficient to allow approval of a transaction that might normally be declined.

The ORF is built by setting up each of the response codes needed for an ORF profile, then tying a minimum override to it which defines the actual override requirement. The response codes in the ORF are in three categories: always approved, always declined, and override possible. The Authorization process reads the ORF into extended memory at startup. This internal table contains the information on all response codes and the corresponding level of overrides as defined in the ORF. During processing, the Authorization process uses this information to determine if the level of the teller terminal operator is sufficient to override the original response code and force approval of the transaction.

Each override-possible response code in the ORF is tied to a minimum override level—teller, supervisor, or manager—that is required to override a denied transaction response and allow transaction approval. There is nothing unique about the teller, supervisor, and manager override levels. The importance is the relationship the levels have to each other. The supervisor can perform more transactions or override more response codes than the teller, and the manager can perform more transactions or override more response codes than the supervisor. One of these levels is assigned to each teller terminal operator to control what he or she can do.

If the current level of the teller terminal operator is equal to or above the minimum override level, the Authorization process accepts it as a valid override for the transaction. If the current level of the teller terminal operator is less than the minimum level, the Authorization process rejects it and the transaction is denied with the override-needed response code. The processing for this transaction continues in order for BASE24 to determine all the override-possible response codes for this transaction. The Authorization process does not send a response message back to the Device Handler until all of these override-possible response codes have been found for this transaction.

Override processing allows all of the denied response codes that need override authority for a single transaction to be displayed to the teller terminal operator. After the operator has reviewed all of the override-possible response codes, he or she can decide whether the transaction should be posted regardless of what the system determines. The teller terminal operator sends the transaction to BASE24-teller again with the new teller level.

When ACI installs BASE24-teller, a full set of ORF records is placed in the ORF under a profile of DEFAULT. This full set, called the default ORF, must then be copied for each profile in the system. The default ORF profile is detailed at the end of this section.

Refer to the ***BASE24-teller Transaction Processing Manual*** for further information on response code override levels and override processing.

The key to the ORF is a combination of the data entered in the PROFILE and RESPONSE CODE fields.

# Function Keys

The use of two function keys on ORF screen 1 differs from that specified for the standard function keys explained in the ***BASE24 CRT Access Manual*** and the ***BASE24 Base Files Maintenance Manual***. The use of these function keys is explained below. In addition, only a super user (i.e., a user with a group number of 255 in his or her CRT access security record) can perform the following file maintenance functions involving ORF records in the profile named DEFAULT.

- F3—ADD
- F4—DELETE
- F5—UPDATE

The first column of information below shows the BASE24 keys. The second column describes the functions that can be accomplished with these function keys.

| Key | Description |
|---|---|
| **F7** | **LOAD—**Copies all of the ORF records from the profile named DEFAULT to the specified profile instead of the user adding them individually. Once the user has pressed the **F7** key, the system will output a message indicating the number of records added to the ORF for the profile entered in the PROFILE field. Only a super user can perform this function. |
| **F8** | **UNLOAD—**Deletes all of the ORF records for the specified profile instead of the user deleting them individually. Once the user has pressed the **F8** key, the system will output a message indicating that all records were successfully deleted from the ORF for the profile entered in the PROFILE field. Only a super user can perform this function. |

# Screen 1

ORF screen 1 defines the minimum action required to override a transaction response code. ORF screen 1 is shown below, followed by descriptions of its fields.

```
BASE24-TLR   OVERRIDE RESPONSE        LLLL        YY/MM/DD  HH:MM  01 OF 01
       PROFILE:
 RESPONSE CODE:

                     TELLER OVERRIDE RESPONSE DATA


      OUR CUST/OUR TERM OVERRIDE: 0 (NO OVERRIDE REQUIRED)
OUR CUST/NOT-ON-US TERM OVERRIDE: 0 (NO OVERRIDE REQUIRED)

RESPONSE CODE DESCRIPTION:









*********************************** BASE24 ***********************************
                  FILE DESTINATION:        NEW LOGICAL NETWORK ID:
                F7-LOAD         F8-UNLOAD        F12-HELP
```

**PROFILE —** An identifier which groups institutions together for override processing.

| | |
|---|---|
| Field Length: | 1–8 alphanumeric characters |
| Required Field: | Yes |
| Default Value: | No default value |
| Data Name: | ORF.PRIKEY.PROFILE |

**RESPONSE CODE —** The response code for which corresponding override values are being assigned. Valid values and their definitions are defined in the “Default Override Response File Records” portion of this section.

Field Length: 3 alphanumeric characters
Required Field: Yes
Default Value: No default value
Data Name: ORF.PRIKEY.RESP-CDE

**OUR CUST/OUR TERM OVERRIDE —** A code identifying the minimum override required for an approval of an on-us transaction with the specified response code. Any override equal to or above this minimum level will be accepted as a valid override for the transaction. Valid values are:

0 = No override required. The transaction is approved and does not require an authorization override.
1 = Teller authorizes override. The transaction can be approved if entered by a teller.
2 = Supervisor authorizes override. The transaction can be approved if entered by a supervisor.
3 = Manager authorizes override. The transaction can be approved if entered by a manager.
4 = Override restricted. The transaction is denied and cannot be approved with an authorization override.

Field Length: 1 numeric character
Required Field: Yes
Default Value: 0
Data Name: ORF.ON-US-MIN-OVRRD

**OUR CUST/NOT-ON-US TERM OVERRIDE —** A code identifying the minimum override level required for an approval of a not-on-us transaction with the specified response code. Any override equal to or above this minimum level will be accepted as a valid override for the transaction. Valid values are:

0 = No override required. The transaction is approved and does not require an authorization override.
1 = Teller authorizes override. The transaction can be approved if entered by a teller.
2 = Supervisor authorizes override. The transaction can be approved if entered by a supervisor.
3 = Manager authorizes override. The transaction can be approved if entered by a manager.
4 = Override restricted. The transaction is denied and cannot be approved with an authorization override.

Field Length: 1 numeric character
Required Field: Yes
Default Value: 0
Data Name: ORF.NOT-ON-US-MIN-OVRRD

**RESPONSE CODE DESCRIPTION —** An information-only field describing the response code.

Field Length: 1–30 alphanumeric characters
Required Field: No
Default Value: No default value
Data Name: ORF.DESC

# Default Override Response File (ORF) Records

Each ORF profile processed by BASE24-teller requires its own set of ORF records which controls how overrides are to be handled for that profile.

When ACI installs BASE24-teller, a full set of ORF records is placed in the ORF under a profile of DEFAULT. This full set, called the default ORF, must then be copied for each profile in the system. The identifier in the PROFILE field of each ORF record in a set must match the identifier in the ORF PROFILE field on screen 25 of an Institution Definition File (IDF) record.

EXAMPLE: There are three institutions in a system, BNK1, BNK2, and BNK3, and two of the institutions are grouped together for override processing. BNK1 and BNK2 are using a profile of 0001, and BNK3 is using a profile of BNK3. In this case, the default ORF records have to be copied twice to create one full set of records for profile 0001 and one full set of records for profile BNK3. At that point, the ORF records for profile 0001 can be modified to establish the override levels that BNK1 and BNK2 wish to support and the ORF records for profile BNK3 can be modified to establish the override levels that BNK3 wishes to support.

## Response Codes

Authorization response codes are three-position codes indicating how the transaction authorizer wants the transaction handled. The first position indicates the action to be taken on the transaction. Valid values are:

A = Approved. The transaction authorizer approved the transaction, and the teller can complete the transaction as is.
F = Denied, fatal error. The transaction authorizer encountered a fatal error while processing the transaction. The transaction cannot be completed.
O = Denied, nonfatal error (i.e., override-possible condition). The transaction authorizer denied the transaction because of a nonfatal error. The transactions can subsequently be approved by a teller, supervisor, or manager with the appropriate override level.

The second and third positions of the response code indicate the reason the transaction was approved or denied.

## Default Override Levels

The table that begins on the following page describes the settings in the default ORF records at the time of installation. The ORF default override level is provided for each response code. Each description includes the response code text, a general description of the response code, and the circumstances under which the BASE24-teller Authorization process generates the code. BASE24-teller supports some response codes that the BASE24-teller Authorization process does not generate. These response codes can be generated by the host, the BASE24-teller Host Interface process, or some BASE24-teller Device Handlers.

To keep explanations brief, the following file name abbreviations have been used throughout this table:

CAF = Cardholder Authorization File
CPF = Card Prefix File
IDF = Institution Definition File
KEYA = Key Authorization File
NBF = No Book File
PBF = Positive Balance File
SPF = Stop Payment File
TTDF = Teller Terminal Data File
WHFF = Warning/Hold/Float File

## Changing Override Levels

Any changes to the default ORF should be made with caution because these records are intended to be copied and any changes would thus be replicated. Records should not be deleted from the default ORF, because it is intended to provide a record for each response code supported by BASE24-teller.

Changing the minimum override level field in the ORF for those response codes beginning with A or F does not alter system processing. Response codes beginning with A indicate that the transaction is approved and does not require an authorization override. With two exceptions (response codes F0Z and F3Z), a response code beginning with F indicates that the transaction is denied and cannot be approved with an authorization override. Response codes F0Z (OVERRIDE NEEDED) and F3Z (MULTIPLE ACCOUNT SELECTION) have a minimum override level of 4; however, these two response codes require the entry of additional information and are only fatal response codes when this information is not provided.

| Resp Code | Description | ORF Default |
|---|---|---|
| A00 | APPROVED TRANSACTION<br><br>The transaction was unconditionally approved.  The transaction was verified against all criteria available.<br><br>The BASE24-teller Authorization process returns this response code when the transaction was approved and account balances were impacted, if required.  The BASE24-teller Authorization process can return this response code for all message types except administrative messages. | 0 |
| A01 | APPROVED WITH NO BALANCES<br><br>The transaction was unconditionally approved, but the balances cannot be returned.<br><br>The BASE24-teller Authorization process returns this response code in the following cases:<br><br>• Account types are not specified in the financial transaction request or advice transaction codes (e.g., 120000, 130000, 140000).<br><br>• Transactions are specified as log-only transactions in the TTF record. | 0 |
| A02 | APPROVED WITH WARNINGS<br><br>The transaction was approved, but there are currently warnings on file.<br><br>The BASE24-teller Authorization process does not generate this response code. | 0 |
| A03 | APPROVED WITH OVERRIDE<br><br>The transaction was approved, but it had to be overridden by the teller, supervisor, or manager.<br><br>The BASE24-teller Authorization process returns this response code when it encounters an error that can be overridden and both of the following conditions exist:<br><br>• The transaction is a financial request or advice or a file inquiry/update request or advice.<br><br>• The level of the teller is sufficient to automatically override the error condition. | 0 |

| Resp Code | Description | ORF Default |
|---|---|---|
| A04 | APPROVED BY DEVICE HANDLER<br>The Device Handler approved the transaction.<br>The BASE24-teller Authorization process does not generate this response code. | 0 |
| A05 | APPROVED WITH OVERDRAFT<br>The transaction was approved by taking the account balance negative up to the overdraft limit specified in the PBF because the account did not contain sufficient funds to cover the debit portion of the financial transaction.<br>The BASE24-teller Authorization process can return this response code when processing the following transactions:<br>• Deposit with cash back<br>• Split deposit with cash back<br>• Cash check<br>• Payment from<br>• Purchase<br>• Transfer<br>• Withdrawal | 0 |
| A06 | APPROVED WITH PASSBOOK CURRENT<br>The transaction was approved for a passbook account, but there are no NBF records to be sent to the device for passbook printing.<br>The BASE24-teller Authorization process can return this response code when processing passbook print requests. | 0 |

| **Resp Code** | **Description** | **ORF Default** |
|---|---|---|
| A07 | APPROVED WITH BACKUP ACCOUNT<br>The transaction was approved by using the credit line/backup account.<br>The BASE24-teller Authorization process returns this response code when the account has a backup account configured and funds were transferred from the backup account to the *from* account in order to cover the transaction.  This can take place on the following transactions:<br>• Cash check<br>• Payment from<br>• Purchase<br>• Transfer<br>• Withdrawal | 0 |
| A08 | APPROVED SAF BY DEVICE HANDLER<br>The Store-and-Forward (SAF) transaction was sent to the Device Handler and it was not processing the SAF date.<br>The BASE24-teller Authorization process does not generate this response code. | 0 |
| A90 | APPROVED ADMINISTRATIVE REQUEST<br>The transaction was an approved administrative transaction (i.e., signon, signoff, logon, logoff).<br>The BASE24-teller Authorization process returns this response code when the transaction is an approved administrative transaction request or advice. | 0 |
| A91–A99 | APPROVED ADMINISTRATIVE REQUEST<br>The transaction was an approved administrative transaction (i.e., signon, signoff, logon, logoff).<br>Response codes A90 through A99 have the same meaning; however, the BASE24-teller Authorization process generates response code A90 only. | 0 |

| Resp Code | Description | ORF Default |
|---|---|---|
| F00 | INVALID MESSAGE LENGTH<br><br>The transaction was declined because the transaction authorizer detected a message length error.<br><br>The BASE24-teller Authorization process does not generate this response code. | 4 |
| F01 | MESSAGE EDIT ERROR<br><br>The transaction was declined because the message failed field editing.<br><br>The BASE24-teller Authorization process returns this response code in any of the following situations:<br><br>• It cannot find a required token.<br>• It cannot update a token.<br>• It encounters an invalid length when accessing a variable-length token (e.g., the CAF Inquiry, Account, Customer Name, NBF, SPF Inquiry, or WHFF Inquiry tokens).<br>• The teller requested a CAF inquiry or update and the CRD-PRESENT flag in the TSTMH is not set to Y. | 4 |
| F02 | FIID NOT PROCESSING TELLER<br><br>The transaction was declined because either the terminal owner or the account-owning institution does not support BASE24-teller.<br><br>The BASE24-teller Authorization process returns this response code when it cannot find an entry for the institution in the IDF extended memory table. | 4 |
| F03 | TELLER NOT SIGNED ON<br><br>The transaction was declined because the teller has not signed on to the BASE24-teller system.<br><br>The BASE24-teller Authorization process does not generate this response code. | 4 |

| Resp Code | Description | ORF Default |
|---|---|---|
| F04 | BAD BUSINESS DATE<br><br>The transaction was declined because the business date in the transaction was not available to BASE24.<br><br>The BASE24-teller Authorization process returns this response code when the posting date from the request message does not match either the current or next business date found on the terminal-owning institution’s IDF table entry. | 4 |
| F05 | NEXT BUSINESS DATE NOT AVAILABLE<br><br>The transaction was declined because the teller attempted to log on for the next business day before the time allowed by the institution.<br><br>The BASE24-teller Authorization process does not generate this response code. | 4 |
| F06 | AUTHORIZATION NOT RESPONDING<br><br>The transaction was declined because a transaction timer expired.<br><br>The BASE24-teller Authorization process does not generate this response code. | 4 |
| F07 | HOST IS DOWN<br><br>The transaction was declined because the host station was down.<br><br>The BASE24-teller Authorization process returns this response code when the value in the SYS.RTE-STAT field in the TSTMH indicates that a line is down or a message timed out after leaving BASE24. | 4 |
| F08 | DATABASE PROBLEM<br><br>The transaction was declined because of a system problem.<br><br>The BASE24-teller Authorization process returns this response code in any of the following situations:<br><br>• It is unable to write to the CAF, NBF, PBF, SPF, or WHFF.<br><br>• It is unable to position or read the CAF, NBF, PBF, SPF, or WHFF.<br><br>• It cannot derive valid card/PIN verification parameters for the transaction from the CPF. | 4 |

| Resp Code | Description | ORF Default |
|---|---|---|
| F08 | DATABASE PROBLEM *continued*<br>• It cannot derive valid expiration date check parameters for the transaction from the CPF.<br>• It finds duplicate account types and numbers on the CAF record.<br>• It encounters errors with the passbook print or automatic passbook print portion of the transaction.<br>• It cannot find the KEYA record for PIN verification.<br>• The card-owning institution does not have a valid filename configured for the CAF, NBF, SPF, or WHFF.<br>• An invalid or unknown card status is specified in the CAF.<br>• The information given to modify an account number for interbank routing would create an invalid account number.<br>• The PBF record does not have a BASE24-teller segment defined.<br>• An invalid parameter is passed to a procedure (indicates program error; refer to log messages for more information).<br>• The IDF extended memory table entry is marked as having a fatal error.<br>• Interbank routing is supported by the terminal-owning institution, but the ARF has not been loaded into the extended memory table.<br>• The same institution does not own the *to* account and the *from* account on a two-sided transaction.<br>• The *to* account and the backup account are the same on a two-sided transaction.<br>• The currency code used in the transaction does not match the currency code of the card-owning institution. | 4 |
| F09 | ENTER LESSER AMOUNT<br>The transaction was declined because the requested amount would cause the customer's daily withdrawal limit to be exceeded. In this case, a portion of the daily withdrawal amount remains, but it is less than the requested amount.<br>The BASE24-teller Authorization process does not generate this response code. | 4 |

| **Resp Code** | **Description** | **ORF Default** |
|---|---|---|
| F0A | DAILY WITHDRAWAL LIMIT REACHED<br><br>The transaction was declined because the customer previously reached the personal daily withdrawal limit for the business day.<br><br>The BASE24-teller Authorization process does not generate this response code. | 4 |
| F0B | AMOUNT GREATER THAN SYSTEM LIMIT<br><br>The transaction was declined because the teller requested an amount that exceeds the maximum supported by BASE24.<br><br>The BASE24-teller Authorization process returns this response code when the amount being added to a PBF amount field would cause the PBF field balance to exceed the maximum amount that the field can hold.  The following transactions can increase amounts in PBF balance fields:<br><br>• Transferring money from the backup account to the *from* account (available balance, ledger balance).<br><br>• Reversing backup account information for any transaction using a backup account (ledger balance, available balance, credit balance).<br><br>• Adding a deposit float record to the WHFF (available balance).<br><br>• Adding or deleting the WHFF hold record (amount on hold, available balance).<br><br>• Posting a credit transaction (available balance, ledger balance, cash in today).<br><br>• Posting a debit transaction (cash out today, credit balance).<br><br>• Posting a deposit transaction (cash in today, cash out today, available balance, ledger balance, total deposit amount, amount on hold, amount of deposit credit).<br><br>• Posting a payment transaction (cash in today, cash out today, available balance, credit balance, ledger balance). | 4 |

<table>
<tr><th>Resp Code</th><th>Description</th><th>ORF Default</th></tr>
<tr><td>F0B</td><td>AMOUNT GREATER THAN SYSTEM LIMIT continued<br>• Posting a purchase transaction (cash out today, calculation of transaction amount plus fee amount, credit balance).<br>• Posting a transfer transaction (cash in today, cash out today, available balance, credit balance, ledger balance).<br>• Posting a withdrawal transaction (cash out today, credit balance).<br>• Reversing a credit transaction (credit balance).<br>• Reversing a debit transaction (ledger balance, available balance).<br>• Reversing a deposit transaction (deposit credit amount).<br>• Reversing a payment transaction (ledger balance, available balance, credit balance).<br>• Reversing a purchase transaction (ledger balance, calculation of transaction amount plus fee amount, available balance).<br>• Reversing a transfer transaction (ledger balance, available balance, credit balance).<br>• Reversing a withdrawal transaction (ledger balance, available balance).</td><td>4</td></tr>
<tr><td>F0C</td><td>RETRY TRANSACTION<br>The transaction was declined because of a temporary system problem.  The transaction should be retried.<br>The BASE24-teller Authorization process returns this response code when either the PBF or the NBF for this transaction is not current, the transaction could possibly involve passbook printing, and the passbook print flag in the IDF is set to decline transactions when the PBF or NBF is not current.</td><td>4</td></tr>
<tr><td>F0D</td><td>INVALID MESSAGE DESTINATION<br>The transaction was declined because an invalid destination was supplied.<br>The BASE24-teller Authorization process returns this response code when the transaction is configured to be authorized by the host but there is no host destination in the IDF routing table.</td><td>4</td></tr>
</table>

| Resp Code | Description | ORF Default |
|---|---|---|
| F0E | INELIGIBLE AUTOMATIC PASSBOOK TRANSACTION<br><br>The transaction was declined because automatic passbook prints are not allowed for this financial transaction.<br><br>The BASE24-teller Authorization process returns this response code when automatic passbook printing is required for the transaction, but automatic passbook printing is not allowed for this transaction due to any of the following conditions:<br><br>• The transaction is a financial advice message.<br><br>• The transaction is a two-sided transaction.<br><br>• The transaction is not included in the Automatic Passbook Print Transaction Table (i.e., cannot be configured for automatic passbook printing). | 4 |
| F0F | ACCOUNT OWNER NOT IN LOGICAL NETWORK<br><br>The transaction was declined because BASE24-teller cannot determine the owner of the account.<br><br>The BASE24-teller Authorization process returns this response code when the account owner cannot be found using the information loaded in the ARF extended memory table. The account owner cannot be determined as a result of encountering any of the following conditions:<br><br>• A valid ARF extended memory table entry cannot be found.<br><br>• The FIIDs of the ARF extended memory table entry and the CPF do not match on a card-initiated transaction. (Applies to both account routing and bank routing.)<br><br>• The BASE24-teller Authorization process cannot find a matching account number in the ARF data extended memory table when performing account routing. | 4 |
| F0G | CUSTOMER NOT SUPPORTED AT INSTITUTION<br><br>The transaction was declined because the terminal owner and account owner have not established a valid banking relationship.<br><br>The BASE24-teller Authorization process returns this response code when the issuer institution and the acquirer institution do not have a banking relationship for interbank routing. | 4 |

| Resp Code | Description | ORF Default |
|---|---|---|
| F0H | TRANSACTION NOT SUPPORTED AT NOT-ON-US TERMINAL<br><br>The transaction was declined because it was a not-on-us transaction that is not supported by the account owner (i.e., the OUR CUST/NOT-ON-US TERM field in the TTF is set to N).<br><br>The BASE24-teller Authorization process returns this response code when the terminal-owning institution does not allow this transaction for customers other than their own. | 4 |
| F0I | SYSTEM ERROR<br><br>The transaction was declined because the Host Interface process cannot translate the PIN or authenticate the message due to a problem with the security device.<br><br>The BASE24-teller Authorization process returns this response code when any of the following errors occur:<br><br>• A security device error occurs during card verification.<br>• A security device error occurs during PIN verification.<br>• A sanity check error occurs during PIN verification. | 4 |
| F0J | RECORD ALREADY EXISTS<br><br>The transaction was declined because the Authorization process attempted to add a record that already existed.<br><br>The BASE24-teller Authorization process returns this response code when the record that is being added already exists. This response code can be returned when adding SPF or WHFF records. | 4 |
| F0Z | OVERRIDE NEEDED<br><br>The transaction was declined because the Authorization process determined the transaction requires an override.<br><br>The BASE24-teller Authorization process returns this response code during transaction processing when it encounters one or more response codes that could be overridden manually but not automatically. Unlike other Fxx response codes, this response code indicates the transaction can be processed successfully with a higher override level. | 4 |

| Resp Code | Description | ORF Default |
|---|---|---|
| F10 | INELIGIBLE TRANSACTION<br>The transaction was declined because the teller attempted a transaction that is not supported by BASE24-teller.<br>The BASE24-teller Authorization process returns this response code when any of the following situations occurs:<br>• It does not recognize the transaction code for the financial transaction request or advice.<br>• It does not recognize the transaction code for the file maintenance transaction request or advice.<br>• It does not recognize the transaction code for the financial reversal transaction request.<br>• A passbook print or reprint transaction is requested with an advice message type of 0320.<br>• A transaction other than a deposit was attempted using a deposit-only or business deposit card. | 4 |
| F11 | INVALID TELLER LEVEL<br>The transaction was declined because the teller level was invalid or insufficient for this transaction.<br>The BASE24-teller Authorization process returns this response code when any of the following situations occurs:<br>• The teller requesting the transaction does not have the minimum teller level sufficient to perform the transaction.<br>• The initial teller override level received in the message header is not one of the valid values.<br>• The maximum terminal override level is not one of the valid values.<br>• The initial teller override level is greater than the maximum terminal override level. | 4 |

| Resp Code | Description | ORF Default |
|---|---|---|
| F12 | TRANSACTION NOT SUPPORTED BY ISSUER<br><br>The transaction was declined because a banking relationship exists between the terminal owner and the account issuer, but the account issuer does not support or allow this transaction.<br><br>The BASE24-teller Authorization process returns this response code when either of the following situations occurs:<br><br>• The TTF extended memory table entry for the transaction cannot be found for the account-owning institution.<br><br>• The TTF extended memory table entry for the institution acquiring the transaction indicates that the transaction is not supported or indicates a reserved authorization level. | 4 |
| F13 | TRANSACTION NOT SUPPORTED BY TERMINAL OWNER<br><br>The transaction was declined because the transaction is not supported by the terminal owner (i.e., the TERM TRAN ALLOWED field in the TTF is set to N).<br><br>The BASE24-teller Authorization process does not generate this response code. | 4 |
| F20 | CPF RECORD NOT FOUND<br><br>The transaction was declined because no CPF record exists for the prefix from the card.<br><br>The BASE24-teller Authorization process returns this response code when either of the following situations occurs:<br><br>• A card-initiated transaction is requested but the CPF extended memory segment was not built at initialization (i.e., the TLR-PROCESS-CRD-PIN param in the Logical Network Configuration File (LCONF) is set to N).<br><br>• The specific CPF extended memory table entry cannot be located. | 4 |

| Resp Code | Description | ORF Default |
|---|---|---|
| F21 | INVALID TRACK 2 DATA<br><br>The transaction was declined because a Track 2 offset was being used and invalid data was encountered in the Track 2 field.<br><br>The BASE24-teller Authorization process returns this response code when pertinent information needed from the Track 2 data cannot be retrieved for any of the following reasons:<br><br>• The format of the Track 2 data area is invalid.<br><br>• The offsets specified on the CPF extended memory table entry are incorrect.<br><br>• The attempt to verify the card fails. | 4 |
| F22 | AMOUNT LESS THAN MINIMUM CREDIT CARD ADVANCE<br><br>The transaction was declined because the customer attempted to obtain an amount of cash that was below the minimum established by that institution or the customer attempted to obtain an amount of cash that was below the amount increment established by the institution.<br><br>The BASE24-teller Authorization process does not generate this response code. | 4 |
| F23 | CARD OWNER NOT SUPPORTED<br><br>The transaction was declined because the customer attempted to use a card that was not supported.<br><br>The BASE24-teller Authorization process does not generate this response code. | 4 |
| F30 | CAF RECORD NOT FOUND<br><br>The transaction was declined because no CAF record exists for the cardholder account number.<br><br>The BASE24-teller Authorization process returns this response code when the attempt to read the CAF record fails with record not found. | 4 |

| Resp Code | Description | ORF Default |
|---|---|---|
| F31 | BAD CARD STATUS<br><br>The transaction was declined because the card status in the CAF was other than open or restricted. This response code could also be the result of a restricted status in the CAF when the requested transaction would result in a withdrawal of funds.<br><br>The BASE24-teller Authorization process returns this response code when the CAF contains card status code 6 (reserved for BASE24-pos only) because BASE24-teller cannot use cards with this status. | 4 |
| F32 | ACCOUNT TYPE NOT FOUND IN CAF<br><br>The transaction was declined because a specific account type and/or account number was entered for a transaction and the account type was not found in the CAF record.<br><br>The BASE24-teller Authorization process searches the CAF's account table in either of the following situations:<br><br>• It is verifying that the requested account type and number specified for the transaction exist on the CAF record.<br><br>• It is performing account selection for transactions which specify account types but not account numbers.<br><br>The BASE24-teller Authorization process returns this response code when either of the following situations occurs:<br><br>• The CAF Inquiry token provides an invalid index into the account table of the CAF record.<br><br>• No accounts or no more accounts can be returned to the requesting process from the CAF record account table. | 4 |

<table>
<tr><th>Resp Code</th><th>Description</th><th>ORF Default</th></tr>
<tr><td>F33</td><td>MULTIPLE CAF ACCOUNT TYPES<br><br>The transaction was declined because a specific account type was entered for a transaction and the entered account type has more than one account associated with it. The user should inquire to the CAF to determine which account is the desired account and perform the transaction manually.<br><br>The BASE24-teller Authorization process returns this response code in any of the following situations:<br><br>• The account select indicator in the IDF is set to 0 (institution does not support multiple account selection).<br><br>• The account select indicator in the IDF is set to 2 (multiple account selection performed at teller device), but the account select indicator in the TTDF is set to N (device making the request does not support multiple account selection).<br><br>• The message is an advice (message types 0220, 0320, or 0420) and multiple account selection is not allowed on advice messages.</td><td>4</td></tr>
<tr><td>F34</td><td>PBF ACCOUNT NOT LINKED TO CAF<br><br>The transaction was declined because the PBF account was not linked to the account specified in the CAF.<br><br>The BASE24-teller Authorization process returns this response code for a card-initiated transaction when it cannot locate a PBF record for the account specified in the CAF record account table.</td><td>4</td></tr>
<tr><td>F35</td><td>CARD MUST BE SWIPED<br><br>The transaction was declined because the PIN offset data has been configured to be on Track 2 (requiring that the data be read electronically) and the Track 2 information has been entered manually.</td><td>4</td></tr>
<tr><td>F37</td><td>LOST CARD STATUS<br><br>The transaction was declined because the card status found in the CAF indicates a lost card.<br><br>The BASE24-teller Authorization process can return this response code with card status code 2 (lost).</td><td>4</td></tr>
</table>

| Resp Code | Description | ORF Default |
|---|---|---|
| F38 | STOLEN CARD STATUS<br><br>The transaction was declined because the card status found in the CAF indicates a stolen card.<br><br>The BASE24-teller Authorization process can return this response code with card status code 3 (stolen). | 4 |
| F39 | CLOSED CARD STATUS<br><br>The transaction was declined because the card status found in the CAF indicates a closed card.<br><br>The BASE24-teller Authorization process can return this response code with card status code 9 (closed). | 4 |
| F3A | DENIED CARD STATUS<br><br>The transaction was declined because the card status found in the CAF indicates a denied card.<br><br>The BASE24-teller Authorization process can return this response code with card status code C (denial). | 4 |
| F3B | EXPIRED CARD<br><br>The transaction was declined because the card status found in the CAF indicates an expired card or because the expiration date check failed.<br><br>The BASE24-teller Authorization process can return this response code with card status code F (expired card). | 4 |
| F3C | INELIGIBLE ACCOUNT STATUS<br><br>This response code is reserved for future use. | 4 |
| F3Z | MULTIPLE ACCOUNT SELECTION<br><br>The BASE24-teller Authorization process returns this response code when multiple accounts have been found on the CAF record and multiple account selection is supported by both the device and the institution. This is not a fatal error. It indicates that account selection must be performed and an account must be selected to complete the transaction. | 4 |

| Resp Code | Description | ORF Default |
|---|---|---|
| F40 | PBF RECORD NOT FOUND<br><br>The transaction was declined because the Authorization process checked the PBF for this account and could not find it.<br><br>The BASE24-teller Authorization process returns this response code for a transaction initiated without a card when a record not found error is returned when reading the PBF. | 4 |
| F50 | SPF RECORD NOT FOUND<br><br>The transaction was declined because the SPF record requested for an inquiry or delete transaction was not in the file. | 4 |
| F51 | INVALID STOP PAY/WARN STATUS<br><br>The transaction was declined because a stop pay/warning status was entered by the teller and the value was invalid.<br><br>The BASE24-teller Authorization process does not generate this response code. | 4 |
| F60 | WHFF RECORD NOT FOUND<br><br>The transaction was declined because the WHFF record requested for an inquiry or delete transaction was not in the file. | 4 |
| F61 | MULTIPLE WHFF RECORDS<br><br>The transaction was declined because the Authorization process attempted to delete a WHFF record for the partial key specified in the transaction and the WHFF has more than one record associated with this key. | 4 |
| F70 | NBF RECORD NOT FOUND<br><br>The transaction was declined because the NBF record requested for an inquiry was not in the file. | 4 |

<table>
<tr><th>Resp Code</th><th>Description</th><th>ORF Default</th></tr>
<tr><td>F71</td><td>PBF ACCOUNT NOT LINKED TO NBF<br><br>The transaction was declined because the PBF account was not a passbook account.<br><br>The BASE24-teller Authorization process can return this response code with the following transactions:<br><br>• Financial transaction with automatic passbook print<br>• NBF inquiry<br>• Passbook print<br>• Passbook reprint</td><td>4</td></tr>
<tr><td>F72</td><td>NBF RECORD NOT FOUND FOR REVERSAL<br><br>The transaction was declined because a teller-initiated reversal was performed for a passbook account and BASE24 could not locate the NBF record for the original financial transaction.</td><td>4</td></tr>
<tr><td>F73</td><td>NO NBF RECORDS TO REPRINT<br><br>The transaction was declined because a passbook reprint transaction was performed and all of the printed NBF records have already been reprinted.</td><td>4</td></tr>
<tr><td>O31</td><td>PIN INCORRECT<br><br>The transaction was declined because the customer’s Personal Identification Number (PIN) was entered incorrectly.<br><br>The BASE24-teller Authorization process returns this response code when the PIN is entered incorrectly or does not match the PIN associated with the card used in the transaction.</td><td>2</td></tr>
<tr><td>O32</td><td>PIN TRIES EXCEEDED<br><br>The transaction was declined because the customer exceeded the maximum number of PIN tries for the current usage period.</td><td>2</td></tr>
</table>

| Resp Code | Description | ORF Default |
|---|---|---|
| O33 | UNABLE TO VERIFY PIN<br><br>The transaction was declined because the PIN could not be verified due to a failure within the system (configuration or device).<br><br>The BASE24-teller Authorization process returns this response code under either of the following circumstances:<br><br>• The PIN offset is configured to be located on the CAF record but the transaction is to be authorized by the host. (The PIN offset must be part of the Track 2 data when PIN verification is part of the transaction screening.)<br><br>• The Security Utilities return an invalid PIN data or invalid PIN parameter error when attempting PIN verification. | 4 |
| O34 | PIN METHOD—NO PIN PRESENT<br><br>The transaction was declined because a PIN verification method has been configured but a PIN was not present in the message. | 2 |
| O35 | PIN PRESENT—NO PIN METHOD<br><br>The transaction was declined because a PIN was present in the message but no PIN verification method has been configured. | 2 |
| O36 | CARD NOT ACTIVATED<br><br>The transaction was declined because the card status found in the CAF indicated that the card has not been activated.<br><br>The BASE24-teller Authorization process can return this response code with card status code 0 (issued but not active). | 2 |
| O37 | CALL FOR APPROVAL<br><br>The transaction was declined because the card status found in the CAF indicated to call for approval.<br><br>The BASE24-teller Authorization process can return this response code with card status code A (referral). | 3 |

| Resp Code | Description | ORF Default |
|---|---|---|
| O38 | USER DEFINED<br><br>The transaction was declined because the card status found in the CAF indicated a user-defined status.<br><br>The BASE24-teller Authorization process can return this response code with card status code B (maybe). | 1 |
| O39 | SIGNATURE REQUIRED<br><br>The transaction was declined because the card status found in the CAF indicated that a signature is required for approval.<br><br>The BASE24-teller Authorization process can return this response code with card status code D (signature required). | 2 |
| O40 | BAD PBF ACCOUNT STATUS<br><br>The transaction was declined because the status of the account, stored on the PBF record, indicates that the account is restricted from transactions of this type.<br><br>The BASE24-teller Authorization process can return this response code with the following account status codes:<br><br>• 0, A, B, or C (inactive account)<br><br>• 9, V, W, X, Y, or Z (closed account) | 2 |
| O41 | INELIGIBLE ACCOUNT<br><br>The transaction was declined because the status of the account, stored on the PBF record, indicates that no transactions are allowed on this account.<br><br>The BASE24-teller Authorization process can return this response code with the following account status codes:<br><br>• 2, J, K, or L (restricted to deposits)<br><br>• 4, S, T, or U (restricted primary account) | 2 |

| Resp Code | Description | ORF Default |
|---|---|---|
| O42 | TODAY'S CASH OUT EXCEEDED<br><br>The transaction was declined because the customer exceeded his or her maximum withdrawal limit for the day.<br><br>The BASE24-teller Authorization process declines a transaction with this response code when the customer has already exceeded the institution's limit for the maximum amount of cash which can be withdrawn during the business day. This limit is defined in the IDF's customer class table. The cash out amount is checked for the following financial transactions:<br><br>• Miscellaneous debit<br>• Deposit with cash back<br>• Split deposit with cash back<br>• Purchase<br>• Cash check<br>• Payment from<br>• Withdrawal | 3 |
| O43 | WILL EXCEED TODAY'S CASH OUT<br><br>The transaction was declined because the customer will exceed his or her maximum withdrawal limit for the day if the transaction completed as entered.<br><br>The BASE24-teller Authorization process returns this response code with a transaction that would cause the customer to exceed the institution's limit for the maximum amount of cash which can be withdrawn during the business day. This limit is defined in the IDF's customer class table. The cash out amount is checked for the following financial transactions:<br><br>• Miscellaneous debit<br>• Deposit with cash back<br>• Split deposit with cash back<br>• Purchase<br>• Cash check<br>• Payment from<br>• Withdrawal | 3 |

| Resp Code | Description | ORF Default |
|---|---|---|
| O44 | INSUFFICIENT FUNDS<br><br>The transaction was declined because the transaction would cause funds to be removed from an account, but the available balance and the ledger balance in the account are not sufficient to cover the amount requested.<br><br>The BASE24-teller Authorization process returns this response code with a transaction that requests funds from a primary or backup account in which the available funds are less than or equal to zero.  The transaction amount is checked for the following financial transactions:<br><br>• Deposit with cash back<br>• Split deposit with cash back<br>• Payment from<br>• Purchase<br>• Cash check<br>• Transfer<br>• Withdrawal<br>• Transactions accessing a backup account | 2 |

| Resp Code | Description | ORF Default |
|---|---|---|
| O45 | INSUFFICIENT AVAILABLE FUNDS<br><br>The transaction was declined because the transaction would cause funds to be removed from an account, but the available balance in the account was not sufficient to cover the amount requested. However, the ledger balance in the account is sufficient to cover the amount requested.<br><br>The BASE24-teller Authorization process returns this response code with a transaction that requests funds from a primary or backup account in which the available funds are greater than zero, but less than the requested amount. The transaction amount is checked for the following transactions:<br><br>• Deposit with cash back<br>• Split deposit with cash back<br>• Payment from<br>• Purchase<br>• Cash check<br>• Transfer<br>• Withdrawal<br>• Transactions accessing a backup account<br>• Transactions adding a hold record to the WHFF | 2 |

| Resp Code | Description | ORF Default |
|---|---|---|
| O46 | ACCOUNT EXCEEDS OVERDRAFT AMOUNT<br><br>The transaction was declined because the account will exceed the overdraft amount.<br><br>The BASE24-teller Authorization process declines a withdrawal transaction with this response code when there are not enough funds in the account and the requested amount exceeds the overdraft amount for the account. The overdraft limit is checked on the following financial transactions:<br><br>• Deposit with cash back<br>• Split deposit with cash back<br>• Payment from<br>• Purchase<br>• Cash check<br>• Transfer<br>• Withdrawal | 3 |
| O47 | EXCEEDED CASH IN LIMIT<br><br>The transaction was declined because the cash in limit defined in the PBF was exceeded.<br><br>The BASE24-teller Authorization process returns this response code with a transaction that exceeds the maximum amount of cash which can be deposited during the current business day. The cash in amount is checked for the following financial transactions:<br><br>• Payment to<br>• Miscellaneous credit<br>• Deposit<br>• Split deposit | 2 |

<table>
<tr><th>Resp Code</th><th>Description</th><th>ORF Default</th></tr>
<tr><td>O48</td><td>EXCEEDED CASH OUT LIMIT<br><br>The transaction was declined because the cash out limit defined in the PBF was exceeded.<br><br>The BASE24-teller Authorization process returns this response code with a transaction that exceeds the maximum amount of cash which can be withdrawn during the current business day. The cash out amount is checked for the following financial transactions:<br><br>• Miscellaneous debit<br>• Deposit<br>• Split deposit<br>• Payment from<br>• Purchase<br>• Transfer<br>• Cash check<br>• Withdrawal</td><td>2</td></tr>
<tr><td>O49</td><td>PASSBOOK BALANCE DIFFERENCE<br><br>The transaction was declined because the customer’s passbook balance does not equal BASE24’s passbook balance.<br><br>The BASE24-teller Authorization process returns this response code when the passbook balance found on the PBF record and the balance in the request message do not match. Balances are checked the following transactions:<br><br>• Financial transactions with automatic passbook print<br>• Passbook print transactions</td><td>1</td></tr>
<tr><td>O50</td><td>MATCH ON CHECK NUMBER/AMOUNT<br><br>The cash check transaction was declined because the authorizer detected a match between the check number and amount entered and a check number and amount in the database.<br><br>The BASE24-teller Authorization process returns this response code when it finds an SPF record that matches on the check number and on the amount from the request message.</td><td>1</td></tr>
</table>

| Resp Code | Description | ORF Default |
|---|---|---|
| O51 | MATCH ON CHECK NUMBER<br><br>The cash check transaction was declined because the authorizer detected a match between the check number entered and a check number in the database.<br><br>The BASE24-teller Authorization process returns this response code when it finds an SPF record that matches the check number from the request message. | 1 |
| O52 | MATCH ON CHECK RANGE<br><br>The cash check transaction was declined because the authorizer detected a match between the check number entered and a check range in the database.<br><br>The BASE24-teller Authorization process returns this response code when it finds an SPF record that defines a range of check numbers which contains the check number from the request message. | 1 |
| O60 | WARNING RECORD(S) FOUND<br><br>The transaction was declined because the authorizer detected one or more warnings in the database.<br><br>The BASE24-teller Authorization process returns this response code when a warning record for the account is found in the WHFF. The WHFF is searched if it is specified on the TTF for this transaction and the account's PBF record indicates that warning records exist. The TTF and PBF are checked for all PBFs (up to 3) involved in the transaction for all financial requests and advices. | 1 |
| O70 | TOO MANY NBF RECORDS<br><br>A passbook print or automatic passbook print transaction was declined because the number of NBF records for the account exceeds the maximum allowed. This condition can cause a slow response time.<br><br>The BASE24-teller Authorization process compares the number of NBF records for the account to a number specified by the TLR-MAX-NBF-CNT parameter in the LCONF when performing teller-initiated or automatic passbook printing transactions. | 2 |

| Resp Code | Description | ORF Default |
|---|---|---|
| O71 | PBF/NBF BALANCE DIFFERENCE<br><br>A passbook print transaction was declined because BASE24's passbook balance does not equal BASE24's ledger balance.<br><br>The BASE24-teller Authorization process compares these balances for the following transactions:<br><br>• Financial transactions with automatic passbook printing<br><br>• Passbook print transactions | 3 |

*Applied Communications, Inc.*

# Section 4

# Teller Report Generator (TRPT)

The Teller Report Generator (TRPT) is used to initiate daily and periodic statistical report generation for those institutions choosing to produce their teller reports on the Tandem processor.

Refer to the ***BASE24-teller Settlement and Reporting Manual*** for the screen layout and field descriptions for the TRPT screen.

*Applied Communications, Inc.*

# Section 5

# Teller Terminal Data File (TTDF)

The Teller Terminal Data File (TTDF) must contain one record for every teller terminal to be used in the network. The records are used to define the characteristics of the teller terminal, including terminal owner, and device-dependent data. It is also used to preserve transaction context.

Each record contains specific teller terminal information that is unique to each teller terminal. The Device Handler reads the TTDF into extended memory at the time the first transaction occurs after the teller logs on. The Device Handler maintains TTDF records in extended memory for each teller terminal it processes. When it processes transactions from the teller terminal, the Device Handler updates the record in extended memory and then writes the record to the actual TTDF disk.

Before file maintenance can be performed on a TTDF record, the individual teller terminal must be logged off. This is because the Device Handler keeps TTDF records stored in extended memory and, when the teller is logged on, transactions may be impacting the record at the same time the record is being updated via files maintenance.

The key to the TTDF is the TERMINAL ID field.

# Screen 1

TTDF screen 1 defines an individual teller terminal in the network. TTDF screen 1 is shown below, followed by descriptions of its fields.

```
BASE24-TLR   TELLER TERMINAL DATA     LLLL        YY/MM/DD  HH:MM  01 OF 03
TERM ID:                   FIID:       REGION:       BRANCH:       LN: LLLL

  DEVICE TYPE:    (******************)       STATION NO: 0000
PROTOCOL TYPE:    (B/S/H) (********)          INIT TYPE:   (T/D)
    TELLER ID:           TERMINAL GROUP:      TERMINAL STATUS: 0 (LOGGED OFF)

LOCATION:                                  CURRENCY CODE: 840
    CITY:               STATE:        LOG ROUTING CODE: 0003
 COUNTRY:                                    TIME OFFSET:     0

 DH PROCESS:                                AUTH PROCESS:
INST ID NUM: 00000000000               ROUTING GROUP: 00000000000

BANKING RELNSHIP:
                                      AUTOMATIC PASSBOOK PRINTING: N (Y/N)
TRANS SEQUENCE NUMBER: 000000                MULTIPLE ACCT SELECT: N (Y/N)
POST DATE: 000000  (YYMMDD)                    MAXIMUM LOGON ATTEMPTS:    0
MAX TERMINAL OVERRIDE LEVEL: 3 (MANAGER)     NUMBER OF LOGON ATTEMPTS:    0

*********************************** BASE24 ***********************************
 NEW PAGE:        FILE DESTINATION:        NEW LOGICAL NETWORK ID:
                     F12-HELP
```

**TERM ID —** The terminal ID of the teller terminal. This is the symbolic station name assigned to the terminal in the Network Environment Source File (NEFS). Duplicate terminal identifications are not allowed.

| | |
|---|---|
| Example: | S1A^ISC^BC^10 |
| Field Length: | 1–16 alphanumeric characters |
| Required Field: | Yes |
| Default Value: | No default value |
| Data Name: | TTDF.TERM-ID |

**FIID —** The FIID of the institution owning the teller terminal.

| | |
|---|---|
| Field Length: | 1–4 alphanumeric characters |
| Required Field: | Yes |
| Default Value: | No default value |
| Data Name: | TTDF.FIID |

**REGION —** The region in which the teller terminal is located.

| | |
|---|---|
| Field Length: | 1–4 alphanumeric characters |
| Required Field: | No |
| Default Value: | No default value |
| Data Name: | TTDF.TERM-OWNER.REGN-ID |

**BRANCH —** The branch in which the teller terminal is located.

| | |
|---|---|
| Field Length: | 1–4 alphanumeric characters |
| Required Field: | No |
| Default Value: | No default value |
| Data Name: | TTDF.TERM-OWNER.BRCH-ID |

**LN —** The logical network in which the teller terminal is located.

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTDF.TERM-OWNER.LN |

**DEVICE TYPE —** The device type of the teller terminal. All BASE24-teller Device Handlers are customized for the institution. Refer to the appropriate informal Device Handler documentation for your institution’s specific device type. Valid values are 50 through 67. A0 through A9 are reserved for future Device Handlers.

| | |
|---|---|
| Field Length: | 1–2 alphanumeric characters |
| Required Field: | Yes |
| Default Value: | No default value |
| Data Name: | TTDF.TERM-TYP |

**STATION NO —** The station number for this teller terminal as assigned in the Network Environment File (NEF).

| | |
|---|---|
| Field Length: | 4 numeric characters |
| Required Field: | No |
| Default Value: | 0000 |
| Data Name: | TTDF.TERM-STA-NUM |

**PROTOCOL TYPE —** The protocol type for the teller terminal. Valid values are:

B = BISYNC
S = SDLC/SNA
H = SNAX/HLS

| | |
|---|---|
| Field Length: | 1 alphanumeric character |
| Required Field: | Yes |
| Default Value: | No default value |
| Data Name: | TTDF.PROTO |

**INIT TYPE —** The initiation type which determines who initiates the SNA session with the terminal. This field is necessary only with the SNA protocol. Valid values are:

T = Terminal initiated
D = Device Handler initiated

| | |
|---|---|
| Field Length: | 1 alphanumeric character |
| Required Field: | Yes, if PROTOCOL TYPE is S (SNA). |
| Default Value: | No default value |
| Data Name: | TTDF.INITIATION |

**TELLER ID —** The teller currently logged on to this terminal. The teller ID is supplied by the teller when he or she logs on.

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTDF.TLR-ID |

**TERMINAL GROUP —** The terminal group of which the teller terminal is a member. This field is used for Device Control Terminal (DCT) commands.

| | |
|---|---|
| Field Length: | 1–4 alphanumeric characters |
| Required Field: | No |
| Default Value: | No default value |
| Data Name: | TTDF.TERM-OWNER.GRP-ID |

**TERMINAL STATUS —** The current status of the teller terminal. The terminal status is a system-supplied field and cannot be modified.

Valid values are:

0 = Teller terminal is logged off.
1 = Teller terminal is logged on.

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTDF.TERM-STAT |

**LOCATION —** The address or location of the terminal.

| | |
|---|---|
| Field Length: | 1–25 alphanumeric characters |
| Required Field: | No |
| Default Value: | No default value |
| Data Name: | TTDF.TERM-LOC |

**CURRENCY CODE —** A code (ISO standard) identifying the currency used at this teller terminal. Valid values are listed in the booklet ***Codes for the Representation of Currencies and Funds,*** ISO 4217-1990.

| | |
|---|---|
| Field Length: | 3 numeric characters |
| Required Field: | No |
| Default Value: | 840 (U.S. dollars) |
| Data Name: | TTDF.CRNCY-CDE |

**CITY —** The name of the city where the terminal is located.

| | |
|---|---|
| Field Length: | 1–13 alphanumeric characters |
| Required Field: | No |
| Default Value: | No default value |
| Data Name: | TTDF.TERM-CITY |

**STATE —** The state, province, or political division where the terminal is located. In the United States, only the first two characters are used to identify the state where the terminal is located. Codes for other countries must be agreed upon by all sharing institutions.

Field Length: 1–3 alphanumeric characters
Required Field: No
Default Value: No default value
Data Name: TTDF.TERM-ST

**LOG ROUTING CODE —** The routing code to use for routing log messages generated specifically on behalf of this teller terminal. The log routing code for a standard BASE24-teller system is 0003.

Field Length: 4 numeric characters
Required Field: No
Default Value: 0003
Data Name: TTDF.LOG-RT-CODE

**COUNTRY —** The country where the terminal is located. Valid codes are listed in the ***Codes for the Representation of Names of Countries***, ISO 3166–1988.

Field Length: 1–2 alphabetic characters
Required Field: No
Default Value: No default value
Data Name: TTDF.TERM-CNTRY

**TIME OFFSET —** The time difference between this terminal and the Tandem processor location. The value entered is added or subtracted from the Tandem time to obtain the terminal local time. Values are assumed to be positive unless preceded by a negative sign. Valid values range from -1439 to 1439.

Field Length: 1–5 alphanumeric characters
Required Field: No
Default Value: 0
Data Name: TTDF.TIM-OFST

**DH PROCESS —** The symbolic name of the Device Handler designated to receive transactions from the teller terminal. Terminals must be set up to send their transactions to the appropriate Device Handler (the one specified in the TTDF records for the terminal) or the transactions will not be processed.

| | |
|---|---|
| Example: | P1A^TISC |
| Field Length: | 1–16 alphanumeric characters |
| Required Field: | Yes |
| Default Value: | No default value |
| Data Name: | TTDF.DH-PRO-NAME |

**AUTH PROCESS —** The symbolic name of the Authorization process to which the Device Handler is to send requests from the terminal.

| | |
|---|---|
| Example: | P1A^TAUTH1 |
| Field Length: | 1–16 alphanumeric characters |
| Required Field: | Yes |
| Default Value: | No default value |
| Data Name: | TTDF.AUTH-PRO-NAME |

**INST ID NUM —** The routing and transit number for the institution owning the teller terminal. This field should be entered right-justified, zero-filled to the left.

| | |
|---|---|
| Field Length: | 11 numeric characters |
| Required Field: | No |
| Default Value: | 00000000000 |
| Data Name: | TTDF.ID-NUM |

**ROUTING GROUP —** The routing group number. This field is used to route transactions initiated by accountholders that are outside the logical network. This field is reserved for future use.

| | |
|---|---|
| Field Length: | 11 numeric characters |
| Required Field: | Yes |
| Default Value: | 00000000000 |
| Data Name: | TTDF.RTE-GRP |

**BANKING RELNSHIP —** A series of characters indicating the institutions with which this terminal owner has a banking relationship. A maximum of 24 fields containing one unique character each can be used. Zero is not a valid character. Duplicate characters cannot be used. Valid characters must be followed by blanks to the right. Embedded blanks are not allowed.

Field Length: 1–24 alphanumeric characters
Required Field: No
Default Value: No default value
Data Name: TTDF.BNK-RELNSHP

**AUTOMATIC PASSBOOK PRINTING —** A flag indicating whether this terminal is capable of supporting automatic passbook printing. Valid values are:

Y = Yes, automatic passbook printing is allowed.
N = No, automatic passbook printing is not allowed.

Field Length: 1 alphabetic character
Required Field: Yes
Default Value: N
Data Name: TTDF.AUTO-PASSBOOK-PRNT

**TRANS SEQUENCE NUMBER —** The last transaction sequence number maintained at the teller terminal. If the terminal does not support generation of the transaction sequence number, the Device Handler for the terminal supplies it.

Field Length: System-protected
Data Name: TTDF.TRAN-SEQ-NUM

**MULTIPLE ACCT SELECT —** A code identifying whether the teller terminal can support multiple account transactions. This option can be used only with card-initiated transactions. Valid values are:

Y = Yes, the teller terminal does support multiple account selection.
N = No, the teller terminal does not support multiple account selection.

Field Length: 1 alphabetic character
Required Field: Yes
Default Value: N
Data Name: TTDF.MULT-ACCT

**POST DATE —** The date (YYMMDD) transactions from the terminal will be settled by BASE24.

Field Length: System-protected
Data Name: TTDF.POST-DAT

**MAXIMUM LOGON ATTEMPTS —** The maximum number of unsuccessful logon attempts a teller may make to the terminal.

| | |
|---|---|
| Field Length: | 1–4 numeric characters |
| Required Field: | No |
| Default Value: | 0 |
| Data Name: | TTDF.LOGON-LMT |

**MAX TERMINAL OVERRIDE LEVEL —** A code indicating the maximum override level that this particular terminal can handle. Valid values are:

1 = Teller
2 = Supervisor
3 = Manager

| | |
|---|---|
| Field Length: | 1 numeric character |
| Required Field: | Yes |
| Default Value: | 3 |
| Data Name: | TTDF.MAX-TERM-OVRRD-LVL |

**NUMBER OF LOGON ATTEMPTS —** The number of unsuccessful attempts made to log on to the teller terminal during an institution's business day. This number is reset to zero after a successful logon.

| | |
|---|---|
| Field Length: | 1–4 numeric characters |
| Required Field: | No |
| Default Value: | 0 |
| Data Name: | TTDF.LOGON-TRIES |

# Screen 2

TTDF screen 2 contains information related to transaction security data. TTDF screen 2 is shown below, followed by descriptions of its fields.

```
BASE24-TLR   TELLER TERMINAL DATA     LLLL        YY/MM/DD  HH:MM  02 OF 03
TERM ID:                   FIID:       REGION:       BRANCH:       LN: LLLL

                         SECURITY INFORMATION

       PIN ENCRYPT TYPE: 00  (NO ENCRYPTION)
             MASTER KEY: 0000000000000000       CHECK DIGITS: 0000

CONTROLLER VALIDATE PIN: N  (Y/N)
      PIN ENTRY SUPPORT: N  (Y/N)
        ANSI PAN FORMAT: 0  (12 RIGHT/NO-CHK)
      PIN PAD CHARACTER: F
   COMPLETE TRACK2 DATA: Y  (Y/N)

                    MESSAGE AUTHENTICATION INFORMATION

         MAC MASTER KEY: 0000000000000000       CHECK DIGITS: 0000
       MAC SUPPORT TYPE: 0  (NO MAC SUPPORT)
          MAC DATA TYPE: 0  (ASCII)

*********************************** BASE24 ***********************************
 NEW PAGE:        FILE DESTINATION:        NEW LOGICAL NETWORK ID:
                     F12-HELP
```

## SECURITY INFORMATION

The following fields relate to the encryption and decryption of data flowing to and from this terminal, to the verification of PIN data presented by this terminal, and to the support of the Message Authentication Code (MAC).

**PIN ENCRYPT TYPE —** A value indicating the type of PIN encryption supported by the terminal. Valid values are:

00 = No encryption
01 = DES algorithm (PIN/PAD; without a security device)
02 = DES algorithm (PIN/PAN; without a security device)
03 = DES algorithm (PIN/PAD; with a security device)
04 = DES algorithm (PIN/PAN; with a security device)

Field Length: 2 numeric characters
Required Field: Yes
Default Value: 00
Data Name: TTDF.ENCRYPT-PIN.PIN-ENCRYPT-TYP

**MASTER KEY —** The PIN master key for the teller terminal. Valid values for each character in this field are 0 through 9 and A through F. This field must contain 16 valid characters.

Field Length: 16 hexadecimal characters
Required Field: Yes
Default Value: 0000000000000000
Data Name: TTDF.ENCRYPT-PIN.ENCRYPT-KEYS.M-KEY

**CHECK DIGITS —** The check digits used in validating the PIN master key. This value should match that returned by the security module when encrypting the key. Valid values for each character in this field are 0 through 9 and A through F. This field must contain four valid characters.

Field Length: 4 hexadecimal characters
Required Field: Yes
Default Value: 0000
Data Name: TTDF.ENCRYPT-PIN.ENCRYPT-KEYS.M-KEY-CHK-VAL

**CONTROLLER VALIDATE PIN —** A code indicating whether the teller controller validates the PIN data entered through the teller terminal. This field is valid for card-activated systems only. Valid values are:

Y = Yes, the teller controller validates the PIN data.
N = No, the teller controller does not validate the PIN data.

Field Length: 1 alphabetic character
Required Field: Yes
Default Value: N
Data Name: TTDF.ENCRYPT-PIN.CNTLR-VALID

**PIN ENTRY SUPPORT —** A code identifying the PIN entry capability of the device. Valid values are:

N = No, the terminal does not support PIN entry.
Y = Yes, the terminal does support PIN entry.

Field Length: 1 alphabetic character
Required Field: Yes
Default Value: N
Data Name: TTDF.ENCRYPT-PIN.PIN-VAL-TERM

**ANSI PAN FORMAT —** A code identifying which PAN digits are used in the PIN block (for PIN/PAN PIN blocks). Valid values are:

0 = 12 right-most digits excluding check digit
1 = 12 right-most digits including check digit
2 = 12 left-most digits

Field Length: 1 numeric character
Required Field: Yes
Default Value: 0
Data Name: TTDF.ENCRYPT-PIN.ANSI-PAN-FRMT

**PIN PAD CHARACTER —** The PAD character used in the PIN block (for PIN/PAD PIN blocks). Valid values are A through F.

Field Length: 1 alphabetic character
Required Field: Yes
Default Value: F
Data Name: TTDF.ENCRYPT-PIN.PIN-PAD-CHAR

**COMPLETE TRACK2 DATA —** A code indicating whether or not the device has the capability to capture and transmit complete Track 2 data on card swipe transactions. Valid values are:

Y = Yes, the terminal can capture and transmit complete Track 2 data.
N = No, the terminal cannot capture and transmit complete Track 2 data.

Field Length: 1 alphabetic character
Required Field: Yes
Default Value: F
Data Name: TTDF.COMPLETE-TRACK2-DATA

# MESSAGE AUTHENTICATION INFORMATION

The following fields relate to Message Authentication Code (MAC) support. MAC support provides a method for an institution to validate the contents of transmitted messages thus ensuring the integrity of messages received.

**MAC MASTER KEY —** The MAC master key for the teller terminal. Valid values for each character in this field are 0 through 9 and A through F. This field must contain 16 valid characters.

| | |
|---|---|
| Field Length: | 16 hexadecimal characters |
| Required Field: | Yes |
| Default Value: | 0000000000000000 |
| Data Name: | TTDF.MAC.MAC-M-KEY |

**CHECK DIGITS —** The check digits used in validating the MAC master key. This value should match that returned by the security module when encrypting the key. Valid values for each character in this field are 0 through 9 and A through F. This field must contain four valid characters.

| | |
|---|---|
| Field Length: | 4 hexadecimal characters |
| Required Field: | Yes |
| Default Value: | 0000 |
| Data Name: | TTDF.MAC.MAC-M-KEY-CHK-VAL |

**MAC SUPPORT TYPE —** A code specifying the type of message authentication that is supported by the Device Handler. Valid values are:

0 = No MAC support
1 = Software MAC support
3 = Hardware MAC support

| | |
|---|---|
| Field Length: | 1 numeric character |
| Required Field: | Yes |
| Default Value: | 0 |
| Data Name: | TTDF.MAC.MAC-TYP |

**MAC DATA TYPE —** A code indicating the character set of the data to be authenticated. Valid values are:

0 = ASCII
1 = EBCDIC

| | |
|---|---|
| Field Length: | 1 numeric character |
| Required Field: | Yes |
| Default Value: | 0 |
| Data Name: | TTDF.MAC.MAC-DATA-TYP |

# Screen 3

TTDF screen 3 contains information required for an individual terminal to use BASE24-mail to broadcast messages or memos to all of the terminals on the system, to specific groups of terminals, or to individual terminals.

The use of BASE24-mail with the BASE24-teller product requires customer-specific code modifications (i.e., RPQs). Therefore, TTDF screen 3 is used only when an institution supports BASE24-mail as an RPQ to its BASE24-teller system. TTDF screen 3 is shown below. Field descriptions are available only if they are included with the RPQ.

```
BASE24-MAIL  TELLER TERMINAL DATA     LLLL        YY/MM/DD  HH:MM  03 OF 03
TERM ID:                   FIID:       REGION:       BRANCH:       LN: LLLL


                    MAIL PRO NAME:
                      SCROLL THRU: 1 (SCROLL THRU CATEGORIES)
         TIMEOUT RESPONSE TO TERM: Y (Y/N)
             POS/NEG CONFIRMATION: Y (Y/N)
             UNSOLICITED MESSAGES: N (Y/N)
  COMPLETION UNSOLICITED MESSAGES: N (Y/N)
       COMPLETION STORED MESSAGES: N (Y/N)

                         TERMINAL IN                  TERMINAL OUT
    COMPLETION CODE:
      DELIVERY MODE:   (***************)           (***************)
      CATEGORY NAME:
         MESSAGE ID:
       MESSAGE DATE:
        STATUS FLAG:

*********************************** BASE24 ***********************************
 NEW PAGE:        FILE DESTINATION:       NEW LOGICAL NETWORK ID:
                     F12-HELP
```

*Applied Communications, Inc.*

# Section 6

# Teller Transaction File (TTF)

The Teller Transaction File (TTF) contains one record for each type of transaction that can be processed for an institution. TTF records determine whether a transaction is supported, the type of account or accounts that are affected by the transaction, whether the level of the teller terminal operator is sufficient to allow him or her to perform the transaction, and which process handles the authorization of the transaction. One record is required in the TTF for each transaction code processed by an institution.

The Device Handler and the Authorization process read the TTF into memory at startup and use the TTF to determine how specific transactions are to be processed.

ACI installs a TTF containing records for a full set of transaction codes that BASE24-teller supports. This set of records is assigned an FIID of 0000 and is known as the default TTF. The transaction codes in this TTF are presented at the end of this section. For complete descriptions of the transaction codes, refer to the ***BASE24-teller Transaction Processing Manual***.

A copy of the default TTF records must be added to the TTF for each institution to be processed by BASE24-teller. The institution's TTF records are then modified to delete transaction codes the institution does not use and update the remaining transaction codes to reflect the processing to be performed.

The key to the TTF records is a combination of the data entered in the FIID, TRANSACTION CODE, FROM ACCOUNT TYPE, and TO ACCOUNT TYPE fields.

# Function Keys

The use of two function keys on TTF screen 1 differs from that specified for the standard function keys explained in the ***BASE24 CRT Access Manual*** and the ***BASE24 Base Files Maintenance Manual***. The use of these function keys is explained below. In addition, only a super user (i.e., a user with a group number of 255 in his or her CRT access security record) can perform the following file maintenance functions involving default TTF records (i.e., FIID 0000).

- F3—ADD
- F4—DELETE
- F5—UPDATE

The first column of information below shows the BASE24 keys. The second column describes the functions that can be accomplished with these function keys.

| Key | Description |
|---|---|
| **F7** | **LOAD**—Copies all of the TTF records from FIID 0000 (default) to the specified FIID instead of the user adding them individually. Once the user has pressed the **F7** key, the system will output a message indicating the number of records added to the TTF for the institution entered in the FIID field. Only a super user can perform this function. |
| **F8** | **UNLOAD**—Deletes all of the TTF records for the specified FIID instead of the user deleting them individually. Once the user has pressed the **F8** key, the system will output a message indicating that all records were successfully deleted from the TTF for the institution entered in the FIID field. Only a super user can perform this function. |

# Screen 1

TTF screen 1 defines the transaction possibilities for *to* and *from* accounts for BASE24-teller transaction processing. TTF screen 1 is shown below, followed by descriptions of its fields.

```
BASE24-TLR   TELLER TRANSACTION       LLLL        YY/MM/DD  HH:MM  01 OF 01
                        FIID:
            TRANSACTION CODE:     (**********************************)
           FROM ACCOUNT TYPE:     (***********)
             TO ACCOUNT TYPE:     (***********)

                       TELLER TRANSACTION  DATA

           TERM TRAN ALLOWED: Y  (YES)
     OUR CUST/NOT-ON-US TERM: N  (NO)
                  AUTH LEVEL: 2  (OFFLINE)
        MINIMUM TELLER LEVEL: 0  (NONE)
             SEARCH THE WHFF: N  (NO)
      INCLUDE PRE-AUTH HOLDS: N  (NO)
         COMPLETIONS TO HOST: N  (NO COMPLETIONS)
       PAPERLESS TRANSACTION: Y  (POST TRANS TO HOST FROM EXTRACT)
PASSBOOK PRINTED DESCRIPTION:
     TRANSACTION DESCRIPTION:


*********************************** BASE24 ***********************************
                  FILE DESTINATION:        NEW LOGICAL NETWORK ID:
                F7-LOAD         F8-UNLOAD        F12-HELP
```

**FIID —** The FIID of the financial institution defining the transaction.

| | |
|---|---|
| Field Length: | 1–4 alphanumeric characters |
| Required Field: | Yes |
| Default Value: | The FIID previously entered |
| Data Name: | TTF.PRIKEY.FIID |

**TRANSACTION CODE —** The transaction code of the transaction being defined. This code, together with a *from* account type and *to* account type, represents a single type of transaction. Valid values are:

10 = Withdrawal
11 = Cash Transit Check
12 = Cash Official Check
13 = Cash Certificate of Deposit
14 = Cash Bond

15 = Cash Coupon
16 = Miscellaneous Debit
17 = Affiliate/Correspondent Check Cash
18 = Debit Memo Post
20 = Deposit
21 = Split Deposit
22 = Miscellaneous Credit
23 = Credit Memo Post
30 = PBF Inquiry
31 = PBF Short Inquiry (Ledger and Available Balance)
32 = SPF Inquiry
33 = CAF Inquiry
34 = NBF Inquiry
35 = Passbook Print
36 = Passbook Reprint
37 = WHFF Inquiry
40 = Transfer
50 = Payment
60 = Purchase Money Order
61 = Purchase Cashier's Check
62 = Purchase Travelers Checks
63 = Purchase Bank Draft
64 = Purchase Certified Check
65 = Purchase Bond
66 = Purchase Miscellaneous
73 = Change Card Status on CAF
74 = Change Account Status on CAF and PBF
75 = PIN Verification
80 = Add Stop Payment to SPF
81 = Delete Stop Payment from SPF
82 = Change Account Status on PBF
83 = Change PBF Stop Pay/Warning Status
84 = Add Warning to WHFF
85 = Add Hold to WHFF
86 = Delete Hold from WHFF
87 = Add Float to WHFF
88 = Delete Float from WHFF
89 = Delete Warning from WHFF
90 = Log On (Start of Business Day)
91 = Log Off (End of Business Day)
92 = Sign On (Start of Balancing Day)
93 = Sign Off (End of Balancing Day)

| | |
|---|---|
| Field Length: | 2 numeric characters |
| Required Field: | Yes |
| Default Value: | No default value |
| Data Name: | TTF.PRIKEY.TRAN-CDE |

**FROM ACCOUNT TYPE —** The *from* account type of the transaction. Valid values are:

00 = None
01 = DDA (Checking Account)
11 = Savings
12 = IRA
13 = Certificate of Deposit
21 = NOW
31 = Credit Card
32 = Credit Line
41 = Installment Loan
42 = Mortgage Loan
43 = Commercial Loan

| | |
|---|---|
| Field Length: | 2 numeric characters |
| Required Field: | Yes |
| Default Value: | 00 |
| Data Name: | TTF.PRIKEY.FROM-ACCT-TYP |

**TO ACCOUNT TYPE —** The *to* account type of the transaction. Valid values are:

00 = None
01 = DDA (Checking Account)
11 = Savings
12 = IRA
13 = Certificate of Deposit
21 = NOW
31 = Credit Card
32 = Credit Line
41 = Installment Loan
42 = Mortgage Loan
43 = Commercial Loan
50 = Utility Payment
51 = Utility 1 Payment
52 = Utility 2 Payment

53 = Utility 3 Payment
54 = Utility 4 Payment
55 = Utility 5 Payment

Field Length: 2 numeric characters
Required Field: Yes
Default Value: 00
Data Name: TTF.PRIKEY.TO-ACCT-TYP

**TERM TRAN ALLOWED —** A value specifying whether the terminal-owning institution supports the transaction for an on-us or a not-on-us accountholder. Valid values are:

Y = Yes, the terminal owner supports this transaction.
N = No, the terminal owner does not support this transaction.
L = Log only, the BASE24 Device Handler logs the transaction to the Teller Transaction Log File (TTLF).

Field Length: 1 alphanumeric character
Required Field: Yes
Default Value: Y
Data Name: TTF.TERM-TRAN-ALWD

**OUR CUST/NOT-ON-US TERM —** A value specifying whether the account-owning institution supports the transaction for their customer at another institution's terminal. Valid values are:

Y = Yes, the account owner supports this transaction at another institution's terminal.
N = No, the account owner does not support this transaction at another institution's terminal.

Field Length: 1 alphanumeric character
Required Field: No
Default Value: N
Data Name: TTF.NOT-ON-US-TRAN-ALWD

**AUTH LEVEL —** A value specifying how the BASE24 Authorization process handles this transaction. Valid values are:

0 = Transaction not supported.
1 = Online authorization—Host authorizes.
2 = Offline authorization—BASE24 authorizes.
3 = Reserved for future use.
4 = Log only—Authorization not required. The BASE24 Authorization process logs the transaction to the Teller Transaction Log File (TTLF).

| | |
|---|---|
| Field Length: | 1 numeric character |
| Required Field: | Yes |
| Default Value: | 2 |
| Data Name: | TTF.AUTH-LVL |

**MINIMUM TELLER LEVEL —** A value identifying the minimum teller level that is required to perform this transaction. Any teller level equal to or above this minimum level will be accepted as a valid teller level to perform this transaction. Valid values are:

0 = No teller level required. This transaction does not require a particular teller level.
1 = Teller level. The transaction can be performed if entered by a teller.
2 = Supervisor level. The transaction can be performed if entered by a supervisor.
3 = Manager level. The transaction can be performed if entered by a manager.
4 = Restricted. The transaction is denied and cannot be performed by any teller level.

| | |
|---|---|
| Field Length: | 1 numeric character |
| Required Field: | No |
| Default Value: | 0 |
| Data Name: | TTF.MIN-TLR-LVL |

**SEARCH THE WHFF —** A value identifying whether BASE24 is required to search the Warning/Hold/Float File (WHFF) for this transaction. Valid values are:

Y = Yes, search the WHFF before authorizing this transaction. This value is valid only for financial transactions.
N = No, do not search the WHFF before authorizing this transaction.

Field Length: 1 alphabetic character
Required Field: Yes
Default Value: N
Data Name: TTF.WHFF-SEARCH-REQ

**INCLUDE PRE-AUTH HOLDS —** A value specifying whether the BASE24 Authorization process should include preauthorization hold amounts when calculating available balances. Valid values are:

Y = Yes, include preauthorization holds.
N = No, do not include preauthorization holds.

Field Length: 1 alphabetic character
Required Field: Yes
Default Value: N
Data Name: TTF.PROC-PRE-AUTH

**COMPLETIONS TO HOST —** A value specifying the conditions under which BASE24 should send completion messages to the host for this transaction. Valid values are:

N = No, do not send completion messages to the host.
A = Yes, send completion messages for approved transactions only.
D = Yes, send completion messages for denied transactions only.
B = Yes, send completion messages for both approved and denied transactions.

Field Length: 1 alphabetic character
Required Field: Yes
Default Value: N
Data Name: TTF.COMPL-REQ

**PAPERLESS TRANSACTION —** A value specifying whether the transaction is paperless or should be processed using a paper source document. The value in this field is not used by BASE24-teller but is provided to assist the host software. Valid values are:

Y = Yes, the transaction is paperless and should be posted to host files from the TTLF.
N = No, the transaction is not paperless. It should be posted to host files from a paper source document instead of the TTLF.

Field Length: 1 alphanumeric character
Required Field: Yes
Default Value: Y
Data Name: TTF.PAPERLESS-TRAN

**PASSBOOK PRINTED DESCRIPTION —** A short version of the transaction description that will be printed in the passbook to identify the transaction.

Field Length: 6 alphanumeric characters
Required Field: No
Default Value: No default value
Data Name: TTF.PRNT-DESCR

**TRANSACTION DESCRIPTION —** Displays a description of the transaction code entered in the TRANSACTION CODE field.

Field Length: 1–30 alphanumeric characters
Required Field: No
Default Value: No default value
Data Name: TTF.TRAN-DESCR

# Default Teller Transaction File (TTF) Transaction Set

Each institution processed by BASE24-teller requires its own set of TTF records, which contains the transaction codes and authorization values for that institution.

When ACI installs BASE24-teller, a full set of TTF records is placed in the TTF under an FIID of 0000. This full set, called the default TTF, must then be copied for each institution in the system, using that institution's FIID. For example, if there are two FIIDs in the system, BNK1 and BNK2, the default TTF records would have to be copied twice, creating one full set of records for BNK1 and one full set of records for BNK2. At that point, each institution can modify the TTF records as required to establish the authorization values they wish to support. An institution can delete TTF records for the transaction codes it does not use and update TTF records for the remaining transaction codes to reflect the processing it wants BASE24-teller to perform.

The table below lists the transaction codes in the default TTF records at the time of installation. Any changes to the default TTF should be made with caution, because these records are intended to be copied and any changes would thus be replicated. Records should not be deleted from the default TTF, because it is intended to provide a record for each transaction code supported by BASE24-teller.

**Note:** The transaction descriptions appearing in this table vary slightly from the descriptions contained in the default TTF records because abbreviations used in the TTF records due to space limitations are spelled out in these descriptions.

| Tran Code | From Acct Type | To Acct Type | Transaction Description |
|---|---|---|---|
| 10 | 01 | 00 | Withdrawal from DDA |
| 10 | 11 | 00 | Withdrawal from savings |
| 10 | 21 | 00 | Withdrawal from NOW |
| 10 | 31 | 00 | Withdrawal from credit card |
| 10 | 32 | 00 | Withdrawal from credit line |
| 11 | 00 | 00 | Cash transit check (log only) |

| Tran Code | From Acct Type | To Acct Type | Transaction Description |
|---|---|---|---|
| 11 | 01 | 00 | Cash transit check (DDA) |
| 11 | 21 | 00 | Cash transit check (NOW) |
| 12 | 00 | 00 | Cash official check (log only) |
| 12 | 01 | 00 | Cash official check (DDA) |
| 12 | 21 | 00 | Cash official check (NOW) |
| 13 | 00 | 00 | Cash CD (log only) |
| 14 | 00 | 00 | Cash bond (log only) |
| 15 | 00 | 00 | Cash coupon (log only) |
| 16 | 00 | 00 | Miscellaneous debit (log only) |
| 16 | 01 | 00 | Miscellaneous debit from DDA |
| 16 | 11 | 00 | Miscellaneous debit from savings |
| 16 | 12 | 00 | Miscellaneous debit from IRA |
| 16 | 21 | 00 | Miscellaneous debit from NOW |
| 16 | 31 | 00 | Miscellaneous debit from credit card |
| 16 | 32 | 00 | Miscellaneous debit from credit line |
| 16 | 41 | 00 | Miscellaneous debit from installment loan |
| 16 | 42 | 00 | Miscellaneous debit from mortgage loan |
| 16 | 43 | 00 | Miscellaneous debit from commercial loan |
| 17 | 00 | 00 | Cash affiliate/correspondent check (log only) |
| 17 | 01 | 00 | Cash affiliate/correspondent check (DDA) |
| 17 | 21 | 00 | Cash affiliate/correspondent check (NOW) |
| 18 | 01 | 00 | Debit memo post from DDA |

| Tran Code | From Acct Type | To Acct Type | Transaction Description |
|---|---|---|---|
| 18 | 11 | 00 | Debit memo post from savings |
| 18 | 12 | 00 | Debit memo post from IRA |
| 18 | 21 | 00 | Debit memo post from NOW |
| 18 | 31 | 00 | Debit memo post from credit card |
| 18 | 32 | 00 | Debit memo post from credit line |
| 18 | 41 | 00 | Debit memo post from installment loan |
| 18 | 42 | 00 | Debit memo post from mortgage loan |
| 18 | 43 | 00 | Debit memo post from commercial loan |
| 20 | 00 | 01 | Deposit to DDA |
| 20 | 00 | 11 | Deposit to savings |
| 20 | 00 | 12 | Deposit to IRA |
| 20 | 00 | 13 | Deposit to CD |
| 20 | 00 | 21 | Deposit to NOW |
| 21 | 01 | 01 | Split deposit to DDA and DDA |
| 21 | 01 | 11 | Split deposit to DDA and savings |
| 21 | 01 | 12 | Split deposit to DDA and IRA |
| 21 | 01 | 13 | Split deposit to DDA and CD |
| 21 | 01 | 21 | Split deposit to DDA and NOW |
| 21 | 11 | 01 | Split deposit to savings and DDA |
| 21 | 11 | 11 | Split deposit to savings and savings |
| 21 | 11 | 12 | Split deposit to savings and IRA |
| 21 | 11 | 13 | Split deposit to savings and CD |

| Tran Code | From Acct Type | To Acct Type | Transaction Description |
|---|---|---|---|
| 21 | 11 | 21 | Split deposit to savings and NOW |
| 21 | 12 | 01 | Split deposit to IRA and DDA |
| 21 | 12 | 11 | Split deposit to IRA and savings |
| 21 | 12 | 12 | Split deposit to IRA and IRA |
| 21 | 12 | 13 | Split deposit to IRA and CD |
| 21 | 12 | 21 | Split deposit to IRA and NOW |
| 21 | 13 | 01 | Split deposit to CD and DDA |
| 21 | 13 | 11 | Split deposit to CD and savings |
| 21 | 13 | 12 | Split deposit to CD and IRA |
| 21 | 13 | 13 | Split deposit to CD and CD |
| 21 | 13 | 21 | Split deposit to CD and NOW |
| 21 | 21 | 01 | Split deposit to NOW and DDA |
| 21 | 21 | 11 | Split deposit to NOW and savings |
| 21 | 21 | 12 | Split deposit to NOW and IRA |
| 21 | 21 | 13 | Split deposit to NOW and CD |
| 21 | 21 | 21 | Split deposit to NOW and NOW |
| 22 | 00 | 00 | Miscellaneous credit (log only) |
| 22 | 00 | 01 | Miscellaneous credit to DDA |
| 22 | 00 | 11 | Miscellaneous credit to savings |
| 22 | 00 | 12 | Miscellaneous credit to IRA |
| 22 | 00 | 21 | Miscellaneous credit to NOW |
| 22 | 00 | 31 | Miscellaneous credit to credit card |

| Tran Code | From Acct Type | To Acct Type | Transaction Description |
|---|---|---|---|
| 22 | 00 | 32 | Miscellaneous credit to credit line |
| 22 | 00 | 41 | Miscellaneous credit to installment loan |
| 22 | 00 | 42 | Miscellaneous credit to mortgage loan |
| 22 | 00 | 43 | Miscellaneous credit to commercial loan |
| 23 | 00 | 01 | Credit memo post to DDA |
| 23 | 00 | 11 | Credit memo post to savings |
| 23 | 00 | 12 | Credit memo post to IRA |
| 23 | 00 | 21 | Credit memo post to NOW |
| 23 | 00 | 31 | Credit memo post to credit card |
| 23 | 00 | 32 | Credit memo post to credit line |
| 23 | 00 | 41 | Credit memo post to installment loan |
| 23 | 00 | 42 | Credit memo post to mortgage loan |
| 23 | 00 | 43 | Credit memo post to commercial loan |
| 30 | 00 | 01 | Positive Balance File (PBF) inquiry on DDA |
| 30 | 00 | 11 | PBF inquiry on savings |
| 30 | 00 | 12 | PBF inquiry on IRA |
| 30 | 00 | 13 | PBF inquiry on CD |
| 30 | 00 | 21 | PBF inquiry on NOW |
| 30 | 00 | 31 | PBF inquiry on credit card |
| 30 | 00 | 32 | PBF inquiry on credit line |
| 30 | 00 | 41 | PBF inquiry on installment loan |
| 30 | 00 | 42 | PBF inquiry on mortgage loan |

| Tran Code | From Acct Type | To Acct Type | Transaction Description |
|---|---|---|---|
| 30 | 00 | 43 | PBF inquiry on commercial loan |
| 31 | 00 | 01 | PBF short inquiry on DDA |
| 31 | 00 | 11 | PBF short inquiry on savings |
| 31 | 00 | 12 | PBF short inquiry on IRA |
| 31 | 00 | 13 | PBF short inquiry on CD |
| 31 | 00 | 21 | PBF short inquiry on NOW |
| 31 | 00 | 31 | PBF short inquiry on credit card |
| 31 | 00 | 32 | PBF short inquiry on credit line |
| 31 | 00 | 41 | PBF short inquiry on installment loan |
| 31 | 00 | 42 | PBF short inquiry on mortgage loan |
| 31 | 00 | 43 | PBF short inquiry on commercial loan |
| 32 | 00 | 01 | Stop Payment File (SPF) inquiry on DDA |
| 32 | 00 | 21 | SPF inquiry on NOW |
| 33 | 00 | 00 | Cardholder Authorization File (CAF) inquiry on all accounts |
| 33 | 00 | 01 | CAF inquiry on DDA |
| 33 | 00 | 11 | CAF inquiry on savings |
| 33 | 00 | 12 | CAF inquiry on IRA |
| 33 | 00 | 13 | CAF inquiry on CD |
| 33 | 00 | 21 | CAF inquiry on NOW |
| 33 | 00 | 31 | CAF inquiry on credit card |
| 33 | 00 | 32 | CAF inquiry on credit line |
| 33 | 00 | 41 | CAF inquiry on installment loan |

| Tran Code | From Acct Type | To Acct Type | Transaction Description |
|---|---|---|---|
| 33 | 00 | 42 | CAF inquiry on mortgage loan |
| 33 | 00 | 43 | CAF inquiry on commercial loan |
| 34 | 00 | 11 | No Book File (NBF) inquiry on savings |
| 34 | 00 | 12 | NBF inquiry on IRA |
| 34 | 00 | 13 | NBF inquiry on CD |
| 34 | 00 | 21 | NBF inquiry on NOW |
| 34 | 00 | 41 | NBF inquiry on installment loan |
| 34 | 00 | 42 | NBF inquiry on mortgage loan |
| 34 | 00 | 43 | NBF inquiry on commercial loan |
| 35 | 00 | 11 | Passbook print for savings |
| 35 | 00 | 12 | Passbook print for IRA |
| 35 | 00 | 13 | Passbook print for CD |
| 35 | 00 | 21 | Passbook print for NOW |
| 35 | 00 | 41 | Passbook print for installment loan |
| 35 | 00 | 42 | Passbook print for mortgage loan |
| 35 | 00 | 43 | Passbook print for commercial loan |
| 36 | 00 | 11 | Passbook reprint for savings |
| 36 | 00 | 12 | Passbook reprint for IRA |
| 36 | 00 | 13 | Passbook reprint for CD |
| 36 | 00 | 21 | Passbook reprint for NOW |
| 36 | 00 | 41 | Passbook reprint for installment loan |
| 36 | 00 | 42 | Passbook reprint for mortgage loan |

| Tran Code | From Acct Type | To Acct Type | Transaction Description |
|---|---|---|---|
| 36 | 00 | 43 | Passbook reprint for commercial loan |
| 37 | 00 | 01 | Warning/Hold/Float File (WHFF) inquiry on DDA |
| 37 | 00 | 11 | WHFF inquiry on savings |
| 37 | 00 | 12 | WHFF inquiry on IRA |
| 37 | 00 | 13 | WHFF inquiry on CD |
| 37 | 00 | 21 | WHFF inquiry on NOW |
| 37 | 00 | 31 | WHFF inquiry on credit card |
| 37 | 00 | 32 | WHFF inquiry on credit line |
| 37 | 00 | 41 | WHFF inquiry on installment loan |
| 37 | 00 | 42 | WHFF inquiry on mortgage loan |
| 37 | 00 | 43 | WHFF inquiry on commercial loan |
| 40 | 01 | 01 | Transfer from DDA to DDA |
| 40 | 01 | 11 | Transfer from DDA to savings |
| 40 | 01 | 12 | Transfer from DDA to IRA |
| 40 | 01 | 13 | Transfer from DDA to CD |
| 40 | 01 | 21 | Transfer from DDA to NOW |
| 40 | 11 | 01 | Transfer from savings to DDA |
| 40 | 11 | 11 | Transfer from savings to savings |
| 40 | 11 | 12 | Transfer from savings to IRA |
| 40 | 11 | 13 | Transfer from savings to CD |
| 40 | 11 | 21 | Transfer from savings to NOW |
| 40 | 21 | 01 | Transfer from NOW to DDA |

| Tran Code | From Acct Type | To Acct Type | Transaction Description |
|---|---|---|---|
| 40 | 21 | 11 | Transfer from NOW to savings |
| 40 | 21 | 12 | Transfer from NOW to IRA |
| 40 | 21 | 13 | Transfer from NOW to CD |
| 40 | 21 | 21 | Transfer from NOW to NOW |
| 50 | 00 | 00 | Payment (log only) |
| 50 | 00 | 31 | Payment to credit card |
| 50 | 00 | 32 | Payment to credit line |
| 50 | 00 | 41 | Payment to installment loan |
| 50 | 00 | 42 | Payment to mortgage loan |
| 50 | 00 | 43 | Payment to commercial loan |
| 50 | 00 | 50 | Payment to utility |
| 50 | 00 | 51 | Payment to utility 1 |
| 50 | 00 | 52 | Payment to utility 2 |
| 50 | 00 | 53 | Payment to utility 3 |
| 50 | 00 | 54 | Payment to utility 4 |
| 50 | 00 | 55 | Payment to utility 5 |
| 50 | 01 | 00 | Payment from DDA |
| 50 | 01 | 31 | Payment from DDA to credit card |
| 50 | 01 | 32 | Payment from DDA to credit line |
| 50 | 01 | 41 | Payment from DDA to installment loan |
| 50 | 01 | 42 | Payment from DDA to mortgage loan |
| 50 | 01 | 43 | Payment from DDA to commercial loan |

| Tran Code | From Acct Type | To Acct Type | Transaction Description |
|---|---|---|---|
| 50 | 01 | 50 | Payment from DDA to utility |
| 50 | 01 | 51 | Payment from DDA to utility 1 |
| 50 | 01 | 52 | Payment from DDA to utility 2 |
| 50 | 01 | 53 | Payment from DDA to utility 3 |
| 50 | 01 | 54 | Payment from DDA to utility 4 |
| 50 | 01 | 55 | Payment from DDA to utility 5 |
| 50 | 11 | 00 | Payment from savings |
| 50 | 11 | 31 | Payment from savings to credit card |
| 50 | 11 | 32 | Payment from savings to credit line |
| 50 | 11 | 41 | Payment from savings to installment loan |
| 50 | 11 | 42 | Payment from savings to mortgage loan |
| 50 | 11 | 43 | Payment from savings to commercial loan |
| 50 | 11 | 50 | Payment from savings to utility |
| 50 | 11 | 51 | Payment from savings to utility 1 |
| 50 | 11 | 52 | Payment from savings to utility 2 |
| 50 | 11 | 53 | Payment from savings to utility 3 |
| 50 | 11 | 54 | Payment from savings to utility 4 |
| 50 | 11 | 55 | Payment from savings to utility 5 |
| 50 | 21 | 00 | Payment from NOW |
| 50 | 21 | 31 | Payment from NOW to credit card |
| 50 | 21 | 32 | Payment from NOW to credit line |
| 50 | 21 | 41 | Payment from NOW to installment loan |

| Tran Code | From Acct Type | To Acct Type | Transaction Description |
|---|---|---|---|
| 50 | 21 | 42 | Payment from NOW to mortgage loan |
| 50 | 21 | 43 | Payment from NOW to commercial loan |
| 50 | 21 | 50 | Payment from NOW to utility |
| 50 | 21 | 51 | Payment from NOW to utility 1 |
| 50 | 21 | 52 | Payment from NOW to utility 2 |
| 50 | 21 | 53 | Payment from NOW to utility 3 |
| 50 | 21 | 54 | Payment from NOW to utility 4 |
| 50 | 21 | 55 | Payment from NOW to utility 5 |
| 60 | 00 | 00 | Purchase money order (log only) |
| 60 | 01 | 00 | Purchase money order using DDA |
| 60 | 11 | 00 | Purchase money order using savings |
| 60 | 21 | 00 | Purchase money order using NOW |
| 60 | 31 | 00 | Purchase money order using credit card |
| 61 | 00 | 00 | Purchase cashier’s check (log only) |
| 61 | 01 | 00 | Purchase cashier’s check using DDA |
| 61 | 11 | 00 | Purchase cashier’s check using savings |
| 61 | 21 | 00 | Purchase cashier’s check using NOW |
| 61 | 31 | 00 | Purchase cashier’s check using credit card |
| 62 | 00 | 00 | Purchase travelers check (log only) |
| 62 | 01 | 00 | Purchase travelers check using DDA |
| 62 | 11 | 00 | Purchase travelers check using savings |
| 62 | 21 | 00 | Purchase travelers check using NOW |

| Tran Code | From Acct Type | To Acct Type | Transaction Description |
|---|---|---|---|
| 62 | 31 | 00 | Purchase travelers check using credit card |
| 63 | 00 | 00 | Purchase bank draft (log only) |
| 63 | 01 | 00 | Purchase bank draft using DDA |
| 63 | 11 | 00 | Purchase bank draft using savings |
| 63 | 21 | 00 | Purchase bank draft using NOW |
| 63 | 31 | 00 | Purchase bank draft using credit card |
| 64 | 00 | 00 | Purchase certified check (log only) |
| 64 | 01 | 00 | Purchase certified check using DDA |
| 64 | 11 | 00 | Purchase certified check using savings |
| 64 | 21 | 00 | Purchase certified check using NOW |
| 64 | 31 | 00 | Purchase certified check using credit card |
| 65 | 00 | 00 | Purchase bond (log only) |
| 65 | 01 | 00 | Purchase bond using DDA |
| 65 | 11 | 00 | Purchase bond using savings |
| 65 | 21 | 00 | Purchase bond using NOW |
| 65 | 31 | 00 | Purchase bond using credit card |
| 66 | 00 | 00 | Purchase miscellaneous (log only) |
| 66 | 01 | 00 | Purchase miscellaneous using DDA |
| 66 | 11 | 00 | Purchase miscellaneous using savings |
| 66 | 21 | 00 | Purchase miscellaneous using NOW |
| 66 | 31 | 00 | Purchase miscellaneous using credit card |
| 73 | 00 | 00 | Change CAF card status |

| Tran Code | From Acct Type | To Acct Type | Transaction Description |
|---|---|---|---|
| 74 | 00 | 01 | Change CAF/PBF DDA account status |
| 74 | 00 | 11 | Change CAF/PBF savings account status |
| 74 | 00 | 12 | Change CAF/PBF IRA account status |
| 74 | 00 | 13 | Change CAF/PBF CD account status |
| 74 | 00 | 21 | Change CAF/PBF NOW account status |
| 74 | 00 | 31 | Change CAF/PBF credit card account status |
| 74 | 00 | 32 | Change CAF/PBF credit line account status |
| 74 | 00 | 41 | Change CAF/PBF installment loan account status |
| 74 | 00 | 42 | Change CAF/PBF mortgage loan account status |
| 74 | 00 | 43 | Change CAF/PBF commercial loan account status |
| 75 | 00 | 00 | Verify PIN |
| 80 | 00 | 01 | Add stop to DDA |
| 80 | 00 | 21 | Add stop to NOW |
| 81 | 00 | 01 | Delete stop from DDA |
| 81 | 00 | 21 | Delete stop from NOW |
| 82 | 00 | 01 | Change Positive Balance File (PBF) account status for DDA |
| 82 | 00 | 11 | Change PBF account status for savings |
| 82 | 00 | 12 | Change PBF account status for IRA |
| 82 | 00 | 13 | Change PBF account status for CD |
| 82 | 00 | 21 | Change PBF account status for NOW |
| 82 | 00 | 31 | Change PBF account status for credit card |
| 82 | 00 | 32 | Change PBF account status for credit line |

| Tran Code | From Acct Type | To Acct Type | Transaction Description |
|---|---|---|---|
| 82 | 00 | 41 | Change PBF account status for installment loan |
| 82 | 00 | 42 | Change PBF account status for mortgage loan |
| 82 | 00 | 43 | Change PBF account status for commercial loan |
| 83 | 00 | 01 | Change PBF stop pay/warning status for DDA |
| 83 | 00 | 11 | Change PBF stop pay/warning status for savings |
| 83 | 00 | 12 | Change PBF stop pay/warning status for IRA |
| 83 | 00 | 13 | Change PBF stop pay/warning status for CD |
| 83 | 00 | 21 | Change PBF stop pay/warning status for NOW |
| 83 | 00 | 31 | Change PBF stop pay/warning status for credit card |
| 83 | 00 | 32 | Change PBF stop pay/warning status for credit line |
| 83 | 00 | 41 | Change PBF stop pay/warning status for installment loan |
| 83 | 00 | 42 | Change PBF stop pay/warning status for mortgage loan |
| 83 | 00 | 43 | Change PBF stop pay/warning status for commercial loan |
| 84 | 00 | 01 | Add warning to DDA |
| 84 | 00 | 11 | Add warning to savings |
| 84 | 00 | 12 | Add warning to IRA |
| 84 | 00 | 13 | Add warning to CD |
| 84 | 00 | 21 | Add warning to NOW |
| 84 | 00 | 31 | Add warning to credit card |
| 84 | 00 | 32 | Add warning to credit line |
| 84 | 00 | 41 | Add warning to installment loan |

| Tran Code | From Acct Type | To Acct Type | Transaction Description |
|---|---|---|---|
| 84 | 00 | 42 | Add warning to mortgage loan |
| 84 | 00 | 43 | Add warning to commercial loan |
| 85 | 00 | 01 | Add hold to DDA |
| 85 | 00 | 11 | Add hold to savings |
| 85 | 00 | 12 | Add hold to IRA |
| 85 | 00 | 21 | Add hold to NOW |
| 85 | 00 | 31 | Add hold to credit card |
| 85 | 00 | 32 | Add hold to credit line |
| 85 | 00 | 41 | Add hold to installment loan |
| 85 | 00 | 42 | Add hold to mortgage loan |
| 85 | 00 | 43 | Add hold to commercial loan |
| 86 | 00 | 01 | Delete hold from DDA |
| 86 | 00 | 11 | Delete hold from savings |
| 86 | 00 | 12 | Delete hold from IRA |
| 86 | 00 | 21 | Delete hold from NOW |
| 86 | 00 | 31 | Delete hold from credit card |
| 86 | 00 | 32 | Delete hold from credit line |
| 86 | 00 | 41 | Delete hold from installment loan |
| 86 | 00 | 42 | Delete hold from mortgage loan |
| 86 | 00 | 43 | Delete hold from commercial loan |
| 87 | 00 | 01 | Add float to DDA |
| 87 | 00 | 11 | Add float to savings |

| Tran Code | From Acct Type | To Acct Type | Transaction Description |
|---|---|---|---|
| 87 | 00 | 12 | Add float to IRA |
| 87 | 00 | 21 | Add float to NOW |
| 87 | 00 | 31 | Add float to credit card |
| 87 | 00 | 32 | Add float to credit line |
| 87 | 00 | 41 | Add float to installment loan |
| 87 | 00 | 42 | Add float to mortgage loan |
| 87 | 00 | 43 | Add float to commercial loan |
| 88 | 00 | 01 | Delete float from DDA |
| 88 | 00 | 11 | Delete float from savings |
| 88 | 00 | 12 | Delete float from IRA |
| 88 | 00 | 21 | Delete float from NOW |
| 88 | 00 | 31 | Delete float from credit card |
| 88 | 00 | 32 | Delete float from credit line |
| 88 | 00 | 41 | Delete float from installment loan |
| 88 | 00 | 42 | Delete float from mortgage loan |
| 88 | 00 | 43 | Delete float from commercial loan |
| 89 | 00 | 01 | Delete warning from DDA |
| 89 | 00 | 11 | Delete warning from savings |
| 89 | 00 | 12 | Delete warning from IRA |
| 89 | 00 | 13 | Delete warning from CD |
| 89 | 00 | 21 | Delete warning from NOW |
| 89 | 00 | 31 | Delete warning from credit card |

| Tran Code | From Acct Type | To Acct Type | Transaction Description |
|---|---|---|---|
| 89 | 00 | 32 | Delete warning from credit line |
| 89 | 00 | 41 | Delete warning from installment loan |
| 89 | 00 | 42 | Delete warning from mortgage loan |
| 89 | 00 | 43 | Delete warning from commercial loan |
| 90 | 00 | 00 | Log on (start of day) |
| 91 | 00 | 00 | Log off (end of day) |
| 92 | 00 | 00 | Sign on (balancing day) |
| 93 | 00 | 00 | Sign off (balancing day) |

# Section 7

# Teller Transaction Log File (TTLF)

The Teller Transaction Log File (TTLF) contains one record for every transaction processed by BASE24-teller that originated at a teller terminal during the business day. The TTLF records are extracted daily to provide detailed transaction data to participating institutions for processing at their host computer systems. All teller logon/logoff transactions can be included, as well as all financial transactions and all CAF, NBF, PBF, SPF, and WHFF update and inquiry transactions from teller terminals.

Device Handler and Authorization processes log transactions to the TTLF.

The TTLF is written sequentially. Records in the TTLF can be perused by reading the file both forward and backward. Reading the TTLF backward allows an operator to display the most recent records logged to the file without having to peruse all of the older transactions first.

The TTLF perusal function uses two types of screen formats—a summary format and a detail format. TTLF screen 1 displays summary information for twelve TTLF transactions at one time. The TTLF can be perused by teller ID, by account number, or by card number, depending on the key entered by the operator. The TTLF also can be perused sequentially if the operator does not enter a key. There are two summary screen formats—account number and teller ID.

TTLF screen 2 displays detail information for any transaction appearing on screen 1. The detail screen format displayed depends on the type of transaction being viewed. The detail screen formats include:

- **Administrative Transaction Detail—**Displays administrative transactions.
- **Cardholder Authorization File Inquiry Detail—**Displays Cardholder Authorization File (CAF) inquiry transactions. The screen heading is the only difference between this screen and the CAF Update Detail screen.
- **Cardholder Authorization File Update Detail—**Displays Cardholder Authorization File (CAF) update transactions. The screen heading is the only difference between this screen and the CAF Inquiry Detail screen.

- **Financial Transaction Detail—**Displays financial transactions.
- **No Book File Inquiry Detail—**Displays No Book File (NBF) inquiry transactions. The screen heading is the only difference between this screen and the NBF Print Detail and NBF Reprint Detail screens.
- **No Book File Print Detail—**Displays passbook print transactions. The screen heading is the only difference between this screen and the No Book File (NBF) Inquiry Detail and NBF Reprint Detail screens. This screen can also be displayed as an additional information screen with the Financial Transaction Detail screen when an approved financial transaction includes an automatic passbook print.
- **No Book File Reprint Detail—**Displays passbook reprint transactions. The screen heading is the only difference between this screen and the No Book File (NBF) Inquiry Detail and NBF Print Detail screens.
- **Override Response Code List Detail—**An additional information screen that displays response codes that can be overridden. It appears with another detail screen when the RESP CODE field on that screen contains 0F0Z (return card—override needed).
- **Positive Balance File Inquiry Detail—**Displays Positive Balance File (PBF) inquiry transactions. The screen heading is the only difference between this screen and the PBF Update Detail screen.
- **Positive Balance File Update Detail—**Displays Positive Balance File (PBF) update transactions. The screen heading is the only difference between this screen and the PBF Inquiry Detail screen.
- **Stop Payment File Inquiry Detail—**Displays Stop Payment File (SPF) inquiry transactions. The screen heading is the only difference between this screen and the SPF Update Detail screen.
- **Stop Payment File Update Detail—**Displays Stop Payment File (SPF) update transactions. The screen heading is the only difference between this screen and the SPF Inquiry Detail screen.
- **Transaction Detail—**Displays transactions that do not contain enough information to determine the proper screen format.
- **Warning/Hold/Float File Inquiry Detail—**Displays Warning/Hold/Float File (WHFF) inquiry transactions. The screen heading is the only difference between this screen and the WHFF Update Detail screen.
- **Warning/Hold/Float File Update Detail—**Displays Warning/Hold/Float File (WHFF) update transactions. The screen heading is the only difference between this screen and the WHFF Inquiry Detail screen.

This section describes the TTLF summary and detail screens. It shows an illustration of each screen format and describes the information each screen format provides. The summary screen is shown first, followed by the detail screens. The detail screens are shown in alphabetical order, with a screen shown just once when the heading is the only difference in two or more screen formats.

# Alternate Keys

An operator can access TTLF records using the following alternate keys:

- Account Number
- Card Number
- Teller ID

When an account number or card number is entered as the alternate key, the TTLF Summary screen is displayed with the teller ID in the first column. The account number or card number entered must belong to the financial institution specified in the FIID field and the logical network specified in the LNET field.

The member number can also be entered along with the card number. A member number allows more than one card to be issued for a single card number. When a member number is entered, the records associated with the card number and member number are retrieved. If asterisks are entered in this field, or this field is left blank, the records retrieved are all of those associated with the card number regardless of the member number.

When a teller ID is entered as the alternate key, the TTLF Summary screen is displayed with the account number in the first column.

When no alternate key is entered (i.e., the ACCOUNT NUM, CARD NUM, and TELLER ID fields are blank), TTLF records are accessed sequentially and the TTLF Summary screen is displayed with the teller ID in the first column.

# Summary Screen Function Keys

Using function keys, operators can perform the following tasks from the TTLF Summary screen:

- Display the first or last twelve records in the TTLF.
- Page forward or backward through the TTLF.
- Display the details of a particular record on the summary screen.

The function keys explained in the table below enable operators to perform these tasks. The first column of information below shows the BASE24 keys. The second column describes the functions that can be accomplished with these function keys.

| Key | Description |
|---|---|
| F1 | **FIRST PAGE, READ FORWARD**—Displays the first twelve transaction records in the TTLF and reads the TTLF from first record to last record. Refer to “Paging Forward or Backward” for further explanation. |
| F2 | **LAST PAGE, READ BACKWARD**—Displays the last twelve transaction records in the TTLF and reads the TTLF from last record to first record. Refer to “Paging Forward or Backward” for further explanation. |
| F4 | **DETAIL PAGE—**Displays the detail record for the selected record on the summary screen. |
| F8 | **CLEAR SCREEN—**Clears all the fields on the current screen except the logical network and date. |
| F9 | **NEXT PAGE—**Reads the *next* twelve records in the TTLF and displays them on the summary screen. The direction in which the file is being read determines the records read when this key is pressed. Refer to “Paging Forward or Backward” for further explanation. |
| F11 | **PREVIOUS PAGE—**Reads the *previous* twelve records in the TTLF and displays them on the summary screen. The direction in which the file is being read determines the records read when this key is pressed. Refer to “Paging Forward or Backward” for further explanation. |

# Paging Forward or Backward

Four function keys—**F1**, **F2**, **F9**, and **F11**—work together to control which records are read and displayed on the TTLF Summary screen. The **F1** and **F2** keys determine the direction in which the TTLF will be read, which in turn affects which records are read when the **F9** and **F11** keys are pressed.

Using a TTLF containing 60 records as an example, the following table illustrates how these function keys operate.

| **Paging Forward** | | **Paging Backward** | |
|---|---|---|---|
| **Function Key Pressed** | **TTLF Records Displayed** | **Function Key Pressed** | **TTLF Records Displayed** |
| F1 | 1–12 | F2 | 49–60 |
| F9 | 13–24 | F9 | 37–48 |
| F9 | 25–36 | F9 | 25–36 |
| F11 | 13–24 | F11 | 37–48 |
| F9 | 25–36 | F9 | 25–36 |

Once a TTLF Summary screen is displayed and the operator has chosen a specific TTLF record to display on one of the TTLF detail screen formats, the operator can read other detail records within the TTLF by perusing forward and backward through the file. However, the only detail records that can be accessed by perusing forward or backward in the file are those records that were displayed on the TTLF Summary screen.

For example, when records 13 through 24 are displayed on the TTLF Summary screen, an operator can choose to display detail record number 15. When detail record number 15 is displayed, the operator can peruse back to detail record number 13 or forward to detail record number 24. The operator cannot access detail records out of that range. To do so, the operator must return to the TTLF Summary screen and request a new range of records.

# Information From Tokens

The TTLF Perusal Subsystem (the requesters and servers used in perusing the TTLF) retrieves token information from the TTLF for display on the detail screens.

The BASE24-teller TTLF Perusal Subsystem retrieves information from the following tokens:

- Account Token
- CAF Inquiry Token
- CAF Update Token
- Credit Line Token
- Financial Token
- NBF Token
- Override Token
- PBF Inquiry Token
- PBF Update Token
- SPF Inquiry Token
- SPF Update Token
- WHFF Inquiry Token
- WHFF Update Token

The information displayed on the TTLF detail screens varies depending on which tokens are configured to be logged to the TTLF. The tokens that are logged to the TTLF determine what token information is available for perusal online. When the BASE24-teller TTLF Perusal Subsystem cannot display a detail screen field because a needed token is missing, the missing token is identified in an error message displayed at the bottom of the screen.

The Token File (TKN) is used to configure token processing. Refer to the ***BASE24 Tokens Manual*** for complete information on tokens and configuring token processing.

# TTLF Summary Screen

The TTLF Summary screen formats display summary information about the records requested. Twelve TTLF records are displayed on the TTLF Summary screen at one time. There are two TTLF Summary screen formats, with the format displayed depending on the key requested. Refer to “Alternate Keys” for additional information.

## TTLF Summary Screen—Teller ID Format

The TTLF Summary screen that displays the teller ID in the first column for each entry is shown below.

```
 BASE24-TLR   TTLF SUMMARY             LLLL        YY/MM/DD  HH:MM  01 OF 02
ACCOUNT NUM:                         TELLER ID:           FIID:      LNET: LLLL
   CARD NUM:                        MEMBER NUM:           DATE(YYMMDD): YYMMDD

                        TRAN                  MSG  RESP  AUTH ID TRAN    TRAN
        TELLER ID       CODE       AMOUNT     IND  CODE   RESP   DATE    TIME













 *********************************** BASE24 ***********************************
                   FILE DESTINATION:        NEW LOGICAL NETWORK ID:
 F1-FIRST PAGE  F2-LAST PAGE  F4-DETAIL  F9-NEXT PAGE  F11-PREV PAGE  F12-HELP
```

# TTLF Summary Screen—Account Number Format

The TTLF Summary screen that displays the account number in the first column for each entry is shown below, followed by descriptions of the fields for both TTLF Summary screen formats.

```
 BASE24-TLR   TTLF SUMMARY             LLLL        YY/MM/DD  HH:MM  01 OF 02
ACCOUNT NUM:                         TELLER ID:           FIID:      LNET: LLLL
   CARD NUM:                        MEMBER NUM:           DATE(YYMMDD): YYMMDD

                        TRAN                          MSG  RESP  AUTH ID TRAN   TRAN
      ACCOUNT NUM       CODE       AMOUNT         IND  CODE   RESP   DATE   TIME













*********************************** BASE24 ***********************************
                  FILE DESTINATION:        NEW LOGICAL NETWORK ID:
 F1-FIRST PAGE  F2-LAST PAGE  F4-DETAIL  F9-NEXT PAGE  F11-PREV PAGE  F12-HELP
```

**ACCOUNT NUM —** The account number involved in the transaction. When an account number is entered, all transactions performed on the specified account for the date selected are displayed. The account number entered must belong to the financial institution specified in the FIID field and the logical network specified in the LNET field.

| | |
|---|---|
| Field Length: | 1–19 numeric characters |
| Required Field: | Yes, for account number perusal. |
| Default Value: | No default value |
| Data Name: | TTLF.HEAD.ACCT.ACCT-NUM |

**TELLER ID —** The teller ID for the teller who initiated the transaction. When a teller ID is entered, all transactions performed by the specified teller ID for the date selected are displayed. The teller ID entered must belong to the financial institution specified in the FIID field and the logical network specified in the LNET field.

Field Length: 1–8 alphanumeric characters
Required Field: Yes, for teller ID perusal.
Default Value: No default value
Data Name: TTLF.HEAD.TLR.TLR-ID

**FIID —** If the perusal is by card or account number, this value must be the FIID of the card-owning or account-owning financial institution. If the perusal is by teller ID, this value must be the FIID of the financial institution with which the teller is associated.

The type of perusal determines whether this field is required, as shown in the following table:

| Perusal Type | FIID Required |
|---|---|
| Teller ID | Yes |
| Card Number | Yes |
| Account Number | Yes |
| Sequential | No |

Field Length: 1–4 alphanumeric characters
Required Field: The type of perusal determines whether the field is required.
Default Value: The FIID previously entered.
Data Name: TTLF.HEAD.TLR.FIID
Data Name: TTLF.HEAD.ACCT.FIID
Data Name: TTLF.HEAD.CRD.FIID

**LNET —** The logical network associated with the record.

Field Length: 4 alphanumeric characters
Required Field: Yes
Default Value: The current logical network.
Data Name: TTLF.HEAD.TLR.LN
Data Name: TTLF.HEAD.ACCT.LN
Data Name: TTLF.HEAD.CRD.LN

**CARD NUM —** The card number of the card that initiated the transaction. The card number entered must belong to the financial institution specified in the FIID field and the logical network specified in the LNET field.

| | |
|---|---|
| Field Length: | 1–19 numeric characters |
| Required Field: | Yes, for card number perusal. |
| Default Value: | No default value |
| Data Name: | TTLF.HEAD.CRD.PAN |

**MEMBER NUM —** The member number associated with the card number. Asterisks or blanks in this field indicate that the records accessed are all those associated with the card number regardless of the member number.

| | |
|---|---|
| Field Length: | 3 numeric characters (or asterisks) |
| Required Field: | No |
| Default Value: | No default value |
| Data Name: | TTLF.HEAD.CRD.MBR-NUM |

**DATE —** The date (YYMMDD) of the TTLF used in selecting records to be displayed.

| | |
|---|---|
| Field Length: | 6 numeric characters |
| Required Field: | Yes |
| Default Value: | Current date |
| Data Name: | Not applicable |

**TELLER ID —** The teller ID information for the teller who initiated the transaction.

This field appears in the first column when an account number or card number is entered as an alternate key or when no alternate key is entered. It is replaced by ACCOUNT NUM when a teller ID is entered as an alternate key.

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTLF.HEAD.TLR.TLR-ID |

**ACCOUNT NUM —** The account number involved in the transaction.

This field appears in the first column when a teller ID is entered as an alternate key. It is replaced by TELLER ID when an account number or card number is entered as an alternate key or when no alternate key is entered.

Field Length: System-protected
Data Name: TTLF.HEAD.ACCT.ACCT-NUM

**TRAN CODE —** The type of transaction associated with this record. This field contains the BASE24-teller transaction code.

Field Length: System-protected
Data Name: TTLF.HEAD.ACCT.TRAN-TYP-CDE

**AMOUNT —** The amount of the transaction in whole and fractional currency units. This field contains the total amount of the transaction for financial transactions and contains spaces for nonfinancial transactions.

This field contains the transaction amount defined in the FNCL-TKN.AMT-1 for all financial transactions except split deposit and purchase transactions. For split deposit transactions, this field contains the total deposit amount (i.e., FNCL-TKN.AMT-1 + FNCL-TKN.AMT-4). For purchase transactions, this field contains the amount of the purchase plus any fees (i.e., FNCL-TKN.AMT-1 + FNCL-TKN.AMT-4) associated with the transaction.

Field Length: System-protected
Data Name: TTLF.REFR-HDR.TRAN-AMT

**MSG IND —** This field contains a two-digit code which indicates the type of message or specific type of transaction being performed. The following defines the appropriate code for each message type.

FI = Financial Transaction (message type 0210)
R = Financial Reversal (message type 0420 or 0430)
F = Financial Advice/Force Post (message type 0220 or 0230)
AD = Administrative Transaction (message type 0610, 0620, or 0630)

If the transaction is a file inquiry or file update transaction—message types 0310, 0320, or 0330—the code that follows the amount depends on the transaction code, as follows:

PI = PBF Inquiry (transaction code 30)
PI = PBF Short Inquiry (transaction code 31)
SI = SPF Inquiry (transaction code 32)
CI = CAF Inquiry (transaction code 33)
NI = NBF Inquiry (transaction code 34)
NU = Passbook Print (transaction code 35)
NR = Passbook Reprint (transaction code 36)

| | | |
|---|---|---|
| WI | = | WHFF Inquiry (transaction code 37) |
| CU | = | Change Card Status in CAF (transaction code 73) |
| CU | = | Change Account Status in CAF and PBF (transaction code 74) |
| SU | = | Add Stop Payment to SPF (transaction code 80) |
| SU | = | Delete Stop Payment from SPF (transaction code 81) |
| PU | = | Change Account Status in PBF (transaction code 82) |
| PU | = | Change Stop Pay/Warning Status in PBF(transaction code 83) |
| WU | = | Add Warning to WHFF (transaction code 84) |
| WU | = | Add Hold to WHFF (transaction code 85) |
| WU | = | Add Float to WHFF (transaction code 87) |
| WU | = | Delete Float from WHFF (transaction code 88) |
| WU | = | Delete Warning from WHFF (transaction code 89) |

Field Length: System-protected
Data Name: Not applicable

**RESP CODE —** The response code associated with this transaction. For card-initiated transactions, the first position indicates whether the card should be returned to the customer (0) or retained by the teller (1). For transactions initiated without a card, the first position is always zero. The last three positions contain the actual BASE24-teller response code.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.CRD-ACTION
Data Name: TTLF.TSTMH-DATA.RESP-HDR.RESP-CDE

**AUTH ID RESP —** The authorization ID response for this transaction. This field contains an approval code or an authorization code.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.AUTH-ID-RESP

**TRAN DATE —** The calendar date the transaction was performed. The format of the date, MM/DD or DD/MM, is determined by the value of the DATE-DISPLAY-TYPE parameter in the Logical Network Configuration File (LCONF).

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TRAN-DAT.MM
Data Name: TTLF.HEAD.TLR.TRAN-DAT.DD

**TRAN TIME —** The time, in HH:MM:SS format, when the transaction was performed.

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTLF.HEAD.TLR.TRAN-TIM.HH |
| Data Name: | TTLF.HEAD.TLR.TRAN-TIM.MM |

# Detail Screen Function Keys

Using function keys from the detail screens, operators can perform the following tasks:

- Page backward and forward through the detail screens for the twelve transactions previously displayed on the TTLF Summary screen.
- Return to the TTLF Summary screen displayed previously.

The function keys explained in the table below enable operators to perform these tasks. The first column of information below shows the BASE24 keys. The second column describes the functions that can be accomplished with these function keys.

| Key | Description |
|---|---|
| F5 | **GO TO SUMMARY SCREEN—**Returns to the TTLF Summary screen that was previously displayed. |
| F6 | **NEXT RECORD—**Reads the *next* record for the transactions on the TTLF Summary screen that was previously displayed. Pressing this key only provides information for TTLF records that were listed on the TTLF Summary screen. Records listed on the TTLF Summary screen are selected from the top of that screen to the bottom of that screen. |
| F7 | **PREV RECORD—**Reads the *previous* record for the transactions on the TTLF Summary screen that was previously displayed. Pressing this key only provides information for TTLF records that were listed on the TTLF Summary screen. Records listed on the TTLF Summary screen are selected from the bottom of that screen to the top of that screen. |

| Key | Description |
|---|---|
| **F9** | **NEXT PAGE**—Displays any additional information that is available for the *current* transaction. For example, if a Financial Transaction Detail screen is displayed that contains 0F0Z (return card—override needed) in the RESP CODE field, pressing **F9** displays the Override Response Code List Detail screen.<br>**Note:** The message "MORE DETAIL INFORMATION IS AVAILABLE FOR THIS TRANSACTION" is usually displayed at the bottom of the screen when additional information is available. However, when other errors must be reported, this message may not be displayed even though the additional information is available. |
| **F11** | **PREVIOUS PAGE**—Displays the original detail screen for the *current* transaction. For example, if an Override Response Code List Detail screen is displayed for a financial transaction, pressing **F11** displays the Financial Transaction Detail screen. |

# Administrative Transaction Detail Screen

If an administrative transaction (message type 0610, 0620, or 0630) is selected via the TTLF Summary screen, the TTLF Administrative Transaction Detail screen displays the transaction record information. Information in the Administrative token is not available via TTLF perusal. The TTLF Administrative Transaction Detail screen is shown below, followed by descriptions of its fields.

```
 BASE24-TLR   TTLF DETAIL              LLLL        YY/MM/DD  HH:MM  02 OF 02
ACCOUNT NUM:                         TELLER ID:           FIID:      LNET:
   CARD NUM:                        MEMBER NUM:           DATE(YYMMDD):

                       ADMINISTRATIVE TRANSACTION DETAIL

   TRAN CODE:                                        DEV TRAN CODE:
   TRAN DATE:                           TRAN TIME:         TIME OFST:
     ACCOUNT:                             SEQ NUM:

         PAN:                     CARD/ACCT FIID:
    TERMINAL:                           TERM FIID:        TELLER ID:
   RESP CODE:                             MIN LVL:       TELLER LVL:
    ERR FLAG:                            ACCT IND:




 *********************************** BASE24 ***********************************
                  FILE DESTINATION:        NEW LOGICAL NETWORK ID:
 F5-GOTO SUMMARY  F6-NXT REC  F7-PRV REC  F9-NXT PAGE  F11-PRV PAGE  F12-HELP
```

**TRAN CODE —** The transaction code that defines the type of transaction within BASE24-teller. The 30-character transaction description displayed next to the transaction code is user-defined and is configured in the Teller Transaction File (TTF).

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTLF.TSTMH-DATA.RQST.TRAN |

**DEV TRAN CODE —** The device transaction code as received in the native mode message from the teller terminal or controller software.

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTLF.TSTMH-DATA.RQST.DEV-TRAN-CDE |

**TRAN DATE —** The calendar date when the transaction was performed. The format of the date, MM/DD or DD/MM, is determined by the value of the DATE-DISPLAY-TYPE parameter in the Logical Network Configuration File (LCONF).

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TRAN-DAT.MM
Data Name: TTLF.HEAD.TLR.TRAN-DAT.DD

**TRAN TIME —** The time, in HH:MM:SS format, when the transaction was performed.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TRAN-TIM.HH
Data Name: TTLF.HEAD.TLR.TRAN-TIM.MM

**TIME OFST —** The time difference, in minutes, between the time at the terminal location and the time at the Tandem processor location. The value in this field is added to the BASE24-teller system time to obtain the local terminal time.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.TIM-OFST

**ACCOUNT —** The account number of the account on which the transaction was performed.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.TO-ACCT

**SEQ NUM —** The sequence number assigned to the transaction by BASE24-teller.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.SYS.TRAN-SEQ-NUM

**PAN —** The primary account number (PAN) of the account involved in the transaction. If the transaction was initiated using a card, the card number appears in this field. Otherwise, this field is blank.

Field Length: System-protected
Data Name: TTLF.HEAD.CRD.PAN

**CARD/ACCT FIID —** The FIID of the card-owning and/or account-owning financial institution. If this is a card-initiated transaction, the card owner and the account owner are the same.

Field Length: System-protected
Data Name: TTLF.HEAD.ACCT.FIID

**TERMINAL —** The terminal ID of the terminal at which the transaction was performed.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.SYS.ORIG.STA-NAME

**TERM FIID —** The FIID of the terminal-owning financial institution.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.FIID

**TELLER ID —** The teller ID of the teller who performed the transaction.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TLR-ID

**RESP CODE —** The response code associated with this transaction. For card-initiated transactions, the first position indicates whether the card should be returned to the customer (0) or retained by the teller (1). For transactions initiated without a card, the first position is always zero. The last three positions contain the actual BASE24-teller response code.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.CRD-ACTION
Data Name: TTLF.TSTMH-DATA.RESP-HDR.RESP-CDE

**MIN LVL —** A value indicating the minimum level of override necessary to authorize the transaction. This code is specified in the Override Response File (ORF).

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.MIN-OVRRD-LVL

**TELLER LVL —** A value indicating the override level of the teller.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.INTL-OVRRD-LVL

**ERR FLAG —** A code used with the response code to further define the reason for the denial. If the transaction was not denied, this field is zero. Valid values are:

C = Card verification failed
K = KMAC synchronization error
M = MAC failure
S = Sanity check error
T = Token error
0 or b̸ = Not applicable (default) (b̸ indicates a blank character)

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.ERR-FLG

**ACCT IND —** A value indicating which account has a fatal response code associated with it. This field is used only when a fatal response code (a response code beginning with the letter F) is associated with a specific account. For example, with response code F40 (PBF record not found), the value in this field would indicate which PBF record could not be found. With response code F10 (ineligible transaction), this field would contain zero or a blank because the error applies to the transaction, not a specific account. Valid values are:

F = Fatal response is associated with the *from* account or the first account involved in the transaction.
T = Fatal response is associated with *to* account or the second account involved in the transaction.
C = Fatal response is associated with the credit line or backup account.
0 or b̸ = Not a fatal response or a fatal response that is not associated with a specific account.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.ACCT-IND

# Cardholder Authorization File Inquiry/Update Detail Screen

If an update or inquiry to the Cardholder Authorization File (CAF) is selected via the TTLF Summary screen, the TTLF CAF Inquiry/Update Detail screen displays the transaction record information.

The heading on the detail screen varies depending on whether the transaction is an inquiry or an update. If the transaction is a CAF inquiry (transaction code 33), the screen heading displayed is CARDHOLDER AUTHORIZATION FILE INQUIRY DETAIL. If the transaction is a CAF update (transaction code 73 or 74), the screen heading displayed is CARDHOLDER AUTHORIZATION FILE UPDATE DETAIL.

The TTLF CAF Inquiry/Update Detail screen is shown below, followed by descriptions of its fields.

```
 BASE24-TLR   TTLF DETAIL             LLLL        YY/MM/DD  HH:MM  02 OF 02
ACCOUNT NUM:                        TELLER ID:           FIID:      LNET:
   CARD NUM:                       MEMBER NUM:           DATE(YYMMDD):

              CARDHOLDER AUTHORIZATION FILE INQUIRY DETAIL
   TRAN CODE:                                          DEV TRAN CODE:
   TRAN DATE:                          TRAN TIME:         TIME OFST:
     ACCOUNT:                            SEQ NUM:

         PAN:                     CARD/ACCT FIID:
    TERMINAL:                          TERM FIID:        TELLER ID:
   RESP CODE:                            MIN LVL:      TELLER LVL:
    ERR FLAG:                           ACCT IND:

 CARD STATUS:                     ACCOUNT STATUS:        CARD TYPE:
    EXP DATE:                         MEMBER NUM:




 *********************************** BASE24 ***********************************
                  FILE DESTINATION:        NEW LOGICAL NETWORK ID:
 F5-GOTO SUMMARY  F6-NXT REC  F7-PRV REC  F9-NXT PAGE  F11-PRV PAGE  F12-HELP
```

**TRAN CODE —** The transaction code that defines the type of transaction within BASE24-teller. The 30-character transaction description displayed next to the transaction code is user-defined and is configured in the Teller Transaction File (TTF).

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.TRAN

**DEV TRAN CODE —** The device transaction code as received in the native mode message from the teller terminal or controller software.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.DEV-TRAN-CDE

**TRAN DATE —** The calendar date when the transaction was performed. The format of the date, MM/DD or DD/MM, is determined by the value of the DATE-DISPLAY-TYPE parameter in the Logical Network Configuration File (LCONF).

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TRAN-DAT.MM
Data Name: TTLF.HEAD.TLR.TRAN-DAT.DD

**TRAN TIME —** The time, in HH:MM:SS format, when the transaction was performed.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TRAN-TIM.HH
Data Name: TTLF.HEAD.TLR.TRAN-TIM.MM

**TIME OFST —** The time difference, in minutes, between the time at the terminal location and the time at the Tandem processor location. The value in this field is added to the BASE24-teller system time to obtain the local terminal time.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.TIM-OFST

**ACCOUNT —** The account number associated with the account if an update to the account status in the CAF is being performed. If the transaction is any other type of update or inquiry, this field is blank.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.TO-ACCT

**SEQ NUM —** The sequence number assigned to the transaction by BASE24-teller.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.SYS.TRAN-SEQ-NUM

**PAN —** The primary account number (PAN) of the account involved in the transaction. If the transaction was initiated using a card, the card number appears in this field. Otherwise, this field is blank.

Field Length: System-protected
Data Name: TTLF.HEAD.CRD.PAN

**CARD/ACCT FIID —** The FIID of the card-owning and/or account-owning financial institution. If this is a card-initiated transaction, the card owner and the account owner are the same.

Field Length: System-protected
Data Name: TTLF.HEAD.ACCT.FIID

**TERMINAL —** The terminal ID of the terminal at which the transaction was performed.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.SYS.ORIG.STA-NAME

**TERM FIID —** The FIID of the terminal-owning financial institution.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.FIID

**TELLER ID —** The teller ID of the teller who performed the transaction.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TLR-ID

**RESP CODE —** The response code associated with this transaction. For card-initiated transactions, the first position indicates whether the card should be returned to the customer (0) or retained by the teller (1). For transactions initiated without a card, the first position is always zero. The last three positions contain the actual BASE24-teller response code.

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTLF.TSTMH-DATA.RESP-HDR.CRD-ACTION |
| Data Name: | TTLF.TSTMH-DATA.RESP-HDR.RESP-CDE |

**MIN LVL —** A value indicating the minimum level of override necessary to authorize the transaction. This code is specified in the Override Response File (ORF).

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTLF.TSTMH-DATA.RESP-HDR.MIN-OVRRD-LVL |

**TELLER LVL —** A value indicating the override level of the teller.

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTLF.TSTMH-DATA.RQST.INTL-OVRRD-LVL |

**ERR FLAG —** A code used with the response code to further define the reason for the denial. If the transaction was not denied, this field is zero. Valid values are:

| | | |
|---|---|---|
| C | = | Card verification failed |
| K | = | KMAC synchronization error |
| M | = | MAC failure |
| S | = | Sanity check error |
| T | = | Token error |
| 0 or b̸ | = | Not applicable (default) (b̸ indicates a blank character) |

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTLF.TSTMH-DATA.RESP-HDR.ERR-FLG |

**ACCT IND —** A value indicating which account has a fatal response code associated with it. This field is used only when a fatal response code (a response code beginning with the letter F) is associated with a specific account. For example, with response code F40 (PBF record not found), the value in this field would indicate which PBF record could not be found. With response code F10 (ineligible transaction), this field would contain zero or a blank because the error applies to the transaction, not a specific account.

Valid values are:

| | | |
|---|---|---|
| F | = | Fatal response is associated with the *from* account or the first account involved in the transaction. |
| T | = | Fatal response is associated with *to* account or the second account involved in the transaction. |
| C | = | Fatal response is associated with the credit line or backup account. |
| 0 or b̸ | = | Not a fatal response or a fatal response that is not associated with a specific account. |

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.ACCT-IND

**CARD STATUS —** For CAF inquiry transactions, this field contains a code indicating the current card status. For CAF updates to the card status, this field contains the card status entered by the teller. For CAF updates to the account status, this field is blank. This field is blank if the TTLF record does not contain the CAF Inquiry token for inquiry transactions or the CAF Update token for update transactions.

Field Length: System-protected
Data Name: TTLF.CAFI-TKN.CRD-STAT
Data Name: TTLF.CAFU-TKN.CRD-STAT

**ACCOUNT STATUS —** For CAF updates to the account status, this field contains the account status entered by the teller. For CAF inquiry transactions or CAF updates to the card status, this field is blank. This field is blank if the TTLF record does not contain the CAF Update token.

Field Length: System-protected
Data Name: TTLF.CAFU-TKN.ACCT-STAT

**CARD TYPE —** For CAF inquiry transactions, this field contains the two-character card type code. For CAF update transactions, this field is blank. This field is blank if the TTLF record does not contain the CAF Inquiry token.

Field Length: System-protected
Data Name: TTLF.CAFI-TKN.CRD-TYP

**EXP DATE —** The expiration date for the card. This field is displayed only on CAF inquiry transactions. This field is blank if the TTLF record does not contain the CAF Inquiry token.

Field Length: System-protected
Data Name: TTLF.CAFI-TKN.EXP-DAT

**MEMBER NUM —** The member number associated with the card number.

Field Length: System-protected
Data Name: TTLF.HEAD.CRD.MBR-NUM

# Financial Transaction Detail Screen

If a financial transaction is selected via the TTLF Summary screen, the TTLF Financial Transaction Detail screen displays the transaction record information. The TTLF Financial Transaction Detail screen is shown below, followed by descriptions of its fields.

```
 BASE24-TLR   TTLF DETAIL              LLLL        YY/MM/DD  HH:MM  02 OF 02
ACCOUNT NUM:                         TELLER ID:           FIID:      LNET:
   CARD NUM:                        MEMBER NUM:           DATE(YYMMDD):

                          FINANCIAL TRANSACTION DETAIL
   TRAN CODE:                                          DEV TRAN CODE:
   TRAN DATE:                             TRAN TIME:         TIME OFST:
   FROM ACCT:                               SEQ NUM:
     TO ACCT:
 TRAN AMOUNT:                                 CRNCY:      RVSL REASON:
  FEE AMOUNT:                         CHECK AMOUNT:
     CASH IN:                             CASH OUT:
         PAN:                       CARD/ACCT FIID:
    TERMINAL:                             TERM FIID:        TELLER ID:
   RESP CODE:                               MIN LVL:       TELLER LVL:
    ERR FLAG:                              ACCT IND:
CR LINE ACCT:                       CR LINE AMOUNT:
 CR LINE TYP:                  AUTO PASSBOOK PRINT:


 *********************************** BASE24 ***********************************
                  FILE DESTINATION:       NEW LOGICAL NETWORK ID:
 F5-GOTO SUMMARY  F6-NXT REC  F7-PRV REC  F9-NXT PAGE  F11-PRV PAGE  F12-HELP
```

**TRAN CODE —** The transaction code that defines the type of transaction within BASE24-teller. The 30-character transaction description displayed next to the transaction code is user-defined and is configured in the Teller Transaction File (TTF).

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.TRAN

**DEV TRAN CODE —** The device transaction code as received in the native mode message from the teller terminal or controller software.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.DEV-TRAN-CDE

**TRAN DATE —** The calendar date when the transaction was performed. The format of the date, MM/DD or DD/MM, is determined by the value of the DATE-DISPLAY-TYPE parameter in the Logical Network Configuration File (LCONF).

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TRAN-DAT.MM
Data Name: TTLF.HEAD.TLR.TRAN-DAT.DD

**TRAN TIME —** The time, in HH:MM:SS format, when the transaction was performed.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TRAN-TIM.HH
Data Name: TTLF.HEAD.TLR.TRAN-TIM.MM

**TIME OFST —** The time difference, in minutes, between the time at the terminal location and the time at the Tandem processor location. The value in this field is added to the BASE24-teller system time to obtain the local terminal time.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.TIM-OFST

**FROM ACCT —** The account number associated with the *from* account or the first account involved in the transaction. It typically represents the debit side of the transaction.

If the transaction is a split deposit transaction, ACCOUNT 1 is displayed instead of FROM ACCT.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.FROM-ACCT

**SEQ NUM —** The sequence number assigned to the transaction by BASE24-teller.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.SYS.TRAN-SEQ-NUM

**TO ACCT —** The account number associated with the *to* account or the second account involved in the transaction. It typically represents the credit side of the transaction.

If the transaction is a split deposit transaction, ACCOUNT 2 is displayed instead of TO ACCT.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.TO-ACCT

**TRAN AMOUNT —** The amount of the transaction in whole and fractional currency units. This field is blank if the TTLF record does not contain the Financial token.

If the transaction is a split deposit transaction, DEP AMT 1 is displayed instead of TRAN AMOUNT.

Field Length: System-protected
Data Name: TTLF.FNCL-TKN.AMT-1

**<MSG IND> —** A two-digit code which indicates the type of message or specific type of transaction being performed. This same value is displayed in the MSG IND field on the TTLF Summary screen. Refer to that field description for a list of valid values.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.SYS.MSG-TYP

**CRNCY —** A currency identifier determined by the currency code in the internal message header (TSTMH.CRNCY-CDE) and the CRNCY-CDE-TABLE in the COBNAMES file. All amount fields are displayed with the correct number of decimal places for the currency code.

Field Length: System-protected
Data Name: Not applicable

**RVSL REASON —** A two-character identifer indicating the reason for the reversal. This field is used for reversal messages only. This field is blank if the TTLF record does not contain the Financial token. Valid values are:

01 = Time-out
02 = Command reject
03 = Destination not available
08 = Customer canceled
10 = Hardware error

Field Length: System-protected
Data Name: TTLF.FNCL-TKN.RVSL-CDE

**FEE AMOUNT —** The amount of fees collected for a fee-generated transaction in whole and fractional currency units. Fee-generated transactions typically include money order purchases, cashier's checks, travelers checks, etc. This field is blank if the TTLF record does not contain the Financial token.

If the transaction is a split deposit, DEP AMT 2 is displayed instead of FEE AMOUNT.

Field Length: System-protected
Data Name: TTLF.FNCL-TKN.AMT-4

**CHECK AMOUNT —** The amount of the customer's deposit that was posted as a check amount. This amount is calculated based on the transaction amount and the cash-in amount. The check amount is calculated on deposit, split deposit, miscellaneous credit, and payment transactions. This field is blank if the TTLF record does not contain the Financial token.

Field Length: System-protected
Data Name: Not applicable

**CASH IN —** The amount of a customer's deposit that was in the form of cash. This amount is displayed in whole and fractional currency units. This field is blank if the TTLF record does not contain the Financial token.

Field Length: System-protected
Data Name: TTLF.FNCL-TKN.AMT-2

**CASH OUT —** The amount disbursed to the customer in cash. This amount is displayed in whole and fractional currency units. This field is blank if the TTLF record does not contain the Financial token.

Field Length: System-protected
Data Name: TTLF.FNCL-TKN.AMT-3

**PAN —** The primary account number (PAN) of the account involved in the transaction. If the transaction was initiated using a card, the card number appears in this field. Otherwise, this field is blank.

Field Length: System-protected
Data Name: TTLF.HEAD.CRD.PAN

**CARD/ACCT FIID —** The FIID of the card-owning and/or account-owning financial institution. If this is a card-initiated transaction, the card owner and the account owner are the same.

Field Length: System-protected
Data Name: TTLF.HEAD.ACCT.FIID

**TERMINAL —** The terminal ID of the terminal at which the transaction was performed.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.SYS.ORIG.STA-NAME

**TERM FIID —** The FIID of the terminal-owning financial institution.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.FIID

**TELLER ID —** The teller ID of the teller who performed the transaction.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TLR-ID

**RESP CODE —** The response code associated with this transaction. For card-initiated transactions, the first position indicates whether the card should be returned to the customer (0) or retained by the teller (1). For transactions initiated without a card, the first position is always zero. The last three positions contain the actual BASE24-teller response code.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.CRD-ACTION
Data Name: TTLF.TSTMH-DATA.RESP-HDR.RESP-CDE

**MIN LVL —** A value indicating the minimum level of override necessary to authorize the transaction. This code is specified in the Override Response File (ORF).

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.MIN-OVRRD-LVL

**TELLER LVL —** A value indicating the override level of the teller.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.INTL-OVRRD-LVL

**ERR FLAG —** A code used with the response code to further define the reason for the denial. If the transaction was not denied, this field is zero. Valid values are:

C = Card verification failed
K = KMAC synchronization error
M = MAC failure
S = Sanity check error
T = Token error
0 or ƀ = Not applicable (default) (ƀ indicates a blank character)

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.ERR-FLG

**ACCT IND —** A value indicating which account has a fatal response code associated with it. This field is used only when a fatal response code (a response code beginning with the letter F) is associated with a specific account. For example, with response code F40 (PBF record not found), the value in this field would indicate which PBF record could not be found. With response code F10 (ineligible transaction), this field would contain zero or a blank because the error applies to the transaction, not a specific account. Valid values are:

F = Fatal response is associated with the *from* account or the first account involved in the transaction.
T = Fatal response is associated with *to* account or the second account involved in the transaction.
C = Fatal response is associated with the credit line or backup account.
0 or ƀ = Not a fatal response or a fatal response that is not associated with a specific account.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.ACCT-IND

**CR LINE ACCT —** The account number of the credit line or backup account if the transaction involved these types of accounts. This field is displayed if the transaction was approved with a credit line, if the transaction was denied with a fatal error on the credit line or backup account, or if the transaction was denied with an override possible error on the credit line account. If a credit line or backup account was not involved in the transaction, this field is blank. This field is blank if the TTLF record does not contain the Credit Line token.

Field Length: System-protected
Data Name: TTLF.CR-LINE-TKN.ACCT

**CR LINE AMOUNT —** The amount transferred from the credit line or backup account to the primary account if the transaction involved these types of accounts. If a credit line or backup account was not involved in the transaction, this field is blank. This field is blank if the TTLF record does not contain the Credit Line token.

Field Length: System-protected
Data Name: TTLF.CR-LINE-TKN.XFER-AMT

**CR LINE TYP —** The account type associated with a credit line or backup account if the transaction involved these types of accounts. If a credit line or backup account was not involved in the transaction, this field is blank. This field is blank if the TTLF record does not contain the Credit Line token.

Field Length: System-protected
Data Name: TTLF.CR-LINE-TKN.ACCT-TYP

**AUTO PASSBOOK PRINT —** A flag indicating whether the passbook was automatically printed as part of the financial transaction. Valid values are:

Y = Yes, the customer’s passbook was present and the terminal supported automatic passbook printing.
N = No, the customer’s passbook was not present and the terminal did not support automatic passbook printing.

The No Book File Detail screen can be displayed when the value in this field indicates printing was required. By pressing the **F9** key, the No Book File Print Detail screen is displayed. To return to the Financial Transaction Detail screen from the No Book File Print Detail screen, the user must press the **F11** key. The field descriptions for the No Book File Print Detail screen are presented in the “No Book File Inquiry/Print Detail Screen” subsection.

Field Length: System-protected
Data Name: TTLF.FNCL-TKN.AUTO-PASSBOOK-PRNT

# No Book File Inquiry/Print Detail Screen

If a no book transaction is selected via the TTLF Summary screen, the TTLF NBF Inquiry/Print Detail screen displays the transaction record information.

The heading on the detail screen varies depending on whether the transaction is an inquiry or print transaction. If the transaction is an NBF inquiry (transaction code 34), the screen heading displayed is NO BOOK FILE INQUIRY DETAIL. If the transaction is an NBF print or reprint (transaction code 35 or 36), the screen heading displayed is NO BOOK FILE PRINT (or REPRINT) DETAIL.

The No Book File Detail screen also can be displayed when a Financial Transaction Detail screen indicates that automatic passbook printing was required (i.e., the AUTO PASSBOOK PRINT field contains a Y). By pressing the **F9** key, the No Book File Print Detail screen is displayed. To return to the Financial Transaction Detail screen from the No Book File Print Detail screen, press the **F11** key.

The TTLF NBF Inquiry/Update Detail screen is shown below, followed by descriptions of its fields.

```
 BASE24-TLR   TTLF DETAIL            LLLL        YY/MM/DD  HH:MM  02 OF 02
ACCOUNT NUM:                        TELLER ID:           FIID:      LNET:
   CARD NUM:                       MEMBER NUM:           DATE(YYMMDD):

                          NO BOOK FILE INQUIRY DETAIL
   TRAN CODE:                                        DEV TRAN CODE:
   TRAN DATE:                          TRAN TIME:        TIME OFST:
     ACCOUNT:                            SEQ NUM:

         PAN:                      CARD/ACCT FIID:
    TERMINAL:                          TERM FIID:        TELLER ID:
   RESP CODE:                            MIN LVL:       TELLER LVL:
    ERR FLAG:                           ACCT IND:            CRNCY:
   START BAL:                            END BAL:

   TRAN DATE   TRAN TIME    TRAN DATE   TRAN TIME    TRAN DATE   TRAN TIME




 *********************************** BASE24 ***********************************
                  FILE DESTINATION:        NEW LOGICAL NETWORK ID:
 F5-GOTO SUMMARY  F6-NXT REC  F7-PRV REC  F9-NXT PAGE  F11-PRV PAGE  F12-HELP
```

**TRAN CODE —** The transaction code that defines the type of transaction within BASE24-teller. The 30-character transaction description displayed next to the transaction code is user-defined and is configured in the Teller Transaction File (TTF).

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.TRAN

**DEV TRAN CODE —** The device transaction code as received in the native mode message from the teller terminal or controller software.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.DEV-TRAN-CDE

**TRAN DATE —** The calendar date when the transaction was performed. The format of the date, MM/DD or DD/MM, is determined by the value of the DATE-DISPLAY-TYPE parameter in the Logical Network Configuration File (LCONF).

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TRAN-DAT.MM
Data Name: TTLF.HEAD.TLR.TRAN-DAT.DD

**TRAN TIME —** The time, in HH:MM:SS format, when the transaction was performed.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TRAN-TIM.HH
Data Name: TTLF.HEAD.TLR.TRAN-TIM.MM

**TIME OFST —** The time difference, in minutes, between the time at the terminal location and the time at the Tandem processor location. The value in this field is added to the BASE24-teller system time to obtain the local terminal time.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.TIM-OFST

**ACCOUNT —** The account number associated with the passbook account.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.TO-ACCT

**SEQ NUM —** The sequence number assigned to the transaction by BASE24-teller.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.SYS.TRAN-SEQ-NUM

**PAN —** The primary account number (PAN) of the account involved in the transaction. If the transaction was initiated using a card, the card number appears in this field. Otherwise, this field is blank.

Field Length: System-protected
Data Name: TTLF.HEAD.CRD.PAN

**CARD/ACCT FIID —** The FIID of the card-owning and/or account-owning financial institution. If this is a card-initiated transaction, the card owner and the account owner are the same.

Field Length: System-protected
Data Name: TTLF.HEAD.ACCT.FIID

**TERMINAL —** The terminal ID of the terminal at which the transaction was performed.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.SYS.ORIG.STA-NAME

**TERM FIID —** The FIID of the terminal-owning financial institution.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.FIID

**TELLER ID —** The teller ID of the teller who performed the transaction.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TLR-ID

**RESP CODE —** The response code associated with this transaction. For card-initiated transactions, the first position indicates whether the card should be returned to the customer (0) or retained by the teller (1). For transactions initiated without a card, the first position is always zero. The last three positions contain the actual BASE24-teller response code.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.CRD-ACTION
Data Name: TTLF.TSTMH-DATA.RESP-HDR.RESP-CDE

**MIN LVL —** A value indicating the minimum level of override necessary to authorize the transaction. This code is specified in the Override Response File (ORF).

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.MIN-OVRRD-LVL

**TELLER LVL —** A value indicating the override level of the teller.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.INTL-OVRRD-LVL

**ERR FLAG —** A code used with the response code to further define the reason for the denial. If the transaction was not denied, this field is zero. Valid values are:

C = Card verification failed
K = KMAC synchronization error
M = MAC failure
S = Sanity check error
T = Token error
0 or b̸ = Not applicable (default) (b̸ indicates a blank character)

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.ERR-FLG

**ACCT IND —** A value indicating which account has a fatal response code associated with it. This field is used only when a fatal response code (a response code beginning with the letter F) is associated with a specific account. For example, with response code F40 (PBF record not found), the value in this field would indicate which PBF record could not be found. With response code F10 (ineligible transaction), this field would contain zero or a blank because the error applies to the transaction, not a specific account. Valid values are:

| | | |
|---|---|---|
| F | = | Fatal response is associated with the *from* account or the first account involved in the transaction. |
| T | = | Fatal response is associated with *to* account or the second account involved in the transaction. |
| C | = | Fatal response is associated with the credit line or backup account. |
| 0 or b̸ | = | Not a fatal response or a fatal response that is not associated with a specific account. |

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.ACCT-IND

**CRNCY —** A currency identifier determined by the currency code in the internal message header (TSTMH.CRNCY-CDE) and the CRNCY-CDE-TABLE in the COBNAMES file. All amount fields are displayed with the correct number of decimal places for the currency code.

Field Length: System-protected
Data Name: Not applicable

**START BAL —** For NBF inquiry transactions, this field contains the balance of the passbook at the time of the inquiry. For NBF print or NBF reprint transactions, this field contains the starting balance prior to the update. The balance is displayed in whole and fractional currency units. This field is blank if the TTLF record does not contain the NBF token.

Field Length: System-protected
Data Name: TTLF.NBF-TKN.STRT-BAL

**END BAL —** For NBF inquiry transactions, this field contains the balance of the passbook at the time of the inquiry. For NBF print or NBF reprint transactions, this field contains the ending balance after the update. The balance is displayed in whole and fractional currency units. This field is blank if the TTLF record does not contain the NBF token.

Field Length: System-protected
Data Name: TTLF.NBF-TKN.END-BAL

**TRAN DATE —** The date the record was added to the NBF. This field, in YYMMDD format, is displayed from 0 to 5 times depending on the number of NBF records in the NBF token.

Field Length: System-protected
Data Name: TTLF.NBF-TKN.REC.TRAN-DAT

**TRAN TIME —** The time the record was added to the NBF. This field, in HHMMSSTT format, is displayed from 0 to 5 times depending on the number of NBF records in the NBF token.

Field Length: System-protected
Data Name: TTLF.NBF-TKN.REC.TRAN-TIM

# Override Response Code Detail Screen

When an override is necessary to approve a transaction, the transaction-specific detail screen contains the value 0F0Z (return card—override needed) in the RESP CODE field. By pressing the **F9** key, the Override Response Code List Detail screen is displayed. The Override Response Code List Detail screen contains a list of all of the response codes beginning with O that are associated with each of the account types involved in the transaction.

To return to the transaction-specific detail screen from the Override Response Code List Detail screen, the user must press the **F11** key.

The Override Response Code Detail screen is shown below, followed by descriptions of its fields.

```
 BASE24-TLR   TTLF DETAIL             LLLL        YY/MM/DD  HH:MM  02 OF 02
ACCOUNT NUM:                        TELLER ID:           FIID:      LNET:
   CARD NUM:                       MEMBER NUM:           DATE(YYMMDD):

                          OVERRIDE RESPONSE CODE LIST DETAIL
  FROM ACCT RESP CDES        TO ACCT RESP CDES          BACK-UP ACCT RESP CDES













 *********************************** BASE24 ***********************************
                   FILE DESTINATION:       NEW LOGICAL NETWORK ID:
 F5-GOTO SUMMARY  F6-NXT REC  F7-PRV REC  F9-NXT PAGE  F11-PRV PAGE  F12-HELP
```

**FROM ACCT RESP CDES —** The override possible response codes associated with the *from* account involved in this transaction.

Field Length: System-protected
Data Name: TTLF.OVRRD-TKN.OVRRD.TLR-RESP-CDE-BIT-MAP
Data Name: TTLF.OVRRD-TKN.OVRRD.SPRVSR-RESP-CDE-BIT-MAP
Data Name: TTLF.OVRRD-TKN.OVRRD.MNGR-RESP-CDE-BIT-MAP

**TO ACCT RESP CDES —** The override possible response codes associated with the *to* account involved in this transaction.

Field Length: System-protected
Data Name: TTLF.OVRRD-TKN.OVRRD.TLR-RESP-CDE-BIT-MAP
Data Name: TTLF.OVRRD-TKN.OVRRD.SPRVSR-RESP-CDE-BIT-MAP
Data Name: TTLF.OVRRD-TKN.OVRRD.MNGR-RESP-CDE-BIT-MAP

**BACK-UP ACCT RESP CDES —** The override possible response codes associated with the credit line/back-up account involved in this transaction.

Field Length: System-protected
Data Name: TTLF.OVRRD-TKN.OVRRD.TLR-RESP-CDE-BIT-MAP
Data Name: TTLF.OVRRD-TKN.OVRRD.SPRVSR-RESP-CDE-BIT-MAP
Data Name: TTLF.OVRRD-TKN.OVRRD.MNGR-RESP-CDE-BIT-MAP

# Positive Balance File Inquiry/Update Detail Screen

If a positive balance transaction is selected via the TTLF Summary screen, the TTLF PBF Inquiry/Update Detail screen displays the transaction record information.

The heading on the detail screen varies depending on whether the transaction is an inquiry or an update transaction. If the transaction is a PBF inquiry (transaction code 30 or 31), the screen heading displayed is POSITIVE BALANCE FILE INQUIRY DETAIL. If the transaction is a PBF update (transaction code 82 or 83), the screen heading displayed is POSITIVE BALANCE FILE UPDATE DETAIL.

The TTLF PBF Inquiry/Update Detail screen is shown below, followed by descriptions of its fields.

```
 BASE24-TLR   TTLF DETAIL             LLLL        YY/MM/DD  HH:MM  02 OF 02
ACCOUNT NUM:                        TELLER ID:           FIID:      LNET:
   CARD NUM:                       MEMBER NUM:           DATE(YYMMDD):

                   POSITIVE BALANCE FILE INQUIRY DETAIL
   TRAN CODE:                                                DEV TRAN CODE:
   TRAN DATE:                            TRAN TIME:         TIME OFST:
     ACCOUNT:                              SEQ NUM:

         PAN:                       CARD/ACCT FIID:
    TERMINAL:                            TERM FIID:        TELLER ID:
   RESP CODE:                              MIN LVL:       TELLER LVL:
    ERR FLAG: 0                           ACCT IND:

   ACCOUNT STATUS:        STOP PAY/WARNING STATUS:
    PASSBOOK ACCT:
     CR LINE ACCT:                                    CR LINE ACCT TYP:



 *********************************** BASE24 ***********************************
                  FILE DESTINATION:       NEW LOGICAL NETWORK ID:
 F5-GOTO SUMMARY  F6-NXT REC  F7-PRV REC  F9-NXT PAGE  F11-PRV PAGE  F12-HELP
```

**TRAN CODE —** The transaction code that defines the type of transaction within BASE24-teller. The 30-character transaction description displayed next to the transaction code is user-defined and is configured in the Teller Transaction File (TTF).

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.TRAN

**DEV TRAN CODE —** The device transaction code as received in the native mode message from the teller terminal or controller software.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.DEV-TRAN-CDE

**TRAN DATE —** The calendar date when the transaction was performed. The format of the date, MM/DD or DD/MM, is determined by the value of the DATE-DISPLAY-TYPE parameter in the Logical Network Configuration File (LCONF).

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TRAN-DAT.MM
Data Name: TTLF.HEAD.TLR.TRAN-DAT.DD

**TRAN TIME —** The time, in HH:MM:SS format, when the transaction was performed.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TRAN-TIM.HH
Data Name: TTLF.HEAD.TLR.TRAN-TIM.MM

**TIME OFST —** The time difference, in minutes, between the time at the terminal location and the time at the Tandem processor location. The value in this field is added to the BASE24-teller system time to obtain the local terminal time.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.TIM-OFST

**ACCOUNT —** The account number of the account on which the inquiry or update was performed.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.TO-ACCT

**SEQ NUM —** The sequence number assigned to the transaction by BASE24-teller.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.SYS.TRAN-SEQ-NUM

**PAN —** The primary account number (PAN) of the account involved in the transaction. If the transaction was initiated using a card, the card number appears in this field. Otherwise, this field is blank.

Field Length: System-protected
Data Name: TTLF.HEAD.CRD.PAN

**CARD/ACCT FIID —** The FIID of the card-owning and/or account-owning financial institution. If this is a card-initiated transaction, the card owner and the account owner are the same.

Field Length: System-protected
Data Name: TTLF.HEAD.ACCT.FIID

**TERMINAL —** The terminal ID of the terminal at which the transaction was performed.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.SYS.ORIG.STA-NAME

**TERM FIID —** The FIID of the terminal-owning financial institution.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.FIID

**TELLER ID —** The teller ID of the teller who performed the transaction.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TLR-ID

**RESP CODE —** The response code associated with this transaction. For card-initiated transactions, the first position indicates whether the card should be returned to the customer (0) or retained by the teller (1). For transactions initiated without a card, the first position is always zero. The last three positions contain the actual BASE24-teller response code.

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTLF.TSTMH-DATA.RESP-HDR.CRD-ACTION |
| Data Name: | TTLF.TSTMH-DATA.RESP-HDR.RESP-CDE |

**MIN LVL —** A value indicating the minimum level of override necessary to authorize the transaction. This code is specified in the Override Response File (ORF).

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTLF.TSTMH-DATA.RESP-HDR.MIN-OVRRD-LVL |

**TELLER LVL —** A value indicating the override level of the teller.

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTLF.TSTMH-DATA.RQST.INTL-OVRRD-LVL |

**ERR FLAG —** A code used with the response code to further define the reason for the denial. If the transaction was not denied, this field is zero. Valid values are:

| | | |
|---|---|---|
| C | = | Card verification failed |
| K | = | KMAC synchronization error |
| M | = | MAC failure |
| S | = | Sanity check error |
| T | = | Token error |
| 0 or b̸ | = | Not applicable (default) (b̸ indicates a blank character) |

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTLF.TSTMH-DATA.RESP-HDR.ERR-FLG |

**ACCT IND —** A value indicating which account has a fatal response code associated with it. This field is used only when a fatal response code (a response code beginning with the letter F) is associated with a specific account. For example, with response code F40 (PBF record not found), the value in this field would indicate which PBF record could not be found. With response code F10 (ineligible transaction), this field would contain zero or a blank because the error applies to the transaction, not a specific account. Valid values are:

| | | |
|---|---|---|
| F | = | Fatal response is associated with the *from* account or the first account involved in the transaction. |

T = Fatal response is associated with *to* account or the second account involved in the transaction.
C = Fatal response is associated with the credit line or backup account.
0 or b̸ = Not a fatal response or a fatal response that is not associated with a specific account.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.ACCT-IND

**ACCOUNT STATUS —** For inquiry transactions, this field contains a code indicating the current status of the specified account. If the transaction is an update to the account status field in the PBF, this field contains the account status entered by the teller. If the transaction is an update to the PBF stop pay/warning status, this field is blank. This field is blank if the TTLF record does not contain the Account token for inquiry transactions or the PBF Update token for update transactions.

Field Length: System-protected
Data Name: TTLF.ACCT-TKN.ACCT.STAT
Data Name: TTLF.PBFU-TKN.STAT-UPDT

**STOP PAY/WARNING STATUS —** For inquiry transactions, this field contains a code indicating the current stop pay/warning status of the account. If the transaction is an update to the stop pay/warning status field in the PBF, this field contains the status value entered by the teller. If the transaction is an update to the PBF account status or a PBF short inquiry, this field is blank. This field is blank if the TTLF record does not contain the PBF Inquiry token for inquiries or the PBF Update token for updates to the PBF stop pay/warning status. Valid values are:

0 = No stops or warnings
1 = Stops only
2 = Warnings only
3 = Stops and warnings

Field Length: System-protected
Data Name: TTLF.PBFI-TKN.SP-WARN-STAT
Data Name: TTLF.PBFU-TKN.STAT-UPDT

**PASSBOOK ACCT —** For inquiry transactions, this field contains a code indicating whether the account is a passbook account. For short inquiries, this field is blank. Valid values are:

Y = Yes, this account is a passbook account.
N = No, this account is not a passbook account.

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTLF.PBFI-TKN.PBF.PASSBOOK-IND |

**CR LINE ACCT —** For inquiry transactions, this field contains the account number of the credit line or backup account if one is defined for the account on which the inquiry was performed. If a credit line or backup account is not defined for the account, this field is blank. This field is blank if the TTLF record does not contain the Credit Line token.

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTLF.CR-LINE-TKN.ACCT |

**CR LINE ACCT TYP —** For inquiry transactions, this field contains the account type of the credit line or backup account if one is defined for the account on which the inquiry was performed. If a credit line or backup account is not defined for the account, this field is blank. This field is blank if the TTLF record does not contain the Credit Line token.

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTLF.CR-LINE-TKN.ACCT-TYP |

# Stop Pay File Inquiry/Update Detail Screen

If a stop pay transaction is selected via the TTLF Summary screen, the TTLF Stop Pay File Inquiry/Update Detail screen displays the transaction record information.

The heading on the detail screen varies depending on whether the transaction is an inquiry or an update. If the transaction is an SPF inquiry (transaction code 32), the screen heading displayed is STOP PAY FILE INQUIRY DETAIL. If the transaction is an SPF update (transaction code 80 or 81), the screen heading displayed is STOP PAY FILE UPDATE DETAIL.

The TTLF SPF Inquiry/Update Detail screen is shown below, followed by descriptions of its fields.

```
 BASE24-TLR   TTLF DETAIL              LLLL        YY/MM/DD  HH:MM  02 OF 02
ACCOUNT NUM:                         TELLER ID:           FIID:      LNET:
   CARD NUM:                         MEMBER NUM:          DATE(YYMMDD):

                          STOP PAY FILE INQUIRY DETAIL
   TRAN CODE:                                         DEV TRAN CODE:
   TRAN DATE:                           TRAN TIME:         TIME OFST:
     ACCOUNT:                             SEQ NUM:

         PAN:                      CARD/ACCT FIID:
    TERMINAL:                           TERM FIID:        TELLER ID:
   RESP CODE:                             MIN LVL:       TELLER LVL:
    ERR FLAG:                            ACCT IND:

     STOP PAY AMOUNT:                       CRNCY:         EXP DATE:
   CHECK NUMBER (LO):                     CHECK NUMBER (HI):
STOP PAY DESCRIPTION:



 *********************************** BASE24 ***********************************
                  FILE DESTINATION:        NEW LOGICAL NETWORK ID:
 F5-GOTO SUMMARY  F6-NXT REC  F7-PRV REC  F9-NXT PAGE  F11-PRV PAGE  F12-HELP
```

**TRAN CODE —** The transaction code that defines the type of transaction within BASE24-teller. The 30-character transaction description displayed next to the transaction code is user-defined and is configured in the Teller Transaction File (TTF).

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTLF.TSTMH-DATA.RQST.TRAN |

**DEV TRAN CODE —** The device transaction code as received in the native mode message from the teller terminal or controller software.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.DEV-TRAN-CDE

**TRAN DATE —** The calendar date when the transaction was performed. The format of the date, MM/DD or DD/MM, is determined by the value of the DATE-DISPLAY-TYPE parameter in the Logical Network Configuration File (LCONF).

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TRAN-DAT.MM
Data Name: TTLF.HEAD.TLR.TRAN-DAT.DD

**TRAN TIME —** The time, in HH:MM:SS format, when the transaction was performed.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TRAN-TIM.HH
Data Name: TTLF.HEAD.TLR.TRAN-TIM.MM

**TIME OFST —** The time difference, in minutes, between the time at the terminal location and the time at the Tandem processor location. The value in this field is added to the BASE24-teller system time to obtain the local terminal time.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.TIM-OFST

**ACCOUNT —** The account number of the account on which the inquiry or update was performed.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.TO-ACCT

**SEQ NUM —** The sequence number assigned to the transaction by BASE24-teller.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.SYS.TRAN-SEQ-NUM

**PAN —** The primary account number (PAN) of the account involved in the transaction. If the transaction was initiated using a card, the card number appears in this field. Otherwise, this field is blank.

Field Length: System-protected
Data Name: TTLF.HEAD.CRD.PAN

**CARD/ACCT FIID —** The FIID of the card-owning and/or account-owning financial institution. If this is a card-initiated transaction, the card owner and the account owner are the same.

Field Length: System-protected
Data Name: TTLF.HEAD.ACCT.FIID

**TERMINAL —** The terminal ID of the terminal at which the transaction was performed.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.SYS.ORIG.STA-NAME

**TERM FIID —** The FIID of the terminal-owning financial institution.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.FIID

**TELLER ID —** The teller ID of the teller who performed the transaction.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TLR-ID

**RESP CODE —** The response code associated with this transaction. For card-initiated transactions, the first position indicates whether the card should be returned to the customer (0) or retained by the teller (1). For transactions initiated without a card, the first position is always zero. The last three positions contain the actual BASE24-teller response code.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.CRD-ACTION
Data Name: TTLF.TSTMH-DATA.RESP-HDR.RESP-CDE

**MIN LVL —** A value indicating the minimum level of override necessary to authorize the transaction. This code is specified in the Override Response File (ORF).

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.MIN-OVRRD-LVL

**TELLER LVL —** A value indicating the override level of the teller.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.INTL-OVRRD-LVL

**ERR FLAG —** A code used with the response code to further define the reason for the denial. If the transaction was not denied, this field is zero. Valid values are:

C = Card verification failed
K = KMAC synchronization error
M = MAC failure
S = Sanity check error
T = Token error
0 or b̸ = Not applicable (default) (b̸ indicates a blank character)

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.ERR-FLG

**ACCT IND —** A value indicating which account has a fatal response code associated with it. This field is used only when a fatal response code (a response code beginning with the letter F) is associated with a specific account. For example, with response code F40 (PBF record not found), the value in this field would indicate which PBF record could not be found. With response code F10 (ineligible transaction), this field would contain zero or a blank because the error applies to the transaction, not a specific account. Valid values are:

F = Fatal response is associated with the *from* account or the first account involved in the transaction.
T = Fatal response is associated with *to* account or the second account involved in the transaction.
C = Fatal response is associated with the credit line or backup account.
0 or b̸ = Not a fatal response or a fatal response that is not associated with a specific account.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.ACCT-IND

**STOP PAY AMOUNT —** For inquiry transactions, this field contains blanks. For update transactions, this field contains the amount of the stop payment if one is entered by the teller. The amount is displayed in whole and fractional currency units. This field is blank if the TTLF record does not contain the SPF Update token.

Field Length: System-protected
Data Name: TTLF.SPFU-TKN.AMT

**CRNCY —** A currency identifier determined by the currency code in the internal message header (TSTMH.CRNCY-CDE) and the CRNCY-CDE-TABLE in the COBNAMES file. All amount fields are displayed with the correct number of decimal places for the currency code.

Field Length: System-protected
Data Name: Not applicable

**EXP DATE —** For inquiry transactions, this field is blank. For update transactions, this field contains the date the stop payment expires in YYMMDD format. This field is blank if the TTLF record does not contain the SPF Update token.

Field Length: System-protected
Data Name: TTLF.SPFU-TKN.EXP-DAT

**CHECK NUMBER (LO) —** For inquiry transactions, this field displays the lowest check number in the range when the teller requests information on all stop payments within a range of check numbers. If the teller requests information on a single stop payment, this field is blank. For update transactions involving a range of check numbers, this field displays the lowest check number in the range. If a single check number is requested, this field is blank. This field is blank if the TTLF record does not contain the SPF Inquiry token for inquiry transactions or the SPF Update token for update transactions.

Field Length: System-protected
Data Name: TTLF.SPFI-TKN.SEARCH-LO-CHK-NUM
Data Name: TTLF.SPFU-TKN.LO-CHK-NUM

**CHECK NUMBER (HI) —** For inquiry transactions, this field displays the highest check number in the range when the teller requests information on all stop payments within a range of check numbers. If the teller requests information on a single stop payment, this field displays the associated check number. For update transactions, this field displays the check number associated with the stop payment. If a stop payment is being placed on a range of check numbers, this field displays the highest check number in the range. This field is blank if the TTLF record does not contain the SPF Inquiry token for inquiry transactions or the SPF Update token for update transactions.

Field Length: System-protected
Data Name: TTLF.SPFI-TKN.SEARCH-HI-CHK-NUM
Data Name: TTLF.SPFU-TKN.HI-CHK-NUM

**STOP PAY DESCRIPTION —** For inquiry transactions, this field is blank. For update transactions, this field contains a free format description if entered by the teller.

Field Length: System-protected
Data Name: TTLF.SPFU-TKN.DESCR

# Transaction Detail Screen

If a transaction selected via the TTLF Summary screen does not contain the information needed to determine the proper detail screen format, the TTLF Transaction Detail screen displays the transaction record information that is available so additional research can be performed.

The TTLF Transaction Detail screen is shown below, followed by descriptions of its fields.

```
 BASE24-TLR   TTLF DETAIL             LLLL       YY/MM/DD  HH:MM  02 OF 02
ACCOUNT NUM:                        TELLER ID:           FIID:      LNET:
   CARD NUM:                       MEMBER NUM:           DATE(YYMMDD):

                                TRANSACTION DETAIL
   TRAN CODE:                                           DEV TRAN CODE:
   TRAN DATE:                           TRAN TIME:          TIME OFST:
     ACCOUNT:                             SEQ NUM:

         PAN:                      CARD/ACCT FIID:
    TERMINAL:                           TERM FIID:       TELLER ID:
   RESP CODE:                             MIN LVL:      TELLER LVL:
    ERR FLAG:                            ACCT IND:






 *********************************** BASE24 ***********************************
                  FILE DESTINATION:        NEW LOGICAL NETWORK ID:
 F5-GOTO SUMMARY  F6-NXT REC  F7-PRV REC  F9-NXT PAGE  F11-PRV PAGE  F12-HELP
```

**TRAN CODE —** The transaction code that defines the type of transaction within BASE24-teller. The 30-character transaction description displayed next to the transaction code is user-defined and is configured in the Teller Transaction File (TTF).

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTLF.TSTMH-DATA.RQST.TRAN |

**DEV TRAN CODE —** The device transaction code as received in the native mode message from the teller terminal or controller software.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.DEV-TRAN-CDE

**TRAN DATE —** The calendar date when the transaction was performed. The format of the date, MM/DD or DD/MM, is determined by the value of the DATE-DISPLAY-TYPE parameter in the Logical Network Configuration File (LCONF).

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TRAN-DAT.MM
Data Name: TTLF.HEAD.TLR.TRAN-DAT.DD

**TRAN TIME —** The time, in HH:MM:SS format, when the transaction was performed.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TRAN-TIM.HH
Data Name: TTLF.HEAD.TLR.TRAN-TIM.MM

**TIME OFST —** The time difference, in minutes, between the time at the terminal location and the time at the Tandem processor location. The value in this field is added to the BASE24-teller system time to obtain the local terminal time.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.TIM-OFST

**ACCOUNT —** The account number for which the unidentified transaction was performed.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.TO-ACCT

**SEQ NUM —** The sequence number assigned to the transaction by BASE24-teller.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.SYS.TRAN-SEQ-NUM

**PAN —** The primary account number (PAN) of the account involved in the transaction. If the transaction was initiated using a card, the card number appears in this field. Otherwise, this field is blank.

Field Length: System-protected
Data Name: TTLF.HEAD.CRD.PAN

**CARD/ACCT FIID —** The FIID of the card-owning and/or account-owning financial institution. If this is a card-initiated transaction, the card owner and the account owner are the same.

Field Length: System-protected
Data Name: TTLF.HEAD.ACCT.FIID

**TERMINAL —** The terminal ID of the terminal at which the transaction was performed.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.SYS.ORIG.STA-NAME

**TERM FIID —** The FIID of the terminal-owning financial institution.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.FIID

**TELLER ID —** The teller ID of the teller who performed the transaction.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TLR-ID

**RESP CODE —** The response code associated with this transaction. For card-initiated transactions, the first position indicates whether the card should be returned to the customer (0) or retained by the teller (1). For transactions initiated without a card, the first position is always zero. The last three positions contain the actual BASE24-teller response code.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.CRD-ACTION
Data Name: TTLF.TSTMH-DATA.RESP-HDR.RESP-CDE

**MIN LVL —** A value indicating the minimum level of override necessary to authorize the transaction. This code is specified in the Override Response File (ORF).

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.MIN-OVRRD-LVL

**TELLER LVL —** A value indicating the override level of the teller.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.INTL-OVRRD-LVL

**ERR FLAG —** A code used with the response code to further define the reason for the denial. If the transaction was not denied, this field is zero. Valid values are:

C = Card verification failed
K = KMAC synchronization error
M = MAC failure
S = Sanity check error
T = Token error
0 or b̸ = Not applicable (default) (b̸ indicates a blank character)

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.ERR-FLG

**ACCT IND —** A value indicating which account has a fatal response code associated with it. This field is used only when a fatal response code (a response code beginning with the letter F) is associated with a specific account. For example, with response code F40 (PBF record not found), the value in this field would indicate which PBF record could not be found. With response code F10 (ineligible transaction), this field would contain zero or a blank because the error applies to the transaction, not a specific account. Valid values are:

F = Fatal response is associated with the *from* account or the first account involved in the transaction.
T = Fatal response is associated with *to* account or the second account involved in the transaction.
C = Fatal response is associated with the credit line or backup account.
0 or b̸ = Not a fatal response or a fatal response that is not associated with a specific account.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.ACCT-IND

# Warning/Hold/Float File Inquiry/Update Detail Screen

If a Warning/Hold/Float File (WHFF) inquiry or update transaction is selected via the TTLF Summary screen, the TTLF WHFF Inquiry/Update Detail screen displays the transaction record information.

The heading on the detail screen varies depending on whether the transaction is an inquiry or an update. If the transaction is a WHFF inquiry (transaction code 37), the screen heading displayed is WARNING/HOLD/FLOAT FILE INQUIRY DETAIL. If the transaction is a WHFF update (transaction code 84, 85, 86, 87, 88 or 89), the screen heading displayed is WARNING/HOLD/FLOAT FILE UPDATE DETAIL.

The TTLF WHFF Inquiry/Update Detail screen is shown below, followed by descriptions of its fields.

```
 BASE24-TLR   TTLF DETAIL             LLLL        YY/MM/DD  HH:MM  02 OF 02
ACCOUNT NUM:                        TELLER ID:           FIID:      LNET:
   CARD NUM:                       MEMBER NUM:           DATE(YYMMDD):

                     WARNING/HOLD/FLOAT FILE INQUIRY DETAIL
   TRAN CODE:                                          DEV TRAN CODE:
   TRAN DATE:                           TRAN TIME:         TIME OFST:
     ACCOUNT:                             SEQ NUM:

         PAN:                      CARD/ACCT FIID:
    TERMINAL:                           TERM FIID:        TELLER ID:
   RESP CODE:                             MIN LVL:       TELLER LVL:
    ERR FLAG:                            ACCT IND:

      AMOUNT:                               CRNCY:         EXP DATE:
 RECORD TYPE:
 DESCRIPTION:



 ********************************** BASE24 ***********************************
                  FILE DESTINATION:        NEW LOGICAL NETWORK ID:
 F5-GOTO SUMMARY  F6-NXT REC  F7-PRV REC  F9-NXT PAGE  F11-PRV PAGE  F12-HELP
```

**TRAN CODE —** The transaction code that defines the type of transaction within BASE24-teller. The 30-character transaction description displayed next to the transaction code is user-defined and is configured in the Teller Transaction File (TTF).

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.TRAN

**DEV TRAN CODE —** The device transaction code as received in the native mode message from the teller terminal or controller software.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.DEV-TRAN-CDE

**TRAN DATE —** The calendar date when the transaction was performed. The format of the date, MM/DD or DD/MM, is determined by the value of the DATE-DISPLAY-TYPE parameter in the Logical Network Configuration File (LCONF).

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TRAN-DAT.MM
Data Name: TTLF.HEAD.TLR.TRAN-DAT.DD

**TRAN TIME —** The time, in HH:MM:SS format, when the transaction was performed.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TRAN-TIM.HH
Data Name: TTLF.HEAD.TLR.TRAN-TIM.MM

**TIME OFST —** The time difference, in minutes, between the time at the terminal location and the time at the Tandem processor location. The value in this field is added to the BASE24-teller system time to obtain the local terminal time.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.TIM-OFST

**ACCOUNT —** The account number for which the inquiry or update was performed.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.TO-ACCT

**SEQ NUM —** The sequence number assigned to the transaction by BASE24-teller.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.SYS.TRAN-SEQ-NUM

**PAN —** The primary account number (PAN) of the account involved in the transaction. If the transaction was initiated using a card, the card number appears in this field. Otherwise, this field is blank.

Field Length: System-protected
Data Name: TTLF.HEAD.CRD.PAN

**CARD/ACCT FIID —** The FIID of the card-owning and/or account-owning financial institution. If this is a card-initiated transaction, the card owner and the account owner are the same.

Field Length: System-protected
Data Name: TTLF.HEAD.ACCT.FIID

**TERMINAL —** The terminal ID of the terminal at which the transaction was performed.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.SYS.ORIG.STA-NAME

**TERM FIID —** The FIID of the terminal-owning financial institution.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.FIID

**TELLER ID —** The teller ID of the teller who performed the transaction.

Field Length: System-protected
Data Name: TTLF.HEAD.TLR.TLR-ID

**RESP CODE —** The response code associated with this transaction. For card-initiated transactions, the first position indicates whether the card should be returned to the customer (0) or retained by the teller (1). For transactions initiated without a card, the first position is always zero. The last three positions contain the actual BASE24-teller response code.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.CRD-ACTION
Data Name: TTLF.TSTMH-DATA.RESP-HDR.RESP-CDE

**MIN LVL —** A value indicating the minimum level of override necessary to authorize the transaction. This code is specified in the Override Response File (ORF).

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.MIN-OVRRD-LVL

**TELLER LVL —** A value indicating the override level of the teller.

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RQST.INTL-OVRRD-LVL

**ERR FLAG —** A code used with the response code to further define the reason for the denial. If the transaction was not denied, this field is zero. Valid values are:

C = Card verification failed
K = KMAC synchronization error
M = MAC failure
S = Sanity check error
T = Token error
0 or b̸ = Not applicable (default) (b̸ indicates a blank character)

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.ERR-FLG

**ACCT IND —** A value indicating which account has a fatal response code associated with it. This field is used only when a fatal response code (a response code beginning with the letter F) is associated with a specific account. For example, with response code F40 (PBF record not found), the value in this field would indicate which PBF record could not be found. With response code F10 (ineligible transaction), this field would contain zero or a blank because the error applies to the transaction, not a specific account.

Valid values are:

| | | |
|---|---|---|
| F | = | Fatal response is associated with the *from* account or the first account involved in the transaction. |
| T | = | Fatal response is associated with *to* account or the second account involved in the transaction. |
| C | = | Fatal response is associated with the credit line or backup account. |
| 0 or b̸ | = | Not a fatal response or a fatal response that is not associated with a specific account. |

Field Length: System-protected
Data Name: TTLF.TSTMH-DATA.RESP-HDR.ACCT-IND

**AMOUNT —** For inquiry transactions when the teller requests a search for records with a specific amount, this field contains the search amount. For inquiry transactions without a specific search amount, this field is blank. For update transactions, this field contains the amount of the warning, hold, or deposit float. The amount is displayed in whole and fractional currency units. This field is blank if the TTLF record does not contain the WHFF Inquiry token for inquiry transactions or the WHFF Update token for update transactions.

Field Length: System-protected
Data Name: TTLF.WHFFI-TKN.SEARCH-AMT
Data Name: TTLF.WHFFU-TKN.AMT

**CRNCY —** A currency identifier determined by the currency code in the internal message header (TSTMH.CRNCY-CDE) and the CRNCY-CDE-TABLE in the COBNAMES file. All amount fields are displayed with the correct number of decimal places for the currency code.

Field Length: System-protected
Data Name: Not applicable

**EXP DATE —** For inquiry transactions, this field is blank. For update transactions, this field contains the date the warning, hold, or deposit float record expires in YYMMDD format. This field is blank if the TTLF record does not contain the WHFF Update token.

Field Length: System-protected
Data Name: TTLF.WHFFU-TKN.EXP-DAT

**RECORD TYPE —** For inquiry transactions, this field contains the type of records to be returned on an inquiry (i.e., warnings, holds, deposit floats). For update transactions, this field contains the type of WHFF record to be added or deleted. This field is blank if the TTLF record does not contain the WHFF Inquiry token for inquiry transactions or the WHFF Update token for update transactions. Valid values are:

01 = Warning
02 = Hold
03 = Deposit Float

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTLF.WHFFI-TKN.SEARCH-REC-TYP |
| Data Name: | TTLF.WHFFU-TKN.REC-TYP |

**DESCRIPTION —** For inquiry transactions, this field is blank. For update transactions, this field contains a free format description if entered by the teller. This field is blank if the TTLF record does not contain the WHFF Update token.

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | TTLF.WHFFU-TKN.DESCR |

*Applied Communications, Inc.*

# Section 8

# Warning/Hold/Float File (WHFF)

The Warning/Hold/Float File (WHFF) contains warning records, hold records, and deposit float records.

A warning indicates special instructions regarding a particular account. A hold increases the amount on hold in the account's Positive Balance File (PBF) record and decreases the available balance in the PBF record. Deposit float increases the available balance in the PBF record without changing the amount on hold in the PBF record.

A PBF record must exist for an account before a WHFF record of any type can be added for it because the information in WHFF records also impacts information in PBF records. In addition, BASE24 must be able to update balances in the PBF record when a hold or deposit float record is added to the WHFF. A hold or deposit float record cannot be added to the WHFF if BASE24 cannot also update the appropriate balances in the PBF because PBF balances must reflect the hold and deposit float amounts.

Warning records can be added to the WHFF as long as a PBF record exists, regardless of whether BASE24 can update the STOP PAY/WARNING STATUS field in the PBF record. BASE24 does not have to be able to update the PBF record for warning records because the PBF field related to a warning is a flag instead of a balance. A user must update the value in the STOP PAY/WARNING STATUS field on PBF screen 10 if he or she receives an error message indicating the PBF record could not be updated when adding a warning to the WHFF.

The TLR-WRITE-HLDS-DEP-FLOATS param in the Logical Network Configuration File (LCONF) controls whether the BASE24-teller Authorization process writes hold and deposit float records to the WHFF. However, this param has no effect on hold and deposit float records added to the WHFF via file maintenance. The BASE24-teller Authorization process adjusts the amount on hold and available balance values in the PBF regardless of whether it writes hold and deposit float records to the WHFF.

The value in the SEARCH THE WHFF field on Teller Transaction File (TTF) screen 1 controls whether the Authorization process checks the WHFF when a processing a financial transaction. A financial transaction is one with a transaction code of 10 through 23 or 40 through 66.

The BASE24 Refresh process maintains the WHFF via a full-file refresh.

The WHFF is a key-sequenced file with fixed-length records. The key to the WHFF records is a combination of the data entered in the FIID, ACCOUNT NUMBER, ACCOUNT TYPE, RECORD TYPE, AMOUNT, DATE, and TIME fields. When selecting a WHFF record, the FIID, ACCOUNT NUMBER, and ACCOUNT TYPE fields are mandatory and the remaining key fields are optional. A key with one or more of the optional key values missing is a partial key.

# Function Keys

The use of four function keys on WHFF screens differs from that specified for the standard function keys explained in the ***BASE24 CRT Access Manual*** and the ***BASE24 Base Files Maintenance Manual***. The use of these function keys is explained below.

The first column of information below shows the BASE24 keys. The second column describes the functions that can be accomplished with these function keys.

| Key | Description |
|---|---|
| **F6** | **READ NEXT RECORD**—Pressing this key when WHFF screen 1 is displayed retrieves the next WHFF record available for the current combination of values in the FIID, ACCOUNT NUMBER, and ACCOUNT TYPE fields. Pressing this key retrieves only the remaining WHFF records, if any, for the account that is currently identified by the values in these fields. |
| **F7** | **SELECT RECORD—**Selects a specific WHFF record. Using the cursor, the user can move to the desired WHFF record listed on WHFF screen 2 and press the **F7** key. This procedure displays WHFF screen 1 which details the desired WHFF record. |
| **F9** | **NEXT PAGE—**Retrieves the *next* summary page of WHFF records for an account that requires a series of screens to display all records. |
| **F11** | **PREVIOUS PAGE—**Retrieves the *previous* summary page of WHFF records for an account that requires a series of screens to display all records. |

# Screen 1

WHFF screen 1 details a customer's record of a warning, hold, or deposit float. When a partial key (i.e., one or more of the optional key fields is omitted) is entered from WHFF screen 1, all WHFF records matching the partial key are displayed on WHFF screen 2. From WHFF screen 2, the user can move the cursor to the desired record and press the **F7** key. This procedure retrieves WHFF screen 1 and displays the desired record in detail. WHFF screen 1 is shown below, followed by descriptions of its fields.

```
BASE24-TLR   WARN HOLD FLOAT FILE     LLLL        YY/MM/DD  HH:MM  01 OF 02
FIID:            ACCOUNT NUMBER:
                   ACCOUNT TYPE: 00 (***********)

                    RECORD TYPE:     (01/02/03)
                         AMOUNT:                0
                           DATE:          (YYMMDD)
                           TIME:          (HHMMSSTT)
                EXPIRATION DATE: 000000   (YYMMDD)
                    DESCRIPTION:

          PBF AVAILABLE BALANCE:                   0
             PBF AMOUNT ON HOLD:                   0
               SYSTEM CALCULATE: Y (Y/N)
    PBF STOP PAY/WARNING STATUS:   (********************)

    *** NOTE: ***
    IF THE SYSTEM CALCULATE FIELD IS SET TO Y WHEN ADDING/DELETING
    WARNINGS, THE SYSTEM WILL DECIDE THE NEW PBF STOP PAY/WARNING STATUS.

*********************************** BASE24 ***********************************
                  FILE DESTINATION:        NEW LOGICAL NETWORK ID:
                        F12-HELP
```

**FIID —** The FIID of the institution that owns the account specified in the ACCOUNT NUMBER field.

| | |
|---|---|
| Field Length: | 1–4 alphanumeric characters |
| Required Field: | Yes |
| Default Value: | No default value |
| Data Name: | WHFF.PRIKEY.FIID |

**ACCOUNT NUMBER —** The customer account number associated with this WHFF record at the account-owning institution.

| | |
|---|---|
| Field Length: | 1–19 numeric characters |
| Required Field: | Yes |
| Default Value: | No default value |
| Data Name: | WHFF.PRIKEY.ACCT-NUM |

**ACCOUNT TYPE —** The type of customer account associated with this WHFF record.  Valid values are:

| | | |
|---|---|---|
| 01–09 | = | Checking |
| 11, 14–19 | = | Savings |
| 12 | = | IRA |
| 13 | = | Certificate of Deposit |
| 21 | = | NOW |
| 31, 33–39 | = | Credit Account |
| 32 | = | Credit Line |
| 41 | = | Installment Loan |
| 42 | = | Mortgage Loan |
| 43 | = | Commercial Loan |

| | |
|---|---|
| Field Length: | 2 numeric characters |
| Required Field: | Yes |
| Default Value: | 00 |
| Data Name: | WHFF.PRIKEY.ACCT-TYP |

**RECORD TYPE —** The type of WHFF record.  Valid values are:

| | | |
|---|---|---|
| 01 | = | Warning |
| 02 | = | Hold |
| 03 | = | Deposit Float |

| | |
|---|---|
| Field Length: | 2 numeric characters |
| Required Field: | Yes, to add WHFF records. |
| Default Value: | No default value |
| Data Name: | WHFF.PRIKEY.REC-TYP |

**AMOUNT —** The amount, in whole and fractional currency units, for which the record has been added to the WHFF.

| | |
|---|---|
| Field Length: | 1–17 numeric characters |
| Required Field: | Yes, for holds and deposit floats. |
| Default Value: | 0 |
| Data Name: | WHFF.PRIKEY.AMT |

**DATE —** The date (YYMMDD) the record was added to the WHFF.

| | |
|---|---|
| Field Length: | 6 numeric characters |
| Required Field: | No (If the date is not entered by the user, BASE24 will calculate the current date.) |
| Default Value: | No default value |
| Data Name: | WHFF.PRIKEY.DAT |

**TIME —** The time (HHMMSSTT) the record was added to the WHFF.

| | |
|---|---|
| Field Length: | 8 numeric characters |
| Required Field: | No (If the time is not entered by the user, BASE24 will calculate the time.) |
| Default Value: | No default value |
| Data Name: | WHFF.PRIKEY.TIM |

**EXPIRATION DATE —** The expiration date (YYMMDD) for this WHFF record.

| | |
|---|---|
| Field Length: | 6 numeric characters |
| Required Field: | No |
| Default Value: | 000000 |
| Data Name: | WHFF.EXP-DAT |

**DESCRIPTION —** An information-only field for entering a message regarding this WHFF record.

| | |
|---|---|
| Field Length: | 35 alphanumeric characters |
| Required Field: | No |
| Default Value: | No default value |
| Data Name: | WHFF.DESCR |

**PBF AVAILABLE BALANCE —** The available balance from the Positive Balance File (PBF) for the account for which the WHFF record is being established.

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | PBF.PBFBASE.AVAIL-BAL |

**PBF AMOUNT ON HOLD —** The amount on hold in the Positive Balance File (PBF) for the account for which the WHFF record is being established.

Field Length: System-protected
Data Name: PBF.PBFBASE.AMT-ON-HLD

**SYSTEM CALCULATE —** A value indicating whether to calculate the new PBF stop payment/warning status value or use the value entered by the operator in the PBF STOP PAY/WARNING STATUS field. Valid values are:

Y = Yes, the WHFF requester/server will calculate the new value.
N = No, the WHFF requester/server will use the value entered in the PBF STOP PAY/WARNING STATUS field.

Field Length: 1 alphabetic character
Required Field: Yes
Default Value: Y
Data Name: Not applicable

**PBF STOP PAY/WARNING STATUS —** A code used by the BASE24-teller Authorization process to determine whether stop payments and/or warnings exist for this account. Valid values are:

0 = No stops or warnings
1 = Stops
2 = Warnings
3 = Stops and warnings

Field Length: 1 numeric character
Required Field: No
Default Value: No default value
Data Name: PBF.TLRPBF.SP-STAT

# Screen 2

WHFF screen 2 is a summary of warning, hold, and deposit float records. When a partial key (i.e., one or more of the optional key fields is omitted) is entered from WHFF screen 1, all WHFF records matching the key information entered are displayed on WHFF screen 2. From WHFF screen 2, the user can move the cursor to the desired record and press the **F7** key to display WHFF screen 1 which details the selected record. WHFF screen 2 is shown below, followed by descriptions of its fields.

```
BASE24-TLR   WARN HOLD FLOAT FILE     LLLL        YY/MM/DD  HH:MM  02 OF 02
FIID:            ACCOUNT NUMBER:
                   ACCOUNT TYPE: 00 (***********)

  REC
  TYPE     AMOUNT         DATE     TIME                DESCRIPTION

_
_
_
_
_
_
_
_
_
_



*********************************** BASE24 ***********************************
 NEW PAGE:        FILE DESTINATION:        NEW LOGICAL NETWORK ID:
F7-SELECT RECORD    F9-NEXT PAGE       F11-PREVIOUS PAGE     F16-EXIT
```

**REC TYPE —** The type of WHFF record. Valid values are:

01 = Warning
02 = Hold
03 = Deposit Float

| | |
|---|---|
| Field Length: | System-protected |
| Data Name: | WHFF.PRIKEY.REC-TYP |

**AMOUNT —** The amount, in whole and fractional currency units, for which the record has been issued.

Field Length: System-protected
Data Name: WHFF.PRIKEY.AMT

**DATE —** The date (YYMMDD) the record was added to the WHFF.

Field Length: System-protected
Data Name: WHFF.PRIKEY.DAT

**TIME —** The time (HHMMSSTT) the record was added to the WHFF.

Field Length: System-protected
Data Name: WHFF.PRIKEY.TIM

**DESCRIPTION —** An message describing this WHFF record.

Field Length: System-protected
Data Name: WHFF.DESCR

*Applied Communications, Inc.*

# Index by Field Name


### A

ACCOUNT
- TTLF administrative transaction screen, 7-18
- TTLF CAF inquiry/update screen, 7-22
- TTLF NBF inquiry/print screen, 7-35
- TTLF PBF inquiry/update screen, 7-43
- TTLF SPF inquiry/update screen, 7-49
- TTLF transaction screen, 7-55
- TTLF WHFF inquiry/update screen, 7-59

ACCOUNT NUM, 7-9, 7-11

ACCOUNT NUMBER
- NBF, 2-4
- WHFF, 8-4

ACCOUNT STATUS, 7-25, 7-46

ACCOUNT TYPE
- NBF, 2-5
- WHFF, 8-5

ACCT IND
- TTLF administrative transaction screen, 7-20
- TTLF CAF inquiry/update screen, 7-24
- TTLF financial transaction screen, 7-32
- TTLF NBF inquiry/print screen, 7-37
- TTLF PBF inquiry/update screen, 7-45
- TTLF SPF inquiry/update screen, 7-51
- TTLF transaction screen, 7-57
- TTLF WHFF inquiry/update screen, 7-61

AMOUNT
- TTLF summary screen, 7-12
- TTLF WHFF inquiry/update screen, 7-62
- WHFF, 8-5, 8-8

ANSI PAN FORMAT, 5-12

AUTH ID RESP, 7-13

AUTH LEVEL, 6-7

AUTH PROCESS, 5-7

AUTO PASSBOOK PRINT, 7-33

AUTOMATIC PASSBOOK PRINTING, 5-8

### B

BACK-UP ACCT RESP CDES, 7-41

BANKING RELNSHIP, 5-7

BASE24 TR CDE, 2-10

BASE24 TRANSACTION CODE, 2-6

BRANCH
- NBF, 2-8
- TTDF, 5-3

### C

CARD NUM, 7-11

CARD STATUS, 7-25

CARD TYPE, 7-25

CARD/ACCT FIID
- TTLF administrative transaction screen, 7-19
- TTLF CAF inquiry/update screen, 7-23
- TTLF financial transaction screen, 7-31
- TTLF NBF inquiry/print screen, 7-36
- TTLF PBF inquiry/update screen, 7-44
- TTLF SPF inquiry/update screen, 7-50
- TTLF transaction screen, 7-56
- TTLF WHFF inquiry/update screen, 7-60

CASH IN, 7-30

CASH OUT, 7-30

CHECK AMOUNT, 7-30

CHECK DIGITS, 5-11, 5-13

CHECK NUMBER (HI), 7-53

CHECK NUMBER (LO), 7-52

CITY
- NBF, 2-8
- TTDF, 5-5

COMPLETE TRACK2 DATA, 5-12

COMPLETIONS TO HOST, 6-8

CONTROLLER VALIDATE PIN, 5-11

COUNTRY, 5-6

CR LINE ACCT, 7-32, 7-47

CR LINE ACCT TYP, 7-47

CR LINE AMOUNT, 7-33

CR LINE TYP, 7-33

CRNCY, 7-29, 7-38, 7-52, 7-62

CURRENCY CODE, 5-5

### D

DATE
- NBF, 2-5
- TTLF, 7-11
- WHFF, 8-6, 8-9

DESCRIPTION
TTLF, 7-63
WHFF, 8-6, 8-9
DEV TRAN CODE
TTLF administrative transaction screen, 7-17
TTLF CAF inquiry/update screen, 7-22
TTLF financial transaction screen, 7-27
TTLF NBF inquiry/print screen, 7-35
TTLF PBF inquiry/update screen, 7-43
TTLF SPF inquiry/update screen, 7-49
TTLF transaction screen, 7-54
TTLF WHFF inquiry/update screen, 7-59
DEVICE TRANSACTION CODE, 2-7
DEVICE TYPE, 5-3
DH PROCESS, 5-6

## E

END BAL, 7-38
ERR FLAG
TTLF administrative transaction screen, 7-20
TTLF CAF inquiry/update screen, 7-24
TTLF financial transaction screen, 7-32
TTLF NBF inquiry/print screen, 7-37
TTLF PBF inquiry/update screen, 7-45
TTLF SPF inquiry/update screen, 7-51
TTLF transaction screen, 7-57
TTLF WHFF inquiry/update screen, 7-61
EXP DATE
TTLF CAF inquiry/update screen, 7-25
TTLF SPF inquiry/update screen, 7-52
TTLF WHFF inquiry/update screen, 7-62
EXPIRATION DATE, 8-6

## F

FEE AMOUNT, 7-30
FIID
NBF, 2-4
TTDF, 5-2
TTF, 6-3
TTLF, 7-10
WHFF, 8-4
FROM ACCOUNT TYPE, 6-5
FROM ACCT, 7-28
FROM ACCT RESP CDES, 7-40

## I

INCLUDE PRE-AUTH HOLDS, 6-8
INIT TYPE, 5-4
INST ID NUM, 5-7

## L

LN, 5-3
LNET, 7-10
LOCATION, 5-5
LOG ROUTING CODE, 5-6

## M

MAC DATA TYPE, 5-13
MAC MASTER KEY, 5-13
MAC SUPPORT TYPE, 5-13
MASTER KEY, 5-11
MAX TERMINAL OVERRIDE LEVEL, 5-9
MAXIMUM LOGON ATTEMPTS, 5-9
MEMBER NUM, 7-11, 7-26
MESSAGE AUTHENTICATION INFORMATION, 5-13
MIN LVL
TTLF administrative transaction screen, 7-19
TTLF CAF inquiry/update screen, 7-24
TTLF financial transaction screen, 7-31
TTLF NBF inquiry/print screen, 7-37
TTLF PBF inquiry/update screen, 7-45
TTLF SPF inquiry/update screen, 7-51
TTLF transaction screen, 7-56
TTLF WHFF inquiry/update screen, 7-61
MINIMUM TELLER LEVEL, 6-7
MSG IND, 7-12, 7-29
MULTIPLE ACCT SELECT, 5-8

## N

NUMBER OF LOGON ATTEMPTS, 5-9

## O

OUR CUST/NOT-ON-US TERM, 6-6
OUR CUST/NOT-ON-US TERM OVERRIDE, 3-5
OUR CUST/OUR TERM OVERRIDE, 3-5

## P

PAN
TTLF administrative transaction screen, 7-18
TTLF CAF inquiry/update screen, 7-23
TTLF financial transaction screen, 7-30
TTLF NBF inquiry/print screen, 7-36
TTLF PBF inquiry/update screen, 7-44
TTLF SPF inquiry/update screen, 7-50
TTLF transaction screen, 7-55
TTLF WHFF inquiry/update screen, 7-60
PAPERLESS TRANSACTION, 6-8
PASSBOOK ACCT, 7-47
PASSBOOK PRINTED DESCRIPTION, 6-9
PBF AMOUNT ON HOLD, 8-6
PBF AVAILABLE BALANCE, 8-6
PBF PASSBOOK BALANCE, 2-7, 2-9
PBF STOP PAY/WARNING STATUS, 8-7

PIN ENCRYPT TYPE, 5-10
PIN ENTRY SUPPORT, 5-11
PIN PAD CHARACTER, 5-12
PO DAT, 2-10
POST DATE
  NBF, 2-5
  TTDF, 5-8
PRINT STATUS, 2-7
PRINTED BAL, 2-11
PRINTED BALANCE, 2-7
PRNT, 2-10
PROFILE, 3-4
PROTOCOL TYPE, 5-4

## R

REC TYPE, 8-8
RECORD ORIGINATING INDICATOR, 2-7
RECORD TYPE
  TTLF, 7-63
  WHFF, 8-5
REGION
  NBF, 2-8
  TTDF, 5-3
RESP CODE
  TTLF administrative transaction screen, 7-19
  TTLF CAF inquiry/update screen, 7-23
  TTLF financial transaction screen, 7-31
  TTLF NBF inquiry/print screen, 7-37
  TTLF PBF inquiry/update screen, 7-44
  TTLF SPF inquiry/update screen, 7-50
  TTLF summary screen, 7-13
  TTLF transaction screen, 7-56
  TTLF WHFF inquiry/update screen, 7-60
RESPONSE CODE, 3-4
RESPONSE CODE DESCRIPTION, 3-6
ROUTING GROUP, 5-7
RVSL REASON, 7-29

## S

SEARCH THE WHFF, 6-7
SECURITY INFORMATION, 5-10
SEQ NUM
  TTLF administrative transaction screen, 7-18
  TTLF CAF inquiry/update screen, 7-22
  TTLF financial transaction screen, 7-28
  TTLF NBF inquiry/print screen, 7-36
  TTLF PBF inquiry/update screen, 7-43
  TTLF SPF inquiry/update screen, 7-49
  TTLF transaction screen, 7-55
  TTLF WHFF inquiry/update screen, 7-59
START BAL, 7-38
STATE, 5-5
STATION NO, 5-3
STOP PAY AMOUNT, 7-52
STOP PAY DESCRIPTION, 7-53
STOP PAY/WARNING STATUS, 7-46
SYSTEM CALCULATE, 8-7

## T

TELLER ID
  NBF, 2-8
  TTDF, 5-4
  TTLF administrative transaction screen, 7-19
  TTLF CAF inquiry/update screen, 7-23
  TTLF financial transaction screen, 7-31
  TTLF NBF inquiry/print screen, 7-36
  TTLF PBF inquiry/update screen, 7-44
  TTLF SPF inquiry/update screen, 7-50
  TTLF summary screen, 7-9, 7-11
  TTLF transaction screen, 7-56
  TTLF WHFF inquiry/update screen, 7-60
TELLER LVL
  TTLF administrative transaction screen, 7-20
  TTLF CAF inquiry/update screen, 7-24
  TTLF financial transaction screen, 7-32
  TTLF NBF inquiry/print screen, 7-37
  TTLF PBF inquiry/update screen, 7-45
  TTLF SPF inquiry/update screen, 7-51
  TTLF transaction screen, 7-57
  TTLF WHFF inquiry/update screen, 7-61
TERM FIID
  TTLF administrative transaction screen, 7-19
  TTLF CAF inquiry/update screen, 7-23
  TTLF financial transaction screen, 7-31
  TTLF NBF inquiry/print screen, 7-36
  TTLF PBF inquiry/update screen, 7-44
  TTLF SPF inquiry/update screen, 7-50
  TTLF transaction screen, 7-56
  TTLF WHFF inquiry/update screen, 7-60
TERM ID, 5-2
TERM TRAN ALLOWED, 6-6
TERMINAL
  TTLF administrative transaction screen, 7-19
  TTLF CAF inquiry/update screen, 7-23
  TTLF financial transaction screen, 7-31
  TTLF NBF inquiry/print screen, 7-36
  TTLF PBF inquiry/update screen, 7-44
  TTLF SPF inquiry/update screen, 7-50
  TTLF transaction screen, 7-56
  TTLF WHFF inquiry/update screen, 7-60
TERMINAL GROUP, 5-4
TERMINAL STATUS, 5-5
TIME
  NBF, 2-5
  WHFF, 8-6, 8-9
TIME OFFSET, 5-6

TIME OFST
  TTLF administrative transaction screen, 7-18
  TTLF CAF inquiry/update screen, 7-22
  TTLF financial transaction screen, 7-28
  TTLF NBF inquiry/print screen, 7-35
  TTLF PBF inquiry/update screen, 7-43
  TTLF SPF inquiry/update screen, 7-49
  TTLF transaction screen, 7-55
  TTLF WHFF inquiry/update screen, 7-59

TO ACCOUNT TYPE, 6-5

TO ACCT, 7-28

TO ACCT RESP CDES, 7-41

TR AMOUNT, 2-10

TR DAT, 2-9

TR TIME, 2-10

TRAN AMOUNT, 7-29

TRAN CODE
  TTLF administrative transaction screen, 7-17
  TTLF CAF inquiry/update screen, 7-21
  TTLF financial transaction screen, 7-27
  TTLF NBF inquiry/print screen, 7-35
  TTLF PBF inquiry/update screen, 7-42
  TTLF SPF inquiry/update screen, 7-48
  TTLF summary screen, 7-12
  TTLF transaction screen, 7-54
  TTLF WHFF inquiry/update screen, 7-58

TRAN DATE
  TTLF administrative transaction screen, 7-18
  TTLF CAF inquiry/update screen, 7-22
  TTLF financial transaction screen, 7-28
  TTLF NBF inquiry/print screen, 7-35, 7-39
  TTLF PBF inquiry/update screen, 7-43
  TTLF SPF inquiry/update screen, 7-49
  TTLF summary screen, 7-13
  TTLF transaction screen, 7-55
  TTLF WHFF inquiry/update screen, 7-59

TRAN TIME
  TTLF administrative transaction screen, 7-18
  TTLF CAF inquiry/update screen, 7-22
  TTLF financial transaction screen, 7-28
  TTLF NBF inquiry/print screen, 7-35, 7-39
  TTLF PBF inquiry/update screen, 7-43
  TTLF SPF inquiry/update screen, 7-49
  TTLF summary screen, 7-14
  TTLF transaction screen, 7-55
  TTLF WHFF inquiry/update screen, 7-59

TRANS SEQUENCE NUMBER, 5-8

TRANSACTION AMOUNT, 2-6

TRANSACTION CODE, 6-3

TRANSACTION DESCRIPTION, 6-9

TRANSACTION TYPE, 2-6

TYP, 2-10

# Index by Data Name


## A

ACCT-TKN.ACCT.STAT, 7-46
AMT-ON-HLD, 8-7
AUTH-LVL, 6-7
AUTH-PRO-NAME, 5-7
AUTO-PASSBOOK-PRNT, 5-8
AVAIL-BAL, 8-6

## B

BNK-RELNSHP, 5-8
BRCH-ID, 2-8

## C

CAFI-TKN.CRD-STAT, 7-25
CAFI-TKN.CRD-TYP, 7-25
CAFI-TKN.EXP-DAT, 7-26
CAFU-TKN.ACCT-STAT, 7-25
CAFU-TKN.CRD-STAT, 7-25
CITY, 2-8
COMPLETE-TRACK2-DATA, 5-12
COMPL-REQ, 6-8
CR-LINE-TKN.ACCT, 7-33, 7-47
CR-LINE-TKN.ACCT-TYP, 7-33, 7-47
CR-LINE-TKN.XFER-AMT, 7-33
CRNCY-CDE, 5-5

## D

DESC, 3-6
DESCR, 8-6, 8-9
DEV-TRAN-CDE, 2-7
DH-PRO-NAME, 5-7

## E

ENCRYPT-PIN.ANSI-PAN-FRMT, 5-12
ENCRYPT-PIN.CNTLR-VALID, 5-11
ENCRYPT-PIN.ENCRYPT-KEYS.M-KEY, 5-11
ENCRYPT-PIN.ENCRYPT-KEYS.M-KEY-CHK-VAL, 5-11
ENCRYPT-PIN.PIN-ENCRYPT-TYP, 5-11
ENCRYPT-PIN.PIN-PAD-CHAR, 5-12
ENCRYPT-PIN.PIN-VAL-TERM, 5-12
EXP-DAT, 8-6

## F

FIID, 5-2
FNCL-TKN.AMT-1, 7-29
FNCL-TKN.AMT-2, 7-30
FNCL-TKN.AMT-3, 7-30
FNCL-TKN.AMT-4, 7-30
FNCL-TKN.AUTO-PASSBOOK-PRNT, 7-33
FNCL-TKN.RVSL-CDE, 7-30

## H

HEAD.ACCT.ACCT-NUM, 7-9, 7-12
HEAD.ACCT.FIID, 7-10, 7-19, 7-23, 7-31, 7-36, 7-44, 7-50, 7-56, 7-60
HEAD.ACCT.LN, 7-10
HEAD.ACCT.TRAN-TYP-CDE, 7-12
HEAD.CRD.FIID, 7-10
HEAD.CRD.LN, 7-10
HEAD.CRD.MBR-NUM, 7-11, 7-26
HEAD.CRD.PAN, 7-11, 7-18, 7-23, 7-31, 7-36, 7-44, 7-50, 7-56, 7-60
HEAD.TLR.FIID, 7-10, 7-19, 7-23, 7-31, 7-36, 7-44, 7-50, 7-56, 7-60
HEAD.TLR.LN, 7-10
HEAD.TLR.TLR-ID, 7-10, 7-11, 7-19, 7-23, 7-31, 7-36, 7-44, 7-50, 7-56, 7-60
HEAD.TLR.TRAN-DAT.DD, 7-13, 7-18, 7-22, 7-28, 7-35, 7-43, 7-49, 7-55, 7-59
HEAD.TLR.TRAN-DAT.MM, 7-13, 7-18, 7-22, 7-28, 7-35, 7-43, 7-49, 7-55, 7-59
HEAD.TLR.TRAN-TIM.HH, 7-14, 7-18, 7-22, 7-28, 7-35, 7-43, 7-49, 7-55, 7-59
HEAD.TLR.TRAN-TIM.MM, 7-14, 7-18, 7-22, 7-28, 7-35, 7-43, 7-49, 7-55, 7-59

## I

ID-NUM, 5-7
INITIATION, 5-4

## L

LOGON-LMT, 5-9
LOGON-TRIES, 5-9
LOG-RT-CODE, 5-6

## M

MAC.MAC-DATA-TYP, 5-14
MAC.MAC-M-KEY, 5-13
MAC.MAC-M-KEY-CHK-VAL, 5-13
MAC.MAC-TYP, 5-13
MAX-TERM-OVRRD-LVL, 5-9
MIN-TLR-LVL, 6-7
MULT-ACCT, 5-8

## N

NBF-TKN.END-BAL, 7-38
NBF-TKN.REC.TRAN-DAT, 7-39
NBF-TKN.REC.TRAN-TIM, 7-39
NBF-TKN.STRT-BAL, 7-38
NOT-ON-US-MIN-OVRRD, 3-6
NOT-ON-US-TRAN-ALWD, 6-6

## O

ON-US-MIN-OVRRD, 3-5
OVRRD-TKN.OVRRD.MNGR-RESP-CDE-BIT-MAP, 7-41
OVRRD-TKN.OVRRD.SPRVSR-RESP-CDE-BIT-MAP, 7-41
OVRRD-TKN.OVRRD.TLR-RESP-CDE-BIT-MAP, 7-41

## P

PAPERLESS-TRAN, 6-9
PASSBOOK-BAL, 2-7, 2-9
PBFI-TKN.PBF.PASSBOOK-IND, 7-47
PBFI-TKN.SP-WARN-STAT, 7-46
PBFU-TKN.STAT-UPDT, 7-46
POST-DAT, 2-6, 2-10, 5-8
POSTING-SYS, 2-7
PRIKEY.ACCT-NUM, 2-5, 8-5
PRIKEY.ACCT-TYP, 2-5, 8-5
PRIKEY.AMT, 8-5, 8-9
PRIKEY.DAT, 8-6, 8-9
PRIKEY.FIID, 2-4, 6-3, 8-4
PRIKEY.FROM-ACCT-TYP, 6-5
PRIKEY.PROFILE, 3-4
PRIKEY.REC-TYP, 8-5, 8-8
PRIKEY.RESP-CDE, 3-5
PRIKEY.TIM, 8-6, 8-9
PRIKEY.TO-ACCT-TYP, 6-6
PRIKEY.TRAN-CDE, 6-5
PRIKEY.TRAN-DAT, 2-5
PRIKEY.TRAN-TIM, 2-5
PRNT-BAL, 2-7, 2-11
PRNT-DESCR, 6-9
PRNT-STAT, 2-7, 2-10
PROC-PRE-AUTH, 6-8
PROTO, 5-4

## R

REFR-HDR.TRAN-AMT, 7-12
REGN-ID, 2-8
RTE-GRP, 5-7

## S

SPFI-TKN.SEARCH-HI-CHK-NUM, 7-53
SPFI-TKN.SEARCH-LO-CHK-NUM, 7-52
SPFU-TKN.AMT, 7-52
SPFU-TKN.DESCR, 7-53
SPFU-TKN.EXP-DAT, 7-52
SPFU-TKN.HI-CHK-NUM, 7-53
SPFU-TKN.LO-CHK-NUM, 7-52
SP-STAT, 8-7

## T

TERM-CITY, 5-5
TERM-CNTRY, 5-6
TERM-ID, 5-2
TERM-LOC, 5-5
TERM-OWNER.BRCH-ID, 5-3
TERM-OWNER.GRP-ID, 5-4
TERM-OWNER.LN, 5-3
TERM-OWNER.REGN-ID, 5-3
TERM-ST, 5-6
TERM-STA-NUM, 5-3
TERM-STAT, 5-5
TERM-TRAN-ALWD, 6-6
TERM-TYP, 5-3
TIM-OFST, 5-6
TLR-ID, 2-8, 5-4

TRAN-AMT, 2-6, 2-10
TRAN-CDE, 2-6, 2-10
TRAN-DAT, 2-9
TRAN-DESCR, 6-9
TRAN-SEQ-NUM, 5-8
TRAN-TIM, 2-10
TRAN-TYP, 2-6, 2-10
TSTMH-DATA.RESP-HDR.ACCT-IND, 7-20, 7-25, 7-32, 7-38, 7-46, 7-52, 7-57, 7-62
TSTMH-DATA.RESP-HDR.AUTH-ID-RESP, 7-13
TSTMH-DATA.RESP-HDR.CRD-ACTION, 7-13, 7-19, 7-24, 7-31, 7-37, 7-45, 7-50, 7-56, 7-61
TSTMH-DATA.RESP-HDR.ERR-FLG, 7-20, 7-24, 7-32, 7-37, 7-45, 7-51, 7-57, 7-61
TSTMH-DATA.RESP-HDR.MIN-OVRRD-LVL, 7-19, 7-24, 7-32, 7-37, 7-45, 7-51, 7-57, 7-61
TSTMH-DATA.RESP-HDR.RESP-CDE, 7-13, 7-19, 7-24, 7-31, 7-37, 7-45, 7-50, 7-56, 7-61
TSTMH-DATA.RQST.DEV-TRAN-CDE, 7-17, 7-22, 7-27, 7-35, 7-43, 7-49, 7-55, 7-59
TSTMH-DATA.RQST.FROM-ACCT, 7-28
TSTMH-DATA.RQST.INTL-OVRRD-LVL, 7-20, 7-24, 7-32, 7-37, 7-45, 7-51, 7-57, 7-61
TSTMH-DATA.RQST.TO-ACCT, 7-18, 7-22, 7-29, 7-35, 7-43, 7-49, 7-55, 7-59
TSTMH-DATA.RQST.TRAN, 7-17, 7-22, 7-27, 7-35, 7-43, 7-48, 7-54, 7-59
TSTMH-DATA.SYS.MSG-TYP, 7-29
TSTMH-DATA.SYS.ORIG.STA-NAME, 7-19, 7-23, 7-31, 7-36, 7-44, 7-50, 7-56, 7-60
TSTMH-DATA.SYS.TRAN-SEQ-NUM, 7-18, 7-23, 7-28, 7-36, 7-44, 7-49, 7-55, 7-60
TSTMH-DATA.TIM-OFST, 7-18, 7-22, 7-28, 7-35, 7-43, 7-49, 7-55, 7-59

## W

WHFFI-TKN.SEARCH-AMT, 7-62
WHFFI-TKN.SEARCH-REC-TYP, 7-63
WHFF-SEARCH-REQ, 6-8
WHFFU-TKN.AMT, 7-62
WHFFU-TKN.DESCR, 7-63
WHFFU-TKN.EXP-DAT, 7-62
WHFFU-TKN.REC-TYP, 7-63

*Applied Communications, Inc.*