PLS Mean Centering

Copyright 2022-2023 Battelle Memorial Institute

Partial Least Squares (PLS) with Mean Centering

Partial least squares usually uses mean-centered data to compute $C_{\rm pls}$ using the weights from the SIMPLS algorithm with r latent variables.

```
X = A_train;
Y = C_train;
X0 = X - mean(X,1);
Y0 = Y - mean(Y,1);
[X_loadings, Y_loadings, X_scores, Y_scores, Weights] = pnnl_simpls(X0, Y0, r);
B_pls = Weights * Y_loadings';
C_pls = (A_unknown - mean(A_train,1)) * B_pls + mean(C_train,1);
```

Partial Least Squares (PLS) without Mean Centering

The following is PLS without mean centering.

```
X = A_train;
Y = C_train;
[X_loadings,Y_loadings,X_scores,Y_scores,Weights] = pnnl_simpls(X,Y,r);
B_pls = Weights * Y_loadings';
C_pls = A_unknown * B_pls;
```

Combined algorithm

To make it easier to run with the rest of the tools in the PNNL toolbox, we combined mean-centered and non-mean-centered into one function with meanCentered as an optional argument. When meanCentered is not used as an input, then the default is to compute without mean-centered data.

```
function [C_pls, B_pls] = pnnl_pls(A_train, C_train, A_unknown, r, meanCentered)
if nargin < 5
meanCentered = false;
end

X = A_train;
Y = C_train;
if meanCentered
X0 = X - mean(X,1);
Y0 = Y - mean(Y,1);
else
X0 = X;</pre>
```

```
Y0 = Y;
end
[X_loadings,Y_loadings,X_scores,Y_scores,Weights] = pnnl_simpls(X0,Y0,r); %#ok<ASGLU>
B_pls = Weights * Y_loadings';
if meanCentered
C_pls = (A_unknown - mean(A_train,1)) * B_pls + mean(C_train,1);
else
C_pls = A_unknown * B_pls;
end
end
```

Napalm Data

Load the included napalm data to run the PLS algorithms.


```
clearvars
load pnnl_napalm_data
whos
```

Name	Size	Bytes	Class	Attributes
A_train	20x1713	274080	double	
A_unknown	12x1713	164448	double	
C_train	20x3	480	double	
C_validation	12x3	288	double	
ConcentrationUnits	1x4	8	char	
ConstituentNames	1x3	388	cell	
WavenumberLabel	1x20	40	char	
Wavenumbers	1x1713	13704	double	
ans	1x1	8	double	

Optimal number of latent variables for PLS with mean centering


Compute PLS with mean centering for 1 through 18 latent variables and plot RMSEP for them.

```
nLatentVariables = 1:18;
meanCentered = true;
[C_pls, RMSEP_pls] = pnnl_napalm_pls(nLatentVariables, meanCentered);
plot(nLatentVariables, RMSEP_pls,'.-','LineWidth',2,'MarkerSize',20)
xlabel('Number of latent variables')
ylabel('RMSEP')
title('PLS')
legend(ConstituentNames{:})
```




For mean-centered data, it looks like the knee in the curve for polystyrene is 2 latent variables, and 3 for benzene and gasoline. Plot them to see what they look like.

```
nLatentVariables = [2,3];
pnnl_napalm_pls(nLatentVariables, meanCentered);
```



Legend: Dot is predicted. Circle is train. Cross is cross-validation. PLS, 2 latent variables Benzene Polystyrene Gasoline **RMSEC** 4.1479 2.296 5.5014 **RMSECV** 5.0229 6.5258 2.924 RMSEP 10.164 2.4566 8.8266




Legend:	Dot is	predicted.	Circle	is train.	Cross	is cross-	validation.
PLS,	3 late	nt variable:	s	Benzene	Polyst	yrene	Gasoline
		RMSE	C	1.3968	1	.8465	1.5789
		RMSEC	V	2.2406	2	.6176	2.7657
		RMSEI	P	1.6799	5	.0647	4.2528

Optimal number of latent variables for PLS without mean omentering


Compute PLS witout mean centering for 1 through 18 latent variables and plot RMSEP for them.

```
nLatentVariables = 1:18;
meanCentered = false;
[C_pls, RMSEP_pls] = pnnl_napalm_pls(nLatentVariables, meanCentered);
plot(nLatentVariables, RMSEP_pls,'.-','LineWidth',2,'MarkerSize',20)
xlabel('Number of latent variables')
ylabel('RMSEP')
title('PLS')
legend(ConstituentNames{:})
```




Without mean centering, it looks like the knee in the curve for polystyrene is 3 latent variables, 4 for gasoline, and 6 for benzene. Plot them to see what they look like.


```
nLatentVariables = [3 4 6];
pnnl_napalm_pls(nLatentVariables, meanCentered);
```



Legend: Dot is predicted. Circle is train. Cross is cross-validation. PLS, 3 latent variables Benzene Polystyrene Gasoline **RMSEC** 4.1853 2.3592 5.6109 **RMSECV** 5.0232 2.9897 6.6976 RMSEP 7.5851 2.2404 9.8369



Legend: Dot is predicted. Circle is train. Cross is cross-validation. PLS, 4 latent variables Benzene Polystyrene Gasoline RMSEC 1.6636 1.921 1.9509 RMSECV 2.3112 2.6884 3.2095 1.9599 RMSEP 4.7379 3.6527



 Legend: Dot is predicted. Circle is train. Cross is cross-validation.

 PLS, 6 latent variables
 Benzene Polystyrene Gasoline

 RMSEC
 1.4134
 0.99256
 0.91242

 RMSECV
 3.1544
 2.5526
 1.7502

 RMSEP
 1.4567
 9.9656
 4.3211

Suppresss editor warnings in this file.

%#ok<*ASGLU>

Disclaimer

This material was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor the United States Department of Energy, nor Battelle, nor any of their employees, nor any jurisdiction or organization that has cooperated in the development of these materials, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness,

or usefulness or any information, apparatus, product, software, or process disclosed, or represents that its use would not infringe privately owned rights.

Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or Battelle Memorial Institute. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

PACIFIC NORTHWEST NATIONAL LABORATORY

operated by

BATTELLE

for the

UNITED STATES DEPARTMENT OF ENERGY

under Contract DE-AC05-76RL01830