PLS Mean Centering

This example shows how to compute Partial Least Squares (PLS) with mean centering.

Copyright 2022-2023 Battelle Memorial Institute

Supporting Information

A Practical Guide to Chemometric Analysis of Optical Spectroscopic Data

Hope E. Lackey, ^{1,2} Rachel L. Sell, ¹ Gilbert L. Nelson, ^{3*} Thomas A. Bryan, ^{4*} Amanda M. Lines, ^{1,2*} Samuel A. Bryan, ^{1,2*}

Partial Least Squares (PLS) with Mean Centering

Partial least squares usually uses mean-centered data to compute C_{pls} using the weights from the SIMPLS algorithm with r latent variables.

```
X = A_train;
Y = C_train;
X0 = X - mean(X,1);
Y0 = Y - mean(Y,1);
[X_loadings, Y_loadings, X_scores, Y_scores, Weights] = pnnl_simpls(X0, Y0, r);
B_pls = Weights * Y_loadings';
C_pls = (A_unknown - mean(A_train,1)) * B_pls + mean(C_train,1);
```

Partial Least Squares (PLS) without Mean Centering

The following is PLS without mean centering.

```
X = A_train;
Y = C_train;
[X_loadings,Y_loadings,X_scores,Y_scores,Weights] = pnnl_simpls(X,Y,r);
```

¹ Pacific Northwest National Laboratory, 902 Battelle Boulevard, Richland, WA 99352

² Washington State University, Department of Chemistry, Pullman WA 99164

³College of Idaho, Department of Chemistry, 2112 Cleveland Blvd, Caldwell, ID 83605

⁴ The MathWorks, 3 Apple Hill Drive, Natick, MA 01760-2098

^{*}Email: sam.bryan@pnnl.gov Phone 1 509 375 5648; orcid.org/0000-0002-8826-0880

^{*}Email: tbryan@mathworks.com Phone 1 508 647 7669

^{*}Email: amanda.lines@pnnl.gov Phone: 1 509 375 5689

^{*}Email: gnelson@collegeofidaho.edu Phone: 1 208 459 5241

```
B_pls = Weights * Y_loadings';

C_pls = A_unknown * B_pls;
```

Combined algorithm

To make it easier to run with the rest of the tools in the PNNL toolbox, we combined mean-centered and non-mean-centered into one function with meanCentered as an optional argument. When meanCentered is not used as an input, then the default is to compute without mean-centered data.

```
function [C_pls, B_pls] = pnnl_pls(A_train, C_train, A_unknown, r, meanCentered)
     if nargin < 5</pre>
        meanCentered = false;
    end
   X = A_{train};
    Y = C_train;
    if meanCentered
       X0 = X - mean(X,1);
        Y0 = Y - mean(Y,1);
    else
        X0 = X;
        Y0 = Y;
    end
    [X_loadings,Y_loadings,X_scores,Y_scores,Weights] = pnnl_simpls(X0,Y0,r); %#ok<ASGLU>
    B_pls = Weights * Y_loadings';
    if meanCentered
        C_pls = (A_unknown - mean(A_train,1)) * B_pls + mean(C_train,1);
   else
        C_pls = A_unknown * B_pls;
   end
end
```

Napalm Data

Load the included napalm data to run the PLS algorithms.


```
clearvars
load pnnl_napalm_data
whos
```

Name	Size	Bytes	Class	Attributes
A_train A_unknown C_train C_validation ConcentrationUnits ConstituentNames	20x1713 12x1713 20x3 12x3 1x4 1x3	274080 164448 480 288 8 364	double double double double char cell	Accidates
WavenumberLabel	1x20	40	char	

Optimal number of latent variables for PLS with mean centering


Compute PLS with mean centering for 1 through 18 latent variables and plot RMSEP for them.

```
nLatentVariables = 1:18;
meanCentered = true;
[C_pls, RMSEP_pls] = pnnl_napalm_pls(nLatentVariables, meanCentered);
plot(nLatentVariables, RMSEP_pls,'.-','LineWidth',2,'MarkerSize',20)
xlabel('Number of latent variables')
ylabel('RMSEP')
title('PLS')
legend(ConstituentNames{:})
```




For mean-centered data, it looks like the knee in the curve for polystyrene is 2 latent variables, and 3 for benzene and gasoline. Plot them to see what they look like.

```
nLatentVariables = [2,3];
pnnl_napalm_pls(nLatentVariables, meanCentered);
```



Legend: Dot is predicted. Circle is calibration. Cross is cross-validation.

PLS,	2 latent	variables	Benzene	Polystyrene	Gasoline
		RMSEC	4.1479	2.296	5.5014
		RMSECV	5.0229	2.924	6.5258
		RMSEP	10.164	2.4566	8.8266




Legend: Dot is predicted. Circle is calibration. Cross is cross-validation.

PLS,	3 latent variables	Benzene	Polystyrene	Gasoline
	RMSEC	1.3968	1.8465	1.5789
	RMSECV	2.2406	2.6176	2.7657
	RMSEP	1.6799	5.0647	4.2528

Optimal number of latent variables for PLS without mean centering


Compute PLS witout mean centering for 1 through 18 latent variables and plot RMSEP for them.

```
nLatentVariables = 1:18;
meanCentered = false;
[C_pls, RMSEP_pls] = pnnl_napalm_pls(nLatentVariables, meanCentered);
plot(nLatentVariables, RMSEP_pls,'.-','LineWidth',2,'MarkerSize',20)
xlabel('Number of latent variables')
ylabel('RMSEP')
title('PLS')
legend(ConstituentNames{:})
```




Without mean centering, it looks like the knee in the curve for polystyrene is 3 latent variables, 4 for gasoline, and 6 for benzene. Plot them to see what they look like.

```
nLatentVariables = [3 4 6];
pnnl_napalm_pls(nLatentVariables, meanCentered);
```




Legend: Dot is predicted. Circle is calibration. Cross is cross-validation.

PLS,	3 latent var	iables	Benzene	Polystyre	ne Gasoline
		RMSEC	4.1853	2.35	92 5.6109
		RMSECV	5.0232	2.98	97 6.6976
		RMSEP	7.5851	2.24	04 9 . 8369



Legend: Dot is predicted. Circle is calibration. Cross is cross-validation.

PLS,	4 latent variables	Benzene	Polystyrene	Gasoline
	RMSEC	1.6636	1.921	1.9509
	RMSECV	2.3112	2.6884	3.2095
	RMSEP	1.9599	4.7379	3.6527



Legend: Dot is predicted. Circle is calibration. Cross is cross-validation.

PLS,	6 latent variabl	Les Benzene	Polystyrene	Gasoline
	RMS	SEC 1.4134	0.99256	0.91242
	RMSE	CV 3.1544	2.5526	1.7502
	RMS	SEP 1.4567	9.9656	4.3211

Suppresss editor warnings in this file.

%#ok<*ASGLU>

Disclaimer

This material was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor the United States Department of Energy, nor Battelle, nor any of their employees, nor any jurisdiction or organization that has cooperated in the development of these materials, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness or any information, apparatus, product, software, or process disclosed, or represents that its use would not infringe privately owned rights.

Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or Battelle Memorial Institute. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

PACIFIC NORTHWEST NATIONAL LABORATORY

operated by

BATTELLE

for the

UNITED STATES DEPARTMENT OF ENERGY

under Contract DE-AC05-76RL01830