

R13: OrangeHRM Functional Test Run – Cycle 1

OrangeHRM Manual Testing – Cycle 1

1. Application Under Test: OrangeHRM Demo	
2. Application Version: OrangeHRM OS 5.9	
3. Environment: Google Chrome on Windows 10	
4. Tester: Sara Fira	
5. Test Approach: Manual functional, negative, security, role-based, and end-to-end testing	
6. Scope: Authentication, PIM, User Management, My Info, Access Control, and End-to-End flows	
7. Test Data: Dedicated test employees and ESS accounts created during execution	
Created On	8/9/2026
Completed	Yes
Completed On	8/16/2026

Passed	Blocked	Untested	Skipped	Failed
88% (35/40)	0% (0/40)	0% (0/40)	0% (0/40)	13% (5/40)
Automation Passed	Automation Failed	Automation Error		
0% (0/40)	0% (0/40)	0% (0/40)		

Test Cases

01 Authentication 7

Authentication tests covering valid and invalid login, required-field validation, logout, session protection, and password-reset navigation.

T107: AUTH-001: Successful login with valid Admin credentials

Test Labels

Status	Type	Priority	Estimate
Passed	Functional	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
authentication	positive	smoke	

Preconditions

The user is logged out and the OrangeHRM login page is displayed.

Steps

- 1. Enter Admin in the Username field.
- 2. Enter admin123 in the Password field.
- 3. Click Login.

Expected Result

The user is authenticated and redirected to the Dashboard. The authenticated navigation menu is displayed.

Results

Passed Sara F. 8/15/2026 12:35 PM Assigned To Sara F.	User was successfully authenticated and redirected to the Dashboard. The authenticated navigation menu was displayed.
--	---

T108: AUTH-002: Login with an invalid username and valid password

Test Labels

Status	Type	Priority	Estimate
Passed	Functional	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
authentication	EP	negative	

Preconditions

The user is logged out and the OrangeHRM login page is displayed.

Steps

- 1. Enter a nonexistent username, for example InvalidUser987.
- 2. Enter admin123 in the Password field.
- 3. Click Login.

Expected Result

Authentication is rejected, an error message is displayed, and the user remains on the login page.

Results

Passed Sara F. 8/15/2026 12:36 PM Assigned To Sara F.	Authentication was rejected. The “Invalid credentials” message was displayed, and the user remained on the login page.
--	--

T109: AUTH-003: Login with valid username and an invalid password

Test Labels

Status	Type	Priority	Estimate
Passed	Functional	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
authentication	EP	negative	

Preconditions

The user is logged out and the OrangeHRM login page is displayed.

Steps

1. Enter Admin in the Username field.
2. Enter an invalid password, for example Invalid123!
3. Click Login.

Expected Result

Authentication is rejected, an error message is displayed, and the user remains on the login page.

Results

Passed	Authentication was rejected. The “Invalid credentials” message was displayed, and the user remained on the login page.
Sara F.	
8/15/2026 12:38 PM	

T110: AUTH-004: Login attempt with both required fields empty

Test Labels

Status	Type	Priority	Estimate
Passed	Functional	Medium	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
authentication	negative	validation	

Preconditions

The OrangeHRM login page is displayed and both login fields are empty.

Steps

1. Leave the Username and Password fields empty.
2. Click Login

Expected Result

Required-field validation is displayed for both fields. The user remains unauthenticated on the login page.

Results

Passed

Sara F.
8/15/2026 12:38 PM

“Required” validation messages were displayed for both fields. The user remained unauthenticated on the login page.

T111: AUTH-005: Successful logout from an authenticated session**Test Labels**

Status	Type	Priority	Estimate
Passed	Functional	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
positive	session	smoke	

Preconditions

The user is logged in as Admin.

Steps

1. Click the user profile menu in the upper-right corner.
2. Click Logout.

Expected Result

The session ends and the OrangeHRM login page is displayed.

Results

Passed

Sara F.
8/15/2026 12:39 PM

The user was successfully logged out, the session ended, and the OrangeHRM login page was displayed.

T112: AUTH-006: Protected page cannot be accessed after logout**Test Labels**

Status	Type	Priority	Estimate
Passed	Security	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No

Automation Candidate

No

Test Case Labels

negative

security

session

Preconditions

The user is logged in as Admin.

Steps

1. Copy the URL of an authenticated page, for example the Dashboard.
2. Log out of OrangeHRM.
3. Paste the saved protected page URL into the address bar and open it.

Expected Result

The protected page is not displayed. The user is redirected to the login page or otherwise denied unauthenticated access.

Results

Passed

Sara F.

8/15/2026 12:41 PM

The protected Dashboard page was not displayed after logout. The user was redirected to the OrangeHRM login page.

T113: AUTH-007: Cancel password reset and return to login**Test Labels****Status**

Passed

Type

Functional

Priority

Medium

Estimate

None

AI Automated Test

None

References

None

Automation Type

None

Is Automated

No

Automation Candidate

No

Test Case Labels

navigation

password-reset

positive

Preconditions

The OrangeHRM login page is displayed.

Steps

1. Click Forgot your password?
2. Click Cancel without submitting a reset request.

Expected Result

The reset process is cancelled and the user is returned to the login page.

Results

Passed

Sara F.

8/15/2026 12:41 PM

The password reset process was cancelled, and the user was returned to the OrangeHRM login page.

02 PIM 0

Contains test cases for employee search, employee creation, and selected employee personal details.

02.1 Employee List 5

Employee search, filtering, search results, and filter reset tests.

T114: PIM-EL-001: Search for an employee by name

Test Labels

Status	Type	Priority	Estimate
Passed	Functional	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
EP	positive	search	

Preconditions

1. The user is logged in as Admin.
2. An employee with a known full name exists in the system.
3. The PIM > Employee List page is displayed.

Steps

1. Enter the employee's name in the Employee Name field.
2. Matching suggestions are displayed.
3. Select the correct employee from the suggestions.
4. The selected employee's name is entered in the field.
5. Click Search.

Expected Result

The results contain the employee matching the selected name.

Results

Passed

Sara F.

8/15/2026 12:46 PM

The search returned the employee Amelia Brown matching the selected name.

T115: PIM-EL-002: Search for an employee by Employee ID**Test Labels**

Status Passed	Type Functional	Priority High	Estimate None
AI Automated Test None	References None	Automation Type None	Is Automated No
Automation Candidate No			
Test Case Labels EP positive search			

Preconditions

1. Preconditions:
2. The user is logged in as Admin.
3. An employee with a known Employee ID exists in the system.
4. The PIM > Employee List page is displayed.

Steps

1. Enter the known Employee ID in the Employee ID field.
2. The Employee ID is entered.
3. Click Search.

Expected Result

The results contain the employee assigned to the entered Employee ID.

Results

Passed	The search using Employee ID 01715 returned the matching employee, Amelia Brown.
Sara F.	
8/15/2026 12:46 PM	

T116: PIM-EL-003: Filter employees by Job Title and Sub Unit**Test Labels**

Status Passed	Type Functional	Priority Medium	Estimate None
AI Automated Test None	References None	Automation Type None	Is Automated No
Automation Candidate No			
Test Case Labels filtering positive			

Preconditions

1. The user is logged in as Admin.
2. At least one employee matching a known Job Title and Sub Unit combination exists in the system.

3. The PIM > Employee List page is displayed.

Steps

1. Select a Job Title from the Job Title list.
2. The selected Job Title is displayed in the field.
3. Select a Sub Unit from the Sub Unit list.
4. The selected Sub Unit is displayed in the field.
5. Click Search.

Expected Result

Only employees matching both selected criteria are displayed.

Results

Passed

Sara F.
8/15/2026 12:49 PM

The search returned 1 employee record. The displayed employee matched both selected criteria: Job Title "Account Assistant" and Sub Unit "Administration".

T117: PIM-EL-004: Search using criteria that match no employee

Test Labels

Status	Type	Priority	Estimate
Passed	Functional	Medium	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
EP	negative	search	

Preconditions

1. The user is logged in as Admin.
2. The PIM > Employee List page is displayed.

Steps

1. Enter an Employee ID that is not assigned to any employee.
2. The entered Employee ID is displayed in the field.
3. Click Search.

Expected Result

No employee records are displayed and the application indicates that no matching records were found.

Results

Passed

Sara F.
8/15/2026 12:50 PM

No employee records were displayed, and the "No Records Found"

message was shown.

T118: PIM-EL-005: Reset entered Employee List filters

Test Labels

Status	Type	Priority	Estimate
Passed	Functional	Medium	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
filtering positive reset			

Preconditions

1. The user is logged in as Admin.
2. The PIM > Employee List page is displayed.

Steps

1. Enter an Employee ID.
2. The Employee ID is displayed in the field.
3. Select a Job Title.
4. The selected Job Title is displayed in the field.
5. Select a Sub Unit.
6. The selected Sub Unit is displayed in the field.
7. Click Reset.

Expected Result

The entered search criteria are cleared and fields with predefined defaults return to their default values.

Results

Passed	The entered Employee ID and Job Title were cleared. The Include field returned to the default value "Current Employees Only"
Sara F.	
8/15/2026 12:51 PM	

02.2 Add Employee 8

Employee creation, required field validation, login details, and profile picture tests

T119: PIM-AE-001: Add an employee with mandatory data and a valid profile picture

Test Labels

Status	Type	Priority	Estimate
Passed	Functional	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No

Automation Candidate

No

Test Case Labels

employee-creation

file-upload

positive

smoke

Preconditions

1. The user is logged in as Admin.
2. The PIM > Add Employee page is displayed.
3. A JPG, PNG, or GIF image smaller than 1 MB is available.

Steps

1. Upload a valid profile picture.
2. Enter a unique first name.
3. Enter a unique last name.
4. Leave the automatically generated Employee ID unchanged.
5. Click Save.

Expected Result

The employee is created and the employee's Personal Details page is displayed. The entered name and uploaded profile picture are associated with the new employee.

Results

Passed

Sara F.
8/15/2026 12:55 PM

Employee Marian Moon Smith was created successfully with Employee ID 0496. The Personal Details page displayed the entered name and uploaded profile picture.

T120: PIM-AE-002: Add an employee with an enabled ESS login account**Test Labels****Status**

Passed

Type

Functional

Priority

High

Estimate

None

AI Automated Test

None

References

None

Automation Type

None

Is Automated

No

Automation Candidate

No

Test Case Labels

employee-creation

ess-account

positive

Preconditions

1. The user is logged in as Admin.
2. The PIM > Add Employee page is displayed.
3. A unique employee name and username are available.

Steps

1. Enter a unique first name and last name.
2. Enable Create Login Details.

3. Enter a unique username.
4. Select Enabled.
5. Enter a strong password.
6. Enter the same password in the Confirm Password field.
7. Click Save.

Expected Result

The employee and the associated enabled ESS account are created, and the employee's Personal Details page is displayed.

Results

Passed	Employee ESS PortfolioAugFifteen was created successfully with Employee ID 0499 and an enabled ESS login account. The Personal Details page was displayed.
Sara F. 8/15/2026 1:00 PM	

T121: PIM-AE-003: Attempt to add an employee without required name data**Test Labels**

Status	Type	Priority	Estimate
Passed	Functional	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
negative	required-fields	validation	

Preconditions

1. The user is logged in as Admin.
2. The PIM > Add Employee page is displayed.

Steps

1. Leave the First Name and Last Name fields empty.
2. Click Save.

Expected Result

Required-field validation messages are displayed and the employee is not created.

Results

Passed	"Required" validation messages were displayed for the First Name and Last Name fields. The employee was not created.
Sara F. 8/15/2026 12:59 PM	

T122: PIM-AE-004: Attempt to create login details with mismatched passwords

Test Labels

Status	Type	Priority	Estimate
Passed	Functional	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
negative	password	validation	

Preconditions

1. The user is logged in as Admin.
2. The PIM > Add Employee page is displayed.
3. A unique employee name and username are available.

Steps

1. Enter a unique first name and last name.
2. Enable Create Login Details.
3. Enter a unique username.
4. Select Enabled.
5. Enter a strong password.
6. Enter a different password in the Confirm Password field.
7. Click Save.

Expected Result

A password mismatch validation message is displayed and the login account is not created.

Results

Passed	The “Passwords do not match” validation message was displayed. The employee and login account were not created.
Sara F.	
8/15/2026 1:02 PM	

T123: PIM-AE-005: Attempt to create login details with a weak password

Test Labels

Status	Type	Priority	Estimate
Passed	Security	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
negative	password	security	validation

Preconditions

1. The user is logged in as Admin.

2. The PIM > Add Employee page is displayed.
3. A unique employee name and username are available.

Steps

1. Enter a unique first name and last name.
2. Enable Create Login Details.
3. Enter a unique username.
4. Select Enabled.
5. Enter a weak password, for example abc.
6. Enter the same password in the Confirm Password field.
7. Click Save.

Expected Result

Password validation is displayed and the login account is not created.

Results

Passed

Sara F.
8/15/2026 1:03 PM

The password was rated “Very Weak”, and the validation message “Your password must contain minimum 1 number” was displayed. The employee and login account were not created

T124: PIM-AE-006: Attempt to create login details with an existing username

Test Labels

Status	Type	Priority	Estimate
Passed	Functional	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
duplicate data negative validation			

Preconditions

1. The user is logged in as Admin.
2. The PIM > Add Employee page is displayed.
3. The username used in the test already belongs to an existing system user.

Steps

1. Enter a unique first name and last name.
2. Enable Create Login Details.
3. Enter an existing username.
4. Select Enabled.
5. Enter matching strong passwords.
6. Click Save.

Expected Result

A duplicate username validation message is displayed and no additional account with the same username is created.

Results

Passed	
Sara F. 8/15/2026 1:05 PM	The “Username already exists” validation message was displayed for the existing username ess.portfolio.150826. The form remained open, and no additional employee or login account was created.

T125: PIM-AE-007: Attempt to upload an unsupported profile picture format

Test Labels

Status	Type	Priority	Estimate
Failed	Functional	Medium	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
EP	file-upload	negative	validation

Preconditions

- 1. The user is logged in as Admin.
- 2. The PIM > Add Employee page is displayed.
- 3. A file in an unsupported format, such as TXT or PDF, is available

Steps

- 1. Click the profile picture upload control.
- 2. Select the unsupported file.

Expected Result

The file is rejected, a validation message is displayed, and the file is not set as the employee’s profile picture.

Results

Failed	
Sara F. 8/16/2026 12:35 PM	<i>Actual Result:</i> The TXT file is not set as the employee’s profile picture, but no validation message is displayed explaining why the file was rejected. <i>Expected Result:</i> The unsupported file should be rejected, and a validation message should inform the user that only supported image formats, such as JPG or PNG, can be uploaded.
Defects OHRM-1	
Failed	
Sara F. 8/15/2026 1:09 PM	Reproduced issue.

T126: PIM-AE-008: Attempt to upload a profile picture larger than 1 MB**Test Labels**

Status	Type	Priority	Estimate
Passed	Functional	Medium	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
BVA	file-upload	negative	validation

Preconditions

1. The user is logged in as Admin.
2. The PIM > Add Employee page is displayed.
3. A supported JPG, PNG, or GIF image larger than 1 MB is available.

Steps

1. Click the profile picture upload control.
2. Select the image larger than 1 MB.

Expected Result

The image is rejected, a file-size validation message is displayed, and the image is not set as the employee's profile picture.

Results

Passed	The image exceeded the 1 MB limit. The "Attachment Size Exceeded" validation message was displayed, and the employee was not created.
Sara F.	
8/15/2026 1:12 PM	

02.3 Personal Details 5

Viewing, editing, and validation tests for selected employee personal details

T127: PIM-PD-001: Update an employee's full name**Test Labels**

Status	Type	Priority	Estimate
Passed	Functional	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
employee-data			

Preconditions

1. The user is logged in as Admin.
2. A dedicated test employee exists in the system.
3. The employee's PIM > Personal Details page is displayed.

Steps

1. Enter a new value in the First Name field.
2. Enter a new value in the Middle Name field.
3. Enter a new value in the Last Name field.
4. Click Save.
5. Refresh the page.

Expected Result

The updated full name is saved successfully and remains displayed after the page is refreshed.

Results

Passed

Sara F.
8/15/2026 1:15 PM

The employee's full name was updated to Marian Test SmithUpdated.
The updated name remained displayed after refreshing the page.

T128: PIM-PD-002: Update an employee's identification details**Test Labels**

Status	Type	Priority	Estimate
Passed	Functional	Medium	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
employee-data positive update			

Preconditions

1. The user is logged in as Admin.
2. A dedicated test employee exists in the system.
3. The employee's PIM > Personal Details page is displayed.

Steps

1. Enter a value in the Other ID field.
2. Enter a value in the Driver's License Number field.
3. Click Save.
4. Refresh the page.

Expected Result

The identification details are saved successfully and remain displayed after the page is refreshed.

Results

Passed	Other ID QA-150826-0496 and Driver's License Number DL-150826-0496 were saved successfully and remained displayed after refreshing the page.
Sara F. 8/15/2026 1:16 PM	

T129: PIM-PD-003: Update Nationality, Marital Status, and Gender

Test Labels

Status	Type	Priority	Estimate
Passed	Functional	Medium	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
dropdown	employee-data	positive	update

Preconditions

- 1. The user is logged in as Admin.
- 2. A dedicated test employee exists in the system.
- 3. The employee's PIM > Personal Details page is displayed.

Steps

- 1. Select a Nationality.
- 2. Select a Marital Status.
- 3. Select a Gender.
- 4. Click Save.
- 5. Refresh the page.

Expected Result

The selected Nationality, Marital Status, and Gender are saved successfully and remain selected after the page is refreshed.

Results

Passed	Nationality "Polish", Marital Status "Single", and Gender "Female" were saved successfully and remained selected after refreshing the page.
Sara F. 8/15/2026 1:17 PM	

T130: PIM-PD-004: Validate Date of Birth and License Expiry Date values

Test Labels

Status	Type	Priority	Estimate
Failed	Functional	Medium	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No

Automation Candidate

No

Test Case Labels

data-fields

negative

positive

validation

Preconditions

1. The user is logged in as Admin.
2. A dedicated test employee exists in the system.
3. The employee's PIM > Personal Details page is displayed.

Steps

1. Enter valid Date of Birth and License Expiry Date values using the date pickers.
2. Click Save.
3. Refresh the page.
4. Replace the valid dates with invalid values, such as a future Date of Birth or an impossible calendar date.
5. Click Save.

Expected Result

Valid dates are saved and remain displayed after refresh, while invalid date values are rejected with appropriate validation and do not replace the previously saved values.

Results

Failed

Sara F.
8/15/2026 1:20 PM

Defects
OHRM-2

The invalid Date of Birth value was saved without a validation message and remained displayed after refreshing the page.

T131: PIM-PD-005: Attempt to clear required employee name data**Test Labels****Status**

Passed

Type

Functional

Priority

High

Estimate

None

AI Automated Test

None

References

None

Automation Type

None

Is Automated

No

Automation Candidate

No

Test Case Labels

negative

required-fields

validation

Preconditions

1. The user is logged in as Admin.
2. A dedicated test employee with saved name data exists in the system.
3. The employee's PIM > Personal Details page is displayed.

Steps

1. Clear the First Name field.
2. Clear the Last Name field.
3. Click Save.

Expected Result

Required-field validation messages are displayed, the changes are not saved, and the employee retains the previously saved name data.

Results

Passed

Sara F.

8/15/2026 1:21 PM

"Required" validation messages were displayed for the First Name and Last Name fields. The changes were not saved, and the previous name Marian Test SmithUpdated was restored after refreshing the page.

03 Admin 0

Contains test cases for system user account management.

03.1 User Management 7

System user search, creation, editing, account status, and deletion tests.

T132: ADM-UM-001: Search for a system user by username

Test Labels

Status	Type	Priority	Estimate
Passed	Functional	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
positive	search	user-management	

Preconditions

1. The user is logged in as Admin.
2. A system user with a known username exists.
3. The Admin > User Management page is displayed.

Steps

1. Enter the known username in the Username field.
2. Click Search.

Expected Result

The search results display the system user matching the entered username.

Results

Passed

Sara F.
8/15/2026 1:23 PM

The search returned the system user ess.portfolio.150826 with the ESS role, employee ESS PortfolioAugFifteen, and Enabled status.

T133: ADM-UM-002: Filter system users by User Role and Status

Test Labels

Status	Type	Priority	Estimate
Passed	Functional	Medium	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
filtering	positive	user-management	

Preconditions

1. The user is logged in as Admin.
2. At least one system user matching a known User Role and Status combination exists.
3. The Admin > User Management page is displayed.

Steps

1. Select a User Role.
2. Select a Status.
3. Click Search.

Expected Result

The results display only system users matching both the selected User Role and Status.

Results

Passed

Sara F.
8/15/2026 1:24 PM

The search returned 31 system users. All displayed results had the ESS role and Enabled status.

T134: ADM-UM-003: Add an ESS user account for an existing employee

Test Labels

Status	Type	Priority	Estimate
Passed	Functional	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			

ess-account

positive

smoke

user-creation

Preconditions

1. The user is logged in as Admin.
2. A dedicated test employee without an existing system account is available.
3. A unique username is available.
4. The Admin > User Management page is displayed.

Steps

1. Click Add.
2. Select ESS as the User Role.
3. Enter the test employee's name in the Employee Name field.
4. Select the correct employee from the suggestions.
5. Select Enabled as the Status.
6. Enter a unique username.
7. Enter a strong password.
8. Enter the same password in the Confirm Password field.
9. Click Save.

Expected Result

An enabled ESS account is created for the selected employee and appears in the System Users list.

Results

Passed

Sara F.
8/15/2026 1:26 PM

An enabled ESS account with username marian.portfolio.150826 was created for Marian Test SmithUpdated and appeared in the System Users search results

T135: ADM-UM-004: Attempt to add a user with required fields empty**Test Labels**

Status	Type	Priority	Estimate
Passed	Functional	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
	negative	required-fields	validation

Preconditions

1. The user is logged in as Admin.
2. The Admin > User Management > Add User page is displayed.

Steps

1. Leave all required fields empty.
2. Click Save.

Expected Result

Validation messages are displayed for the required fields and the user account is not created.

Results

Passed

Sara F.
8/15/2026 1:27 PM

Validation messages were displayed for all required fields. The Confirm Password field displayed “Passwords do not match”, and the user account was not created.

T136: ADM-UM-005: Attempt to add a user with an existing username

Test Labels

Status	Type	Priority	Estimate
Passed	Functional	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
duplicate data	negative	validation	

Preconditions

1. The user is logged in as Admin.
2. A dedicated test employee without an existing system account is available.
3. The username used in the test already belongs to another system user.
4. The Admin > User Management > Add User page is displayed.

Steps

1. Select ESS as the User Role.
2. Select the dedicated test employee.
3. Select Enabled as the Status.
4. Enter an existing username.
5. Enter matching strong passwords.
6. Click Save.

Expected Result

A duplicate username validation message is displayed and no additional account with the same username is created

Results

Passed

Sara F.
8/15/2026 1:30 PM

The “Username already exists” validation message was displayed for ess.portfolio.150826. The form remained open, and no additional account was created.

T137: ADM-UM-006: Change a user account status from Enabled to Disabled and back

Test Labels

Status	Type	Priority	Estimate
Passed	Functional	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
positive	state-transition	user-management	

Preconditions

1. The user is logged in as Admin.
2. A dedicated enabled ESS test account exists.
3. The Admin > User Management page is displayed.

Steps

1. Search for the dedicated ESS test account.
2. Open the account for editing.
3. Change the Status from Enabled to Disabled.
4. Click Save.
5. Search for and open the same account again.
6. Change the Status from Disabled to Enabled.
7. Click Save.

Expected Result

The account status is successfully changed to Disabled and subsequently changed back to Enabled, with each saved status shown in User Management.

Results

Passed			
Sara F. 8/15/2026 1:31 PM	The account status was successfully changed from Enabled to Disabled and then back to Enabled. Both saved statuses were correctly displayed in User Management.		

T138: ADM-UM-007: Delete a test user account

Test Labels

Status	Type	Priority	Estimate
Passed	Functional	Medium	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
delete	positive	user-management	

Preconditions

- 1. The user is logged in as Admin.
- 2. A dedicated expendable ESS test account exists.
- 3. The Admin > User Management page is displayed.

Steps

- 1. Search for the dedicated ESS test account.
- 2. Click the Delete action for the account.
- 3. Confirm the deletion.
- 4. Search for the deleted username.

Expected Result

The selected account is deleted and is no longer returned in the System Users search results.

Results

Passed

Sara F.
8/15/2026 1:32 PM

The test account marian.portfolio.150826 was deleted successfully. A new search returned “No Records Found”.

04 My Info 0

Contains test cases for viewing and editing the personal information of the authenticated ESS user

04.1 Personal Details 4

Tests for viewing and editing the authenticated ESS user's personal details.

T139: MYI-PD-001: Display the authenticated ESS user's Personal Details

Test Labels

Status	Type	Priority	Estimate
Passed	Functional	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
	ess	personal-details	positive
			role-based

Preconditions

- 1. A dedicated employee with an enabled ESS account exists.
- 2. The employee has known Personal Details saved in the system.
- 3. The OrangeHRM login page is displayed.

Steps

- 1. Log in using the dedicated ESS account.
- 2. Open My Info.
- 3. Select Personal Details.
- 4. Compare the displayed information with the known employee data.

Expected Result

The Personal Details page displays the information belonging to the employee linked to the authenticated ESS account.

Results

Passed

Sara F.
8/16/2026 12:15 PM

The ESS employee and user account were created successfully. The user logged in with valid credentials, and the Admin and PIM modules were not available, as expected.

T140: MYI-PD-002: Update the ESS user's full name**Test Labels**

Status	Type	Priority	Estimate
Passed	Functional	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
ess	personal-details	positive	update

Preconditions

1. A dedicated enabled ESS account exists.
2. The user is logged in using the dedicated ESS account.
3. The My Info > Personal Details page is displayed.

Steps

1. Enter a new value in the First Name field.
2. Enter a new value in the Middle Name field.
3. Enter a new value in the Last Name field.
4. Click Save.
5. Refresh the page.

Expected Result

The updated full name is saved successfully and remains displayed after the page is refreshed.

Results

Passed

Sara F.
8/16/2026 12:16 PM

The ESS user was unable to access the restricted System Users page through its direct URL. The application blocked access as expected.

T141: MYI-PD-003: Verify that saved Personal Details persist after a new login**Test Labels**

Status	Type	Priority	Estimate
Passed	Functional	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
ess	persistence	positive	session

Preconditions

1. A dedicated enabled ESS account exists.
2. The user is logged in using the dedicated ESS account.
3. The My Info > Personal Details page is displayed.

Steps

1. Update an editable Personal Details field with a unique test value.
2. Click Save.
3. Log out of OrangeHRM.
4. Log in again using the same ESS account.
5. Open My Info > Personal Details.

Expected Result

The saved test value remains displayed after logout and a new login session.

Results

Passed	The updated Personal Details were saved successfully. After logging out and logging in again, all saved values remained displayed correctly.
Sara F.	
8/16/2026 12:21 PM	

T142: MYI-PD-004: Verify that changes made in My Info are visible to Admin in PIM

Test Labels

Status	Type	Priority	Estimate
Failed	Functional	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
data-consistency	integration	positive	role-based

Preconditions

1. A dedicated employee with an enabled ESS account exists.
2. Valid credentials for the ESS account and Admin account are available.
3. The OrangeHRM login page is displayed.

Steps

1. Log in using the dedicated ESS account.
2. Open My Info > Personal Details.
3. Update an editable field with a unique test value.
4. Click Save.
5. Log out.
6. Log in as Admin.
7. Open PIM > Employee List.
8. Search for the dedicated employee.
9. Open the employee's Personal Details page.

Expected Result

The value updated by the ESS user is also displayed in the employee's PIM record when viewed by Admin.

Results

Failed	Personal Details updated in My Info are not synchronized with PIM
Sara F. 8/16/2026 12:21 PM	
Defects OHRM-3	

05 Access Control & End-to-End 4

Contains role-based access tests and end-to-end employee and user account lifecycle scenarios.

T143: AC-001: Verify that administrative modules are not available in the ESS navigation menu**Test Labels**

Status	Type	Priority	Estimate
Passed	Security	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
access-control	ess	negative	role-based

Preconditions

1. A dedicated enabled ESS account exists.
2. The OrangeHRM login page is displayed.

Steps

1. Log in using the dedicated ESS account.
2. Inspect the main navigation menu.
3. Open My Info to confirm that an ESS function is available.

Expected Result

Administrative modules such as Admin and PIM are not available in the ESS navigation menu, while the permitted My Info functionality remains accessible.

Results

Passed	The ESS user logged in successfully. Administrative modules, including Admin and PIM, were not displayed in the navigation menu, as expected.
Sara F. 8/16/2026 12:22 PM	

T144: AC-002: Verify that an ESS user cannot access User Management through a direct URL

Test Labels

Status	Type	Priority	Estimate
Failed	Security	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
access-control	direct-url	negative	role-based

Preconditions

1. A dedicated enabled ESS account exists.
2. The direct URL of the Admin > User Management page is available.
3. The OrangeHRM login page is displayed.

Steps

1. Log in using the dedicated ESS account.
2. Paste the User Management URL into the browser address bar.
3. Open the URL.

Expected Result

Access to User Management is denied or the ESS user is redirected to an authorised page, and system user data is not displayed.

Results

Failed	ESS user can access User Management through a direct URL
Sara F. 8/16/2026 12:22 PM	
Defects OHRM-4	

T145: E2E-001: Create an employee with an enabled ESS account and log in as the new user

Test Labels

Status	Type	Priority	Estimate
Passed	Functional	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
e2e	employee-creation	ess-account	positive
			smoke

Preconditions

1. The user is logged in as Admin.
2. A unique employee name and username are available.
3. The PIM > Add Employee page is displayed.

Steps

1. Enter a unique first name and last name.
2. Enable Create Login Details.
3. Enter a unique username.
4. Select Enabled.
5. Enter matching strong passwords.
6. Click Save.
7. Log out of the Admin account.
8. Log in using the newly created ESS credentials.
9. Open My Info > Personal Details.

Expected Result

The employee and enabled ESS account are created successfully, the new user can log in, and My Info displays the Personal Details of the newly created employee.

Results

Passed	The employee and enabled ESS account were created successfully. The new ESS user logged in with valid credentials and accessed the application successfully.
Sara F. 8/16/2026 12:22 PM	

T146: E2E-002: Disable and re-enable an ESS account and verify login access

Test Labels

Status	Type	Priority	Estimate
Failed	Functional	High	None
AI Automated Test	References	Automation Type	Is Automated
None	None	None	No
Automation Candidate			
No			
Test Case Labels			
positive			

Preconditions

1. A dedicated enabled ESS account exists.
2. Valid credentials for the ESS account and Admin account are available.
3. The user is logged in as Admin.

Steps

1. Open Admin > User Management.
2. Search for the dedicated ESS account.
3. Open the account for editing.
4. Change the Status to Disabled.
5. Click Save.
6. Log out of the Admin account.
7. Attempt to log in using the disabled ESS account.
8. Log in again as Admin.
9. Open the same ESS account in User Management.
10. Change the Status to Enabled.
11. Click Save.
12. Log out of the Admin account.
13. Log in using the re-enabled ESS account.

Expected Result

The disabled ESS account cannot log in, while the same account can log in successfully after its status is changed back to Enabled.

Results

Failed	Disabled ESS account can still be used to log in
Sara F. 8/16/2026 12:22 PM	
Defects OHRM-5	