

ECDAT - Cryptographic Risk Report

Scan: real-world | 2026-09-18T08:24:31 | ECDAT 0.1.0 | quantum horizon Z = 2041 (user-set) | profile ENTERPRISE

Executive summary

Tier	Assets	Meaning
ALREADY EXPOSED	0	Data captured today outlives the migration ($Mosca\ X + Y > Z$). Migration alone does not save it.
ACT NOW	11	Quantum-vulnerable or classically broken; a deadline or the Mosca margin is inside the migration window.
MONITOR	26	Vulnerable but short-lived data, signing-only, or ample time.
SAFE	122	Quantum-safe, or non-security / test-only use.

159 cryptographic assets were inventoried in CycloneDX 1.7; 18 protect data that an adversary can record today (harvest-now-decrypt-later). 11 assets must migrate first.

India (DST / National Quantum Mission, ENTERPRISE profile): inventory and CBOM by 2028, no new classical-only deployments after 2030, quantum-safe-only trust chains by 2033.

Migration plan

4 engineers x 6 months = 103.9 engineer-weeks; 100.0 weeks used remove 69.5% of quantum risk; 11 item(s) do not fit (0 still EXPOSED).

#	Asset	Component	Tier	Target	Effort wk	Cum. wk	Cum. risk %
1	cloudflare.com	public-endpoints	MONITOR	ML-DSA-65 certificate (re-issue when the CA supports FIPS 204; hybrid/dual certificates during transition)	2.2	2.2	3.0
2	example.com	public-endpoints	MONITOR	ML-DSA-65 certificate (re-issue when the CA supports FIPS 204; hybrid/dual certificates during transition)	2.2	4.4	6.1
3	www.nic.in	public-endpoints	MONITOR	ML-DSA-65 certificate (re-issue when the CA supports FIPS 204; hybrid/dual certificates during transition)	2.2	6.6	9.1
4	TLS	public-endpoints	MONITOR	X25519MLKEM768	2.4	9.0	12.1
5	DH	public-endpoints	ACT NOW	X25519MLKEM768	7.5	16.5	18.2
6	ECDH	public-endpoints	ACT NOW	X25519MLKEM768	7.5	24.0	24.2
7	Ed25519	public-endpoints	ACT NOW	ML-DSA-65	7.5	31.5	30.3
8	RSA	public-endpoints	ACT NOW	ML-KEM-768	8.4	39.9	36.3
9	X25519	public-endpoints	ACT NOW	X25519MLKEM768	8.4	48.3	42.4
10	ECDH	paramiko	ACT NOW	X25519MLKEM768	8.0	56.3	47.7
11	ECDSA	public-endpoints	ACT NOW	ML-DSA-65	9.4	65.7	53.7
12	X25519	paramiko	ACT NOW	X25519MLKEM768	9.0	74.7	59.1
13	private-key:private-key	pyjwt	MONITOR	-	4.6	79.3	61.1
14	ECDSA	paramiko	ACT NOW	ML-DSA-65	13.2	92.5	66.4
15	AES-192	public-endpoints	MONITOR	AES-256	7.5	100.0	69.5

Honesty notes

Z (2041) is a user-set assumption anchored to the Global Risk Institute 2025 survey (CRQC 28-49% within 10 years, 51-70% within 15). Mosca's inequality is applied only to confidentiality primitives; signatures and hashes are deadline-driven. Binary findings are best-effort. Every finding carries confidence and file:line evidence. Patches are suggestions and are never applied automatically.

Technical appendix: all assets

Tier	Asset	Type	Component	Where	Class	X/Y/Z	Agility	Recommendation	Conf.
ACT NOW	RSA	algorithm	paramiko	tests/_support/rsa-lonely.key:1	legacy-broken	7/4.28/15	18	ML-KEM-768	high
ACT NOW	ECDSA	algorithm	public-endpoints	tls://cloudflare.com:443	broken	5/3.6/15	35	ML-DSA-65	high
ACT NOW	X25519	algorithm	public-endpoints	ssh://github.com:22	broken HNDL	5/3.48/15	38	X25519MLK EM768	high
ACT NOW	ECDH	algorithm	public-endpoints	ssh://github.com:22	broken HNDL	5/3.4/15	40	X25519MLK EM768	high
ACT NOW	DH	algorithm	public-endpoints	ssh://github.com:22	broken HNDL	5/3.4/15	40	X25519MLK EM768	high
ACT NOW	Ed25519	algorithm	public-endpoints	ssh://github.com:22	broken	5/3.4/15	40	ML-DSA-65	high
ACT NOW	RSA	algorithm	public-endpoints	tls://www.nic.in:443	broken HNDL	5/3.48/15	38	ML-KEM-768	high
ACT NOW	X25519	algorithm	paramiko	paramiko/kex_curve25519.py:30	broken HNDL	7/3.76/15	31	X25519MLK EM768	high
ACT NOW	ECDH	algorithm	paramiko	paramiko/kex_ecdh_nist.py:71	broken HNDL	7/3.64/15	34	X25519MLK EM768	high
ACT NOW	ECDSA	algorithm	paramiko	tests/test_ecdsa_384.key:1	broken	7/4.12/15	22	ML-DSA-65	high
ACT NOW	RSA	algorithm	pyjwt	tests/keys/testkey_rsa.cer:1	broken HNDL	0.1/3.96/15	26	ML-KEM-768	high
MONITOR	AES-128	algorithm	public-endpoints	tls://cloudflare.com:443	weakened HNDL	5/3.84/15	29	AES-256	high
MONITOR	cloudflare.com	certificate	public-endpoints	tls://cloudflare.com:443	broken	5/0.5/15	76	ML-DSA-65 certificate (re-issue when the CA supports FIPS 204; hybrid/dual certificates during transition)	high
MONITOR	example.com	certificate	public-endpoints	tls://example.com:443	broken	5/0.5/15	76	ML-DSA-65 certificate (re-issue when the CA supports FIPS 204; hybrid/dual certificates during transition)	high
MONITOR	SSH	algorithm	public-endpoints	ssh://github.com:22	unknown	5/3.4/15	40	-	high
MONITOR	AES-192	algorithm	public-endpoints	ssh://github.com:22	weakened HNDL	5/3.4/15	40	AES-256	high
MONITOR	TLS	protocol	public-endpoints	tls://www.nic.in:443	broken HNDL	5/0.5/15	70	X25519MLK EM768	high
MONITOR	AES-128	algorithm	public-endpoints	tls://www.nic.in:443	weakened HNDL	5/3.6/15	35	AES-256	high
MONITOR	www.nic.in	certificate	public-endpoints	tls://www.nic.in:443	broken HNDL	5/0.5/15	76	ML-DSA-65 certificate (re-issue when the CA supports FIPS 204; hybrid/dual certificates during transition)	high

Tier	Asset	Type	Component	Where	Class	X/Y/Z	Agility	Recommendation	Conf.
MONITOR	AES	algorithm	paramiko	tests/test_packetizer.py:49	weakened HNDL	7/3.52/15	37	AES-256	high
MONITOR	private-key:private-key	related-crypto-material	pyjwt	docs/usage.rst:22	unknown	5/1/15	55	-	medium
MONITOR	token:jwt	related-crypto-material	pyjwt	CHANGELOG.rst:518	unknown	0.1/1/15	58	-	medium
MONITOR	token:jwt	related-crypto-material	pyjwt	README.rst:45	unknown	0.1/1/15	58	-	medium
MONITOR	token:jwt	related-crypto-material	pyjwt	docs/algorithms.rst:78	unknown	0.1/1/15	58	-	medium
MONITOR	token:jwt	related-crypto-material	pyjwt	docs/usage.rst:101	unknown	0.1/1/15	57	-	medium
MONITOR	key:generic-api-key	related-crypto-material	pyjwt	jwt/algorithms.py:94	unknown	0.1/1/15	57	-	medium
SAFE	HMAC	algorithm	pyjwt	tests/test_jwt.py:16	safe	0.1/3.92/15	27	-	high
SAFE	ECDSA	algorithm	pyjwt	tests/test_algorithms.py:1431	broken	0.1/3.6/15	35	-	high
SAFE	SHA-256	algorithm	pyjwt	tests/keys/testkey_rsa.cer:1	safe	5/3.8/15	30	-	high
SAFE	TLS	protocol	pyjwt	tests/test_jwks_client.py:401	broken	5/0.5/15	65	X25519MLKEM768	high
SAFE	ssh-public-key:ECDSA	related-crypto-material	pyjwt	tests/keys/testkey_ec_ssh.pub:1	broken	5/1/15	70	-	high
SAFE	private-key:Ed25519	related-crypto-material	pyjwt	tests/keys/testkey_ed25519.pem:1	broken	5/1/15	70	-	high
SAFE	Ed25519	algorithm	pyjwt	tests/keys/testkey_ed25519.pem:1	broken	5/3.64/15	34	-	high
SAFE	ssh-public-key:Ed25519	related-crypto-material	pyjwt	tests/keys/testkey_ed25519.pub:1	broken	5/1/15	70	-	high
SAFE	OU=Test Certificate,O=PyJWT,L=Austin,ST=Texas,C=US	certificate	pyjwt	tests/keys/testkey_rsa.cer:1	broken	5/0.5/15	76	ML-DSA-65 certificate (re-issue when the CA supports FIPS 204; hybrid/dual certificates during transition)	high
SAFE	ssh-public-key:SSH	related-crypto-material	pyjwt	tests/keys/testkey_rsa.pub:1	unknown	5/1/15	70	-	high
SAFE	public-key:RSA	related-crypto-material	pyjwt	tests/keys/testkey_rsa.cer	broken	5/1/15	58	-	medium
SAFE		certificate	pyjwt	tests/keys/testkey_rsa.cer	unknown	5/1/15	64	ML-DSA-65 certificate (re-issue when the CA supports FIPS 204; hybrid/dual certificates during transition)	medium

Tier	Asset	Type	Component	Where	Class	X/Y/Z	Agility	Recommendation	Conf.
SAFE	private-key:ECDSA	related-crypto-material	pyjwt	tests/keys/testkey_ec.priv	broken	5/1/15	58	-	medium
SAFE	private-key:Ed25519	related-crypto-material	pyjwt	tests/keys/testkey_ed25519	broken	5/1/15	58	-	medium
SAFE	private-key:RSA	related-crypto-material	pyjwt	tests/keys/testkey_rsa.priv	broken	5/1/15	58	-	medium
SAFE	public-key:RSA	related-crypto-material	pyjwt	tests/keys/testkey_rsa.priv	broken	5/1/15	58	-	medium
SAFE	private-key:private-key	related-crypto-material	pyjwt	tests/test_advisory.py:8	unknown	5/1/15	57	-	medium
SAFE	key:generic-api-key	related-crypto-material	pyjwt	tests/test_advisory.py:94	unknown	5/1/15	58	-	medium
SAFE	key:generic-api-key	related-crypto-material	pyjwt	tests/test_algorithms.py:882	unknown	5/1/15	57	-	medium
SAFE	token:jwt	related-crypto-material	pyjwt	tests/test_jwks_client.py:213	unknown	0.1/1/15	57	-	medium
SAFE	HMAC	algorithm	node-jsonwebtoken	test/option-nonce.test.js:12	safe	0.1/3.76/15	31	-	high
SAFE	RSA	algorithm	node-jsonwebtoken	test/rsa-public-key.tests.js:19	legacy-broken	0.1/3.68/15	33	-	high
SAFE	RSA	algorithm	node-jsonwebtoken	test/invalid_pub.pem:1	broken	0.1/4.04/15	24	-	high
SAFE	private-key:DSA	related-crypto-material	node-jsonwebtoken	test/dsa-private.pem:1	broken	0.1/1/15	70	-	high
SAFE	DSA	algorithm	node-jsonwebtoken	test/dsa-private.pem:1	broken	0.1/3.4/15	40	-	high
SAFE	private-key:ECDSA	related-crypto-material	node-jsonwebtoken	test/ecdsa-private.pem:1	broken	0.1/1/15	70	-	high
SAFE	ECDSA	algorithm	node-jsonwebtoken	test/ecdsa-private.pem:1	broken	0.1/3.72/15	32	-	high
SAFE	O=Internet Widgits Pty Ltd,ST=Some-State,C=AU	certificate	node-jsonwebtoken	test/ecdsa-public-x509.pem:1	broken	0.1/0.5/15	76	ML-DSA-65 certificate (re-issue when the CA supports FIPS 204; hybrid/dual certificates during transition)	high
SAFE	SHA-1	algorithm	node-jsonwebtoken	test/ecdsa-public-x509.pem:1	legacy-broken	0.1/3.64/15	34	-	high
SAFE	*.auth0.com	certificate	node-jsonwebtoken	test/invalid_pub.pem:1	broken	0.1/0.5/15	76	ML-DSA-65 certificate (re-issue when the CA supports FIPS 204; hybrid/dual certificates during transition)	high
SAFE	private-key:ECDSA	related-crypto-material	node-jsonwebtoken	test/prime256v1-private.pem:1	broken	0.1/1/15	70	-	high

Tier	Asset	Type	Component	Where	Class	X/Y/Z	Agility	Recommendation	Conf.
SAFE	private-key:RSA	related-crypto-material	node-jsonwebtoken	test/priv.pem:1	broken	0.1/1/15	70	-	high
SAFE	O=Internet Widgits Pty Ltd,ST=Some-State,C=AU	certificate	node-jsonwebtoken	test/pub.pem:1	broken	0.1/0.5/15	76	ML-DSA-65 certificate (re-issue when the CA supports FIPS 204; hybrid/dual certificates during transition)	high
SAFE	private-key:RSA	related-crypto-material	node-jsonwebtoken	test/rsa-private.pem:1	broken	0.1/1/15	70	-	high
SAFE	private-key:RSA	related-crypto-material	node-jsonwebtoken	test/rsa-pss-invalid-salt-length-private.pem:1	broken	0.1/1/15	70	-	high
SAFE	private-key:RSA	related-crypto-material	node-jsonwebtoken	test/rsa-pss-private.pem:1	broken	0.1/1/15	70	-	high
SAFE	private-key:ECDSA	related-crypto-material	node-jsonwebtoken	test/secp384r1-private.pem:1	broken	0.1/1/15	70	-	high
SAFE	ECDSA	algorithm	node-jsonwebtoken	test/secp384r1-private.pem:1	broken	0.1/3.4/15	40	-	high
SAFE	private-key:ECDSA	related-crypto-material	node-jsonwebtoken	test/secp521r1-private.pem:1	broken	0.1/1/15	70	-	high
SAFE	ECDSA	algorithm	node-jsonwebtoken	test/secp521r1-private.pem:1	broken	0.1/3.4/15	40	-	high
SAFE	public-key:RSA	related-crypto-material	node-jsonwebtoken	test/invalid_pub.pem	broken	0.1/1/15	58	-	medium
SAFE	public-key:RSA	related-crypto-material	node-jsonwebtoken	test/pub.pem	broken	0.1/1/15	58	-	medium
SAFE		certificate	node-jsonwebtoken	test/pub.pem	unknown	0.1/1/15	64	ML-DSA-65 certificate (re-issue when the CA supports FIPS 204; hybrid/dual certificates during transition)	medium
SAFE	private-key:private-key	related-crypto-material	node-jsonwebtoken	test/dsa-private.pem	unknown	0.1/1/15	58	-	medium
SAFE	token:jwt	related-crypto-material	node-jsonwebtoken	test/invalid_exp.tests.js:6	unknown	0.1/1/15	55	-	medium
SAFE	token:jwt	related-crypto-material	node-jsonwebtoken	test/jwt.malicious.tests.js:21	unknown	0.1/1/15	57	-	medium
SAFE	public-key:ECDSA	related-crypto-material	node-jsonwebtoken	test/prime256v1-private.pem	broken	0.1/1/15	58	-	medium
SAFE	public-key:RSA	related-crypto-material	node-jsonwebtoken	test/priv.pem	broken	0.1/1/15	58	-	medium
SAFE	public-key:RSA	related-crypto-material	node-jsonwebtoken	test/rsa-private.pem	broken	0.1/1/15	58	-	medium

Tier	Asset	Type	Component	Where	Class	X/Y/Z	Agility	Recommendation	Conf.
SAFE	public-key:ECDSA	related-crypto-material	node-jsonwebtoken	test/secp384r1-private.pem	broken	0.1/1/15	58	-	medium
SAFE	public-key:ECDSA	related-crypto-material	node-jsonwebtoken	test/secp521r1-private.pem	broken	0.1/1/15	58	-	medium
SAFE	token:jwt	related-crypto-material	node-jsonwebtoken	test/verify.tests.js:101	unknown	0.1/1/15	55	-	medium
SAFE	token:jwt	related-crypto-material	node-jsonwebtoken	test/wrong_alg.tests.js:12	unknown	0.1/1/15	58	-	medium
SAFE	SHA-256	algorithm	paramiko	paramiko/agent.py:49	safe	7/3.84/15	29	-	low
SAFE	SHA-1	algorithm	paramiko	tests/_util.py:81	legacy-broken	7/4.08/15	23	-	low
SAFE	ML-KEM-768	algorithm	paramiko	paramiko/kex_mlkem.py:56	safe	7/3.6/15	35	-	low
SAFE	AES-128	algorithm	paramiko	paramiko/packet.py:118	weakened	7/3.64/15	34	-	low
SAFE	AES-256	algorithm	paramiko	paramiko/packet.py:118	safe	7/3.64/15	34	-	low
SAFE	MD5	algorithm	paramiko	paramiko/sftp_server.py:306	legacy-broken	7/3.64/15	34	-	low
SAFE	private-key:Ed25519	related-crypto-material	paramiko	tests/badhash_key1.ed25519.key:1	broken	7/1/15	70	-	high
SAFE	Ed25519	algorithm	paramiko	tests/badhash_key1.ed25519.key:1	broken	7/3.92/15	27	-	high
SAFE	private-key:Ed25519	related-crypto-material	paramiko	tests/badhash_key2.ed25519.key:1	broken	7/1/15	70	-	high
SAFE	private-key:unknown	related-crypto-material	paramiko	tests/blank_rsa.key:1	unknown	7/1/15	70	-	medium
SAFE	private-key:ECDSA	related-crypto-material	paramiko	tests/test_ecdsa_384.key:1	broken	7/1/15	70	-	high
SAFE	private-key:unknown	related-crypto-material	paramiko	tests/test_ecdsa_384_openssh.key:1	unknown	7/1/15	70	-	medium
SAFE	private-key:ECDSA	related-crypto-material	paramiko	tests/test_ecdsa_521.key:1	broken	7/1/15	70	-	high
SAFE	ECDSA	algorithm	paramiko	tests/test_ecdsa_521.key:1	broken	7/3.64/15	34	-	high
SAFE	private-key:ECDSA	related-crypto-material	paramiko	tests/test_ecdsa_password_256.key:1	broken	7/1/15	70	-	medium
SAFE	private-key:ECDSA	related-crypto-material	paramiko	tests/test_ecdsa_password_384.key:1	broken	7/1/15	70	-	medium
SAFE	private-key:ECDSA	related-crypto-material	paramiko	tests/test_ecdsa_password_521.key:1	broken	7/1/15	70	-	medium
SAFE	private-key:Ed25519	related-crypto-material	paramiko	tests/test_ed25519-funky-padding.key:1	broken	7/1/15	70	-	high
SAFE	private-key:unknown	related-crypto-material	paramiko	tests/test_ed25519-funky-padding_password.key:1	unknown	7/1/15	70	-	medium

Tier	Asset	Type	Component	Where	Class	X/Y/Z	Agility	Recommendation	Conf.
SAFE	private-key:unknown	related-crypto-material	paramiko	tests/test_ed25519_password.key:1	unknown	7/1/15	70	-	medium
SAFE	ssh-public-key:SSH	related-crypto-material	paramiko	tests/test_rsa.key.pub:1	unknown	7/1/15	70	-	high
SAFE	private-key:unknown	related-crypto-material	paramiko	tests/test_rsa_openssh.key:1	unknown	7/1/15	70	-	medium
SAFE	private-key:RSA	related-crypto-material	paramiko	tests/test_rsa_openssh_nopad.key:1	broken	7/1/15	70	-	high
SAFE	RSA	algorithm	paramiko	tests/test_rsa_openssh_nopad.key:1	broken	7/3.64/15	34	-	high
SAFE	private-key:RSA	related-crypto-material	paramiko	tests/test_rsa_password.key:1	broken	7/1/15	70	-	medium
SAFE	private-key:ECDSA	related-crypto-material	paramiko	tests/_support/ecdsa-256.key:1	broken	7/1/15	70	-	high
SAFE	ECDSA	algorithm	paramiko	tests/_support/ecdsa-256.key:1	broken	7/3.64/15	34	-	high
SAFE	private-key:Ed25519	related-crypto-material	paramiko	tests/_support/ed25519.key:1	broken	7/1/15	70	-	high
SAFE	private-key:Ed25519	related-crypto-material	paramiko	tests/_support/ed448.key:1	broken	7/1/15	70	-	high
SAFE	Ed25519	algorithm	paramiko	tests/_support/ed448.key:1	broken	7/3.64/15	34	-	high
SAFE	private-key:RSA	related-crypto-material	paramiko	tests/_support/rsa-lonely.key:1	legacy-broken	7/1/15	70	-	high
SAFE	private-key:unknown	related-crypto-material	paramiko	tests/_support/rsa-passphrased.key:1	unknown	7/1/15	70	-	medium
SAFE	private-key:RSA	related-crypto-material	paramiko	tests/_support/rsa.key:1	legacy-broken	7/1/15	70	-	high
SAFE	public-key:ECDSA	related-crypto-material	paramiko	tests/_support/ecdsa-256.key	broken	7/1/15	58	-	medium
SAFE	public-key:RSA	related-crypto-material	paramiko	tests/_support/rsa-lonely.key	legacy-broken	7/1/15	58	-	medium
SAFE	public-key:RSA	related-crypto-material	paramiko	tests/_support/rsa.key	legacy-broken	7/1/15	58	-	medium
SAFE	public-key:ECDSA	related-crypto-material	paramiko	tests/test_ecdsa_384.key	broken	7/1/15	58	-	medium
SAFE	public-key:ECDSA	related-crypto-material	paramiko	tests/test_ecdsa_521.key	broken	7/1/15	58	-	medium
SAFE	private-key:ECDSA	related-crypto-material	paramiko	tests/test_pkey.py:69	broken	7/1/15	56	-	medium
SAFE	public-key:ECDSA	related-crypto-material	paramiko	tests/test_pkey.py:69	broken	7/1/15	56	-	medium
SAFE	private-key:RSA	related-crypto-material	paramiko	tests/test_pkey.py:69	legacy-broken	7/1/15	56	-	medium

Tier	Asset	Type	Component	Where	Class	X/Y/Z	Agility	Recommendation	Conf.
SAFE	public-key:RSA	related-crypto-material	paramiko	tests/test_pkey.py:69	legacy-broken	7/1/15	56	-	medium
SAFE	TLS	protocol	public-endpoints	tls://cloudflare.com:443	safe	5/0.5/15	70	X25519MLKEM768	high
SAFE	SHA-256	algorithm	public-endpoints	tls://cloudflare.com:443	safe	5/3.76/15	31	-	high
SAFE	AES-256	algorithm	public-endpoints	tls://cloudflare.com:443	safe	5/3.84/15	29	-	high
SAFE	SHA-384	algorithm	public-endpoints	tls://cloudflare.com:443	safe	5/3.76/15	31	-	high
SAFE	ChaCha20	algorithm	public-endpoints	tls://cloudflare.com:443	safe	5/3.68/15	33	-	high
SAFE	X25519MLKEM768	algorithm	public-endpoints	tls://cloudflare.com:443	safe	5/3.6/15	35	-	high
SAFE	TLS	protocol	public-endpoints	tls://example.com:443	safe	5/0.5/15	70	X25519MLKEM768	high
SAFE	SSH	protocol	public-endpoints	ssh://github.com:22	safe	5/0.5/15	70	X25519MLKEM768	high
SAFE	HMAC	algorithm	public-endpoints	ssh://github.com:22	safe	5/3.4/15	40	-	high
MONITOR	ECDH	algorithm	pyjwt	pyproject.toml	brokenHNDL	5/3.64/15	34	X25519MLKEM768	low
MONITOR	X25519	algorithm	pyjwt	pyproject.toml	brokenHNDL	5/3.64/15	34	X25519MLKEM768	low
MONITOR	DH	algorithm	pyjwt	pyproject.toml	brokenHNDL	5/3.64/15	34	X25519MLKEM768	low
MONITOR	DSA	algorithm	pyjwt	pyproject.toml	broken	5/3.64/15	34	ML-DSA-65	low
MONITOR	AES-128	algorithm	pyjwt	pyproject.toml	weakenedHNDL	5/3.64/15	34	AES-256	low
SAFE	AES-256	algorithm	pyjwt	pyproject.toml	safe	5/3.64/15	34	-	low
SAFE	ChaCha20	algorithm	pyjwt	pyproject.toml	safe	5/3.64/15	34	-	low
MONITOR	3DES	algorithm	pyjwt	pyproject.toml	legacy-broken	5/3.64/15	34	AES-256-GCM	low
MONITOR	SHA-1	algorithm	pyjwt	pyproject.toml	legacy-broken	5/3.64/15	34	SHA-256	low
SAFE	SHA-384	algorithm	pyjwt	pyproject.toml	safe	5/3.64/15	34	-	low
SAFE	SHA-512	algorithm	pyjwt	pyproject.toml	safe	5/3.64/15	34	-	low
SAFE	SHA3-256	algorithm	pyjwt	pyproject.toml	safe	5/3.64/15	34	-	low
MONITOR	MD5	algorithm	pyjwt	pyproject.toml	legacy-broken	5/3.64/15	34	SHA-256	low
SAFE	PBKDF2	algorithm	pyjwt	pyproject.toml	safe	5/3.64/15	34	-	low
SAFE	scrypt	algorithm	pyjwt	pyproject.toml	safe	5/3.64/15	34	-	low
SAFE	HKDF	algorithm	pyjwt	pyproject.toml	safe	5/3.64/15	34	-	low
SAFE	ChaCha20	algorithm	paramiko	pyproject.toml	safe	7/3.52/15	37	-	low
SAFE	Argon2	algorithm	paramiko	pyproject.toml	safe	7/3.52/15	37	-	low
SAFE	SHA-512	algorithm	paramiko	pyproject.toml	safe	7/3.52/15	37	-	low

Tier	Asset	Type	Component	Where	Class	X/Y/Z	Agility	Recommendation	Conf.
SAFE	bcrypt	algorithm	paramiko	pyproject.toml	safe	7/3.52/15	37	-	low
MONITOR	DH	algorithm	paramiko	pyproject.toml	broken HNDL	7/3.64/15	34	X25519MLK EM768	low
MONITOR	DSA	algorithm	paramiko	pyproject.toml	broken	7/3.64/15	34	ML-DSA-65	low
MONITOR	3DES	algorithm	paramiko	pyproject.toml	legacy-broken	7/3.64/15	34	AES-256-GCM	low
SAFE	SHA-384	algorithm	paramiko	pyproject.toml	safe	7/3.64/15	34	-	low
SAFE	SHA3-256	algorithm	paramiko	pyproject.toml	safe	7/3.64/15	34	-	low
SAFE	HMAC	algorithm	paramiko	pyproject.toml	safe	7/3.64/15	34	-	low
SAFE	PBKDF2	algorithm	paramiko	pyproject.toml	safe	7/3.64/15	34	-	low
SAFE	scrypt	algorithm	paramiko	pyproject.toml	safe	7/3.64/15	34	-	low
SAFE	HKDF	algorithm	paramiko	pyproject.toml	safe	7/3.64/15	34	-	low