




LAYERS LAMINATION & IMPEDANCE CONTROL

4 LAYER#- -XXX
LAYERS STACKUP

TOP
PP
L2 INNER
CORE
L3 INNER
PP
BOTTOM

LAYER	MATERIAL	THICKNESS	LAYER TYPE	IMPEDANCE		
				SINGLE 50ohm+/-10% Line width(ml)	DIFFERENCE 90ohm+/-10% Line width/Space(ml)	SINGLE 100ohm+/-10% Line width(ml)
TOP	COPPER	1 OZ	ROUTING		W:5.59/S:6	
	PP	3.91mil				
L2	COPPER	0.5 OZ	ROUTING			
	CORE	49.8mil				
L3	COPPER	0.5 OZ	ROUTING			
	PP	3.91mil				
BOTTOM	COPPER	1 OZ	ROUTING	W:6.16	W:5.59/S:6	W:8.4 REF:L2