Assessing Fracture Healing with Artificial Intelligence:

Using Transfer Learning to Predict the *Radiographic Union Score for Tibial Fractures*, in the Radiography of High-Energy Trauma

Shen Zhou Hong Goldsmiths, UoL

April 4th, 2023

Contents

Chapter 1

Implementation

1.1 K-Fold Evaluation

```python
def k_fold_dataset(ds: tf.data.Dataset, k: int = 10) -> list[tuple[tf.data.Dataset,
↪  tf.data.Dataset]]:
    # First shard the given dataset into k individual folds.
    list_of_folds: list[tf.data.Dataset] = []
    for i in range(k):
        fold: tf.data.Dataset = ds.shard(num_shards=k, index=i)
        list_of_folds.append(fold)

    # Next, generate a list of train and validation dataset tuples
    list_of_ds_pairs: list[tuple[tf.data.Dataset, tf.data.Dataset]] = []
    for i, holdout_fold in enumerate(list_of_folds):
        ds_valid: tf.data.Dataset = holdout_fold

        # Select every fold except holdout_fold as the training folds
        training_folds: list[tf.data.Dataset] = list_of_folds[:i] +
        ↪  list_of_folds[i+1:]

        # ds_train size is (k-1)/k of the original dataset
        ds_train: tf.data.Dataset = training_folds[0]
        for fold in training_folds[1:]:
            ds_train = ds_train.concatenate(fold)

        ds_pair: tuple[tf.data.Dataset, tf.data.Dataset] = (ds_train, ds_valid)
        list_of_ds_pairs.append(ds_pair)

    return list_of_ds_pairs
```

Listing 1: Sharding dataset for K-Fold Cross Validation (Github)

```python
def cross_validate(ModelClass: tf.keras.Model, ds: tf.data.Dataset, epochs: int = 50,
↪  batch_size: int = 128, k: int = 10) -> list[tf.keras.callbacks.History]:

    history_list: list[tf.keras.callbacks.History] = []
    train_valid_pairs: list[tf.data.Dataset] = k_fold_dataset(ds, k)

    for i, (ds_train, ds_valid) in enumerate(train_valid_pairs):

        tf.keras.backend.clear_session()
        model = ModelClass()
        model.compile(
            optimizer=tf.keras.optimizers.Adam(),
            loss=tf.keras.losses.BinaryCrossentropy(),
            metrics=metrics
        )
        history = model.fit(
            ds_train,
            validation_data=ds_valid,
            epochs=epochs,
            batch_size=batch_size,
        )
        history_list.append(history.history)

    return history_list
```

Listing 2: K-Fold Cross Validation (Github)

1.2 Establishing a Baseline

1.2.1 Shallow Convolutional Neural Network

```
class LeNet1998(tf.keras.Model):
    def __init__(self, **kwargs):
        super().__init__(**kwargs)

        self.input_layer: tf.Tensor = layers.InputLayer(input_shape=(299, 299, 3))
        self.data_augmentation: tf.keras.Sequential = tf.keras.Sequential([
            layers.RandomFlip(seed=RNG_SEED),
        ])

        self.lenet1999: tf.keras.Model = tf.keras.Sequential([
            layers.Conv2D(6, kernel_size=5, strides=1,  activation='tanh',
            ↪  padding='same'),
            layers.AveragePooling2D(),
            layers.Conv2D(16, kernel_size=5, strides=1, activation='tanh',
            ↪  padding='valid'),
            layers.AveragePooling2D(),
        ])

        self.classifier: tf.keras.Sequential = tf.keras.Sequential([
            layers.Flatten(),
            layers.Dense(1024, activation='relu'),
            layers.Dense(18, activation='sigmoid')
        ])

        self.model: tf.keras.Sequential = tf.keras.Sequential([
                self.input_layer,
                self.data_augmentation,
                self.lenet1999,
                self.classifier
        ])

    def call(self, inputs):
        return self.model(inputs)
```

Listing 3: The LeNet 1998 Shallow CNN Model (Github)



Figure 1.1: Baseline shallow CNN based on the LeNet 1998 architecture

1.2.2 End-to-End Training with InceptionV3

```python
class TransferLearningModel(tf.keras.Model):
    def __init__(self, dropout_rate: float, **kwargs):
        super().__init__(**kwargs)

        self.input_layer: tf.Tensor = layers.InputLayer(input_shape=(299, 299, 3))
        self.data_augmentation: tf.keras.Sequential = tf.keras.Sequential([
            layers.RandomFlip(seed=RNG_SEED),
        ])

        self.inceptionv3: tf.keras.Model = tf.keras.applications.InceptionV3(
            include_top=False,
            weights='imagenet'
        )
        self.inceptionv3.trainable = False

        self.classifier: tf.keras.Sequential = tf.keras.Sequential([
            layers.GlobalMaxPooling2D(),
            layers.Dense(1024, activation='relu'),
            layers.Dropout(dropout_rate),
            layers.Dense( 512, activation='relu'),
            layers.Dropout(dropout_rate),
            layers.Dense( 256, activation='relu'),
            layers.Dropout(dropout_rate),
            layers.Dense(  18, activation='sigmoid')
        ])

        self.model: tf.keras.Sequential = tf.keras.Sequential([
            self.input_layer,
            self.data_augmentation,
            self.inceptionv3,
            self.classifier
        ])

    def call(self, inputs):
        return self.model(inputs)
```

Listing 4: Model Class for InceptionV3 (Github)



Figure 1.2: InceptionV3 Model Trained on Study Data.

1.2.3 Baseline Metrics

1.3 InceptionV3 with Transfer Learning

1.3.1 Base Model Trained on RadImageNet Dataset



Figure 1.3: InceptionV3 with RadImageNet Weights

1.3.2 Base Model Trained on InceptionV3 Dataset



Figure 1.4: InceptionV3 with RadImageNet Weights

1.3.3 Comparison between RadImageNet and ImageNet

1.4 Hyperparameter Search

1.4.1 Hyperparameter Search Regime I

```python
def hyperparameter_search(trials: int, kfolds: int = 6, epochs: int = 20) ->
↪  list[dict[str, Union[int, float, list[tf.keras.callbacks.History]]]]:
    search_results: list[dict[str, any]] = []

    for trial in range(trials):
        # Randomly pick hyperparameter options
        rng = np.random.default_rng()
        batch_size  : int   = rng.integers(16, 2048, endpoint=True)
        dropout_rate: float = rng.uniform(0.0, 0.5)

        # Conduct K-Fold cross-validation with given hyperparameters
        results: list[tf.keras.callbacks.History] = cross_validate(
            TransferLearningModel,
            ds_train_and_valid,
            epochs=epochs,
            batch_size=batch_size,
            dropout_rate=dropout_rate,
            k=kfolds
        )

        search_results.append({
            "max_val_auc" : calc_kfold_max(results, "val_auc"),
            "batch_size"  : batch_size,
            "dropout_rate": dropout_rate,
            "history_list": k_fold_results
        })

    return search_results
```

Listing 5: Hyperparameter Search Regime I (Github)



Figure 1.5: Results for the Hyperparameter Search Regime I



Figure 1.6: Examples of model performance from hyperparameter regime I search.



Figure 1.7: Best performing model in Regime I

1.4.2 Hyperparameter Search Regime II



Figure 1.8: Results for the Hyperparameter Search Regime II

1.4.3 Final Hyperparameters

1.5 Final Model Performance

Appendix A

Additional Materials

A.1 Project Code and Github Repository

All of the Python code used in this project (including experiment and analysis code) are available within the project Git repository, hosted on Github. The code is located within the `python/` directory of the repository root:

https://github.com/ShenZhouHong/radiography-ai-project/

A.1.1 Initial Evaluation Models

Jupyter notebooks used to run the initial evaluations of LeNet 1998, InceptionV3 with end-to-end training, and initial transfer learning models:

https://github.com/ShenZhouHong/radiography-ai-project/tree/master/python/initial-evaluation

A.1.2 Hyperparameter Search Code

Jupyter notebooks used to perform the hyperparameter search regime.

https://github.com/ShenZhouHong/radiography-ai-project/tree/master/python/hyperparam-search

A.1.3 Analysis Notebooks

Jupyter notebooks used to analyse the raw data, process for insights and visualisations, and output CSV files:

https://github.com/ShenZhouHong/radiography-ai-project/tree/master/python/analysis