API: SMS (Transactional & Promotional) Send

Consumer: Aggregator, Exposer: MNPSP

Flow: Aggregator > MNPSP

Type	Description
URL(MNO)	https://a2papiintl.mnpspbd.com/a2p-sms/api/v1/send-sms
URL(IPTSP)	https://a2papiintl.mnpspbd.com/a2p-sms-iptsp/api/v1/send-sms
Method	POST
Request Header*	content-type: application/json

Request Body*	{
	"username": "{{aggregator_username_at_mno_platform}}" ,
	"password": "{{aggregator_password_at_mno_platform}}",
	"billMsisdn": "{{mno_bill_msisdn}}",
	"usernameSecondary": "{{aggregator_secondary_username_at_mno_platform}}",
	"passwordSecondary": "{{aggregator_secondary_password_at_mno_platform}}",
	"billMsisdnSecondary": "{{mno_bill_msisdn_secondary}}",
	"apiKey": "{{mnpsp_api_key}}",
	"cli": "{{cli}}",
	"msisdnList": "{{destination_msisdn_1}}",
	"transactionType": "{{aggregator_preferred_transaction_type}}",
	"messageType": "{{aggregator_preferred_message_type}}",
	"isLongSMS": "{{aggregator_preferred_isLongSMS_choice}}",
	"message": "{{message_body}}",
	"campaignId": "{{campaign_id}}"
	}

Response Header*	content-type: application/json

Response Payload	{
	"serverTxnId": "{{a2p_server_generated_txn_id}}" ,
	"serverResponseCode": "{{a2p_server_resp_code}}",
	"serverResponseMessage": "{{a2p_server_resp_msg}}",
	"mnoTxnId": "{{mno_server_generated_txn_id}}",
	"mnoResponseCode": "{{mno_server_resp_code}}",
	"mnoResponseMessage": "{{mno_server_resp_msg}}"
	}

Request Payload Details

Payload Attribute	Required	Description
username	Mandatory	Aggregator's username at MNO server end which will be used at MNO api call
password	Mandatory	Aggregator's password at MNO server end which will be used at MNO api call

© 2018-2025 Infozillion Teletech BD. All Rights Reserved.

Payload Attribute	Required	Description
billMsisdn	Mandatory	Aggregator's billMsisdn at MNO server end which will be used at MNO api call
usernameSecondary	Optional	Aggregator's secondary username at MNO server end which will be used as retry option if first MNO server call with username and password is failed
passwordSecondary	Optional	Aggregator's secondary password at MNO server end which will be used as retry option if first MNO server call with username and password is failed
billMsisdnSecondary	Optional	Aggregator's secondary billMSISDN at MNO server end which will be used as retry option if first MNO server call with username and password is failed
apiKey	Mandatory	Aggregator's api key at MNPSP server end which will be used to verify the Aggregator
cli	Mandatory	Aggregator's CLI registered in MNPSP as global masking
msisdnList	Mandatory	Destination MSISDN list
transactionType	Mandatory	Aggregator's transaction type, T for Transactional message and P for Promotional message
messageType	Mandatory	Aggregator's message body type hints, 1 for English Text, 2 for English Flash, 3 for Unicode(Bangla), 4 for Unicode Flash (Bangla)
isLongSMS	Optional	Set by aggregator to indicate long SMS, default value: false
campaignId	Mandatory for Promotional Optional for Transactional	Campaign ID for which the content is approved
message	Mandatory for Promotional Optional for Transactional	Actual message body to send

* when using secondary credentials (username-password-billMSISDN), it is assumed that the same cli is registered with the secondary credentials as well as the primary credentials.

Sample Request (Transactional)

Curl Sample	curl --location --request POST 'https://a2papiintl.mnpspbd.com/a2p-sms/api/v1/send-sms'\ --header 'Content-Type: application/json' \ --data-raw '{ "username": "adn" , "password": "asdkkj" ,

© 2018-2025 Infozillion Teletech BD. All Rights Reserved.

	"billMsisdn": "8801526589635" , "usernameSecondary": "adn" , "passwordSecondary": "eklsdkj" , "billMsisdnSecondary": "8801620587635" , "apiKey": "ZWQPSgua3UdY1kHxdjynCJzH8fkkqRLf" , "cli": "22222" , "msisdnList": ["8801720102673"] , "transactionType": "T" , "messageType": "1" , "isLongSMS": false , "message": "Dear Subscriber, please recharge tk.100 to get a bonus of tk.10" }'

Sample Request (Promotional)

Curl Sample	curl --location --request POST 'https://a2papiintl.mnpspbd.com/a2p-sms/api/v1/send-sms'\ --header 'Content-Type: application/json' \ --data-raw '{ "username": "adn" , "password": "asdkkj" , "billMsisdn": "8801526589635" , "usernameSecondary": "adn" , "passwordSecondary": "eklsdkj" , "billMsisdnSecondary": "8801620587635" , "apiKey": "ZWQPSgua3UdY1kHxdjynCJzH8fkkqRLf" , "cli": "22222" , "msisdnList": ["880172010267","8801720102671""8801720102673","8801720102674","8801720102675"] , "transactionType": "P" , "messageType": "1" , "isLongSMS": true , "campaignId": "adn-101" , "message": "Dear Fellow, this is a promotional sms" }'

Response Payload Details

Attribute	Description
serverTxnId	Transaction id generated by A2P server for each Aggregator api call, will be used to troubleshoot in A2P system
serverResponseCode	A2P business logic wise response code, check A2P Response Status Code Map for details
serverResponseMe	A2P business logic wise response details, check A2P Response Status Code

© 2018-2025 Infozillion Teletech BD. All Rights Reserved.

ssage	Map for details
mnoTxnId	Transaction id generated by MNO server for each Aggregator api call, will be used to troubleshoot at MNO side applicable only for Transactional SMS
mnoResponseCode	MNO business logic wise response code provided by MNO server, applicable only for ANS type MNO, Check ANS API Response Code Map for details
mnoResponseMessage	MNO business logic wise response details provided by MNO server, applicable only for ANS type MNO. Check ANS API Response Code Map for details

Sample Response

Successful Response (Transactional)	{ "serverTxnId": "2f637717-3de4-4b15-8d69-c794e3e97f9e" , "serverResponseCode": "9000" , "serverResponseMessage": "Request successful!" , "mnoTxnId": "GP 20220327185030-01729024313-1233123233" , "mnoResponseCode": "1000" , "mnoResponseMessage": "Success!" }'
Successful Response (Promotional)	{ "serverTxnId": "2f637717-3de4-4b15-8d69-c794e3e97f9e" , "serverResponseCode": "9000" , "serverResponseMessage": "Request successful!" , "mnoTxnId": null , "mnoResponseCode": null , "mnoResponseMessage": null }'
Failure Response	{ "serverTxnId": "53e38c84-e81d-43e4-b2a3-a356d19b3e06" , "serverResponseCode": "9001" , "serverResponseMessage": "Required field missing! : {Field Name}" , "mnoTxnId": null , "mnoResponseCode": null , "mnoResponseMessage": null }'

API: Check Delivery

Consumer: Aggregator, Exposer: MNPSP
Flow: Aggregator > MNPSP

Type	Description
URL(MNO)	https://a2papiintl.mnpspbd.com/a2p-proxy-api/api/v1/check-delivery-report
URL(IPTSP)	https://a2papiintl.mnpspbd.com/a2p-proxy-api-iptsp/api/v1/check-delivery-report
Method	POST

© 2018-2025 Infozillion Teletech BD. All Rights Reserved.

Type	Description
Request Header*	content-type: application/json

Request Body*	{
	"username": "{{aggregator_username_at_mno_platform}}" ,
	"password": "{{aggregator_password_at_mno_platform}}",
	"billMsisdn": "{{mno_bill_msisdn}}",
	"usernameSecondary":
	"{{aggregator_secondary_username_at_mno_platform}}",
	"passwordSecondary":
	"{{aggregator_secondary_password_at_mno_platform}}",
	"billMsisdnSecondary": "{{mno_bill_msisdn_secondary}}",
	"apiKey": "{{mnpsp_api_key}}",
	"msisdnList": ["{{destination_msisdn_1}}"],
	"serverReference": "{{a2p_server_returned_ref}}"
	}

Response Header*	content-type: application/json

Response Payload	{
	"serverTxnId": "{{a2p_server_generated_txn_id}}" ,
	"serverResponseCode": "{{a2p_server_resp_code}}",
	"serverResponseMessage": "{{a2p_server_resp_msg}}",
	"a2pDeliveryStatus":
	"{{a2p_server_resp_generated_at_sms_processing}}",
	"a2pSendSmsBusinessCode":
	"{{a2p_business_code_generated_at_sms_processing}}",
	"deliveryStatus": ["{{delivery_status_of_destination_msisdn_1}}"],
	"dndMsisdn": ["{{dnd_msisdn_list}}"],
	"invalidMsisdn": ["{{msisdn_that_has_not_been_sent_sms}}"],
	"ansSendSmsHttpStatus":
	"{{ans_http_status_at_the_time_of_send_sms}}",
	"ansSendSmsBusinessCode":
	"{{ans_business_code_at_the_time_of_send_sms}}",
	"mnoResponseCode":
	"{{mno_business_code_at_the_time_of_check_dlr}}",
	"mnoResponseMessage":
	"{{mno_response_message_at_the_time_of_check_dlr}}"
	}

Request Payload Details

Payload Attribute	Required	Description
username	Mandatory	Aggregator's username at MNO server end which will be used at MNO api call
password	Mandatory	Aggregator's password at MNO server end which will be used at MNO api call
billMsisdn	Mandatory	Aggregator’s billMsisdn at MNO server end which will be used

© 2018-2025 Infozillion Teletech BD. All Rights Reserved.

Payload Attribute	Required	Description
		at MNO api call
usernameSecondary	Optional	Aggregator's secondary username at MNO server end which was used as retry option when actual broadcast api was called
passwordSecondary	Optional	Aggregator's secondary password at MNO server(can be different from the one used at the time of calling send-sms) end which was used as retry option when actual broadcast api was called
billMsisdnSecondary	Optional	Aggregator's secondary billMSISDN at MNO server end which was used as retry option when actual broadcast api was called
apiKey	Mandatory	Aggregator's api key at MNPSP server end which will be used to verify the Aggregator
msisdnList	Mandatory	Destination MSISDN list to check delivery report
serverReference	Mandatory	Response reference(serverTxnId) received from corresponding Send SMS API call for which delivery report is requested, using this MNPSP server will cross check delivery status

Sample Request

Curl Sample	curl --location --request POST 'https://a2papiintl.mnpspbd.com/a2p-proxy-api/api/v1/check-delivery-report'\ --header 'Content-Type: application/json' \ --data-raw '{ "username": "adn" , "password": "asdkkj" , "billMsisdn": "8801526589635" , "usernameSecondary": "adn" , "passwordSecondary": "eklsdkj" , "billMsisdnSecondary": "8801620587635" , "apiKey": "ZWQPSgua3UdY1kHxdjynCJzH8fkkqRLf" , "msisdnList": ["880172010267"] , "serverReference": "2f637717-3de4-4b15-8d69-c794e3e97f9e" }'

Response Payload Details

Attribute	Description
serverTxnId	Transaction id generated by A2P server for each Aggregator api call, will be used to troubleshoot in A2P system
serverResponseCode	A2P business logic wise response code at the time of delivery check request processing, check A2P Response Status Code Map for details
serverResponseMessag	A2P business logic wise response details, check A2P Response Status

© 2018-2025 Infozillion Teletech BD. All Rights Reserved.

e	Code Map for details
a2pDeliveryStatus	A2P server response generated at the time of Send SMS request processing
a2pSendSmsBusinessCode	A2P business code generated at the time of Send SMS request processing
deliveryStatus	MSISDN wise delivery status received from MNO server
dndMsisdn	MSISDN list that were filtered out by MNPSP validation due to enlistment in DND
invalidMsisdn	MSISDN list that were filtered out by MNPSP validation due to invalid prefix or incorrect form(less than 13 digits etc.), valid prefixes: 88013, 88014, 88015, 88016, 88017, 88018, 88019
ansSendSmsHttpStatus	HTTP code, eg: 200, 400 etc., received from ANS at the time of corresponding send SMS API call
ansSendSmsBusinessCode	Business code, eg: 1000, 1002, 1003 etc., received from ANS at the time of corresponding send SMS API call, check ANS API Response Code Map for details
mnoResponseCode	MNO business logic wise response code provided by MNO server, applicable only for ANS type MNO. Check ANS API Response Code Map for details
mnoResponseMessage	MNO business logic wise response details provided by MNO server, applicable only for ANS type MNO. Check ANS API Response Code Map for details

Sample Response

Successful Response for delivery check request with exact list of broadcast request (for Delivered)	{ "serverTxnId": "2f637717-3de4-4b15-8d69-c794e3e97f9e" , "serverResponseCode": "9000" , "serverResponseMessage": "Request successful!" , "a2pDeliveryStatus": "Request successful!" , "a2pSendSmsBusinessCode": "9000" , "deliveryStatus": ["8801720102673-Delivered"] , "dndMsisdn": null, "invalidMsisdn": null, "ansSendSmsHttpStatus": "200 OK", "ansSendSmsBusinessCode": "1000", "mnoResponseCode": "1000", "mnoResponseMessage": "success" }'
Successful Response for delivery check request with exact list of broadcast request (for UnDelivered)	{ "serverTxnId": "2f637717-3de4-4b15-8d69-c794e3e97f9e" , "serverResponseCode": "9000" , "serverResponseMessage": "Request successful!" , "a2pDeliveryStatus": "Request successful!" , "a2pSendSmsBusinessCode": "9000" ,

© 2018-2025 Infozillion Teletech BD. All Rights Reserved.

	"deliveryStatus": ["8801720102674-UnDelivered"] , "dndMsisdn": null, "invalidMsisdn": null, "ansSendSmsHttpStatus": "200 OK", "ansSendSmsBusinessCode": "1000", "mnoResponseCode": "1000", "mnoResponseMessage": "success" }'
Successful Response for delivery check request with exact list of broadcast request (for successfully processed at A2P but failed at ANS due to server error)	{ "serverTxnId": "2f637717-3de4-4b15-8d69-c794e3e97f9e" , "serverResponseCode": "9000" , "serverResponseMessage": "Request successful!" , "a2pDeliveryStatus": "MNO server failure!" , "a2pSendSmsBusinessCode": "9011" , "deliveryStatus": [] , "dndMsisdn": null, "invalidMsisdn": null, "ansSendSmsHttpStatus": "502 BAD_GATEWAY", "ansSendSmsBusinessCode": null, "mnoResponseCode": null, "mnoResponseMessage": null }'
Successful Response for delivery check request with exact list of broadcast request (for successfully processed at A2P but failed at ANS due to client error)	{ "serverTxnId": "2f637717-3de4-4b15-8d69-c794e3e97f9e" , "serverResponseCode": "9000" , "serverResponseMessage": "Request successful!" , "a2pDeliveryStatus": "Request successful!" , "a2pSendSmsBusinessCode": "9000" , "deliveryStatus": [] , "dndMsisdn": null, "invalidMsisdn": null, "ansSendSmsHttpStatus": "400 BAD_REQUEST", "ansSendSmsBusinessCode": "1002", "mnoResponseCode": null, "mnoResponseMessage": null }'
Successful Response for delivery check request with some dnd	{ "serverTxnId": "2f637717-3de4-4b15-8d69-c794e3e97f9e" , "serverResponseCode": "9000" , "serverResponseMessage": "Request successful!" , "a2pDeliveryStatus": "Request successful!" , "a2pSendSmsBusinessCode": "9000" , "deliveryStatus": null , "dndMsisdn": ["8801720102671"], "invalidMsisdn": null, "ansSendSmsHttpStatus": null, "ansSendSmsBusinessCode": null, "mnoResponseCode": null,

© 2018-2025 Infozillion Teletech BD. All Rights Reserved.

	"mnoResponseMessage": null }'
Successful Response for delivery check request with some invalid MSISDN	{ "serverTxnId": "2f637717-3de4-4b15-8d69-c794e3e97f9e" , "serverResponseCode": "9000" , "serverResponseMessage": "Request successful!" , "a2pDeliveryStatus": "Request successful!" , "a2pSendSmsBusinessCode": "9000" , "deliveryStatus": null , "dndMsisdn": null, "invalidMsisdn": ["880172010267"], "ansSendSmsHttpStatus": null, "ansSendSmsBusinessCode": null, "mnoResponseCode": null, "mnoResponseMessage": null }'
Failure Response	{ "serverTxnId": "2f637717-3de4-4b15-8d69-c794e3e97f9e" , "serverResponseCode": "9001" , "serverResponseMessage": "Required field missing! : {Field Name}" , "a2pDeliveryStatus": null , "a2pSendSmsBusinessCode": null , "deliveryStatus": null , "dndMsisdn": null, "invalidMsisdn": null, "ansSendSmsHttpStatus": null, "ansSendSmsBusinessCode": null, "mnoResponseCode": null, "mnoResponseMessage": null }'

API: Check ANS Balance

Consumer: Aggregator, Exposer: MNPSP

Flow: Aggregator > MNPSP

Type	Description
URL(MNO)	https://a2papiintl.mnpspbd.com/a2p-proxy-api/api/v1/check-credit-balance
URL(IPTSP)	https://a2papiintl.mnpspbd.com/a2p-proxy-api-iptsp/api/v1/check-credit-balance
Method	POST
Request Header*	content-type: application/json
Request Body*	{ "username": "{{aggregator_username_at_ans_platform}}" , "password": "{{aggregator_password_at_ans_platform}}", "mno": "{{mno_code}}",

© 2018-2025 Infozillion Teletech BD. All Rights Reserved.

Type	Description
	"apiKey": "{{mnpsp_api_key}}" }
Response Header*	content-type: application/json

Response Payload	{
	"serverTxnId": "{{a2p_server_generated_txn_id}}" ,
	"serverResponseCode": "{{a2p_server_resp_code}}",
	"serverResponseMessage": "{{a2p_server_resp_msg}}",
	"availableBalance": "{{ans_server_returned_available_balance}}"
	}

Request Payload Details

Payload Attribute	Required	Description
username	Mandatory	Aggregator's username at MNO server end which will be used at MNO api call
password	Mandatory	Aggregator's password at MNO server end which will be used at MNO api call
mno	Mandatory	MNO server shorthand to indicate to which MNO-provided username is bound, Possible Values: GP - GrameenPhone RB - Robi/Airtel TT - Teletalk BL - Banglalink IPTSP server shorthand to indicate to which IPTSP-provided username is bound, Possible Values: ADN - ADN MN - Mirnet BN - Bracnet AIT - AmberIT RT - RanksITT PRM - Premium FN - FusionNet BR - Brilliant MTN - Metronet RCO - RaceOnline
apiKey	Mandatory	Aggregator's api key at MNPSP server end which will be used to verify the Aggregator

Sample Request

Curl Sample	curl --location --request POST 'https://a2papiintl.mnpspbd.com/a2p-proxy-api/api/v1/check-credit-balance/'\

© 2018-2025 Infozillion Teletech BD. All Rights Reserved.

	--header 'Content-Type: application/json' \ --data-raw '{ "username": "adn" , "password": "asdkkj" , "mno": "GP" , "apiKey": "ZWQPSgua3UdY1kHxdjynCJzH8fkkqRLf" }'

Response Payload Details

Attribute	Description
serverTxnId	Transaction id generated by A2P server for each Aggregator api call, will be used to troubleshoot in A2P system
serverResponseCode	A2P business logic wise response code, check A2P Response Status Code Map for details
serverResponseMessage	A2P business logic wise response details, check A2P Response Status Code Map for details
availableBalance	Balance amount received from ANS API call

Sample Response

Successful Response	{ "serverTxnId": "2f637717-3de4-4b15-8d69-c794e3e97f9e" , "serverResponseCode": "9000" , "serverResponseMessage": "Request successful!" , "availableBalance": "1000" }'
Failure Response	{ "serverTxnId": "2f637717-3de4-4b15-8d69-c794e3e97f9e" , "serverResponseCode": "9001" , "serverResponseMessage": "Required field missing! : {Field Name}" , "availableBalance": null }'

API: Check CP Balance

Consumer: Aggregator, Exposer: MNPSP

Flow: Aggregator > MNPSP

Type	Description
URL	https://a2papiintl.mnpspbd.com/a2p-wallet/api/v1/check-current-balance
Method	POST
Request Header*	content-type: application/json

© 2018-2025 Infozillion Teletech BD. All Rights Reserved.

Type	Description

Request Body*	{
	"apiKey": "{{aggregator_api_key_at_a2p_end}}"
	}

Response Header*	content-type: application/json

Response Payload	{
	"serverTxnId": "{{a2p_server_generated_txn_id}}",
	"serverResponseCode": "{{a2p_server_resp_code}}",
	"serverResponseMessage": "{{a2p_server_resp_msg}}",
	"availableBalance": "{{aggregator_available_balance_at_a2p_end}}"
	}

Request Payload Details

Payload Attribute	Required	Description
apiKey	Mandatory	Aggregator's master api key at MNPSP server end which will be used to verify the Aggregator

Sample Request

Curl Sample	curl --location --request POST 'https://a2papiintl.mnpspbd.com/a2p-wallet/api/v1/check-current-balance'\ --header 'Content-Type: application/json' \ --data-raw '{ "apiKey": "YWQOSbuv3UxY1kHxdjynCJzH8ikkqRLs" }'

Response Payload Details

Attribute	Description
serverTxnId	Transaction id generated by A2P server for each Aggregator api call, will be used to troubleshoot in A2P system
serverResponseCode	A2P business logic wise response code, check A2P Response Status Code Map for details
serverResponseMessage	A2P business logic wise response details,check A2P Response Status Code Map for details
availableBalance	Aggregator current balance at CP end

Sample Response

Successful Response	{

© 2018-2025 Infozillion Teletech BD. All Rights Reserved.

	"serverTxnId": "2f637717-3de4-4b15-8d69-c794e3e97f9e" , "serverResponseCode": "9000" , "serverResponseMessage": "Request successful!" , "availableBalance": "100.15" }'
Failure Response	{ "serverTxnId": "2f637717-3de4-4b15-8d69-c794e3e97f9e" , "serverResponseCode": "9001" , "serverResponseMessage": "Required field missing! : {Field Name}" , "availableBalance": null }'
Failure Response	{ "serverTxnId": "2f637717-3de4-4b15-8d69-c794e3e97f9e" , "serverResponseCode": "9005" , "serverResponseMessage": "Client Not Found!" , "availableBalance": null }'

API: Check CLI

Consumer: Aggregator, Exposer: MNPSP

Flow: Aggregator > MNPSP

Type	Description
URL(MNO)	https://a2papiintl.mnpspbd.com/a2p-proxy-api/api/v1/check-cli
URL(IPTSP)	N/A
Method	POST
Request Header*	content-type: application/json

Request Body*	{
	"username": "{{aggregator_username_at_ans_platform}}" ,
	"password": "{{aggregator_password_at_ans_platform}}",
	"mno": "{{mno_code}}",
	"apiKey": "{{mnpsp_api_key}}",
	"cli": "{{aggregator_cli_to_check_status}}"
	}

Response Header*	content-type: application/json

Response Payload	{
	"serverTxnId": "{{a2p_server_generated_txn_id}}" ,
	"serverResponseCode": "{{a2p_server_resp_code}}",
	"serverResponseMessage": "{{a2p_server_resp_msg}}",
	"cliList": "{{ans_server_returned_cli_list}}",
	"isAvailable": "{{mno_server_returned_cli_availability_status}}"
	}

Request Payload Details

© 2018-2025 Infozillion Teletech BD. All Rights Reserved.

Payload Attribute	Required	Description
username	Mandatory	Aggregator's username at MNO server end which will be used at MNO api call
password	Mandatory	Aggregator's password at MNO server end which will be used at MNO api call
mno	Mandatory	MNO server shorthand to indicate to which MNO-provided username is bound, Possible Values: GP - GrameenPhone RB - Robi/Airtel TT - Teletalk BL - Banglalink IPTSP server shorthand to indicate to which IPTSP-provided username is bound, Possible Values: ADN - ADN MN - Mirnet BN - Bracnet AIT - AmberIT RT - RanksITT PRM - Premium FN - FusionNet BR - Brilliant MTN - Metronet RCO - RaceOnline
apiKey	Mandatory	Aggregator's api key at MNPSP server end which will be used to verify the Aggregator
cli	Mandatory	Aggregator cli whose status will be checked

Sample Request

Curl Sample	curl --location --request POST 'https://a2papiintl.mnpspbd.com/a2p-proxy-api/api/v1/check-cli/'\ --header 'Content-Type: application/json' \ --data-raw '{ "username": "adn" , "password": "asdkkj" , "mno": "GP" , "apiKey": "ZWQPSgua3UdY1kHxdjynCJzH8fkkqRLf" , "cli": "FoodPanda" }'

Response Payload Details

Attribute	Description

© 2018-2025 Infozillion Teletech BD. All Rights Reserved.

serverTxnId	Transaction id generated by A2P server for each Aggregator api call, will be used to troubleshoot in A2P system
serverResponseCode	A2P business logic wise response code, check A2P Response Status Code Map for details
serverResponseMessage	A2P business logic wise response details,check A2P Response Status Code Map for details
isAvailable	Boolean availability status of cli

Sample Response

Successful Response (CLI Available)	{ "serverTxnId": "2f637717-3de4-4b15-8d69-c794e3e97f9e" , "serverResponseCode": "9000" , "serverResponseMessage": "Request successful!" , "isAvailable": true }'
Successful Response (CLI Not Available)	{ "serverTxnId": "2f637717-3de4-4b15-8d69-c794e3e97f9e" , "serverResponseCode": "9000" , "serverResponseMessage": "Request successful!" , "isAvailable": false }'
Failure Response	{ "serverTxnId": "2f637717-3de4-4b15-8d69-c794e3e97f9e" , "serverResponseCode": "9001" , "serverResponseMessage": "Required field missing! : {Field Name}" , "isAvailable": null }'

A2P API Response Code Map

Code	Message	Reason(Transactional)	Reason(Promotional)	Reason(Proxy API)
9000	Request successful!	Request is processed successfully	Request is successfully received and is in progress	Request is processed successfully
9001	Required field missing! : {Field Name}	Mandatory field not provided in request payload, eg: apiKey, username, password, cli etc.	Mandatory field not provided in request payload, eg: apiKey, username, password, cli etc.	Mandatory field not provided in request payload, eg: apiKey, username, password, cli etc.
9002	Client credentials mismatch!	Provided client username-billMSISDN does not match with any billMSISDN entry registered in MNPSP	Provided client username-billMSISDN does not match with any billMSISDN entry registered in MNPSP	N/A

© 2018-2025 Infozillion Teletech BD. All Rights Reserved.

Code	Message	Reason(Transactional)	Reason(Promotional)	Reason(Proxy API)
9003	Out of balance!	Client balance is less than 0 or minimum balance required	Client balance is less than 0 or minimum balance required	N/A
9004	Insufficient balance!	Client does not have enough balance to process the request	Client does not have enough balance to process all of the requested destination numbers	N/A
9005	Client not found!	No active client found by provided master key/ secondary api key	No active client found by provided master key/ secondary api key	No active client found by provided master key/ secondary api key
9006	Invalid source IP!	Request IP did not match with registered whitelisted IP	Request IP did not match with registered whitelisted IP	Request IP did not match with registered whitelisted IP
9007	Invalid bill MSISDN!	Requested BIll MSISDN was not found in registered list	Requested BIll MSISDN was not found in registered list	N/A
9008	Invalid CLI!	Requested CLI-billMSISDN-apiKey mapping did not match with registered list	Requested CLI-billMSISDN-apiKey mapping did not match with registered list	N/A
9009	Missing destination MSISDN!	If no destination MSISDN is provided for broadcasting message	If no destination MSISDN is provided for broadcasting message	N/A
9010	Max limit for destination MSISDN exceeds!	If more than 1 destination MSISDN is provided	If more than 999 destination MSISDN is provided	If more than 1 destination MSISDN is provided
9011	MNO server failure!	Failed to get response from MNO	N/A	Failed to get response from MNO
9012	Dipping failure!	Dipping server was unreachable or responded with malformed data	Dipping server was unreachable or responded with malformed data	N/A
9013	Invalid Content!	N/A	Possible reason: 1 - Campaign id not provided(empty/null) 2 - wrong campaign id(invalid id) 3 - Campaign date not started yet 4 - Campaign date expired 5 - Campaign is not in	N/A

© 2018-2025 Infozillion Teletech BD. All Rights Reserved.

Code	Message	Reason(Transactional)	Reason(Promotional)	Reason(Proxy API)
			approved state 6 - content different from approved one(in dynamic) etc.	
9014	Invalid keyword!	N/A	Spam word detected in dynamic campaign	N/A
9015	DND server failure!	N/A	DND server was unreachable or responded with malformed data	N/A
9016	Invalid check delivery request!	N/A	N/A	If no record found in SMS delivery history for given serverReference and billMsisdn/ billMsisdnSecondary
9017	Invalid check balance request!	N/A	N/A	If invalid MNO short hand is provided
9018	Invalid check CLI request!	N/A	N/A	If invalid MNO short hand is provided
9019	Invalid transaction type!	If transactionType is not set to T	If transactionType is not set to P	N/A
9020	Invalid message type!	If invalid messageType is provided. Possible Values: 1 - English Text 2 - English Flash 3 - Unicode Bangla 4 - Unicode Flash Bangla	If invalid messageType is provided. Possible Values: 1 - English Text 2 - English Flash 3 - Unicode Bangla 4 - Unicode Flash Bangla	N/A
9099	Server failure!	MNPSP server failure	MNPSP server failure	N/A

ANS API Response Code Map

Error Codes	Error Description
1000	Success
1001	IP Blacklist
1002	Invalid Username
1003	Invalid Password
1004	Parameter missing

© 2018-2025 Infozillion Teletech BD. All Rights Reserved.

Error Codes	Error Description
1005	Invalid Parameter
1006	CLI/Masking Invalid
1007	Account Barred
1008	Insufficient Balance
1009	DND User
1010	Invalid MSISDN
1011	Duplicate Transaction ID
1012	Message lengths exceed
1013	No Request found
1014	Delivery pending
1015	TPS Limit Exceeded
1016	Number Barred
1017	API is not allowed for user
1018	No Live Campaign
1019	Messagebody Invalid
1020	Internal Server Error
1021	CLI/Masking Already Exists
1050	Allowed campaigns limit exceeded
1051	Allowed SMS quota is completed
1052	Submission record not found
1053	Invalid Transaction Id
1054	MSISDN Limit Exceeded

© 2018-2025 Infozillion Teletech BD. All Rights Reserved.