

Mo-Te (Molybdenum-Tellurium)

Phase diagram

Some experimental work has been done by Puotinen [61Puol] (thermal analysis), Vellinga et al. [70Vell] and Opalovskii et al. [71Opa1]. Spiesser et al. [69Spi1] have reviewed the results obtained in this system. Using the results present in the literature, Brewer et al. [80Brel, 90Brel] have constructed an assessed phase diagram, which has been taken as a basis to draw Fig. 1.




Fig. 1. Mo-Te. Phase diagram at 1 bar Te_2 -pressure.



Crystal structure

Crystallographic data of intermediate phases are listed in Table 1.

Temperature dependence of lattice constants of MoTe_2 is given in Fig. 2 (taken from Agarwal et al. [72Aga1]). Lattice constants of (Mo) solid solutions have been determined by Straumanis et al. [68Str1]. Results are plotted in Fig. 3.

Table 1. Mo-Te. Crystal structure and lattice parameters of intermediate phases.

Phase	Structure	Type	a [nm]	b [nm]	c [nm]	Ref.
Mo_3Te_4	hex	Mo_3Se_4	1.013		1.170	70Bar1
αMoTe_2	hex	MoS_2	0.35182		1.39736	61Kno1
βMoTe_2	mon	MoTe_2	0.633	0.3469 $\beta = 93.92^\circ$	1.386	66Bro2

**Fig. 2. Mo-Te.** Lattice parameters for MoTe_2 .**Fig. 3. Mo-Te.** Lattice parameter for bcc (Mo) solid solution.

References

- 61Kno1 Knop, O., MacDonald, R.D.: Can. J. Chem. **39** (1961) 897

-
- 61Puol Puotinen, D., in: Tech. Rep. AFCRL-122 (AD 259714) (1961)
- 66Bro2 Brown, B.E.: Acta Crystallogr. **20** (1966) 268
- 68Str1 Straumanis, M.E., Shodhan, R.P.: Z. Metallkd. **59** (1968) 492
- 69Spi1 Spiesser, M., Rouxe, J., Kerriou, M., Goureaux, M.G.: Bull. Soc. Chim. Fr. (1969) 427
- 70Bar1 Bars, O., Grandjean, D., Meerschaut, A., Spiesser, M.: Bull. Soc. Fr. Mineral. Cristallogr. **93** (1970) 498
- 70Vel1 Vellinga, M.B., De Jonge, R., Haas, C.W.: Solid State Chem. **2** (1970) 299
- 71Opa1 Opalovskii, A., Fedorov, V.E., Lobkov, E.U., Tsikanowskii, B.I.: Zh. Fiz. Khim. **45** (1971) 1864
- 72Aga1 Agarwal, M.K., Capers, M.J.: J. Appl. Crystallogr. **5** (1972) 63
- 80Bre1 Brewer, L., Lamoreaux, R.H., in: "Molybdenum: Physico-Chemical Properties of its Compounds, and Alloys", L. Brewer (ed.), Atomic Energy Review Special Issue No. 7, IAEA, Vienna (1980)
- 90Bre1 Brewer, L., Lamoreaux, R.H., in: "Binary Alloy Phase Diagrams", Second Edition, Vol. 3, T.B. Massalski (editor-in-chief), Materials Information Soc., Materials Park, Ohio (1990)