

TATA FAB SEMICONDUCTOR - DHOLERA (CUP BUILDING HVAC Works - Low Side)					Technical Compliance
SR NO	Description	UOM	BOQ QTY	Armecell Product Proposal	
	Chilled water piping 5 deg Chilled water piping with Nitrile rubber insulation, vapour seal coating, Aluminium jacketing 0.6mm Refer specification 40 42 33 Equipment and Piping Insulation.r1				
144	36" (900) 50mm thk	mtrs	200	Layer 1: 25mm AP Aerocell Plain Sheet Layer 2: 25mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	Proposed Product AP Aerocell NBR will be as per Specifications mentioned in 2.2 Insulation System Materials & Table 2 Cold Insulation Class (Ic) in Equipment and Piping Insulation 40 42 23 - 24 Closed Cell Elastomeric Nitrile Rubber - Comply or not? Class O Fire Rated - Comply or not? FM Approved - Comply or not? Thermal Conductivity should be 0.035 W/mK @ 0 Deg C Meam Temp - Comply or not?
144	16" (400) 40mm thk	mtrs	365	Layer 1: 16mm AP Aerocell Plain Sheet Layer 2: 25mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	
145	14" (350) 40mm thk	mtrs	75	Layer 1: 16mm AP Aerocell Plain Sheet Layer 2: 25mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	
146	10" (250) 40mm thk	mtrs	40	Layer 1: 16mm AP Aerocell Plain Sheet Layer 2: 25mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	
147	8" (200) 40mm thk	mtrs	240	Layer 1: 16mm AP Aerocell Plain Sheet Layer 2: 25mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	
148	6" (150) 40mm thk	mtrs	150	Layer 1: 16mm AP Aerocell Plain Sheet Layer 2: 25mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	
149	4" (100) 40mm thk	mtrs	180	Layer 1: 16mm AP Aerocell Plain Sheet Layer 2: 25mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	
150	3" (75) 40mm thk	mtrs	60	Layer 1: 25x89 AP Aerocell Plain Tubing Layer 2: 16mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	
151	2" (50) 25mm thk	mtrs	225	Layer 1: 25x60 AP Aerocell Plain Tubing Layer 2: Aluminium Cladding	
152	1 1/2" (40) 25mm thk	mtrs	40	Layer 1: 25x48 AP Aerocell Plain Tubing Layer 2: Aluminium Cladding	
153	1" (25) 25mm thk	mtrs	150	Layer 1: 25x35 AP Aerocell Plain Tubing Layer 2: Aluminium Cladding	
	Chilled water piping 12 deg Chilled water piping with Nitrile rubber insulation, vapour seal coating, Aluminium jacketing 0.6mm Refer specification 40 42 33 Equipment and Piping Insulation.r1				
154	48" (1200) 50mm thk	mtrs	230	Layer 1: 25mm AP Aerocell Plain Sheet Layer 2: 25mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	
155	18" (450) 40mm thk	mtrs	218	Layer 1: 16mm AP Aerocell Plain Sheet Layer 2: 25mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	
156	16" (400) 40mm thk	mtrs	295	Layer 1: 16mm AP Aerocell Plain Sheet Layer 2: 25mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	
157	14" (350) 40mm thk	mtrs	60	Layer 1: 16mm AP Aerocell Plain Sheet Layer 2: 25mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	
158	12" (300) 40mm thk	mtrs	30	Layer 1: 16mm AP Aerocell Plain Sheet Layer 2: 25mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	
159	10" (250) 40mm thk	mtrs	280	Layer 1: 16mm AP Aerocell Plain Sheet Layer 2: 25mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	
160	8" (200) 40mm thk	mtrs	220	Layer 1: 16mm AP Aerocell Plain Sheet Layer 2: 25mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	
161	6" (150) 40mm thk	mtrs	420	Layer 1: 16mm AP Aerocell Plain Sheet Layer 2: 25mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	
162	4" (100) 25mm thk	mtrs	112	Layer 1: 25mm AP Aerocell Plain Sheet Layer 2: Aluminium Cladding	
163	3" (75) 25mm thk	mtrs	372	Layer 1: 25x89 AP Aerocell Plain Tubing Layer 2: Aluminium Cladding	
164	2" (50) 25mm thk	mtrs	390	Layer 1: 25x60 AP Aerocell Plain Tubing Layer 2: Aluminium Cladding	
165	1 1/2" (40) 25mm thk	mtrs	300	Layer 1: 25x48 AP Aerocell Plain Tubing Layer 2: Aluminium Cladding	
	Warm water piping 35 deg warm water piping with Nitrile rubber insulation, vapour seal coating, Aluminium jacketing 0.6mm Refer specification 40 42 33 Equipment and Piping Insulation.r1				
166	36" (900) 50mm thk	mtrs	378	Layer 1: 25mm AP Aerocell Plain Sheet Layer 2: 25mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	
167	18" (450) 40mm thk	mtrs	216	Layer 1: 16mm AP Aerocell Plain Sheet Layer 2: 25mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	
168	16" (400) 40mm thk	mtrs	424	Layer 1: 16mm AP Aerocell Plain Sheet Layer 2: 25mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	
169	14" (350) 40mm thk	mtrs	60	Layer 1: 16mm AP Aerocell Plain Sheet Layer 2: 25mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	
170	10" (250) 40mm thk	mtrs	90	Layer 1: 16mm AP Aerocell Plain Sheet Layer 2: 25mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	
171	8" (200) 40mm thk	mtrs	60	Layer 1: 16mm AP Aerocell Plain Sheet Layer 2: 25mm AP Aerocell Plain Sheet Layer 3: Aluminium Cladding	

AP Aerocell Comply the give specification in boq



172	4" (100) 25mm thk	mtrs	180	Layer 1: 25mm AP Aerocell Plain Sheet Layer 2: Aluminium Cladding
173	3" (80) 25mm thk	mtrs	60	Layer 1: 25x89 AP Aerocell Plain Tubing Layer 2: Aluminium Cladding