

Hydropalat® WE 3136

Product description	Hydropalat® WE 3136 is a difunctional block copolymer surfactant terminating in primary hydroxyl groups. It is nonionic and 100 % active.
Chemical nature	Blockcopolymer based on polyethylene glycol and polypropylene glycol

Properties

Physical form	Liquid
----------------------	--------

Technical data	
-----------------------	--

(not supply specification)	
----------------------------	--

Cloud point	(10 % solution)	22.0 – 26.0 °C
pH value	(2.5 % aqueous)	5.0 – 7.5
Color APHA		≤ 50.0
Average molar mass		~ 2,500 g/mol
Viscosity	25 °C	~ 450 mPa.s
HLB		1 - 7
Water content	BASF method	≤ 0.4 %
Pour point		~ - 4 °C
Surface tension	0.1% aqueous	~ 43 dynes/cm at 25 °C

Application

Hydropalat® WE 3136 is a difunctional block copolymer surfactant terminating in primary hydroxyl groups. A nonionic surfactants that is 100 % active and relatively non toxic.

Recommended concentrations

The typical dosage depends on the application. We recommend to determine the optimum dosage level of Hydropalat® WE 3136 by laboratory trials to achieve optimum performance.

Storage

Subject to appropriate storage under the usual storage and temperature conditions, our products are durable for at least 2 years.

Please refer to the Material Safety Data Sheet (MSDS) for this product for instructions on safe and proper handling and disposal.

Contacts worldwide

Asia
BASF East Asia Regional Headquarters Limited
36/F, Two Taikoo Place,
Taikoo Place,
979 King's Road,
Quarry Bay, Hong Kong
formulation-additives-asia@basf.com

North America
BASF Corporation
11501 Steele Creek Road
Charlotte, NC 28273
USA
formulation-additives-nafta@basf.com

Europe
BASF SE
Formulation Additives
67056 Ludwigshafen
Germany
formulation-additives-europe@basf.com

South America
BASF S.A
Rochaverá - Crystal Tower
Av. das Nações Unidas, 14.171
Morumbi - São Paulo-SP
Brazil
formulation-additives-south-america@basf.com

Validity

This Technical Data Sheet is valid for all versions of the Hydropalat® WE 3136.

Safety

When handling this product, please comply with the advice and information given in the safety data sheet and observe protective and workplace hygiene measures adequate for handling chemicals.

Note

The data contained in this publication are based on our current knowledge and experience. In view of the many factors that may affect processing and application of our product, these data do not relieve processors from carrying out their own investigations and tests; neither do these data imply any guarantee of certain properties, nor the suitability of the product for a specific purpose. Any descriptions, drawings, photographs, data, proportions, weights, etc. given herein may change without prior information and do not constitute the agreed contractual quality of the product. The agreed contractual quality of the product results exclusively from the statements made in the product specification. It is the responsibility of the recipient of our product to ensure that any proprietary rights and existing laws and legislation are observed.

® = Registered trademark

™ = Trademark of the BASF Group, unless otherwise noted

www.basf.com/formulation-additives