

# Sterocoll® FS na

Thickener for coating colors applied to paper and paperboard

## Chemical Nature

Aqueous, anionic dispersion of a carboxylic acid copolymer. Does not contain plasticizers or solvents.

## Properties

### Typical Properties

Solids content	%	ca. 40
pH		ca. 2.5
Apparent viscosity at 23 °C (Brookfield RVT, #1 at 100 rpm)	mPa s	ca. 70

### Other properties of the dispersion

Density	g/cm <sup>3</sup>	1.05
Appearance		milky white liquid
Freeze/thaw stability		no
Solubility		soluble in alkalis
Alkali required	%	ca. 15
(For a solution with pH 7.5)		
(Expressed as solid NaOH as a proportion of total solids)		

## Compatible with

Sterocoll FS na is compatible with the other substances conventionally used in coating colors, provided it is used properly. It may be advisable to perform tests in special cases.

## Applications

### Features

Sterocoll FS na is a synthetic thickener with excellent thickening efficiency and high water retention. It is added to coating colors to modify their viscosity, water retention and rheology. Its composition is such that it can be used for paper and paperboard for food packaging. Sterocoll FS na is mechanically and shear stable.

### Processing

Sterocoll FS na should be stirred into coating colors as the final step in the preparation process when the coating color is alkaline. Sterocoll FS na normally is added at concentrations of between 0.5 and 2.5% (expressed as a proportion of the total pigment).

## Safety

### General

The usual safety precautions when handling chemicals must be observed. These include the measures described in Federal, State and Local health and safety regulations, thorough ventilation of the workplace, good skin care and wearing of protective goggles.

### Safety Data Sheet

All safety information is provided in the Safety Data Sheet for Sterocoll FS na.

## Storage

Please refer to the "Handling and Storage of Polymer Dispersions" brochure.

---

### Important

WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, THEY ARE PROVIDED FOR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, BASF RECOMMENDS THAT THE READER MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR A PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESCRIPTIONS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF BASF'S TERMS AND CONDITIONS OF SALE. FURTHER, THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY BASF HEREUNDER ARE GIVEN GRATIS AND BASF ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTIONS, DESIGNS, DATA OR INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT THE READER'S RISK.

*Sterocoll is a registered trademark of BASF Group.*

© BASF Corporation, 2023



BASF Corporation is fully committed to the Responsible Care® initiative in the USA, Canada, and Mexico.

For more information on Responsible Care® go to:

U.S.: [www.basf.us/responsiblecare\\_usa](http://www.basf.us/responsiblecare_usa)

Canada: [www.basf.us/responsiblecare\\_canada](http://www.basf.us/responsiblecare_canada)

México: [www.basf.us/responsiblecare\\_mexico](http://www.basf.us/responsiblecare_mexico)

#### **BASF Corporation**

Dispersions and Resins

11501 Steele Creek Road

Charlotte, North Carolina 28273

Phone: (800) 251 – 0612

Email: [CustCare-Charlotte@basf.com](mailto:CustCare-Charlotte@basf.com)

[www.basf.us/dpsolutions](http://www.basf.us/dpsolutions)