

Joncryl® ECO 2189

Product Description

Joncryl ECO 2189 is a hard, non-film forming, glycol ether-free¹, Rheology Controlled (RC) acrylic emulsion for printing ink and overprint varnish applications.

Key Features & Benefits

- Ultra low VOC²
- HAP free
- Fast dry
- Low odor

Chemical Composition

RC acrylic emulsion

¹The glycol ether level in this product averages less than 0.002 weight percent.

²The Volatile Organic Compounds (VOC) for this product are below the gas chromatography detection of 0.005 weight percent.

Properties

Typical Properties

Appearance		opaque emulsion
Non-volatile	%	48.0
pH at 25°C		8.3
Viscosity at 25°C	cps	600
Molecular weight (Mw)		> 200,000
Acid number (NV)		50
Density at 25°C	g/cm ³	1.05
MFFT	°C	> 80
Tg	°C	98
Freeze-thaw stable		Yes
Total VOC	% wt	< 0.1

^{*} These typical values should not be interpreted as specifications.

Application

Joncryl ECO 2189 is a hard, non-film forming, RC acrylic emulsion that is glycol ether free and is ultra-low VOC. This emulsion provides gloss and holdout in flexo and gravure formulations for paper and paperboard inks and overprint varnish applications. As a modifier, it also contributes to improved dry speed.

Joncryl ECO 2189 is recommended for applications such as:

- · Printing inks for flexographic or gravure applications
- Overprint varnishes for packaging, commercial, or publication applications

Joncryl ECO polymers allow the formulator to develop ultra-low VOC, glycol ether-free products to meet industry standards. These polymers provide an 80% reduction in VOC compared to conventional water-based polymers. They are ideal for demanding packaging applications like the confectionary and food packaging markets that cannot tolerate solvent odor contamination. Additionally, the excellent compatibility and printability of Joncryl ECO polymers makes them an ideal system for next generation inks and overprint varnishes.

Safety

General

The usual safety precautions when handling chemicals must be observed. These include the measures described in Federal, State and Local health and safety regulations, thorough ventilation of the workplace, good skin care and wearing of protective goggles.

Safety Data Sheet

All safety information is provided in the Safety Data Sheet for Joncryl ECO 2189.

Storage

Please refer to the "Handling and Storage of Polymer Dispersions" brochure.

Important

WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE. THEY ARE PROVIDED FOR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, BASF RECOMMENDS THAT THE READER MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR A PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESCRIPTIONS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF BASF'S TERMS AND CONDITIONS OF SALE. FURTHER, THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY BASF HEREUNDER ARE GIVEN GRATIS AND BASF ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTIONS, DESIGNS, DATA OR INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT THE READER'S RISK.

Joncryl is a registered trademark of BASF Group.

© BASF Corporation, 2023



BASF Corporation is fully committed to the Responsible Care® initiative in the USA, Canada, and Mexico. For more information on Responsible Care® go to: U.S.: www.basf.us/responsiblecare_usa Canada: www.basf.us/responsiblecare_canada México: www.basf.us/responsiblecare mexico

BASF Corporation

Dispersions and Resins 11501 Steele Creek Road Charlotte, North Carolina 28273 Phone: (800) 251 – 0612

Email: CustCare-Charlotte@basf.com

www.basf.us/dpsolutions