METHOD AND COMPUTER PROGRAM FOR PERFORMING PROCESSING RELATED TO CLASS DISCRIMINANT MODEL INCLUDING GAP LAYER

Abstract

A method of the present disclosure includes (a) a step for inputting input data to a class discriminant model to obtain an operation result of the class discriminant model, (b) a step for extracting a plurality of feature vectors in a plurality of partial regions constituting an immediately preceding layer disposed immediately before a GAP layer, and a GAP layer vector being output of the GAP layer, and (c) a step for calculating a degree of contribution of each of the plurality of partial regions related to a direction of the GAP layer vector using the plurality of feature vectors and the GAP layer vector.

Inventors:	**KURASAWA; Hikaru (Matsumoto-shi, JP)**
Applicant:	**SEIKO EPSON CORPORATION** (TOKYO, JP)
Family ID:	**1000008460031**
Appl. No.:	**19/050535**
Filed:	**February 11, 2025**

Foreign Application Priority Data

JP	2024-019114	Feb. 13, 2024

Publication Classification

Int. Cl.:   **G06N3/0464** (20230101)

U.S. Cl.:

CPC   **G06N3/0464** (20230101);

Background/Summary

[0001] The present application is based on, and claims priority from JP Application Serial Number 2024-019114, filed Feb. 13, 2024, the disclosure of which is hereby incorporated by reference herein in its entirety.

BACKGROUND

1. Technical Field

[0002] The present disclosure relates to a method and a computer program for performing processing related to a class discriminant model including a GAP layer.

2. Related Art

[0003] W. Yang, et al., "Towards Rich Feature Discovery With Class Activation Maps Augmentation for Person Re-Identification", in 2019 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR) discloses a method for calculating a degree of contribution of a feature vector in a preceding layer of a global average pooling (GAP) layer of a deep learning model to the GAP layer. In this existing technique, a tensor extracted from the preceding layer of the GAP layer is divided into a plurality of feature vectors corresponding to a plurality of portions constituting the layer. Then, a product of a cosine similarity between each feature vector and the GAP layer vector and a norm of each feature vector is calculated as a degree of contribution of a corresponding portion. This makes it possible to quantify a degree of contribution of a feature vector of each portion of the preceding layer to magnitude of the GAP layer vector.

[0004] In the existing technique described above, the degree of contribution of the feature vector of each portion of the preceding layer to the magnitude of the GAP layer vector is obtained. However, in a class discriminant problem, since a direction of the GAP layer vector is reflected in a class discriminant result, it is desired to know not the degree of contribution to the magnitude of the GAP layer vector but a degree of contribution to the direction of the GAP layer vector.

SUMMARY

[0005] According to a first aspect of the present disclosure, there is provided a method for performing processing related to a class discriminant model including a GAP layer. This method includes (a) a step for inputting input data to the class discriminant model to obtain an operation result of the class discriminant model, (b) a step for extracting a plurality of feature vectors in a plurality of partial regions constituting an immediately preceding layer disposed immediately before the GAP layer, and a GAP layer vector being output of the GAP layer, and (c) a step for calculating a degree of contribution of each of the plurality of partial regions related to a direction of the GAP layer vector using the plurality of feature vectors and the GAP layer vector.

[0006] According to a second aspect of the present disclosure, there is provided a computer program causing a processor to perform processing related to a class discriminant model including a GAP layer. This computer program causes the processor to perform (a) processing for inputting input data to the class discriminant model to obtain an operation result of the class discriminant model, (b) processing for extracting a plurality of feature vectors in a plurality of partial regions constituting an immediately preceding layer disposed immediately before the GAP layer, and a GAP layer vector being output of the GAP layer, and (c) processing for calculating a degree of contribution of each of the plurality of partial regions related to a direction of the GAP layer vector using the plurality of feature vectors and the GAP layer vector.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

[0007] FIG. **1** is a block diagram of an information processing device in an embodiment.

[0008] FIG. **2** is an explanatory diagram illustrating a relationship between a class discriminant model and a contribution degree map creation unit.

[0009] FIG. **3** is an explanatory diagram illustrating a configuration of an immediately preceding layer and a GAP layer.

[0010] FIG. **4** is a flowchart illustrating a processing procedure of the embodiment.

[0011] FIG. **5** is a flowchart illustrating a detailed procedure of step S**40**.

[0012] FIG. **6** is an explanatory diagram illustrating a display example of a contribution degree map.

DESCRIPTION OF EMBODIMENTS

[0013] FIG. **1** is a block diagram illustrating functions of an information processing device **100** in an embodiment. The information processing device **100** includes a processor **110**, a memory **120**, an interface circuit **130**, and an input device **140** and a display device **150** coupled to the interface circuit **130**. The processor **110** not only has a function of performing processing described in detail below, but also has a function of displaying data obtained by the processing and data generated in a process of the processing on the display device **150**. The information processing device **100** can be achieved by a computer such as a personal computer.

[0014] The processor **110** achieves functions of a learning unit **310** that performs learning of a class discriminant model **200**, a class discriminant processing unit **320** that performs class discriminant processing of input data using the class discriminant model **200**, and a contribution degree map creation unit **330** that creates a contribution degree map to be described later. The functions of these units are achieved by the processor **110** executing a computer program stored in the memory **120**. However, the functions of these units may be achieved by a hardware circuit. The processor in this specification is a term including such a hardware circuit. In addition, one or more processors that perform various kinds of processing may be processors included in one or more remote computers connected via a network.

[0015] The memory **120** stores the class discriminant model **200** and learning data LD thereof. The class discriminant model **200** is used for operation by the class discriminant processing unit **320**. The learning data LD is labeled data used for learning of the class discriminant model **200**.

[0016] FIG. **2** is an explanatory diagram illustrating a relationship between the class discriminant model **200** and the contribution degree map creation unit **330**. The class discriminant model **200** includes an input layer **210** to which input data IM is input, a plurality of convolution layers **220**, a global average pooling (GAP) layer **230**, and a classification layer **240**. The input data IM is typically image data. As the class discriminant model **200**, for example, ResNet, WideResNet or the like can be used. However, data other than an image may be used as the input data IM. For example, an audio signal, one-dimensional data such as a spectroscopic spectrum, surface spectroscopic data, or the like may be used as the input data IM. The surface spectroscopic data is an image having more than three channels.

[0017] Among the plurality of convolution layers **220**, a layer disposed immediately before the GAP layer **230** is referred to as an "immediately preceding layer **220**p". When an output size of each layer is expressed as "width×height×channel depth", the immediately preceding layer **220**p has a size of n1×n2×m, and the GAP layer **230** has a size of 1×1×m. Here, one of n1 and n2 is an integer equal to or greater than 1, and another is an integer equal to or greater than 2, and m is an integer equal to or greater than 2. For example, when the input data IM is one-dimensional data, one of n1 and n2 may be equal to 1. Note that the immediately preceding layer **220**p need not be a convolution layer, and may be, for example, a residual layer.

[0018] FIG. **3** is an explanatory diagram illustrating a configuration of the immediately preceding layer **220**p and the GAP layer **230**. The immediately preceding layer **220**p includes n1×n2 partial regions Rj. Here, j is an ordinal number from 1 to n1×n2. The individual partial regions Rj each have a size of 1×1×m. In the example of FIG. **3**, since n1=n2=3, the immediately preceding layer **220**p includes nine partial regions R1 to R9. Output of each partial region Rj is referred to as a

"feature vector v.sub.j". The feature vector v.sub.j is an m-dimensional vector. In other words, a tensor of n1×n2×m, which is output of the immediately preceding layer **220**, includes n1×n2 feature vectors v.sub.j.

[0019] The GAP layer **230** performs global average pooling processing on the output of the immediately preceding layer **220**p to obtain a GAP layer vector v.sub.GAP which is output of the GAP layer **230**. The global average pooling processing is processing for obtaining an average of n1×n2 outputs for each of the m channels of the immediately preceding layer **220**. The GAP layer vector v.sub.GAP is an average vector of the n1×n2 feature vectors v.sub.j, and is an m-dimensional vector.

[0020] When the number of discriminable classes is M, the classification layer **240** outputs a class discriminant result CL indicating which of the M classes a class is. The number of classes M is equal to or greater than 2, and may be equal to or greater than 3. The classification layer **240** includes a fully coupled layer, and converts elements {v1, v2, . . . , vm} of the GAP layer vector v.sub.GAP into M values by linear conversion using weight of the fully coupled layer to generate the class discriminant result CL. Therefore, there is a tendency that a ratio of magnitude of each of the elements {v1, v2, . . . , vm} of the GAP layer vector v.sub.GAP has a larger influence on the class discriminant result CL than magnitude of a norm of the GAP layer vector v.sub.GAP. This tendency is the same when the class discriminant result CL is generated by applying a softmax function to a result of the linear conversion using the weight of the fully coupled layer. The ratio of the magnitude of each of the elements {v1, v2, . . . , vm} of the GAP layer vector v.sub.GAP corresponds to a direction of the GAP layer vector v.sub.GAP. In this way, the direction of the GAP layer vector v.sub.GAP has a larger influence on the class discriminant result CL than the magnitude of the norm of the GAP layer vector v.sub.GAP, thus in the embodiment, a degree of contribution of each partial region Rj of the immediately preceding layer **220**p to the direction of the GAP layer vector v.sub.GAP is obtained.

[0021] The contribution degree map creation unit **330** creates a contribution degree map CM representing a degree of contribution of each of the plurality of partial regions Rj with respect to the direction of the GAP layer vector v.sub.GAP by using a plurality of feature vectors v.sub.j which are output of the plurality of partial regions Rj and the GAP layer vector v.sub.GAP which is output of the GAP layer **230**. The contribution degree map CM has a size of n1×n2.

[0022] As described above, the output of the immediately preceding layer **220**p includes the n1×n2 feature vectors v.sub.j, and the GAP layer vector v.sub.GAP is an average vector of the n1×n2 feature vectors v.sub.j. Therefore, when the degree of contribution of the feature vector v.sub.j of the individual partial region Rj to the direction of the GAP layer vector v.sub.GAP is known, the degree of contribution can be read as a degree of contribution of a specific portion of the input data IM corresponding to the partial region Rj. The degree of contribution of each partial region Rj is calculated as follows.

[0023] The GAP layer vector v.sub.GAP is given by the following equation.

[00001][Math1][Math . 1] $v_{\text{GAP}} = \frac{1}{N} \cdot \underset{V}{\text{Math.}} \, v_j$ (q1)

[0024] Here, v.sub.j is the feature vector of the partial region Rj, V is a set of the feature vectors v.sub.j corresponding to all the partial regions Rj of the immediately preceding layer **220**p, N is the number of partial regions Rj, and N=n1×n2.

[0025] In the embodiment, in order to calculate an extent of contribution of the individual partial region Rj to the direction of the GAP layer vector v.sub.GAP, a partial region GAP vector v.sub.SR-i with respect to an i-th partial region Ri is calculated according to the following equation.

[00002][Math2][Math . 2] $v_{\text{SRi}} = \frac{1}{N} \cdot \underset{V \backslash v_i}{\text{Math.}} \, v_j$ (q2)

[0026] Here, a symbol "V\v.sub.i" attached to a summation symbol Σ means a set obtained by

excluding an i-th feature vector v_i from the set V of all the feature vectors of the immediately preceding layer **220**p.

[0027] In other words, the partial region GAP vector v_{SR-i} is calculated by performing the global average pooling processing on output of the immediately preceding layer **220**p in a state where the i-th feature vector v_i is replaced with a zero vector.

[0028] A degree of contribution C_i of the i-th partial region R_i to the direction of the GAP layer vector v_{GAP} can be calculated, for example, as follows.

[Math 3]

[00003][Math . 3] $c_i = 1 - D$ (q3) $D = \dfrac{v_{GAP} \cdot \text{Math.} \; v_{SRi}}{\text{.Math.} \; v_{GAP} \cdot \text{Math.} \; \text{.Math.} \; v_{SRi} \; \text{.Math.}}$ (q4)

[0029] Here, D is a cosine similarity between the GAP layer vector v_{GAP} and the partial region GAP vector v_{SR-i}. In other words, the degree of contribution C_i of the i-th partial region R_i can be calculated by subtracting the cosine similarity degree D between the GAP layer vector v_{GAP} and the partial region GAP vector v_{SR-i} from 1.

[0030] The cosine similarity D between the GAP layer vector v_{GAP} and the partial region GAP vector v_{SR-i} serves as an index indicating how much the partial region GAP vector v_{SR-i} obtained when the feature vector v_i of the i-th partial region R_i is replaced with the zero vector has changed from the GAP layer Vector v_{GAP}. When the i-th partial region R_i has no influence on the class discriminant result CL, the partial region GAP vector v_{SR-i} is equal to the GAP layer vector v_{GAP}, and the cosine similarity D is 1, so that the degree of contribution C_i is 0. On the other hand, when the information of the i-th partial region R_i is all of the GAP layer vector v_{GAP}, the partial region GAP vector v_{SR-i} becomes the zero vector and the cosine similarity D becomes 0, so that the degree of contribution C_i becomes 1. Therefore, the degree of contribution C_i serves as an index indicating an extent of contribution of the i-th partial region R_i to the direction of the GAP layer vector v_{GAP}.

[0031] Note that the degree of contribution C_i may be calculated by an equation other than the above equation (q3), and may be calculated by any one of the following equations, for example.

[Math 4]

[00004][Math . 4] $c_i = a(1 - D)$ (q5) $c_i = -aD$ (q6) $c_i = a(\frac{2}{1+D} - 1)$ (q7)

[0032] Here, a is a positive coefficient, and D is the cosine similarity between the GAP layer vector v_{GAP} and the partial region GAP vector v_{SR-i}. The above equation (q3) corresponds to an equation when a=1 in the above equation (q5).

[0033] Generally, the degree of contribution C_i may have a negative correlation with the cosine similarity D between the GAP layer vector v_{GAP} and the partial region GAP vector v_{SR-i}. Further, the degree of contribution C_i may be represented by a function uniquely determined according to the cosine similarity degree D. Any of the degrees of contribution C_i given by the above equations (q3) to (q7) has a negative correlation with the cosine similarity degree D and is represented by a function uniquely determined according to the cosine similarity degree D. However, it is sufficient that the degree of contribution C_i has a negative correlation with the cosine similarity degree D, and the degree of contribution C_i may be calculated using an equation other than the above equations (q3) to (q7). In this way, the degree of contribution C_i indicating the extent of contribution of the i-th partial region R_i to the direction of the GAP layer vector v_{GAP} can be obtained.

[0034] FIG. **4** is a flowchart illustrating a processing procedure of the embodiment. In step S**10**, the learning unit **310** performs machine learning of the class discriminant model **200** using the learning data LD. In step S**20**, the class discriminant processing unit **320** inputs the input data IM to the class discriminant model **200** to obtain an operation result of the class discriminant model **200**.

[0035] In step S**30**, the contribution degree map creation unit **330** extracts the feature vectors v_j of the plurality of partial regions R_j constituting the immediately preceding layer **220**p and the gap layer vector v_{GAP} which is the output of the gap layer **230** from the operation result of

the class discriminant model **200**. At this time, the correspondence relationship between the feature vector v.sub.j and the partial region Rj is also stored. In step S**40**, the contribution degree map creation unit **330** calculates a contribution degree map using the plurality of feature vectors v.sub.j and the GAP layer vector v.sub.GAP.

[0036] FIG. **5** is a flowchart illustrating a detailed procedure of step S**40**. In step S**41**, the contribution degree map creation unit **330** selects one partial region Ri as a target partial region. In step S**42**, the contribution degree map creation unit **330** generates the partial region GAP vector v.sub.SR-i by performing the global average pooling processing on output of the immediately preceding layer **220***p* in a state where the feature vector v.sub.i of the target partial region Ri is replaced with the zero vector. This processing is performed in accordance with the above equation (q2). In step S**43**, the contribution degree map creation unit **330** calculates the degree of contribution Ci of the target partial region Ri using the cosine similarity D between the partial region GAP vector v.sub.SR-i and the GAP layer vector v.sub.GAP. This processing is performed in accordance with, for example, the above equation (q3). In step S**44**, the contribution degree map creation unit **330** determines whether the processing in steps S**41** to S**43** is completed for all the partial regions Rj or not. When the processing is not completed for all the partial regions Rj, the processing returns to step S**41**, a new partial region Rj is selected as the target partial region Ri, and the processing in steps S**42** to S**43** is performed again. On the other hand, when the processing is completed for all the partial regions Rj, the processing proceeds to step S**45**, and the contribution degree map creation unit **330** creates the contribution degree map CM illustrated in FIG. **3**.

[0037] When the processing of step S**40** is completed in this way, the processing proceeds to step S**50** in FIG. **4**, and the contribution degree map creation unit **330** displays the contribution degree map CM on the display device **150**.

[0038] FIG. **6** is an explanatory diagram illustrating a display example of the contribution degree map CM. In this example, an image of the input data IM and the contribution degree map CM are displayed in a display window W1. The contribution degree map CM has a size of n1×n2, which is the same size as that of the immediately preceding layer **220***p*. Although the input data IM has a larger planar size than that of the immediately preceding layer **220***p*, size adjustment may be performed at the time of display such that visual sizes of both the input data IM and the immediately preceding layer **220***p* are equal to each other.

[0039] In the example of FIG. **6**, the contribution degree map CM is displayed as a heat map, and the image of the input data IM is displayed in a state of being superimposed on the contribution degree map CM. At this time, by setting a transmittance for the input data IM, it is possible to check a state in which the contribution degree map CM and the input data IM are superimposed on each other. A user can visually recognize which portion of the image of the input data IM has a large influence on the class discriminant result CL by observing such a contribution degree map CM.

[0040] As described above, in the embodiment, the degree of contribution Ci of each of the plurality of partial regions Rj with respect to the direction of the GAP layer vector v.sub.GAP is calculated using the plurality of feature vectors v.sub.j of the plurality of partial regions Rj constituting the immediately preceding layer **220***p* of the GAP layer **230** and the GAP layer vector v.sub.GAP which is the output of the GAP layer **230**. Therefore, the degree of contribution Ci that contributes to the direction of the GAP layer vector v.sub.GAP can be obtained for each of the plurality of partial regions Rj constituting the immediately preceding layer **220***p*.

OTHER EMBODIMENTS

[0041] The present disclosure is not limited to the embodiments described above, and may be achieved in various aspects without departing from the spirits of the disclosure. For example, the present disclosure can also be achieved by the following aspects. Appropriate replacements or combinations may be made to the technical features in the above-described embodiments which correspond to the technical features in the aspects described below to solve some or all of the

problems of the disclosure or to achieve some or all of the advantageous effects of the disclosure. Furthermore, when the technical characteristics are not described as being essential in the present specification, the technical characteristics can be deleted as appropriate.

[0042] (1) According to the first aspect of the present disclosure, there is provided a method for performing processing related to a class discriminant model including a GAP layer. This method includes (a) a step for inputting input data to the class discriminant model to obtain an operation result of the class discriminant model, (b) a step for extracting a plurality of feature vectors in a plurality of partial regions constituting an immediately preceding layer disposed immediately before the GAP layer, and a GAP layer vector being output of the GAP layer, and (c) a step for calculating a degree of contribution of each of the plurality of partial regions related to a direction of the GAP layer vector using the plurality of feature vectors and the GAP layer vector.

[0043] According to this method, the degree of contribution to the direction of the GAP layer vector can be obtained for each of the plurality of partial regions constituting the immediately preceding layer of the GAP layer.

[0044] (2) In the above method, when one of n1 and n2 is an integer equal to or greater than 1 and another is an integer equal to or greater than 2, m is an integer equal to or greater than 2, and a size of output of the immediately preceding layer is expressed by "width×height×channel depth", the immediately preceding layer may have a size of n1×n2×m, each of the plurality of partial regions may have a size of 1×1×m, and each of the plurality of feature vectors and the GAP layer vector may be an m-dimensional vector.

[0045] According to this method, the degree of contribution to the direction of the GAP layer vector can be obtained for each partial region having the size of 1×1×m.

[0046] (3) In the above method, step (c) may include (c1) a step for sequentially selecting one of the plurality of partial regions as a target partial region, (c2) a step for generating a partial region GAP vector by performing global average pooling processing on output of the immediately preceding layer in a state where the feature vector in the target partial region is replaced with a zero vector, and (c3) a step for calculating the degree of contribution of the target partial region using a cosine similarity between the partial region GAP vector and the GAP layer vector.

[0047] According to this method, the degree of contribution of each partial region can be calculated using the cosine similarity between the partial region GAP vector and the GAP layer vector.

[0048] (4) In the above method, the degree of contribution may have a negative correlation with the cosine similarity, and may be represented by a function that is uniquely determined in accordance with the cosine similarity.

[0049] According to this method, it is possible to obtain the degree of contribution that indicates an extent of contribution of the individual partial region to the direction of the GAP layer vector.

[0050] (5) In the above method, step (c3) may include a step for obtaining the degree of contribution by subtracting the cosine similarity from 1.

[0051] According to this method, the degree of contribution having a value in a range of 0 to 1 can be obtained.

[0052] (6) According to the second aspect of the present disclosure, there is provided a computer program causing a processor to perform processing related to a class discriminant model including a GAP layer. This computer program causes the processor to perform (a) processing for inputting input data to the class discriminant model to obtain an operation result of the class discriminant model, (b) processing for extracting a plurality of feature vectors in a plurality of partial regions constituting an immediately preceding layer disposed immediately before the GAP layer, and a GAP layer vector being output of the GAP layer, and (c) processing for calculating a degree of contribution of each of the plurality of partial regions related to a direction of the GAP layer vector using the plurality of feature vectors and the GAP layer vector.

[0053] The present disclosure may also be achieved by various aspects other than the above. For example, the present disclosure can be achieved by aspects such as a class classification device, a

computer program for achieving functions thereof, and a non-transitory storage medium storing the computer program.

Claims

1. A method for performing processing related to a class discriminant model including a GAP layer, comprising: (a) inputting input data to the class discriminant model to obtain an operation result of the class discriminant model; (b) extracting a plurality of feature vectors in a plurality of partial regions constituting an immediately preceding layer disposed immediately before the GAP layer, and a GAP layer vector being output of the GAP layer from the operation result; and (c) calculating a degree of contribution of each of the plurality of partial regions related to a direction of the GAP layer vector using the plurality of feature vectors and the GAP layer vector.

2. The method according to claim 1, wherein when one of $n1$ and $n2$ is an integer equal to or greater than 1 and another is an integer equal to or greater than 2, m is an integer equal to or greater than 2, and a size of output of the immediately preceding layer is expressed by "width×height×channel depth", the immediately preceding layer has a size of $n1 \times n2 \times m$, each of the plurality of partial regions has a size of $1 \times 1 \times m$, and each of the plurality of feature vectors and the GAP layer vector is an m-dimensional vector.

3. The method according to claim 2, wherein (c) includes (c1) sequentially selecting one of the plurality of partial regions as a target partial region, (c2) generating a partial region GAP vector by performing global average pooling processing on output of the immediately preceding layer in a state where the feature vector in the target partial region is replaced with a zero vector, and (c3) calculating the degree of contribution of the target partial region using a cosine similarity between the partial region GAP vector and the GAP layer vector.

4. The method according to claim 3 wherein the degree of contribution has a negative correlation with the cosine similarity, and is represented by a function that is uniquely determined in accordance with the cosine similarity.

5. The method according to claim 3, wherein (c3) includes obtaining the degree of contribution by subtracting the cosine similarity from 1.

6. A non-transitory computer-readable storage medium storing a computer program causing a processor to perform processing related to a class discriminant model including a GAP layer, the computer program being configured to cause the processor to perform: (a) processing for inputting input data to the class discriminant model to obtain an operation result of the class discriminant model; (b) processing for extracting a plurality of feature vectors in a plurality of partial regions constituting an immediately preceding layer disposed immediately before the GAP layer, and a GAP layer vector being output of the GAP layer; and (c) processing for calculating a degree of contribution of each of the plurality of partial regions related to a direction of the GAP layer vector using the plurality of feature vectors and the GAP layer vector.