


6D SUGRA Bases — Unimodular ($|\det| = 1$)

Total SUGRA bases: 29185 (from LST catalog, $T_{\text{LST}} \in [0, 192]$).

Filters: NHC, $c(k) \leq 8$, $H_n \geq 0$. Deduplicated by graph invariants.

Red = attached external curve. $[\# = n]$ = intersection number n . $\Delta = H_{\text{charged}} - V + 29T - 273 \leq 0$.



T Distribution

$T = 2$	8	$T = 33$	606	$T = 64$	127	$T = 95$	11
$T = 3$	10	$T = 34$	530	$T = 65$	89	$T = 96$	12
$T = 4$	24	$T = 35$	477	$T = 66$	71	$T = 97$	14
$T = 5$	59	$T = 36$	454	$T = 67$	71	$T = 98$	6
$T = 6$	113	$T = 37$	446	$T = 68$	61	$T = 99$	5
$T = 7$	167	$T = 38$	472	$T = 69$	72	$T = 100$	1
$T = 8$	280	$T = 39$	351	$T = 70$	65	$T = 101$	1
$T = 9$	414	$T = 40$	349	$T = 71$	69	$T = 103$	4
$T = 10$	523	$T = 41$	363	$T = 72$	52	$T = 104$	3
$T = 11$	593	$T = 42$	363	$T = 73$	57	$T = 105$	2
$T = 12$	684	$T = 43$	376	$T = 74$	67	$T = 106$	5
$T = 13$	764	$T = 44$	303	$T = 75$	50	$T = 107$	2
$T = 14$	845	$T = 45$	269	$T = 76$	31	$T = 108$	3
$T = 15$	804	$T = 46$	286	$T = 77$	21	$T = 109$	4
$T = 16$	871	$T = 47$	308	$T = 78$	20	$T = 110$	4
$T = 17$	935	$T = 48$	301	$T = 79$	26	$T = 111$	4
$T = 18$	903	$T = 49$	280	$T = 80$	26	$T = 112$	1
$T = 19$	900	$T = 50$	230	$T = 81$	25	$T = 113$	1
$T = 20$	864	$T = 51$	217	$T = 82$	20	$T = 115$	4
$T = 21$	916	$T = 52$	242	$T = 83$	23	$T = 116$	3
$T = 22$	928	$T = 53$	240	$T = 84$	22	$T = 117$	2
$T = 23$	879	$T = 54$	182	$T = 85$	24	$T = 118$	5
$T = 24$	816	$T = 55$	171	$T = 86$	25	$T = 119$	2
$T = 25$	773	$T = 56$	146	$T = 87$	9	$T = 120$	2
$T = 26$	807	$T = 57$	167	$T = 88$	4	$T = 121$	4
$T = 27$	746	$T = 58$	208	$T = 89$	5	$T = 122$	4
$T = 28$	716	$T = 59$	188	$T = 90$	8	$T = 123$	4
$T = 29$	645	$T = 60$	159	$T = 91$	12	$T = 127$	4
$T = 30$	569	$T = 61$	130	$T = 92$	9	$T = 128$	2
$T = 31$	636	$T = 62$	151	$T = 93$	7	$T = 129$	1
$T = 32$	602	$T = 63$	129	$T = 94$	7	$T = 130$	2

Minimal Surface	Count
$\mathbb{P}^2$	4237
$\mathbb{F}_0$	4146
$\mathbb{F}_1$	3637
$\mathbb{F}_2$	7198
$\mathbb{F}_3$	5098
$\mathbb{F}_4$	2881
$\mathbb{F}_5$	1023
$\mathbb{F}_6$	526
$\mathbb{F}_7$	41
$\mathbb{F}_8$	351
$\mathbb{F}_9$	44
$\mathbb{F}_{10}$	1
$\mathbb{F}_{11}$	1
$\mathbb{F}_{12}$	1

$T = 2$ (8 bases)

Base: 11

- 112 $\Delta = -215, n_+ = 1, n_- = 2, n_0 = 0 \rightarrow \mathbb{P}^2$
- 113 $\Delta = -223, n_+ = 1, n_- = 2, n_0 = 0 \rightarrow \mathbb{F}_2$
- 114 $\Delta = -243, n_+ = 1, n_- = 2, n_0 = 0 \rightarrow \mathbb{F}_3$
- 115 $\Delta = -267, n_+ = 1, n_- = 2, n_0 = 0 \rightarrow \mathbb{F}_4$
- 116 $\Delta = -293, n_+ = 1, n_- = 2, n_0 = 0 \rightarrow \mathbb{F}_5$
- 117 $\Delta = -320, n_+ = 1, n_- = 2, n_0 = 0 \rightarrow \mathbb{F}_6$
- 118 $\Delta = -348, n_+ = 1, n_- = 2, n_0 = 0 \rightarrow \mathbb{F}_7$
- 11(12) $\Delta = -463, n_+ = 1, n_- = 2, n_0 = 0 \rightarrow \mathbb{F}_{11}$

$T = 3$ (10 bases)

Base: 121

- 1212 $\Delta = -186, n_+ = 1, n_- = 3, n_0 = 0 \rightarrow \mathbb{F}_0$
- 1213 $\Delta = -194, n_+ = 1, n_- = 3, n_0 = 0 \rightarrow \mathbb{P}^2$
- ³121 $\Delta = -195, n_+ = 1, n_- = 3, n_0 = 0 \rightarrow \mathbb{F}_2$
- 1214 $\Delta = -214, n_+ = 1, n_- = 3, n_0 = 0 \rightarrow \mathbb{F}_2$
- 1215 $\Delta = -238, n_+ = 1, n_- = 3, n_0 = 0 \rightarrow \mathbb{F}_3$
- 1216 $\Delta = -264, n_+ = 1, n_- = 3, n_0 = 0 \rightarrow \mathbb{F}_4$
- 1217 $\Delta = -291, n_+ = 1, n_- = 3, n_0 = 0 \rightarrow \mathbb{F}_5$
- 1218 $\Delta = -319, n_+ = 1, n_- = 3, n_0 = 0 \rightarrow \mathbb{F}_6$
- 121(12) $\Delta = -434, n_+ = 1, n_- = 3, n_0 = 0 \rightarrow \mathbb{F}_{10}$

Base: 212

- 2123 $\Delta = -195, n_+ = 1, n_- = 3, n_0 = 0 \rightarrow \mathbb{F}_2$

$T = 4$ (24 bases)

Base: 1221

- 1221(12) $\Delta = -405, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{F}_9$
- 12213 $\Delta = -165, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{F}_0$
- 12212 $\Delta = -157, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{F}_1$
- ³1221 $\Delta = -166, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{P}^2$
- 12214 $\Delta = -185, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{P}^2$
- 12215 $\Delta = -209, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{F}_2$
- 12216 $\Delta = -235, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{F}_3$
- 12217 $\Delta = -262, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{F}_4$
- 12218 $\Delta = -290, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{F}_5$

Base: 2213

- 22132 $\Delta = -166, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{F}_2$
- 31223 $\Delta = -174, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: 1312

- 21312 $\Delta = -165, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{F}_0$
- ²1312 $\Delta = -166, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{P}^2$
- 21313 $\Delta = -173, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{P}^2$
- 13123 $\Delta = -174, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{F}_3$
- 21314 $\Delta = -193, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{F}_2$
- 21315 $\Delta = -217, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{F}_3$
- 21316 $\Delta = -243, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{F}_4$

Base: ¹131

$$\begin{aligned}
& \overset{2,1}{1\ 3\ 1} \quad \Delta = -166, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \overset{1}{131} \overset{1}{3} \quad \Delta = -173, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \overset{1}{131} \overset{1}{4} \quad \Delta = -193, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \overset{1}{131} \overset{1}{5} \quad \Delta = -217, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \overset{1}{131} \overset{1}{6} \quad \Delta = -243, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& \overset{1}{131} \overset{1}{2} \quad \Delta = -165, n_+ = 1, n_- = 4, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

$T = 5$ (59 bases)

Base: 12221

$$\begin{aligned}
& 12221 \overset{(12)}{\quad} \Delta = -376, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_8 \\
& 12221 \overset{4}{\quad} \Delta = -156, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 12221 \overset{8}{\quad} \Delta = -261, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& 12221 \overset{7}{\quad} \Delta = -233, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 12221 \overset{2}{\quad} \Delta = -128, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 12221 \overset{6}{\quad} \Delta = -206, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 12221 \overset{5}{\quad} \Delta = -180, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 12221 \overset{3}{\quad} \Delta = -136, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: 12312

$$\begin{aligned}
& 21321 \overset{2}{\quad} \Delta = -137, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 21321 \overset{8}{\quad} \Delta = -270, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_5 \\
& 21321 \overset{7}{\quad} \Delta = -242, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& 12312 \overset{2}{\quad} \Delta = -139, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 21321 \overset{3}{\quad} \Delta = -145, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 21321 \overset{6}{\quad} \Delta = -215, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 21321 \overset{5}{\quad} \Delta = -189, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 12312 \overset{3}{\quad} \Delta = -146, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 21321 \overset{4}{\quad} \Delta = -165, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{P}^2
\end{aligned}$$

Base: 13131

$$\begin{aligned}
& 13131 \overset{2}{\quad} \Delta = -144, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 13131 \overset{3}{\quad} \Delta = -152, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 13131 \overset{6}{\quad} \Delta = -222, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 13131 \overset{5}{\quad} \Delta = -196, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 13131 \overset{2}{\quad} \Delta = -145, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 13131 \overset{4}{\quad} \Delta = -172, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{P}^2
\end{aligned}$$

Base: 13213

$$\begin{aligned}
& 13213 \overset{2}{\quad} \Delta = -146, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 31231 \overset{3}{\quad} \Delta = -153, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 13213 \overset{2}{\quad} \Delta = -147, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 31231 \overset{5}{\quad} \Delta = -197, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 31231 \overset{4}{\quad} \Delta = -173, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: 31313

$$31313 \overset{2}{\quad} \Delta = -153, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 23123

$$23123 \overset{2}{\quad} \Delta = -148, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $\overset{2}{1321}$

$$\begin{aligned}
& \overset{2}{1231} \overset{3}{\quad} \Delta = -145, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \overset{2}{1231} \overset{2}{\quad} \Delta = -137, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

$$\overset{2}{1231}4 \quad \Delta = -165, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\overset{2}{1231}5 \quad \Delta = -189, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $\overset{1}{1321}$

$$\overset{1}{1321}4 \quad \Delta = -165, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\overset{2,1}{1\ 3\ 21} \quad \Delta = -139, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\overset{1}{1321}8 \quad \Delta = -270, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$\overset{1}{1231}2 \quad \Delta = -137, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\overset{1}{1321}2 \quad \Delta = -137, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\overset{1}{1321}7 \quad \Delta = -242, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\overset{1}{1321}5 \quad \Delta = -189, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\overset{1}{1231}5 \quad \Delta = -189, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\overset{1}{1231}4 \quad \Delta = -165, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\overset{1}{1231}3 \quad \Delta = -145, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\overset{1}{1321}3 \quad \Delta = -145, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\overset{1}{1321}6 \quad \Delta = -215, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $\overset{1}{2313}$

$$\overset{1}{2313}2 \quad \Delta = -146, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: 14122

$$221413 \quad \Delta = -164, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221414 \quad \Delta = -184, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$141223 \quad \Delta = -165, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221412 \quad \Delta = -156, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: 21412

$$214123 \quad \Delta = -165, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $\overset{21}{141}$

$$\overset{321}{1\ 4\ 1} \quad \Delta = -165, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\overset{21}{141}4 \quad \Delta = -184, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\overset{21}{141}3 \quad \Delta = -164, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\overset{21}{141}2 \quad \Delta = -156, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $\overset{1,1}{1\ 4\ 1}$

$$\overset{1,1}{1\ 4\ 1}2 \quad \Delta = -156, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\overset{1,1}{1\ 4\ 1}4 \quad \Delta = -184, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\overset{1,1}{1\ 4\ 1}3 \quad \Delta = -164, n_+ = 1, n_- = 5, n_0 = 0 \rightarrow \mathbb{P}^2$$

$T = 6$ (113 bases)

Base: 122221

$$1222214 \quad \Delta = -127, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1222213 \quad \Delta = -107, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1222218 \quad \Delta = -232, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1222217 \quad \Delta = -204, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1222216 \quad \Delta = -177, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$122221(12) \quad \Delta = -347, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_7$$

$$\begin{aligned} 122221^2 & \Delta = -99, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 122221^5 & \Delta = -151, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_0 \end{aligned}$$

Base: 122312

$$\begin{aligned} 213221^8 & \Delta = -241, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_4 \\ 213221^6 & \Delta = -186, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 213221^3 & \Delta = -116, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 213221^{(12)} & \Delta = -356, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_8 \\ 122312^3 & \Delta = -117, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 213221^2 & \Delta = -108, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 213221^5 & \Delta = -160, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 213221^4 & \Delta = -136, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 213221^7 & \Delta = -213, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_3 \end{aligned}$$

Base: 123131

$$\begin{aligned} 123131^4 & \Delta = -144, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_4 \\ 131321^7 & \Delta = -221, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 131321^3 & \Delta = -124, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 123131^3 & \Delta = -124, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 131321^6 & \Delta = -194, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 123131^6 & \Delta = -194, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_6 \\ 123131^2 & \Delta = -118, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 123131^5 & \Delta = -168, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_5 \\ 131321^5 & \Delta = -168, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 131321^8 & \Delta = -249, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_4 \\ 123131^2 & \Delta = -117, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 123131^2 & \Delta = -116, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 131321^2 & \Delta = -116, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 131321^4 & \Delta = -144, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_0 \end{aligned}$$

Base: 123213

$$\begin{aligned} 123213^2 & \Delta = -119, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 312321^3 & \Delta = -126, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 312321^6 & \Delta = -196, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 312321^7 & \Delta = -223, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_4 \\ 312321^5 & \Delta = -170, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 312321^2 & \Delta = -118, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 312321^8 & \Delta = -251, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_5 \\ 312321^4 & \Delta = -146, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2 \end{aligned}$$

Base: $1^1 3221$

$$\begin{aligned} 12231^1 & \Delta = -116, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 13221^{(12)} & \Delta = -356, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_8 \\ 13221^7 & \Delta = -213, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 13221^4 & \Delta = -136, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 12231^2 & \Delta = -108, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 13221^8 & \Delta = -241, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_4 \\ 13221^2 & \Delta = -108, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 13221^5 & \Delta = -160, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 13221^3 & \Delta = -116, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 12231^5 & \Delta = -160, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 13221^6 & \Delta = -186, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2 \end{aligned}$$

$$12231\overset{1}{4} \quad \Delta = -136, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $12321\overset{1}{}$

$$12\overset{21}{3}21 \quad \Delta = -110, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12\overset{31}{3}21 \quad \Delta = -118, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$12321\overset{1}{3} \quad \Delta = -118, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$12\overset{1}{3}21\overset{1}{2} \quad \Delta = -110, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$12321\overset{1}{5} \quad \Delta = -162, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12321\overset{1}{4} \quad \Delta = -138, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$12\overset{41}{3}21 \quad \Delta = -138, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$12\overset{1}{3}21\overset{1}{7} \quad \Delta = -215, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$12\overset{1}{3}21\overset{1}{8} \quad \Delta = -243, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$12321\overset{1}{6} \quad \Delta = -188, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $12\overset{31}{3}2$

$$12\overset{231}{3}2 \quad \Delta = -119, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: 412231

$$412231\overset{1}{4} \quad \Delta = -164, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$412231\overset{1}{3} \quad \Delta = -144, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$412231\overset{1}{5} \quad \Delta = -188, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_5$$

Base: 412313

$$412313\overset{1}{2} \quad \Delta = -145, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: 141231

$$141231\overset{1}{2} \quad \Delta = -136, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$132141\overset{1}{2} \quad \Delta = -136, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$141231\overset{1}{5} \quad \Delta = -188, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$132141\overset{1}{3} \quad \Delta = -144, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$141231\overset{1}{3} \quad \Delta = -144, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1412\overset{2}{3}1 \quad \Delta = -138, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$141231\overset{1}{4} \quad \Delta = -164, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$132141\overset{1}{4} \quad \Delta = -164, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: 141313

$$313141\overset{1}{3} \quad \Delta = -151, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$141313\overset{1}{2} \quad \Delta = -144, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$313141\overset{1}{2} \quad \Delta = -143, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$313141\overset{1}{4} \quad \Delta = -171, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: 321413

$$321413\overset{1}{2} \quad \Delta = -145, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$314123\overset{1}{2} \quad \Delta = -146, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 214131

$$214131\overset{1}{6} \quad \Delta = -213, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$214131\overset{1}{4} \quad \Delta = -163, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$214131\overset{1}{2} \quad \Delta = -135, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$214131\overset{1}{5} \quad \Delta = -187, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$131412\overset{1}{3} \quad \Delta = -144, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $141\overset{1}{3}2$

$$2\overset{4141}{3}1 \quad \Delta = -164, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2 \overset{2141}{3} 1 \quad \Delta = -136, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$2 \overset{3141}{3} 1 \quad \Delta = -144, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1 \overset{131}{4} 1$$

$$1 \overset{131}{4} 1 \quad \Delta = -136, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{4131}{4} 1 \quad \Delta = -163, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{131}{4} \overset{14}{1} \quad \Delta = -163, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{5131}{4} 1 \quad \Delta = -187, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \overset{3131}{4} 1 \quad \Delta = -143, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{2131}{4} 1 \quad \Delta = -135, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{131}{4} \overset{12}{1} \quad \Delta = -135, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{131}{4} \overset{13}{1} \quad \Delta = -143, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{6131}{4} 1 \quad \Delta = -213, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$\text{Base: } 1 \overset{31}{4} 13$$

$$1 \overset{31}{4} \overset{13}{2} \quad \Delta = -144, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 222151$$

$$222151 \overset{13}{2} \quad \Delta = -159, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$222151 \overset{12}{2} \quad \Delta = -151, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 215122$$

$$221512 \overset{13}{2} \quad \Delta = -160, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$215122 \overset{13}{2} \quad \Delta = -160, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1 \overset{221}{5} 1$$

$$1 \overset{3221}{5} 1 \quad \Delta = -160, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{221}{5} \overset{13}{1} \quad \Delta = -159, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{221}{5} \overset{12}{1} \quad \Delta = -151, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1 \overset{21}{5} 12$$

$$1 \overset{321}{5} 12 \quad \Delta = -160, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21 \overset{31}{5} 12 \quad \Delta = -159, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21 \overset{21}{5} 12 \quad \Delta = -151, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1 \overset{1,1}{5} 12$$

$$1 \overset{1,1}{5} \overset{12}{2} \quad \Delta = -160, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{1,31}{5} 12 \quad \Delta = -159, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{1,21}{5} 12 \quad \Delta = -151, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1 \overset{1,1,1}{5} 1$$

$$1 \overset{1,1,1}{5} \overset{13}{1} \quad \Delta = -159, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{1,1,1}{5} \overset{12}{1} \quad \Delta = -151, n_+ = 1, n_- = 6, n_0 = 0 \rightarrow \mathbb{F}_0$$

$T = 7$ (167 bases)

$$\text{Base: } 1222221$$

$$1222221 \overset{18}{2} \quad \Delta = -203, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1222221 \overset{12}{2} \quad \Delta = -70, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1222221 \overset{13}{2} \quad \Delta = -78, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\begin{aligned}
12222215 \quad \Delta &= -122, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1222221(12) \quad \Delta &= -318, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_6 \\
12222217 \quad \Delta &= -175, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2 \\
12222216 \quad \Delta &= -148, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_0 \\
12222214 \quad \Delta &= -98, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: 1223131

$$\begin{aligned}
12231316 \quad \Delta &= -165, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_6 \\
12231313 \quad \Delta &= -95, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_3 \\
13132213 \quad \Delta &= -95, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_2 \\
13132215 \quad \Delta &= -139, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_0 \\
13132217 \quad \Delta &= -192, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_2 \\
12231315 \quad \Delta &= -139, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_5 \\
1223131^2 \quad \Delta &= -88, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1313221(12) \quad \Delta &= -335, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_7 \\
13132212 \quad \Delta &= -87, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_3 \\
13132216 \quad \Delta &= -165, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2 \\
12231312 \quad \Delta &= -87, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_2 \\
12231314 \quad \Delta &= -115, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_4 \\
13132214 \quad \Delta &= -115, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_1 \\
13132218 \quad \Delta &= -220, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_3
\end{aligned}$$

Base: 1231321

$$\begin{aligned}
12313218 \quad \Delta &= -221, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_3 \\
12313216 \quad \Delta &= -166, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2 \\
12313212 \quad \Delta &= -88, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_3 \\
12313214 \quad \Delta &= -116, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1231321^2 \quad \Delta &= -90, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_0 \\
12313213 \quad \Delta &= -96, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_2 \\
12313215 \quad \Delta &= -140, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_0 \\
12313217 \quad \Delta &= -193, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: 1412321

$$\begin{aligned}
12321413 \quad \Delta &= -117, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2 \\
14123213 \quad \Delta &= -117, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2 \\
12321412 \quad \Delta &= -109, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_0 \\
14123212 \quad \Delta &= -109, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_0 \\
14123214 \quad \Delta &= -137, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_2 \\
14123218 \quad \Delta &= -242, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_6 \\
12321414 \quad \Delta &= -137, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_2 \\
14123216 \quad \Delta &= -187, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_4 \\
14123215 \quad \Delta &= -161, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_3 \\
14123217 \quad \Delta &= -214, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_5
\end{aligned}$$

Base: $4 \otimes^{2,3} 41$

$$\begin{aligned}
4 \otimes^{2,3} 413 \quad \Delta &= -143, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_3 \\
4 \otimes^{2,3} 414 \quad \Delta &= -163, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_4
\end{aligned}$$

Base: 2141321

$$\begin{aligned}
21413218 \quad \Delta &= -240, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_6 \\
21413212 \quad \Delta &= -107, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_0 \\
21413216 \quad \Delta &= -185, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_4 \\
21413215 \quad \Delta &= -159, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_3 \\
21413217 \quad \Delta &= -212, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_5 \\
21413213 \quad \Delta &= -115, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2 \\
21413214 \quad \Delta &= -135, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

$$1231412\mathbf{3} \quad \Delta = -116, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $141\overset{2}{3}21$

$$12\overset{2141}{3}2 \quad \Delta = -109, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$12\overset{4141}{3}2 \quad \Delta = -137, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$12\overset{3141}{3}2 \quad \Delta = -117, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: 1314131

$$1314131\overset{2}{4} \quad \Delta = -115, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1314131\mathbf{4} \quad \Delta = -142, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1314131\mathbf{6} \quad \Delta = -192, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1314131\mathbf{3} \quad \Delta = -122, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1314131\mathbf{5} \quad \Delta = -166, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1314131\mathbf{2} \quad \Delta = -114, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $4\overset{2,2}{\otimes}413$

$$4\overset{2,2}{\otimes}413\mathbf{2} \quad \Delta = -143, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $14\overset{2,2}{\otimes}41$

$$14\overset{2,2}{\otimes}41\mathbf{2} \quad \Delta = -134, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$14\overset{2,2}{\otimes}41\mathbf{4} \quad \Delta = -162, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$14\overset{2,2}{\otimes}41\mathbf{3} \quad \Delta = -142, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: 1414123

$$1414123\mathbf{2} \quad \Delta = -137, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$3214141\mathbf{3} \quad \Delta = -143, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$3214141\mathbf{2} \quad \Delta = -135, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$3214141\mathbf{4} \quad \Delta = -163, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\overset{1231}{4}1$

$$1\overset{51231}{4}1 \quad \Delta = -159, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\overset{41231}{4}1 \quad \Delta = -135, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{71231}{4}1 \quad \Delta = -212, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1\overset{21231}{4}1 \quad \Delta = -107, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{1231}{4}1\mathbf{2} \quad \Delta = -107, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{1231}{4}1 \quad \Delta = -109, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{1231}{4}1\mathbf{3} \quad \Delta = -115, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\overset{31231}{4}1 \quad \Delta = -115, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\overset{81231}{4}1 \quad \Delta = -240, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$1\overset{1231}{4}1\mathbf{4} \quad \Delta = -135, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{61231}{4}1 \quad \Delta = -185, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $141\overset{1}{4}12$

$$141412\overset{21}{4} \quad \Delta = -126, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$141412\overset{41}{4} \quad \Delta = -154, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$141412\overset{31}{4} \quad \Delta = -134, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$141412\mathbf{3} \quad \Delta = -135, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $14\overset{31}{1}41$

$$14\overset{31}{1}41\mathbf{3} \quad \Delta = -142, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$141414^{31} \Delta = -162, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$14141^{231} \Delta = -135, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: 14141^1

$$14141^{21} \Delta = -126, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$14141^{41} \Delta = -154, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$14141^{31} \Delta = -134, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: 3132215

$$5122313^2 \Delta = -140, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 1322151

$$1322151^2 \Delta = -131, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1322151^3 \Delta = -139, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1512231^3 \Delta = -139, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1512231^4 \Delta = -159, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1512231^5 \Delta = -183, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1512231^2 \Delta = -131, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: 1512313

$$3132151^3 \Delta = -147, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1512313^2 \Delta = -140, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: 151231^2

$$132151^2 \Delta = -141, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 2313151

$$2313151^3 \Delta = -147, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 15131^{22}

$$13151^{22} \Delta = -139, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$13151^{22} \Delta = -131, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: 1321512

$$2151231^5 \Delta = -183, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2151231^4 \Delta = -159, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2151231^3 \Delta = -139, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$2151231^2 \Delta = -131, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$132151^2 \Delta = -133, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$132151^3 \Delta = -140, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 3215123

$$3215123^2 \Delta = -142, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 3151223

$$3221513^2 \Delta = -140, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 2151313

$$3131512^3 \Delta = -147, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2151313^2 \Delta = -139, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: 1315122

$$2215131^5 \Delta = -182, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2215131^6 \Delta = -208, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$2215131^2 \Delta = -130, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1315122^3 \Delta = -139, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$2215131^3 \Delta = -138, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1315122^2 \Delta = -131, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$2215131\textcolor{red}{4} \quad \Delta = -158, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 2151\overset{2}{3}1$$

$$1\overset{2}{3}1512\textcolor{red}{3} \quad \Delta = -140, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1512\overset{1}{3}1$$

$$151231\textcolor{red}{5} \quad \Delta = -183, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$151231\textcolor{red}{2} \quad \Delta = -131, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1321\overset{1}{5}1\textcolor{red}{2} \quad \Delta = -131, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1512\overset{1}{3}1\textcolor{red}{2} \quad \Delta = -133, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1321\overset{1}{5}1\textcolor{red}{3} \quad \Delta = -139, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$151231\textcolor{red}{3} \quad \Delta = -139, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$151231\textcolor{red}{4} \quad \Delta = -159, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1\overset{3131}{5}1$$

$$1\overset{23131}{5}1 \quad \Delta = -139, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{3131}{5}1\textcolor{red}{3} \quad \Delta = -146, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1\overset{131}{5}1$$

$$1\overset{131}{5}1\textcolor{red}{3} \quad \Delta = -139, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 31\overset{321}{5}1$$

$$31\overset{2321}{5}1 \quad \Delta = -141, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{321}{5}13\textcolor{red}{2} \quad \Delta = -140, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1\overset{131}{5}12$$

$$1\overset{2131}{5}12 \quad \Delta = -130, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{6131}{5}12 \quad \Delta = -208, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\overset{131}{5}12 \quad \Delta = -131, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$131\overset{31}{5}12 \quad \Delta = -138, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\overset{3131}{5}12 \quad \Delta = -138, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{5131}{5}12 \quad \Delta = -182, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{131}{5}12\textcolor{red}{3} \quad \Delta = -139, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$131\overset{21}{5}12 \quad \Delta = -130, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{4131}{5}12 \quad \Delta = -158, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 31\overset{21}{5}13$$

$$21\overset{31}{5}13\textcolor{red}{2} \quad \Delta = -139, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1\overset{1,131}{5}1$$

$$1\overset{1,131}{5}1\textcolor{red}{2} \quad \Delta = -130, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{1,2131}{5}1 \quad \Delta = -130, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{1,131}{5}1 \quad \Delta = -131, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{1,5131}{5}1 \quad \Delta = -182, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{1,3131}{5}1 \quad \Delta = -138, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{1,131}{5}1\textcolor{red}{3} \quad \Delta = -138, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\overset{1,6131}{5}1 \quad \Delta = -208, n_+ = 1, n_- = 7, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{1,4131}{5} 1 \quad \Delta = -158, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 31 \overset{1,31}{5} 1$$

$$1 \overset{1,31}{5} 13\textcolor{red}{2} \quad \Delta = -139, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1\textcolor{red}{e}_6 12222$$

$$22221\textcolor{red}{e}_6 13 \quad \Delta = -156, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$22221\textcolor{red}{e}_6 1\textcolor{red}{2} \quad \Delta = -148, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 21\textcolor{red}{e}_6 1222$$

$$2221\textcolor{red}{e}_6 123 \quad \Delta = -157, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 221\textcolor{red}{e}_6 122$$

$$221\textcolor{red}{e}_6 1223 \quad \Delta = -157, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1 \overset{2221}{\textcolor{red}{e}_6} 1$$

$$1 \overset{2221}{\textcolor{red}{e}_6} 1\textcolor{red}{2} \quad \Delta = -148, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{2221}{\textcolor{red}{e}_6} 13 \quad \Delta = -156, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1 \overset{221}{\textcolor{red}{e}_6} 12$$

$$21 \overset{221}{\textcolor{red}{e}_6} 1\textcolor{red}{2} \quad \Delta = -148, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21 \overset{221}{\textcolor{red}{e}_6} 13 \quad \Delta = -156, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{3221}{\textcolor{red}{e}_6} 12 \quad \Delta = -157, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{221}{\textcolor{red}{e}_6} 123 \quad \Delta = -157, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 21\textcolor{red}{e}_6 12$$

$$21\textcolor{red}{e}_6 123 \quad \Delta = -157, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1 \overset{221,1}{\textcolor{red}{e}_6} 1$$

$$1 \overset{221,1}{\textcolor{red}{e}_6} 1\textcolor{red}{2} \quad \Delta = -148, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{221,1}{\textcolor{red}{e}_6} 13 \quad \Delta = -156, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{3221,1}{\textcolor{red}{e}_6} 1 \quad \Delta = -157, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1 \overset{21,21}{\textcolor{red}{e}_6} 1$$

$$1 \overset{21,21}{\textcolor{red}{e}_6} 13 \quad \Delta = -156, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{21,321}{\textcolor{red}{e}_6} 1 \quad \Delta = -157, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{21,21}{\textcolor{red}{e}_6} 1\textcolor{red}{2} \quad \Delta = -148, n_+ = 1, n_- = 7, n_0 = 0 \rightarrow \mathbb{F}_0$$

$T = 8$ (280 bases)

$$\text{Base: } 12222221$$

$$12222221\textcolor{red}{8} \quad \Delta = -174, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$12222221\textcolor{red}{3} \quad \Delta = -49, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$12222221\textcolor{red}{2} \quad \Delta = -41, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$12222221(12\textcolor{red}{}) \quad \Delta = -289, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$12222221\textcolor{red}{6} \quad \Delta = -119, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$12222221\textcolor{red}{5} \quad \Delta = -93, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12222221\textcolor{red}{7} \quad \Delta = -146, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$12222221\textcolor{red}{4} \quad \Delta = -69, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 12231321$$

$$12231321\textcolor{red}{5} \quad \Delta = -111, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$12313221\textcolor{red}{8} \quad \Delta = -192, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12231321\textcolor{red}{3} \quad \Delta = -67, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$12231321\textcolor{red}{8} \quad \Delta = -192, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$\begin{aligned}
122313214 & \Delta = -87, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_4 \\
123132214 & \Delta = -87, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2 \\
123132216 & \Delta = -137, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0 \\
122313216 & \Delta = -137, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_6 \\
123132213 & \Delta = -67, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3 \\
12231321^2 & \Delta = -61, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0 \\
122313217 & \Delta = -164, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_7 \\
123132212 & \Delta = -59, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_4 \\
12313221(12) & \Delta = -307, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_6 \\
122313212 & \Delta = -59, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2 \\
123132217 & \Delta = -164, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2 \\
123132215 & \Delta = -111, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: 21413221

$$\begin{aligned}
214132216 & \Delta = -156, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3 \\
214132212 & \Delta = -78, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_1 \\
214132217 & \Delta = -183, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_4 \\
214132213 & \Delta = -86, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0 \\
122314123 & \Delta = -87, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2 \\
214132218 & \Delta = -211, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_5 \\
21413221(12) & \Delta = -326, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_9 \\
214132214 & \Delta = -106, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2
\end{aligned}$$

Base: 13141321

$$\begin{aligned}
131413216 & \Delta = -164, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_4 \\
131413217 & \Delta = -191, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_5 \\
123141313 & \Delta = -94, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0 \\
131413214 & \Delta = -114, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2 \\
123141316 & \Delta = -164, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3 \\
123141314 & \Delta = -114, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2 \\
131413215 & \Delta = -138, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3 \\
123141315 & \Delta = -138, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

$$13141321^2 \Delta = -87, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\begin{aligned}
13141321^2 & \Delta = -88, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2 \\
131413218 & \Delta = -219, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_6 \\
131413212 & \Delta = -86, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0 \\
123141312 & \Delta = -86, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_1 \\
131413213 & \Delta = -94, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $4 \otimes^{2,2} 4141$

$$\begin{aligned}
4 \otimes^{2,2} 41414 & \Delta = -161, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_4 \\
4 \otimes^{2,2} 41413 & \Delta = -141, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3
\end{aligned}$$

Base: 21414131

$$\begin{aligned}
214141312 & \Delta = -105, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2 \\
214141314 & \Delta = -133, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3 \\
131414123 & \Delta = -114, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0 \\
21414131^2 & \Delta = -106, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2 \\
214141313 & \Delta = -113, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2 \\
214141316 & \Delta = -183, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_5 \\
214141315 & \Delta = -157, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $1 \otimes^{12231} 4 \otimes 1$

$$1 \otimes^{12231} 4 \otimes 12 \Delta = -78, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\begin{aligned}
& \overset{12231}{1} \overset{4}{4} \overset{14}{14} \quad \Delta = -106, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \overset{312231}{1} \overset{4}{4} \overset{1}{1} \quad \Delta = -86, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \overset{(12)12231}{1} \overset{4}{4} \overset{1}{1} \quad \Delta = -326, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_9 \\
& \overset{212231}{1} \overset{4}{4} \overset{1}{1} \quad \Delta = -78, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \overset{712231}{1} \overset{4}{4} \overset{1}{1} \quad \Delta = -183, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& \overset{12231}{1} \overset{4}{4} \overset{13}{13} \quad \Delta = -86, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \overset{412231}{1} \overset{4}{4} \overset{1}{1} \quad \Delta = -106, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \overset{512231}{1} \overset{4}{4} \overset{1}{1} \quad \Delta = -130, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \overset{812231}{1} \overset{4}{4} \overset{1}{1} \quad \Delta = -211, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_5 \\
& \overset{612231}{1} \overset{4}{4} \overset{1}{1} \quad \Delta = -156, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $\overset{1}{1414131}$

$$\begin{aligned}
& \overset{1}{1414131} \overset{2}{2} \quad \Delta = -106, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \overset{21}{1414131} \quad \Delta = -105, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \overset{41}{1414131} \quad \Delta = -133, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \overset{1}{14141314} \quad \Delta = -133, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \overset{1}{14141316} \quad \Delta = -183, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_5 \\
& \overset{1}{14141313} \quad \Delta = -113, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \overset{31}{1414131} \quad \Delta = -113, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \overset{1}{14141312} \quad \Delta = -105, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \overset{1}{14141315} \quad \Delta = -157, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $\overset{1}{4141413}$

$$\overset{1}{41414132} \quad \Delta = -134, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $\overset{1}{1414141}$

$$\begin{aligned}
& \overset{1}{14141414} \quad \Delta = -153, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \overset{1}{14141413} \quad \Delta = -133, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \overset{1}{14141412} \quad \Delta = -125, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: 14132215

$$\begin{aligned}
& 512231413 \quad \Delta = -138, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 512231412 \quad \Delta = -130, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 512231414 \quad \Delta = -158, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: 31413215

$$512314132 \quad \Delta = -139, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 14132151

$$\begin{aligned}
& 151231413 \quad \Delta = -138, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 141321512 \quad \Delta = -130, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 141321513 \quad \Delta = -138, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 151231414 \quad \Delta = -158, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 151231412 \quad \Delta = -130, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: 41232151

$$412321513 \quad \Delta = -140, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 31413151

$$151314132 \quad \Delta = -138, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$314131513 \quad \Delta = -145, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: 12321512

$$215123218 \quad \Delta = -237, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$215123215 \quad \Delta = -156, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$215123217 \quad \Delta = -209, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$215123216 \quad \Delta = -182, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$215123213 \quad \Delta = -112, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$123215123 \quad \Delta = -113, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$215123214 \quad \Delta = -132, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$215123212 \quad \Delta = -104, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: 41321513

$$413215132 \quad \Delta = -139, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: 14131512

$$215131414 \quad \Delta = -157, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$141315123 \quad \Delta = -138, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$215131412 \quad \Delta = -129, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$215131413 \quad \Delta = -137, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 41231512

$$412315123 \quad \Delta = -139, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 13151231

$$132151313 \quad \Delta = -118, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$131512315 \quad \Delta = -162, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$131512314 \quad \Delta = -138, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$132151312 \quad \Delta = -110, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$132151314 \quad \Delta = -138, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$13151231^2 \quad \Delta = -112, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$131512313 \quad \Delta = -118, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$131512312 \quad \Delta = -110, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$132151316 \quad \Delta = -188, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$13151231^2 \quad \Delta = -111, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$132151315 \quad \Delta = -162, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 12315122

$$221513215 \quad \Delta = -154, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221513218 \quad \Delta = -235, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$221513214 \quad \Delta = -130, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221513212 \quad \Delta = -102, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$123151223 \quad \Delta = -111, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221513216 \quad \Delta = -180, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221513217 \quad \Delta = -207, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221513213 \quad \Delta = -110, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: 41315123

$$413151232 \quad \Delta = -140, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: 13151313

$$313151316 \quad \Delta = -195, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$313151313 \quad \Delta = -125, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$313151315 \quad \Delta = -169, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131513132 \quad \Delta = -118, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$313151312 \quad \Delta = -117, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$313151314 \quad \Delta = -145, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$13151313^2 \quad \Delta = -118, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: 1315131^2

$$\begin{aligned} 1315131^2\mathbf{5} \quad \Delta &= -162, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 1315131^2\mathbf{2} \quad \Delta &= -111, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 1315131^2\mathbf{4} \quad \Delta &= -138, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 1315131^2\mathbf{2} \quad \Delta &= -110, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 1315131^2\mathbf{6} \quad \Delta &= -188, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3 \end{aligned}$$

Base: 1512321^1

$$\begin{aligned} 1512321^1\mathbf{4} \quad \Delta &= -132, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 1232151^1\mathbf{3} \quad \Delta &= -112, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 1512321^1\mathbf{3} \quad \Delta &= -112, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 1512321^1\mathbf{7} \quad \Delta &= -209, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 1512321^1\mathbf{2} \quad \Delta &= -104, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 1232151^1\mathbf{2} \quad \Delta &= -104, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 1512321^1\mathbf{6} \quad \Delta &= -182, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 1512321^1\mathbf{8} \quad \Delta &= -237, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_4 \\ 1512321^1\mathbf{5} \quad \Delta &= -156, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2 \end{aligned}$$

Base: 1413151^1

$$\begin{aligned} 1^{\mathbf{414131}}\mathbf{5}^1\mathbf{1} \quad \Delta &= -157, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 1^{\mathbf{314131}}\mathbf{5}^1\mathbf{1} \quad \Delta &= -137, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 1413151^1\mathbf{3} \quad \Delta &= -137, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 1413151^1\mathbf{2} \quad \Delta &= -129, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 1^{\mathbf{214131}}\mathbf{5}^1\mathbf{1} \quad \Delta &= -129, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0 \end{aligned}$$

Base: 4123151^1

$$4123151^1\mathbf{3} \quad \Delta = -138, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1^{\mathbf{1231}}\mathbf{5}^1\mathbf{12}$

$$\begin{aligned} 1^{\mathbf{41231}}\mathbf{5}^1\mathbf{12} \quad \Delta &= -130, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 1231^{\mathbf{31}}\mathbf{5}^1\mathbf{12} \quad \Delta &= -110, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 1^{\mathbf{51231}}\mathbf{5}^1\mathbf{12} \quad \Delta &= -154, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 1^{\mathbf{81231}}\mathbf{5}^1\mathbf{12} \quad \Delta &= -235, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_4 \\ 1^{\mathbf{61231}}\mathbf{5}^1\mathbf{12} \quad \Delta &= -180, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 1^{\mathbf{21231}}\mathbf{5}^1\mathbf{12} \quad \Delta &= -102, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 1^{\mathbf{1231}}\mathbf{5}^1\mathbf{12}\mathbf{3} \quad \Delta &= -111, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 1^{\mathbf{31231}}\mathbf{5}^1\mathbf{12} \quad \Delta &= -110, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 1^{\mathbf{71231}}\mathbf{5}^1\mathbf{12} \quad \Delta &= -207, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 1231^{\mathbf{21}}\mathbf{5}^1\mathbf{12} \quad \Delta &= -102, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0 \end{aligned}$$

Base: 4131513^1

$$4131513^1\mathbf{2} \quad \Delta = -138, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: 1315131^1

$$1315131^{\mathbf{2}^1} \quad \Delta = -110, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\begin{aligned}
1315131\overset{1}{6} \quad \Delta = -187, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1315131\overset{1}{4} \quad \Delta = -137, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
131\overset{21}{5}131 \quad \Delta = -109, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1315131\overset{1}{2} \quad \Delta = -109, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
131\overset{31}{5}131 \quad \Delta = -117, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1315131\overset{1}{3} \quad \Delta = -117, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1315131\overset{1}{5} \quad \Delta = -161, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $31\overset{131}{5}13$

$$131\overset{31}{5}13\overset{1}{2} \quad \Delta = -118, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1\overset{1,1231}{5}1$

$$\begin{aligned}
1\overset{1,81231}{5}1 \quad \Delta = -235, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1\overset{1,31231}{5}1 \quad \Delta = -110, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\overset{1,1231}{5}1\overset{1}{3} \quad \Delta = -110, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\overset{1,71231}{5}1 \quad \Delta = -207, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1\overset{1,51231}{5}1 \quad \Delta = -154, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\overset{1,61231}{5}1 \quad \Delta = -180, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\overset{1,21231}{5}1 \quad \Delta = -102, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\overset{1,1231}{5}1\overset{1}{2} \quad \Delta = -102, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\overset{1,41231}{5}1 \quad \Delta = -130, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1\mathfrak{e}_6122313$

$$\begin{aligned}
1\mathfrak{e}_6122313\overset{1}{2} \quad \Delta = -137, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
313221\mathfrak{e}_6\overset{1}{3} \quad \Delta = -144, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
313221\mathfrak{e}_6\overset{1}{2} \quad \Delta = -136, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1\mathfrak{e}_6123132$

$$\begin{aligned}
231321\mathfrak{e}_6\overset{1}{3} \quad \Delta = -145, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
231321\mathfrak{e}_6\overset{1}{2} \quad \Delta = -137, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1\mathfrak{e}_6131322$

$$\begin{aligned}
223131\mathfrak{e}_6\overset{1}{2} \quad \Delta = -136, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
223131\mathfrak{e}_6\overset{1}{3} \quad \Delta = -144, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $21\mathfrak{e}_612231$

$$\begin{aligned}
21\mathfrak{e}_612231\overset{1}{2} \quad \Delta = -128, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
13221\mathfrak{e}_6\overset{1}{3} \quad \Delta = -137, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21\mathfrak{e}_612231\overset{1}{4} \quad \Delta = -156, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21\mathfrak{e}_612231\overset{1}{5} \quad \Delta = -180, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $21\mathfrak{e}_612313$

$$31321\mathfrak{e}_6\overset{1}{3} \quad \Delta = -145, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21\mathfrak{e}_6123\overset{1}{2}$

$$2\overset{321612}{3}1 \quad \Delta = -139, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $3221\mathfrak{e}_6123$

$$3221\mathfrak{e}_6123\overset{1}{2} \quad \Delta = -139, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $221\mathfrak{e}_61231$

$$\begin{aligned}
221\mathfrak{e}_61231\overset{1}{3} \quad \Delta = -136, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1321\mathfrak{e}_6122\overset{1}{3} \quad \Delta = -137, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

$$\begin{aligned}
221\mathfrak{e}_6 1231\mathbf{5} \quad \Delta = -180, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
221\mathfrak{e}_6 1231\mathbf{4} \quad \Delta = -156, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
221\mathfrak{e}_6 1231\mathbf{2} \quad \Delta = -130, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
221\mathfrak{e}_6 1231\mathbf{2} \quad \Delta = -128, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 21\mathfrak{e}_6 13132 \\
23131\mathfrak{e}_6 12\mathbf{3} \quad \Delta = -145, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 2221\mathfrak{e}_6 131 \\
2221\mathfrak{e}_6 131\mathbf{2} \quad \Delta = -127, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
2221\mathfrak{e}_6 131\mathbf{6} \quad \Delta = -205, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
2221\mathfrak{e}_6 131\mathbf{4} \quad \Delta = -155, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
2221\mathfrak{e}_6 131\mathbf{5} \quad \Delta = -179, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
2221\mathfrak{e}_6 131\mathbf{3} \quad \Delta = -135, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\text{Base: } 221\mathfrak{e}_6 1313 \\
221\mathfrak{e}_6 1313\mathbf{2} \quad \Delta = -136, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
3131\mathfrak{e}_6 122\mathbf{3} \quad \Delta = -144, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 1\overset{13221}{\mathfrak{e}_6} 1 \\
1\overset{13221}{\mathfrak{e}_6} 1\mathbf{3} \quad \Delta = -136, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\overset{213221}{\mathfrak{e}_6} 1 \quad \Delta = -128, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\overset{313221}{\mathfrak{e}_6} 1 \quad \Delta = -136, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\overset{413221}{\mathfrak{e}_6} 1 \quad \Delta = -156, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1\overset{13221}{\mathfrak{e}_6} 1\mathbf{2} \quad \Delta = -128, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\overset{513221}{\mathfrak{e}_6} 1 \quad \Delta = -180, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
\text{Base: } 1\overset{31321}{\mathfrak{e}_6} 1 \\
1\overset{31321}{\mathfrak{e}_6} 1\mathbf{2} \quad \Delta = -136, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\overset{31321}{\mathfrak{e}_6} 1\mathbf{3} \quad \Delta = -144, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\overset{231321}{\mathfrak{e}_6} 1 \quad \Delta = -137, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\text{Base: } 1\overset{2321}{\mathfrak{e}_6} 1 \\
1\overset{2321}{\mathfrak{e}_6} 1\mathbf{2} \quad \Delta = -130, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\overset{2321}{\mathfrak{e}_6} 1\mathbf{3} \quad \Delta = -138, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 1\overset{23131}{\mathfrak{e}_6} 1 \\
1\overset{23131}{\mathfrak{e}_6} 1\mathbf{2} \quad \Delta = -136, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\overset{23131}{\mathfrak{e}_6} 1\mathbf{3} \quad \Delta = -144, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 1\overset{1321}{\mathfrak{e}_6} 12 \\
1\overset{41321}{\mathfrak{e}_6} 12 \quad \Delta = -156, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1\overset{51321}{\mathfrak{e}_6} 12 \quad \Delta = -180, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21\overset{1321}{\mathfrak{e}_6} 1\mathbf{3} \quad \Delta = -136, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\overset{1321}{\mathfrak{e}_6} 12\mathbf{3} \quad \Delta = -137, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\overset{21321}{\mathfrak{e}_6} 12 \quad \Delta = -128, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21\overset{1321}{\mathfrak{e}_6} 1\mathbf{2} \quad \Delta = -128, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1\overset{321}{\mathfrak{e}_6} 123 \\
1\overset{321}{\mathfrak{e}_6} 123\mathbf{2} \quad \Delta = -139, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 1\overset{3131}{\mathfrak{e}_6} 12 \\
21\overset{3131}{\mathfrak{e}_6} 1\mathbf{2} \quad \Delta = -135, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\overset{3131}{\mathfrak{e}_6} 12\mathbf{3} \quad \Delta = -144, n_+ = 1, n_- = 8, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

$$21 \overset{3131}{\mathfrak{e}_6} 1\mathbf{3} \quad \Delta = -143, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \overset{131}{\mathfrak{e}_6} 122$

$$1 \overset{6131}{\mathfrak{e}_6} 122 \quad \Delta = -205, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$221 \overset{131}{\mathfrak{e}_6} 1\mathbf{3} \quad \Delta = -135, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221 \overset{131}{\mathfrak{e}_6} 1\mathbf{2} \quad \Delta = -127, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{5131}{\mathfrak{e}_6} 122 \quad \Delta = -179, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \overset{2131}{\mathfrak{e}_6} 122 \quad \Delta = -127, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{131}{\mathfrak{e}_6} 122\mathbf{3} \quad \Delta = -136, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{3131}{\mathfrak{e}_6} 122 \quad \Delta = -135, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{4131}{\mathfrak{e}_6} 122 \quad \Delta = -155, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $21 \overset{31}{\mathfrak{e}_6} 123$

$$21 \overset{31}{\mathfrak{e}_6} 123\mathbf{2} \quad \Delta = -138, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21 \overset{131}{\mathfrak{e}_6} 12$

$$21 \overset{5131}{\mathfrak{e}_6} 12 \quad \Delta = -179, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21 \overset{2131}{\mathfrak{e}_6} 12 \quad \Delta = -127, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21 \overset{6131}{\mathfrak{e}_6} 12 \quad \Delta = -205, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$21 \overset{131}{\mathfrak{e}_6} 12\mathbf{3} \quad \Delta = -136, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21 \overset{4131}{\mathfrak{e}_6} 12 \quad \Delta = -155, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1 \overset{1,1321}{\mathfrak{e}_6} 1$

$$1 \overset{1,41321}{\mathfrak{e}_6} 1 \quad \Delta = -156, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{1,1321}{\mathfrak{e}_6} 1\mathbf{3} \quad \Delta = -136, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{1,31321}{\mathfrak{e}_6} 1 \quad \Delta = -136, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{1,1321}{\mathfrak{e}_6} 1 \quad \Delta = -130, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{1,51321}{\mathfrak{e}_6} 1 \quad \Delta = -180, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{1,21321}{\mathfrak{e}_6} 1 \quad \Delta = -128, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{1,1321}{\mathfrak{e}_6} 1\mathbf{2} \quad \Delta = -128, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1 \overset{1,3131}{\mathfrak{e}_6} 1$

$$1 \overset{1,3131}{\mathfrak{e}_6} 1\mathbf{2} \quad \Delta = -135, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{1,23131}{\mathfrak{e}_6} 1 \quad \Delta = -136, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{1,3131}{\mathfrak{e}_6} 1\mathbf{3} \quad \Delta = -143, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \overset{1,31}{\mathfrak{e}_6} 123$

$$1 \overset{1,31}{\mathfrak{e}_6} 123\mathbf{2} \quad \Delta = -138, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \overset{21,131}{\mathfrak{e}_6} 1$

$$1 \overset{21,131}{\mathfrak{e}_6} 1\mathbf{2} \quad \Delta = -127, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{21,6131}{\mathfrak{e}_6} 1 \quad \Delta = -205, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{21,2131}{\mathfrak{e}_6} 1 \quad \Delta = -127, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{321,131}{\mathfrak{e}_6} 1 \quad \Delta = -136, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{21,4131}{\mathfrak{e}_6} 1 \quad \Delta = -155, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{21,131}{\mathfrak{e}_6} 1\mathbf{3} \quad \Delta = -135, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{21,5131}{\mathfrak{e}_6} 1 \quad \Delta = -179, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\mathfrak{e}'_7 122222$

$$222221\mathfrak{e}'_7 1\mathbf{2} \quad \Delta = -146, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $21\epsilon'_7 12222$

$$22221\epsilon'_7 12\mathbf{3} \quad \Delta = -155, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $221\epsilon'_7 1222$

$$2221\epsilon'_7 122\mathbf{3} \quad \Delta = -155, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \overset{22221}{\epsilon'_7} 1$

$$1 \overset{22221}{\epsilon'_7} 1\mathbf{2} \quad \Delta = -146, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1 \overset{2221}{\epsilon'_7} 12$

$$21 \overset{2221}{\epsilon'_7} 1\mathbf{2} \quad \Delta = -146, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{2221}{\epsilon'_7} 12\mathbf{3} \quad \Delta = -155, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \overset{221}{\epsilon'_7} 122$

$$221 \overset{221}{\epsilon'_7} 1\mathbf{2} \quad \Delta = -146, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{221}{\epsilon'_7} 122\mathbf{3} \quad \Delta = -155, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21 \overset{221}{\epsilon'_7} 12$

$$21 \overset{221}{\epsilon'_7} 12\mathbf{3} \quad \Delta = -155, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21 \overset{3221}{\epsilon'_7} 12 \quad \Delta = -155, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1 \overset{1,2221}{\epsilon'_7} 1$

$$1 \overset{1,2221}{\epsilon'_7} 1\mathbf{2} \quad \Delta = -146, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1 \overset{221,21}{\epsilon'_7} 1$

$$1 \overset{221,21}{\epsilon'_7} 1\mathbf{2} \quad \Delta = -146, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{221,321}{\epsilon'_7} 1 \quad \Delta = -155, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{3221,21}{\epsilon'_7} 1 \quad \Delta = -155, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1 \overset{21,21}{\epsilon'_7} 12$

$$21 \overset{21,21}{\epsilon'_7} 1\mathbf{2} \quad \Delta = -146, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{21,21}{\epsilon'_7} 12\mathbf{3} \quad \Delta = -155, n_+ = 1, n_- = 8, n_0 = 0 \rightarrow \mathbb{P}^2$$

$T = 9$ (414 bases)

Base: 122222221

$$122222221(\mathbf{12}) \quad \Delta = -260, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$122222221\mathbf{3} \quad \Delta = -20, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$122222221\mathbf{4} \quad \Delta = -40, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$122222221\mathbf{2} \quad \Delta = -12, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$122222221\mathbf{8} \quad \Delta = -145, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$122222221\mathbf{5} \quad \Delta = -64, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$122222221\mathbf{6} \quad \Delta = -90, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$122222221\mathbf{7} \quad \Delta = -117, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: 122313221

$$122313221\mathbf{2} \quad \Delta = -30, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$122313221\mathbf{3} \quad \Delta = -38, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$122313221\mathbf{6} \quad \Delta = -108, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$122313221\mathbf{5} \quad \Delta = -82, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$122313221\mathbf{4} \quad \Delta = -58, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$$

122313221⁷ $\Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$
122313221⁸ $\Delta = -163, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$
122313221⁽¹²⁾ $\Delta = -278, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_5$

Base: 131413221

131413221⁵ $\Delta = -109, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$
131413221⁽¹²⁾ $\Delta = -305, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_9$
131413221³ $\Delta = -65, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$
122314131³ $\Delta = -65, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$
131413221⁷ $\Delta = -162, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_4$
122314131⁴ $\Delta = -85, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$
131413221⁴ $\Delta = -85, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$
131413221⁸ $\Delta = -190, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_5$
131413221⁶ $\Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$
122314131⁶ $\Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$
²131413221 $\Delta = -58, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$
122314131² $\Delta = -57, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_1$
131413221² $\Delta = -57, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_1$
122314131⁵ $\Delta = -109, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: 123141321

123141321³ $\Delta = -66, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_1$
123141321⁷ $\Delta = -163, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$
123141321⁴ $\Delta = -86, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$
²123141321 $\Delta = -60, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$
123141321² $\Delta = -58, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$
123141321⁸ $\Delta = -191, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_4$
123141321⁶ $\Delta = -136, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$
123141321⁵ $\Delta = -110, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$

Base: 214141321

214141321⁸ $\Delta = -210, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_6$
²214141321 $\Delta = -79, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$
214141321² $\Delta = -77, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$
214141321⁴ $\Delta = -105, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$
214141321⁷ $\Delta = -182, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_5$
123141412³ $\Delta = -86, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$
214141321³ $\Delta = -85, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$
214141321⁶ $\Delta = -155, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_4$

Base: 131414131

131414131³ $\Delta = -92, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_1$
²131414131 $\Delta = -85, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_1$
131414131² $\Delta = -84, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$
131414131⁵ $\Delta = -136, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$
131414131⁴ $\Delta = -112, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$
131414131⁶ $\Delta = -162, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: 214141412

214141412³ $\Delta = -105, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: ¹14141321

¹14141321³ $\Delta = -85, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$
³¹14141321 $\Delta = -85, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$
¹14141321⁷ $\Delta = -182, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_5$

$$\begin{aligned}
& \overset{1}{141413216} \quad \Delta = -155, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_4 \\
& \overset{41}{14141321} \quad \Delta = -105, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
& \overset{21}{14141321} \quad \Delta = -77, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
& \overset{1}{141413214} \quad \Delta = -105, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
& \overset{1}{141413212} \quad \Delta = -77, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& \overset{1}{141413218} \quad \Delta = -210, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_6 \\
& \overset{1}{141413215} \quad \Delta = -129, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
& \overset{1}{14141321} \overset{2}{\quad} \Delta = -79, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $\overset{1}{14141412}$

$$\begin{aligned}
& \overset{21}{14141412} \quad \Delta = -96, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
& \overset{41}{14141412} \quad \Delta = -124, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& \overset{31}{14141412} \quad \Delta = -104, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
& \overset{1}{141414123} \quad \Delta = -105, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $\overset{1}{41414141}$

$$\begin{aligned}
& \overset{1}{414141413} \quad \Delta = -132, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
& \overset{1}{414141414} \quad \Delta = -152, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $\overset{1}{1414141}$

$$\begin{aligned}
& \overset{21}{1414141} \overset{1}{\quad} \Delta = -96, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
& \overset{41}{1414141} \overset{1}{\quad} \Delta = -124, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& \overset{31}{1414141} \overset{1}{\quad} \Delta = -104, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: 141413215

$$\begin{aligned}
& 5123141412 \quad \Delta = -129, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& 5123141414 \quad \Delta = -157, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
& 5123141413 \quad \Delta = -137, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2
\end{aligned}$$

Base: 314141315

$$5131414132 \quad \Delta = -137, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: 151232151

$$\begin{aligned}
& 1512321512 \quad \Delta = -127, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
& 1512321513 \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: 141413151

$$\begin{aligned}
& 1513141412 \quad \Delta = -128, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& 1513141414 \quad \Delta = -156, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
& 1414131512 \quad \Delta = -128, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
& 1513141413 \quad \Delta = -136, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
& 1414131513 \quad \Delta = -136, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: 315123215

$$5123215132 \quad \Delta = -136, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: 215132215

$$5122315123 \quad \Delta = -134, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: 123215131

$$\begin{aligned}
& 1232151313 \quad \Delta = -91, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
& 123215131 \overset{2}{\quad} \Delta = -84, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
& 1232151312 \quad \Delta = -83, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_2
\end{aligned}$$

131512321² $\Delta = -83, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$
 131512321³ $\Delta = -91, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$
 123215131⁵ $\Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_5$
 131512321⁶ $\Delta = -161, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$
 123215131⁴ $\Delta = -111, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_4$
 131512321⁴ $\Delta = -111, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_1$
 123215131⁶ $\Delta = -161, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_6$
 131512321⁵ $\Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$
 131512321⁸ $\Delta = -216, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$
 131512321⁷ $\Delta = -188, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: 122315122

221513221⁵ $\Delta = -125, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$
 221513221⁶ $\Delta = -151, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$
 221513221(12) $\Delta = -321, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_7$
 122315122³ $\Delta = -82, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$
 221513221² $\Delta = -73, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$
 221513221⁸ $\Delta = -206, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$
 221513221³ $\Delta = -81, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$
 221513221⁷ $\Delta = -178, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$
 221513221⁴ $\Delta = -101, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: 123151231

132151321⁴ $\Delta = -110, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_1$
 123151231⁴ $\Delta = -110, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_4$
 123151231⁵ $\Delta = -134, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_5$
 132151321⁵ $\Delta = -134, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$
 132151321⁸ $\Delta = -215, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$
 123151231³ $\Delta = -90, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$
 132151321³ $\Delta = -90, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$
 132151321⁷ $\Delta = -187, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$
 132151321² $\Delta = -82, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$
 123151231² $\Delta = -82, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$
 123151231² $\Delta = -84, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$
 132151321⁶ $\Delta = -160, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$

Base: 321513215

512315123² $\Delta = -136, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$

Base: 215132151

215132151² $\Delta = -125, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$
 151231512³ $\Delta = -134, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$
 215132151³ $\Delta = -133, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$

Base: 315123151

151321513² $\Delta = -134, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$
 315123151³ $\Delta = -141, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$

Base: 414131513

414131513² $\Delta = -137, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: 141315131

141315131³ $\Delta = -116, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$
 141315131⁴ $\Delta = -136, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$
 141315131² $\Delta = -109, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$
 131513141³ $\Delta = -116, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$
 141315131⁵ $\Delta = -160, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$
 141315131² $\Delta = -108, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$

$$\begin{aligned}
141315131\textcolor{red}{6} \quad \Delta = -186, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
131513141\textcolor{red}{4} \quad \Delta = -136, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
131513141\textcolor{red}{2} \quad \Delta = -108, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: 412315131

$$\begin{aligned}
412315131\textcolor{red}{6} \quad \Delta = -187, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
412315131\textcolor{red}{4} \quad \Delta = -137, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
412315131\textcolor{red}{2} \quad \Delta = -109, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
412315131\textcolor{red}{5} \quad \Delta = -161, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_5
\end{aligned}$$

Base: 123151313

$$\begin{aligned}
313151321\textcolor{red}{2} \quad \Delta = -89, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
313151321\textcolor{red}{4} \quad \Delta = -117, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
313151321\textcolor{red}{3} \quad \Delta = -97, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
313151321\textcolor{red}{6} \quad \Delta = -167, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
313151321\textcolor{red}{5} \quad \Delta = -141, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
123151313\textcolor{red}{2} \quad \Delta = -90, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
313151321\textcolor{red}{7} \quad \Delta = -194, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
313151321\textcolor{red}{8} \quad \Delta = -222, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $\overset{2}{13151321}$

$$\begin{aligned}
\overset{2}{13151321}\textcolor{red}{2} \quad \Delta = -82, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\overset{2}{13151321}\textcolor{red}{8} \quad \Delta = -215, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
\overset{2}{13151321}\textcolor{red}{6} \quad \Delta = -160, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\overset{2}{13151321}\textcolor{red}{4} \quad \Delta = -110, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\overset{2}{13151321}\textcolor{red}{3} \quad \Delta = -90, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
\overset{2}{13151321}\textcolor{red}{7} \quad \Delta = -187, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
\overset{2}{13151321}\textcolor{red}{5} \quad \Delta = -134, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: 321513151

$$\begin{aligned}
321513151\textcolor{red}{3} \quad \Delta = -141, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
321513151\textcolor{red}{2} \quad \Delta = -133, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
151315123\textcolor{red}{2} \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $\overset{512231}{1 \ 5 \ 1}$

$$\overset{512231}{1 \ 5 \ 1}\textcolor{red}{3} \quad \Delta = -133, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $\overset{1}{15132151}$

$$\begin{aligned}
15123151\textcolor{red}{2} \quad \Delta = -125, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
15123151\textcolor{red}{3} \quad \Delta = -133, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
15132151\textcolor{red}{3} \quad \Delta = -133, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
15132151\textcolor{red}{2} \quad \Delta = -125, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $\overset{215131}{1 \ 5 \ 1}$

$$\begin{aligned}
\overset{3215131}{1 \ 5 \ 1} \quad \Delta = -133, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
\overset{215131}{1 \ 5 \ 1}\textcolor{red}{2} \quad \Delta = -124, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $\overset{12231}{1 \ 5 \ 12}$

$$\begin{aligned}
12231\overset{21}{5 \ 12} \quad \Delta = -73, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\overset{212231}{1 \ 5 \ 12} \quad \Delta = -73, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
\overset{(\textcolor{red}{12})12231}{1 \ 5 \ 12} \quad \Delta = -321, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_7 \\
\overset{12231}{1 \ 5 \ 12}\textcolor{red}{3} \quad \Delta = -82, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

$$\begin{aligned}
1 \overset{512231}{5} 12 \quad \Delta = -125, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{412231}{5} 12 \quad \Delta = -101, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{712231}{5} 12 \quad \Delta = -178, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{612231}{5} 12 \quad \Delta = -151, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{812231}{5} 12 \quad \Delta = -206, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
12231 \overset{31}{5} 12 \quad \Delta = -81, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{312231}{5} 12 \quad \Delta = -81, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $31 \overset{51231}{5} 1$

$$1 \overset{51231}{5} 132 \quad \Delta = -134, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \overset{15131}{5} 13$

$$\begin{aligned}
1 \overset{15131}{5} 132 \quad \Delta = -133, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{315131}{5} 13 \quad \Delta = -140, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{215131}{5} 13 \quad \Delta = -132, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1 \overset{15131}{5} 1$

$$\begin{aligned}
1 \overset{15131}{5} 12 \quad \Delta = -124, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{15131}{5} 13 \quad \Delta = -132, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: 13151321

$$\begin{aligned}
123151316 \quad \Delta = -159, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
123151313 \quad \Delta = -89, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
123151312 \quad \Delta = -81, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
131513216 \quad \Delta = -159, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
131513218 \quad \Delta = -214, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
13151321 \overset{2}{5} \quad \Delta = -82, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
131 \overset{31}{5} 1321 \quad \Delta = -89, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
131513217 \quad \Delta = -186, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
131513215 \quad \Delta = -133, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
123151315 \quad \Delta = -133, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
131513212 \quad \Delta = -81, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
131513214 \quad \Delta = -109, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
131 \overset{21}{5} 1321 \quad \Delta = -81, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
123151314 \quad \Delta = -109, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
131513213 \quad \Delta = -89, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $31 \overset{1231}{5} 13$

$$1231 \overset{31}{5} 132 \quad \Delta = -90, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \overset{1,12231}{5} 1$

$$\begin{aligned}
1 \overset{1,12231}{5} 13 \quad \Delta = -81, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{1,(12)12231}{5} 1 \quad \Delta = -321, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_7 \\
1 \overset{1,512231}{5} 1 \quad \Delta = -125, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{1,212231}{5} 1 \quad \Delta = -73, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

$$1 \overset{1,12231}{5} 12 \quad \Delta = -73, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{1,612231}{5} 1 \quad \Delta = -151, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{1,412231}{5} 1 \quad \Delta = -101, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{1,712231}{5} 1 \quad \Delta = -178, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{1,812231}{5} 1 \quad \Delta = -206, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{1,312231}{5} 1 \quad \Delta = -81, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } \mathfrak{e}_6 \overset{2,4}{\otimes} 413$$

$$\mathfrak{e}_6 \overset{2,4}{\otimes} 4132 \quad \Delta = -136, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 14 \overset{2,4}{\otimes} \mathfrak{e}_6 1$$

$$1 \mathfrak{e}_6 \overset{2,4}{\otimes} 414 \quad \Delta = -155, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$14 \overset{2,4}{\otimes} \mathfrak{e}_6 13 \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \mathfrak{e}_6 \overset{2,4}{\otimes} 413 \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$14 \overset{2,4}{\otimes} \mathfrak{e}_6 12 \quad \Delta = -127, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \mathfrak{e}_6 \overset{2,4}{\otimes} 412 \quad \Delta = -127, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 314 \overset{2,3}{\otimes} \mathfrak{e}_6 1$$

$$314 \overset{2,3}{\otimes} \mathfrak{e}_6 13 \quad \Delta = -143, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \mathfrak{e}_6 \overset{2,3}{\otimes} 4132 \quad \Delta = -136, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 2314 \overset{2,2}{\otimes} \mathfrak{e}_6 1$$

$$2314 \overset{2,2}{\otimes} \mathfrak{e}_6 12 \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2314 \overset{2,2}{\otimes} \mathfrak{e}_6 13 \quad \Delta = -143, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 14 \overset{2,3}{\otimes} \mathfrak{e}_6 12$$

$$14 \overset{2,3}{\otimes} \mathfrak{e}_6 123 \quad \Delta = -136, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21 \mathfrak{e}_6 \overset{2,3}{\otimes} 414 \quad \Delta = -155, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21 \mathfrak{e}_6 \overset{2,3}{\otimes} 412 \quad \Delta = -127, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21 \mathfrak{e}_6 \overset{2,3}{\otimes} 413 \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 4 \overset{3,3}{\otimes} \mathfrak{e}_6 12$$

$$4 \overset{3,3}{\otimes} \mathfrak{e}_6 123 \quad \Delta = -138, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 221 \mathfrak{e}_6 12321$$

$$221 \mathfrak{e}_6 123213 \quad \Delta = -109, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221 \mathfrak{e}_6 123216 \quad \Delta = -179, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$12321 \mathfrak{e}_6 1223 \quad \Delta = -110, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221 \mathfrak{e}_6 123214 \quad \Delta = -129, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221 \mathfrak{e}_6 123212 \quad \Delta = -101, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221 \mathfrak{e}_6 123217 \quad \Delta = -206, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$221 \mathfrak{e}_6 123215 \quad \Delta = -153, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221 \mathfrak{e}_6 123218 \quad \Delta = -234, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$\text{Base: } 4 \overset{3,2}{\otimes} \mathfrak{e}_6 123$$

$$4 \overset{3,2}{\otimes} \mathfrak{e}_6 1232 \quad \Delta = -138, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1321 \mathfrak{e}_6 1231$$

$$1321 \mathfrak{e}_6 12313 \quad \Delta = -116, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\overset{2}{1321} \mathfrak{e}_6 1231 \quad \Delta = -110, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\begin{aligned}
1321\mathfrak{e}_61231\mathbf{4} \quad \Delta = -136, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1321\mathfrak{e}_61231\mathbf{5} \quad \Delta = -160, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1321\mathfrak{e}_61231\mathbf{2} \quad \Delta = -108, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $314 \otimes^{2,2} \mathfrak{e}_612$

$$314 \otimes^{2,2} \mathfrak{e}_612\mathbf{3} \quad \Delta = -143, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $131\mathfrak{e}_612231$

$$\begin{aligned}
13221\mathfrak{e}_6131\mathbf{2} \quad \Delta = -107, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
13221\mathfrak{e}_6131\mathbf{5} \quad \Delta = -159, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
131\mathfrak{e}_612231\mathbf{2} \quad \Delta = -107, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
131\mathfrak{e}_612231\mathbf{4} \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
13221\mathfrak{e}_6131\mathbf{4} \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
131\mathfrak{e}_612231\mathbf{3} \quad \Delta = -115, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
13221\mathfrak{e}_6131\mathbf{6} \quad \Delta = -185, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
13221\mathfrak{e}_6131\mathbf{3} \quad \Delta = -115, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
131\mathfrak{e}_612231\mathbf{5} \quad \Delta = -159, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $14 \otimes^{2,2} \mathfrak{e}_6122$

$$\begin{aligned}
221\mathfrak{e}_6 \otimes^{2,2} 41\mathbf{2} \quad \Delta = -126, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
14 \otimes^{2,2} \mathfrak{e}_6122\mathbf{3} \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
221\mathfrak{e}_6 \otimes^{2,2} 41\mathbf{4} \quad \Delta = -154, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
221\mathfrak{e}_6 \otimes^{2,2} 41\mathbf{3} \quad \Delta = -134, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $131\mathfrak{e}_612313$

$$\begin{aligned}
31321\mathfrak{e}_6131\mathbf{3} \quad \Delta = -123, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
31321\mathfrak{e}_6131\mathbf{4} \quad \Delta = -143, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
31321\mathfrak{e}_6131\mathbf{5} \quad \Delta = -167, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
31321\mathfrak{e}_6131\mathbf{6} \quad \Delta = -193, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
31321\mathfrak{e}_6131\mathbf{2} \quad \Delta = -115, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
131\mathfrak{e}_612313\mathbf{2} \quad \Delta = -116, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1321\mathfrak{e}_61313$

$$\begin{aligned}
3131\mathfrak{e}_61231\mathbf{5} \quad \Delta = -167, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
3131\mathfrak{e}_61231\mathbf{4} \quad \Delta = -143, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
3131\mathfrak{e}_61231\mathbf{2} \quad \Delta = -115, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1321\mathfrak{e}_61313\mathbf{2} \quad \Delta = -116, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $131\mathfrak{e}_61232$

$$\begin{aligned}
\mathbf{6}131612 \quad 2 \begin{smallmatrix} 3 \\ 1 \end{smallmatrix} \quad \Delta = -187, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
\mathbf{2}131612 \quad 2 \begin{smallmatrix} 3 \\ 1 \end{smallmatrix} \quad \Delta = -109, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
\mathbf{3}131612 \quad 2 \begin{smallmatrix} 3 \\ 1 \end{smallmatrix} \quad \Delta = -117, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\mathbf{4}131612 \quad 2 \begin{smallmatrix} 3 \\ 1 \end{smallmatrix} \quad \Delta = -137, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\mathbf{5}131612 \quad 2 \begin{smallmatrix} 3 \\ 1 \end{smallmatrix} \quad \Delta = -161, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $131\mathfrak{e}_613132$

$$\begin{aligned}
23131\mathfrak{e}_6131\mathbf{2} \quad \Delta = -115, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
23131\mathfrak{e}_6131\mathbf{6} \quad \Delta = -193, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
23131\mathfrak{e}_6131\mathbf{4} \quad \Delta = -143, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
23131\mathfrak{e}_6131\mathbf{5} \quad \Delta = -167, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
23131\mathfrak{e}_6131\mathbf{3} \quad \Delta = -123, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1\mathfrak{e}_6 \otimes^{1,3,2} 41$

$$1\mathfrak{e}_6 \otimes^{1,3,2} 41\mathbf{4} \quad \Delta = -155, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\begin{aligned}
1\overset{3,2}{\mathfrak{e}_6} \otimes 41 \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\overset{1}{\mathfrak{e}_6} \otimes 41\overset{3,2}{3} \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1\overset{2,1}{\mathfrak{e}_6} \otimes 41 \quad \Delta = -127, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\overset{1}{\mathfrak{e}_6} \otimes 41\overset{3,2}{2} \quad \Delta = -127, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $4 \otimes \overset{3,3}{\mathfrak{e}_6} \overset{1}{1}$

$$4 \otimes \overset{3,3}{\mathfrak{e}_6} \overset{1}{1} 3 \quad \Delta = -137, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1\overset{1}{\mathfrak{e}_6} \otimes \overset{2,2}{413}$

$$\begin{aligned}
1\overset{1}{\mathfrak{e}_6} \otimes 41\overset{2,2}{3} \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\overset{3,1}{\mathfrak{e}_6} \otimes 41\overset{2,2}{3} \quad \Delta = -142, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $1 \overset{12321}{\mathfrak{e}_6} 12$

$$\begin{aligned}
1\overset{4}{\mathfrak{e}_6} \overset{12321}{12} \quad \Delta = -129, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\overset{3}{\mathfrak{e}_6} \overset{12321}{12} \quad \Delta = -109, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\overset{5}{\mathfrak{e}_6} \overset{12321}{12} \quad \Delta = -153, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21\overset{12321}{\mathfrak{e}_6} \overset{12}{12} \quad \Delta = -101, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\overset{2}{\mathfrak{e}_6} \overset{12321}{12} \quad \Delta = -101, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\overset{7}{\mathfrak{e}_6} \overset{12321}{12} \quad \Delta = -206, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
1\overset{6}{\mathfrak{e}_6} \overset{12321}{12} \quad \Delta = -179, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1\overset{12321}{\mathfrak{e}_6} \overset{12}{12} \quad \Delta = -110, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\overset{8}{\mathfrak{e}_6} \overset{12321}{12} \quad \Delta = -234, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
21\overset{12321}{\mathfrak{e}_6} \overset{13}{13} \quad \Delta = -109, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $1\overset{2,2}{\mathfrak{e}_6} \otimes 41$

$$\begin{aligned}
1\overset{3,2,1}{\mathfrak{e}_6} \otimes 41 \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\overset{2,1}{\mathfrak{e}_6} \otimes 41\overset{2,2}{4} \quad \Delta = -154, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1\overset{2,1}{\mathfrak{e}_6} \otimes 41\overset{2,2}{3} \quad \Delta = -134, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21\overset{3,1}{\mathfrak{e}_6} \otimes 41 \quad \Delta = -134, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21\overset{2,1}{\mathfrak{e}_6} \otimes 41 \quad \Delta = -126, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\overset{2,1}{\mathfrak{e}_6} \otimes 41\overset{2,2}{2} \quad \Delta = -126, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1 \overset{1321}{\mathfrak{e}_6} 131$

$$\begin{aligned}
1\overset{1321}{\mathfrak{e}_6} 131\overset{13}{5} \quad \Delta = -159, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
131\overset{1321}{\mathfrak{e}_6} \overset{12}{12} \quad \Delta = -107, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\overset{1321}{\mathfrak{e}_6} 131\overset{12}{2} \quad \Delta = -107, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\overset{2,1321}{\mathfrak{e}_6} 131 \quad \Delta = -107, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\overset{1321}{\mathfrak{e}_6} 131 \quad \Delta = -109, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\overset{4,1321}{\mathfrak{e}_6} 131 \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1\overset{1321}{\mathfrak{e}_6} 131\overset{14}{4} \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\overset{1321}{\mathfrak{e}_6} 131\overset{13}{3} \quad \Delta = -115, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\overset{3,1321}{\mathfrak{e}_6} 131 \quad \Delta = -115, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\overset{1321}{\mathfrak{e}_6} 131\overset{16}{6} \quad \Delta = -185, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1\overset{5,1321}{\mathfrak{e}_6} 131 \quad \Delta = -159, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
131\overset{1321}{\mathfrak{e}_6} \overset{13}{3} \quad \Delta = -115, n_+ = 1, n_- = 9, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $4 \otimes \overset{2,2}{\mathfrak{e}_6} \overset{321}{1}$

$$4 \otimes \overset{2,2}{\mathfrak{e}_6} \overset{2321}{1} \quad \Delta = -137, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \overset{3131}{\mathfrak{e}_6} 131$

$$1 \overset{3131}{\mathfrak{e}_6} 131\textcolor{red}{4} \quad \Delta = -142, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$131 \overset{3131}{\mathfrak{e}_6} 1\textcolor{red}{2} \quad \Delta = -114, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{3131}{\mathfrak{e}_6} 131\textcolor{red}{5} \quad \Delta = -166, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{3131}{\mathfrak{e}_6} 131\textcolor{red}{3} \quad \Delta = -122, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{3131}{\mathfrak{e}_6} 131\textcolor{red}{2} \quad \Delta = -114, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{23131}{\mathfrak{e}_6} 131 \quad \Delta = -115, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{3131}{\mathfrak{e}_6} 131\textcolor{red}{6} \quad \Delta = -192, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$131 \overset{3131}{\mathfrak{e}_6} 1\textcolor{red}{3} \quad \Delta = -122, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $131 \overset{31}{\mathfrak{e}_6} 123$

$$131 \overset{31}{\mathfrak{e}_6} 123\textcolor{red}{2} \quad \Delta = -117, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $21 \overset{131}{\mathfrak{e}_6} 131$

$$21 \overset{131}{\mathfrak{e}_6} 131\textcolor{red}{5} \quad \Delta = -158, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21 \overset{131}{\mathfrak{e}_6} 131\textcolor{red}{6} \quad \Delta = -184, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$131 \overset{131}{\mathfrak{e}_6} 12\textcolor{red}{3} \quad \Delta = -115, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21 \overset{131}{\mathfrak{e}_6} 131\textcolor{red}{4} \quad \Delta = -134, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21 \overset{131}{\mathfrak{e}_6} 131\textcolor{red}{2} \quad \Delta = -106, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1 \overset{1,12321}{\mathfrak{e}_6} 1$

$$1 \overset{1,212321}{\mathfrak{e}_6} 1 \quad \Delta = -101, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{1,712321}{\mathfrak{e}_6} 1 \quad \Delta = -206, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{1,612321}{\mathfrak{e}_6} 1 \quad \Delta = -179, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{1,512321}{\mathfrak{e}_6} 1 \quad \Delta = -153, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{1,812321}{\mathfrak{e}_6} 1 \quad \Delta = -234, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1 \overset{1,312321}{\mathfrak{e}_6} 1 \quad \Delta = -109, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{1,12321}{\mathfrak{e}_6} 1\textcolor{red}{2} \quad \Delta = -101, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{1,412321}{\mathfrak{e}_6} 1 \quad \Delta = -129, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{1,12321}{\mathfrak{e}_6} 1\textcolor{red}{3} \quad \Delta = -109, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1 \overset{1,131}{\mathfrak{e}_6} 131$

$$131 \overset{1,131}{\mathfrak{e}_6} 1\textcolor{red}{2} \quad \Delta = -106, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$131 \overset{1,131}{\mathfrak{e}_6} 1\textcolor{red}{3} \quad \Delta = -114, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{1,131}{\mathfrak{e}_6} 131\textcolor{red}{2} \quad \Delta = -106, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{1,131}{\mathfrak{e}_6} 131\textcolor{red}{4} \quad \Delta = -134, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{1,131}{\mathfrak{e}_6} 131\textcolor{red}{3} \quad \Delta = -114, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{1,131}{\mathfrak{e}_6} 131\textcolor{red}{6} \quad \Delta = -184, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{1,131}{\mathfrak{e}_6} 131\textcolor{red}{5} \quad \Delta = -158, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\mathfrak{e}'_7 1223132$

$$2313221\mathfrak{e}'_7 1\textcolor{red}{2} \quad \Delta = -135, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1\mathfrak{e}'_7 1231322$

$$2231321\mathfrak{e}'_7 1\textcolor{red}{2} \quad \Delta = -135, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $21\mathfrak{e}'_7 122313$

$$313221\mathfrak{e}'_7 1\textcolor{red}{2}\textcolor{red}{3} \quad \Delta = -143, \quad n_+ = 1, \quad n_- = 9, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $21\epsilon'_7 123132$

$$231321\epsilon'_7 12\textcolor{red}{3} \quad \Delta = -144, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $221\epsilon'_7 12231$

$$221\epsilon'_7 12231\textcolor{red}{4} \quad \Delta = -154, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221\epsilon'_7 12231\textcolor{red}{3} \quad \Delta = -134, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$13221\epsilon'_7 122\textcolor{red}{3} \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221\epsilon'_7 12231\textcolor{red}{2} \quad \Delta = -126, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221\epsilon'_7 12231\textcolor{red}{5} \quad \Delta = -178, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $221\epsilon'_7 12313$

$$221\epsilon'_7 12313\textcolor{red}{2} \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$31321\epsilon'_7 122\textcolor{red}{3} \quad \Delta = -143, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $2221\epsilon'_7 1231$

$$2221\epsilon'_7 1231\textcolor{red}{3} \quad \Delta = -134, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$2221\epsilon'_7 1231\textcolor{red}{4} \quad \Delta = -154, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$2221\epsilon'_7 1231\textcolor{red}{2} \quad \Delta = -126, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$2221\epsilon'_7 1231\textcolor{red}{2} \quad \Delta = -128, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$2221\epsilon'_7 1231\textcolor{red}{5} \quad \Delta = -178, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $221\epsilon'_7 1232\textcolor{red}{1}$

$$\textcolor{red}{3}221712 \quad 2 \quad 3 \quad 1 \quad \Delta = -137, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1 \quad \textcolor{red}{3}13221 \quad 1$

$$1 \quad \textcolor{red}{2}313221 \quad 1 \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \quad \textcolor{red}{3}13221 \quad 12 \quad \Delta = -134, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \quad \textcolor{red}{2}31321 \quad 1$

$$1 \quad \textcolor{red}{2}31321 \quad 12 \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \quad \textcolor{red}{1}3221 \quad 12$

$$1 \quad \textcolor{red}{5}13221 \quad 12 \quad \Delta = -178, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1 \quad \textcolor{red}{1}3221 \quad 12\textcolor{red}{3} \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \quad \textcolor{red}{4}13221 \quad 12 \quad \Delta = -154, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21 \quad \textcolor{red}{1}3221 \quad 12 \quad \Delta = -126, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \quad \textcolor{red}{2}13221 \quad 12 \quad \Delta = -126, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1 \quad \textcolor{red}{3}1321 \quad 12$

$$21 \quad \textcolor{red}{3}1321 \quad 12 \quad \Delta = -134, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \quad \textcolor{red}{3}1321 \quad 12\textcolor{red}{3} \quad \Delta = -143, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1 \quad \textcolor{red}{2}321 \quad 12$

$$21 \quad \textcolor{red}{2}321 \quad 12 \quad \Delta = -128, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \quad \textcolor{red}{2}321 \quad 12\textcolor{red}{3} \quad \Delta = -137, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1 \quad \textcolor{red}{3}21 \quad 1223$

$$1 \quad \textcolor{red}{2}321 \quad 1223 \quad \Delta = -137, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \quad \textcolor{red}{1}321 \quad 122$

$$1 \quad \textcolor{red}{3}1321 \quad 122 \quad \Delta = -134, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\begin{aligned}
& \overset{51321}{1} \text{ } \text{e}'_7 \text{ } 122 \quad \Delta = -178, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_4 \\
& \overset{1321}{1} \text{ } \text{e}'_7 \text{ } 122\textcolor{red}{3} \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
& \overset{1321}{1} \text{ } \text{e}'_7 \text{ } 122 \quad \Delta = -128, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
& \overset{1321}{221} \text{ } \text{e}'_7 \text{ } \textcolor{red}{12} \quad \Delta = -126, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& \overset{21321}{1} \text{ } \text{e}'_7 \text{ } 122 \quad \Delta = -126, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
& \overset{41321}{1} \text{ } \text{e}'_7 \text{ } 122 \quad \Delta = -154, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
& \text{Base: } \overset{1321}{21} \text{ } \text{e}'_7 \text{ } 12 \\
& \overset{51321}{21} \text{ } \text{e}'_7 \text{ } 12 \quad \Delta = -178, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_4 \\
& \overset{1321}{21} \text{ } \text{e}'_7 \text{ } 12\textcolor{red}{3} \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
& \overset{41321}{21} \text{ } \text{e}'_7 \text{ } 12 \quad \Delta = -154, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
& \overset{21321}{21} \text{ } \text{e}'_7 \text{ } 12 \quad \Delta = -126, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
& \text{Base: } \overset{321}{21} \text{ } \text{e}'_7 \text{ } 123 \\
& \overset{321}{21} \text{ } \text{e}'_7 \text{ } 123\textcolor{red}{2} \quad \Delta = -137, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
& \text{Base: } \overset{1,13221}{1} \text{ } \text{e}'_7 \text{ } 1 \\
& \overset{1,413221}{1} \text{ } \text{e}'_7 \text{ } 1 \quad \Delta = -154, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
& \overset{1,313221}{1} \text{ } \text{e}'_7 \text{ } 1 \quad \Delta = -134, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& \overset{1,513221}{1} \text{ } \text{e}'_7 \text{ } 1 \quad \Delta = -178, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
& \overset{1,13221}{1} \text{ } \text{e}'_7 \text{ } \textcolor{red}{12} \quad \Delta = -126, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& \overset{1,213221}{1} \text{ } \text{e}'_7 \text{ } 1 \quad \Delta = -126, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
& \text{Base: } \overset{1,31321}{1} \text{ } \text{e}'_7 \text{ } 1 \\
& \overset{1,31321}{1} \text{ } \text{e}'_7 \text{ } \textcolor{red}{12} \quad \Delta = -134, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& \overset{1,231321}{1} \text{ } \text{e}'_7 \text{ } 1 \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& \text{Base: } \overset{1,2321}{1} \text{ } \text{e}'_7 \text{ } 1 \\
& \overset{1,2321}{1} \text{ } \text{e}'_7 \text{ } \textcolor{red}{12} \quad \Delta = -128, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& \text{Base: } \overset{21,1321}{1} \text{ } \text{e}'_7 \text{ } 1 \\
& \overset{21,41321}{1} \text{ } \text{e}'_7 \text{ } 1 \quad \Delta = -154, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
& \overset{21,21321}{1} \text{ } \text{e}'_7 \text{ } 1 \quad \Delta = -126, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
& \overset{21,1321}{1} \text{ } \text{e}'_7 \text{ } \textcolor{red}{12} \quad \Delta = -126, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& \overset{321,1321}{1} \text{ } \text{e}'_7 \text{ } 1 \quad \Delta = -135, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
& \overset{21,51321}{1} \text{ } \text{e}'_7 \text{ } 1 \quad \Delta = -178, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
& \text{Base: } \overset{1,321}{1} \text{ } \text{e}'_7 \text{ } 123 \\
& \overset{1,321}{1} \text{ } \text{e}'_7 \text{ } 123\textcolor{red}{2} \quad \Delta = -137, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
& \text{Base: } 1\text{e}_7122222 \\
& 2222221\text{e}_7\textcolor{red}{12} \quad \Delta = -145, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& \text{Base: } 21\text{e}_7122222 \\
& 222221\text{e}_712\textcolor{red}{3} \quad \Delta = -154, n_+ = 1, n_- = 9, n_0 = 0 \quad \rightarrow \mathbb{P}^2
\end{aligned}$$

Base: 221 ϵ_7 12222

$$22221\epsilon_7 122\mathbf{3} \quad \Delta = -154, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 1 222221 ϵ_7 1

$$1^{222221}\epsilon_7 \mathbf{12} \quad \Delta = -145, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: 1 22221 ϵ_7 12

$$21^{22221}\epsilon_7 \mathbf{12} \quad \Delta = -145, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{22221}\epsilon_7 12\mathbf{3} \quad \Delta = -154, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 1 2221 ϵ_7 122

$$221^{2221}\epsilon_7 \mathbf{12} \quad \Delta = -145, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{2221}\epsilon_7 122\mathbf{3} \quad \Delta = -154, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 21 2221 ϵ_7 12

$$21^{2221}\epsilon_7 \mathbf{123} \quad \Delta = -154, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 21 221 ϵ_7 122

$$21^{221}\epsilon_7 122\mathbf{3} \quad \Delta = -154, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221^{221}\epsilon_7 \mathbf{123} \quad \Delta = -154, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 1 1,22221 ϵ_7 1

$$1^{1,22221}\epsilon_7 \mathbf{12} \quad \Delta = -145, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: 1 21,2221 ϵ_7 1

$$1^{21,2221}\epsilon_7 \mathbf{12} \quad \Delta = -145, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{321,2221}\epsilon_7 \mathbf{1} \quad \Delta = -154, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 1 221,221 ϵ_7 1

$$1^{221,221}\epsilon_7 \mathbf{12} \quad \Delta = -145, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{221,3221}\epsilon_7 \mathbf{1} \quad \Delta = -154, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 1 221,21 ϵ_7 12

$$21^{221,21}\epsilon_7 \mathbf{12} \quad \Delta = -145, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{3221,21}\epsilon_7 \mathbf{12} \quad \Delta = -154, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{221,21}\epsilon_7 \mathbf{123} \quad \Delta = -154, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 21 21,21 ϵ_7 12

$$21^{21,21}\epsilon_7 \mathbf{123} \quad \Delta = -154, n_+ = 1, n_- = 9, n_0 = 0 \rightarrow \mathbb{P}^2$$

$T = 10$ (523 bases)

Base: 1222222221

$$1222222221\mathbf{8} \quad \Delta = -116, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1222222221\mathbf{4} \quad \Delta = -11, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1222222221\mathbf{7} \quad \Delta = -88, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1222222221(\mathbf{12}) \quad \Delta = -231, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1222222221\mathbf{5} \quad \Delta = -35, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1222222221\mathbf{6} \quad \Delta = -61, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 1231413221

$$1231413221\mathbf{2} \quad \Delta = -29, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1223141321\mathbf{6} \quad \Delta = -107, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1223141321\mathbf{4} \quad \Delta = -57, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1231413221\mathbf{4} \quad \Delta = -57, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\begin{aligned}
1231413221^6 \quad \Delta &= -107, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1223141321^5 \quad \Delta &= -81, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1231413221^3 \quad \Delta &= -37, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1223141321^7 \quad \Delta &= -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1231413221^7 \quad \Delta &= -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4 \\
1223141321^3 \quad \Delta &= -37, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1231413221^2 \quad \Delta &= -31, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1231413221^5 \quad \Delta &= -81, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1231413221^8 \quad \Delta &= -162, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_5 \\
1231413221^{(12)} \quad \Delta &= -277, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_9 \\
1223141321^2 \quad \Delta &= -29, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1223141321^8 \quad \Delta &= -162, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4
\end{aligned}$$

Base: 2141413221

$$\begin{aligned}
2141413221^7 \quad \Delta &= -153, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4 \\
2141413221^{(12)} \quad \Delta &= -296, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_9 \\
2141413221^8 \quad \Delta &= -181, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_5 \\
2141413221^6 \quad \Delta &= -126, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3 \\
2141413221^3 \quad \Delta &= -56, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
2141413221^2 \quad \Delta &= -48, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1 \\
2141413221^5 \quad \Delta &= -100, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
2141413221^4 \quad \Delta &= -76, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1223141412^3 \quad \Delta &= -57, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: 1314141321

$$\begin{aligned}
1314141321^2 \quad \Delta &= -57, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1231414131^5 \quad \Delta &= -108, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1314141321^5 \quad \Delta &= -108, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1314141321^2 \quad \Delta &= -58, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1314141321^2 \quad \Delta &= -56, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1231414131^2 \quad \Delta &= -56, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1314141321^7 \quad \Delta &= -161, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_5 \\
1231414131^4 \quad \Delta &= -84, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1314141321^6 \quad \Delta &= -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4 \\
1231414131^6 \quad \Delta &= -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1314141321^4 \quad \Delta &= -84, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1314141321^8 \quad \Delta &= -189, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_6 \\
1231414131^3 \quad \Delta &= -64, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1314141321^3 \quad \Delta &= -64, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2
\end{aligned}$$

Base: 2141414131

$$\begin{aligned}
1314141412^3 \quad \Delta &= -84, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1 \\
2141414131^6 \quad \Delta &= -153, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_5 \\
2141414131^4 \quad \Delta &= -103, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3 \\
2141414131^3 \quad \Delta &= -83, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
2141414131^2 \quad \Delta &= -76, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
2141414131^2 \quad \Delta &= -75, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2
\end{aligned}$$

Base: ¹141413221

$$\begin{aligned}
1^{\text{21}} 41413221 \quad \Delta &= -48, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1^{\text{41}} 41413221 \quad \Delta &= -76, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1^1 41413221^4 \quad \Delta &= -76, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1^1 41413221^5 \quad \Delta &= -100, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

$$\begin{aligned}
1414132218 & \quad \Delta = -181, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_5 \\
141413221 & \quad \Delta = -56, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
141413221(12) & \quad \Delta = -296, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_9 \\
1414132213 & \quad \Delta = -56, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1414132216 & \quad \Delta = -126, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1414132217 & \quad \Delta = -153, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4 \\
1414132212 & \quad \Delta = -48, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: 141414131

$$\begin{aligned}
141414131 & \quad \Delta = -75, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
141414131 & \quad \Delta = -76, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1414141312 & \quad \Delta = -75, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1414141314 & \quad \Delta = -103, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3 \\
141414131 & \quad \Delta = -103, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1414141316 & \quad \Delta = -153, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_5 \\
1414141315 & \quad \Delta = -127, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4 \\
141414131 & \quad \Delta = -83, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1414141313 & \quad \Delta = -83, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: 1414141315

$$\begin{aligned}
51314141414 & \quad \Delta = -155, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
51314141413 & \quad \Delta = -135, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
51314141412 & \quad \Delta = -127, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: 1223151231

$$\begin{aligned}
12231512314 & \quad \Delta = -81, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4 \\
13215132218 & \quad \Delta = -186, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
13215132214 & \quad \Delta = -81, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
13215132213 & \quad \Delta = -61, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3 \\
13215132216 & \quad \Delta = -131, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
12231512315 & \quad \Delta = -105, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_5 \\
13215132215 & \quad \Delta = -105, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1223151231 & \quad \Delta = -55, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
12231512312 & \quad \Delta = -53, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
12231512313 & \quad \Delta = -61, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3 \\
13215132217 & \quad \Delta = -158, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1321513221(12) & \quad \Delta = -301, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_6 \\
13215132212 & \quad \Delta = -53, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4
\end{aligned}$$

Base: 1231512321

$$\begin{aligned}
12315123214 & \quad \Delta = -83, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4 \\
12315123213 & \quad \Delta = -63, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3 \\
12321513215 & \quad \Delta = -107, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1 \\
12315123215 & \quad \Delta = -107, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_5 \\
12315123217 & \quad \Delta = -160, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_7 \\
12315123216 & \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_6 \\
12315123218 & \quad \Delta = -188, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_8 \\
12321513217 & \quad \Delta = -160, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
12321513218 & \quad \Delta = -188, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
12321513214 & \quad \Delta = -83, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

$$\begin{aligned}
1232151321^6 \quad \Delta &= -133, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1231512321^2 \quad \Delta &= -55, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1232151321^2 \quad \Delta &= -55, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4 \\
1232151321^3 \quad \Delta &= -63, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3
\end{aligned}$$

Base: 1315132215

$$\begin{aligned}
5122315131^5 \quad \Delta &= -156, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
5122315131^6 \quad \Delta &= -182, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3 \\
5122315131^4 \quad \Delta &= -132, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
5122315131^2 \quad \Delta &= -104, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: 1223151313

$$\begin{aligned}
3131513221^5 \quad \Delta &= -112, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
3131513221^6 \quad \Delta &= -138, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
3131513221^4 \quad \Delta &= -88, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1 \\
3131513221^7 \quad \Delta &= -165, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
3131513221^3 \quad \Delta &= -68, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
3131513221^8 \quad \Delta &= -193, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3 \\
3131513221^2 \quad \Delta &= -60, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3 \\
3131513221^{(12)} \quad \Delta &= -308, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_7 \\
1223151313^2 \quad \Delta &= -61, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: 1413151321

$$\begin{aligned}
1413151321^5 \quad \Delta &= -132, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1413151321^3 \quad \Delta &= -88, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1413151321^8 \quad \Delta &= -213, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_5 \\
1413151321^2 \quad \Delta &= -80, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1231513141^2 \quad \Delta &= -80, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1413151321^7 \quad \Delta &= -185, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4 \\
1231513141^3 \quad \Delta &= -88, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1413151321^4 \quad \Delta &= -108, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1231513141^4 \quad \Delta &= -108, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1413151321^6 \quad \Delta &= -158, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3
\end{aligned}$$

Base: 4123151321

$$\begin{aligned}
4123151321^6 \quad \Delta &= -159, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_6 \\
4123151321^4 \quad \Delta &= -109, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4 \\
4123151321^5 \quad \Delta &= -133, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_5 \\
4123151321^2 \quad \Delta &= -81, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
4123151321^8 \quad \Delta &= -214, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_8 \\
4123151321^3 \quad \Delta &= -89, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3 \\
4123151321^7 \quad \Delta &= -186, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_7
\end{aligned}$$

Base: 1315132151

$$\begin{aligned}
1315132151^2 \quad \Delta &= -105, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1512315131^5 \quad \Delta &= -156, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1512315131^4 \quad \Delta &= -132, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1512315131^2 \quad \Delta &= -104, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1315132151^2 \quad \Delta &= -104, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1512315131^6 \quad \Delta &= -182, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1315132151^3 \quad \Delta &= -112, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1512315131^3 \quad \Delta &= -112, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: ²131513221

$$\begin{aligned}
131513221^2 \quad \Delta &= -158, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
131513221^4 \quad \Delta &= -81, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1 \\
131513221^2 \quad \Delta &= -53, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3
\end{aligned}$$

$$\overset{2}{131513221}(\textcolor{red}{12}) \quad \Delta = -301, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_7$$

$$\overset{2}{131513221}\textcolor{red}{3} \quad \Delta = -61, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\overset{2}{131513221}\textcolor{red}{5} \quad \Delta = -105, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\overset{2}{131513221}\textcolor{red}{6} \quad \Delta = -131, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\overset{2}{131513221}\textcolor{red}{8} \quad \Delta = -186, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 4131513151

$$4131513151\textcolor{red}{3} \quad \Delta = -139, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 1315131512

$$2151315131\textcolor{red}{6} \quad \Delta = -181, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2151315131\textcolor{red}{4} \quad \Delta = -131, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$2151315131\textcolor{red}{5} \quad \Delta = -155, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2151315131\textcolor{red}{2} \quad \Delta = -103, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\overset{2}{1315131512} \quad \Delta = -104, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1315131512\textcolor{red}{3} \quad \Delta = -112, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$2151315131\textcolor{red}{3} \quad \Delta = -111, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $\overset{1}{151315131}$

$$\overset{1}{151315131}\textcolor{red}{2} \quad \Delta = -103, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\overset{1}{151315131}\textcolor{red}{4} \quad \Delta = -131, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\overset{1}{151315131}\textcolor{red}{5} \quad \Delta = -155, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\overset{1}{151315131}\textcolor{red}{6} \quad \Delta = -181, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1315131\overset{1}{512} \quad \Delta = -103, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\overset{1}{151315131}\overset{2}{\textcolor{red}{3}} \quad \Delta = -104, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1315131\overset{1}{51}\textcolor{red}{3} \quad \Delta = -111, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\overset{1}{151315131}\textcolor{red}{3} \quad \Delta = -111, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $\overset{1}{131513221}$

$$131513221\textcolor{red}{5} \quad \Delta = -104, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$122315131\overset{1}{5} \quad \Delta = -104, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131513221(\textcolor{red}{12}) \quad \Delta = -300, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_7$$

$$131513221\textcolor{red}{3} \quad \Delta = -60, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131513221\textcolor{red}{6} \quad \Delta = -130, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$122315131\overset{1}{4} \quad \Delta = -80, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$122315131\textcolor{red}{6} \quad \Delta = -130, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$131513221\overset{1}{8} \quad \Delta = -185, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$131\overset{31}{5}13221 \quad \Delta = -60, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$131513221\overset{1}{7} \quad \Delta = -157, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$122315131\overset{1}{3} \quad \Delta = -60, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\overset{2}{131513221}\overset{1}{\textcolor{red}{3}} \quad \Delta = -53, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$122315131\overset{1}{2} \quad \Delta = -52, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$131\overset{21}{5}13221 \quad \Delta = -52, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131513221\overset{1}{2} \quad \Delta = -52, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$131513221\overset{1}{4} \quad \Delta = -80, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1231\overset{1}{5}1321$

$$1231\overset{1}{5}1321\mathbf{3} \quad \Delta = -61, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1231\overset{1}{5}1321\mathbf{4} \quad \Delta = -81, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1231\overset{21}{5}1321 \quad \Delta = -53, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1231\overset{1}{5}1321\mathbf{2} \quad \Delta = -53, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1231\overset{31}{5}1321 \quad \Delta = -61, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1231\overset{1}{5}1321\mathbf{5} \quad \Delta = -105, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1231\overset{1}{5}1321\mathbf{7} \quad \Delta = -158, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1231\overset{1}{5}1321\mathbf{6} \quad \Delta = -131, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1231\overset{1}{5}1321\mathbf{8} \quad \Delta = -186, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $31\overset{12231}{5}13$

$$12231\overset{31}{5}13\mathbf{2} \quad \Delta = -61, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $\mathfrak{c}_6\overset{2,4}{\otimes} 4141$

$$\mathfrak{c}_6\overset{2,4}{\otimes} 4141\mathbf{3} \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\mathfrak{c}_6\overset{2,4}{\otimes} 4141\mathbf{4} \quad \Delta = -154, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $\mathfrak{c}_6122315123$

$$\mathfrak{c}_6122315123\mathbf{2} \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $\mathfrak{c}_612231\overset{1}{5}13$

$$\mathfrak{c}_612231\overset{1}{5}13\mathbf{2} \quad \Delta = -131, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $\mathfrak{c}_6\overset{2,3}{\otimes} 41413$

$$\mathfrak{c}_6\overset{2,3}{\otimes} 41413\mathbf{2} \quad \Delta = -135, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\mathfrak{c}_612231512$

$$1\mathfrak{c}_612231512\mathbf{3} \quad \Delta = -131, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21513221\mathfrak{c}_61\mathbf{2} \quad \Delta = -122, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21513221\mathfrak{c}_61\mathbf{3} \quad \Delta = -130, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1\mathfrak{c}_612231\overset{1}{5}1$

$$1\overset{31612231}{5}1 \quad \Delta = -130, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathfrak{c}_612231\overset{1}{5}1\mathbf{3} \quad \Delta = -130, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\overset{21612231}{5}1 \quad \Delta = -122, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathfrak{c}_612231\overset{1}{5}1\mathbf{2} \quad \Delta = -122, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1414\overset{2,3}{\otimes} \mathfrak{c}_61$

$$1\mathfrak{c}_6\overset{2,3}{\otimes} 4141\mathbf{4} \quad \Delta = -154, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1414\overset{2,3}{\otimes} \mathfrak{c}_61\mathbf{3} \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathfrak{c}_6\overset{2,3}{\otimes} 4141\mathbf{2} \quad \Delta = -126, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1414\overset{2,3}{\otimes} \mathfrak{c}_61\mathbf{2} \quad \Delta = -126, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathfrak{c}_6\overset{2,3}{\otimes} 4141\mathbf{3} \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\mathfrak{c}_612315123$

$$32151321\mathfrak{c}_61\mathbf{2} \quad \Delta = -131, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathfrak{c}_612315123\mathbf{2} \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$32151321\mathfrak{c}_61\mathbf{3} \quad \Delta = -139, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1\mathfrak{c}_61231\overset{1}{5}13$

$$\begin{aligned}
& 31 \overset{2161231}{5} 1 \quad \Delta = -130, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\mathfrak{e}_6 1231513 \overset{1}{2} \quad \Delta = -131, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 31 \overset{3161231}{5} 1 \quad \Delta = -138, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 1\mathfrak{e}_6 12321513 \\
& 31512321\mathfrak{e}_6 1 \overset{1}{3} \quad \Delta = -140, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1\mathfrak{e}_6 12321513 \overset{1}{2} \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 31512321\mathfrak{e}_6 1 \overset{1}{2} \quad \Delta = -132, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 31414 \overset{2,2}{\otimes} \mathfrak{e}_6 1 \\
& 1\mathfrak{e}_6 \overset{2,2}{\otimes} 41413 \overset{1}{2} \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 31414 \overset{2,2}{\otimes} \mathfrak{e}_6 1 \overset{1}{3} \quad \Delta = -141, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \text{Base: } 1\mathfrak{e}_6 13151232 \\
& 23215131\mathfrak{e}_6 1 \overset{1}{2} \quad \Delta = -132, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 23215131\mathfrak{e}_6 1 \overset{1}{3} \quad \Delta = -140, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 1\mathfrak{e}_6 13151 \overset{1}{2} 32 \\
& 231 \overset{216131}{5} 1 \quad \Delta = -130, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 231 \overset{316131}{5} 1 \quad \Delta = -138, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 21\mathfrak{e}_6 123151 \overset{1}{2} \\
& 21\mathfrak{e}_6 123151 \overset{1}{2} \overset{1}{2} \quad \Delta = -122, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1 \overset{32161231}{5} 1 \quad \Delta = -131, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 21\mathfrak{e}_6 1232151 \\
& 21\mathfrak{e}_6 1232151 \overset{1}{2} \quad \Delta = -124, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1512321\mathfrak{e}_6 12 \overset{1}{3} \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 321\mathfrak{e}_6 123151 \\
& 321\mathfrak{e}_6 123151 \overset{1}{3} \quad \Delta = -139, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 321\mathfrak{e}_6 123151 \overset{1}{2} \quad \Delta = -131, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 151321\mathfrak{e}_6 123 \overset{1}{2} \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 321\mathfrak{e}_6 123215 \\
& 512321\mathfrak{e}_6 123 \overset{1}{2} \quad \Delta = -135, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 1321\mathfrak{e}_6 12321 \\
& 1321\mathfrak{e}_6 12321 \overset{1}{8} \quad \Delta = -214, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_6 \\
& 1321\mathfrak{e}_6 12321 \overset{1}{2} \quad \Delta = -81, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1321\mathfrak{e}_6 12321 \overset{1}{4} \quad \Delta = -109, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 12321\mathfrak{e}_6 1231 \overset{1}{4} \quad \Delta = -109, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 12321\mathfrak{e}_6 1231 \overset{1}{2} \quad \Delta = -81, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1321\mathfrak{e}_6 12321 \overset{2}{2} \quad \Delta = -83, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1321\mathfrak{e}_6 12321 \overset{1}{6} \quad \Delta = -159, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& 1321\mathfrak{e}_6 12321 \overset{1}{7} \quad \Delta = -186, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_5 \\
& 12321\mathfrak{e}_6 1231 \overset{1}{5} \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1321\mathfrak{e}_6 12321 \overset{1}{3} \quad \Delta = -89, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 12321\mathfrak{e}_6 1231 \overset{1}{3} \quad \Delta = -89, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1321\mathfrak{e}_6 12321 \overset{1}{5} \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \text{Base: } 31\mathfrak{e}_6 1223151 \\
& 31\mathfrak{e}_6 1223151 \overset{1}{3} \quad \Delta = -138, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1414 \overset{2,2}{\otimes} \mathfrak{e}_6 12 \\
& 21\mathfrak{e}_6 \overset{2,2}{\otimes} 4141 \overset{1}{2} \quad \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

$$\begin{aligned}
21\mathfrak{c}_6 \otimes^{2,2} 4141\mathbf{4} \quad \Delta = -153, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1414 \otimes^{2,2} \mathfrak{c}_6 12\mathbf{3} \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21\mathfrak{c}_6 \otimes^{2,2} 4141\mathbf{3} \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $21\mathfrak{c}_6 1315123$

$$3215131\mathfrak{c}_6 12\mathbf{3} \quad \Delta = -139, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21\mathfrak{c}_6 13151\overset{1}{3}$

$$31 \overset{3}{5} \overset{216131}{1} \quad \Delta = -138, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $221\mathfrak{c}_6 131512$

$$221\mathfrak{c}_6 131512\mathbf{3} \quad \Delta = -130, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $221\mathfrak{c}_6 1315\overset{1}{1}$

$$221\mathfrak{c}_6 1315\overset{1}{1}\mathbf{3} \quad \Delta = -129, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{32216131}{5} \overset{1}{1} \quad \Delta = -130, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\mathfrak{c}_6 1315\overset{1}{1}\mathbf{2} \quad \Delta = -121, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $3221\mathfrak{c}_6 13151$

$$3221\mathfrak{c}_6 1315\mathbf{1}\mathbf{3} \quad \Delta = -138, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$3221\mathfrak{c}_6 1315\mathbf{1}\mathbf{2} \quad \Delta = -130, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $14 \otimes^{2,3} \mathfrak{c}_6 131$

$$131\mathfrak{c}_6 \otimes^{2,3} 41\mathbf{4} \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$14 \otimes^{2,3} \mathfrak{c}_6 131\mathbf{4} \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$14 \otimes^{2,3} \mathfrak{c}_6 131\mathbf{3} \quad \Delta = -114, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \otimes^{2,3} \mathfrak{c}_6 131\mathbf{5} \quad \Delta = -158, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$131\mathfrak{c}_6 \otimes^{2,3} 41\mathbf{3} \quad \Delta = -114, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$14 \otimes^{2,3} \mathfrak{c}_6 131\mathbf{2} \quad \Delta = -106, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$131\mathfrak{c}_6 \otimes^{2,3} 41\mathbf{2} \quad \Delta = -106, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$14 \otimes^{2,3} \mathfrak{c}_6 131\mathbf{6} \quad \Delta = -184, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_5$$

Base: $4 \otimes^{3,3} \mathfrak{c}_6 131$

$$4 \otimes^{3,3} \mathfrak{c}_6 131\mathbf{4} \quad \Delta = -136, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$4 \otimes^{3,3} \mathfrak{c}_6 131\mathbf{2} \quad \Delta = -108, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$4 \otimes^{3,3} \mathfrak{c}_6 131\mathbf{5} \quad \Delta = -160, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$4 \otimes^{3,3} \mathfrak{c}_6 131\mathbf{6} \quad \Delta = -186, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_5$$

Base: $414 \otimes^{2,2} \mathfrak{c}_6 123$

$$414 \otimes^{2,2} \mathfrak{c}_6 12\mathbf{3}\mathbf{2} \quad \Delta = -136, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $12321\mathfrak{c}_6 1313$

$$12321\mathfrak{c}_6 131\mathbf{3}\mathbf{2} \quad \Delta = -89, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$3131\mathfrak{c}_6 12321\mathbf{4} \quad \Delta = -116, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$3131\mathfrak{c}_6 12321\mathbf{8} \quad \Delta = -221, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$3131\mathfrak{c}_6 12321\mathbf{6} \quad \Delta = -166, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$3131\mathfrak{c}_6 12321\mathbf{2} \quad \Delta = -88, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$3131\mathfrak{c}_6 12321\mathbf{5} \quad \Delta = -140, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$3131\mathfrak{c}_6 12321\mathbf{7} \quad \Delta = -193, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$3131\mathfrak{c}_6 12321\mathbf{3} \quad \Delta = -96, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $14 \otimes^{2,2} \mathfrak{c}_6 1231$

$$\begin{aligned}
14 \otimes \overset{2,2}{\mathfrak{c}_6} 1231 \textcolor{red}{5} \quad \Delta = -158, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
14 \otimes \overset{2,2}{\mathfrak{c}_6} 1231 \textcolor{red}{2} \quad \Delta = -106, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1321 \overset{2,2}{\mathfrak{c}_6} \otimes 41 \textcolor{red}{2} \quad \Delta = -106, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
14 \otimes \overset{2,2}{\mathfrak{c}_6} 1231 \textcolor{red}{2} \quad \Delta = -108, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
14 \otimes \overset{2,2}{\mathfrak{c}_6} 1231 \textcolor{red}{4} \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1321 \overset{2,2}{\mathfrak{c}_6} \otimes 41 \textcolor{red}{4} \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
14 \otimes \overset{2,2}{\mathfrak{c}_6} 1231 \textcolor{red}{3} \quad \Delta = -114, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1321 \overset{2,2}{\mathfrak{c}_6} \otimes 41 \textcolor{red}{3} \quad \Delta = -114, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $314 \otimes \overset{2,2}{\mathfrak{c}_6} 131$

$$\begin{aligned}
314 \otimes \overset{2,2}{\mathfrak{c}_6} 131 \textcolor{red}{2} \quad \Delta = -113, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
314 \otimes \overset{2,2}{\mathfrak{c}_6} 131 \textcolor{red}{6} \quad \Delta = -191, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
314 \otimes \overset{2,2}{\mathfrak{c}_6} 131 \textcolor{red}{5} \quad \Delta = -165, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
131 \overset{2,2}{\mathfrak{c}_6} \otimes 41 \textcolor{red}{3} \quad \Delta = -114, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
314 \otimes \overset{2,2}{\mathfrak{c}_6} 131 \textcolor{red}{4} \quad \Delta = -141, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $14 \otimes \overset{2,2}{\mathfrak{c}_6} 1313$

$$\begin{aligned}
3131 \overset{2,2}{\mathfrak{c}_6} \otimes 41 \textcolor{red}{2} \quad \Delta = -113, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
3131 \overset{2,2}{\mathfrak{c}_6} \otimes 41 \textcolor{red}{3} \quad \Delta = -121, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
14 \otimes \overset{2,2}{\mathfrak{c}_6} 1313 \textcolor{red}{2} \quad \Delta = -114, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
3131 \overset{2,2}{\mathfrak{c}_6} \otimes 41 \textcolor{red}{4} \quad \Delta = -141, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $1 \overset{2151321}{\mathfrak{c}_6} 1$

$$\begin{aligned}
1 \overset{2151321}{\mathfrak{c}_6} 1 \textcolor{red}{2} \quad \Delta = -122, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{2151321}{\mathfrak{c}_6} 1 \textcolor{red}{3} \quad \Delta = -130, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{32151321}{\mathfrak{c}_6} 1 \quad \Delta = -131, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1 \overset{151321}{\mathfrak{c}_6} 1$

$$\begin{aligned}
1 \overset{151321}{\mathfrak{c}_6} 1 \textcolor{red}{3} \quad \Delta = -130, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{3151321}{\mathfrak{c}_6} 1 \quad \Delta = -130, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{151321}{\mathfrak{c}_6} 1 \textcolor{red}{2} \quad \Delta = -122, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{2151321}{\mathfrak{c}_6} 1 \quad \Delta = -122, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $1 \overset{1512321}{\mathfrak{c}_6} 1$

$$\begin{aligned}
1 \overset{1512321}{\mathfrak{c}_6} 1 \textcolor{red}{3} \quad \Delta = -132, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{1512321}{\mathfrak{c}_6} 1 \textcolor{red}{2} \quad \Delta = -124, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{21512321}{\mathfrak{c}_6} 1 \quad \Delta = -124, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{31512321}{\mathfrak{c}_6} 1 \quad \Delta = -132, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1 \overset{1}{\mathfrak{c}_6} \overset{2,2}{\otimes} 4141$

$$\begin{aligned}
1 \overset{1}{\mathfrak{c}_6} \overset{2,2}{\otimes} 4141 \textcolor{red}{2} \quad \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{21}{\mathfrak{c}_6} \overset{2,2}{\otimes} 4141 \quad \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{1}{\mathfrak{c}_6} \overset{2,2}{\otimes} 4141 \textcolor{red}{4} \quad \Delta = -153, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1 \overset{31}{\mathfrak{c}_6} \overset{2,2}{\otimes} 4141 \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{1}{\mathfrak{c}_6} \overset{2,2}{\otimes} 4141 \textcolor{red}{3} \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $1 \overset{3215131}{\mathfrak{c}_6} 1$

$$\begin{aligned}
1^{3215131} \mathfrak{e}_6 12 \quad \Delta = -130, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{23215131} \mathfrak{e}_6 1 \quad \Delta = -132, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{3215131} \mathfrak{e}_6 13 \quad \Delta = -138, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $1^{315131} \mathfrak{e}_6 1$

$$\begin{aligned}
1^{2315131} \mathfrak{e}_6 1 \quad \Delta = -130, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{315131} \mathfrak{e}_6 13 \quad \Delta = -137, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{315131} \mathfrak{e}_6 12 \quad \Delta = -129, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1^{151321} \mathfrak{e}_6 13$

$$1^{3151321} \mathfrak{e}_6 13 \quad \Delta = -138, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{215131} \mathfrak{e}_6 12$

$$\begin{aligned}
21^{215131} \mathfrak{e}_6 13 \quad \Delta = -129, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21^{215131} \mathfrak{e}_6 12 \quad \Delta = -121, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1^{15131} \mathfrak{e}_6 12$

$$\begin{aligned}
21^{15131} \mathfrak{e}_6 13 \quad \Delta = -129, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{15131} \mathfrak{e}_6 123 \quad \Delta = -130, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{215131} \mathfrak{e}_6 12 \quad \Delta = -121, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21^{15131} \mathfrak{e}_6 12 \quad \Delta = -121, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1^{12321} \mathfrak{e}_6 131$

$$\begin{aligned}
1^{12321} \mathfrak{e}_6 1313 \quad \Delta = -88, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{12321} \mathfrak{e}_6 1312 \quad \Delta = -80, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1^{12321} \mathfrak{e}_6 1316 \quad \Delta = -158, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
131^{12321} \mathfrak{e}_6 12 \quad \Delta = -80, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{12321} \mathfrak{e}_6 1314 \quad \Delta = -108, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{412321} \mathfrak{e}_6 131 \quad \Delta = -108, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{712321} \mathfrak{e}_6 131 \quad \Delta = -185, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
1^{212321} \mathfrak{e}_6 131 \quad \Delta = -80, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{812321} \mathfrak{e}_6 131 \quad \Delta = -213, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
1^{512321} \mathfrak{e}_6 131 \quad \Delta = -132, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1^{312321} \mathfrak{e}_6 131 \quad \Delta = -88, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{12321} \mathfrak{e}_6 1315 \quad \Delta = -132, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
131^{12321} \mathfrak{e}_6 13 \quad \Delta = -88, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{612321} \mathfrak{e}_6 131 \quad \Delta = -158, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $1^{15131} \mathfrak{e}_6 123$

$$\begin{aligned}
1^{15131} \mathfrak{e}_6 1232 \quad \Delta = -132, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{315131} \mathfrak{e}_6 123 \quad \Delta = -138, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{215131} \mathfrak{e}_6 123 \quad \Delta = -130, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $1^{131} \mathfrak{e}_6^{2,2} \otimes 41$

$$\begin{aligned}
1^{131} \mathfrak{e}_6^{2,2} \otimes 413 \quad \Delta = -113, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1^{3131} \mathfrak{e}_6^{2,2} \otimes 41 \quad \Delta = -113, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
131^{21} \mathfrak{e}_6^{2,2} \otimes 41 \quad \Delta = -105, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
131^{31} \mathfrak{e}_6^{2,2} \otimes 41 \quad \Delta = -113, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{5131} \mathfrak{e}_6^{2,2} \otimes 41 \quad \Delta = -157, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

$$\begin{aligned}
1 \overset{131}{\mathfrak{e}_6} \overset{2,2}{\otimes} 41\textcolor{red}{2} \quad \Delta = -105, n_+ = 1, n_- = 10, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1 \overset{2131}{\mathfrak{e}_6} \overset{2,2}{\otimes} 41 \quad \Delta = -105, n_+ = 1, n_- = 10, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1 \overset{131}{\mathfrak{e}_6} \overset{2,2}{\otimes} 41\textcolor{red}{4} \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 \quad &\rightarrow \mathbb{F}_4 \\
1 \overset{4131}{\mathfrak{e}_6} \overset{2,2}{\otimes} 41 \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1 \overset{6131}{\mathfrak{e}_6} \overset{2,2}{\otimes} 41 \quad \Delta = -183, n_+ = 1, n_- = 10, n_0 = 0 \quad &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $21 \overset{15131}{\mathfrak{e}_6} 13$

$$21 \overset{315131}{\mathfrak{e}_6} 13 \quad \Delta = -137, n_+ = 1, n_- = 10, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $131 \overset{131}{\mathfrak{e}_6} 131$

$$\begin{aligned}
131 \overset{131}{\mathfrak{e}_6} 131\textcolor{red}{6} \quad \Delta = -163, n_+ = 1, n_- = 10, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
131 \overset{131}{\mathfrak{e}_6} 131\textcolor{red}{5} \quad \Delta = -137, n_+ = 1, n_- = 10, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
131 \overset{131}{\mathfrak{e}_6} 131\textcolor{red}{3} \quad \Delta = -93, n_+ = 1, n_- = 10, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
131 \overset{131}{\mathfrak{e}_6} 131\textcolor{red}{2} \quad \Delta = -85, n_+ = 1, n_- = 10, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
131 \overset{131}{\mathfrak{e}_6} 131\textcolor{red}{4} \quad \Delta = -113, n_+ = 1, n_- = 10, n_0 = 0 \quad &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $1 \overset{1,215131}{\mathfrak{e}_6} 1$

$$\begin{aligned}
1 \overset{1,215131}{\mathfrak{e}_6} \textcolor{red}{12} \quad \Delta = -121, n_+ = 1, n_- = 10, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1 \overset{1,215131}{\mathfrak{e}_6} \textcolor{red}{13} \quad \Delta = -129, n_+ = 1, n_- = 10, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
1 \overset{1,3215131}{\mathfrak{e}_6} 1 \quad \Delta = -130, n_+ = 1, n_- = 10, n_0 = 0 \quad &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1 \overset{1,15131}{\mathfrak{e}_6} 1$

$$\begin{aligned}
1 \overset{1,315131}{\mathfrak{e}_6} 1 \quad \Delta = -129, n_+ = 1, n_- = 10, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1 \overset{1,15131}{\mathfrak{e}_6} \textcolor{red}{12} \quad \Delta = -121, n_+ = 1, n_- = 10, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1 \overset{1,215131}{\mathfrak{e}_6} 1 \quad \Delta = -121, n_+ = 1, n_- = 10, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
1 \overset{1,15131}{\mathfrak{e}_6} \textcolor{red}{13} \quad \Delta = -129, n_+ = 1, n_- = 10, n_0 = 0 \quad &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $1 \overset{1,15131}{\mathfrak{e}_6} 13$

$$1 \overset{1,315131}{\mathfrak{e}_6} 13 \quad \Delta = -137, n_+ = 1, n_- = 10, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $314 \overset{2,4}{\otimes} \mathfrak{e}'_7 1$

$$1\mathfrak{e}'_7 \overset{2,4}{\otimes} 41\textcolor{red}{32} \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $2314 \overset{2,3}{\otimes} \mathfrak{e}'_7 1$

$$2314 \overset{2,3}{\otimes} \mathfrak{e}'_7 \textcolor{red}{12} \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $14 \overset{2,4}{\otimes} \mathfrak{e}'_7 12$

$$14 \overset{2,4}{\otimes} \mathfrak{e}'_7 \textcolor{red}{123} \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\mathfrak{e}'_7 \overset{2,4}{\otimes} 41\textcolor{red}{3} \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\mathfrak{e}'_7 \overset{2,4}{\otimes} 41\textcolor{red}{4} \quad \Delta = -153, n_+ = 1, n_- = 10, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\mathfrak{e}'_7 \overset{2,4}{\otimes} 41\textcolor{red}{2} \quad \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $314 \overset{2,3}{\otimes} \mathfrak{e}'_7 12$

$$314 \overset{2,3}{\otimes} \mathfrak{e}'_7 \textcolor{red}{123} \quad \Delta = -142, n_+ = 1, n_- = 10, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $4 \overset{4,2}{\otimes} \mathfrak{e}'_7 123$

$$4 \overset{4,2}{\otimes} \mathfrak{e}'_7 \textcolor{red}{1232} \quad \Delta = -136, n_+ = 1, n_- = 10, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $14 \overset{2,3}{\otimes} \mathfrak{e}'_7 122$

$$221\mathfrak{e}'_7 \overset{2,3}{\otimes} 41\textcolor{red}{4} \quad \Delta = -153, n_+ = 1, n_- = 10, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\begin{aligned}
221\epsilon'_7 \otimes^{2,3} 41\mathbf{3} \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
221\epsilon'_7 \otimes^{2,3} 41\mathbf{2} \quad \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
14 \otimes^{2,3} \epsilon'_7 122\mathbf{3} \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $4 \otimes^{3,3} \epsilon'_7 122$

$$4 \otimes^{3,3} \epsilon'_7 122\mathbf{3} \quad \Delta = -136, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1321\epsilon'_7 12231$

$$\begin{aligned}
13221\epsilon'_7 1231\mathbf{2} \quad \Delta = -106, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1321\epsilon'_7 12231\mathbf{4} \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1321\epsilon'_7 12231\mathbf{2} \quad \Delta = -106, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
13221\epsilon'_7 1231\mathbf{5} \quad \Delta = -158, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1321\epsilon'_7 12231\mathbf{5} \quad \Delta = -158, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1321\epsilon'_7 12231\mathbf{2} \quad \Delta = -108, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1321\epsilon'_7 12231\mathbf{3} \quad \Delta = -114, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
13221\epsilon'_7 1231\mathbf{3} \quad \Delta = -114, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
13221\epsilon'_7 1231\mathbf{4} \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $2221\epsilon'_7 12321$

$$\begin{aligned}
2221\epsilon'_7 12321\mathbf{5} \quad \Delta = -151, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
2221\epsilon'_7 12321\mathbf{7} \quad \Delta = -204, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
2221\epsilon'_7 12321\mathbf{6} \quad \Delta = -177, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
2221\epsilon'_7 12321\mathbf{2} \quad \Delta = -99, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
2221\epsilon'_7 12321\mathbf{4} \quad \Delta = -127, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
2221\epsilon'_7 12321\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
2221\epsilon'_7 12321\mathbf{8} \quad \Delta = -232, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_6
\end{aligned}$$

Base: $1321\epsilon'_7 12313$

$$\begin{aligned}
1321\epsilon'_7 1231\mathbf{3} \quad \Delta = -116, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
31321\epsilon'_7 1231\mathbf{5} \quad \Delta = -166, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
31321\epsilon'_7 1231\mathbf{2} \quad \Delta = -114, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1321\epsilon'_7 1231\mathbf{3} \quad \Delta = -115, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
31321\epsilon'_7 1231\mathbf{4} \quad \Delta = -142, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
31321\epsilon'_7 1231\mathbf{3} \quad \Delta = -122, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1321\epsilon'_7 1232\overset{1}{2}$

$$\begin{aligned}
2 \overset{5}{3} 1 \quad \Delta = -160, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
2 \overset{2}{3} 1 \quad \Delta = -108, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
2 \overset{4}{3} 1 \quad \Delta = -136, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1321\epsilon'_7 1232\overset{1}{2} \quad \Delta = -110, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1\epsilon'_7 \otimes^{1,4,2} 41$

$$\begin{aligned}
1\epsilon'_7 \otimes^{1,4,2} 41\mathbf{2} \quad \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\epsilon'_7 \otimes^{1,4,2} 41\mathbf{3} \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1\epsilon'_7 \otimes^{1,4,2} 41\mathbf{4} \quad \Delta = -153, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1\epsilon'_7 \otimes^{2,1,4,2} 41 \quad \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1\epsilon'_7 \otimes^{1,3,2} 413$

$$1\epsilon'_7 \otimes^{1,3,2} 41\mathbf{3} \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\epsilon'_7 \otimes^{2,1,3,2} 41$

$$1\epsilon'_7 \otimes^{3,2,1} 41 \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\begin{aligned}
1\mathbf{e}'_7 \otimes 41\mathbf{3} & \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3 \\
21\mathbf{e}'_7 \otimes 41 & \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1\mathbf{e}'_7 \otimes 41\mathbf{2} & \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1\mathbf{e}'_7 \otimes 41\mathbf{4} & \Delta = -153, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4
\end{aligned}$$

$$\text{Base: } 4 \otimes \mathbf{e}'_7 1$$

$$4 \otimes \mathbf{e}'_7 1 \quad \Delta = -136, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1 \mathbf{e}'_7 122$$

$$\begin{aligned}
1 \mathbf{e}'_7 122 & \Delta = -127, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
221 \mathbf{e}'_7 12 & \Delta = -99, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1 \mathbf{e}'_7 122 & \Delta = -204, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_5 \\
1 \mathbf{e}'_7 122 & \Delta = -107, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1 \mathbf{e}'_7 122 & \Delta = -99, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1 \mathbf{e}'_7 122 & \Delta = -232, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_6 \\
1 \mathbf{e}'_7 122 & \Delta = -151, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1 \mathbf{e}'_7 122\mathbf{3} & \Delta = -108, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1 \mathbf{e}'_7 122 & \Delta = -177, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4
\end{aligned}$$

$$\text{Base: } 4 \otimes \mathbf{e}'_7 1$$

$$4 \otimes \mathbf{e}'_7 1 \quad \Delta = -136, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1 \mathbf{e}'_7 1231$$

$$\begin{aligned}
1 \mathbf{e}'_7 1231\mathbf{3} & \Delta = -114, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1 \mathbf{e}'_7 1231 & \Delta = -108, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1 \mathbf{e}'_7 1231\mathbf{2} & \Delta = -106, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1321 \mathbf{e}'_7 12 & \Delta = -106, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1 \mathbf{e}'_7 1231\mathbf{5} & \Delta = -158, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1 \mathbf{e}'_7 1231\mathbf{4} & \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2
\end{aligned}$$

$$\text{Base: } 21 \mathbf{e}'_7 12$$

$$\begin{aligned}
21 \mathbf{e}'_7 12 & \Delta = -204, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_5 \\
21 \mathbf{e}'_7 12 & \Delta = -232, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_6 \\
21 \mathbf{e}'_7 12 & \Delta = -177, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4 \\
21 \mathbf{e}'_7 12 & \Delta = -107, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2 \\
21 \mathbf{e}'_7 12 & \Delta = -127, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2 \\
21 \mathbf{e}'_7 12 & \Delta = -151, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3 \\
21 \mathbf{e}'_7 12 & \Delta = -99, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0 \\
21 \mathbf{e}'_7 12\mathbf{3} & \Delta = -108, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2
\end{aligned}$$

$$\text{Base: } 1 \mathbf{e}'_7 1$$

$$1 \mathbf{e}'_7 1 \quad \Delta = -204, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

$1 \overset{21,412321}{\mathbf{e}_7'} 1 \quad \Delta = -127, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1 \overset{321,12321}{\mathbf{e}_7'} 1 \quad \Delta = -108, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$
 $1 \overset{21,812321}{\mathbf{e}_7'} 1 \quad \Delta = -232, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4$
 $1 \overset{21,512321}{\mathbf{e}_7'} 1 \quad \Delta = -151, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$
 $1 \overset{21,212321}{\mathbf{e}_7'} 1 \quad \Delta = -99, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1 \overset{21,12321}{\mathbf{e}_7'} 12 \quad \Delta = -99, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1 \overset{21,312321}{\mathbf{e}_7'} 1 \quad \Delta = -107, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1 \overset{21,612321}{\mathbf{e}_7'} 1 \quad \Delta = -177, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $1\mathbf{e}_712231322$
 $22313221\mathbf{e}_712 \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $21\mathbf{e}_71223132$
 $2313221\mathbf{e}_7123 \quad \Delta = -143, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$
Base: $21\mathbf{e}_71231322$
 $2231321\mathbf{e}_7123 \quad \Delta = -143, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$
Base: $221\mathbf{e}_7122313$
 $313221\mathbf{e}_71223 \quad \Delta = -142, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$
 $221\mathbf{e}_71223132 \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $2221\mathbf{e}_712231$
 $2221\mathbf{e}_7122313 \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$
 $2221\mathbf{e}_7122312 \quad \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$
 $2221\mathbf{e}_7122314 \quad \Delta = -153, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$
 $2221\mathbf{e}_7122315 \quad \Delta = -177, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4$
Base: $221\mathbf{e}_7123132$
 $231321\mathbf{e}_71223 \quad \Delta = -143, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$
Base: $22221\mathbf{e}_71231$
 $22221\mathbf{e}_71231 \overset{2}{\quad} \Delta = -127, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$
 $22221\mathbf{e}_712312 \quad \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$
 $22221\mathbf{e}_712313 \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$
 $22221\mathbf{e}_712315 \quad \Delta = -177, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_4$
 $22221\mathbf{e}_712314 \quad \Delta = -153, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$
Base: $2221\mathbf{e}_712313$
 $2221\mathbf{e}_7123132 \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $1 \overset{2313221}{\mathbf{e}_7} 1$
 $1 \overset{2313221}{\mathbf{e}_7} 12 \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $1 \overset{2231321}{\mathbf{e}_7} 1$
 $1 \overset{2231321}{\mathbf{e}_7} 12 \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $1 \overset{313221}{\mathbf{e}_7} 12$
 $1 \overset{313221}{\mathbf{e}_7} 123 \quad \Delta = -142, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$
 $21 \overset{313221}{\mathbf{e}_7} 12 \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $1 \overset{231321}{\mathbf{e}_7} 12$
 $1 \overset{231321}{\mathbf{e}_7} 123 \quad \Delta = -143, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$
 $21 \overset{231321}{\mathbf{e}_7} 12 \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $1 \overset{13221}{\mathbf{e}_7} 122$

$$\begin{aligned}
1 \overset{213221}{\mathfrak{e}_7} 122 \quad \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
221 \overset{13221}{\mathfrak{e}_7} 12 \quad \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{313221}{\mathfrak{e}_7} 122 \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{13221}{\mathfrak{e}_7} 1223 \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{513221}{\mathfrak{e}_7} 122 \quad \Delta = -177, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1 \overset{413221}{\mathfrak{e}_7} 122 \quad \Delta = -153, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
\text{Base: } 1 \overset{31321}{\mathfrak{e}_7} 122 \\
1 \overset{31321}{\mathfrak{e}_7} 1223 \quad \Delta = -142, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
221 \overset{31321}{\mathfrak{e}_7} 12 \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{231321}{\mathfrak{e}_7} 122 \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\text{Base: } 1 \overset{1321}{\mathfrak{e}_7} 1222 \\
2221 \overset{1321}{\mathfrak{e}_7} 12 \quad \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{31321}{\mathfrak{e}_7} 1222 \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{1321}{\mathfrak{e}_7} 1222 \quad \Delta = -127, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{51321}{\mathfrak{e}_7} 1222 \quad \Delta = -177, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1 \overset{21321}{\mathfrak{e}_7} 1222 \quad \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{41321}{\mathfrak{e}_7} 1222 \quad \Delta = -153, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
\text{Base: } 1 \overset{2321}{\mathfrak{e}_7} 122 \\
221 \overset{2321}{\mathfrak{e}_7} 12 \quad \Delta = -127, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{2321}{\mathfrak{e}_7} 1223 \quad \Delta = -136, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 21 \overset{13221}{\mathfrak{e}_7} 12 \\
21 \overset{413221}{\mathfrak{e}_7} 12 \quad \Delta = -153, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21 \overset{513221}{\mathfrak{e}_7} 12 \quad \Delta = -177, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21 \overset{213221}{\mathfrak{e}_7} 12 \quad \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21 \overset{13221}{\mathfrak{e}_7} 123 \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 21 \overset{31321}{\mathfrak{e}_7} 12 \\
21 \overset{31321}{\mathfrak{e}_7} 123 \quad \Delta = -142, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 21 \overset{2321}{\mathfrak{e}_7} 12 \\
21 \overset{2321}{\mathfrak{e}_7} 123 \quad \Delta = -136, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 21 \overset{321}{\mathfrak{e}_7} 1223 \\
21 \overset{2321}{\mathfrak{e}_7} 1223 \quad \Delta = -136, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\text{Base: } 21 \overset{1321}{\mathfrak{e}_7} 122 \\
21 \overset{41321}{\mathfrak{e}_7} 122 \quad \Delta = -153, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21 \overset{51321}{\mathfrak{e}_7} 122 \quad \Delta = -177, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21 \overset{1321}{\mathfrak{e}_7} 1223 \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
221 \overset{1321}{\mathfrak{e}_7} 123 \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21 \overset{21321}{\mathfrak{e}_7} 122 \quad \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 221 \overset{321}{\mathfrak{e}_7} 123 \\
221 \overset{321}{\mathfrak{e}_7} 1232 \quad \Delta = -136, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 1 \overset{1,313221}{\mathfrak{e}_7} 1 \\
1 \overset{1,313221}{\mathfrak{e}_7} 12 \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

$$1^{1,2313221} \mathfrak{e}_7 1 \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1^{1,231321} \mathfrak{e}_7 1$$

$$1^{1,231321} \mathfrak{e}_7 12 \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1^{21,13221} \mathfrak{e}_7 1$$

$$1^{21,213221} \mathfrak{e}_7 1 \quad \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{21,13221} \mathfrak{e}_7 12 \quad \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{21,513221} \mathfrak{e}_7 1 \quad \Delta = -177, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{321,13221} \mathfrak{e}_7 1 \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{21,413221} \mathfrak{e}_7 1 \quad \Delta = -153, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1^{21,31321} \mathfrak{e}_7 1$$

$$1^{21,31321} \mathfrak{e}_7 12 \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{321,31321} \mathfrak{e}_7 1 \quad \Delta = -142, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1^{21,2321} \mathfrak{e}_7 1$$

$$1^{321,2321} \mathfrak{e}_7 1 \quad \Delta = -136, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{21,2321} \mathfrak{e}_7 12 \quad \Delta = -127, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1^{1,321} \mathfrak{e}_7 1223$$

$$1^{1,2321} \mathfrak{e}_7 1223 \quad \Delta = -136, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1^{221,1321} \mathfrak{e}_7 1$$

$$1^{221,1321} \mathfrak{e}_7 12 \quad \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{221,41321} \mathfrak{e}_7 1 \quad \Delta = -153, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{3221,1321} \mathfrak{e}_7 1 \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{221,51321} \mathfrak{e}_7 1 \quad \Delta = -177, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{221,31321} \mathfrak{e}_7 1 \quad \Delta = -133, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{221,1321} \mathfrak{e}_7 1 \quad \Delta = -127, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{221,21321} \mathfrak{e}_7 1 \quad \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1^{21,1321} \mathfrak{e}_7 12$$

$$1^{21,1321} \mathfrak{e}_7 123 \quad \Delta = -134, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{21,41321} \mathfrak{e}_7 12 \quad \Delta = -153, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{21,51321} \mathfrak{e}_7 12 \quad \Delta = -177, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{21,21321} \mathfrak{e}_7 12 \quad \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21^{21,1321} \mathfrak{e}_7 12 \quad \Delta = -125, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1^{21,321} \mathfrak{e}_7 123$$

$$1^{21,321} \mathfrak{e}_7 1232 \quad \Delta = -136, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{P}^2$$

$T = 11$ (593 bases)

$$\text{Base: } 1222222221$$

$$12222222218 \quad \Delta = -87, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12222222215 \quad \Delta = -6, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1222222221(12) \quad \Delta = -202, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12222222217 \quad \Delta = -59, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$12222222216 \quad \Delta = -32, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 12231413221$$

12231413221⁽¹²⁾ $\Delta = -248, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_7$
 12231413221⁶ $\Delta = -78, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$
 12231413221² $\Delta = 0, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
 12231413221⁵ $\Delta = -52, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
 12231413221³ $\Delta = -8, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
 12231413221⁴ $\Delta = -28, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$
 12231413221⁷ $\Delta = -105, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
 12231413221⁸ $\Delta = -133, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$

Base: 13141413221

12231414131³ $\Delta = -35, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$
 13141413221⁽¹²⁾ $\Delta = -275, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_9$
 13141413221⁷ $\Delta = -132, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4$
 13141413221⁶ $\Delta = -105, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
 12231414131⁶ $\Delta = -105, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
 13141413221³ $\Delta = -35, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
 13141413221² $\Delta = -28, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$
 13141413221⁸ $\Delta = -160, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_5$
 12231414131⁵ $\Delta = -79, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$
 13141413221⁵ $\Delta = -79, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
 12231414131⁴ $\Delta = -55, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
 13141413221⁴ $\Delta = -55, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$
 13141413221² $\Delta = -27, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$
 12231414131² $\Delta = -27, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: 12314141321

12314141321² $\Delta = -30, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$
 12314141321⁶ $\Delta = -106, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$
 12314141321² $\Delta = -28, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
 12314141321³ $\Delta = -36, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
 12314141321⁴ $\Delta = -56, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$
 12314141321⁸ $\Delta = -161, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
 12314141321⁷ $\Delta = -133, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
 12314141321⁵ $\Delta = -80, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: 21414141321

21414141321⁴ $\Delta = -75, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
 21414141321⁶ $\Delta = -125, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4$
 21414141321⁸ $\Delta = -180, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_6$
 21414141321⁵ $\Delta = -99, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
 21414141321² $\Delta = -49, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
 21414141321³ $\Delta = -55, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$
 21414141321² $\Delta = -47, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
 12314141412³ $\Delta = -56, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$
 21414141321⁷ $\Delta = -152, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_5$

Base: 13141414131

13141414131⁴ $\Delta = -82, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$
 13141414131² $\Delta = -54, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
 13141414131² $\Delta = -55, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
 13141414131⁵ $\Delta = -106, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
 13141414131⁶ $\Delta = -132, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$
 13141414131³ $\Delta = -62, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: 21414141412

21414141412³ $\Delta = -75, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: $\overset{1}{1414141321}$

- $\overset{1}{1414141321}\textcolor{red}{6} \quad \Delta = -125, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4$
 $\overset{1}{1414141321}\textcolor{red}{7} \quad \Delta = -152, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_5$
 $\overset{1}{1414141321}\textcolor{red}{8} \quad \Delta = -180, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_6$
 $\overset{1}{1414141321}\textcolor{red}{5} \quad \Delta = -99, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
 $\overset{1}{1414141321}\overset{2}{21} \quad \Delta = -49, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
 $\overset{21}{1414141321} \quad \Delta = -47, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
 $\overset{1}{1414141321}\textcolor{red}{2} \quad \Delta = -47, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
 $\overset{1}{1414141321}\textcolor{red}{3} \quad \Delta = -55, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$
 $\overset{1}{1414141321}\textcolor{red}{4} \quad \Delta = -75, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
 $\overset{41}{1414141321} \quad \Delta = -75, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
 $\overset{31}{1414141321} \quad \Delta = -55, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: $\overset{1}{1414141412}$

- $\overset{41}{1414141412} \quad \Delta = -94, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$
 $\overset{21}{1414141412} \quad \Delta = -66, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
 $\overset{1}{1414141412}\textcolor{red}{3} \quad \Delta = -75, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
 $\overset{31}{1414141412} \quad \Delta = -74, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: $\overset{1}{1414141411}$

- $\overset{31}{1414141411} \quad \Delta = -74, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
 $\overset{21}{1414141411} \quad \Delta = -66, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
 $\overset{41}{1414141411} \quad \Delta = -94, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: 12231512321

- $12321513221\textcolor{red}{4} \quad \Delta = -54, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
 $12231512321\textcolor{red}{7} \quad \Delta = -131, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_7$
 $12231512321\textcolor{red}{2} \quad \Delta = -26, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
 $12321513221\textcolor{red}{2} \quad \Delta = -26, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_5$
 $12321513221\textcolor{red}{5} \quad \Delta = -78, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
 $12231512321\textcolor{red}{5} \quad \Delta = -78, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_5$
 $12321513221\textcolor{red}{8} \quad \Delta = -159, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$
 $12231512321\textcolor{red}{8} \quad \Delta = -159, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_8$
 $12231512321\textcolor{red}{4} \quad \Delta = -54, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4$
 $12321513221(\textcolor{red}{12}) \quad \Delta = -274, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_5$
 $12321513221\textcolor{red}{3} \quad \Delta = -34, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4$
 $12321513221\textcolor{red}{7} \quad \Delta = -131, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
 $12231512321\textcolor{red}{6} \quad \Delta = -104, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_6$
 $12231512321\textcolor{red}{3} \quad \Delta = -34, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
 $12321513221\textcolor{red}{6} \quad \Delta = -104, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: 14131513221

- $14131513221\textcolor{red}{7} \quad \Delta = -156, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
 $12231513141\textcolor{red}{3} \quad \Delta = -59, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$
 $12231513141\textcolor{red}{2} \quad \Delta = -51, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
 $14131513221\textcolor{red}{6} \quad \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
 $14131513221\textcolor{red}{3} \quad \Delta = -59, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$
 $12231513141\textcolor{red}{4} \quad \Delta = -79, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
 $14131513221\textcolor{red}{2} \quad \Delta = -51, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
 $14131513221\textcolor{red}{5} \quad \Delta = -103, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$

14131513221⁴ $\Delta = -79, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
14131513221⁸ $\Delta = -184, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4$
14131513221⁽¹²⁾ $\Delta = -299, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_8$

Base: 12315132215

51223151321⁶ $\Delta = -154, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
51223151321³ $\Delta = -84, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$
51223151321⁵ $\Delta = -128, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$
51223151321⁸ $\Delta = -209, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4$
51223151321⁴ $\Delta = -104, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
51223151321² $\Delta = -76, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
51223151321⁷ $\Delta = -181, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$

Base: 41231513221

41231513221⁷ $\Delta = -157, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_7$
41231513221² $\Delta = -52, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
41231513221⁽¹²⁾ $\Delta = -300, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_{12}$
41231513221⁶ $\Delta = -130, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_6$
41231513221⁴ $\Delta = -80, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4$
41231513221⁸ $\Delta = -185, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_8$
41231513221³ $\Delta = -60, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$

Base: 12315132151

15123151321⁷ $\Delta = -181, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
15123151321³ $\Delta = -84, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
15123151321⁴ $\Delta = -104, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$
12315132151² $\Delta = -76, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
15123151321⁵ $\Delta = -128, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
15123151321⁶ $\Delta = -154, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$
15123151321⁸ $\Delta = -209, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
15123151321² $\Delta = -76, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
12315132151³ $\Delta = -84, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$

Base: 15131513215

51231513151³ $\Delta = -135, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$

Base: 12315131512

21513151321⁶ $\Delta = -153, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$
21513151321⁴ $\Delta = -103, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$
21513151321⁵ $\Delta = -127, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
21513151321² $\Delta = -75, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
21513151321⁷ $\Delta = -180, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
21513151321⁸ $\Delta = -208, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
21513151321³ $\Delta = -83, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
12315131512³ $\Delta = -84, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$

Base: 13151315131

13151315131⁵ $\Delta = -134, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
13151315131² $\Delta = -83, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$
13151315131² $\Delta = -82, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
13151315131⁴ $\Delta = -110, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$
13151315131⁶ $\Delta = -160, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$
13151315131³ $\Delta = -90, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: 31513151315

51315131513² $\Delta = -135, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$

Base: 15131513151

15131513151² $\Delta = -126, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$

$$15131513151\bar{3} \quad \Delta = -134, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $\overset{1}{1513151321}$

$$1231513151\bar{2} \quad \Delta = -75, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\overset{1}{1513151321}\bar{2} \quad \Delta = -75, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1231513151\bar{3} \quad \Delta = -83, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\overset{1}{1513151321}\bar{6} \quad \Delta = -153, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\overset{1}{1513151321}\bar{4} \quad \Delta = -103, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\overset{1}{1513151321}\bar{7} \quad \Delta = -180, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\overset{1}{1513151321}\bar{3} \quad \Delta = -83, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\overset{1}{1513151321}\bar{5} \quad \Delta = -127, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\overset{1}{1513151321}\bar{8} \quad \Delta = -208, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $\overset{1}{1231513221}$

$$1231\overset{21}{5}13221 \quad \Delta = -24, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$12231\overset{1}{51321}\bar{6} \quad \Delta = -102, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1231\overset{1}{513221}\bar{6} \quad \Delta = -102, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$12231\overset{1}{51321}\bar{8} \quad \Delta = -157, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$12231\overset{1}{51321}\bar{3} \quad \Delta = -32, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1231\overset{1}{513221}\bar{5} \quad \Delta = -76, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1231\overset{1}{513221}\bar{2} \quad \Delta = -24, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1231\overset{1}{513221}\bar{3} \quad \Delta = -32, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$12231\overset{1}{51321}\bar{2} \quad \Delta = -24, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$12231\overset{1}{51321}\bar{5} \quad \Delta = -76, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1231\overset{1}{513221}\bar{4} \quad \Delta = -52, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1231\overset{1}{513221}\bar{7} \quad \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$12231\overset{1}{51321}\bar{7} \quad \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$12231\overset{1}{51321}\bar{4} \quad \Delta = -52, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1231\overset{31}{5}13221 \quad \Delta = -32, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1231\overset{1}{513221}\bar{8} \quad \Delta = -157, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1231\overset{1}{513221}(12) \quad \Delta = -272, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_7$$

Base: $\overset{2,3}{\mathfrak{e}_6} \otimes 414141$

$$\overset{2,3}{\mathfrak{e}_6} \otimes 414141\bar{3} \quad \Delta = -133, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\overset{2,3}{\mathfrak{e}_6} \otimes 414141\bar{4} \quad \Delta = -153, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $\overset{2,2}{\mathfrak{e}_6} \otimes 4141413$

$$\overset{2,2}{\mathfrak{e}_6} \otimes 414141\bar{3} \quad \Delta = -133, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\mathfrak{e}_6122315131$

$$1\mathfrak{e}_61223151\bar{3} \quad \Delta = -102, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathfrak{e}_61223151\bar{6} \quad \Delta = -179, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\mathfrak{e}_61223151\bar{4} \quad \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathfrak{e}_61223151\bar{3} \quad \Delta = -109, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathfrak{e}_61223151\bar{5} \quad \Delta = -153, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$131513221\mathfrak{e}_6\bar{13} \quad \Delta = -109, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$131513221\mathfrak{c}_6\mathbf{12} \quad \Delta = -101, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathfrak{c}_6122315131\mathbf{2} \quad \Delta = -101, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 4 \overset{4,3}{\otimes} \mathfrak{c}_61$$

$$4 \overset{4,3}{\otimes} \mathfrak{c}_6\mathbf{13} \quad \Delta = -137, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 141414 \overset{2,2}{\otimes} \mathfrak{c}_61$$

$$1\mathfrak{c}_6 \overset{2,2}{\otimes} 414141\mathbf{2} \quad \Delta = -124, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$141414 \overset{2,2}{\otimes} \mathfrak{c}_6\mathbf{12} \quad \Delta = -124, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathfrak{c}_6 \overset{2,2}{\otimes} 414141\mathbf{4} \quad \Delta = -152, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$141414 \overset{2,2}{\otimes} \mathfrak{c}_6\mathbf{13} \quad \Delta = -132, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathfrak{c}_6 \overset{2,2}{\otimes} 414141\mathbf{3} \quad \Delta = -132, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 21\mathfrak{c}_612315131$$

$$21\mathfrak{c}_612315131\mathbf{5} \quad \Delta = -153, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\mathfrak{c}_612315131\mathbf{6} \quad \Delta = -179, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$13151321\mathfrak{c}_612\mathbf{3} \quad \Delta = -110, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\mathfrak{c}_612315131\mathbf{3} \quad \Delta = -109, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\mathfrak{c}_612315131\mathbf{4} \quad \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\mathfrak{c}_612315131 \overset{2}{\Delta} = -102, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\mathfrak{c}_612315131\mathbf{2} \quad \Delta = -101, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 12321\mathfrak{c}_612321$$

$$12321\mathfrak{c}_612321\mathbf{2} \quad \Delta = -54, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12321\mathfrak{c}_612321\mathbf{8} \quad \Delta = -187, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$12321\mathfrak{c}_612321\mathbf{4} \quad \Delta = -82, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$12321\mathfrak{c}_612321\mathbf{5} \quad \Delta = -106, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$12321\mathfrak{c}_612321\mathbf{7} \quad \Delta = -159, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$12321\mathfrak{c}_612321\mathbf{6} \quad \Delta = -132, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12321\mathfrak{c}_612321\mathbf{3} \quad \Delta = -62, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\mathfrak{c}_6 \overset{3,3}{\otimes} \mathfrak{c}_6123$$

$$321\mathfrak{c}_6 \overset{3,3}{\otimes} \mathfrak{c}_6\mathbf{13} \quad \Delta = -138, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathfrak{c}_6 \overset{3,3}{\otimes} \mathfrak{c}_6123\mathbf{2} \quad \Delta = -132, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321\mathfrak{c}_6 \overset{3,3}{\otimes} \mathfrak{c}_6\mathbf{12} \quad \Delta = -130, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 4 \overset{3,3}{\circ} \mathfrak{c}_612$$

$$4 \overset{3,3}{\circ} \mathfrak{c}_612\mathbf{3} \quad \Delta = -137, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 221\mathfrak{c}_61315131$$

$$221\mathfrak{c}_61315131\mathbf{2} \quad \Delta = -100, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221\mathfrak{c}_61315131\mathbf{4} \quad \Delta = -128, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\mathfrak{c}_61315131 \overset{2}{\Delta} = -101, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\mathfrak{c}_61315131\mathbf{5} \quad \Delta = -152, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\mathfrak{c}_61315131\mathbf{6} \quad \Delta = -178, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1315131\mathfrak{c}_6122\mathbf{3} \quad \Delta = -109, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\mathfrak{c}_61315131\mathbf{3} \quad \Delta = -108, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 131\mathfrak{c}_61231512$$

$$131\mathfrak{c}_61231512\mathbf{3} \quad \Delta = -110, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2151321\mathfrak{c}_6131\mathbf{6} \quad \Delta = -179, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$2151321\mathfrak{c}_6131\mathbf{3} \quad \Delta = -109, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$2151321\mathfrak{c}_6131\mathbf{4} \quad \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2151321\mathfrak{c}_6131\mathbf{5} \quad \Delta = -153, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2151321\mathfrak{c}_61312 \quad \Delta = -101, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $131\mathfrak{c}_6123151$

$$1 \overset{413161231}{5} 1 \quad \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{213161231}{5} 1 \quad \Delta = -101, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{613161231}{5} 1 \quad \Delta = -179, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{513161231}{5} 1 \quad \Delta = -153, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\mathfrak{c}_61231512 \quad \Delta = -101, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{313161231}{5} 1 \quad \Delta = -109, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$131\mathfrak{c}_61231513 \quad \Delta = -109, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $131\mathfrak{c}_61232151$

$$1512321\mathfrak{c}_61314 \quad \Delta = -131, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1512321\mathfrak{c}_61312 \quad \Delta = -103, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$131\mathfrak{c}_612321512 \quad \Delta = -103, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1512321\mathfrak{c}_61315 \quad \Delta = -155, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\mathfrak{c}_612321513 \quad \Delta = -111, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1512321\mathfrak{c}_61313 \quad \Delta = -111, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1512321\mathfrak{c}_61316 \quad \Delta = -181, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $4 \overset{2,2}{\otimes} \mathfrak{c}_6123151$

$$4 \overset{2,2}{\otimes} \mathfrak{c}_61231513 \quad \Delta = -137, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $14 \overset{2,2}{\otimes} \mathfrak{c}_612321$

$$14 \overset{2,2}{\otimes} \mathfrak{c}_6123213 \quad \Delta = -87, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$14 \overset{2,2}{\otimes} \mathfrak{c}_6123217 \quad \Delta = -184, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$14 \overset{2,2}{\otimes} \mathfrak{c}_6123214 \quad \Delta = -107, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \overset{2,2}{\otimes} \mathfrak{c}_6123212 \quad \Delta = -79, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$14 \overset{2,2}{\otimes} \mathfrak{c}_6123216 \quad \Delta = -157, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$14 \overset{2,2}{\otimes} \mathfrak{c}_6123218 \quad \Delta = -212, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$14 \overset{2,2}{\otimes} \mathfrak{c}_6123215 \quad \Delta = -131, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$12321\mathfrak{c}_6 \overset{2,2}{\otimes} 413 \quad \Delta = -87, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$12321\mathfrak{c}_6 \overset{2,2}{\otimes} 412 \quad \Delta = -79, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$12321\mathfrak{c}_6 \overset{2,2}{\otimes} 414 \quad \Delta = -107, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1321\mathfrak{c}_6131512$

$$215131\mathfrak{c}_612313 \quad \Delta = -109, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1321\mathfrak{c}_6131512 \quad \Delta = -103, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$215131\mathfrak{c}_612312 \quad \Delta = -101, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1321\mathfrak{c}_61315123 \quad \Delta = -110, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$215131\mathfrak{c}_612314 \quad \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$215131\mathfrak{c}_612315 \quad \Delta = -153, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $4 \overset{3,2}{\otimes} \mathfrak{c}_613151$

$$4 \overset{3,2}{\otimes} \mathfrak{c}_6131513 \quad \Delta = -137, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1321\mathfrak{c}_613151$

$$1 \overset{413216131}{5} 1 \quad \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1321\mathfrak{c}_6131512 \quad \Delta = -101, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\begin{aligned}
1321\mathfrak{c}_613151\overset{1}{3} \quad \Delta = -109, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\overset{513216131}{5}1 \quad \Delta = -153, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\overset{313216131}{5}1 \quad \Delta = -109, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1321\mathfrak{c}_613151\overset{1}{5} \quad \Delta = -103, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\overset{213216131}{5}1 \quad \Delta = -101, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1414 \otimes \overset{2,2}{\mathfrak{c}_6}131$

$$\begin{aligned}
1414 \otimes \overset{2,2}{\mathfrak{c}_6}131\overset{2,2}{4} \quad \Delta = -132, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
131\mathfrak{c}_6 \otimes \overset{2,2}{4141}\overset{2,2}{2} \quad \Delta = -104, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
131\mathfrak{c}_6 \otimes \overset{2,2}{4141}\overset{2,2}{4} \quad \Delta = -132, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1414 \otimes \overset{2,2}{\mathfrak{c}_6}131\overset{2,2}{3} \quad \Delta = -112, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
131\mathfrak{c}_6 \otimes \overset{2,2}{4141}\overset{2,2}{3} \quad \Delta = -112, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1414 \otimes \overset{2,2}{\mathfrak{c}_6}131\overset{2,2}{6} \quad \Delta = -182, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
1414 \otimes \overset{2,2}{\mathfrak{c}_6}131\overset{2,2}{2} \quad \Delta = -104, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1414 \otimes \overset{2,2}{\mathfrak{c}_6}131\overset{2,2}{5} \quad \Delta = -156, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $14 \otimes \overset{2,2}{\mathfrak{c}_6} \otimes \overset{2,2}{41}$

$$\begin{aligned}
14 \otimes \overset{2,2}{\mathfrak{c}_6} \otimes \overset{2,2}{41}\overset{2,2}{3} \quad \Delta = -112, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
14 \otimes \overset{2,2}{\mathfrak{c}_6} \otimes \overset{2,2}{41}\overset{2,2}{4} \quad \Delta = -132, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
14 \otimes \overset{2,2}{\mathfrak{c}_6} \otimes \overset{2,2}{41}\overset{2,2}{2} \quad \Delta = -104, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $131\mathfrak{c}_61315123$

$$\begin{aligned}
3215131\mathfrak{c}_6131\overset{1}{6} \quad \Delta = -187, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
131\mathfrak{c}_61315123\overset{1}{2} \quad \Delta = -111, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
3215131\mathfrak{c}_6131\overset{1}{3} \quad \Delta = -117, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
3215131\mathfrak{c}_6131\overset{1}{2} \quad \Delta = -109, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
3215131\mathfrak{c}_6131\overset{1}{5} \quad \Delta = -161, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
3215131\mathfrak{c}_6131\overset{1}{4} \quad \Delta = -137, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $131\mathfrak{c}_613151\overset{1}{3}$

$$\begin{aligned}
31\overset{41316131}{5}1 \quad \Delta = -136, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
31\overset{21316131}{5}1 \quad \Delta = -108, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
31\overset{31316131}{5}1 \quad \Delta = -116, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
31\overset{61316131}{5}1 \quad \Delta = -186, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
31\overset{51316131}{5}1 \quad \Delta = -160, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

$$131\mathfrak{c}_613151\overset{1}{3}\overset{1}{2} \quad \Delta = -109, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $3131\mathfrak{c}_6131512$

$$215131\mathfrak{c}_6131\overset{1}{3}\overset{1}{2} \quad \Delta = -109, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $3131\mathfrak{c}_613151\overset{1}{1}$

$$3131\mathfrak{c}_613151\overset{1}{2}\overset{1}{2} \quad \Delta = -108, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\overset{231316131}{5}1 \quad \Delta = -109, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $21\mathfrak{c}_6 \otimes \overset{2,2}{\mathfrak{c}_6}1223$

$$3221\mathfrak{c}_6 \otimes \overset{2,2}{\mathfrak{c}_6}12\overset{2,2}{3} \quad \Delta = -136, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $221\mathfrak{c}_6 \otimes \overset{2,2}{\mathfrak{c}_6}122$

$$221\mathfrak{c}_6 \otimes \overset{2,2}{\mathfrak{c}_6}122\overset{2,2}{3} \quad \Delta = -127, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1^{13151321} \mathfrak{e}_6 1$

$$\begin{aligned}
1^{13151321} \mathfrak{e}_6 1 \mathbf{13} \quad \Delta = -109, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{513151321} \mathfrak{e}_6 1 \quad \Delta = -153, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1^{213151321} \mathfrak{e}_6 1 \quad \Delta = -101, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{313151321} \mathfrak{e}_6 1 \quad \Delta = -109, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{413151321} \mathfrak{e}_6 1 \quad \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{613151321} \mathfrak{e}_6 1 \quad \Delta = -179, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1^{13151321} \mathfrak{e}_6 1 \mathbf{12} \quad \Delta = -101, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{13151321} \mathfrak{e}_6 1 \quad \Delta = -102, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $1 \mathfrak{e}_6 \otimes \mathfrak{e}_6 12$

$$\begin{aligned}
1 \mathfrak{e}_6 \otimes \mathfrak{e}_6 1 \mathbf{23} \quad \Delta = -130, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \mathfrak{e}_6 \otimes \mathfrak{e}_6 12 \quad \Delta = -121, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \mathfrak{e}_6 \otimes \mathfrak{e}_6 12 \quad \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1 \mathfrak{e}_6 \otimes \mathfrak{e}_6 1$

$$\begin{aligned}
1 \mathfrak{e}_6 \otimes \mathfrak{e}_6 1 \quad \Delta = -121, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \mathfrak{e}_6 \otimes \mathfrak{e}_6 1 \quad \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $4 \bigcirc \mathfrak{e}_6 1$

$$4 \bigcirc \mathfrak{e}_6 1 \mathbf{13} \quad \Delta = -136, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \mathfrak{e}_6 \otimes \mathfrak{e}_6 1223$

$$\begin{aligned}
1 \mathfrak{e}_6 \otimes \mathfrak{e}_6 1223 \quad \Delta = -127, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \mathfrak{e}_6 \otimes \mathfrak{e}_6 1223 \quad \Delta = -135, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $1 \mathfrak{e}_6 \otimes \mathfrak{e}_6 1$

$$1 \mathfrak{e}_6 \otimes \mathfrak{e}_6 1 \mathbf{13} \quad \Delta = -137, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{1315131} \mathfrak{e}_6 12$

$$\begin{aligned}
1^{21315131} \mathfrak{e}_6 12 \quad \Delta = -100, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{41315131} \mathfrak{e}_6 12 \quad \Delta = -128, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{51315131} \mathfrak{e}_6 12 \quad \Delta = -152, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1^{61315131} \mathfrak{e}_6 12 \quad \Delta = -178, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21^{1315131} \mathfrak{e}_6 1 \mathbf{12} \quad \Delta = -100, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{31315131} \mathfrak{e}_6 12 \quad \Delta = -108, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{1315131} \mathfrak{e}_6 12 \quad \Delta = -101, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{1315131} \mathfrak{e}_6 1 \mathbf{23} \quad \Delta = -109, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21^{1315131} \mathfrak{e}_6 1 \mathbf{13} \quad \Delta = -108, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $1 \mathfrak{e}_6 \otimes \mathfrak{e}_6 122$

$$\begin{aligned}
1 \mathfrak{e}_6 \otimes \mathfrak{e}_6 122 \quad \Delta = -127, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21 \mathfrak{e}_6 \otimes \mathfrak{e}_6 122 \quad \Delta = -126, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21 \mathfrak{e}_6 \otimes \mathfrak{e}_6 122 \quad \Delta = -118, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1 \mathfrak{e}_6 \otimes \mathfrak{e}_6 12$

$$1 \mathfrak{e}_6 \otimes \mathfrak{e}_6 1 \mathbf{23} \quad \Delta = -136, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{2321} \mathfrak{e}_6 \otimes \mathfrak{e}_6 1$

$$1 \overset{2321}{\mathfrak{e}_6} \overset{2,2}{\otimes} \mathfrak{e}_6 1 \textcolor{red}{2} \quad \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{2321}{\mathfrak{e}_6} \overset{2,2}{\otimes} \mathfrak{e}_6 \mathbf{13} \quad \Delta = -137, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1^{215131} \mathfrak{e}_6 131$

$$1^{215131} \mathfrak{e}_6 131\mathbf{5} \quad \Delta = -152, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$131^{215131}\epsilon_6^{12} \quad \Delta = -100, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{215131} \mathbf{e}_6 131\textcolor{red}{4} \quad \Delta = -128, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$131^{215131}\mathfrak{e}_6\textcolor{red}{13}\quad \Delta = -108, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{215131} \epsilon_6 131^{\text{red}} \quad \Delta = -100, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{215131} \epsilon_6^{131} \Delta = -108, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{3215131} \epsilon_6^{131} \Delta = -109, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{215131} \mathbf{e}_6 131\mathbf{6} \quad \Delta = -178, \, n_+ = 1, \, n_- = 11, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1^{15131} \epsilon_6 131$

$$131^{15131}\mathfrak{e}_6^{13}\Delta = -108, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$131^{15131}\mathfrak{e}_6\textcolor{red}{12} \quad \Delta = -100, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{15131} \mathfrak{e}_6 131\textcolor{red}{6} \quad \Delta = -178, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{15131}\mathfrak{e}_6131\textcolor{red}{5} \quad \Delta = -152, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{215131} \mathfrak{e}_6 131 \quad \Delta = -100, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{15131} \mathfrak{e}_6 1314 \quad \Delta = -128, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{15131} \mathfrak{e}_6 131 \mathbf{2} \quad \Delta = -100, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{315131} \mathfrak{e}_6 131 \quad \Delta = -108, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{15131} \mathfrak{e}_6 131\mathbf{3} \quad \Delta = -108, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $4 \begin{smallmatrix} 2,2 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 15131 \\ \mathfrak{e}_6 \end{smallmatrix} 1$

$$4 \overset{2,2}{\otimes} \overset{\textcolor{red}{3}15131}{\mathfrak{e}_6} 1 \quad \Delta = -136, \, n_+ = 1, \, n_- = 11, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_6^1 \otimes \epsilon_6^{2,2} 123$

$$1\overset{\textcolor{red}{2}1}{\mathfrak{e}_6}{}^{2,2}\overset{1}{\otimes}\mathfrak{e}_6{}^{123} \quad \Delta = -127, \, n_+ = 1, \, n_- = 11, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1_{\mathfrak{e}_6}^1 \otimes^2 1_{\mathfrak{e}_6}^2 123 \mathbf{2} \quad \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_6}^{\textcolor{red}{3}1\textcolor{violet}{2},2\textcolor{teal}{1}} \otimes 1_{\mathfrak{e}_6}^{2,2\textcolor{teal}{1}} 123 \quad \Delta = -135, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $21\epsilon_6^{31} \otimes \epsilon_6^{2,2} 12$

$$21\mathfrak{e}_6^{31\ 2,2} \otimes \mathfrak{e}_6 12\mathbf{3} \quad \Delta = -135, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1 \epsilon_6^{21} \otimes \epsilon_6^{2,2} 1$

$$21\overset{\textcolor{red}{31}}{\mathfrak{e}_6}{}^{2,2} \otimes \overset{21}{\mathfrak{e}_6}{}^1 \quad \Delta = -126, \, n_+ = 1, \, n_- = 11, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21^{\textcolor{red}{2}1}{}^{2,2}{}_{\mathfrak{e}_6} \otimes 21_{\mathfrak{e}_6} \quad \Delta = -118, \, n_+ = 1, \, n_- = 11, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $131^{15131} \mathfrak{e}_6 13$

$$131^{315131}\epsilon_6^{13} \quad \Delta = -116, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_6^1 \otimes \epsilon_6^{2,2} 13^{21}$

$$1\overset{\textcolor{red}{31}}{\mathfrak{e}_6}{}^{2,2}{}^{21} \otimes \mathfrak{e}_6{}^{13} \quad \Delta = -134, \, n_+ = 1, \, n_- = 11, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{1,1315131} \epsilon_6 1$

$$1^{1,2}1^{1315131}1 \quad \Delta = -100, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{1,1315131} \epsilon_6 1 \quad \Delta = -101, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{1,1315131} \mathbf{e}_6 1^{\mathbf{2}} \quad \Delta = -100, n_+ = 1, n_- = 11, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\begin{aligned}
1^{1,41315131} \mathbf{e}_6' 1 \quad \Delta = -128, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{1,61315131} \mathbf{e}_6' 1 \quad \Delta = -178, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{1,51315131} \mathbf{e}_6' 1 \quad \Delta = -152, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{1,31315131} \mathbf{e}_6' 1 \quad \Delta = -108, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1^{1,1315131} \mathbf{e}_6' 13 \quad \Delta = -108, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $\mathbf{e}_7' \otimes^{2,4} 41413$

$$\mathbf{e}_7' \otimes^{2,4} 414132 \quad \Delta = -133, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1414 \otimes^{2,4} \mathbf{e}_7' 1$

$$1\mathbf{e}_7' \otimes^{2,4} 41412 \quad \Delta = -124, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1414 \otimes^{2,4} \mathbf{e}_7' 12 \quad \Delta = -124, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7' \otimes^{2,4} 41414 \quad \Delta = -152, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_7' \otimes^{2,4} 41413 \quad \Delta = -132, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\mathbf{e}_7' 122315123$

$$1\mathbf{e}_7' 1223151232 \quad \Delta = -131, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321513221\mathbf{e}_7' 12 \quad \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\mathbf{e}_7' 12231513$

$$31^{21712231} 5 1 \quad \Delta = -128, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7' 122315132 \quad \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $31414 \otimes^{2,3} \mathbf{e}_7' 1$

$$1\mathbf{e}_7' \otimes^{2,3} 414132 \quad \Delta = -133, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\mathbf{e}_7' 123151232$

$$232151321\mathbf{e}_7' 12 \quad \Delta = -131, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\mathbf{e}_7' 12315132$

$$231^{2171231} 5 1 \quad \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\mathbf{e}_7' 123215132$

$$231512321\mathbf{e}_7' 12 \quad \Delta = -131, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $21\mathbf{e}_7' 1223151$

$$21\mathbf{e}_7' 12231512 \quad \Delta = -120, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{321712231} 5 1 \quad \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1414 \otimes^{2,3} \mathbf{e}_7' 12$

$$21\mathbf{e}_7' \otimes^{2,3} 41414 \quad \Delta = -152, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\mathbf{e}_7' \otimes^{2,3} 41412 \quad \Delta = -124, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21\mathbf{e}_7' \otimes^{2,3} 41413 \quad \Delta = -132, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1414 \otimes^{2,3} \mathbf{e}_7' 123 \quad \Delta = -133, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $21\mathbf{e}_7' 12315123$

$$32151321\mathbf{e}_7' 123 \quad \Delta = -138, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21\mathbf{e}_7' 1231513$

$$31^{32171231} 5 1 \quad \Delta = -137, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21\mathbf{e}_7' 12321513$

$$31512321\mathbf{e}_7' 123 \quad \Delta = -139, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $321\epsilon'_7 1223151$

$$\begin{aligned} 321\epsilon'_7 1223151\mathbf{2} \quad \Delta &= -129, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 321\epsilon'_7 1223151\mathbf{3} \quad \Delta &= -137, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 1513221\epsilon'_7 123\mathbf{2} \quad \Delta &= -131, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2 \end{aligned}$$

Base: $221\epsilon'_7 1231512$

$$221\epsilon'_7 123151\mathbf{23} \quad \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $221\epsilon'_7 123151\overset{1}{1}$

$$1\overset{3,2}{22171231}\overset{1}{5}1 \quad \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\epsilon'_7 123151\mathbf{2} \quad \Delta = -120, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\epsilon'_7 123151\mathbf{3} \quad \Delta = -128, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $221\epsilon'_7 1232151$

$$\begin{aligned} 1512321\epsilon'_7 122\mathbf{3} \quad \Delta &= -131, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 221\epsilon'_7 1232151\mathbf{3} \quad \Delta &= -130, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 221\epsilon'_7 1232151\mathbf{2} \quad \Delta &= -122, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2 \end{aligned}$$

Base: $3221\epsilon'_7 123151$

$$\begin{aligned} 3221\epsilon'_7 123151\mathbf{3} \quad \Delta &= -137, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 3221\epsilon'_7 123151\mathbf{2} \quad \Delta &= -129, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2 \end{aligned}$$

Base: $12321\epsilon'_7 12231$

$$\begin{aligned} 12321\epsilon'_7 12231\mathbf{3} \quad \Delta &= -87, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 13221\epsilon'_7 12321\mathbf{5} \quad \Delta &= -131, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 12321\epsilon'_7 12231\mathbf{5} \quad \Delta &= -131, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4 \\ 13221\epsilon'_7 12321\mathbf{7} \quad \Delta &= -184, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 13221\epsilon'_7 12321\mathbf{8} \quad \Delta &= -212, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4 \\ 12321\epsilon'_7 12231\mathbf{2} \quad \Delta &= -79, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 12321\epsilon'_7 12231\mathbf{4} \quad \Delta &= -107, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 13221\epsilon'_7 12321\mathbf{4} \quad \Delta &= -107, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 13221\epsilon'_7 12321\mathbf{6} \quad \Delta &= -157, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 13221\epsilon'_7 12321\mathbf{2} \quad \Delta &= -79, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 13221\epsilon'_7 12321\mathbf{3} \quad \Delta &= -87, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1 \end{aligned}$$

Base: $414 \overset{3,2}{\otimes} \epsilon'_7 123$

$$414 \overset{3,2}{\otimes} \epsilon'_7 123\mathbf{2} \quad \Delta = -135, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $14 \overset{2,3}{\otimes} \epsilon'_7 1231$

$$\begin{aligned} 14 \overset{2,3}{\otimes} \epsilon'_7 1231\mathbf{2} \quad \Delta &= -105, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 1321\epsilon'_7 \overset{2,3}{\otimes} 41\mathbf{4} \quad \Delta &= -133, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 14 \overset{2,3}{\otimes} \epsilon'_7 1231\mathbf{4} \quad \Delta &= -133, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 14 \overset{2,3}{\otimes} \epsilon'_7 1231\mathbf{5} \quad \Delta &= -157, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4 \\ 1321\epsilon'_7 \overset{2,3}{\otimes} 41\mathbf{3} \quad \Delta &= -113, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 14 \overset{2,3}{\otimes} \epsilon'_7 1231\overset{2}{\mathbf{2}} \quad \Delta &= -107, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 14 \overset{2,3}{\otimes} \epsilon'_7 1231\mathbf{3} \quad \Delta &= -113, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 1321\epsilon'_7 \overset{2,3}{\otimes} 41\mathbf{2} \quad \Delta &= -105, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1 \end{aligned}$$

Base: $4 \overset{3,3}{\otimes} \epsilon'_7 1231$

$$\begin{aligned} 4 \overset{3,3}{\otimes} \epsilon'_7 1231\mathbf{5} \quad \Delta &= -159, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4 \\ 4 \overset{3,3}{\otimes} \epsilon'_7 1231\mathbf{4} \quad \Delta &= -135, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 4 \overset{3,3}{\otimes} \epsilon'_7 1231\mathbf{2} \quad \Delta &= -107, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2 \end{aligned}$$

Base: $12321\epsilon'_7 12313$

$$\begin{aligned}
12321\epsilon'_7 12313\mathbf{2} \quad \Delta &= -88, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2 \\
31321\epsilon'_7 12321\mathbf{2} \quad \Delta &= -87, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2 \\
31321\epsilon'_7 12321\mathbf{7} \quad \Delta &= -192, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3 \\
31321\epsilon'_7 12321\mathbf{8} \quad \Delta &= -220, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4 \\
31321\epsilon'_7 12321\mathbf{3} \quad \Delta &= -95, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1 \\
31321\epsilon'_7 12321\mathbf{6} \quad \Delta &= -165, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2 \\
31321\epsilon'_7 12321\mathbf{5} \quad \Delta &= -139, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2 \\
31321\epsilon'_7 12321\mathbf{4} \quad \Delta &= -115, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $12321\epsilon'_7 1232$

$$\begin{aligned}
2 \overset{7}{\epsilon'_7} 3 \overset{1}{1} \quad \Delta &= -186, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3 \\
2 \overset{3}{\epsilon'_7} 3 \overset{1}{1} \quad \Delta &= -89, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1 \\
2 \overset{5}{\epsilon'_7} 3 \overset{1}{1} \quad \Delta &= -133, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2 \\
2 \overset{6}{\epsilon'_7} 3 \overset{1}{1} \quad \Delta &= -159, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2 \\
2 \overset{8}{\epsilon'_7} 3 \overset{1}{1} \quad \Delta &= -214, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4 \\
2 \overset{2}{\epsilon'_7} 3 \overset{1}{1} \quad \Delta &= -81, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2 \\
2 \overset{4}{\epsilon'_7} 3 \overset{1}{1} \quad \Delta &= -109, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1 \overset{21513221}{\epsilon'_7} 1$

$$\begin{aligned}
1 \overset{21513221}{\epsilon'_7} \mathbf{12} \quad \Delta &= -120, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1 \overset{321513221}{\epsilon'_7} 1 \quad \Delta &= -129, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1 \overset{1513221}{\epsilon'_7} 1$

$$\begin{aligned}
1 \overset{1513221}{\epsilon'_7} \mathbf{12} \quad \Delta &= -120, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1 \overset{31513221}{\epsilon'_7} 1 \quad \Delta &= -128, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1 \overset{21513221}{\epsilon'_7} 1 \quad \Delta &= -120, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $1\epsilon'_7 \overset{1}{\otimes} \overset{3,2}{4141}$

$$\begin{aligned}
1\epsilon'_7 \overset{1}{\otimes} \overset{3,2}{4141}\mathbf{4} \quad \Delta &= -152, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4 \\
1\epsilon'_7 \overset{21}{\otimes} \overset{3,2}{4141} \quad \Delta &= -124, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1\epsilon'_7 \overset{1}{\otimes} \overset{3,2}{4141}\mathbf{2} \quad \Delta &= -124, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1\epsilon'_7 \overset{1}{\otimes} \overset{3,2}{4141}\mathbf{3} \quad \Delta &= -132, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $1 \overset{32151321}{\epsilon'_7} 1$

$$\begin{aligned}
1 \overset{232151321}{\epsilon'_7} 1 \quad \Delta &= -131, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1 \overset{32151321}{\epsilon'_7} \mathbf{12} \quad \Delta &= -129, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1 \overset{3151321}{\epsilon'_7} 1$

$$\begin{aligned}
1 \overset{23151321}{\epsilon'_7} 1 \quad \Delta &= -129, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1 \overset{3151321}{\epsilon'_7} \mathbf{12} \quad \Delta &= -128, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1 \overset{31512321}{\epsilon'_7} 1$

$$\begin{aligned}
1 \overset{31512321}{\epsilon'_7} \mathbf{12} \quad \Delta &= -130, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1 \overset{231512321}{\epsilon'_7} 1 \quad \Delta &= -131, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1 \overset{2151321}{\epsilon'_7} 12$

$$^{2151321} 21 \text{ } \epsilon'_7 \text{ } 12 \text{ } \Delta = -120, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } ^{151321} 1 \text{ } \epsilon'_7 \text{ } 12$$

$$^{2151321} 1 \text{ } \epsilon'_7 \text{ } 12 \text{ } \Delta = -120, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$^{151321} 1 \text{ } \epsilon'_7 \text{ } 123 \text{ } \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$^{151321} 21 \text{ } \epsilon'_7 \text{ } 12 \text{ } \Delta = -120, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } ^{1512321} 1 \text{ } \epsilon'_7 \text{ } 12$$

$$^{1512321} 1 \text{ } \epsilon'_7 \text{ } 123 \text{ } \Delta = -131, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$^{21512321} 1 \text{ } \epsilon'_7 \text{ } 12 \text{ } \Delta = -122, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$^{1512321} 21 \text{ } \epsilon'_7 \text{ } 12 \text{ } \Delta = -122, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } ^{151321} 1 \text{ } \epsilon'_7 \text{ } 123$$

$$^{151321} 1 \text{ } \epsilon'_7 \text{ } 1232 \text{ } \Delta = -131, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$^{2151321} 1 \text{ } \epsilon'_7 \text{ } 123 \text{ } \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$^{3151321} 1 \text{ } \epsilon'_7 \text{ } 123 \text{ } \Delta = -137, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } ^{512321} 1 \text{ } \epsilon'_7 \text{ } 123$$

$$^{512321} 1 \text{ } \epsilon'_7 \text{ } 1232 \text{ } \Delta = -133, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } ^{12321} 1 \text{ } \epsilon'_7 \text{ } 1231$$

$$^{312321} 1 \text{ } \epsilon'_7 \text{ } 1231 \text{ } \Delta = -87, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$^{12321} 1 \text{ } \epsilon'_7 \text{ } 12314 \text{ } \Delta = -107, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$^{12321} 1321 \text{ } \epsilon'_7 \text{ } 12 \text{ } \Delta = -79, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$^{12321} 1 \text{ } \epsilon'_7 \text{ } 12312 \text{ } \Delta = -79, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$^{212321} 1 \text{ } \epsilon'_7 \text{ } 1231 \text{ } \Delta = -79, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$^{12321} 1 \text{ } \epsilon'_7 \text{ } 12315 \text{ } \Delta = -131, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$^{12321} 1 \text{ } \epsilon'_7 \text{ } 1231 \text{ } \Delta = -81, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$^{612321} 1 \text{ } \epsilon'_7 \text{ } 1231 \text{ } \Delta = -157, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$^{712321} 1 \text{ } \epsilon'_7 \text{ } 1231 \text{ } \Delta = -184, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$^{512321} 1 \text{ } \epsilon'_7 \text{ } 1231 \text{ } \Delta = -131, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$^{12321} 1 \text{ } \epsilon'_7 \text{ } 12313 \text{ } \Delta = -87, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$^{412321} 1 \text{ } \epsilon'_7 \text{ } 1231 \text{ } \Delta = -107, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$^{812321} 1 \text{ } \epsilon'_7 \text{ } 1231 \text{ } \Delta = -212, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$\text{Base: } ^{1,2151321} 1 \text{ } \epsilon'_7 \text{ } 1$$

$$^{1,32151321} 1 \text{ } \epsilon'_7 \text{ } 1 \text{ } \Delta = -129, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$^{1,2151321} 1 \text{ } \epsilon'_7 \text{ } 12 \text{ } \Delta = -120, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } ^{1,151321} 1 \text{ } \epsilon'_7 \text{ } 1$$

$$^{1,151321} 1 \text{ } \epsilon'_7 \text{ } 12 \text{ } \Delta = -120, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$^{1,2151321} 1 \text{ } \epsilon'_7 \text{ } 1 \text{ } \Delta = -120, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$^{1,3151321} 1 \text{ } \epsilon'_7 \text{ } 1 \text{ } \Delta = -128, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

^{1,1512321}
Base: $1 \quad \epsilon'_7 \quad 1$
^{1,1512321}
 $1 \quad \epsilon'_7 \quad 1 \quad 2 \quad \Delta = -122, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
^{1,21512321}
 $1 \quad \epsilon'_7 \quad 1 \quad \Delta = -122, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$
^{1,31512321}
 $1 \quad \epsilon'_7 \quad 1 \quad \Delta = -130, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
^{2,4}
Base: $2314 \otimes \epsilon_7 1$
^{2,4}
 $2314 \otimes \epsilon_7 1 \quad 2 \quad \Delta = -133, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
^{2,3}
Base: $22314 \otimes \epsilon_7 1$
^{2,3}
 $22314 \otimes \epsilon_7 1 \quad 2 \quad \Delta = -133, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
^{2,4}
Base: $314 \otimes \epsilon_7 12$
^{2,4}
 $314 \otimes \epsilon_7 12 \quad 3 \quad \Delta = -141, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
^{2,3}
Base: $2314 \otimes \epsilon_7 12$
^{2,3}
 $2314 \otimes \epsilon_7 12 \quad 3 \quad \Delta = -142, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
^{2,4}
Base: $14 \otimes \epsilon_7 122$
^{2,4}
 $221\epsilon_7 \otimes 41 \quad 3 \quad \Delta = -132, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
^{2,4}
 $221\epsilon_7 \otimes 41 \quad 4 \quad \Delta = -152, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$
^{2,4}
 $14 \otimes \epsilon_7 122 \quad 3 \quad \Delta = -133, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
^{2,4}
 $221\epsilon_7 \otimes 41 \quad 2 \quad \Delta = -124, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$
Base: $13221\epsilon_7 12231$
 $13221\epsilon_7 12231 \quad 5 \quad \Delta = -157, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
 $13221\epsilon_7 12231 \quad 4 \quad \Delta = -133, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$
 $13221\epsilon_7 12231 \quad 3 \quad \Delta = -113, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
 $13221\epsilon_7 12231 \quad 2 \quad \Delta = -105, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$
^{2,3}
Base: $314 \otimes \epsilon_7 122$
^{2,3}
 $221\epsilon_7 \otimes 41 \quad 3 \quad \Delta = -133, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
^{2,3}
 $314 \otimes \epsilon_7 122 \quad 3 \quad \Delta = -141, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$
Base: $1321\epsilon_7 122313$
 $313221\epsilon_7 1231 \quad 3 \quad \Delta = -121, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1321\epsilon_7 12231 \quad 3 \quad \Delta = -114, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
 $313221\epsilon_7 1231 \quad 2 \quad \Delta = -113, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$
²
 $1321\epsilon_7 12231 \quad 3 \quad \Delta = -115, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
 $313221\epsilon_7 1231 \quad 4 \quad \Delta = -141, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$
 $313221\epsilon_7 1231 \quad 5 \quad \Delta = -165, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
^{2,3}
Base: $14 \otimes \epsilon_7 1222$
^{2,3}
 $2221\epsilon_7 \otimes 41 \quad 2 \quad \Delta = -124, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$
^{2,3}
 $2221\epsilon_7 \otimes 41 \quad 3 \quad \Delta = -132, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$
^{2,3}
 $2221\epsilon_7 \otimes 41 \quad 4 \quad \Delta = -152, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$
Base: $13221\epsilon_7 12313$
 $31321\epsilon_7 12231 \quad 2 \quad \Delta = -113, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1$
 $13221\epsilon_7 1231 \quad 3 \quad \Delta = -114, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
 $31321\epsilon_7 12231 \quad 4 \quad \Delta = -141, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$
 $31321\epsilon_7 12231 \quad 5 \quad \Delta = -165, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $22221\epsilon_7 12321$

$$\begin{aligned}
22221\mathfrak{e}_7 12321\mathbf{7} \quad \Delta &= -203, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_5 \\
22221\mathfrak{e}_7 12321\mathbf{5} \quad \Delta &= -150, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3 \\
22221\mathfrak{e}_7 12321\mathbf{6} \quad \Delta &= -176, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4 \\
22221\mathfrak{e}_7 12321\mathbf{2} \quad \Delta &= -98, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0 \\
22221\mathfrak{e}_7 12321\mathbf{8} \quad \Delta &= -231, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_6 \\
22221\mathfrak{e}_7 12321\mathbf{4} \quad \Delta &= -126, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2 \\
22221\mathfrak{e}_7 12321\mathbf{3} \quad \Delta &= -106, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $13221\mathfrak{e}_7 12321^1$

$$\begin{aligned}
2^{\mathbf{5}13221812} 3^1 \quad \Delta &= -159, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2 \\
2^{\mathbf{4}13221812} 3^1 \quad \Delta &= -135, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2 \\
2^{\mathbf{2}13221812} 3^1 \quad \Delta &= -107, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1321\mathfrak{e}_7 123132$

$$\begin{aligned}
231321\mathfrak{e}_7 1231\mathbf{4} \quad \Delta &= -142, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2 \\
231321\mathfrak{e}_7 1231\mathbf{2} \quad \Delta &= -114, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1321\mathfrak{e}_7 123132^2 \quad \Delta &= -116, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0 \\
231321\mathfrak{e}_7 1231\mathbf{5} \quad \Delta &= -166, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2 \\
231321\mathfrak{e}_7 1231\mathbf{3} \quad \Delta &= -122, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1\mathfrak{e}_7^1 \otimes 413^{4,2}$

$$1\mathfrak{e}_7^1 \otimes 413\mathbf{2}^{4,2} \quad \Delta = -133, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\mathfrak{e}_7^1 \otimes 4132^{3,2}$

$$1\mathfrak{e}_7^{\mathbf{2}1} \otimes 4132^{3,2} \quad \Delta = -133, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\mathfrak{e}_7^{21} \otimes 41^{4,2}$

$$\begin{aligned}
1\mathfrak{e}_7^{\mathbf{3}21} \otimes 41^{4,2} \quad \Delta &= -133, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1\mathfrak{e}_7^{21} \otimes 41\mathbf{4}^{4,2} \quad \Delta &= -152, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4 \\
21\mathfrak{e}_7^{21} \otimes 41^{4,2} \quad \Delta &= -124, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1\mathfrak{e}_7^{21} \otimes 41\mathbf{3}^{4,2} \quad \Delta &= -132, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1\mathfrak{e}_7^{21} \otimes 41\mathbf{2}^{4,2} \quad \Delta &= -124, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1\mathfrak{e}_7^{21} \otimes 413^{3,2}$

$$1\mathfrak{e}_7^{\mathbf{3}21} \otimes 413^{3,2} \quad \Delta = -141, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $4 \otimes \mathfrak{e}_7^{3,3} 1^{221}$

$$4 \otimes \mathfrak{e}_7^{3,3} 1^{\mathbf{3}221} \quad \Delta = -135, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $4 \otimes \mathfrak{e}_7^{4,2} 1^{321}$

$$4 \otimes \mathfrak{e}_7^{4,2} 1^{\mathbf{2}321} \quad \Delta = -135, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\mathfrak{e}_7^{221} \otimes 41^{3,2}$

$$\begin{aligned}
221\mathfrak{e}_7^{\mathbf{2}1} \otimes 41^{3,2} \quad \Delta &= -124, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1\mathfrak{e}_7^{221} \otimes 41\mathbf{3}^{3,2} \quad \Delta &= -132, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1\mathfrak{e}_7^{221} \otimes 41\mathbf{2}^{3,2} \quad \Delta &= -124, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1\mathfrak{e}_7^{\mathbf{3}221} \otimes 41^{3,2} \quad \Delta &= -133, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1\mathfrak{e}_7^{221} \otimes 41\mathbf{4}^{3,2} \quad \Delta &= -152, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $1\mathfrak{e}_7^{13221} 1231$

$$1\mathfrak{e}_7^{\mathbf{4}13221} 1231 \quad \Delta = -133, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\begin{aligned}
1 \overset{213221}{\mathfrak{e}_7} 1231 \quad \Delta = -105, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{13221}{\mathfrak{e}_7} \overset{2}{1231} \quad \Delta = -107, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{13221}{\mathfrak{e}_7} 1231 \overset{3}{\mathfrak{e}_7} \quad \Delta = -113, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{313221}{\mathfrak{e}_7} 1231 \quad \Delta = -113, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{513221}{\mathfrak{e}_7} 1231 \quad \Delta = -157, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1 \overset{13221}{\mathfrak{e}_7} 1231 \overset{5}{\mathfrak{e}_7} \quad \Delta = -157, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{13221}{\mathfrak{e}_7} 1231 \overset{4}{\mathfrak{e}_7} \quad \Delta = -133, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{13221}{\mathfrak{e}_7} 1231 \overset{2}{\mathfrak{e}_7} \quad \Delta = -105, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1321 \overset{13221}{\mathfrak{e}_7} \overset{12}{\mathfrak{e}_7} \quad \Delta = -105, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1 \overset{12321}{\mathfrak{e}_7} 1222$

$$\begin{aligned}
1 \overset{712321}{\mathfrak{e}_7} 1222 \quad \Delta = -203, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
1 \overset{312321}{\mathfrak{e}_7} 1222 \quad \Delta = -106, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{412321}{\mathfrak{e}_7} 1222 \quad \Delta = -126, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{212321}{\mathfrak{e}_7} 1222 \quad \Delta = -98, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{512321}{\mathfrak{e}_7} 1222 \quad \Delta = -150, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \overset{812321}{\mathfrak{e}_7} 1222 \quad \Delta = -231, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
2221 \overset{12321}{\mathfrak{e}_7} \overset{12}{\mathfrak{e}_7} \quad \Delta = -98, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{612321}{\mathfrak{e}_7} 1222 \quad \Delta = -176, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $1 \overset{31321}{\mathfrak{e}_7} 1231$

$$\begin{aligned}
1321 \overset{31321}{\mathfrak{e}_7} \overset{12}{\mathfrak{e}_7} \quad \Delta = -113, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{31321}{\mathfrak{e}_7} 1231 \overset{3}{\mathfrak{e}_7} \quad \Delta = -121, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{31321}{\mathfrak{e}_7} \overset{2}{1231} \quad \Delta = -115, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{231321}{\mathfrak{e}_7} 1231 \quad \Delta = -114, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{31321}{\mathfrak{e}_7} 1231 \overset{5}{\mathfrak{e}_7} \quad \Delta = -165, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{31321}{\mathfrak{e}_7} 1231 \overset{4}{\mathfrak{e}_7} \quad \Delta = -141, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{31321}{\mathfrak{e}_7} 1231 \overset{2}{\mathfrak{e}_7} \quad \Delta = -113, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1 \overset{2321}{\mathfrak{e}_7} 1231$

$$\begin{aligned}
1 \overset{2321}{\mathfrak{e}_7} \overset{2}{1231} \quad \Delta = -109, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{2321}{\mathfrak{e}_7} 1231 \overset{5}{\mathfrak{e}_7} \quad \Delta = -159, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{2321}{\mathfrak{e}_7} 1231 \overset{4}{\mathfrak{e}_7} \quad \Delta = -135, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1321 \overset{2321}{\mathfrak{e}_7} \overset{12}{\mathfrak{e}_7} \quad \Delta = -107, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{2321}{\mathfrak{e}_7} 1231 \overset{2}{\mathfrak{e}_7} \quad \Delta = -107, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $4 \overset{3,3}{\otimes} \overset{21}{\mathfrak{e}_7} 12$

$$4 \overset{3,3}{\otimes} \overset{21}{\mathfrak{e}_7} 12 \overset{3}{\mathfrak{e}_7} \quad \Delta = -135, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21 \overset{21}{\mathfrak{e}_7} \overset{3,2}{\otimes} 41$

$$\begin{aligned}
21 \overset{321}{\mathfrak{e}_7} \overset{3,2}{\otimes} 41 \quad \Delta = -133, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21 \overset{21}{\mathfrak{e}_7} \overset{3,2}{\otimes} 41 \overset{4}{\mathfrak{e}_7} \quad \Delta = -152, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21 \overset{21}{\mathfrak{e}_7} \overset{3,2}{\otimes} 41 \overset{3}{\mathfrak{e}_7} \quad \Delta = -132, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21 \overset{21}{\mathfrak{e}_7} \overset{3,2}{\otimes} 41 \overset{2}{\mathfrak{e}_7} \quad \Delta = -124, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $21 \overset{12321}{\mathfrak{e}_7} 122$

$$21 \overset{812321}{\mathfrak{e}_7} 122 \quad \Delta = -231, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$\begin{aligned}
21 \overset{3}{\mathfrak{e}_7}{}^{12321} 122 \quad \Delta = -106, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21 \overset{6}{\mathfrak{e}_7}{}^{12321} 122 \quad \Delta = -176, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21 \overset{5}{\mathfrak{e}_7}{}^{12321} 122 \quad \Delta = -150, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21 \overset{2}{\mathfrak{e}_7}{}^{12321} 122 \quad \Delta = -98, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
221 \overset{1}{\mathfrak{e}_7}{}^{12321} 12\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21 \overset{7}{\mathfrak{e}_7}{}^{12321} 122 \quad \Delta = -203, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
21 \overset{1}{\mathfrak{e}_7}{}^{12321} 122\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21 \overset{4}{\mathfrak{e}_7}{}^{12321} 122 \quad \Delta = -126, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $4 \otimes \overset{3,2}{\mathfrak{e}_7}{}^{321} 12$

$$4 \otimes \overset{3,2}{\mathfrak{e}_7}{}^{2321} 12 \quad \Delta = -135, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21 \overset{1}{\mathfrak{e}_7}{}^{1321} 1231$

$$\begin{aligned}
21 \overset{1}{\mathfrak{e}_7}{}^{1321} 1231\mathbf{2} \quad \Delta = -105, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
21 \overset{1}{\mathfrak{e}_7}{}^{1321} 1231\mathbf{4} \quad \Delta = -133, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1321 \overset{1}{\mathfrak{e}_7}{}^{1321} 12\mathbf{3} \quad \Delta = -114, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21 \overset{1}{\mathfrak{e}_7}{}^{1321} 1231\mathbf{5} \quad \Delta = -157, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1321 \overset{321}{\mathfrak{e}_7} 123$

$$1321 \overset{321}{\mathfrak{e}_7} 123\mathbf{2} \quad \Delta = -116, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \overset{221,12321}{\mathfrak{e}_7} 1$

$$\begin{aligned}
1 \overset{221,4}{\mathfrak{e}_7}{}^{12321} 1 \quad \Delta = -126, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{221,12321}{\mathfrak{e}_7} 1\mathbf{2} \quad \Delta = -98, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{221,7}{\mathfrak{e}_7}{}^{12321} 1 \quad \Delta = -203, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \overset{221,8}{\mathfrak{e}_7}{}^{12321} 1 \quad \Delta = -231, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1 \overset{221,2}{\mathfrak{e}_7}{}^{12321} 1 \quad \Delta = -98, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{221,3}{\mathfrak{e}_7}{}^{12321} 1 \quad \Delta = -106, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{221,6}{\mathfrak{e}_7}{}^{12321} 1 \quad \Delta = -176, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{3221,12321}{\mathfrak{e}_7} 1 \quad \Delta = -107, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \overset{221,5}{\mathfrak{e}_7}{}^{12321} 1 \quad \Delta = -150, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $1 \overset{1,1321}{\mathfrak{e}_7} 1231$

$$\begin{aligned}
1 \overset{1,1321}{\mathfrak{e}_7} 1231\mathbf{2} \quad \Delta = -107, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{1,1321}{\mathfrak{e}_7} 1231\mathbf{4} \quad \Delta = -133, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{1,1321}{\mathfrak{e}_7} 1231\mathbf{2} \quad \Delta = -105, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1321 \overset{1,1321}{\mathfrak{e}_7} 1\mathbf{2} \quad \Delta = -105, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{1,1321}{\mathfrak{e}_7} 1231\mathbf{3} \quad \Delta = -113, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{1,1321}{\mathfrak{e}_7} 1231\mathbf{5} \quad \Delta = -157, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1 \overset{21,12321}{\mathfrak{e}_7} 12$

$$\begin{aligned}
1 \overset{21,5}{\mathfrak{e}_7}{}^{12321} 12 \quad \Delta = -150, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{21,12321}{\mathfrak{e}_7} 12\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{21,7}{\mathfrak{e}_7}{}^{12321} 12 \quad \Delta = -203, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \overset{21,8}{\mathfrak{e}_7}{}^{12321} 12 \quad \Delta = -231, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1 \overset{21,4}{\mathfrak{e}_7}{}^{12321} 12 \quad \Delta = -126, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{21,3}{\mathfrak{e}_7}{}^{12321} 12 \quad \Delta = -106, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

$$\begin{aligned}
21^{21,12321} \mathbf{e}_7^{12} \quad \Delta = -98, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{21,2^{12321}} \mathbf{e}_7^{12} \quad \Delta = -98, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{21,6^{12321}} \mathbf{e}_7^{12} \quad \Delta = -176, n_+ = 1, n_- = 11, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

$T = 12$ (684 bases)

Base: 122222222221

$$\begin{aligned}
1222222222217 \quad \Delta = -30, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1222222222216 \quad \Delta = -3, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
1222222222218 \quad \Delta = -58, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
122222222221(12) \quad \Delta = -173, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: 123141413221

$$\begin{aligned}
123141413221(12) \quad \Delta = -247, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_9 \\
1223141413213 \quad \Delta = -7, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1231414132213 \quad \Delta = -7, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1231414132215 \quad \Delta = -51, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1231414132217 \quad \Delta = -104, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
123141413221^2 \quad \Delta = -1, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1231414132214 \quad \Delta = -27, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1223141413214 \quad \Delta = -27, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1223141413218 \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1231414132218 \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
1223141413217 \quad \Delta = -104, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1223141413215 \quad \Delta = -51, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1231414132216 \quad \Delta = -77, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1223141413216 \quad \Delta = -77, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: 214141413221

$$\begin{aligned}
2141414132212 \quad \Delta = -18, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
2141414132216 \quad \Delta = -96, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
2141414132218 \quad \Delta = -151, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
2141414132215 \quad \Delta = -70, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
2141414132213 \quad \Delta = -26, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1223141414123 \quad \Delta = -27, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
2141414132214 \quad \Delta = -46, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
2141414132217 \quad \Delta = -123, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
214141413221(12) \quad \Delta = -266, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_9
\end{aligned}$$

Base: 131414141321

$$\begin{aligned}
1231414141312 \quad \Delta = -26, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1231414141315 \quad \Delta = -78, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1314141413215 \quad \Delta = -78, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1314141413217 \quad \Delta = -131, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
1314141413213 \quad \Delta = -34, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1231414141313 \quad \Delta = -34, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
131414141321^2 \quad \Delta = -28, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
131414141321^2 \quad \Delta = -27, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1314141413212 \quad \Delta = -26, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1314141413218 \quad \Delta = -159, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
1314141413216 \quad \Delta = -104, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1231414141316 \quad \Delta = -104, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1231414141314 \quad \Delta = -54, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1314141413214 \quad \Delta = -54, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: 214141414131

- 131414141412³ $\Delta = -54, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
 214141414131⁵ $\Delta = -97, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_4$
 214141414131⁴ $\Delta = -73, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$
 214141414131³ $\Delta = -53, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
 214141414131⁶ $\Delta = -123, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_5$
 214141414131² $\Delta = -45, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
 214141414131² $\Delta = -46, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: ¹14141413221

- ¹14141413221⁶ $\Delta = -96, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$
²¹14141413221 $\Delta = -18, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
¹14141413221(¹²) $\Delta = -266, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_9$
⁴¹14141413221 $\Delta = -46, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$
¹14141413221⁴ $\Delta = -46, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
¹14141413221⁸ $\Delta = -151, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_5$
¹14141413221² $\Delta = -18, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_1$
³¹14141413221 $\Delta = -26, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_1$
¹14141413221³ $\Delta = -26, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$
¹14141413221⁷ $\Delta = -123, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_4$
¹14141413221⁵ $\Delta = -70, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: ¹14141414131

- ¹14141414131⁶ $\Delta = -123, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_5$
²¹14141414131 $\Delta = -45, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$
¹14141414131² $\Delta = -45, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
¹14141414131³ $\Delta = -53, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
¹14141414131² $\Delta = -46, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
³¹14141414131 $\Delta = -53, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
⁴¹14141414131 $\Delta = -73, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_1$
¹14141414131⁴ $\Delta = -73, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$
¹14141414131⁵ $\Delta = -97, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_4$

Base: 122315132215

- 512231513221⁸ $\Delta = -180, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$
 512231513221⁵ $\Delta = -99, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$
 512231513221⁶ $\Delta = -125, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
 512231513221⁴ $\Delta = -75, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_1$
 512231513221⁷ $\Delta = -152, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
 512231513221³ $\Delta = -55, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
 512231513221² $\Delta = -47, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$
 512231513221(¹²) $\Delta = -295, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_7$

Base: 122315132151

- 151231513221⁸ $\Delta = -180, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
 122315132151³ $\Delta = -55, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$
 151231513221³ $\Delta = -55, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$
 151231513221⁶ $\Delta = -125, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$

151231513221⁴ $\Delta = -75, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
 122315132151² $\Delta = -47, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
 151231513221⁵ $\Delta = -99, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_1$
 151231513221⁷ $\Delta = -152, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
 151231513221² $\Delta = -47, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_4$
 151231513221⁽¹²⁾ $\Delta = -295, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_6$

Base: 122315131512

215131513221⁶ $\Delta = -124, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$
 215131513221⁷ $\Delta = -151, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
 215131513221⁴ $\Delta = -74, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
 215131513221⁵ $\Delta = -98, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_1$
 215131513221⁸ $\Delta = -179, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
 215131513221⁽¹²⁾ $\Delta = -294, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_6$
 215131513221³ $\Delta = -54, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$
 122315131512³ $\Delta = -55, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$
 215131513221² $\Delta = -46, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_4$

Base: 123151315131

123151315131⁴ $\Delta = -82, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_4$
 131513151321³ $\Delta = -62, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$
 131513151321⁷ $\Delta = -159, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
 131513151321⁸ $\Delta = -187, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
 131513151321² $\Delta = -54, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_4$
 131513151321⁶ $\Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$
 123151315131⁶ $\Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_6$
 131513151321⁴ $\Delta = -82, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
 123151315131² $\Delta = -54, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
 123151315131⁵ $\Delta = -106, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_5$
 123151315131² $\Delta = -55, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
 123151315131³ $\Delta = -62, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$
 131513151321⁵ $\Delta = -106, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: ¹15131513221

¹15131513221³ $\Delta = -54, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$
¹15131513221² $\Delta = -46, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_4$
¹15131513221⁷ $\Delta = -151, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
¹15131513221⁵ $\Delta = -98, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_1$
¹15131513221⁴ $\Delta = -74, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
¹15131513221⁸ $\Delta = -179, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
¹12231513151³ $\Delta = -54, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
¹15131513221⁽¹²⁾ $\Delta = -294, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_6$
¹12231513151² $\Delta = -46, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$
¹15131513221⁶ $\Delta = -124, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: ¹12231513221

¹12231513221⁸ $\Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$
¹12231513221⁵ $\Delta = -47, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$
³¹12231513221 $\Delta = -3, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$
¹12231513221⁽¹²⁾ $\Delta = -243, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_7$
¹12231513221⁷ $\Delta = -100, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$

$12231513221\overset{1}{6} \quad \Delta = -73, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
 $12231513221\overset{1}{4} \quad \Delta = -23, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_1$
 $12231513221\overset{1}{3} \quad \Delta = -3, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $\mathfrak{c}_6 12231513151$
 $\mathfrak{c}_6 12231513151\overset{1}{3} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$
Base: $\mathfrak{c}_6 12315131513$
 $\mathfrak{c}_6 12315131513\overset{1}{2} \quad \Delta = -133, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $\mathfrak{c}_6 \overset{2,2}{\otimes} 41414141$
 $\mathfrak{c}_6 \overset{2,2}{\otimes} 41414141\overset{1}{4} \quad \Delta = -151, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_4$
 $\mathfrak{c}_6 \overset{2,2}{\otimes} 41414141\overset{1}{3} \quad \Delta = -131, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$
Base: $1\mathfrak{c}_6 1223151321$
 $1\mathfrak{c}_6 1223151321\overset{1}{3} \quad \Delta = -81, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1231513221\mathfrak{c}_6\overset{1}{3} \quad \Delta = -81, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
 $1\mathfrak{c}_6 1223151321\overset{1}{7} \quad \Delta = -178, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_4$
 $1\mathfrak{c}_6 1223151321\overset{1}{2} \quad \Delta = -73, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1231513221\mathfrak{c}_6\overset{1}{2} \quad \Delta = -73, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1\mathfrak{c}_6 1223151321\overset{1}{4} \quad \Delta = -101, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
 $1\mathfrak{c}_6 1223151321\overset{1}{5} \quad \Delta = -125, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1\mathfrak{c}_6 1223151321\overset{1}{8} \quad \Delta = -206, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_5$
 $1\mathfrak{c}_6 1223151321\overset{1}{6} \quad \Delta = -151, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$
Base: $1\mathfrak{c}_6 1231513215$
 $5123151321\mathfrak{c}_6\overset{1}{3} \quad \Delta = -133, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
 $5123151321\mathfrak{c}_6\overset{1}{2} \quad \Delta = -125, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $1\mathfrak{c}_6 1231513151$
 $1513151321\mathfrak{c}_6\overset{1}{3} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
 $1\mathfrak{c}_6 1231513151\overset{1}{3} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1513151321\mathfrak{c}_6\overset{1}{2} \quad \Delta = -124, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1\mathfrak{c}_6 1231513151\overset{1}{2} \quad \Delta = -124, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
Base: $1\mathfrak{c}_6 1315131513$
 $1\mathfrak{c}_6 1315131513\overset{1}{2} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$
 $3151315131\mathfrak{c}_6\overset{1}{3} \quad \Delta = -139, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
 $3151315131\mathfrak{c}_6\overset{1}{2} \quad \Delta = -131, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $21\mathfrak{c}_6 123151321$
 $21\mathfrak{c}_6 123151321\overset{1}{2} \quad \Delta = -73, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_1$
 $21\mathfrak{c}_6 123151321\overset{1}{6} \quad \Delta = -151, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$
 $21\mathfrak{c}_6 123151321\overset{1}{8} \quad \Delta = -206, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_5$
 $123151321\mathfrak{c}_6\overset{1}{23} \quad \Delta = -82, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
 $21\mathfrak{c}_6 123151321\overset{1}{3} \quad \Delta = -81, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$
 $21\mathfrak{c}_6 123151321\overset{1}{4} \quad \Delta = -101, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
 $21\mathfrak{c}_6 123151321\overset{1}{7} \quad \Delta = -178, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_4$
Base: $21\mathfrak{c}_6 131513215$
 $512315131\mathfrak{c}_6\overset{1}{23} \quad \Delta = -133, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
Base: $21\mathfrak{c}_6 131513151$
 $151315131\mathfrak{c}_6\overset{1}{23} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
 $21\mathfrak{c}_6 131513151\overset{1}{2} \quad \Delta = -123, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$
Base: $221\mathfrak{c}_6 13151321$
 $221\mathfrak{c}_6 13151321\overset{1}{8} \quad \Delta = -205, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_5$
 $221\mathfrak{c}_6 13151321\overset{1}{3} \quad \Delta = -80, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$

$$\begin{aligned}
221\mathfrak{e}_613151321\textcolor{red}{4} \quad \Delta = -100, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
221\mathfrak{e}_613151321\textcolor{red}{5} \quad \Delta = -124, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
221\mathfrak{e}_613151321\textcolor{red}{7} \quad \Delta = -177, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
12315131\mathfrak{e}_6122\textcolor{red}{3} \quad \Delta = -81, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
221\mathfrak{e}_613151321\textcolor{red}{6} \quad \Delta = -150, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
221\mathfrak{e}_613151321\textcolor{red}{2} \quad \Delta = -72, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: 131 $\mathfrak{e}_6$ 12315131

$$\begin{aligned}
131\mathfrak{e}_612315131\textcolor{red}{3} \quad \Delta = -88, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
131\mathfrak{e}_612315131\textcolor{red}{6} \quad \Delta = -158, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
13151321\mathfrak{e}_6131\textcolor{red}{5} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
131\mathfrak{e}_612315131\textcolor{red}{5} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
13151321\mathfrak{e}_6131\textcolor{red}{3} \quad \Delta = -88, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
13151321\mathfrak{e}_6131\textcolor{red}{2} \quad \Delta = -80, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
131\mathfrak{e}_612315131\textcolor{red}{2} \quad \Delta = -80, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
131\mathfrak{e}_612315131\textcolor{red}{2} \quad \Delta = -81, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
13151321\mathfrak{e}_6131\textcolor{red}{4} \quad \Delta = -108, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
13151321\mathfrak{e}_6131\textcolor{red}{6} \quad \Delta = -158, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
131\mathfrak{e}_612315131\textcolor{red}{4} \quad \Delta = -108, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: 321 $\mathfrak{e}_6$ 13151315

$$51315131\mathfrak{e}_6123\textcolor{red}{2} \quad \Delta = -134, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $4 \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_61$

$$4 \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_61\textcolor{red}{3} \quad \Delta = -136, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 3151321 $\mathfrak{e}_6$ 1315

$$5131\mathfrak{e}_61231513\textcolor{red}{2} \quad \Delta = -133, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 1321 $\mathfrak{e}_6$ 1315131

$$\begin{aligned}
1315131\mathfrak{e}_61231\textcolor{red}{5} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1321\mathfrak{e}_61315131\textcolor{red}{6} \quad \Delta = -158, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1321\mathfrak{e}_61315131\textcolor{red}{5} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1315131\mathfrak{e}_61231\textcolor{red}{3} \quad \Delta = -88, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1321\mathfrak{e}_61315131\textcolor{red}{3} \quad \Delta = -88, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1315131\mathfrak{e}_61231\textcolor{red}{4} \quad \Delta = -108, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1321\mathfrak{e}_61315131\textcolor{red}{4} \quad \Delta = -108, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1315131\mathfrak{e}_61231\textcolor{red}{2} \quad \Delta = -80, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1321\mathfrak{e}_61315131\textcolor{red}{2} \quad \Delta = -82, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1321\mathfrak{e}_61315131\textcolor{red}{2} \quad \Delta = -81, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1321\mathfrak{e}_61315131\textcolor{red}{2} \quad \Delta = -80, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: 151321 $\mathfrak{e}_6$ 13151

$$\begin{aligned}
15131\mathfrak{e}_6123151\textcolor{red}{3} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
151321\mathfrak{e}_613151\textcolor{red}{3} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
15131\mathfrak{e}_6123151\textcolor{red}{2} \quad \Delta = -124, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
151321\mathfrak{e}_613151\textcolor{red}{2} \quad \Delta = -124, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: 51321 $\mathfrak{e}_6$ 131513

$$51321\mathfrak{e}_6131513\textcolor{red}{2} \quad \Delta = -133, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: 512321 $\mathfrak{e}_6$ 13151

$$512321\mathfrak{e}_613151\textcolor{red}{3} \quad \Delta = -134, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: 12321 $\mathfrak{e}_6$ 131512

$$\begin{aligned}
215131\mathfrak{e}_612321\textcolor{red}{2} \quad \Delta = -74, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
215131\mathfrak{e}_612321\textcolor{red}{6} \quad \Delta = -152, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
215131\mathfrak{e}_612321\textcolor{red}{5} \quad \Delta = -126, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

$$\begin{aligned}
215131\mathfrak{e}_612321\mathbf{3} \quad \Delta = -82, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
12321\mathfrak{e}_6131512\mathbf{3} \quad \Delta = -83, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
215131\mathfrak{e}_612321\mathbf{7} \quad \Delta = -179, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
215131\mathfrak{e}_612321\mathbf{8} \quad \Delta = -207, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
215131\mathfrak{e}_612321\mathbf{4} \quad \Delta = -102, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $21\mathfrak{e}_6 \otimes^{3,3} \mathfrak{e}_6131$

$$\begin{aligned}
21\mathfrak{e}_6 \otimes^{3,3} \mathfrak{e}_6131\mathbf{4} \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21\mathfrak{e}_6 \otimes^{3,3} \mathfrak{e}_6131\mathbf{5} \quad \Delta = -152, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21\mathfrak{e}_6 \otimes^{3,3} \mathfrak{e}_6131\mathbf{3} \quad \Delta = -108, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
131\mathfrak{e}_6 \otimes^{3,3} \mathfrak{e}_612\mathbf{3} \quad \Delta = -109, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21\mathfrak{e}_6 \otimes^{3,3} \mathfrak{e}_6131\mathbf{2} \quad \Delta = -100, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21\mathfrak{e}_6 \otimes^{3,3} \mathfrak{e}_6131\mathbf{6} \quad \Delta = -178, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_5
\end{aligned}$$

Base: $12321\mathfrak{e}_613151$

$$\begin{aligned}
1 \overset{2123216131}{5} 1 \quad \Delta = -74, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
12321\mathfrak{e}_613151\mathbf{3} \quad \Delta = -82, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{4123216131}{5} 1 \quad \Delta = -102, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
12321\mathfrak{e}_613151\mathbf{2} \quad \Delta = -74, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{6123216131}{5} 1 \quad \Delta = -152, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{3123216131}{5} 1 \quad \Delta = -82, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{8123216131}{5} 1 \quad \Delta = -207, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1 \overset{7123216131}{5} 1 \quad \Delta = -179, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \overset{5123216131}{5} 1 \quad \Delta = -126, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $4 \bigcirc^{3,3} \mathfrak{e}_6131$

$$\begin{aligned}
4 \bigcirc^{3,3} \mathfrak{e}_6131\mathbf{5} \quad \Delta = -159, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
4 \bigcirc^{3,3} \mathfrak{e}_6131\mathbf{4} \quad \Delta = -135, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
4 \bigcirc^{3,3} \mathfrak{e}_6131\mathbf{2} \quad \Delta = -107, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
4 \bigcirc^{3,3} \mathfrak{e}_6131\mathbf{6} \quad \Delta = -185, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_5
\end{aligned}$$

Base: $3131\mathfrak{e}_61315131$

$$\begin{aligned}
3131\mathfrak{e}_61315131\mathbf{3} \quad \Delta = -95, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
3131\mathfrak{e}_61315131 \overset{2}{1} \quad \Delta = -88, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
3131\mathfrak{e}_61315131\mathbf{2} \quad \Delta = -87, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
3131\mathfrak{e}_61315131\mathbf{5} \quad \Delta = -139, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1315131\mathfrak{e}_61313\mathbf{2} \quad \Delta = -88, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
3131\mathfrak{e}_61315131\mathbf{6} \quad \Delta = -165, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
3131\mathfrak{e}_61315131\mathbf{4} \quad \Delta = -115, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $414 \otimes^{2,2} \mathfrak{e}_613151$

$$414 \otimes^{2,2} \mathfrak{e}_613151\mathbf{3} \quad \Delta = -135, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $14 \otimes^{2,2} \mathfrak{e}_6131512$

$$\begin{aligned}
14 \otimes^{2,2} \mathfrak{e}_6131512\mathbf{3} \quad \Delta = -108, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
215131\mathfrak{e}_6 \otimes^{2,2} 41\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
215131\mathfrak{e}_6 \otimes^{2,2} 41\mathbf{4} \quad \Delta = -127, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

$$215131\epsilon_6 \otimes 41\overset{2,2}{2} \quad \Delta = -99, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 14 \otimes \epsilon_6 \overset{2,2}{1} \overset{1}{13151}$$

$$14 \otimes \epsilon_6 \overset{2,2}{13151}\overset{1}{3} \quad \Delta = -107, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{4141316131}{5} 1 \quad \Delta = -127, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{2141316131}{5} 1 \quad \Delta = -99, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$14 \otimes \epsilon_6 \overset{2,2}{13151}\overset{1}{2} \quad \Delta = -99, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{3141316131}{5} 1 \quad \Delta = -107, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 4 \otimes \epsilon_6 \overset{3,2}{2} \otimes \epsilon_6 \overset{2,2}{12}$$

$$4 \otimes \epsilon_6 \overset{3,2}{2} \otimes \epsilon_6 \overset{2,2}{12}\overset{2}{3} \quad \Delta = -135, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 221\epsilon_6 \otimes \epsilon_6 \overset{2,2}{1231}$$

$$221\epsilon_6 \otimes \epsilon_6 \overset{2,2}{1231}\overset{2}{4} \quad \Delta = -126, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1321\epsilon_6 \otimes \epsilon_6 \overset{2,2}{122}\overset{2}{3} \quad \Delta = -107, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$221\epsilon_6 \otimes \epsilon_6 \overset{2,2}{1231} \quad \Delta = -100, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\epsilon_6 \otimes \epsilon_6 \overset{2,2}{1231}\overset{2}{2} \quad \Delta = -98, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221\epsilon_6 \otimes \epsilon_6 \overset{2,2}{1231}\overset{2}{5} \quad \Delta = -150, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$221\epsilon_6 \otimes \epsilon_6 \overset{2,2}{1231}\overset{2}{3} \quad \Delta = -106, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 131\epsilon_6 \otimes \epsilon_6 \overset{2,2}{1223}$$

$$3221\epsilon_6 \otimes \epsilon_6 \overset{2,2}{131}\overset{2}{3} \quad \Delta = -114, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$3221\epsilon_6 \otimes \epsilon_6 \overset{2,2}{131}\overset{2}{6} \quad \Delta = -184, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$3221\epsilon_6 \otimes \epsilon_6 \overset{2,2}{131}\overset{2}{4} \quad \Delta = -134, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$3221\epsilon_6 \otimes \epsilon_6 \overset{2,2}{131}\overset{2}{2} \quad \Delta = -106, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$3221\epsilon_6 \otimes \epsilon_6 \overset{2,2}{131}\overset{2}{5} \quad \Delta = -158, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 221\epsilon_6 \otimes \epsilon_6 \overset{2,2}{1313}$$

$$221\epsilon_6 \otimes \epsilon_6 \overset{2,2}{1313}\overset{2}{2} \quad \Delta = -106, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1 \overset{123151321}{\epsilon_6} 1$$

$$1 \overset{2123151321}{\epsilon_6} 1 \quad \Delta = -73, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{123151321}{\epsilon_6} \overset{2}{12} \quad \Delta = -73, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{5123151321}{\epsilon_6} 1 \quad \Delta = -125, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{123151321}{\epsilon_6} \overset{2}{13} \quad \Delta = -81, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{6123151321}{\epsilon_6} 1 \quad \Delta = -151, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{7123151321}{\epsilon_6} 1 \quad \Delta = -178, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1 \overset{4123151321}{\epsilon_6} 1 \quad \Delta = -101, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{8123151321}{\epsilon_6} 1 \quad \Delta = -206, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1 \overset{3123151321}{\epsilon_6} 1 \quad \Delta = -81, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\epsilon_6 \otimes \epsilon_6 \overset{1}{3,3} \overset{1}{131}$$

$$1\epsilon_6 \otimes \epsilon_6 \overset{1}{3,3} \overset{1}{131}\overset{2}{5} \quad \Delta = -152, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\epsilon_6 \otimes \epsilon_6 \overset{1}{3,3} \overset{1}{131}\overset{2}{3} \quad \Delta = -108, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_6 \otimes \epsilon_6 \overset{3,3}{1} \overset{3,3}{131} \quad \Delta = -108, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon_6 \otimes \epsilon_6 \overset{1}{3,3} \overset{1}{131}\overset{2}{2} \quad \Delta = -100, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\begin{aligned}
1\mathbf{c}_6^{\overset{1}{\text{3,3}}} \otimes \mathbf{c}_6 131\mathbf{6} \quad \Delta = -178, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
1\mathbf{c}_6^{\overset{1}{\text{3,3}}} \otimes \mathbf{c}_6 131\mathbf{4} \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1\mathbf{c}_6^{\overset{21}{\text{3,3}}} \otimes \mathbf{c}_6 131 \quad \Delta = -100, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

$$\text{Base: } 1\mathbf{c}_6^{\overset{512315131}{\text{1}}} 1$$

$$\begin{aligned}
1\mathbf{c}_6^{\overset{512315131}{\text{1}}} 12 \quad \Delta = -124, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\mathbf{c}_6^{\overset{512315131}{\text{1}}} 13 \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

$$\text{Base: } 1\mathbf{c}_6^{\overset{151315131}{\text{1}}} 1$$

$$\begin{aligned}
1\mathbf{c}_6^{\overset{2151315131}{\text{1}}} 1 \quad \Delta = -123, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\mathbf{c}_6^{\overset{151315131}{\text{1}}} 12 \quad \Delta = -123, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\mathbf{c}_6^{\overset{151315131}{\text{1}}} 13 \quad \Delta = -131, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\mathbf{c}_6^{\overset{3151315131}{\text{1}}} 1 \quad \Delta = -131, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

$$\text{Base: } 4 \otimes \mathbf{c}_6^{\overset{3,2}{\text{2,2}}} \otimes \mathbf{c}_6^{\overset{1}{\text{1}}} 1$$

$$4 \otimes \mathbf{c}_6^{\overset{3,2}{\text{2,2}}} \otimes \mathbf{c}_6^{\overset{1}{\text{1}}} 13 \quad \Delta = -134, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1\mathbf{c}_6^{\overset{12315131}{\text{1}}} 12$$

$$\begin{aligned}
21\mathbf{c}_6^{\overset{12315131}{\text{1}}} 12 \quad \Delta = -72, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\mathbf{c}_6^{\overset{312315131}{\text{1}}} 12 \quad \Delta = -80, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\mathbf{c}_6^{\overset{712315131}{\text{1}}} 12 \quad \Delta = -177, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1\mathbf{c}_6^{\overset{612315131}{\text{1}}} 12 \quad \Delta = -150, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1\mathbf{c}_6^{\overset{212315131}{\text{1}}} 12 \quad \Delta = -72, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\mathbf{c}_6^{\overset{412315131}{\text{1}}} 12 \quad \Delta = -100, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21\mathbf{c}_6^{\overset{12315131}{\text{1}}} 13 \quad \Delta = -80, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\mathbf{c}_6^{\overset{12315131}{\text{1}}} 123 \quad \Delta = -81, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\mathbf{c}_6^{\overset{812315131}{\text{1}}} 12 \quad \Delta = -205, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_5
\end{aligned}$$

$$\text{Base: } 1\mathbf{c}_6^{\overset{21}{\text{2,2}}} \otimes \mathbf{c}_6 1231$$

$$\begin{aligned}
1\mathbf{c}_6^{\overset{21}{\text{2,2}}} \otimes \mathbf{c}_6 1231\mathbf{2} \quad \Delta = -98, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\mathbf{c}_6^{\overset{21}{\text{2,2}}} \otimes \mathbf{c}_6 1231\mathbf{5} \quad \Delta = -150, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1\mathbf{c}_6^{\overset{21}{\text{2,2}}} \otimes \mathbf{c}_6 1231\mathbf{3} \quad \Delta = -106, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21\mathbf{c}_6^{\overset{31}{\text{2,2}}} \otimes \mathbf{c}_6 1231 \quad \Delta = -106, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\mathbf{c}_6^{\overset{321}{\text{2,2}}} \otimes \mathbf{c}_6 1231 \quad \Delta = -107, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\mathbf{c}_6^{\overset{21}{\text{2,2}}} \otimes \mathbf{c}_6^{\overset{2}{\text{2}}} 1231 \quad \Delta = -100, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\mathbf{c}_6^{\overset{21}{\text{2,2}}} \otimes \mathbf{c}_6 1231\mathbf{4} \quad \Delta = -126, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21\mathbf{c}_6^{\overset{21}{\text{2,2}}} \otimes \mathbf{c}_6 1231 \quad \Delta = -98, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

$$\text{Base: } 1\mathbf{c}_6^{\overset{21}{\text{2,2}}} \otimes \mathbf{c}_6 1313$$

$$\begin{aligned}
1\mathbf{c}_6^{\overset{21}{\text{2,2}}} \otimes \mathbf{c}_6 1313\mathbf{2} \quad \Delta = -106, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21\mathbf{c}_6^{\overset{21}{\text{2,2}}} \otimes \mathbf{c}_6 1313 \quad \Delta = -105, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
21\mathbf{c}_6^{\overset{31}{\text{2,2}}} \otimes \mathbf{c}_6 1313 \quad \Delta = -113, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

$$\text{Base: } 1\mathbf{c}_6^{\overset{321}{\text{2,2}}} \otimes \mathbf{c}_6 131$$

$$\begin{aligned}
1\mathbf{c}_6^{\overset{321}{\text{2,2}}} \otimes \mathbf{c}_6 131\mathbf{6} \quad \Delta = -184, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
1\mathbf{c}_6^{\overset{321}{\text{2,2}}} \otimes \mathbf{c}_6 131\mathbf{2} \quad \Delta = -106, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\mathbf{c}_6^{\overset{321}{\text{2,2}}} \otimes \mathbf{c}_6 131\mathbf{4} \quad \Delta = -134, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

$$\begin{aligned}
1 \mathfrak{e}_6^{321} \otimes \mathfrak{e}_6^{2,2} 131\mathbf{3} \quad \Delta = -114, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \mathfrak{e}_6^{321} \otimes \mathfrak{e}_6^{2,2} 131\mathbf{5} \quad \Delta = -158, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1 \mathfrak{e}_6^{2321} \otimes \mathfrak{e}_6^{2,2} 131 \quad \Delta = -108, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1 \mathfrak{e}_6^{1315131} 131$

$$\begin{aligned}
1 \mathfrak{e}_6^{61315131} 131 \quad \Delta = -157, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1 \mathfrak{e}_6^{31315131} 131 \quad \Delta = -87, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \mathfrak{e}_6^{1315131} 131\mathbf{4} \quad \Delta = -107, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \mathfrak{e}_6^{41315131} 131 \quad \Delta = -107, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \mathfrak{e}_6^{21315131} 131 \quad \Delta = -79, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \mathfrak{e}_6^{51315131} 131 \quad \Delta = -131, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \mathfrak{e}_6^{1315131} 131\mathbf{2} \quad \Delta = -79, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \mathfrak{e}_6^{1315131} 131\mathbf{5} \quad \Delta = -131, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \mathfrak{e}_6^{1315131} 131 \quad \Delta = -80, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
131 \mathfrak{e}_6^{1315131} \mathbf{12} \quad \Delta = -79, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \mathfrak{e}_6^{1315131} 131\mathbf{3} \quad \Delta = -87, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
131 \mathfrak{e}_6^{1315131} \mathbf{13} \quad \Delta = -87, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \mathfrak{e}_6^{1315131} 131\mathbf{6} \quad \Delta = -157, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $1 \mathfrak{e}_6^{315131} 1315$

$$1 \mathfrak{e}_6^{2315131} 1315 \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \mathfrak{e}_6^{15131} 13151$

$$\begin{aligned}
1 \mathfrak{e}_6^{15131} 13151\mathbf{2} \quad \Delta = -123, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \mathfrak{e}_6^{15131} 13151\mathbf{3} \quad \Delta = -131, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $1 \mathfrak{e}_6^{131} \otimes \mathfrak{e}_6^{2,2} 122$

$$\begin{aligned}
1 \mathfrak{e}_6^{6131} \otimes \mathfrak{e}_6^{2,2} 122 \quad \Delta = -175, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \mathfrak{e}_6^{5131} \otimes \mathfrak{e}_6^{2,2} 122 \quad \Delta = -149, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
131 \mathfrak{e}_6^{21} \otimes \mathfrak{e}_6^{2,2} 122 \quad \Delta = -97, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \mathfrak{e}_6^{3131} \otimes \mathfrak{e}_6^{2,2} 122 \quad \Delta = -105, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
131 \mathfrak{e}_6^{31} \otimes \mathfrak{e}_6^{2,2} 122 \quad \Delta = -105, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \mathfrak{e}_6^{2131} \otimes \mathfrak{e}_6^{2,2} 122 \quad \Delta = -97, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \mathfrak{e}_6^{131} \otimes \mathfrak{e}_6^{2,2} 122\mathbf{3} \quad \Delta = -106, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \mathfrak{e}_6^{4131} \otimes \mathfrak{e}_6^{2,2} 122 \quad \Delta = -125, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $4 \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{1} \otimes \mathfrak{e}_6^{2,2} 12$

$$4 \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{1} \otimes \mathfrak{e}_6^{2,2} 12\mathbf{3} \quad \Delta = -134, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $4 \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{1} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{1} 1$

$$4 \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{1} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{1} \mathbf{13} \quad \Delta = -133, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21 \mathfrak{e}_6^{31} \otimes \mathfrak{e}_6^{2,2} 131$

$$\begin{aligned}
21 \mathfrak{e}_6^{31} \otimes \mathfrak{e}_6^{2,2} 131\mathbf{5} \quad \Delta = -157, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21 \mathfrak{e}_6^{31} \otimes \mathfrak{e}_6^{2,2} 131\mathbf{2} \quad \Delta = -105, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21 \mathfrak{e}_6^{31} \otimes \mathfrak{e}_6^{2,2} 131\mathbf{6} \quad \Delta = -183, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
21 \mathfrak{e}_6^{31} \otimes \mathfrak{e}_6^{2,2} 131\mathbf{4} \quad \Delta = -133, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $1\epsilon_6^{21, 2, 2, 1} \otimes \epsilon_6 131$

$$\begin{aligned}
21\epsilon_6^{31, 2, 2, 1} \otimes \epsilon_6 131 & \quad \Delta = -105, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
1\epsilon_6^{21, 2, 2, 1} \otimes \epsilon_6 131\mathbf{5} & \quad \Delta = -149, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
1\epsilon_6^{321, 2, 2, 1} \otimes \epsilon_6 131 & \quad \Delta = -106, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
1\epsilon_6^{21, 2, 2, 1} \otimes \epsilon_6 131\mathbf{4} & \quad \Delta = -125, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
1\epsilon_6^{21, 2, 2, 31} \otimes \epsilon_6 131 & \quad \Delta = -105, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
1\epsilon_6^{21, 2, 2, 1} \otimes \epsilon_6 131\mathbf{2} & \quad \Delta = -97, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
1\epsilon_6^{21, 2, 2, 21} \otimes \epsilon_6 131 & \quad \Delta = -97, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
1\epsilon_6^{21, 2, 2, 1} \otimes \epsilon_6 131\mathbf{6} & \quad \Delta = -175, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
1\epsilon_6^{21, 2, 2, 1} \otimes \epsilon_6 131\mathbf{3} & \quad \Delta = -105, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
21\epsilon_6^{21, 2, 2, 1} \otimes \epsilon_6 131 & \quad \Delta = -97, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $131\epsilon_6^{31, 2, 2} \otimes \epsilon_6 12$

$$131\epsilon_6^{31, 2, 2} \otimes \epsilon_6 12\mathbf{3} \quad \Delta = -114, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $131\epsilon_6^{31, 2, 2, 1} \otimes \epsilon_6 1$

$$131\epsilon_6^{31, 2, 2, 1} \otimes \epsilon_6 1\mathbf{3} \quad \Delta = -113, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{1, 12315131} \epsilon_6 1$

$$\begin{aligned}
1^{1, 712315131} \epsilon_6 1 & \quad \Delta = -177, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
1^{1, 512315131} \epsilon_6 1 & \quad \Delta = -124, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
1^{1, 12315131} \epsilon_6 1\mathbf{2} & \quad \Delta = -72, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
1^{1, 612315131} \epsilon_6 1 & \quad \Delta = -150, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
1^{1, 212315131} \epsilon_6 1 & \quad \Delta = -72, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
1^{1, 412315131} \epsilon_6 1 & \quad \Delta = -100, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
1^{1, 12315131} \epsilon_6 1\mathbf{3} & \quad \Delta = -80, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
1^{1, 312315131} \epsilon_6 1 & \quad \Delta = -80, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
1^{1, 812315131} \epsilon_6 1 & \quad \Delta = -205, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $\epsilon_7^{2, 4} \otimes 414141$

$$\begin{aligned}
\epsilon_7^{2, 4} \otimes 414141\mathbf{4} & \quad \Delta = -151, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_4 \\
\epsilon_7^{2, 4} \otimes 414141\mathbf{3} & \quad \Delta = -131, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $\epsilon_7^{2, 3} \otimes 4141413$

$$\epsilon_7^{2, 3} \otimes 414141\mathbf{32} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $141414^{2, 3} \otimes \epsilon_7 1$

$$\begin{aligned}
141414^{2, 3} \otimes \epsilon_7 1\mathbf{2} & \quad \Delta = -123, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
1\epsilon_7^{2, 3} \otimes 414141\mathbf{2} & \quad \Delta = -123, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
1\epsilon_7^{2, 3} \otimes 414141\mathbf{3} & \quad \Delta = -131, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
1\epsilon_7^{2, 3} \otimes 414141\mathbf{4} & \quad \Delta = -151, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $2321\epsilon_6^{3, 3} \otimes \epsilon_7 1$

$$2321\epsilon_6^{3, 3} \otimes \epsilon_7 1\mathbf{2} \quad \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21\epsilon_7^{122315131}$

$$21\epsilon_7^{122315131}\mathbf{6} \quad \Delta = -177, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\begin{aligned}
131513221\mathbf{e}'_7 12\mathbf{3} \quad \Delta &= -108, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2 \\
21\mathbf{e}'_7 122315131\mathbf{3} \quad \Delta &= -107, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2 \\
21\mathbf{e}'_7 122315131\mathbf{4} \quad \Delta &= -127, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2 \\
21\mathbf{e}'_7 122315131\mathbf{5} \quad \Delta &= -151, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3 \\
21\mathbf{e}'_7 122315131\mathbf{2} \quad \Delta &= -99, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0 \\
21\mathbf{e}'_7 122315131\mathbf{1} \quad \Delta &= -100, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $4 \otimes \mathbf{e}'_7 12$

$$4 \otimes \mathbf{e}'_7 12\mathbf{3} \quad \Delta = -136, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $321\mathbf{e}_6 \otimes \mathbf{e}'_7 12$

$$321\mathbf{e}_6 \otimes \mathbf{e}'_7 12\mathbf{3} \quad \Delta = -137, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\mathbf{e}_6 \otimes \mathbf{e}'_7 12$

$$1\mathbf{e}_6 \otimes \mathbf{e}'_7 12\mathbf{3} \quad \Delta = -136, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $221\mathbf{e}'_7 12315131$

$$221\mathbf{e}'_7 12315131\mathbf{4} \quad \Delta = -127, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\mathbf{e}'_7 12315131\mathbf{6} \quad \Delta = -177, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$221\mathbf{e}'_7 12315131\mathbf{1} \quad \Delta = -100, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\mathbf{e}'_7 12315131\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$13151321\mathbf{e}'_7 122\mathbf{3} \quad \Delta = -108, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\mathbf{e}'_7 12315131\mathbf{2} \quad \Delta = -99, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221\mathbf{e}'_7 12315131\mathbf{5} \quad \Delta = -151, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $21\mathbf{e}_6 \otimes \mathbf{e}'_7 122$

$$221\mathbf{e}'_7 \otimes \mathbf{e}_6 12\mathbf{3} \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\mathbf{e}_6 \otimes \mathbf{e}'_7 122$

$$1\mathbf{e}_6 \otimes \mathbf{e}'_7 122\mathbf{3} \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6 \otimes \mathbf{e}'_7 122 \quad \Delta = -119, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_6 \otimes \mathbf{e}'_7 122 \quad \Delta = -127, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\mathbf{e}_6 \otimes \mathbf{e}'_7 1223$

$$3221\mathbf{e}'_7 \otimes \mathbf{e}_6 1\mathbf{2} \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$3221\mathbf{e}'_7 \otimes \mathbf{e}_6 1\mathbf{3} \quad \Delta = -136, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1321\mathbf{e}'_7 1231512$

$$1321\mathbf{e}'_7 123151\mathbf{2} \quad \Delta = -102, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$2151321\mathbf{e}'_7 1231\mathbf{2} \quad \Delta = -100, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$2151321\mathbf{e}'_7 1231\mathbf{4} \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2151321\mathbf{e}'_7 1231\mathbf{3} \quad \Delta = -108, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$2151321\mathbf{e}'_7 1231\mathbf{5} \quad \Delta = -152, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\mathbf{e}'_7 1231512\mathbf{3} \quad \Delta = -109, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1321\mathbf{e}'_7 123151$

$$1321\mathbf{e}'_7 123151\mathbf{3} \quad \Delta = -108, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \begin{smallmatrix} 3132171231 \\ 5 \end{smallmatrix} 1 \quad \Delta = -108, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \begin{smallmatrix} 5132171231 \\ 5 \end{smallmatrix} 1 \quad \Delta = -152, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \begin{smallmatrix} 2132171231 \\ 5 \end{smallmatrix} 1 \quad \Delta = -100, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1321\mathbf{e}'_7 123151\mathbf{2} \quad \Delta = -100, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \begin{smallmatrix} 4132171231 \\ 5 \end{smallmatrix} 1 \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1321\overset{2}{\mathbf{e}}'_7 1231\overset{1}{51} \quad \Delta = -102, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1321\mathbf{e}'_7 1232151$

$$1512321\overset{2}{\mathbf{e}}'_7 1231\mathbf{3} \quad \Delta = -110, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1512321\overset{2}{\mathbf{e}}'_7 1231\mathbf{2} \quad \Delta = -102, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1512321\overset{2}{\mathbf{e}}'_7 1231\mathbf{4} \quad \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1512321\overset{2}{\mathbf{e}}'_7 1231\mathbf{5} \quad \Delta = -154, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\overset{2}{\mathbf{e}}'_7 1232151\mathbf{3} \quad \Delta = -110, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\overset{2}{\mathbf{e}}'_7 1232151 \quad \Delta = -104, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1321\overset{2}{\mathbf{e}}'_7 1232151\mathbf{2} \quad \Delta = -102, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $4 \otimes \overset{3,2}{\mathbf{e}}'_7 123151$

$$4 \otimes \overset{3,2}{\mathbf{e}}'_7 123151\mathbf{3} \quad \Delta = -136, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $14 \otimes \overset{2,3}{\mathbf{e}}'_7 12321$

$$12321\overset{2,3}{\mathbf{e}}'_7 \otimes 41\mathbf{4} \quad \Delta = -106, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$14 \otimes \overset{2,3}{\mathbf{e}}'_7 12321\mathbf{4} \quad \Delta = -106, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \otimes \overset{2,3}{\mathbf{e}}'_7 12321\mathbf{5} \quad \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$12321\overset{2,3}{\mathbf{e}}'_7 \otimes 41\mathbf{2} \quad \Delta = -78, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$14 \otimes \overset{2,3}{\mathbf{e}}'_7 12321\mathbf{7} \quad \Delta = -183, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$14 \otimes \overset{2,3}{\mathbf{e}}'_7 12321\mathbf{6} \quad \Delta = -156, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$14 \otimes \overset{2,3}{\mathbf{e}}'_7 12321\mathbf{3} \quad \Delta = -86, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$14 \otimes \overset{2,3}{\mathbf{e}}'_7 12321\mathbf{8} \quad \Delta = -211, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$12321\overset{2,3}{\mathbf{e}}'_7 \otimes 41\mathbf{3} \quad \Delta = -86, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$14 \otimes \overset{2,3}{\mathbf{e}}'_7 12321\mathbf{2} \quad \Delta = -78, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $4 \otimes \overset{3,3}{\mathbf{e}}'_7 12321$

$$4 \otimes \overset{3,3}{\mathbf{e}}'_7 12321\mathbf{8} \quad \Delta = -213, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$4 \otimes \overset{3,3}{\mathbf{e}}'_7 12321\mathbf{4} \quad \Delta = -108, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$4 \otimes \overset{3,3}{\mathbf{e}}'_7 12321\mathbf{2} \quad \Delta = -80, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$4 \otimes \overset{3,3}{\mathbf{e}}'_7 12321\mathbf{3} \quad \Delta = -88, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$4 \otimes \overset{3,3}{\mathbf{e}}'_7 12321\mathbf{7} \quad \Delta = -185, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$4 \otimes \overset{3,3}{\mathbf{e}}'_7 12321\mathbf{5} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$4 \otimes \overset{3,3}{\mathbf{e}}'_7 12321\mathbf{6} \quad \Delta = -158, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1 \overset{131513221}{\mathbf{e}}'_7 1$

$$1 \overset{3131513221}{\mathbf{e}}'_7 1 \quad \Delta = -107, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{6131513221}{\mathbf{e}}'_7 1 \quad \Delta = -177, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \overset{131513221}{\mathbf{e}}'_7 1 \quad \Delta = -100, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{5131513221}{\mathbf{e}}'_7 1 \quad \Delta = -151, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{4131513221}{\mathbf{e}}'_7 1 \quad \Delta = -127, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{2131513221}{\mathbf{e}}'_7 1 \quad \Delta = -99, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{131513221}{\mathbf{e}}'_7 1\mathbf{2} \quad \Delta = -99, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\overset{1}{\mathbf{e}}'_7 \otimes \overset{3,3}{\mathbf{e}}_6 123$

$$1\overset{21}{\mathbf{e}}'_7 \otimes \overset{3,3}{\mathbf{e}}_6 123 \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\overset{1}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_6 123\mathbf{2} \quad \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1 \overset{13151321}{\mathbf{e}}_7' 12$$

$$1 \overset{413151321}{\mathbf{e}}_7' 12 \quad \Delta = -127, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{213151321}{\mathbf{e}}_7' 12 \quad \Delta = -99, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{313151321}{\mathbf{e}}_7' 12 \quad \Delta = -107, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{13151321}{\mathbf{e}}_7' 12\mathbf{3} \quad \Delta = -108, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{13151321}{\mathbf{e}}_7' 12 \quad \Delta = -100, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21 \overset{13151321}{\mathbf{e}}_7' \mathbf{12} \quad \Delta = -99, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{613151321}{\mathbf{e}}_7' 12 \quad \Delta = -177, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1 \overset{513151321}{\mathbf{e}}_7' 12 \quad \Delta = -151, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\overset{21}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_6 12$$

$$21\overset{21}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_6 12 \quad \Delta = -119, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7' 1$$

$$1\overset{21}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7' 1 \quad \Delta = -119, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{31}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7' 1 \quad \Delta = -127, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7' 1 \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7' 1\mathbf{2} \quad \Delta = -119, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\overset{321}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_6 1$$

$$1 \overset{2321}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_6 1 \quad \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{321}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_6 1\mathbf{3} \quad \Delta = -136, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{321}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_6 1\mathbf{2} \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1 \overset{12321}{\mathbf{e}}_7' 12321$$

$$1 \overset{12321}{\mathbf{e}}_7' 12321\mathbf{4} \quad \Delta = -80, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$12321 \overset{12321}{\mathbf{e}}_7' 1\mathbf{2} \quad \Delta = -52, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{12321}{\mathbf{e}}_7' 12321\mathbf{2} \quad \Delta = -52, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{12321}{\mathbf{e}}_7' 12321\mathbf{3} \quad \Delta = -60, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{12321}{\mathbf{e}}_7' 12321\mathbf{5} \quad \Delta = -104, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{12321}{\mathbf{e}}_7' 12321\mathbf{6} \quad \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{12321}{\mathbf{e}}_7' 12321\mathbf{8} \quad \Delta = -185, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1 \overset{12321}{\mathbf{e}}_7' 12321\mathbf{7} \quad \Delta = -157, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1 \overset{1,13151321}{\mathbf{e}}_7' 1$$

$$1 \overset{1,513151321}{\mathbf{e}}_7' 1 \quad \Delta = -151, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{1,613151321}{\mathbf{e}}_7' 1 \quad \Delta = -177, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{1,413151321}{\mathbf{e}}_7' 1 \quad \Delta = -127, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{1,13151321}{\mathbf{e}}_7' 1 \quad \Delta = -100, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{1,13151321}{\mathbf{e}}_7' 1\mathbf{2} \quad \Delta = -99, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$1 \overset{1,213151321}{\mathbf{e}_7'} 1 \quad \Delta = -99, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$
 $1 \overset{1,313151321}{\mathbf{e}_7'} 1 \quad \Delta = -107, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_1$
Base: $31414 \overset{2,4}{\otimes} \mathbf{e}_7 1$
 $1 \mathbf{e}_7 \overset{2,4}{\otimes} 41413 \mathbf{2} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$
Base: $1 \mathbf{e}_7 1223151232$
 $2321513221 \mathbf{e}_7 1 \mathbf{2} \quad \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$
Base: $1 \mathbf{e}_7 122315132$
 $231 \overset{21812231}{5} 1 \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$
Base: $231414 \overset{2,3}{\otimes} \mathbf{e}_7 1$
 $231414 \overset{2,3}{\otimes} \mathbf{e}_7 1 \mathbf{2} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$
Base: $1 \mathbf{e}_7 1232151322$
 $2231512321 \mathbf{e}_7 1 \mathbf{2} \quad \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$
Base: $1 \mathbf{e}_7 123151322$
 $2231 \overset{2181231}{5} 1 \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$
Base: $1414 \overset{2,4}{\otimes} \mathbf{e}_7 12$
 $1414 \overset{2,4}{\otimes} \mathbf{e}_7 12 \mathbf{3} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3$
 $21 \mathbf{e}_7 \overset{2,4}{\otimes} 4141 \mathbf{2} \quad \Delta = -123, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_1$
 $21 \mathbf{e}_7 \overset{2,4}{\otimes} 4141 \mathbf{4} \quad \Delta = -151, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$
 $21 \mathbf{e}_7 \overset{2,4}{\otimes} 4141 \mathbf{3} \quad \Delta = -131, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$
Base: $21 \mathbf{e}_7 122315123$
 $321513221 \mathbf{e}_7 12 \mathbf{3} \quad \Delta = -137, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$
Base: $21 \mathbf{e}_7 12231513$
 $31 \overset{321812231}{5} 1 \quad \Delta = -136, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$
Base: $31414 \overset{2,3}{\otimes} \mathbf{e}_7 12$
 $31414 \overset{2,3}{\otimes} \mathbf{e}_7 12 \mathbf{3} \quad \Delta = -140, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3$
Base: $21 \mathbf{e}_7 123215132$
 $231512321 \mathbf{e}_7 12 \mathbf{3} \quad \Delta = -139, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$
Base: $21 \mathbf{e}_7 123151232$
 $232151321 \mathbf{e}_7 12 \mathbf{3} \quad \Delta = -139, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$
Base: $21 \mathbf{e}_7 12315132$
 $231 \overset{32181231}{5} 1 \quad \Delta = -137, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$
Base: $221 \mathbf{e}_7 12231512$
 $221 \mathbf{e}_7 12231512 \mathbf{3} \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$
Base: $221 \mathbf{e}_7 1223151$
 $221 \mathbf{e}_7 1223151 \mathbf{2} \quad \Delta = -119, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$
 $1 \overset{3221812231}{5} 1 \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$
 $221 \mathbf{e}_7 1223151 \mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$
Base: $3221 \mathbf{e}_7 1223151$
 $3221 \mathbf{e}_7 1223151 \mathbf{2} \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$
 $3221 \mathbf{e}_7 1223151 \mathbf{3} \quad \Delta = -136, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$

Base: $414 \otimes^{4,2} \mathfrak{e}_7 123$

$$414 \otimes^{4,2} \mathfrak{e}_7 123 \mathbf{2} \quad \Delta = -134, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1414 \otimes^{2,3} \mathfrak{e}_7 122$

$$221 \mathfrak{e}_7 \otimes^{2,3} 4141 \mathbf{3} \quad \Delta = -131, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221 \mathfrak{e}_7 \otimes^{2,3} 4141 \mathbf{4} \quad \Delta = -151, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221 \mathfrak{e}_7 \otimes^{2,3} 4141 \mathbf{2} \quad \Delta = -123, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1414 \otimes^{2,3} \mathfrak{e}_7 122 \mathbf{3} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $221 \mathfrak{e}_7 12321513$

$$221 \mathfrak{e}_7 12321513 \mathbf{2} \quad \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$31512321 \mathfrak{e}_7 122 \mathbf{3} \quad \Delta = -138, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $221 \mathfrak{e}_7 12315123$

$$32151321 \mathfrak{e}_7 122 \mathbf{3} \quad \Delta = -137, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221 \mathfrak{e}_7 12315123 \mathbf{2} \quad \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $221 \mathfrak{e}_7 1231513$

$$221 \mathfrak{e}_7 1231513 \mathbf{2} \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$31 \overset{3}{\mathbf{2}} \overset{22181231}{5} \mathbf{1} \quad \Delta = -136, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $14 \otimes^{2,4} \mathfrak{e}_7 1231$

$$14 \otimes^{2,4} \mathfrak{e}_7 1231 \mathbf{2} \quad \Delta = -106, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321 \mathfrak{e}_7 \otimes^{2,4} 41 \mathbf{4} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$14 \otimes^{2,4} \mathfrak{e}_7 1231 \mathbf{4} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$14 \otimes^{2,4} \mathfrak{e}_7 1231 \mathbf{5} \quad \Delta = -156, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1321 \mathfrak{e}_7 \otimes^{2,4} 41 \mathbf{3} \quad \Delta = -112, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1321 \mathfrak{e}_7 \otimes^{2,4} 41 \mathbf{2} \quad \Delta = -104, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$14 \otimes^{2,4} \mathfrak{e}_7 1231 \mathbf{2} \quad \Delta = -104, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$14 \otimes^{2,4} \mathfrak{e}_7 1231 \mathbf{3} \quad \Delta = -112, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $2221 \mathfrak{e}_7 1231512$

$$2221 \mathfrak{e}_7 1231512 \mathbf{3} \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $2221 \mathfrak{e}_7 123151$

$$2221 \mathfrak{e}_7 123151 \mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2221 \mathfrak{e}_7 123151 \mathbf{2} \quad \Delta = -119, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $12321 \mathfrak{e}_7 122313$

$$313221 \mathfrak{e}_7 12321 \mathbf{8} \quad \Delta = -219, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$313221 \mathfrak{e}_7 12321 \mathbf{7} \quad \Delta = -191, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$313221 \mathfrak{e}_7 12321 \mathbf{3} \quad \Delta = -94, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$313221 \mathfrak{e}_7 12321 \mathbf{6} \quad \Delta = -164, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$313221 \mathfrak{e}_7 12321 \mathbf{5} \quad \Delta = -138, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$313221 \mathfrak{e}_7 12321 \mathbf{2} \quad \Delta = -86, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$313221 \mathfrak{e}_7 12321 \mathbf{4} \quad \Delta = -114, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$12321 \mathfrak{e}_7 12231 \mathbf{3} \mathbf{2} \quad \Delta = -87, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $4 \otimes^{3,3} \mathfrak{e}_7 12231$

$$4 \otimes^{3,3} \mathfrak{e}_7 12231 \mathbf{5} \quad \Delta = -158, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$4 \otimes^{3,3} \mathfrak{e}_7 12231 \mathbf{4} \quad \Delta = -134, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$4 \otimes \overset{3,3}{\mathfrak{e}_7} 12231\bar{2} \quad \Delta = -106, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 14 \otimes \overset{2,3}{\mathfrak{e}_7} 12231$$

$$13221\overset{2,3}{\mathfrak{e}_7} \otimes 41\bar{4} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$14 \otimes \overset{2,3}{\mathfrak{e}_7} 12231\bar{4} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$14 \otimes \overset{2,3}{\mathfrak{e}_7} 12231\bar{5} \quad \Delta = -156, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$14 \otimes \overset{2,3}{\mathfrak{e}_7} 12231\bar{2} \quad \Delta = -104, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$14 \otimes \overset{2,3}{\mathfrak{e}_7} 12231\bar{3} \quad \Delta = -112, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$13221\overset{2,3}{\mathfrak{e}_7} \otimes 41\bar{3} \quad \Delta = -112, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$13221\overset{2,3}{\mathfrak{e}_7} \otimes 41\bar{2} \quad \Delta = -104, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 2221\mathfrak{e}_7 1232151$$

$$2221\mathfrak{e}_7 1232151\bar{2} \quad \Delta = -121, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$2221\mathfrak{e}_7 1232151\bar{3} \quad \Delta = -129, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 12321\mathfrak{e}_7 123132$$

$$231321\mathfrak{e}_7 12321\bar{2} \quad \Delta = -87, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$231321\mathfrak{e}_7 12321\bar{8} \quad \Delta = -220, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$231321\mathfrak{e}_7 12321\bar{6} \quad \Delta = -165, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$231321\mathfrak{e}_7 12321\bar{5} \quad \Delta = -139, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$231321\mathfrak{e}_7 12321\bar{3} \quad \Delta = -95, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$231321\mathfrak{e}_7 12321\bar{4} \quad \Delta = -115, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$231321\mathfrak{e}_7 12321\bar{7} \quad \Delta = -192, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 14 \otimes \overset{2,3}{\mathfrak{e}_7} 12313$$

$$31321\overset{2,3}{\mathfrak{e}_7} \otimes 41\bar{2} \quad \Delta = -112, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$31321\overset{2,3}{\mathfrak{e}_7} \otimes 41\bar{4} \quad \Delta = -140, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$14 \otimes \overset{2,3}{\mathfrak{e}_7} 12313\bar{2} \quad \Delta = -113, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$31321\overset{2,3}{\mathfrak{e}_7} \otimes 41\bar{3} \quad \Delta = -120, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 314 \otimes \overset{2,3}{\mathfrak{e}_7} 1231$$

$$314 \otimes \overset{2,3}{\mathfrak{e}_7} 1231\bar{4} \quad \Delta = -140, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$314 \otimes \overset{2,3}{\mathfrak{e}_7} 1231\bar{2} \quad \Delta = -112, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$314 \otimes \overset{2,3}{\mathfrak{e}_7} 1231\bar{5} \quad \Delta = -164, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1321\overset{2,3}{\mathfrak{e}_7} \otimes 413\bar{2} \quad \Delta = -113, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 14 \otimes \overset{2,3}{\mathfrak{e}_7} \overset{1}{1232}$$

$$\overset{3}{2} \overset{3141321812}{3} \overset{1}{1} \quad \Delta = -114, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\overset{4}{2} \overset{4141321812}{3} \overset{1}{1} \quad \Delta = -134, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\overset{2}{2} \overset{2141321812}{3} \overset{1}{1} \quad \Delta = -106, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } \overset{1}{1\mathfrak{e}_7} \otimes \overset{4,2}{4141}$$

$$\overset{1}{1\mathfrak{e}_7} \otimes \overset{4,2}{4141}\bar{3} \quad \Delta = -131, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\overset{1}{1\mathfrak{e}_7} \otimes \overset{4,2}{4141}\bar{2} \quad \Delta = -123, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\overset{21}{1\mathfrak{e}_7} \otimes \overset{4,2}{4141} \quad \Delta = -123, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\overset{1}{1\mathfrak{e}_7} \otimes \overset{4,2}{4141}\bar{4} \quad \Delta = -151, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\text{Base: } \overset{321513221}{1} \overset{1}{\mathfrak{e}_7}$$

$$\overset{2321513221}{1} \overset{1}{\mathfrak{e}_7} \quad \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{321513221} \mathfrak{e}_7^{12} \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1^{31513221} \mathfrak{e}_7^1$$

$$1^{31513221} \mathfrak{e}_7^{12} \Delta = -127, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{231513221} \mathfrak{e}_7^1 \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1 \mathfrak{e}_7^{1, 3, 2} \otimes 41413$$

$$1 \mathfrak{e}_7^{1, 3, 2} \otimes 41413^{12} \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1^{231512321} \mathfrak{e}_7^1$$

$$1^{231512321} \mathfrak{e}_7^{12} \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1^{232151321} \mathfrak{e}_7^1$$

$$1^{232151321} \mathfrak{e}_7^{12} \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1^{23151321} \mathfrak{e}_7^1$$

$$1^{23151321} \mathfrak{e}_7^{12} \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1^{21513221} \mathfrak{e}_7^{12}$$

$$21^{21513221} \mathfrak{e}_7^{12} \Delta = -119, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1^{1513221} \mathfrak{e}_7^{12}$$

$$21^{1513221} \mathfrak{e}_7^{12} \Delta = -119, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{21513221} \mathfrak{e}_7^{12} \Delta = -119, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{1513221} \mathfrak{e}_7^{12} \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1 \mathfrak{e}_7^{21, 3, 2} \otimes 4141$$

$$1 \mathfrak{e}_7^{21, 3, 2} \otimes 4141^{12} \Delta = -151, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \mathfrak{e}_7^{321, 3, 2} \otimes 4141 \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \mathfrak{e}_7^{21, 3, 2} \otimes 4141^{12} \Delta = -131, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21 \mathfrak{e}_7^{21, 3, 2} \otimes 4141 \Delta = -123, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \mathfrak{e}_7^{21, 3, 2} \otimes 4141^{12} \Delta = -123, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1^{31512321} \mathfrak{e}_7^{12}$$

$$1^{31512321} \mathfrak{e}_7^{12} \Delta = -138, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21^{31512321} \mathfrak{e}_7^{12} \Delta = -129, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1^{32151321} \mathfrak{e}_7^{12}$$

$$21^{32151321} \mathfrak{e}_7^{12} \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{32151321} \mathfrak{e}_7^{12} \Delta = -137, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1^{3151321} \mathfrak{e}_7^{12}$$

$$1^{3151321} \mathfrak{e}_7^{12} \Delta = -136, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21^{3151321} \mathfrak{e}_7^{12} \Delta = -127, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1^{1512321} \mathfrak{e}_7^{12}$$

$$1^{31512321} \mathfrak{e}_7^{12} \Delta = -129, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221^{1512321} \mathfrak{e}_7^{12} \Delta = -121, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{21512321} \mathfrak{e}_7^{12} \Delta = -121, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{1512321} \mathfrak{e}_7^{12} \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1^{1513221} \mathfrak{e}_7^{12}$$

$$1^{21513221} \mathfrak{e}_7^{12} \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{1321}{\mathfrak{e}_7} \overset{3,2}{\otimes} 41\mathbf{3} \quad \Delta = -112, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1 \overset{31321}{\mathfrak{e}_7} 12321$

$$1 \overset{31321}{\mathfrak{e}_7} 12321\mathbf{7} \quad \Delta = -191, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{31321}{\mathfrak{e}_7} 12321\mathbf{5} \quad \Delta = -138, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{31321}{\mathfrak{e}_7} 12321\mathbf{6} \quad \Delta = -164, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{31321}{\mathfrak{e}_7} 12321\mathbf{8} \quad \Delta = -219, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$12321 \overset{31321}{\mathfrak{e}_7} \mathbf{12} \quad \Delta = -86, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{31321}{\mathfrak{e}_7} 12321\mathbf{2} \quad \Delta = -86, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{231321}{\mathfrak{e}_7} 12321 \quad \Delta = -87, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{31321}{\mathfrak{e}_7} 12321\mathbf{4} \quad \Delta = -114, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{31321}{\mathfrak{e}_7} 12321\mathbf{3} \quad \Delta = -94, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1 \overset{2321}{\mathfrak{e}_7} 12321$

$$1 \overset{2321}{\mathfrak{e}_7} 12321\mathbf{3} \quad \Delta = -88, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{2321}{\mathfrak{e}_7} 12321\mathbf{5} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{2321}{\mathfrak{e}_7} 12321\mathbf{2} \quad \Delta = -80, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{2321}{\mathfrak{e}_7} 12321\mathbf{6} \quad \Delta = -158, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{2321}{\mathfrak{e}_7} 12321\mathbf{7} \quad \Delta = -185, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{2321}{\mathfrak{e}_7} 12321\mathbf{8} \quad \Delta = -213, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1 \overset{2321}{\mathfrak{e}_7} 12321\mathbf{4} \quad \Delta = -108, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$12321 \overset{2321}{\mathfrak{e}_7} \mathbf{12} \quad \Delta = -80, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $21 \overset{1512321}{\mathfrak{e}_7} 12$

$$21 \overset{1512321}{\mathfrak{e}_7} \mathbf{123} \quad \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21 \overset{21512321}{\mathfrak{e}_7} 12 \quad \Delta = -121, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $21 \overset{151321}{\mathfrak{e}_7} 12$

$$21 \overset{2151321}{\mathfrak{e}_7} 12 \quad \Delta = -119, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21 \overset{151321}{\mathfrak{e}_7} \mathbf{123} \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $21 \overset{512321}{\mathfrak{e}_7} 123$

$$21 \overset{512321}{\mathfrak{e}_7} \mathbf{1232} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $21 \overset{151321}{\mathfrak{e}_7} 123$

$$21 \overset{3151321}{\mathfrak{e}_7} 123 \quad \Delta = -136, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21 \overset{2151321}{\mathfrak{e}_7} 123 \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21 \overset{151321}{\mathfrak{e}_7} \mathbf{1232} \quad \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $21 \overset{12321}{\mathfrak{e}_7} 1231$

$$21 \overset{812321}{\mathfrak{e}_7} 1231 \quad \Delta = -211, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$21 \overset{412321}{\mathfrak{e}_7} 1231 \quad \Delta = -106, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21 \overset{12321}{\mathfrak{e}_7} 1231\mathbf{5} \quad \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21 \overset{12321}{\mathfrak{e}_7} 1231\mathbf{4} \quad \Delta = -106, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21 \overset{512321}{\mathfrak{e}_7} 1231 \quad \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21 \overset{612321}{\mathfrak{e}_7} 1231 \quad \Delta = -156, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$21 \overset{712321}{\mathfrak{e}_7} 1231 \quad \Delta = -183, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$21 \overset{212321}{\mathfrak{e}_7} 1231 \quad \Delta = -78, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1321 \overset{12321}{\mathfrak{e}_7} \mathbf{123} \quad \Delta = -87, n_+ = 1, n_- = 12, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\begin{aligned}
21 \overset{312321}{\mathfrak{e}_7} 1231 \quad \Delta = -86, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21 \overset{12321}{\mathfrak{e}_7} 1231 \overset{2}{\mathfrak{e}_7} \quad \Delta = -78, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
\text{Base: } 12321 \overset{321}{\mathfrak{e}_7} 123 \\
12321 \overset{321}{\mathfrak{e}_7} 123 \overset{2}{\mathfrak{e}_7} \quad \Delta = -89, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 1 \overset{1,21513221}{\mathfrak{e}_7} 1 \\
1 \overset{1,321513221}{\mathfrak{e}_7} 1 \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{1,21513221}{\mathfrak{e}_7} 1 \overset{2}{\mathfrak{e}_7} \quad \Delta = -119, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1 \overset{1,1513221}{\mathfrak{e}_7} 1 \\
1 \overset{1,31513221}{\mathfrak{e}_7} 1 \quad \Delta = -127, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{1,21513221}{\mathfrak{e}_7} 1 \quad \Delta = -119, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{1,1513221}{\mathfrak{e}_7} 1 \overset{2}{\mathfrak{e}_7} \quad \Delta = -119, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1 \overset{1,31512321}{\mathfrak{e}_7} 1 \\
1 \overset{1,31512321}{\mathfrak{e}_7} 1 \overset{2}{\mathfrak{e}_7} \quad \Delta = -129, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{1,231512321}{\mathfrak{e}_7} 1 \quad \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1 \overset{1,32151321}{\mathfrak{e}_7} 1 \\
1 \overset{1,32151321}{\mathfrak{e}_7} 1 \overset{2}{\mathfrak{e}_7} \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{1,232151321}{\mathfrak{e}_7} 1 \quad \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1 \overset{1,3151321}{\mathfrak{e}_7} 1 \\
1 \overset{1,3151321}{\mathfrak{e}_7} 1 \overset{2}{\mathfrak{e}_7} \quad \Delta = -127, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{1,23151321}{\mathfrak{e}_7} 1 \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1 \overset{21,2151321}{\mathfrak{e}_7} 1 \\
1 \overset{21,2151321}{\mathfrak{e}_7} 1 \overset{2}{\mathfrak{e}_7} \quad \Delta = -119, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1 \overset{21,151321}{\mathfrak{e}_7} 1 \\
1 \overset{21,151321}{\mathfrak{e}_7} 1 \overset{2}{\mathfrak{e}_7} \quad \Delta = -119, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{21,2151321}{\mathfrak{e}_7} 1 \quad \Delta = -119, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{321,151321}{\mathfrak{e}_7} 1 \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
\text{Base: } 1 \overset{21,1512321}{\mathfrak{e}_7} 1 \\
1 \overset{321,1512321}{\mathfrak{e}_7} 1 \quad \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \overset{21,1512321}{\mathfrak{e}_7} 1 \overset{2}{\mathfrak{e}_7} \quad \Delta = -121, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{21,21512321}{\mathfrak{e}_7} 1 \quad \Delta = -121, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
\text{Base: } 1 \overset{1,512321}{\mathfrak{e}_7} 123 \\
1 \overset{1,512321}{\mathfrak{e}_7} 123 \overset{2}{\mathfrak{e}_7} \quad \Delta = -132, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 1 \overset{1,151321}{\mathfrak{e}_7} 123 \\
1 \overset{1,151321}{\mathfrak{e}_7} 123 \overset{2}{\mathfrak{e}_7} \quad \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{1,3151321}{\mathfrak{e}_7} 123 \quad \Delta = -136, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{1,2151321}{\mathfrak{e}_7} 123 \quad \Delta = -128, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 1 \overset{1,12321}{\mathfrak{e}_7} 1231 \\
1 \overset{1,612321}{\mathfrak{e}_7} 1231 \quad \Delta = -156, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{1,812321}{\mathfrak{e}_7} 1231 \quad \Delta = -211, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1 \overset{1,12321}{\mathfrak{e}_7} 1231 \overset{3}{\mathfrak{e}_7} \quad \Delta = -86, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

$$\begin{aligned}
1^{1,12321} \epsilon_7^{2} 1231 \quad \Delta = -80, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{1,3^{12321}} \epsilon_7 1231 \quad \Delta = -86, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1321^{1,12321} \epsilon_7^{12} \quad \Delta = -78, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{1,12321} \epsilon_7 1231^5 \quad \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{1,5^{12321}} \epsilon_7 1231 \quad \Delta = -130, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{1,7^{12321}} \epsilon_7 1231 \quad \Delta = -183, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1^{1,4^{12321}} \epsilon_7 1231 \quad \Delta = -106, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{1,2^{12321}} \epsilon_7 1231 \quad \Delta = -78, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{1,12321} \epsilon_7 1231^2 \quad \Delta = -78, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1^{1,12321} \epsilon_7 1231^4 \quad \Delta = -106, n_+ = 1, n_- = 12, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

$T = 13$ (764 bases)

Base: $1\epsilon_8 1222222222$

$$2222222221\epsilon_8 1^2 \quad \Delta = -144, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $221\epsilon_8 122222222$

$$222222221\epsilon_8 122^3 \quad \Delta = -153, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1^{222222221} \epsilon_8 1$

$$1^{222222221} \epsilon_8^{12} \quad \Delta = -144, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1^{222222221} \epsilon_8 12$

$$21^{222222221} \epsilon_8^{12} \quad \Delta = -144, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1^{222221} \epsilon_8 12222$

$$22221^{222221} \epsilon_8^{12} \quad \Delta = -144, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1^{2222221} \epsilon_8 1222$

$$2221^{2222221} \epsilon_8^{12} \quad \Delta = -144, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1^{2222221} \epsilon_8 122$

$$1^{22222221} \epsilon_8 122^3 \quad \Delta = -153, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221^{22222221} \epsilon_8^{12} \quad \Delta = -144, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $21^{2222221} \epsilon_8 122$

$$21^{2222221} \epsilon_8^{1223} \quad \Delta = -153, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $221^{22221} \epsilon_8 1222$

$$2221^{22221} \epsilon_8^{1223} \quad \Delta = -153, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $221^{222221} \epsilon_8 122$

$$221^{222221} \epsilon_8^{1223} \quad \Delta = -153, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1^{1,222222221} \epsilon_8 1$

$$1^{1,222222221} \epsilon_8^{12} \quad \Delta = -144, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1^{21,22222221} \epsilon_8 1$

$$1^{21,22222221} \epsilon_8^{12} \quad \Delta = -144, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1^{1,22221} \epsilon_8 12222$

$$22221^{1,22221} \epsilon_8^{12} \quad \Delta = -144, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1^{1,222221} \epsilon_8 1222$

$$2221^{1,222221} \epsilon_8^{12} \quad \Delta = -144, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1^{221,2222221} \epsilon_8 1$
 $1^{3221,2222221} \epsilon_8 1$ $\Delta = -153, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$
 $1^{221,2222221} \epsilon_8 12$ $\Delta = -144, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $1^{21,2222221} \epsilon_8 12$
 $21^{21,2222221} \epsilon_8 12$ $\Delta = -144, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $1^{21,22221} \epsilon_8 1222$
 $2221^{21,22221} \epsilon_8 12$ $\Delta = -144, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $1^{221,222221} \epsilon_8 12$
 $1^{3221,222221} \epsilon_8 12$ $\Delta = -153, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$
 $21^{221,222221} \epsilon_8 12$ $\Delta = -144, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $1^{221,2221} \epsilon_8 1222$
 $1^{3221,2221} \epsilon_8 1222$ $\Delta = -153, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$
 $2221^{221,2221} \epsilon_8 12$ $\Delta = -144, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $1^{221,22221} \epsilon_8 122$
 $1^{221,22221} \epsilon_8 1223$ $\Delta = -153, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$
 $221^{221,22221} \epsilon_8 12$ $\Delta = -144, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $21^{221,22221} \epsilon_8 12$
 $21^{3221,22221} \epsilon_8 12$ $\Delta = -153, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$
Base: $21^{221,2221} \epsilon_8 122$
 $21^{221,2221} \epsilon_8 1223$ $\Delta = -153, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$
Base: $221^{221,221} \epsilon_8 122$
 $221^{221,221} \epsilon_8 1223$ $\Delta = -153, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$
Base: 1222222222221
 12222222222218 $\Delta = -29, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$
 12222222222217 $\Delta = -1, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_5$
 $1222222222221(12)$ $\Delta = -144, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: 1223141413221
 12231414132215 $\Delta = -22, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1223141413221(12)$ $\Delta = -218, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_6$
 12231414132218 $\Delta = -103, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$
 12231414132216 $\Delta = -48, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$
 12231414132217 $\Delta = -75, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$
Base: 1314141413221
 12231414141316 $\Delta = -75, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$
 13141414132215 $\Delta = -49, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$
 13141414132216 $\Delta = -75, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$
 $1314141413221(12)$ $\Delta = -245, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_9$
 13141414132218 $\Delta = -130, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_5$
 13141414132214 $\Delta = -25, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$
 13141414132213 $\Delta = -5, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$
 12231414141313 $\Delta = -5, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$
 12231414141314 $\Delta = -25, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$
 13141414132217 $\Delta = -102, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$
 12231414141315 $\Delta = -49, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: 1231414141321

$$\begin{aligned}
12314141413216 & \Delta = -76, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0 \\
12314141413215 & \Delta = -50, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1 \\
12314141413218 & \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2 \\
12314141413217 & \Delta = -103, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2 \\
12314141413213 & \Delta = -6, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1231414141321 & \Delta = 0, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2 \\
12314141413214 & \Delta = -26, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: 2141414141321

$$\begin{aligned}
2141414141321 & \Delta = -19, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2 \\
21414141413212 & \Delta = -17, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0 \\
21414141413215 & \Delta = -69, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3 \\
21414141413217 & \Delta = -122, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_5 \\
21414141413214 & \Delta = -45, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2 \\
21414141413218 & \Delta = -150, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_6 \\
21414141413213 & \Delta = -25, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2 \\
21414141413216 & \Delta = -95, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4 \\
12314141414123 & \Delta = -26, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: 1314141414131

$$\begin{aligned}
13141414141313 & \Delta = -32, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3 \\
13141414141315 & \Delta = -76, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1 \\
13141414141312 & \Delta = -24, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4 \\
13141414141314 & \Delta = -52, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1314141414131 & \Delta = -25, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3 \\
13141414141316 & \Delta = -102, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: 2141414141412

$$21414141414123 \Delta = -45, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 14141414141321

$$\begin{aligned}
141414141413218 & \Delta = -150, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_6 \\
14141414141321 & \Delta = -45, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1 \\
141414141413216 & \Delta = -95, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4 \\
141414141413214 & \Delta = -45, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2 \\
141414141413212 & \Delta = -17, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0 \\
141414141413215 & \Delta = -69, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3 \\
14141414141321 & \Delta = -17, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3 \\
141414141413217 & \Delta = -122, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_5 \\
14141414141321 & \Delta = -25, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2 \\
14141414141321 & \Delta = -19, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2 \\
141414141413213 & \Delta = -25, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2
\end{aligned}$$

Base: 141414141412

$$\begin{aligned}
141414141412 & \Delta = -44, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1414141414123 & \Delta = -45, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3 \\
141414141412 & \Delta = -64, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2 \\
141414141412 & \Delta = -36, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4
\end{aligned}$$

Base: 14141414141

$$14141414141 \Delta = -64, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\overset{31}{1}4141414141 \overset{1}{\Delta} = -44, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\overset{21}{1}4141414141 \overset{1}{\Delta} = -36, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: 1223151315131

$$1223151315131\overset{3}{\Delta} = -33, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1315131513221(\overset{12}{\Delta}) = -273, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1315131513221\overset{3}{\Delta} = -33, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1223151315131\overset{2}{\Delta} = -25, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1315131513221\overset{6}{\Delta} = -103, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1315131513221\overset{2}{\Delta} = -25, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1223151315131\overset{4}{\Delta} = -53, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1315131513221\overset{4}{\Delta} = -53, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1315131513221\overset{5}{\Delta} = -77, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1223151315131\overset{2}{\Delta} = -26, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1223151315131\overset{5}{\Delta} = -77, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1315131513221\overset{8}{\Delta} = -158, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1223151315131\overset{6}{\Delta} = -103, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1315131513221\overset{7}{\Delta} = -130, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: 1231513151321

$$1231513151321\overset{8}{\Delta} = -159, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1231513151321\overset{3}{\Delta} = -34, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1231513151321\overset{6}{\Delta} = -104, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1231513151321\overset{4}{\Delta} = -54, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1231513151321\overset{2}{\Delta} = -26, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1231513151321\overset{5}{\Delta} = -78, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1231513151321\overset{7}{\Delta} = -131, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\mathfrak{e}_6 12231513221$

$$1\mathfrak{e}_6 12231513221\overset{7}{\Delta} = -149, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathfrak{e}_6 12231513221\overset{2}{\Delta} = -44, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12231513221\mathfrak{e}_6\overset{13}{\Delta} = -52, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathfrak{e}_6 12231513221\overset{3}{\Delta} = -52, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathfrak{e}_6 12231513221(\overset{12}{\Delta}) = -292, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$1\mathfrak{e}_6 12231513221\overset{5}{\Delta} = -96, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathfrak{e}_6 12231513221\overset{4}{\Delta} = -72, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathfrak{e}_6 12231513221\overset{8}{\Delta} = -177, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathfrak{e}_6 12231513221\overset{6}{\Delta} = -122, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12231513221\mathfrak{e}_6\overset{12}{\Delta} = -44, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $\overset{4,5}{\mathfrak{e}_6} \otimes \mathfrak{e}_6 1$

$$\overset{4,5}{\mathfrak{e}_6} \otimes \mathfrak{e}_6\overset{13}{\Delta} = -130, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\mathfrak{e}_6 \overset{4,4}{\otimes} \mathfrak{e}_6 1$

$$1\mathfrak{e}_6 \overset{4,4}{\otimes} \mathfrak{e}_6\overset{13}{\Delta} = -130, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathfrak{e}_6 \overset{4,4}{\otimes} \mathfrak{e}_6\overset{12}{\Delta} = -122, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $21\mathfrak{e}_6 1231513221$

$$21\mathfrak{e}_6 1231513221\overset{2}{\Delta} = -44, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\mathfrak{e}_6 1231513221\overset{6}{\Delta} = -122, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\mathfrak{e}_6 1231513221\overset{7}{\Delta} = -149, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\mathfrak{e}_6 1231513221\overset{5}{\Delta} = -96, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\mathfrak{e}_6 1231513221\overset{4}{\Delta} = -72, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\mathfrak{e}_6 1231513221\overset{8}{\Delta} = -177, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\mathfrak{e}_6 1231513221\overset{3}{\Delta} = -52, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$1223151321\epsilon_6 12\mathbf{3} \quad \Delta = -53, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$
 $21\epsilon_6 1231513221(\mathbf{12}) \quad \Delta = -292, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_8$
Base: $31\epsilon_6 \overset{4,3}{\otimes} \epsilon_6 1$
 $31\epsilon_6 \overset{4,3}{\otimes} \epsilon_6 1\mathbf{3} \quad \Delta = -137, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$
Base: $\epsilon_6 \overset{3,5}{\otimes} \epsilon_6 12$
 $\epsilon_6 \overset{3,5}{\otimes} \epsilon_6 12\mathbf{3} \quad \Delta = -130, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$
Base: $1\epsilon_6 \overset{4,3}{\otimes} \epsilon_6 12$
 $21\epsilon_6 \overset{4,3}{\otimes} \epsilon_6 1\mathbf{2} \quad \Delta = -121, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1\epsilon_6 \overset{4,3}{\otimes} \epsilon_6 12\mathbf{3} \quad \Delta = -130, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$
 $21\epsilon_6 \overset{4,3}{\otimes} \epsilon_6 1\mathbf{3} \quad \Delta = -129, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $221\epsilon_6 131513221$
 $221\epsilon_6 131513221(\mathbf{12}) \quad \Delta = -291, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_8$
 $122315131\epsilon_6 122\mathbf{3} \quad \Delta = -52, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$
 $221\epsilon_6 131513221\mathbf{2} \quad \Delta = -43, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$
 $221\epsilon_6 131513221\mathbf{4} \quad \Delta = -71, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$
 $221\epsilon_6 131513221\mathbf{7} \quad \Delta = -148, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$
 $221\epsilon_6 131513221\mathbf{6} \quad \Delta = -121, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$
 $221\epsilon_6 131513221\mathbf{5} \quad \Delta = -95, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$
 $221\epsilon_6 131513221\mathbf{3} \quad \Delta = -51, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$
 $221\epsilon_6 131513221\mathbf{8} \quad \Delta = -176, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$
Base: $131\epsilon_6 123151321$
 $131\epsilon_6 123151321\mathbf{7} \quad \Delta = -157, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$
 $123151321\epsilon_6 131\mathbf{2} \quad \Delta = -52, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$
 $131\epsilon_6 123151321\mathbf{5} \quad \Delta = -104, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$
 $131\epsilon_6 123151321\mathbf{6} \quad \Delta = -130, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$
 $123151321\epsilon_6 131\mathbf{5} \quad \Delta = -104, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$
 $123151321\epsilon_6 131\mathbf{6} \quad \Delta = -130, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$
 $131\epsilon_6 123151321\mathbf{2} \quad \Delta = -52, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$
 $123151321\epsilon_6 131\mathbf{4} \quad \Delta = -80, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$
 $131\epsilon_6 123151321\mathbf{4} \quad \Delta = -80, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$
 $131\epsilon_6 123151321\mathbf{3} \quad \Delta = -60, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$
 $123151321\epsilon_6 131\mathbf{3} \quad \Delta = -60, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$
 $131\epsilon_6 123151321\mathbf{8} \quad \Delta = -185, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_5$
Base: $\epsilon_6 \overset{3,4}{\otimes} \epsilon_6 123$
 $\epsilon_6 \overset{3,4}{\otimes} \epsilon_6 123\mathbf{2} \quad \Delta = -132, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $1\epsilon_6 \overset{3,3}{\circ} \epsilon_6 123$
 $1\epsilon_6 \overset{3,3}{\circ} \epsilon_6 123\mathbf{2} \quad \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$
 $321\epsilon_6 \overset{3,3}{\circ} \epsilon_6 1\mathbf{2} \quad \Delta = -129, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$
 $321\epsilon_6 \overset{3,3}{\circ} \epsilon_6 1\mathbf{3} \quad \Delta = -137, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$
Base: $1321\epsilon_6 13151321$
 $1321\epsilon_6 13151321\mathbf{7} \quad \Delta = -157, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$
 $12315131\epsilon_6 1231\mathbf{3} \quad \Delta = -60, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1321\epsilon_6 13151321\mathbf{3} \quad \Delta = -60, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1321\epsilon_6 13151321\mathbf{5} \quad \Delta = -104, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$
 $12315131\epsilon_6 1231\mathbf{2} \quad \Delta = -52, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1321\epsilon_6 13151321\mathbf{4} \quad \Delta = -80, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$
 $12315131\epsilon_6 1231\mathbf{4} \quad \Delta = -80, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$

$$\begin{aligned}
1321\epsilon_6 13151321 & \quad \Delta = -54, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1321\epsilon_6 13151321\mathbf{2} & \quad \Delta = -52, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1321\epsilon_6 13151321\mathbf{8} & \quad \Delta = -185, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_5 \\
12315131\epsilon_6 1231\mathbf{5} & \quad \Delta = -104, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1321\epsilon_6 13151321\mathbf{6} & \quad \Delta = -130, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3
\end{aligned}$$

Base: 12321 ϵ_6 1315131

$$\begin{aligned}
12321\epsilon_6 1315131\mathbf{2} & \quad \Delta = -53, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0 \\
12321\epsilon_6 1315131\mathbf{4} & \quad \Delta = -81, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1315131\epsilon_6 12321\mathbf{4} & \quad \Delta = -81, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1315131\epsilon_6 12321\mathbf{5} & \quad \Delta = -105, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2 \\
12321\epsilon_6 1315131\mathbf{3} & \quad \Delta = -61, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1315131\epsilon_6 12321\mathbf{3} & \quad \Delta = -61, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1 \\
12321\epsilon_6 1315131\mathbf{5} & \quad \Delta = -105, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1315131\epsilon_6 12321\mathbf{6} & \quad \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1315131\epsilon_6 12321\mathbf{8} & \quad \Delta = -186, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4 \\
12321\epsilon_6 1315131\mathbf{2} & \quad \Delta = -54, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1315131\epsilon_6 12321\mathbf{7} & \quad \Delta = -158, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1315131\epsilon_6 12321\mathbf{2} & \quad \Delta = -53, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2 \\
12321\epsilon_6 1315131\mathbf{6} & \quad \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $\epsilon_6 \otimes \epsilon_6$ 131513

$$\epsilon_6 \otimes \epsilon_6 131513\mathbf{2} \quad \Delta = -132, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_6 \otimes \epsilon_6$ 13151

$$\begin{aligned}
1\epsilon_6 \otimes \epsilon_6 13151\mathbf{3} & \quad \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2 \\
15131\epsilon_6 \otimes \epsilon_6 1\mathbf{2} & \quad \Delta = -123, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0 \\
15131\epsilon_6 \otimes \epsilon_6 1\mathbf{3} & \quad \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1\epsilon_6 \otimes \epsilon_6 13151\mathbf{2} & \quad \Delta = -123, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $131\epsilon_6 \otimes \epsilon_6$ 131

$$\begin{aligned}
131\epsilon_6 \otimes \epsilon_6 131\mathbf{5} & \quad \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2 \\
131\epsilon_6 \otimes \epsilon_6 131\mathbf{4} & \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0 \\
131\epsilon_6 \otimes \epsilon_6 131\mathbf{6} & \quad \Delta = -157, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2 \\
131\epsilon_6 \otimes \epsilon_6 131\mathbf{3} & \quad \Delta = -87, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1 \\
131\epsilon_6 \otimes \epsilon_6 131\mathbf{2} & \quad \Delta = -79, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: 131 ϵ_6 131513215

$$\begin{aligned}
512315131\epsilon_6 131\mathbf{2} & \quad \Delta = -103, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1 \\
512315131\epsilon_6 131\mathbf{3} & \quad \Delta = -111, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0 \\
512315131\epsilon_6 131\mathbf{4} & \quad \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2 \\
512315131\epsilon_6 131\mathbf{6} & \quad \Delta = -181, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3 \\
512315131\epsilon_6 131\mathbf{5} & \quad \Delta = -155, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: 131 ϵ_6 131513151

$$\begin{aligned}
151315131\epsilon_6 131\mathbf{4} & \quad \Delta = -130, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2 \\
151315131\epsilon_6 131\mathbf{5} & \quad \Delta = -154, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2 \\
151315131\epsilon_6 131\mathbf{6} & \quad \Delta = -180, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3 \\
131\epsilon_6 131513151\mathbf{3} & \quad \Delta = -110, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2 \\
131\epsilon_6 131513151\mathbf{2} & \quad \Delta = -102, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2 \\
151315131\epsilon_6 131\mathbf{3} & \quad \Delta = -110, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0 \\
151315131\epsilon_6 131\mathbf{2} & \quad \Delta = -102, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: 3131 ϵ_6 13151321

$$\begin{aligned}
12315131\mathfrak{e}_61313\mathbf{2} \quad \Delta = -60, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
3131\mathfrak{e}_613151321\mathbf{3} \quad \Delta = -67, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
3131\mathfrak{e}_613151321\mathbf{6} \quad \Delta = -137, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
3131\mathfrak{e}_613151321\mathbf{2} \quad \Delta = -59, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
3131\mathfrak{e}_613151321\mathbf{8} \quad \Delta = -192, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
3131\mathfrak{e}_613151321\mathbf{4} \quad \Delta = -87, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
3131\mathfrak{e}_613151321\mathbf{7} \quad \Delta = -164, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $14 \overset{2,2}{\otimes} \mathfrak{e}_61315131$

$$\begin{aligned}
14 \overset{2,2}{\otimes} \mathfrak{e}_61315131\mathbf{6} \quad \Delta = -156, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
14 \overset{2,2}{\otimes} \mathfrak{e}_61315131\mathbf{4} \quad \Delta = -106, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1315131\mathfrak{e}_6 \overset{2,2}{\otimes} 41\mathbf{4} \quad \Delta = -106, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
14 \overset{2,2}{\otimes} \mathfrak{e}_61315131\mathbf{3} \quad \Delta = -86, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1315131\mathfrak{e}_6 \overset{2,2}{\otimes} 41\mathbf{2} \quad \Delta = -78, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
14 \overset{2,2}{\otimes} \mathfrak{e}_61315131\mathbf{2} \quad \Delta = -78, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
14 \overset{2,2}{\otimes} \mathfrak{e}_61315131\mathbf{5} \quad \Delta = -130, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1315131\mathfrak{e}_6 \overset{2,2}{\otimes} 41\mathbf{3} \quad \Delta = -86, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
14 \overset{2,2}{\otimes} \mathfrak{e}_61315131\mathbf{1} \quad \Delta = -79, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $215131\mathfrak{e}_6131512$

$$215131\mathfrak{e}_6131512\mathbf{3} \quad \Delta = -103, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1 \overset{2151316131}{5} 1$

$$\begin{aligned}
1 \overset{2151316131}{5} \mathbf{13} \quad \Delta = -102, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{2151316131}{5} \mathbf{12} \quad \Delta = -94, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{32151316131}{5} \mathbf{1} \quad \Delta = -103, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1 \overset{151316131}{5} 1$

$$\begin{aligned}
1 \overset{151316131}{5} \mathbf{13} \quad \Delta = -102, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{151316131}{5} \mathbf{12} \quad \Delta = -94, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_61231513$

$$\begin{aligned}
1\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_61231513\mathbf{2} \quad \Delta = -130, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
3151321\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6\mathbf{12} \quad \Delta = -129, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
3151321\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6\mathbf{13} \quad \Delta = -137, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $21\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6123151$

$$\begin{aligned}
21\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6123151\mathbf{2} \quad \Delta = -121, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
151321\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6\mathbf{123} \quad \Delta = -130, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $21\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6123215$

$$512321\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6\mathbf{123} \quad \Delta = -132, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $221\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_612321$

$$\begin{aligned}
221\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_612321\mathbf{7} \quad \Delta = -176, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
221\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_612321\mathbf{6} \quad \Delta = -149, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
221\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_612321\mathbf{5} \quad \Delta = -123, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
221\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_612321\mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
12321\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6\mathbf{1223} \quad \Delta = -80, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

$$\begin{aligned}
221\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 12321\mathbf{4} \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
221\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 12321\mathbf{2} \quad \Delta = -71, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
221\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 12321\mathbf{8} \quad \Delta = -204, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_6
\end{aligned}$$

Base: $321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 12315$

$$51321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 123\mathbf{2} \quad \Delta = -132, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1231$

$$1321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1231\mathbf{2} \quad \Delta = -78, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\mathbf{2} 1321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1231 \quad \Delta = -80, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1231\mathbf{5} \quad \Delta = -130, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1231\mathbf{4} \quad \Delta = -106, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1231\mathbf{3} \quad \Delta = -86, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $414 \otimes \mathfrak{c}_6^{2,2} \otimes \mathfrak{c}_6^{2,2} 12$

$$414 \otimes \mathfrak{c}_6^{2,2} \otimes \mathfrak{c}_6^{2,2} 12\mathbf{3} \quad \Delta = -133, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $14 \otimes \mathfrak{c}_6^{2,2} \otimes \mathfrak{c}_6^{2,2} 122$

$$221\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} \otimes \mathfrak{c}_6^{2,2} 41\mathbf{4} \quad \Delta = -124, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$221\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} \otimes \mathfrak{c}_6^{2,2} 41\mathbf{3} \quad \Delta = -104, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$221\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} \otimes \mathfrak{c}_6^{2,2} 41\mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$14 \otimes \mathfrak{c}_6^{2,2} \otimes \mathfrak{c}_6^{2,2} 122\mathbf{3} \quad \Delta = -105, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $4 \otimes \mathfrak{c}_6^{3,2} \otimes \mathfrak{c}_6^{2,2} 131$

$$4 \otimes \mathfrak{c}_6^{3,2} \otimes \mathfrak{c}_6^{2,2} 131\mathbf{6} \quad \Delta = -183, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$4 \otimes \mathfrak{c}_6^{3,2} \otimes \mathfrak{c}_6^{2,2} 131\mathbf{4} \quad \Delta = -133, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$4 \otimes \mathfrak{c}_6^{3,2} \otimes \mathfrak{c}_6^{2,2} 131\mathbf{2} \quad \Delta = -105, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$4 \otimes \mathfrak{c}_6^{3,2} \otimes \mathfrak{c}_6^{2,2} 131\mathbf{5} \quad \Delta = -157, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $1321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1313$

$$3131\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1231\mathbf{5} \quad \Delta = -137, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1313\mathbf{2} \quad \Delta = -86, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$3131\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1231\mathbf{4} \quad \Delta = -113, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$3131\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1231\mathbf{2} \quad \Delta = -85, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$3131\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1231\mathbf{3} \quad \Delta = -93, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\mathbf{2} 1321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1313 \quad \Delta = -87, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $3131\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1313$

$$3131\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1313\mathbf{2} \quad \Delta = -93, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1 \overset{1223151321}{\mathfrak{c}_6} 1$

$$1 \overset{1223151321}{\mathfrak{c}_6} \mathbf{13} \quad \Delta = -52, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{51223151321}{\mathfrak{c}_6} 1 \quad \Delta = -96, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{41223151321}{\mathfrak{c}_6} 1 \quad \Delta = -72, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{71223151321}{\mathfrak{c}_6} 1 \quad \Delta = -149, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{81223151321}{\mathfrak{c}_6} 1 \quad \Delta = -177, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1 \overset{31223151321}{\mathfrak{c}_6} 1 \quad \Delta = -52, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\begin{aligned}
1 \overset{6}{\mathbf{e}_6} 1223151321 \quad \Delta = -122, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{21}{\mathbf{e}_6} 1223151321 \quad \Delta = -44, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{(12)}{\mathbf{e}_6} 1223151321 \quad \Delta = -292, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_8 \\
1 \overset{1223151321}{\mathbf{e}_6} 12 \quad \Delta = -44, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $\overset{3,5}{\mathbf{e}_6} \otimes \overset{1}{\mathbf{e}_6} 1$

$$\overset{3,5}{\mathbf{e}_6} \otimes \overset{1}{\mathbf{e}_6} 13 \quad \Delta = -129, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \overset{1}{\mathbf{e}_6} \otimes \overset{3,4}{\mathbf{e}_6} 1$

$$1 \overset{1}{\mathbf{e}_6} \otimes \overset{3,4}{\mathbf{e}_6} 13 \quad \Delta = -129, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{31}{\mathbf{e}_6} \otimes \overset{3,4}{\mathbf{e}_6} 1 \quad \Delta = -129, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{1}{\mathbf{e}_6} \otimes \overset{3,4}{\mathbf{e}_6} 12 \quad \Delta = -121, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{21}{\mathbf{e}_6} \otimes \overset{3,4}{\mathbf{e}_6} 1 \quad \Delta = -121, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1 \overset{1}{\mathbf{e}_6} \bigcirc \overset{3,3}{\mathbf{e}_6} 12$

$$1 \overset{1}{\mathbf{e}_6} \bigcirc \overset{3,3}{\mathbf{e}_6} 123 \quad \Delta = -129, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{21}{\mathbf{e}_6} \bigcirc \overset{3,3}{\mathbf{e}_6} 12 \quad \Delta = -120, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{31}{\mathbf{e}_6} \bigcirc \overset{3,3}{\mathbf{e}_6} 12 \quad \Delta = -128, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1 \overset{1}{\mathbf{e}_6} \bigcirc \overset{3,3}{\mathbf{e}_6} \overset{1}{\mathbf{e}_6} 1$

$$1 \overset{31}{\mathbf{e}_6} \bigcirc \overset{3,3}{\mathbf{e}_6} \overset{1}{\mathbf{e}_6} 1 \quad \Delta = -128, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{21}{\mathbf{e}_6} \bigcirc \overset{3,3}{\mathbf{e}_6} \overset{1}{\mathbf{e}_6} 1 \quad \Delta = -120, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1 \overset{1}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} 123151$

$$1 \overset{1}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} 1231513 \quad \Delta = -129, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{21}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} 123151 \quad \Delta = -121, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{31}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} 123151 \quad \Delta = -129, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{1}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} 1231512 \quad \Delta = -121, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \overset{1}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} 123215$

$$1 \overset{21}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} 123215 \quad \Delta = -123, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{31}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} 123215 \quad \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $414 \otimes \overset{2,2}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \overset{1}{\mathbf{e}_6} 1$

$$414 \otimes \overset{2,2}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \overset{1}{\mathbf{e}_6} 13 \quad \Delta = -132, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \overset{122315131}{\mathbf{e}_6} 12$

$$21 \overset{122315131}{\mathbf{e}_6} 13 \quad \Delta = -51, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{6}{\mathbf{e}_6} 122315131 \quad \Delta = -121, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{21}{\mathbf{e}_6} 122315131 \quad \Delta = -43, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{7}{\mathbf{e}_6} 122315131 \quad \Delta = -148, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{31}{\mathbf{e}_6} 122315131 \quad \Delta = -51, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{122315131}{\mathbf{e}_6} 123 \quad \Delta = -52, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{5}{\mathbf{e}_6} 122315131 \quad \Delta = -95, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{41}{\mathbf{e}_6} 122315131 \quad \Delta = -71, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21 \overset{122315131}{\mathbf{e}_6} 12 \quad \Delta = -43, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{8}{\mathbf{e}_6} 122315131 \quad \Delta = -176, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{(12)} \mathbf{e}_6^{122315131} 12 \quad \Delta = -291, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$\text{Base: } 1 \mathbf{e}_6^{21, 2, 2} \otimes \mathbf{e}_6 12321$$

$$21 \mathbf{e}_6^{31, 2, 2} \otimes \mathbf{e}_6 12321 \quad \Delta = -79, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \mathbf{e}_6^{21, 2, 2} \otimes \mathbf{e}_6 12321 \mathbf{7} \quad \Delta = -176, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1 \mathbf{e}_6^{321, 2, 2} \otimes \mathbf{e}_6 12321 \quad \Delta = -80, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21 \mathbf{e}_6^{21, 2, 2} \otimes \mathbf{e}_6 12321 \quad \Delta = -71, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \mathbf{e}_6^{21, 2, 2} \otimes \mathbf{e}_6 12321 \mathbf{4} \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \mathbf{e}_6^{21, 2, 2} \otimes \mathbf{e}_6 12321 \mathbf{8} \quad \Delta = -204, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1 \mathbf{e}_6^{21, 2, 2} \otimes \mathbf{e}_6 12321 \mathbf{6} \quad \Delta = -149, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \mathbf{e}_6^{21, 2, 2} \otimes \mathbf{e}_6 12321 \mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \mathbf{e}_6^{21, 2, 2} \otimes \mathbf{e}_6 12321 \mathbf{2} \quad \Delta = -71, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1 \mathbf{e}_6^{21, 2, 2} \otimes \mathbf{e}_6^{2, 2} \otimes 41$$

$$1 \mathbf{e}_6^{21, 2, 2} \otimes \mathbf{e}_6^{2, 2} \otimes 41 \mathbf{4} \quad \Delta = -124, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21 \mathbf{e}_6^{31, 2, 2} \otimes \mathbf{e}_6^{2, 2} \otimes 41 \quad \Delta = -104, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \mathbf{e}_6^{21, 2, 2} \otimes \mathbf{e}_6^{2, 2} \otimes 41 \mathbf{3} \quad \Delta = -104, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21 \mathbf{e}_6^{21, 2, 2} \otimes \mathbf{e}_6^{2, 2} \otimes 41 \quad \Delta = -96, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \mathbf{e}_6^{321, 2, 2} \otimes \mathbf{e}_6^{2, 2} \otimes 41 \quad \Delta = -105, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \mathbf{e}_6^{21, 2, 2} \otimes \mathbf{e}_6^{2, 2} \otimes 41 \mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1 \mathbf{e}_6^{31, 3, 3} \bigcirc \mathbf{e}_6 1$$

$$1 \mathbf{e}_6^{31, 3, 3} \bigcirc \mathbf{e}_6 1 \mathbf{3} \quad \Delta = -136, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1^{12315131} \mathbf{e}_6^{131}$$

$$1^{612315131} \mathbf{e}_6^{131} \quad \Delta = -129, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$131^{12315131} \mathbf{e}_6^{12} \quad \Delta = -51, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{512315131} \mathbf{e}_6^{131} \quad \Delta = -103, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131^{12315131} \mathbf{e}_6^{13} \quad \Delta = -59, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{12315131} \mathbf{e}_6^{131} \mathbf{3} \quad \Delta = -59, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{312315131} \mathbf{e}_6^{131} \quad \Delta = -59, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{212315131} \mathbf{e}_6^{131} \quad \Delta = -51, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{12315131} \mathbf{e}_6^{131} \mathbf{5} \quad \Delta = -103, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{812315131} \mathbf{e}_6^{131} \quad \Delta = -184, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1^{12315131} \mathbf{e}_6^{131} \mathbf{6} \quad \Delta = -129, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{712315131} \mathbf{e}_6^{131} \quad \Delta = -156, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{412315131} \mathbf{e}_6^{131} \quad \Delta = -79, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{12315131} \mathbf{e}_6^{131} \mathbf{4} \quad \Delta = -79, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{12315131} \mathbf{e}_6^{131} \mathbf{2} \quad \Delta = -51, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1^{131, 2, 2} \mathbf{e}_6^{1231}$$

$$1^{5131, 2, 2} \mathbf{e}_6^{1231} \quad \Delta = -129, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{131, 2, 2} \mathbf{e}_6^{1231} \mathbf{3} \quad \Delta = -85, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131 \mathbf{e}_6^{31, 2, 2} \otimes \mathbf{e}_6 1231 \quad \Delta = -85, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{2131, 2, 2} \mathbf{e}_6^{1231} \quad \Delta = -77, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\epsilon_6^{31\ 2,2} \otimes \epsilon_6 131\mathbf{6} \quad \Delta = -162, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$131\epsilon_6^{31\ 2,2} \otimes \epsilon_6 131\mathbf{2} \quad \Delta = -84, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1\epsilon_6^{131\ 2,2\ 1} \otimes \epsilon_6 131$$

$$1\epsilon_6^{5131\ 2,2\ 1} \otimes \epsilon_6 131 \quad \Delta = -128, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\epsilon_6^{4131\ 2,2\ 1} \otimes \epsilon_6 131 \quad \Delta = -104, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_6^{2131\ 2,2\ 1} \otimes \epsilon_6 131 \quad \Delta = -76, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\epsilon_6^{21\ 2,2\ 1} \otimes \epsilon_6 131 \quad \Delta = -76, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$131\epsilon_6^{31\ 2,2\ 1} \otimes \epsilon_6 131 \quad \Delta = -84, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_6^{3131\ 2,2\ 1} \otimes \epsilon_6 131 \quad \Delta = -84, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_6^{6131\ 2,2\ 1} \otimes \epsilon_6 131 \quad \Delta = -154, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\epsilon_6^{1,122315131} 1$$

$$1\epsilon_6^{1,8122315131} 1 \quad \Delta = -176, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{1,122315131} \mathbf{12} \quad \Delta = -43, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_6^{1,6122315131} 1 \quad \Delta = -121, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_6^{1,4122315131} 1 \quad \Delta = -71, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{1,3122315131} 1 \quad \Delta = -51, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^{1,2122315131} 1 \quad \Delta = -43, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\epsilon_6^{1,(12)122315131} 1 \quad \Delta = -291, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1\epsilon_6^{1,7122315131} 1 \quad \Delta = -148, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\epsilon_6^{1,5122315131} 1 \quad \Delta = -95, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_6^{1,122315131} \mathbf{13} \quad \Delta = -51, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } \epsilon'_7 122315131513$$

$$\epsilon'_7 122315131513\mathbf{2} \quad \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } \epsilon'_7^{2,3} \otimes 41414141$$

$$\epsilon'_7^{2,3} \otimes 41414141\mathbf{4} \quad \Delta = -150, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\epsilon'_7^{2,3} \otimes 41414141\mathbf{3} \quad \Delta = -130, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\epsilon'_7 12231513215$$

$$51231513221\epsilon'_7 \mathbf{12} \quad \Delta = -123, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\epsilon'_7 12231513151$$

$$1\epsilon'_7 12231513151\mathbf{3} \quad \Delta = -130, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$15131513221\epsilon'_7 \mathbf{12} \quad \Delta = -122, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon'_7 12231513151\mathbf{2} \quad \Delta = -122, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1\epsilon'_7 12315131513$$

$$1\epsilon'_7 12315131513\mathbf{2} \quad \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$31513151321\epsilon'_7 \mathbf{12} \quad \Delta = -130, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 21\epsilon'_7 1223151321$$

$$21\epsilon'_7 1223151321\mathbf{2} \quad \Delta = -71, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21\epsilon'_7 1223151321\mathbf{4} \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\epsilon'_7 1223151321\mathbf{7} \quad \Delta = -176, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\epsilon'_7 1223151321\mathbf{6} \quad \Delta = -149, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\epsilon'_7 1223151321\mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\epsilon'_7 1223151321\mathbf{8} \quad \Delta = -204, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1231513221\epsilon'_7 \mathbf{123} \quad \Delta = -80, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 21\epsilon'_7 1231513215$$

$$5123151321\mathbf{e}_7'12\mathbf{3} \quad \Delta = -132, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $21\mathbf{e}_7'1231513151$

$$21\mathbf{e}_7'1231513151\mathbf{2} \quad \Delta = -122, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1513151321\mathbf{e}_7'12\mathbf{3} \quad \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $4 \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_7'^{3,3}12$

$$4 \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_7'^{3,3}12\mathbf{3} \quad \Delta = -135, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $221\mathbf{e}_7'123151321$

$$221\mathbf{e}_7'123151321\mathbf{2} \quad \Delta = -71, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$123151321\mathbf{e}_7'122\mathbf{3} \quad \Delta = -80, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221\mathbf{e}_7'123151321\mathbf{6} \quad \Delta = -149, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221\mathbf{e}_7'123151321\mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$221\mathbf{e}_7'123151321\mathbf{8} \quad \Delta = -204, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$221\mathbf{e}_7'123151321\mathbf{5} \quad \Delta = -123, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\mathbf{e}_7'123151321\mathbf{7} \quad \Delta = -176, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$221\mathbf{e}_7'123151321\mathbf{4} \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $131\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7'122$

$$221\mathbf{e}_7' \otimes \mathbf{e}_6^{3,3}131\mathbf{2} \quad \Delta = -98, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\mathbf{e}_7' \otimes \mathbf{e}_6^{3,3}131\mathbf{3} \quad \Delta = -106, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$221\mathbf{e}_7' \otimes \mathbf{e}_6^{3,3}131\mathbf{4} \quad \Delta = -126, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$131\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7'122\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221\mathbf{e}_7' \otimes \mathbf{e}_6^{3,3}131\mathbf{6} \quad \Delta = -176, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\mathbf{e}_7' \otimes \mathbf{e}_6^{3,3}131\mathbf{5} \quad \Delta = -150, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $321\mathbf{e}_7'123151315$

$$513151321\mathbf{e}_7'123\mathbf{2} \quad \Delta = -133, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1321\mathbf{e}_7'12315131$

$$13151321\mathbf{e}_7'1231\mathbf{2} \quad \Delta = -79, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1321\mathbf{e}_7'12315131 \quad \Delta = -81, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1321\mathbf{e}_7'12315131\mathbf{2} \quad \Delta = -79, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1321\mathbf{e}_7'12315131 \quad \Delta = -80, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\mathbf{e}_7'12315131\mathbf{4} \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\mathbf{e}_7'12315131\mathbf{5} \quad \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$13151321\mathbf{e}_7'1231\mathbf{3} \quad \Delta = -87, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$13151321\mathbf{e}_7'1231\mathbf{5} \quad \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$13151321\mathbf{e}_7'1231\mathbf{4} \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\mathbf{e}_7'12315131\mathbf{3} \quad \Delta = -87, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\mathbf{e}_7'12315131\mathbf{6} \quad \Delta = -157, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $151321\mathbf{e}_7'123151$

$$151321\mathbf{e}_7'123151\mathbf{2} \quad \Delta = -123, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$151321\mathbf{e}_7'123151\mathbf{3} \quad \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $51321\mathbf{e}_7'1231513$

$$51321\mathbf{e}_7'1231513\mathbf{2} \quad \Delta = -132, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7'1231$

$$21\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7'1231\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7'1231\mathbf{2} \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7'1231\mathbf{2} \quad \Delta = -101, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\begin{aligned}
21\mathbf{e}_6 \otimes \overset{3,3}{\mathbf{e}'_7} 1231\mathbf{5} \quad \Delta = -151, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21\mathbf{e}_6 \otimes \overset{3,3}{\mathbf{e}'_7} 1231\mathbf{4} \quad \Delta = -127, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1321\mathbf{e}'_7 \otimes \overset{3,3}{\mathbf{e}_6} 12\mathbf{3} \quad \Delta = -108, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: 151321 $\mathbf{e}'_7$ 123215

$$512321\mathbf{e}'_7 123151\mathbf{3} \quad \Delta = -133, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 12321 $\mathbf{e}'_7$ 1231512

$$\begin{aligned}
2151321\mathbf{e}'_7 12321\mathbf{6} \quad \Delta = -151, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
2151321\mathbf{e}'_7 12321\mathbf{7} \quad \Delta = -178, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
12321\mathbf{e}'_7 1231512\mathbf{3} \quad \Delta = -82, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
2151321\mathbf{e}'_7 12321\mathbf{2} \quad \Delta = -73, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
2151321\mathbf{e}'_7 12321\mathbf{3} \quad \Delta = -81, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
2151321\mathbf{e}'_7 12321\mathbf{5} \quad \Delta = -125, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
2151321\mathbf{e}'_7 12321\mathbf{8} \quad \Delta = -206, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
2151321\mathbf{e}'_7 12321\mathbf{4} \quad \Delta = -101, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: 12321 $\mathbf{e}'_7$ 123151¹

$$1 \overset{81232171231}{5} 1 \quad \Delta = -206, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$12321\mathbf{e}'_7 123151\mathbf{3} \quad \Delta = -81, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{41232171231}{5} 1 \quad \Delta = -101, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{51232171231}{5} 1 \quad \Delta = -125, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{61232171231}{5} 1 \quad \Delta = -151, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{31232171231}{5} 1 \quad \Delta = -81, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$12321\mathbf{e}'_7 123151\mathbf{2} \quad \Delta = -73, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{21232171231}{5} 1 \quad \Delta = -73, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{71232171231}{5} 1 \quad \Delta = -178, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 4 $\otimes$ $\overset{3,2}{\mathbf{e}'_7}$ $\overset{3,3}{\otimes}$ $\mathbf{e}_6$ 1

$$4 \otimes \overset{3,2}{\mathbf{e}'_7} \otimes \overset{3,3}{\mathbf{e}_6} 1\mathbf{3} \quad \Delta = -135, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 1 $\overset{1}{\mathbf{e}_6}$ $\overset{3,3}{\otimes}$ $\mathbf{e}'_7$ 1231

$$1\overset{21}{\mathbf{e}_6} \otimes \overset{3,3}{\mathbf{e}'_7} 1231 \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\overset{1}{\mathbf{e}_6} \otimes \overset{3,3}{\mathbf{e}'_7} 1231\mathbf{2} \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\overset{1}{\mathbf{e}_6} \otimes \overset{3,3}{\mathbf{e}'_7} 1231\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\overset{1}{\mathbf{e}_6} \otimes \overset{3,3}{\mathbf{e}'_7} 1231\mathbf{5} \quad \Delta = -151, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\overset{31}{\mathbf{e}_6} \otimes \overset{3,3}{\mathbf{e}'_7} 1231 \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\overset{1}{\mathbf{e}_6} \otimes \overset{3,3}{\mathbf{e}'_7} 1231\mathbf{2} \quad \Delta = -101, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\overset{1}{\mathbf{e}_6} \otimes \overset{3,3}{\mathbf{e}'_7} 1231\mathbf{4} \quad \Delta = -127, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 12321 $\mathbf{e}'_7$ 1232151

$$12321\mathbf{e}'_7 1232151\mathbf{3} \quad \Delta = -83, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1512321\mathbf{e}'_7 12321\mathbf{7} \quad \Delta = -180, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1512321\mathbf{e}'_7 12321\mathbf{5} \quad \Delta = -127, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1512321\mathbf{e}'_7 12321\mathbf{4} \quad \Delta = -103, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1512321\mathbf{e}'_7 12321\mathbf{8} \quad \Delta = -208, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1512321\mathbf{e}'_7 12321\mathbf{2} \quad \Delta = -75, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12321\mathbf{e}'_7 1232151\mathbf{2} \quad \Delta = -75, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1512321\mathbf{e}'_7 12321\mathbf{3} \quad \Delta = -83, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1512321\mathbf{e}'_7 12321\mathbf{6} \quad \Delta = -153, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21\mathfrak{e}'_7 \otimes \mathfrak{e}'_7 1223$

$$3221\mathfrak{e}'_7 \otimes \mathfrak{e}'_7 12\mathbf{3} \quad \Delta = -135, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $221\mathfrak{e}'_7 \otimes \mathfrak{e}'_7 122$

$$221\mathfrak{e}'_7 \otimes \mathfrak{e}'_7 122\mathbf{3} \quad \Delta = -126, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1 \overset{1231513221}{\mathfrak{e}'_7} 1$

$$\overset{5}{1} \overset{1231513221}{\mathfrak{e}'_7} 1 \quad \Delta = -123, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\overset{6}{1} \overset{1231513221}{\mathfrak{e}'_7} 1 \quad \Delta = -149, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\overset{4}{1} \overset{1231513221}{\mathfrak{e}'_7} 1 \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\overset{1231513221}{1} \overset{1231513221}{\mathfrak{e}'_7} \mathbf{12} \quad \Delta = -71, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\overset{7}{1} \overset{1231513221}{\mathfrak{e}'_7} 1 \quad \Delta = -176, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\overset{2}{1} \overset{1231513221}{\mathfrak{e}'_7} 1 \quad \Delta = -71, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\overset{3}{1} \overset{1231513221}{\mathfrak{e}'_7} 1 \quad \Delta = -79, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\overset{8}{1} \overset{1231513221}{\mathfrak{e}'_7} 1 \quad \Delta = -204, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_5$$

Base: $1 \overset{5123151321}{\mathfrak{e}'_7} 1$

$$\overset{5123151321}{1} \overset{5123151321}{\mathfrak{e}'_7} \mathbf{12} \quad \Delta = -123, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1 \overset{1513151321}{\mathfrak{e}'_7} 1$

$$\overset{2}{1} \overset{1513151321}{\mathfrak{e}'_7} 1 \quad \Delta = -122, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\overset{1513151321}{1} \overset{1513151321}{\mathfrak{e}'_7} \mathbf{12} \quad \Delta = -122, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\overset{3}{1} \overset{1513151321}{\mathfrak{e}'_7} 1 \quad \Delta = -130, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\mathfrak{e}'_7 \otimes \mathfrak{e}'_7 1223$

$$\overset{21}{1}\mathfrak{e}'_7 \otimes \mathfrak{e}'_7 1223 \quad \Delta = -126, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1 \overset{123151321}{\mathfrak{e}'_7} 12$

$$\overset{123151321}{1} \overset{123151321}{\mathfrak{e}'_7} \mathbf{123} \quad \Delta = -80, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\overset{4}{1} \overset{123151321}{\mathfrak{e}'_7} 12 \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\overset{123151321}{21} \overset{123151321}{\mathfrak{e}'_7} \mathbf{12} \quad \Delta = -71, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\overset{2}{1} \overset{123151321}{\mathfrak{e}'_7} 12 \quad \Delta = -71, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\overset{8}{1} \overset{123151321}{\mathfrak{e}'_7} 12 \quad \Delta = -204, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$\overset{6}{1} \overset{123151321}{\mathfrak{e}'_7} 12 \quad \Delta = -149, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\overset{3}{1} \overset{123151321}{\mathfrak{e}'_7} 12 \quad \Delta = -79, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\overset{7}{1} \overset{123151321}{\mathfrak{e}'_7} 12 \quad \Delta = -176, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1\mathfrak{e}'_7 \otimes \mathfrak{e}_6 131$

$$\overset{21}{1}\mathfrak{e}'_7 \otimes \mathfrak{e}_6 131\mathbf{3} \quad \Delta = -106, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\overset{321}{1}\mathfrak{e}'_7 \otimes \mathfrak{e}_6 131 \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\overset{21}{1}\mathfrak{e}'_7 \otimes \mathfrak{e}_6 131\mathbf{2} \quad \Delta = -98, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\overset{21}{21}\mathfrak{e}'_7 \otimes \mathfrak{e}_6 131 \quad \Delta = -98, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\overset{21}{1}\mathfrak{e}'_7 \otimes \mathfrak{e}_6 131\mathbf{4} \quad \Delta = -126, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\overset{21}{\underset{3,3}{\epsilon'_7}} \otimes \epsilon_6 131\overset{6}{\textcolor{red}} \quad \Delta = -176, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1\overset{21}{\underset{3,3}{\epsilon'_7}} \otimes \epsilon_6 131\overset{5}{\textcolor{red}} \quad \Delta = -150, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1\overset{21}{\underset{3,3}{\epsilon'_7}} \otimes \epsilon'_7 122$$

$$1\overset{321}{\underset{3,3}{\epsilon'_7}} \otimes \epsilon'_7 122 \quad \Delta = -126, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\overset{21}{\underset{3,3}{\epsilon'_7}} \otimes \epsilon'_7 122 \quad \Delta = -117, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\overset{321}{\underset{3,3}{\epsilon'_7}} \otimes \epsilon'_7 12$$

$$1\overset{321}{\underset{3,3}{\epsilon'_7}} \otimes \epsilon'_7 12\overset{3}{\textcolor{red}} \quad \Delta = -135, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\overset{2321}{\underset{3,3}{\epsilon'_7}} \otimes \epsilon'_7 1$$

$$1\overset{2321}{\underset{3,3}{\epsilon'_7}} \otimes \epsilon'_7 1\overset{2}{\textcolor{red}} \quad \Delta = -128, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\overset{1}{\underset{3,3}{\epsilon'_7}} \otimes \overset{1}{\underset{3,3}{\epsilon'_7}} 123$$

$$1\overset{21}{\underset{3,3}{\epsilon'_7}} \otimes \overset{1}{\underset{3,3}{\epsilon'_7}} 123 \quad \Delta = -126, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{1}{\underset{3,3}{\epsilon'_7}} \otimes \overset{1}{\underset{3,3}{\epsilon'_7}} 123\overset{2}{\textcolor{red}} \quad \Delta = -128, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\overset{21}{\underset{3,3}{\epsilon'_7}} \otimes \overset{21}{\underset{3,3}{\epsilon'_7}} 1$$

$$21\overset{21}{\underset{3,3}{\epsilon'_7}} \otimes \overset{21}{\underset{3,3}{\epsilon'_7}} 1 \quad \Delta = -117, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\overset{1,123151321}{\underset{3,3}{\epsilon'_7}} \otimes 1$$

$$1\overset{1,123151321}{\underset{3,3}{\epsilon'_7}} \otimes 1\overset{2}{\textcolor{red}} \quad \Delta = -71, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{1,6123151321}{\underset{3,3}{\epsilon'_7}} \otimes 1 \quad \Delta = -149, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\overset{1,4123151321}{\underset{3,3}{\epsilon'_7}} \otimes 1 \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{1,7123151321}{\underset{3,3}{\epsilon'_7}} \otimes 1 \quad \Delta = -176, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{1,8123151321}{\underset{3,3}{\epsilon'_7}} \otimes 1 \quad \Delta = -204, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\overset{1,3123151321}{\underset{3,3}{\epsilon'_7}} \otimes 1 \quad \Delta = -79, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{1,5123151321}{\underset{3,3}{\epsilon'_7}} \otimes 1 \quad \Delta = -123, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{1,2123151321}{\underset{3,3}{\epsilon'_7}} \otimes 1 \quad \Delta = -71, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } \epsilon_7 \otimes \overset{2,4}{4141413}$$

$$\epsilon_7 \otimes 4141413\overset{2}{\textcolor{red}} \quad \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 141414 \otimes \overset{2,4}{\epsilon_7} 1$$

$$1\epsilon_7 \otimes 414141\overset{4}{\textcolor{red}} \quad \Delta = -150, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\epsilon_7 \otimes 414141\overset{2}{\textcolor{red}} \quad \Delta = -122, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$141414 \otimes \epsilon_7 1\overset{2}{\textcolor{red}} \quad \Delta = -122, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7 \otimes 414141\overset{3}{\textcolor{red}} \quad \Delta = -130, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 3141414 \otimes \overset{2,3}{\epsilon_7} 1$$

$$1\epsilon_7 \otimes 4141413\overset{2}{\textcolor{red}} \quad \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 4 \otimes \overset{5,3}{\epsilon_7} 12$$

$$4 \otimes \epsilon_7 12\overset{3}{\textcolor{red}} \quad \Delta = -135, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 141414 \otimes \overset{2,3}{\epsilon_7} 12$$

$$21\epsilon_7 \otimes 414141\overset{4}{\textcolor{red}} \quad \Delta = -150, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\begin{aligned}
21\epsilon_7 \otimes 414141\overset{2,3}{2} \quad \Delta = -122, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
21\epsilon_7 \otimes 414141\overset{2,3}{3} \quad \Delta = -130, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
141414 \otimes \epsilon_7 12\overset{2,3}{3} \quad \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
\text{Base: } 2321\epsilon_6 \otimes \epsilon_7 12\overset{3,3}{} & \\
2321\epsilon_6 \otimes \epsilon_7 12\overset{3,3}{3} \quad \Delta = -138, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
\text{Base: } 221\epsilon_7 122315131 & \\
221\epsilon_7 122315131\overset{2}{5} \quad \Delta = -150, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
221\epsilon_7 122315131\overset{2}{2} \quad \Delta = -98, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
221\epsilon_7 122315131\overset{2}{4} \quad \Delta = -126, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
221\epsilon_7 122315131\overset{2}{6} \quad \Delta = -176, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_4 \\
131513221\epsilon_7 122\overset{2}{3} \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
221\epsilon_7 122315131\overset{2}{1} \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
221\epsilon_7 122315131\overset{2}{3} \quad \Delta = -106, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
\text{Base: } 4 \otimes \epsilon_7 122\overset{4,3}{} & \\
4 \otimes \epsilon_7 122\overset{4,3}{3} \quad \Delta = -135, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
\text{Base: } 321\epsilon_6 \otimes \epsilon_7 122\overset{3,3}{} & \\
321\epsilon_6 \otimes \epsilon_7 122\overset{3,3}{3} \quad \Delta = -136, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
221\epsilon_7 \otimes \epsilon_6 123\overset{3,3}{2} \quad \Delta = -129, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1\epsilon_6 \otimes \epsilon_7 122\overset{31}{3,3}{} & \\
1\epsilon_6 \otimes \epsilon_7 122\overset{31}{3,3}{3} \quad \Delta = -135, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
\text{Base: } 1321\epsilon_7 12231512 & \\
1321\epsilon_7 12231512\overset{2}{3} \quad \Delta = -108, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1321\epsilon_7 12231512\overset{2}{2} \quad \Delta = -101, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
21513221\epsilon_7 1231\overset{2}{5} \quad \Delta = -151, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
21513221\epsilon_7 1231\overset{2}{4} \quad \Delta = -127, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
21513221\epsilon_7 1231\overset{2}{2} \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
21513221\epsilon_7 1231\overset{2}{3} \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
\text{Base: } 2221\epsilon_7 12315131 & \\
2221\epsilon_7 12315131\overset{2}{6} \quad \Delta = -176, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_4 \\
2221\epsilon_7 12315131\overset{2}{3} \quad \Delta = -106, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
2221\epsilon_7 12315131\overset{2}{5} \quad \Delta = -150, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
2221\epsilon_7 12315131\overset{2}{2} \quad \Delta = -98, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
2221\epsilon_7 12315131\overset{2}{4} \quad \Delta = -126, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
2221\epsilon_7 12315131\overset{2}{1} \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
\text{Base: } 1321\epsilon_7 1223151\overset{1}{} & \\
1321\epsilon_7 1223151\overset{1}{3} \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1\overset{31321812231}{5} \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1321\epsilon_7 1223151\overset{2}{1} \quad \Delta = -101, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1\overset{51321812231}{5} \quad \Delta = -151, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1\overset{41321812231}{5} \quad \Delta = -127, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
1\overset{21321812231}{5} \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
1321\epsilon_7 1223151\overset{1}{2} \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
\text{Base: } 14 \otimes \epsilon_7 12321\overset{2,4}{} &
\end{aligned}$$

$$\begin{aligned}
14 \otimes \overset{2,4}{\mathbf{e}_7} 12321\mathbf{6} \quad \Delta = -155, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
12321\overset{2,4}{\mathbf{e}_7} \otimes 41\mathbf{3} \quad \Delta = -85, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
14 \otimes \overset{2,4}{\mathbf{e}_7} 12321\mathbf{3} \quad \Delta = -85, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
12321\overset{2,4}{\mathbf{e}_7} \otimes 41\mathbf{4} \quad \Delta = -105, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
14 \otimes \overset{2,4}{\mathbf{e}_7} 12321\mathbf{4} \quad \Delta = -105, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
14 \otimes \overset{2,4}{\mathbf{e}_7} 12321\mathbf{8} \quad \Delta = -210, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
14 \otimes \overset{2,4}{\mathbf{e}_7} 12321\mathbf{5} \quad \Delta = -129, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
14 \otimes \overset{2,4}{\mathbf{e}_7} 12321\mathbf{2} \quad \Delta = -77, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
12321\overset{2,4}{\mathbf{e}_7} \otimes 41\mathbf{2} \quad \Delta = -77, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
14 \otimes \overset{2,4}{\mathbf{e}_7} 12321\mathbf{7} \quad \Delta = -182, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_5
\end{aligned}$$

Base: 13221 $\mathbf{e}_7$ 1232151

$$\begin{aligned}
1512321\mathbf{e}_7 12231\mathbf{4} \quad \Delta = -129, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
13221\mathbf{e}_7 1232151\mathbf{2} \quad \Delta = -101, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1512321\mathbf{e}_7 12231\mathbf{2} \quad \Delta = -101, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1512321\mathbf{e}_7 12231\mathbf{5} \quad \Delta = -153, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
13221\mathbf{e}_7 1232151\mathbf{3} \quad \Delta = -109, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1512321\mathbf{e}_7 12231\mathbf{3} \quad \Delta = -109, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $4 \otimes \overset{4,2}{\mathbf{e}_7} 123151$

$$4 \otimes \overset{4,2}{\mathbf{e}_7} 123151\mathbf{3} \quad \Delta = -135, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $4 \otimes \overset{3,2}{\mathbf{e}_7} 1223151$

$$4 \otimes \overset{3,2}{\mathbf{e}_7} 1223151\mathbf{3} \quad \Delta = -135, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: 13221 $\mathbf{e}_7$ 1231512

$$\begin{aligned}
2151321\mathbf{e}_7 12231\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
13221\mathbf{e}_7 1231512\mathbf{3} \quad \Delta = -108, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
2151321\mathbf{e}_7 12231\mathbf{5} \quad \Delta = -151, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
2151321\mathbf{e}_7 12231\mathbf{4} \quad \Delta = -127, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
2151321\mathbf{e}_7 12231\mathbf{2} \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: 13221 $\mathbf{e}_7$ 1231 $\overset{1}{5}$ 1

$$\begin{aligned}
13221\mathbf{e}_7 1231\overset{1}{5}1\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\overset{3}{1} \overset{1322181231}{5} \overset{1}{1} \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\overset{5}{1} \overset{1322181231}{5} \overset{1}{1} \quad \Delta = -151, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\overset{4}{1} \overset{1322181231}{5} \overset{1}{1} \quad \Delta = -127, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
13221\mathbf{e}_7 1231\overset{1}{5}1\mathbf{2} \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\overset{2}{1} \overset{1322181231}{5} \overset{1}{1} \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $21\mathbf{e}_6 \otimes \overset{3,3}{\mathbf{e}_7} 1222$

$$2221\mathbf{e}_7 \otimes \overset{3,3}{\mathbf{e}_6} 12\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\mathbf{e}_6 \otimes \overset{1}{\overset{3,3}{\mathbf{e}_7}} 1222$

$$\begin{aligned}
\overset{2}{1} \overset{3,3}{\mathbf{e}_6} \otimes \mathbf{e}_7 1222 \quad \Delta = -118, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
\overset{3}{1} \overset{3,3}{\mathbf{e}_6} \otimes \mathbf{e}_7 1222 \quad \Delta = -126, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $41414 \otimes \overset{3,2}{\mathbf{e}_7} 123$

$$41414 \otimes \overset{3,2}{\mathbf{e}_7} 123\mathbf{2} \quad \Delta = -133, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $4 \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{2,3}{41}$

$$4 \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{2,3}{41\mathbf{2}} \quad \Delta = -105, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$4 \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{2,3}{41\mathbf{4}} \quad \Delta = -133, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\text{Base: } 14 \otimes \overset{2,3}{\mathbf{e}_7} \otimes \overset{3,2}{41}$$

$$14 \otimes \overset{3,2}{\mathbf{e}_7} \otimes \overset{2,3}{41\mathbf{4}} \quad \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$14 \otimes \overset{3,2}{\mathbf{e}_7} \otimes \overset{2,3}{41\mathbf{2}} \quad \Delta = -103, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$14 \otimes \overset{3,2}{\mathbf{e}_7} \otimes \overset{2,3}{41\mathbf{3}} \quad \Delta = -111, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 314 \otimes \overset{2,3}{\mathbf{e}_7} 12321$$

$$314 \otimes \overset{2,3}{\mathbf{e}_7} 12321\mathbf{5} \quad \Delta = -137, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$314 \otimes \overset{2,3}{\mathbf{e}_7} 12321\mathbf{6} \quad \Delta = -163, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$314 \otimes \overset{2,3}{\mathbf{e}_7} 12321\mathbf{4} \quad \Delta = -113, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$314 \otimes \overset{2,3}{\mathbf{e}_7} 12321\mathbf{8} \quad \Delta = -218, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$314 \otimes \overset{2,3}{\mathbf{e}_7} 12321\mathbf{2} \quad \Delta = -85, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$12321\mathbf{e}_7 \otimes \overset{2,3}{413\mathbf{2}} \quad \Delta = -86, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$314 \otimes \overset{2,3}{\mathbf{e}_7} 12321\mathbf{3} \quad \Delta = -93, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$314 \otimes \overset{2,3}{\mathbf{e}_7} 12321\mathbf{7} \quad \Delta = -190, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$\text{Base: } 1414 \otimes \overset{2,3}{\mathbf{e}_7} 1231$$

$$1414 \otimes \overset{2,3}{\mathbf{e}_7} 1231\mathbf{2} \quad \Delta = -105, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1414 \otimes \overset{2,3}{\mathbf{e}_7} 1231\mathbf{2} \quad \Delta = -103, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\mathbf{e}_7 \otimes \overset{2,3}{4141\mathbf{3}} \quad \Delta = -111, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1414 \otimes \overset{2,3}{\mathbf{e}_7} 1231\mathbf{4} \quad \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1321\mathbf{e}_7 \otimes \overset{2,3}{4141\mathbf{4}} \quad \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\mathbf{e}_7 \otimes \overset{2,3}{4141\mathbf{2}} \quad \Delta = -103, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1414 \otimes \overset{2,3}{\mathbf{e}_7} 1231\mathbf{5} \quad \Delta = -155, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1414 \otimes \overset{2,3}{\mathbf{e}_7} 1231\mathbf{3} \quad \Delta = -111, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 31321\mathbf{e}_7 1232151$$

$$1512321\mathbf{e}_7 12313\mathbf{2} \quad \Delta = -110, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$31321\mathbf{e}_7 1232151\mathbf{2} \quad \Delta = -109, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1321\mathbf{e}_7 12321513$$

$$31512321\mathbf{e}_7 1231\mathbf{3} \quad \Delta = -117, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$31512321\mathbf{e}_7 1231\mathbf{2} \quad \Delta = -109, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1321\mathbf{e}_7 12321513\mathbf{2} \quad \Delta = -110, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\overset{2}{1321}\mathbf{e}_7 12321513 \quad \Delta = -111, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$31512321\mathbf{e}_7 1231\mathbf{5} \quad \Delta = -161, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$31512321\mathbf{e}_7 1231\mathbf{4} \quad \Delta = -137, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 31321\mathbf{e}_7 1231512$$

$$2151321\mathbf{e}_7 12313\mathbf{2} \quad \Delta = -108, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1321\mathbf{e}_7 12315123$$

$$1321\mathbf{e}_7 12315123\mathbf{2} \quad \Delta = -110, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\overset{2}{1321}\mathbf{e}_7 12315123 \quad \Delta = -110, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$32151321\mathbf{e}_7 1231\mathbf{2} \quad \Delta = -108, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$32151321\mathbf{e}_7 1231\mathbf{4} \quad \Delta = -136, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$32151321\mathbf{e}_7 1231\mathbf{3} \quad \Delta = -116, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$32151321\mathbf{e}_7 1231\mathbf{5} \quad \Delta = -160, n_+ = 1, n_- = 13, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $31321\epsilon_7^{123151}$

$$1^{23132181231}_5 1 \quad \Delta = -108, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$31321\epsilon_7^{123151} 2 \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1321\epsilon_7^{1231513}$

$$31^{5132181231}_5 1 \quad \Delta = -159, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\epsilon_7^{1231513} 2 \quad \Delta = -109, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1321\epsilon_7^{1231513} 2 \quad \Delta = -108, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$31^{3132181231}_5 1 \quad \Delta = -115, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$31^{2132181231}_5 1 \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$31^{4132181231}_5 1 \quad \Delta = -135, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $2^{151321812}_3 1$

$$2^{2151321812}_3 1 \quad \Delta = -101, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $2^{1512321812}_3 1$

$$2^{21512321812}_3 1 \quad \Delta = -103, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1\epsilon_7^{13,2} \otimes 414141$

$$1\epsilon_7^{213,2} \otimes 414141 \quad \Delta = -122, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{13,2} \otimes 414141 2 \quad \Delta = -122, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{13,2} \otimes 414141 4 \quad \Delta = -150, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\epsilon_7^{13,2} \otimes 414141 3 \quad \Delta = -130, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_7^{13,3} \otimes \epsilon_6 1232$

$$1\epsilon_7^{213,3} \otimes \epsilon_6 1232 \quad \Delta = -129, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1^{131513221}_{\epsilon_7} 12$

$$1^{6131513221}_{\epsilon_7} 12 \quad \Delta = -176, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{5131513221}_{\epsilon_7} 12 \quad \Delta = -150, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{131513221}_{\epsilon_7} 12 \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{4131513221}_{\epsilon_7} 12 \quad \Delta = -126, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{131513221}_{\epsilon_7} 12 3 \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{3131513221}_{\epsilon_7} 12 \quad \Delta = -106, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{2131513221}_{\epsilon_7} 12 \quad \Delta = -98, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21^{131513221}_{\epsilon_7} 12 \quad \Delta = -98, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $4^{4,3}_{\epsilon_7} \otimes \epsilon_7 1$

$$4^{4,3}_{\epsilon_7} \otimes \epsilon_7 1 \quad \Delta = -135, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_7^{213,3} \otimes \epsilon_6 123$

$$21\epsilon_7^{213,3} \otimes \epsilon_6 123 \quad \Delta = -127, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^{3213,3} \otimes \epsilon_6 123 \quad \Delta = -136, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1\epsilon_6^{313,3}_{\epsilon_7} 1$

$$1\epsilon_6^{313,3}_{\epsilon_7} 1 \quad \Delta = -135, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{13151321}_{\epsilon_7} 122$

$$1^{13151321}_{\epsilon_7} 122 \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\begin{aligned}
1 \overset{213151321}{\mathfrak{e}_7} 122 \quad \Delta = -98, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{613151321}{\mathfrak{e}_7} 122 \quad \Delta = -176, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1 \overset{513151321}{\mathfrak{e}_7} 122 \quad \Delta = -150, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \overset{413151321}{\mathfrak{e}_7} 122 \quad \Delta = -126, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{13151321}{\mathfrak{e}_7} 122\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{313151321}{\mathfrak{e}_7} 122 \quad \Delta = -106, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
221 \overset{13151321}{\mathfrak{e}_7} \mathbf{12} \quad \Delta = -98, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1 \overset{221}{\mathfrak{e}_7} \overset{3,3}{\otimes} \mathfrak{e}_6 12 \\
221 \overset{21}{\mathfrak{e}_7} \overset{3,3}{\otimes} \mathfrak{e}_6 12 \quad \Delta = -118, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{221}{\mathfrak{e}_7} \overset{3,3}{\otimes} \mathfrak{e}_6 12\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
\text{Base: } 1 \overset{1}{\mathfrak{e}_6} \overset{3,3}{\otimes} \overset{221}{\mathfrak{e}_7} 1 \\
1 \overset{1}{\mathfrak{e}_6} \overset{3,3}{\otimes} \overset{3221}{\mathfrak{e}_7} 1 \quad \Delta = -127, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \overset{31}{\mathfrak{e}_6} \overset{3,3}{\otimes} \overset{221}{\mathfrak{e}_7} 1 \quad \Delta = -126, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{21}{\mathfrak{e}_6} \overset{3,3}{\otimes} \overset{221}{\mathfrak{e}_7} 1 \quad \Delta = -118, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{1}{\mathfrak{e}_6} \overset{3,3}{\otimes} \overset{221}{\mathfrak{e}_7} \mathbf{12} \quad \Delta = -118, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1 \overset{3221}{\mathfrak{e}_7} \overset{3,3}{\otimes} \mathfrak{e}_6 1 \\
1 \overset{3221}{\mathfrak{e}_7} \overset{3,3}{\otimes} \mathfrak{e}_6 \mathbf{13} \quad \Delta = -135, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \overset{3221}{\mathfrak{e}_7} \overset{3,3}{\otimes} \mathfrak{e}_6 \mathbf{12} \quad \Delta = -127, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\text{Base: } 1 \overset{1512321}{\mathfrak{e}_7} 1231 \\
1 \overset{1512321}{\mathfrak{e}_7} 1231\mathbf{3} \quad \Delta = -109, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{1512321}{\mathfrak{e}_7} \overset{2}{1231} \quad \Delta = -103, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{1512321}{\mathfrak{e}_7} 1231\mathbf{4} \quad \Delta = -129, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{31512321}{\mathfrak{e}_7} 1231 \quad \Delta = -109, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{1512321}{\mathfrak{e}_7} 1231\mathbf{5} \quad \Delta = -153, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{1512321}{\mathfrak{e}_7} 1231\mathbf{2} \quad \Delta = -101, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1321 \overset{1512321}{\mathfrak{e}_7} \mathbf{12} \quad \Delta = -101, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{21512321}{\mathfrak{e}_7} 1231 \quad \Delta = -101, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 4 \overset{3,2}{\otimes} \overset{151321}{\mathfrak{e}_7} 1 \\
4 \overset{3,2}{\otimes} \overset{3151321}{\mathfrak{e}_7} 1 \quad \Delta = -135, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\text{Base: } 1 \overset{2151321}{\mathfrak{e}_7} 1231 \\
1 \overset{32151321}{\mathfrak{e}_7} 1231 \quad \Delta = -108, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{2151321}{\mathfrak{e}_7} 1231\mathbf{4} \quad \Delta = -127, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1321 \overset{2151321}{\mathfrak{e}_7} \mathbf{12} \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{2151321}{\mathfrak{e}_7} 1231\mathbf{2} \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{2151321}{\mathfrak{e}_7} 1231\mathbf{5} \quad \Delta = -151, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{2151321}{\mathfrak{e}_7} 1231\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{2151321}{\mathfrak{e}_7} \overset{2}{1231} \quad \Delta = -101, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1 \overset{151321}{\mathfrak{e}_7} 1231 \\
1 \overset{2151321}{\mathfrak{e}_7} 1231 \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{151321}{\mathfrak{e}_7} 1231\mathbf{4} \quad \Delta = -127, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{3151321}{\mathfrak{e}_7} 1231 \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

$$\begin{aligned}
1 \overset{151321}{\mathfrak{e}_7} 1231 \textcolor{red}{2} \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{151321}{\mathfrak{e}_7} 1231 \textcolor{red}{3} \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1321 \overset{151321}{\mathfrak{e}_7} \textcolor{red}{12} \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{151321}{\mathfrak{e}_7} \overset{2}{1231} \quad \Delta = -101, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{151321}{\mathfrak{e}_7} 1231 \textcolor{red}{5} \quad \Delta = -151, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $4 \otimes \overset{3,3}{\mathfrak{e}_7} \overset{12321}{1}$

$$\begin{aligned}
4 \otimes \overset{3,3}{\mathfrak{e}_7} \overset{412321}{1} \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
4 \otimes \overset{3,3}{\mathfrak{e}_7} \overset{812321}{1} \quad \Delta = -212, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
4 \otimes \overset{3,3}{\mathfrak{e}_7} \overset{212321}{1} \quad \Delta = -79, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
4 \otimes \overset{3,3}{\mathfrak{e}_7} \overset{612321}{1} \quad \Delta = -157, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
4 \otimes \overset{3,3}{\mathfrak{e}_7} \overset{312321}{1} \quad \Delta = -87, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
4 \otimes \overset{3,3}{\mathfrak{e}_7} \overset{712321}{1} \quad \Delta = -184, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
4 \otimes \overset{3,3}{\mathfrak{e}_7} \overset{512321}{1} \quad \Delta = -131, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $1 \overset{12321}{\mathfrak{e}_7} \overset{3,2}{\otimes} 41$

$$\begin{aligned}
12321 \overset{21}{\mathfrak{e}_7} \overset{3,2}{\otimes} 41 \quad \Delta = -77, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{712321}{\mathfrak{e}_7} \overset{3,2}{\otimes} 41 \quad \Delta = -182, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{212321}{\mathfrak{e}_7} \overset{3,2}{\otimes} 41 \quad \Delta = -77, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \overset{612321}{\mathfrak{e}_7} \overset{3,2}{\otimes} 41 \quad \Delta = -155, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{812321}{\mathfrak{e}_7} \overset{3,2}{\otimes} 41 \quad \Delta = -210, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \overset{12321}{\mathfrak{e}_7} \overset{3,2}{\otimes} 41 \textcolor{red}{3} \quad \Delta = -85, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \overset{312321}{\mathfrak{e}_7} \overset{3,2}{\otimes} 41 \quad \Delta = -85, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{512321}{\mathfrak{e}_7} \overset{3,2}{\otimes} 41 \quad \Delta = -129, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{12321}{\mathfrak{e}_7} \overset{3,2}{\otimes} 41 \textcolor{red}{2} \quad \Delta = -77, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{12321}{\mathfrak{e}_7} \overset{3,2}{\otimes} 41 \textcolor{red}{4} \quad \Delta = -105, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1 \overset{412321}{\mathfrak{e}_7} \overset{3,2}{\otimes} 41 \quad \Delta = -105, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $21 \overset{13151321}{\mathfrak{e}_7} 12$

$$\begin{aligned}
21 \overset{13151321}{\mathfrak{e}_7} \textcolor{red}{123} \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21 \overset{313151321}{\mathfrak{e}_7} 12 \quad \Delta = -106, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21 \overset{13151321}{\mathfrak{e}_7} 12 \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21 \overset{513151321}{\mathfrak{e}_7} 12 \quad \Delta = -150, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21 \overset{613151321}{\mathfrak{e}_7} 12 \quad \Delta = -176, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21 \overset{213151321}{\mathfrak{e}_7} 12 \quad \Delta = -98, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21 \overset{413151321}{\mathfrak{e}_7} 12 \quad \Delta = -126, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1 \overset{3,3}{\mathfrak{e}_6} \overset{21}{\otimes} \mathfrak{e}_7 12$

$$\begin{aligned}
1 \overset{31}{\mathfrak{e}_6} \overset{3,3}{\otimes} \overset{21}{\mathfrak{e}_7} 12 \quad \Delta = -126, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{21}{\mathfrak{e}_6} \overset{3,3}{\otimes} \overset{21}{\mathfrak{e}_7} 12 \quad \Delta = -118, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{1}{\mathfrak{e}_6} \overset{3,3}{\otimes} \overset{21}{\mathfrak{e}_7} \textcolor{red}{123} \quad \Delta = -127, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $21 \overset{321}{\mathfrak{e}_7} \overset{3,3}{\otimes} \mathfrak{e}_6 1$

$$\begin{aligned}
21 \overset{321}{\mathfrak{e}_7} \overset{3,3}{\otimes} \mathfrak{e}_6 \textcolor{red}{13} \quad \Delta = -135, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21 \overset{321}{\mathfrak{e}_7} \overset{3,3}{\otimes} \mathfrak{e}_6 \textcolor{red}{12} \quad \Delta = -127, n_+ = 1, n_- = 13, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

$$21 \overset{2,3}{\mathfrak{e}_7} \otimes \mathfrak{e}_6 1 \quad \Delta = -129, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $21 \overset{1,2,3,2,1}{\mathfrak{e}_7} 12321$

$$12321 \overset{1,2,3,2,1}{\mathfrak{e}_7} 12\overset{3}{\mathfrak{e}_7} \quad \Delta = -60, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21 \overset{1,2,3,2,1}{\mathfrak{e}_7} 12321\overset{5}{\mathfrak{e}_7} \quad \Delta = -103, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21 \overset{1,2,3,2,1}{\mathfrak{e}_7} 12321\overset{4}{\mathfrak{e}_7} \quad \Delta = -79, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21 \overset{1,2,3,2,1}{\mathfrak{e}_7} 12321\overset{2}{\mathfrak{e}_7} \quad \Delta = -51, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21 \overset{1,2,3,2,1}{\mathfrak{e}_7} 12321\overset{8}{\mathfrak{e}_7} \quad \Delta = -184, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21 \overset{1,2,3,2,1}{\mathfrak{e}_7} 12321\overset{7}{\mathfrak{e}_7} \quad \Delta = -156, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21 \overset{1,2,3,2,1}{\mathfrak{e}_7} 12321\overset{3}{\mathfrak{e}_7} \quad \Delta = -59, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21 \overset{1,2,3,2,1}{\mathfrak{e}_7} 12321\overset{6}{\mathfrak{e}_7} \quad \Delta = -129, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \overset{1,1,3,1,5,1,3,2,2,1}{\mathfrak{e}_7} 1$

$$1 \overset{1,2,1,3,1,5,1,3,2,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -98, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{1,1,3,1,5,1,3,2,2,1}{\mathfrak{e}_7} 1\overset{2}{\mathfrak{e}_7} \quad \Delta = -98, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{1,4,1,3,1,5,1,3,2,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -126, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{1,3,1,3,1,5,1,3,2,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -106, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{1,6,1,3,1,5,1,3,2,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -176, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{1,1,3,1,5,1,3,2,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{1,5,1,3,1,5,1,3,2,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -150, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \overset{2,1,1,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1$

$$1 \overset{2,1,2,1,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -98, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{2,1,1,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1\overset{2}{\mathfrak{e}_7} \quad \Delta = -98, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{3,2,1,1,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -107, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{2,1,4,1,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -126, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{2,1,5,1,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -150, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{2,1,6,1,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -176, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{2,1,3,1,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -106, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{2,1,1,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -99, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1 \overset{1,1,2,3,2,1}{\mathfrak{e}_7} 12321$

$$1 \overset{1,1,2,3,2,1}{\mathfrak{e}_7} 12321\overset{8}{\mathfrak{e}_7} \quad \Delta = -184, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \overset{1,1,2,3,2,1}{\mathfrak{e}_7} 12321\overset{4}{\mathfrak{e}_7} \quad \Delta = -79, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{1,1,2,3,2,1}{\mathfrak{e}_7} 12321\overset{6}{\mathfrak{e}_7} \quad \Delta = -129, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{1,1,2,3,2,1}{\mathfrak{e}_7} 12321\overset{3}{\mathfrak{e}_7} \quad \Delta = -59, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{1,1,2,3,2,1}{\mathfrak{e}_7} 12321\overset{5}{\mathfrak{e}_7} \quad \Delta = -103, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$12321 \overset{1,1,2,3,2,1}{\mathfrak{e}_7} 1\overset{2}{\mathfrak{e}_7} \quad \Delta = -51, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{1,1,2,3,2,1}{\mathfrak{e}_7} 12321\overset{2}{\mathfrak{e}_7} \quad \Delta = -51, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{1,1,2,3,2,1}{\mathfrak{e}_7} 12321\overset{7}{\mathfrak{e}_7} \quad \Delta = -156, n_+ = 1, n_- = 13, n_0 = 0 \rightarrow \mathbb{F}_3$$

$T = 14$ (845 bases)

Base: $22222221\mathfrak{e}_8 12231$

$$22222221\mathfrak{e}_8 12231\overset{5}{\mathfrak{e}_8} \quad \Delta = -176, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$22222221\mathfrak{e}_8 12231\overset{3}{\mathfrak{e}_8} \quad \Delta = -132, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$22222221\mathfrak{e}_8 12231\overset{4}{\mathfrak{e}_8} \quad \Delta = -152, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$22222221\epsilon_8 12231\mathbf{2} \quad \Delta = -124, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 2222221 ϵ_8 122313

$$2222221\epsilon_8 122313\mathbf{2} \quad \Delta = -133, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: 1 ϵ_8^{13221} 122222

$$1\epsilon_8^{313221} 122222 \quad \Delta = -132, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_8^{413221} 122222 \quad \Delta = -152, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$2222221\epsilon_8^{13221} \mathbf{12} \quad \Delta = -124, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_8^{213221} 122222 \quad \Delta = -124, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\epsilon_8^{513221} 122222 \quad \Delta = -176, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: 1 ϵ_8^{313221} 122222

$$222221\epsilon_8^{313221} \mathbf{12} \quad \Delta = -132, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_8^{2313221} 122222 \quad \Delta = -133, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: 1 $\epsilon_8^{2313221}$ 12222

$$22221\epsilon_8^{2313221} \mathbf{12} \quad \Delta = -133, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: 1 $\epsilon_8^{22313221}$ 1222

$$2221\epsilon_8^{22313221} \mathbf{12} \quad \Delta = -133, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: 21 ϵ_8^{13221} 122222

$$21\epsilon_8^{413221} 122222 \quad \Delta = -152, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\epsilon_8^{213221} 122222 \quad \Delta = -124, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\epsilon_8^{513221} 122222 \quad \Delta = -176, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: 21 $\epsilon_8^{22313221}$ 122

$$21\epsilon_8^{22313221} \mathbf{1223} \quad \Delta = -142, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 2221 ϵ_8^{13221} 1222

$$2221\epsilon_8^{213221} 1222 \quad \Delta = -124, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2221\epsilon_8^{413221} 1222 \quad \Delta = -152, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$2221\epsilon_8^{513221} 1222 \quad \Delta = -176, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$2221\epsilon_8^{313221} 1222 \quad \Delta = -132, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: 221 ϵ_8^{13221} 12222

$$22221\epsilon_8^{13221} \mathbf{1223} \quad \Delta = -133, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\epsilon_8^{213221} 12222 \quad \Delta = -124, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\epsilon_8^{513221} 12222 \quad \Delta = -176, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$221\epsilon_8^{413221} 12222 \quad \Delta = -152, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\epsilon_8^{313221} 12222 \quad \Delta = -132, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: 221 ϵ_8^{313221} 1222

$$221\epsilon_8^{2313221} 1222 \quad \Delta = -133, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2221\epsilon_8^{313221} \mathbf{1223} \quad \Delta = -141, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 221 $\epsilon_8^{2313221}$ 122

$$221\epsilon_8^{2313221} \mathbf{1223} \quad \Delta = -142, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 1 $\epsilon_8^{1,13221}$ 122222

$$1\epsilon_8^{1,513221} 122222 \quad \Delta = -176, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_8^{1,413221} 122222 \quad \Delta = -152, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\begin{aligned}
& 222221 \overset{1,13221}{\mathfrak{e}_8} 1\bar{2} \quad \Delta = -124, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& 1 \overset{1,213221}{\mathfrak{e}_8} 122222 \quad \Delta = -124, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
& 1 \overset{1,313221}{\mathfrak{e}_8} 122222 \quad \Delta = -132, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1 \overset{1,313221}{\mathfrak{e}_8} 12222 \\
& 1 \overset{1,2313221}{\mathfrak{e}_8} 12222 \quad \Delta = -133, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& 22221 \overset{1,313221}{\mathfrak{e}_8} 1\bar{2} \quad \Delta = -132, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1 \overset{1,2313221}{\mathfrak{e}_8} 12222 \\
& 2221 \overset{1,2313221}{\mathfrak{e}_8} 1\bar{2} \quad \Delta = -133, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1 \overset{221,22313221}{\mathfrak{e}_8} 1 \\
& 1 \overset{221,22313221}{\mathfrak{e}_8} 1\bar{2} \quad \Delta = -133, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& 1 \overset{3221,22313221}{\mathfrak{e}_8} 1 \quad \Delta = -142, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
& \text{Base: } 1 \overset{21,22313221}{\mathfrak{e}_8} 12 \\
& 21 \overset{21,22313221}{\mathfrak{e}_8} 1\bar{2} \quad \Delta = -133, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1 \overset{21,13221}{\mathfrak{e}_8} 12222 \\
& 22221 \overset{21,13221}{\mathfrak{e}_8} 1\bar{2} \quad \Delta = -124, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& 1 \overset{21,413221}{\mathfrak{e}_8} 12222 \quad \Delta = -152, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
& 1 \overset{21,213221}{\mathfrak{e}_8} 12222 \quad \Delta = -124, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
& 1 \overset{21,513221}{\mathfrak{e}_8} 12222 \quad \Delta = -176, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1 \overset{21,313221}{\mathfrak{e}_8} 12222 \\
& 2221 \overset{21,313221}{\mathfrak{e}_8} 1\bar{2} \quad \Delta = -132, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1 \overset{221,2313221}{\mathfrak{e}_8} 12 \\
& 1 \overset{3221,2313221}{\mathfrak{e}_8} 12 \quad \Delta = -142, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
& 21 \overset{221,2313221}{\mathfrak{e}_8} 1\bar{2} \quad \Delta = -133, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1 \overset{221,13221}{\mathfrak{e}_8} 12222 \\
& 2221 \overset{221,13221}{\mathfrak{e}_8} 1\bar{2} \quad \Delta = -124, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& 1 \overset{221,313221}{\mathfrak{e}_8} 1222 \quad \Delta = -132, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& 1 \overset{221,413221}{\mathfrak{e}_8} 1222 \quad \Delta = -152, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
& 1 \overset{3221,13221}{\mathfrak{e}_8} 1222 \quad \Delta = -133, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
& 1 \overset{221,213221}{\mathfrak{e}_8} 1222 \quad \Delta = -124, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
& 1 \overset{221,513221}{\mathfrak{e}_8} 1222 \quad \Delta = -176, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1 \overset{221,313221}{\mathfrak{e}_8} 122 \\
& 1 \overset{221,313221}{\mathfrak{e}_8} 122\bar{3} \quad \Delta = -141, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
& 221 \overset{221,313221}{\mathfrak{e}_8} 1\bar{2} \quad \Delta = -132, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& 1 \overset{221,2313221}{\mathfrak{e}_8} 122 \quad \Delta = -133, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& \text{Base: } 21 \overset{21,13221}{\mathfrak{e}_8} 12222 \\
& 21 \overset{21,513221}{\mathfrak{e}_8} 1222 \quad \Delta = -176, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
& 21 \overset{21,413221}{\mathfrak{e}_8} 1222 \quad \Delta = -152, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
& 21 \overset{21,213221}{\mathfrak{e}_8} 1222 \quad \Delta = -124, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
& \text{Base: } 21 \overset{221,313221}{\mathfrak{e}_8} 12 \\
& 21 \overset{3221,313221}{\mathfrak{e}_8} 12 \quad \Delta = -141, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $21^{221,13221}_{\mathfrak{e}_8}122$

$$\begin{aligned} 21^{221,413221}_{\mathfrak{e}_8}122 \quad \Delta &= -152, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 21^{221,213221}_{\mathfrak{e}_8}122 \quad \Delta &= -124, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 21^{221,13221}_{\mathfrak{e}_8}122\mathbf{3} \quad \Delta &= -133, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 21^{221,513221}_{\mathfrak{e}_8}122 \quad \Delta &= -176, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \end{aligned}$$

Base: 12222222222221

$$\begin{aligned} 12222222222221\mathbf{8} \quad \Delta &= 0, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_5 \\ 12222222222221(12) \quad \Delta &= -115, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1 \end{aligned}$$

Base: 12314141413221

$$\begin{aligned} 12314141413221\mathbf{7} \quad \Delta &= -74, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4 \\ 12314141413221(12) \quad \Delta &= -217, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_9 \\ 12231414141321\mathbf{6} \quad \Delta &= -47, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 12231414141321\mathbf{8} \quad \Delta &= -102, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 12314141413221\mathbf{5} \quad \Delta &= -21, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 12231414141321\mathbf{5} \quad \Delta &= -21, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 12314141413221\mathbf{8} \quad \Delta &= -102, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_5 \\ 12231414141321\mathbf{7} \quad \Delta &= -74, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 12314141413221\mathbf{6} \quad \Delta &= -47, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3 \end{aligned}$$

Base: 21414141413221

$$\begin{aligned} 21414141413221\mathbf{6} \quad \Delta &= -66, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 21414141413221\mathbf{8} \quad \Delta &= -121, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_5 \\ 21414141413221\mathbf{5} \quad \Delta &= -40, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 21414141413221\mathbf{7} \quad \Delta &= -93, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4 \\ 21414141413221(12) \quad \Delta &= -236, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_9 \\ 21414141413221\mathbf{4} \quad \Delta &= -16, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \end{aligned}$$

Base: 13141414141321

$$\begin{aligned} 13141414141321\mathbf{5} \quad \Delta &= -48, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 12314141414131\mathbf{5} \quad \Delta &= -48, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 12314141414131\mathbf{4} \quad \Delta &= -24, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 13141414141321\mathbf{4} \quad \Delta &= -24, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 13141414141321\mathbf{6} \quad \Delta &= -74, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4 \\ 13141414141321\mathbf{7} \quad \Delta &= -101, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_5 \\ 13141414141321\mathbf{3} \quad \Delta &= -4, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 12314141414131\mathbf{3} \quad \Delta &= -4, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 12314141414131\mathbf{6} \quad \Delta &= -74, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 13141414141321\mathbf{8} \quad \Delta &= -129, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_6 \end{aligned}$$

Base: 21414141414131

$$\begin{aligned} 13141414141412\mathbf{3} \quad \Delta &= -24, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 21414141414131\mathbf{3} \quad \Delta &= -23, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 21414141414131\mathbf{6} \quad \Delta &= -93, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_5 \\ 21414141414131\mathbf{2} \quad \Delta &= -16, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 21414141414131\mathbf{4} \quad \Delta &= -43, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 21414141414131\mathbf{2} \quad \Delta &= -15, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 21414141414131\mathbf{5} \quad \Delta &= -67, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4 \end{aligned}$$

Base: 141414141413221^1

$$\begin{aligned} 141414141413221(12)^1 \quad \Delta &= -236, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_9 \\ 141414141413221\mathbf{7}^1 \quad \Delta &= -93, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4 \\ 141414141413221\mathbf{5}^1 \quad \Delta &= -40, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 141414141413221\mathbf{4}^{41} \quad \Delta &= -16, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1 \end{aligned}$$

$$\begin{aligned}
122315131\epsilon_6 1231\textcolor{red}{4} \quad \Delta = -51, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
122315131\epsilon_6 1231\textcolor{red}{2} \quad \Delta = -23, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1321\epsilon_6 131513221\textcolor{red}{5} \quad \Delta = -75, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1321\epsilon_6 131513221\textcolor{red}{2} \quad \Delta = -23, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1321\epsilon_6 131513221\textcolor{red}{6} \quad \Delta = -101, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1321\epsilon_6 131513221\textcolor{red}{8} \quad \Delta = -156, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
\overset{2}{1321\epsilon_6 131513221} \quad \Delta = -25, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: 12321 ϵ_6 13151321

$$\begin{aligned}
12321\epsilon_6 13151321\textcolor{red}{4} \quad \Delta = -53, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
12321\epsilon_6 13151321\textcolor{red}{5} \quad \Delta = -77, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
12315131\epsilon_6 12321\textcolor{red}{4} \quad \Delta = -53, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
12321\epsilon_6 13151321\textcolor{red}{2} \quad \Delta = -25, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
12321\epsilon_6 13151321\textcolor{red}{6} \quad \Delta = -103, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
12315131\epsilon_6 12321\textcolor{red}{6} \quad \Delta = -103, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
12315131\epsilon_6 12321\textcolor{red}{8} \quad \Delta = -158, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
12321\epsilon_6 13151321\textcolor{red}{7} \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
12315131\epsilon_6 12321\textcolor{red}{7} \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
12321\epsilon_6 13151321\textcolor{red}{8} \quad \Delta = -158, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
12321\epsilon_6 13151321\textcolor{red}{3} \quad \Delta = -33, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
12315131\epsilon_6 12321\textcolor{red}{3} \quad \Delta = -33, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
12315131\epsilon_6 12321\textcolor{red}{5} \quad \Delta = -77, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
12315131\epsilon_6 12321\textcolor{red}{2} \quad \Delta = -25, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $\overset{3,5}{\epsilon_6} \otimes \epsilon_6 131$

$$\begin{aligned}
\overset{3,5}{\epsilon_6} \otimes \epsilon_6 131\textcolor{red}{4} \quad \Delta = -128, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
\overset{3,5}{\epsilon_6} \otimes \epsilon_6 131\textcolor{red}{5} \quad \Delta = -152, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
\overset{3,5}{\epsilon_6} \otimes \epsilon_6 131\textcolor{red}{2} \quad \Delta = -100, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\overset{3,5}{\epsilon_6} \otimes \epsilon_6 131\textcolor{red}{6} \quad \Delta = -178, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_5
\end{aligned}$$

Base: $1\overset{4,3}{\epsilon_6} \otimes \epsilon_6 131$

$$\begin{aligned}
1\overset{4,3}{\epsilon_6} \otimes \epsilon_6 131\textcolor{red}{5} \quad \Delta = -152, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1\overset{4,3}{\epsilon_6} \otimes \epsilon_6 131\textcolor{red}{2} \quad \Delta = -100, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
131\overset{4,3}{\epsilon_6} \otimes \epsilon_6 1\textcolor{red}{2} \quad \Delta = -100, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\overset{4,3}{\epsilon_6} \otimes \epsilon_6 131\textcolor{red}{4} \quad \Delta = -128, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
131\overset{4,3}{\epsilon_6} \otimes \epsilon_6 1\textcolor{red}{3} \quad \Delta = -108, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\overset{4,3}{\epsilon_6} \otimes \epsilon_6 131\textcolor{red}{6} \quad \Delta = -178, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
1\overset{4,3}{\epsilon_6} \otimes \epsilon_6 131\textcolor{red}{3} \quad \Delta = -108, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $21\overset{3,3}{\epsilon_6} \bigcirc \epsilon_6 131$

$$\begin{aligned}
21\overset{3,3}{\epsilon_6} \bigcirc \epsilon_6 131\textcolor{red}{4} \quad \Delta = -127, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21\overset{3,3}{\epsilon_6} \bigcirc \epsilon_6 131\textcolor{red}{2} \quad \Delta = -99, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21\overset{3,3}{\epsilon_6} \bigcirc \epsilon_6 131\textcolor{red}{5} \quad \Delta = -151, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21\overset{3,3}{\epsilon_6} \bigcirc \epsilon_6 131\textcolor{red}{3} \quad \Delta = -107, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21\overset{3,3}{\epsilon_6} \bigcirc \epsilon_6 131\textcolor{red}{6} \quad \Delta = -177, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
131\overset{3,3}{\epsilon_6} \bigcirc \epsilon_6 1\textcolor{red}{2}\textcolor{red}{3} \quad \Delta = -108, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: 3131 ϵ_6 131513221

$$\begin{aligned}
3131\epsilon_6 131513221\textcolor{red}{2} \quad \Delta = -30, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
3131\epsilon_6 131513221\textcolor{red}{5} \quad \Delta = -82, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

$$\begin{aligned}
3131\mathfrak{e}_6131513221\mathbf{7} \quad \Delta &= -135, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3 \\
3131\mathfrak{e}_6131513221\mathbf{8} \quad \Delta &= -163, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4 \\
3131\mathfrak{e}_6131513221\mathbf{(12)} \quad \Delta &= -278, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_8 \\
3131\mathfrak{e}_6131513221\mathbf{6} \quad \Delta &= -108, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\
3131\mathfrak{e}_6131513221\mathbf{3} \quad \Delta &= -38, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1 \\
3131\mathfrak{e}_6131513221\mathbf{4} \quad \Delta &= -58, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0 \\
122315131\mathfrak{e}_61313\mathbf{2} \quad \Delta &= -31, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $4 \otimes \overset{2,2}{\mathfrak{e}_6} \bigcirc \overset{3,3}{\mathfrak{e}_6} 1$

$$4 \otimes \overset{2,2}{\mathfrak{e}_6} \bigcirc \overset{3,3}{\mathfrak{e}_6} \mathbf{13} \quad \Delta = -135, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $14 \otimes \overset{2,2}{\mathfrak{e}_6} 13151321$

$$14 \otimes \overset{2,2}{\mathfrak{e}_6} 13151321\mathbf{6} \quad \Delta = -128, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$12315131\mathfrak{e}_6 \otimes \overset{2,2}{41}\mathbf{4} \quad \Delta = -78, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$14 \otimes \overset{2,2}{\mathfrak{e}_6} 13151321\mathbf{2} \quad \Delta = -50, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$14 \otimes \overset{2,2}{\mathfrak{e}_6} 13151321\mathbf{8} \quad \Delta = -183, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$12315131\mathfrak{e}_6 \otimes \overset{2,2}{41}\mathbf{3} \quad \Delta = -58, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$14 \otimes \overset{2,2}{\mathfrak{e}_6} 13151321\mathbf{5} \quad \Delta = -102, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12315131\mathfrak{e}_6 \otimes \overset{2,2}{41}\mathbf{2} \quad \Delta = -50, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$14 \otimes \overset{2,2}{\mathfrak{e}_6} 13151321\mathbf{7} \quad \Delta = -155, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$14 \otimes \overset{2,2}{\mathfrak{e}_6} 13151321\mathbf{4} \quad \Delta = -78, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$14 \otimes \overset{2,2}{\mathfrak{e}_6} 13151321\mathbf{3} \quad \Delta = -58, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $51315131\mathfrak{e}_613151$

$$51315131\mathfrak{e}_613151\mathbf{3} \quad \Delta = -133, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1315131\mathfrak{e}_6131512$

$$215131\mathfrak{e}_61315131\mathbf{6} \quad \Delta = -151, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$215131\mathfrak{e}_61315131\mathbf{4} \quad \Delta = -101, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$215131\mathfrak{e}_61315131\mathbf{2} \quad \Delta = -73, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$215131\mathfrak{e}_61315131\mathbf{5} \quad \Delta = -125, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\overset{2}{1315131\mathfrak{e}_6131512} \quad \Delta = -74, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1315131\mathfrak{e}_6131512\mathbf{3} \quad \Delta = -82, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$215131\mathfrak{e}_61315131\mathbf{3} \quad \Delta = -81, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1315131\mathfrak{e}_613151\overset{1}{1}$

$$\overset{6}{1} \overset{13151316131}{5} 1 \quad \Delta = -151, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\overset{4}{1} \overset{13151316131}{5} 1 \quad \Delta = -101, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\overset{2}{1} \overset{13151316131}{5} 1 \quad \Delta = -73, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\overset{2}{1315131\mathfrak{e}_613151\overset{1}{1}} \quad \Delta = -74, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\overset{5}{1} \overset{13151316131}{5} 1 \quad \Delta = -125, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1315131\mathfrak{e}_613151\overset{1}{2} \quad \Delta = -73, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\overset{3}{1} \overset{13151316131}{5} 1 \quad \Delta = -81, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1315131\mathfrak{e}_613151\overset{1}{3} \quad \Delta = -81, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\mathfrak{e}_6 \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{3,3}{\mathfrak{e}_6} 13$

$$31\mathfrak{e}_6 \otimes \overset{3,3}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \mathbf{13} \quad \Delta = -136, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21\mathfrak{e}_6 \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{3,3}{\mathfrak{e}_6} 1$

$$1\mathbf{e}_6^{3,3} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 12\mathbf{3} \quad \Delta = -129, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_6 \mathbf{13} \quad \Delta = -128, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_6 \mathbf{12} \quad \Delta = -120, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $\mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{123}$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 123 \textcolor{red}{2} \quad \Delta = -131, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1321\epsilon_6^{2,2} \otimes \epsilon_6 12321$

$$1321\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 12321\mathbf{8} \quad \Delta = -184, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$12321\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 1231\mathbf{4} \quad \Delta = -79, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1321\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 12321\mathbf{4} \quad \Delta = -79, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$12321\mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 1231\mathbf{5} \quad \Delta = -103, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 12321\mathfrak{f} \quad \Delta = -103, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$12321\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 1231\mathbf{3} \quad \Delta = -59, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1321\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 12321\mathbf{3} \quad \Delta = -59, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\overset{2}{\mathfrak{e}}_6^{2,2} \otimes \mathfrak{e}_6 12321 \quad \Delta = -53, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$12321\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 1231\mathbf{2} \quad \Delta = -51, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 12321\mathbf{2} \quad \Delta = -51, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1321\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 12321\textcolor{red}{7} \quad \Delta = -156, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1321\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 12321\mathbf{6} \quad \Delta = -129, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $221\epsilon_6^{2,2} \otimes \epsilon_6 131512$

$$215131\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 122\mathbf{3} \quad \Delta = -100, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$221\epsilon_6^{2,2} \otimes \epsilon_6 131512\mathbf{3} \quad \Delta = -100, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $131\epsilon_6 \overset{2,2}{\otimes} \epsilon_6 123151$

$$151321\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 131\mathbf{2} \quad \Delta = -100, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$131\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 123151\mathbf{2} \quad \Delta = -100, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$131\mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 123151\mathbf{3} \quad \Delta = -108, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$151321\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 131\mathbf{3} \quad \Delta = -108, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$151321\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 131\mathbf{6} \quad \Delta = -178, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$151321\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 131\textcolor{red}{4} \quad \Delta = -128, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$151321\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 131\mathbf{5} \quad \Delta = -152, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $221\epsilon_6^{2,2} \otimes \epsilon_6^1 13151$

$$\begin{array}{ccccc} & \textcolor{red}{3} & 2 & 2 & 1 & 6 & 1 & 3 & 1 & 6 & 1 & 3 & 1 \\ 1 & & & & 5 & & & & 1 & & & & \end{array} \quad \Delta = -100, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$221\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{1,1} 13151\mathbf{3} \quad \Delta = -99, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{1,1} 13151\mathbf{2} \quad \Delta = -91, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $131\epsilon_6^{2,2} \otimes \epsilon_6 123215$

$$512321\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 131\mathbf{e}_6 \quad \Delta = -154, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$512321\epsilon_6^{2,2} \otimes \epsilon_6 131\mathbf{6} \quad \Delta = -180, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$512321\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 131\mathbf{2} \quad \Delta = -102, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$512321\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 131\mathbf{3} \quad \Delta = -110, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$512321\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 131\mathbf{4} \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1_{\mathfrak{e}_6}^{1,2,2} \otimes \mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_6 \mathbf{1}_3 \quad \Delta = -128, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_6^{21} \otimes \epsilon_6^{2,2} 131512$

$$21\mathfrak{e}_6^{1,2,2} \otimes \mathfrak{e}_6 131512 \quad \Delta = -99, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\mathfrak{e}_6^{1,2,2} \otimes \mathfrak{e}_6^{131512} \quad \Delta = -91, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_6^{21} \otimes \mathbf{e}_6^{2,2} 131512\mathbf{3} \quad \Delta = -100, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_6}^{321} \otimes_{\mathfrak{e}_6}^{2,2} 131512 \quad \Delta = -100, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1\epsilon_6^{21} \otimes \epsilon_6^{2,2} 13151^1$

$$21\overset{2,2}{\mathfrak{e}_6} \otimes \overset{1}{\mathfrak{e}_6} 13151 \quad \Delta = -91, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{3}{\epsilon}_6^{21} \otimes \overset{2,2}{\epsilon}_6 \overset{1}{13151} \quad \Delta = -100, \ n_+ = 1, \ n_- = 14, \ n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{21}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} 131\overset{1}{5}1\overset{1}{2} \quad \Delta = -91, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\mathbf{e}_6^{1,2,2} \otimes \mathbf{e}_6^1 13151 \quad \Delta = -99, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon_6^{21} \otimes \epsilon_6^{2,2} 13151\mathbf{3}^1 \quad \Delta = -99, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{122315131}\epsilon_6131$

$$1^{122315131} \mathbf{e}_6 131\mathbf{4} \quad \Delta = -50, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{(12)}_{\mathbf{e}_6}{}^{122315131}{}_{131} \quad \Delta = -270, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{F}_8$$

$$1^{122315131} \mathfrak{e}_6 131 \mathbf{2} \quad \Delta = -22, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{7122315131} \epsilon_6^{131} \quad \Delta = -127, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{122315131} \mathbf{e}_6 1315 \quad \Delta = -74, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{8122315131} \epsilon_6^{131} \quad \Delta = -74, \quad n_+ = 1, \quad n_- = 14, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{111111} \mathbf{e}_6^{131} 131 \quad \Delta = -155, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1 \quad \epsilon_6 \quad 131 \quad \Delta = -22, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

122315131

131 ϵ_6 12 $\Delta = -22, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$

1 ϵ_6 1313 $\Delta = -30$, $n_+ = 1$, $n_- = 14$, $n_0 = 0 \rightarrow \mathbb{F}_0$
1 $^{41}22315131$ 131 $\Delta = -50$, $n_+ = 1$, $n_- = 14$, $n_0 = 0 \rightarrow \mathbb{F}_0$

$$1231 \quad 122315131 \quad 123 \quad \Delta = -30, \quad n_+ = 1, \quad n_- = 14, \quad n_0 = 0 \quad \rightarrow \mathbb{R}^2$$

$$1^{122315131} 1^{131} \mathbf{6} \quad \Lambda = -100, \quad n_+ = 1, \quad n_- = 14, \quad n_0 = 0 \quad \rightarrow \mathbb{E}$$

$$1^{6122315131} 131 \quad \Delta = -100 \quad n_+ = 1 \quad n_- = 14 \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{3122315131} \begin{bmatrix} 1 & 3 & 1 \\ 6 & 6 & 6 \end{bmatrix} \Lambda = -30, \quad n_1 = 1, \quad n_2 = 14, \quad n_3 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1^{131} \epsilon_6^{2,2} \otimes \epsilon_6 12321$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 12321 \mathbf{6} \quad \Delta = -128, \quad n_+ = 1, \quad n_- = 14, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{2,131} \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{12321} \quad \Delta = -50, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{5}{\mathfrak{e}}_6^{131} \otimes \overset{2,2}{\mathfrak{e}}_6^{12321} \quad \Delta = -102, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 12321\mathbf{5} \quad \Delta = -102, \quad n_+ = 1, \quad n_- = 14, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \epsilon_6^{6131} \otimes \epsilon_6^{2,2} 12321 \quad \Delta = -128, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{\overset{\textcolor{red}{3}}{131}} \overset{2,2}{\mathfrak{e}_6} \otimes \mathfrak{e}_6 12321 \quad \Delta = -58, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 12321 \mathbf{3} \quad \Delta = -58, \quad n_+ = 1, \quad n_- = 14, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1_{\mathfrak{e}_6}^{131} \otimes \mathfrak{e}_6^{2,2} 12321\textcolor{red}{2} \quad \Delta = -50, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1_{\epsilon_6}^{131} \otimes_{\epsilon_6}^{2,2} 123214 \quad \Delta = -78, \quad n_+ = 1, \quad n_- = 14, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_6}^{131} \otimes \mathfrak{e}_6^{2,2} 123217 \quad \Delta = -155, \quad n_+ = 1, \quad n_- = 14, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1^{4131} 2,2 \epsilon_6 \otimes \epsilon_6 12321 \quad \Delta = -78, \quad n_+ = 1, \quad n_- = 14, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon_6 \otimes \epsilon_7' 12 \quad \Delta = -120, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7' \otimes \epsilon_6 12 \quad \Delta = -120, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 21\epsilon_6 \otimes \epsilon_7' 1$$

$$1\epsilon_7' \otimes \epsilon_6 123 \quad \Delta = -128, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\epsilon_6 \otimes \epsilon_7' 12 \quad \Delta = -119, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\epsilon_6 \otimes \epsilon_7' 1$$

$$1\epsilon_6 \otimes \epsilon_7' 1 \quad \Delta = -119, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_6 \otimes \epsilon_7' 12 \quad \Delta = -119, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6 \otimes \epsilon_7' 1 \quad \Delta = -127, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 321\epsilon_6 \otimes \epsilon_7' 1$$

$$321\epsilon_6 \otimes \epsilon_7' 12 \quad \Delta = -128, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7' \otimes \epsilon_6 1232 \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 315131\epsilon_6 \otimes \epsilon_7' 1$$

$$1\epsilon_7' \otimes \epsilon_6 1315132 \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$315131\epsilon_6 \otimes \epsilon_7' 12 \quad \Delta = -129, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 21\epsilon_7' 12231513221$$

$$21\epsilon_7' 122315132212 \quad \Delta = -42, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\epsilon_7' 122315132216 \quad \Delta = -120, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\epsilon_7' 122315132217 \quad \Delta = -147, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$12231513221\epsilon_7' 123 \quad \Delta = -51, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\epsilon_7' 122315132215 \quad \Delta = -94, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\epsilon_7' 122315132218 \quad \Delta = -175, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\epsilon_7' 122315132214 \quad \Delta = -70, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\epsilon_7' 122315132213 \quad \Delta = -50, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21\epsilon_7' 12231513221(12) \quad \Delta = -290, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$\text{Base: } \epsilon_6 \otimes \epsilon_7' 12$$

$$\epsilon_6 \otimes \epsilon_7' 123 \quad \Delta = -129, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\epsilon_6 \otimes \epsilon_7' 12$$

$$1\epsilon_6 \otimes \epsilon_7' 123 \quad \Delta = -129, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\epsilon_7' \otimes \epsilon_6 13 \quad \Delta = -128, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\epsilon_7' \otimes \epsilon_6 12 \quad \Delta = -120, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\epsilon_6 \otimes \epsilon_7' 12$$

$$1\epsilon_6 \otimes \epsilon_7' 12 \quad \Delta = -127, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_6 \otimes \epsilon_7' 123 \quad \Delta = -128, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_6 \otimes \epsilon_7' 12 \quad \Delta = -119, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 15131\epsilon_6 \otimes \epsilon_7' 12$$

$$21\epsilon_7' \otimes \epsilon_6 131512 \quad \Delta = -121, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$15131\epsilon_6 \otimes \epsilon_7' 123 \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 221\epsilon_7' 1231513221$$

$$221\epsilon_7' 12315132215 \quad \Delta = -94, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\epsilon_7' 1231513221(12) \quad \Delta = -290, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$\begin{aligned}
221\epsilon'_7 1231513221\mathbf{8} \quad \Delta &= -175, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4 \\
221\epsilon'_7 1231513221\mathbf{7} \quad \Delta &= -147, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1223151321\epsilon'_7 122\mathbf{3} \quad \Delta &= -51, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\
221\epsilon'_7 1231513221\mathbf{6} \quad \Delta &= -120, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\
221\epsilon'_7 1231513221\mathbf{2} \quad \Delta &= -42, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\
221\epsilon'_7 1231513221\mathbf{4} \quad \Delta &= -70, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0 \\
221\epsilon'_7 1231513221\mathbf{3} \quad \Delta &= -50, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $\epsilon_6 \otimes \epsilon_7^{4,4} 123$

$$\epsilon_6 \otimes \epsilon_7^{4,4} 123\mathbf{2} \quad \Delta = -131, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_6 \otimes \epsilon_7^{3,4} 123$

$$321\epsilon'_7 \otimes \epsilon_6^{3,4} 1\mathbf{3} \quad \Delta = -136, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$321\epsilon'_7 \otimes \epsilon_6^{3,4} 1\mathbf{2} \quad \Delta = -128, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_6 \otimes \epsilon_7^{3,4} 123\mathbf{2} \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $5131\epsilon_6 \otimes \epsilon_7^{3,3} 123$

$$5131\epsilon_6 \otimes \epsilon_7^{3,3} 123\mathbf{2} \quad \Delta = -132, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1321\epsilon'_7 123151321$

$$1321\epsilon'_7 123151321\mathbf{7} \quad \Delta = -156, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1321\epsilon'_7 123151321\mathbf{5} \quad \Delta = -103, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\epsilon'_7 123151321\mathbf{2} \quad \Delta = -51, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1321\epsilon'_7 123151321\mathbf{8} \quad \Delta = -184, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$123151321\epsilon'_7 1231\mathbf{5} \quad \Delta = -103, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$123151321\epsilon'_7 1231\mathbf{2} \quad \Delta = -51, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$123151321\epsilon'_7 1231\mathbf{3} \quad \Delta = -59, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$123151321\epsilon'_7 1231\mathbf{4} \quad \Delta = -79, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{2} 321\epsilon'_7 123151321 \quad \Delta = -53, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1321\epsilon'_7 123151321\mathbf{4} \quad \Delta = -79, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1321\epsilon'_7 123151321\mathbf{3} \quad \Delta = -59, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1321\epsilon'_7 123151321\mathbf{6} \quad \Delta = -129, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $131\epsilon_6 \otimes \epsilon_7^{3,3} 1231$

$$1321\epsilon'_7 \otimes \epsilon_6^{3,3} 131\mathbf{5} \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1321\epsilon'_7 \otimes \epsilon_6^{3,3} 131\mathbf{4} \quad \Delta = -106, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$131\epsilon_6 \otimes \epsilon_7^{3,3} 1231\mathbf{3} \quad \Delta = -86, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\epsilon_6 \otimes \epsilon_7^{3,3} 1231\mathbf{4} \quad \Delta = -106, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1321\epsilon'_7 \otimes \epsilon_6^{3,3} 131\mathbf{6} \quad \Delta = -156, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\epsilon_6 \otimes \epsilon_7^{3,3} 1231\mathbf{2} \quad \Delta = -78, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1321\epsilon'_7 \otimes \epsilon_6^{3,3} 131\mathbf{2} \quad \Delta = -78, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\epsilon_6 \otimes \epsilon_7^{3,3} 1231\mathbf{5} \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1321\epsilon'_7 \otimes \epsilon_6^{3,3} 131\mathbf{3} \quad \Delta = -86, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$131\epsilon_6 \otimes \epsilon_7^{3,3} \mathbf{2} 1231 \quad \Delta = -80, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $12321\epsilon'_7 12315131$

$$13151321\epsilon'_7 12321\mathbf{2} \quad \Delta = -52, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$13151321\epsilon'_7 12321\mathbf{8} \quad \Delta = -185, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$12321\epsilon'_7 12315131\mathbf{2} \quad \Delta = -52, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$13151321\epsilon'_7 12321\mathbf{5} \quad \Delta = -104, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$13151321\epsilon'_7 12321\mathbf{6} \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\begin{aligned}
12321\mathbf{e}'_7 12315131\mathbf{3} \quad \Delta = -60, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
13151321\mathbf{e}'_7 12321\mathbf{4} \quad \Delta = -80, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
13151321\mathbf{e}'_7 12321\mathbf{7} \quad \Delta = -157, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
12321\mathbf{e}'_7 12315131\mathbf{4} \quad \Delta = -80, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
12321\mathbf{e}'_7 12315131\mathbf{2} \quad \Delta = -53, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
13151321\mathbf{e}'_7 12321\mathbf{3} \quad \Delta = -60, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
12321\mathbf{e}'_7 12315131\mathbf{6} \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
12321\mathbf{e}'_7 12315131\mathbf{5} \quad \Delta = -104, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $\mathbf{e}_6 \otimes \mathbf{e}'_7 1231513$

$$\mathbf{e}_6 \otimes \mathbf{e}'_7 1231513\mathbf{2} \quad \Delta = -131, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\mathbf{e}_6 \otimes \mathbf{e}'_7 123151$

$$151321\mathbf{e}'_7 \otimes \mathbf{e}_6 1\mathbf{2} \quad \Delta = -122, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_6 \otimes \mathbf{e}'_7 123151\mathbf{2} \quad \Delta = -122, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_6 \otimes \mathbf{e}'_7 123151\mathbf{3} \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$151321\mathbf{e}'_7 \otimes \mathbf{e}_6 1\mathbf{3} \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21\mathbf{e}_6 \otimes \mathbf{e}'_7 12321$

$$21\mathbf{e}_6 \otimes \mathbf{e}'_7 12321\mathbf{7} \quad \Delta = -177, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$21\mathbf{e}_6 \otimes \mathbf{e}'_7 12321\mathbf{3} \quad \Delta = -80, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\mathbf{e}_6 \otimes \mathbf{e}'_7 12321\mathbf{6} \quad \Delta = -150, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\mathbf{e}_6 \otimes \mathbf{e}'_7 12321\mathbf{8} \quad \Delta = -205, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$12321\mathbf{e}'_7 \otimes \mathbf{e}_6 1\mathbf{2}\mathbf{3} \quad \Delta = -81, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\mathbf{e}_6 \otimes \mathbf{e}'_7 12321\mathbf{2} \quad \Delta = -72, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\mathbf{e}_6 \otimes \mathbf{e}'_7 12321\mathbf{4} \quad \Delta = -100, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\mathbf{e}_6 \otimes \mathbf{e}'_7 123215$

$$512321\mathbf{e}'_7 \otimes \mathbf{e}_6 1\mathbf{2} \quad \Delta = -124, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$512321\mathbf{e}'_7 \otimes \mathbf{e}_6 1\mathbf{3} \quad \Delta = -132, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1\mathbf{e}_6 \otimes \mathbf{e}'_7 12321$

$$1\mathbf{e}_6 \otimes \mathbf{e}'_7 12321\mathbf{8} \quad \Delta = -205, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1\mathbf{e}_6 \otimes \mathbf{e}'_7 12321\mathbf{5} \quad \Delta = -124, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6 \otimes \mathbf{e}'_7 12321\mathbf{6} \quad \Delta = -150, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_6 \otimes \mathbf{e}'_7 12321\mathbf{4} \quad \Delta = -100, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6 \otimes \mathbf{e}'_7 12321\mathbf{7} \quad \Delta = -177, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1\mathbf{e}_6 \otimes \mathbf{e}'_7 12321\mathbf{2} \quad \Delta = -72, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_6 \otimes \mathbf{e}'_7 12321\mathbf{3} \quad \Delta = -80, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_6 \otimes \mathbf{e}'_7 12321 \quad \Delta = -72, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_6 \otimes \mathbf{e}'_7 12321 \quad \Delta = -80, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $4 \otimes \mathbf{e}'_7 \otimes \mathbf{e}'_7 12$

$$4 \otimes \mathbf{e}'_7 \otimes \mathbf{e}'_7 1\mathbf{2}\mathbf{3} \quad \Delta = -134, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $221\mathbf{e}'_7 \otimes \mathbf{e}'_7 1231$

$$221\mathbf{e}'_7 \otimes \mathbf{e}'_7 1\mathbf{2}\mathbf{3} \quad \Delta = -99, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\begin{aligned}
221\mathbf{e}'_7 \otimes \mathbf{e}'_7 1231\mathbf{5} \quad \Delta = -149, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1321\mathbf{e}'_7 \otimes \mathbf{e}'_7 122\mathbf{3} \quad \Delta = -106, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
221\mathbf{e}'_7 \otimes \mathbf{e}'_7 1231\mathbf{2} \quad \Delta = -97, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
221\mathbf{e}'_7 \otimes \mathbf{e}'_7 1231\mathbf{4} \quad \Delta = -125, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
221\mathbf{e}'_7 \otimes \mathbf{e}'_7 1231\mathbf{3} \quad \Delta = -105, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

$$\text{Base: } 1 \quad \mathbf{e}'_7 \quad 1$$

$$\begin{aligned}
\mathbf{3}12231513221 \\
1 \quad \mathbf{e}'_7 \quad 1 \quad \Delta = -50, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
\mathbf{5}12231513221 \\
1 \quad \mathbf{e}'_7 \quad 1 \quad \Delta = -94, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\mathbf{4}12231513221 \\
1 \quad \mathbf{e}'_7 \quad 1 \quad \Delta = -70, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
(\mathbf{12})12231513221 \\
1 \quad \mathbf{e}'_7 \quad 1 \quad \Delta = -290, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_8 \\
\mathbf{2}12231513221 \\
1 \quad \mathbf{e}'_7 \quad 1 \quad \Delta = -42, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
12231513221 \\
1 \quad \mathbf{e}'_7 \quad 1\mathbf{2} \quad \Delta = -42, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\mathbf{8}12231513221 \\
1 \quad \mathbf{e}'_7 \quad 1 \quad \Delta = -175, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
\mathbf{6}12231513221 \\
1 \quad \mathbf{e}'_7 \quad 1 \quad \Delta = -120, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\mathbf{7}12231513221 \\
1 \quad \mathbf{e}'_7 \quad 1 \quad \Delta = -147, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

$$\text{Base: } 1\mathbf{e}'_7 \otimes \mathbf{e}_6 1$$

$$\begin{aligned}
1\mathbf{e}'_7 \otimes \mathbf{e}_6 1\mathbf{2} \quad \Delta = -120, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\mathbf{e}'_7 \otimes \mathbf{e}_6 1\mathbf{3} \quad \Delta = -128, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
\mathbf{2}1\mathbf{e}'_7 \otimes \mathbf{e}_6 1 \quad \Delta = -120, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

$$\text{Base: } 1\mathbf{e}'_7 \otimes \mathbf{e}_6 1\mathbf{2}$$

$$\begin{aligned}
\mathbf{2}1\mathbf{e}'_7 \otimes \mathbf{e}_6 1\mathbf{2} \quad \Delta = -119, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\mathbf{e}'_7 \otimes \mathbf{e}_6 1\mathbf{2}\mathbf{3} \quad \Delta = -128, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

$$\text{Base: } 1\mathbf{e}_6 \otimes \mathbf{e}'_7 1$$

$$\begin{aligned}
\mathbf{3}1\mathbf{e}_6 \otimes \mathbf{e}'_7 1 \quad \Delta = -127, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\mathbf{2}1\mathbf{e}_6 \otimes \mathbf{e}'_7 1 \quad \Delta = -119, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\mathbf{e}_6 \otimes \mathbf{e}'_7 1\mathbf{2} \quad \Delta = -119, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

$$\text{Base: } 1\mathbf{e}'_7 \otimes \mathbf{e}_6 13151$$

$$\begin{aligned}
1\mathbf{e}'_7 \otimes \mathbf{e}_6 13151\mathbf{3} \quad \Delta = -129, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\mathbf{e}'_7 \otimes \mathbf{e}_6 13151\mathbf{2} \quad \Delta = -121, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\mathbf{2}1\mathbf{e}'_7 \otimes \mathbf{e}_6 13151 \quad \Delta = -121, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

$$\text{Base: } 1 \quad \mathbf{e}'_7 \quad 1\mathbf{2}$$

$$\begin{aligned}
\mathbf{2}1223151321 \\
1 \quad \mathbf{e}'_7 \quad 1\mathbf{2} \quad \Delta = -42, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\mathbf{3}1223151321 \\
1 \quad \mathbf{e}'_7 \quad 1\mathbf{2} \quad \Delta = -50, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
\mathbf{8}1223151321 \\
1 \quad \mathbf{e}'_7 \quad 1\mathbf{2} \quad \Delta = -175, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1223151321 \\
21 \quad \mathbf{e}'_7 \quad 1\mathbf{2} \quad \Delta = -42, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1223151321 \\
1 \quad \mathbf{e}'_7 \quad 1\mathbf{2}\mathbf{3} \quad \Delta = -51, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

$$\begin{aligned}
& \overset{5}{1} \overset{1223151321}{\mathbf{e}'_7} 12 \quad \Delta = -94, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \overset{4}{1} \overset{1223151321}{\mathbf{e}'_7} 12 \quad \Delta = -70, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \overset{(12)}{1} \overset{1223151321}{\mathbf{e}'_7} 12 \quad \Delta = -290, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_8 \\
& \overset{7}{1} \overset{1223151321}{\mathbf{e}'_7} 12 \quad \Delta = -147, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \overset{6}{1} \overset{1223151321}{\mathbf{e}'_7} 12 \quad \Delta = -120, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

$$\text{Base: } 1 \overset{21}{\mathbf{e}'_7} \overset{3,3}{\otimes} \mathbf{e}'_7 1231$$

$$\begin{aligned}
& 1 \overset{21}{\mathbf{e}'_7} \overset{3,3}{\otimes} \mathbf{e}'_7 1231 \overset{3}{\mathbf{e}'_7} \quad \Delta = -105, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 21 \overset{21}{\mathbf{e}'_7} \overset{3,3}{\otimes} \mathbf{e}'_7 1231 \quad \Delta = -97, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1 \overset{21}{\mathbf{e}'_7} \overset{3,3}{\otimes} \mathbf{e}'_7 1231 \overset{2}{\mathbf{e}'_7} \quad \Delta = -99, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1 \overset{21}{\mathbf{e}'_7} \overset{3,3}{\otimes} \mathbf{e}'_7 1231 \overset{2}{\mathbf{e}'_7} \quad \Delta = -97, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1 \overset{21}{\mathbf{e}'_7} \overset{3,3}{\otimes} \mathbf{e}'_7 1231 \overset{5}{\mathbf{e}'_7} \quad \Delta = -149, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& 1 \overset{21}{\mathbf{e}'_7} \overset{3,3}{\otimes} \mathbf{e}'_7 1231 \overset{4}{\mathbf{e}'_7} \quad \Delta = -125, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 1 \overset{321}{\mathbf{e}'_7} \overset{3,3}{\otimes} \mathbf{e}'_7 1231 \quad \Delta = -106, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

$$\text{Base: } 1 \overset{1,1223151321}{\mathbf{e}'_7} 1$$

$$\begin{aligned}
& 1 \overset{1,1223151321}{\mathbf{e}'_7} 1 \overset{2}{\mathbf{e}'_7} \quad \Delta = -42, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1 \overset{1,41223151321}{\mathbf{e}'_7} 1 \quad \Delta = -70, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1 \overset{1,(12)}{1223151321} \mathbf{e}'_7 1 \quad \Delta = -290, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_6 \\
& 1 \overset{1,81223151321}{\mathbf{e}'_7} 1 \quad \Delta = -175, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1 \overset{1,21223151321}{\mathbf{e}'_7} 1 \quad \Delta = -42, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& 1 \overset{1,61223151321}{\mathbf{e}'_7} 1 \quad \Delta = -120, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1 \overset{1,71223151321}{\mathbf{e}'_7} 1 \quad \Delta = -147, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1 \overset{1,51223151321}{\mathbf{e}'_7} 1 \quad \Delta = -94, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1 \overset{1,31223151321}{\mathbf{e}'_7} 1 \quad \Delta = -50, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3
\end{aligned}$$

$$\text{Base: } \mathbf{e}_7 \overset{2,4}{\otimes} 41414141$$

$$\begin{aligned}
& \mathbf{e}_7 \overset{2,4}{\otimes} 41414141 \overset{3}{\mathbf{e}_7} \quad \Delta = -129, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \mathbf{e}_7 \overset{2,4}{\otimes} 41414141 \overset{4}{\mathbf{e}_7} \quad \Delta = -149, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4
\end{aligned}$$

$$\text{Base: } \mathbf{e}_7 \overset{2,3}{\otimes} 414141413$$

$$\mathbf{e}_7 \overset{2,3}{\otimes} 414141413 \overset{2}{\mathbf{e}_7} \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1 \mathbf{e}_7 122315131513$$

$$\begin{aligned}
& 1 \mathbf{e}_7 122315131513 \overset{2}{\mathbf{e}_7} \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 315131513221 \mathbf{e}_7 \overset{2}{\mathbf{e}_7} \quad \Delta = -129, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

$$\text{Base: } 14141414 \overset{2,3}{\otimes} \mathbf{e}_7 1$$

$$\begin{aligned}
& 1 \mathbf{e}_7 \overset{2,3}{\otimes} 41414141 \overset{3}{\mathbf{e}_7} \quad \Delta = -129, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 14141414 \overset{2,3}{\otimes} \mathbf{e}_7 1 \overset{2}{\mathbf{e}_7} \quad \Delta = -121, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1 \mathbf{e}_7 \overset{2,3}{\otimes} 41414141 \overset{2}{\mathbf{e}_7} \quad \Delta = -121, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1 \mathbf{e}_7 \overset{2,3}{\otimes} 41414141 \overset{4}{\mathbf{e}_7} \quad \Delta = -149, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2
\end{aligned}$$

$$\text{Base: } 1 \mathbf{e}_7 123151315132$$

$$231513151321 \mathbf{e}_7 \overset{2}{\mathbf{e}_7} \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: 21 ϵ_7 12231513215

$$51231513221\epsilon_7 12\textcolor{red}{3} \quad \Delta = -131, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 21 ϵ_7 12231513151

$$15131513221\epsilon_7 12\textcolor{red}{3} \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\epsilon_7 12231513151\textcolor{red}{2} \quad \Delta = -121, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 21 ϵ_7 12315131513

$$31513151321\epsilon_7 12\textcolor{red}{3} \quad \Delta = -138, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 1 $\overset{2321}{\epsilon_7'} \overset{3,3}{\otimes} \epsilon_7 12$

$$1 \overset{2321}{\epsilon_7'} \overset{3,3}{\otimes} \epsilon_7 12\textcolor{red}{3} \quad \Delta = -136, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 221 ϵ_7 1223151321

$$221\epsilon_7 1223151321\textcolor{red}{6} \quad \Delta = -148, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\epsilon_7 1223151321\textcolor{red}{7} \quad \Delta = -175, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$221\epsilon_7 1223151321\textcolor{red}{4} \quad \Delta = -98, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\epsilon_7 1223151321\textcolor{red}{5} \quad \Delta = -122, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1231513221\epsilon_7 122\textcolor{red}{3} \quad \Delta = -79, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\epsilon_7 1223151321\textcolor{red}{8} \quad \Delta = -203, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$221\epsilon_7 1223151321\textcolor{red}{3} \quad \Delta = -78, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221\epsilon_7 1223151321\textcolor{red}{2} \quad \Delta = -70, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: 221 ϵ_7 1231513215

$$5123151321\epsilon_7 122\textcolor{red}{3} \quad \Delta = -131, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 321 ϵ_7 1223151315

$$5131513221\epsilon_7 123\textcolor{red}{2} \quad \Delta = -132, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 221 ϵ_7 1231513151

$$221\epsilon_7 1231513151\textcolor{red}{3} \quad \Delta = -129, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1513151321\epsilon_7 122\textcolor{red}{3} \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\epsilon_7 1231513151\textcolor{red}{2} \quad \Delta = -121, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 4 $\overset{2,2}{\epsilon_6} \overset{3,3}{\otimes} \epsilon_7 122$

$$4 \overset{2,2}{\epsilon_6} \overset{3,3}{\otimes} \epsilon_7 122\textcolor{red}{3} \quad \Delta = -134, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 3221 $\overset{3,3}{\epsilon_7'}$ $\otimes$ $\epsilon_7 122$

$$3221\overset{3,3}{\epsilon_7'} \otimes \epsilon_7 122\textcolor{red}{3} \quad \Delta = -134, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 1 $\overset{321}{\epsilon_7'} \overset{3,3}{\otimes} \epsilon_7 122$

$$1 \overset{321}{\epsilon_7'} \overset{3,3}{\otimes} \epsilon_7 122\textcolor{red}{3} \quad \Delta = -134, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{2321}{\epsilon_7'} \overset{3,3}{\otimes} \epsilon_7 122 \quad \Delta = -127, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: 1321 ϵ_7 122315131

$$131513221\epsilon_7 1231\textcolor{red}{2} \quad \Delta = -78, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1321\epsilon_7 122315131\textcolor{red}{6} \quad \Delta = -156, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1321\epsilon_7 122315131\textcolor{red}{2} \quad \Delta = -78, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$131513221\epsilon_7 1231\textcolor{red}{3} \quad \Delta = -86, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1321\epsilon_7 122315131\textcolor{red}{3} \quad \Delta = -86, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1321\epsilon_7 1223151\overset{2}{31} \quad \Delta = -79, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1321\epsilon_7 1223151\overset{2}{31} \quad \Delta = -80, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$131513221\epsilon_7 1231\textcolor{red}{4} \quad \Delta = -106, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$131513221\epsilon_7 1231\textcolor{red}{5} \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\epsilon_7 122315131\textcolor{red}{5} \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1321\epsilon_7 122315131\textcolor{red}{4} \quad \Delta = -106, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: 2221 ϵ_7 123151321

$$\begin{aligned}
2221\mathbf{e}_7123151321\mathbf{4} \quad \Delta &= -98, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\
2221\mathbf{e}_7123151321\mathbf{8} \quad \Delta &= -203, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_5 \\
2221\mathbf{e}_7123151321\mathbf{7} \quad \Delta &= -175, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4 \\
2221\mathbf{e}_7123151321\mathbf{2} \quad \Delta &= -70, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1 \\
2221\mathbf{e}_7123151321\mathbf{5} \quad \Delta &= -122, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\
2221\mathbf{e}_7123151321\mathbf{6} \quad \Delta &= -148, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3 \\
2221\mathbf{e}_7123151321\mathbf{3} \quad \Delta &= -78, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: 1513221 $\mathbf{e}_7$ 123215

$$512321\mathbf{e}_71223151\mathbf{3} \quad \Delta = -132, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 1513221 $\mathbf{e}_7$ 123151

$$\begin{aligned}
151321\mathbf{e}_71223151\mathbf{2} \quad \Delta &= -122, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1513221\mathbf{e}_7123151\mathbf{2} \quad \Delta &= -122, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\
151321\mathbf{e}_71223151\mathbf{3} \quad \Delta &= -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1513221\mathbf{e}_7123151\mathbf{3} \quad \Delta &= -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: 12321 $\mathbf{e}_7$ 12231512

$$\begin{aligned}
21513221\mathbf{e}_712321\mathbf{4} \quad \Delta &= -100, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0 \\
21513221\mathbf{e}_712321\mathbf{6} \quad \Delta &= -150, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\
21513221\mathbf{e}_712321\mathbf{2} \quad \Delta &= -72, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\
21513221\mathbf{e}_712321\mathbf{3} \quad \Delta &= -80, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1 \\
12321\mathbf{e}_71223151\mathbf{2}\mathbf{3} \quad \Delta &= -81, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\
21513221\mathbf{e}_712321\mathbf{7} \quad \Delta &= -177, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3 \\
21513221\mathbf{e}_712321\mathbf{5} \quad \Delta &= -124, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\
21513221\mathbf{e}_712321\mathbf{8} \quad \Delta &= -205, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4
\end{aligned}$$

Base: 513221 $\mathbf{e}_7$ 1231513

$$513221\mathbf{e}_7123151\mathbf{3}\mathbf{2} \quad \Delta = -131, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: 31513221 $\mathbf{e}_7$ 12315

$$51321\mathbf{e}_71223151\mathbf{3}\mathbf{2} \quad \Delta = -131, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 13221 $\mathbf{e}_7$ 12315131

$$\begin{aligned}
13151321\mathbf{e}_712231\mathbf{3} \quad \Delta &= -86, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0 \\
13151321\mathbf{e}_712231\mathbf{2} \quad \Delta &= -78, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1 \\
13221\mathbf{e}_7123151\mathbf{3}\mathbf{1}^2 \quad \Delta &= -79, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\
13221\mathbf{e}_7123151\mathbf{3}\mathbf{1}\mathbf{6} \quad \Delta &= -156, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4 \\
13221\mathbf{e}_7123151\mathbf{3}\mathbf{1}\mathbf{3} \quad \Delta &= -86, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\
13151321\mathbf{e}_712231\mathbf{5} \quad \Delta &= -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\
13221\mathbf{e}_7123151\mathbf{3}\mathbf{1}\mathbf{5} \quad \Delta &= -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3 \\
13151321\mathbf{e}_712231\mathbf{4} \quad \Delta &= -106, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\
13221\mathbf{e}_7123151\mathbf{3}\mathbf{1}\mathbf{2} \quad \Delta &= -78, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0 \\
13221\mathbf{e}_7123151\mathbf{3}\mathbf{1}\mathbf{4} \quad \Delta &= -106, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: 12321 $\mathbf{e}_7$ 1223151 $\mathbf{1}$

$$1 \overset{6}{12321812231} \overset{1}{5} \overset{1}{1} \quad \Delta = -150, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{3}{12321812231} \overset{1}{5} \overset{1}{1} \quad \Delta = -80, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$12321\mathbf{e}_71223151\mathbf{3}\mathbf{1}^1 \quad \Delta = -80, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{4}{12321812231} \overset{1}{5} \overset{1}{1} \quad \Delta = -100, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$12321\mathbf{e}_71223151\mathbf{2}\mathbf{1}^1 \quad \Delta = -72, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{7}{12321812231} \overset{1}{5} \overset{1}{1} \quad \Delta = -177, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{5}{12321812231} \overset{1}{5} \overset{1}{1} \quad \Delta = -124, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{2}{12321812231} \overset{1}{5} \overset{1}{1} \quad \Delta = -72, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{8}{12321812231} \overset{1}{5} \overset{1}{1} \quad \Delta = -205, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $4 \otimes \overset{4,2}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_6} 1$

$$4 \otimes \overset{4,2}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_6} 1 \mathbf{3} \quad \Delta = -134, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $21 \overset{3,3}{\mathfrak{e}_6} \otimes \mathfrak{e}_7 12231$

$$21 \overset{3,3}{\mathfrak{e}_6} \otimes \mathfrak{e}_7 12231 \mathbf{3} \quad \Delta = -106, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21 \overset{3,3}{\mathfrak{e}_6} \otimes \mathfrak{e}_7 12231 \mathbf{4} \quad \Delta = -126, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$13221 \overset{3,3}{\mathfrak{e}_7} \otimes \mathfrak{e}_6 12 \mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21 \overset{3,3}{\mathfrak{e}_6} \otimes \mathfrak{e}_7 12231 \mathbf{5} \quad \Delta = -150, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21 \overset{3,3}{\mathfrak{e}_6} \otimes \mathfrak{e}_7 12231 \mathbf{2} \quad \Delta = -98, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $131 \overset{3,3}{\mathfrak{e}_6} \otimes \mathfrak{e}_7 1222$

$$2221 \overset{3,3}{\mathfrak{e}_7} \otimes \mathfrak{e}_6 131 \mathbf{3} \quad \Delta = -105, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$2221 \overset{3,3}{\mathfrak{e}_7} \otimes \mathfrak{e}_6 131 \mathbf{5} \quad \Delta = -149, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2221 \overset{3,3}{\mathfrak{e}_7} \otimes \mathfrak{e}_6 131 \mathbf{4} \quad \Delta = -125, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$2221 \overset{3,3}{\mathfrak{e}_7} \otimes \mathfrak{e}_6 131 \mathbf{6} \quad \Delta = -175, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2221 \overset{3,3}{\mathfrak{e}_7} \otimes \mathfrak{e}_6 131 \mathbf{2} \quad \Delta = -97, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \overset{1}{\mathfrak{e}_6} \otimes \overset{3,3}{\mathfrak{e}_7} 12231$

$$1 \overset{3,1}{\mathfrak{e}_6} \otimes \overset{3,3}{\mathfrak{e}_7} 12231 \quad \Delta = -106, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{1}{\mathfrak{e}_6} \otimes \overset{3,3}{\mathfrak{e}_7} 12231 \mathbf{3} \quad \Delta = -106, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{1}{\mathfrak{e}_6} \otimes \overset{3,3}{\mathfrak{e}_7} 12231 \mathbf{4} \quad \Delta = -126, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{1}{\mathfrak{e}_6} \otimes \overset{3,3}{\mathfrak{e}_7} 12231 \mathbf{5} \quad \Delta = -150, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \overset{1}{\mathfrak{e}_6} \otimes \overset{3,3}{\mathfrak{e}_7} 12231 \mathbf{2} \quad \Delta = -98, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{2,1}{\mathfrak{e}_6} \otimes \overset{3,3}{\mathfrak{e}_7} 12231 \quad \Delta = -98, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $221 \overset{3,3}{\mathfrak{e}_7'} \otimes \mathfrak{e}_7 1222$

$$2221 \overset{3,3}{\mathfrak{e}_7} \otimes \mathfrak{e}_7' 122 \mathbf{3} \quad \Delta = -125, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1 \overset{2,1}{\mathfrak{e}_7'} \otimes \overset{3,3}{\mathfrak{e}_7} 1222$

$$1 \overset{3,2,1}{\mathfrak{e}_7'} \otimes \overset{3,3}{\mathfrak{e}_7} 1222 \quad \Delta = -125, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21 \overset{2,1}{\mathfrak{e}_7'} \otimes \overset{3,3}{\mathfrak{e}_7} 1222 \quad \Delta = -116, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1414 \otimes \overset{2,3}{\mathfrak{e}_7} 12321$

$$1414 \otimes \overset{2,3}{\mathfrak{e}_7} 12321 \mathbf{4} \quad \Delta = -104, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12321 \overset{2,3}{\mathfrak{e}_7} \otimes 4141 \mathbf{4} \quad \Delta = -104, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1414 \otimes \overset{2,3}{\mathfrak{e}_7} 12321 \mathbf{7} \quad \Delta = -181, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$12321 \overset{2,3}{\mathfrak{e}_7} \otimes 4141 \mathbf{2} \quad \Delta = -76, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1414 \otimes \overset{2,3}{\mathfrak{e}_7} 12321 \mathbf{2} \quad \Delta = -76, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1414 \otimes \overset{2,3}{\mathfrak{e}_7} 12321 \mathbf{5} \quad \Delta = -128, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$12321 \overset{2,3}{\mathfrak{e}_7} \otimes 4141 \mathbf{3} \quad \Delta = -84, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1414 \otimes \overset{2,3}{\mathfrak{e}_7} 12321 \mathbf{3} \quad \Delta = -84, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1414 \otimes \overset{2,3}{\mathfrak{e}_7} 12321 \mathbf{8} \quad \Delta = -209, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1414 \otimes \overset{2,3}{\mathfrak{e}_7} 12321 \mathbf{6} \quad \Delta = -154, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $14 \otimes \overset{2,3}{\mathfrak{e}_7} 1232151$

$$\begin{aligned}
14 \otimes \mathfrak{e}_7^{2,3} 1232151 \mathbf{3} \quad \Delta = -108, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1512321\mathfrak{e}_7^{2,3} \otimes 41 \mathbf{4} \quad \Delta = -128, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1512321\mathfrak{e}_7^{2,3} \otimes 41 \mathbf{2} \quad \Delta = -100, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
14 \otimes \mathfrak{e}_7^{2,3} 1232151 \mathbf{2} \quad \Delta = -100, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1512321\mathfrak{e}_7^{2,3} \otimes 41 \mathbf{3} \quad \Delta = -108, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $414 \otimes \mathfrak{e}_7^{3,2} 123151$

$$414 \otimes \mathfrak{e}_7^{3,2} 123151 \mathbf{3} \quad \Delta = -134, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $14 \otimes \mathfrak{e}_7^{2,3} 1231512$

$$\begin{aligned}
2151321\mathfrak{e}_7^{2,3} \otimes 41 \mathbf{3} \quad \Delta = -106, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
2151321\mathfrak{e}_7^{2,3} \otimes 41 \mathbf{2} \quad \Delta = -98, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
2151321\mathfrak{e}_7^{2,3} \otimes 41 \mathbf{4} \quad \Delta = -126, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
14 \otimes \mathfrak{e}_7^{2,3} 1231512 \mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $12321\mathfrak{e}_7 12315123$

$$\begin{aligned}
32151321\mathfrak{e}_7 12321 \mathbf{2} \quad \Delta = -81, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
32151321\mathfrak{e}_7 12321 \mathbf{6} \quad \Delta = -159, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
12321\mathfrak{e}_7 12315123 \mathbf{2} \quad \Delta = -83, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
32151321\mathfrak{e}_7 12321 \mathbf{5} \quad \Delta = -133, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
32151321\mathfrak{e}_7 12321 \mathbf{4} \quad \Delta = -109, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
32151321\mathfrak{e}_7 12321 \mathbf{3} \quad \Delta = -89, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
32151321\mathfrak{e}_7 12321 \mathbf{8} \quad \Delta = -214, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
32151321\mathfrak{e}_7 12321 \mathbf{7} \quad \Delta = -186, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $31321\mathfrak{e}_7 12315131$

$$\begin{aligned}
13151321\mathfrak{e}_7 12313 \mathbf{2} \quad \Delta = -87, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
31321\mathfrak{e}_7 12315131 \mathbf{4} \quad \Delta = -114, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
31321\mathfrak{e}_7 12315131 \mathbf{1} \quad \Delta = -87, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
31321\mathfrak{e}_7 12315131 \mathbf{5} \quad \Delta = -138, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
31321\mathfrak{e}_7 12315131 \mathbf{6} \quad \Delta = -164, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
31321\mathfrak{e}_7 12315131 \mathbf{2} \quad \Delta = -86, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
31321\mathfrak{e}_7 12315131 \mathbf{3} \quad \Delta = -94, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $4 \otimes \mathfrak{e}_7^{4,3} 1231$

$$\begin{aligned}
4 \otimes \mathfrak{e}_7^{4,3} 1231 \mathbf{5} \quad \Delta = -158, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
4 \otimes \mathfrak{e}_7^{4,3} 1231 \mathbf{4} \quad \Delta = -134, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
4 \otimes \mathfrak{e}_7^{4,3} 1231 \mathbf{2} \quad \Delta = -106, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $4 \otimes \mathfrak{e}_7^{3,3} 123151^1$

$$4 \otimes \mathfrak{e}_7^{3,3} 123151 \mathbf{2}^1 \quad \Delta = -100, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $14 \otimes \mathfrak{e}_7^{2,3} 123151^1$

$$\begin{aligned}
1 \overset{214132181231}{5} 1 \quad \Delta = -98, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
14 \otimes \mathfrak{e}_7^{2,3} 123151 \mathbf{2}^1 \quad \Delta = -98, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{314132181231}{5} 1 \quad \Delta = -106, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
14 \otimes \mathfrak{e}_7^{2,3} 123151 \mathbf{3}^1 \quad \Delta = -106, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{414132181231}{5} 1 \quad \Delta = -126, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $12321\mathfrak{e}_7 1231513^1$

$$31 \overset{81232181231}{5} 1 \quad \Delta = -213, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\begin{aligned}
12321\epsilon_7 1231513\overset{1}{2} \quad \Delta = -81, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
31\overset{4}{1232181231}51 \quad \Delta = -108, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
31\overset{7}{1232181231}51 \quad \Delta = -185, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
31\overset{3}{1232181231}51 \quad \Delta = -88, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
31\overset{5}{1232181231}51 \quad \Delta = -132, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
31\overset{2}{1232181231}51 \quad \Delta = -80, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
31\overset{6}{1232181231}51 \quad \Delta = -158, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $21\epsilon_6 \otimes \overset{3,3}{\epsilon_7} 12313$

$$21\epsilon_6 \otimes \overset{3,3}{\epsilon_7} 12313\overset{1}{2} \quad \Delta = -107, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $321\epsilon_6 \otimes \overset{3,3}{\epsilon_7} 1231$

$$\begin{aligned}
1321\epsilon_7 \otimes \overset{3,3}{\epsilon_6} 123\overset{2}{2} \quad \Delta = -109, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
321\epsilon_6 \otimes \overset{3,3}{\epsilon_7} 1231\overset{2}{2} \quad \Delta = -107, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
321\epsilon_6 \otimes \overset{3,3}{\epsilon_7} 1231\overset{2}{2} \quad \Delta = -109, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
321\epsilon_6 \otimes \overset{3,3}{\epsilon_7} 1231\overset{4}{4} \quad \Delta = -135, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
321\epsilon_6 \otimes \overset{3,3}{\epsilon_7} 1231\overset{5}{5} \quad \Delta = -159, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
321\epsilon_6 \otimes \overset{3,3}{\epsilon_7} 1231\overset{3}{3} \quad \Delta = -115, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1\epsilon_6 \otimes \overset{1}{\epsilon_6} \otimes \overset{3,3}{\epsilon_7} 12313$

$$\begin{aligned}
1\epsilon_6 \otimes \overset{1}{\epsilon_6} \otimes \overset{3,3}{\epsilon_7} 12313\overset{2}{2} \quad \Delta = -107, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\epsilon_6 \otimes \overset{31}{\epsilon_6} \otimes \overset{3,3}{\epsilon_7} 12313 \quad \Delta = -114, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\epsilon_6 \otimes \overset{21}{\epsilon_6} \otimes \overset{3,3}{\epsilon_7} 12313 \quad \Delta = -106, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1\epsilon_6 \otimes \overset{31}{\epsilon_6} \otimes \overset{3,3}{\epsilon_7} 1231$

$$\begin{aligned}
1\epsilon_6 \otimes \overset{31}{\epsilon_6} \otimes \overset{3,3}{\epsilon_7} 1231\overset{5}{5} \quad \Delta = -158, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1\epsilon_6 \otimes \overset{31}{\epsilon_6} \otimes \overset{3,3}{\epsilon_7} 1231\overset{2}{2} \quad \Delta = -106, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\epsilon_6 \otimes \overset{31}{\epsilon_6} \otimes \overset{3,3}{\epsilon_7} 1231\overset{4}{4} \quad \Delta = -134, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $4 \otimes \overset{3,3}{\epsilon_7} 1232151$

$$4 \otimes \overset{3,3}{\epsilon_7} 1232151\overset{2}{2} \quad \Delta = -102, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $12321\epsilon_7 12321513$

$$\begin{aligned}
31512321\epsilon_7 12321\overset{4}{4} \quad \Delta = -110, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
31512321\epsilon_7 12321\overset{2}{2} \quad \Delta = -82, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
31512321\epsilon_7 12321\overset{6}{6} \quad \Delta = -160, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
31512321\epsilon_7 12321\overset{8}{8} \quad \Delta = -215, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
31512321\epsilon_7 12321\overset{7}{7} \quad \Delta = -187, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
31512321\epsilon_7 12321\overset{3}{3} \quad \Delta = -90, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
12321\epsilon_7 12321513\overset{2}{2} \quad \Delta = -83, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
31512321\epsilon_7 12321\overset{5}{5} \quad \Delta = -134, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $2 \overset{13151321812}{3} \overset{1}{1}$

$$\begin{aligned}
2 \overset{13151321812}{3} 1 \quad \Delta = -81, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
2 \overset{213151321812}{3} 1 \quad \Delta = -80, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
2 \overset{313151321812}{3} 1 \quad \Delta = -88, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
2 \overset{413151321812}{3} 1 \quad \Delta = -108, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
2 \overset{613151321812}{3} 1 \quad \Delta = -158, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_4
\end{aligned}$$

$$2 \overset{513151321812}{3} 1 \quad \Delta = -132, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_6^1 \otimes \epsilon_7^{3,3} 1^1 2^1 3^1 2^1$

$$1\overset{\textcolor{red}{3}1}{\mathfrak{e}_6} \otimes \overset{3,3}{\mathfrak{e}_7} \overset{1}{1232} \quad \Delta = -108, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{21}{\mathfrak{e}}_6 \otimes \overset{3,3}{\mathfrak{e}}_7 1232 \quad \Delta = -100, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1^{51231513221}e_71$

$$1^{51231513221} \mathfrak{e}_7 12 \quad \Delta = -122, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1^{15}13^{15}13^{22}1$
 $\mathfrak{e}_7$

$$1 \overset{315131513221}{\mathbf{e}_7} 1 \quad \Delta = -129, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{215131513221} \mathfrak{e}_7 1 \quad \Delta = -121, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{15131513221} \mathbf{e_7} \mathbf{12} \quad \Delta = -121, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1^{31513151321}e_71$

$$1^{231513151321} \mathbf{e}_7 1 \quad \Delta = -130, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{31513151321} \mathfrak{e}_7 1^{\text{red}} \quad \Delta = -129, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \overset{2321}{\epsilon'_7} \otimes \overset{3,3}{\epsilon_7} 1$

$$1 \overset{2321}{e_7'} \otimes \overset{3,3}{e_7} 1 \overset{1}{\textcolor{red}{2}} \quad \Delta = -127, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1^{1231513221}\epsilon_7 12$

$$21^{1231513221} \mathfrak{e}_7 12 \quad \Delta = -70, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{31231513221}{\mathbf{e}_7} 12 \quad \Delta = -78, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{41231513221}{\mathbf{e}_7} 12 \quad \Delta = -98, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{21231513221}{\epsilon_7} 12 \quad \Delta = -70, \quad n_+ = 1, \quad n_- = 14, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{1231513221} \mathbf{e}_7 12\mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{81231513221}{\mathfrak{e}_7} 12 \quad \Delta = -203, \quad n_+ = 1, \quad n_- = 14, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1^{\overline{61231513221}}_{\mathbf{e}_7} 12 \quad \Delta = -148, \quad n_+ = 1, \quad n_- = 14, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{71231513221}{\mathbf{e}_7} 12 \quad \Delta = -175, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: 1⁵¹²³¹⁵¹³²¹₇12

$$21^{5123151321} \mathfrak{e}_7 1 \textcolor{red}{2} \quad \Delta = -122, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{5123151321} \mathbf{e}_7 12\mathbf{3} \quad \Delta = -131, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{15} 13^{15} 13^{21} \mathfrak{e}_7^{12}$

$$1^{1513151321} \mathbf{e}_7 12\mathbf{3} \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21^{1513151321} \mathbf{e}_7 \mathbf{12} \quad \Delta = -121, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{21513151321}{\mathfrak{e}_7} 12 \quad \Delta = -121, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $4 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_7 1$

$$4 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{3,3}{\otimes} \overset{\textcolor{red}{3}21}{\mathfrak{e}_7} 1 \quad \Delta = -134, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\mathfrak{e}_7^{21} \otimes \mathfrak{e}_7'^{3,3} 1223$

$$1 \overset{\textcolor{red}{3}21}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}'_7} 1223 \quad \Delta = -134, \, n_+ = 1, \, n_- = 14, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7' 1223 \quad \Delta = -125, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \text{ } ^{321} \text{ } e'_7 \text{ } \otimes \text{ } ^{3,3} \text{ } ^{21} \text{ } e_7 1$

$$1 \mathbf{e}_7^{321} \otimes \mathbf{e}_7^{3,3,21} \mathbf{2} \quad \Delta = -125, n_+ = 1, n_- = 14, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \epsilon_{7'}^{321} \otimes \epsilon_7^{3,3} \epsilon_7^{321} \quad \Delta = -134, \quad n_+ = 1, \quad n_- = 14, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1^{123151321}e_7122$

$$\begin{aligned}
1 \overset{8}{\mathbf{e}}_7^{123151321} 122 \quad \Delta = -203, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
1 \overset{7}{\mathbf{e}}_7^{123151321} 122 \quad \Delta = -175, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1 \overset{2}{\mathbf{e}}_7^{123151321} 122 \quad \Delta = -70, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{3}{\mathbf{e}}_7^{123151321} 122 \quad \Delta = -78, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{6}{\mathbf{e}}_7^{123151321} 122 \quad \Delta = -148, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \overset{123151321}{\mathbf{e}}_7 122\mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{5}{\mathbf{e}}_7^{123151321} 122 \quad \Delta = -122, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
221 \overset{123151321}{\mathbf{e}}_7 \mathbf{1}2 \quad \Delta = -70, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{4}{\mathbf{e}}_7^{123151321} 122 \quad \Delta = -98, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $1 \overset{221}{\mathbf{e}}_7^{3,3} \otimes \mathbf{e}_6 131$

$$\begin{aligned}
221 \overset{21}{\mathbf{e}}_7^{3,3} \otimes \mathbf{e}_6 131 \quad \Delta = -97, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{221}{\mathbf{e}}_7^{3,3} \otimes \mathbf{e}_6 131\mathbf{4} \quad \Delta = -125, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \overset{221}{\mathbf{e}}_7^{3,3} \otimes \mathbf{e}_6 131\mathbf{3} \quad \Delta = -105, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{221}{\mathbf{e}}_7^{3,3} \otimes \mathbf{e}_6 131\mathbf{2} \quad \Delta = -97, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{221}{\mathbf{e}}_7^{3,3} \otimes \mathbf{e}_6 131\mathbf{5} \quad \Delta = -149, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1 \overset{221}{\mathbf{e}}_7^{3,3} \otimes \mathbf{e}_6 131\mathbf{6} \quad \Delta = -175, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
1 \overset{3221}{\mathbf{e}}_7^{3,3} \otimes \mathbf{e}_6 131 \quad \Delta = -106, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1 \overset{221}{\mathbf{e}}_7^{3,3} \otimes \mathbf{e}'_7 122$

$$\begin{aligned}
1 \overset{3221}{\mathbf{e}}_7^{3,3} \otimes \mathbf{e}'_7 122 \quad \Delta = -125, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
221 \overset{21}{\mathbf{e}}_7^{3,3} \otimes \mathbf{e}'_7 122 \quad \Delta = -116, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{221}{\mathbf{e}}_7^{3,3} \otimes \mathbf{e}'_7 122\mathbf{3} \quad \Delta = -125, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $1 \overset{21}{\mathbf{e}}_7^{3,3} \otimes \overset{221}{\mathbf{e}}_7 1$

$$\begin{aligned}
1 \overset{21}{\mathbf{e}}_7^{3,3} \otimes \overset{221}{\mathbf{e}}_7 \mathbf{1}2 \quad \Delta = -116, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{321}{\mathbf{e}}_7^{3,3} \otimes \overset{221}{\mathbf{e}}_7 1 \quad \Delta = -125, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21 \overset{21}{\mathbf{e}}_7^{3,3} \otimes \overset{221}{\mathbf{e}}_7 1 \quad \Delta = -116, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1 \overset{3221}{\mathbf{e}}_7^{3,3} \otimes \mathbf{e}'_7 12$

$$1 \overset{3221}{\mathbf{e}}_7^{3,3} \otimes \mathbf{e}'_7 12\mathbf{3} \quad \Delta = -134, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1 \overset{1}{\mathbf{e}}_7^{3,3} \otimes \overset{1}{\mathbf{e}}_7 1223$

$$1 \overset{21}{\mathbf{e}}_7^{3,3} \otimes \overset{1}{\mathbf{e}}_7 1223 \quad \Delta = -125, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1 \overset{513151321}{\mathbf{e}}_7 123$

$$1 \overset{513151321}{\mathbf{e}}_7 123\mathbf{2} \quad \Delta = -132, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \overset{151321}{\mathbf{e}}_7 123151$

$$1 \overset{151321}{\mathbf{e}}_7 123151\mathbf{3} \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{151321}{\mathbf{e}}_7 123151\mathbf{2} \quad \Delta = -122, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1 \overset{3151321}{\mathbf{e}}_7 12315$

$$1 \overset{23151321}{\mathbf{e}}_7 12315 \quad \Delta = -131, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \overset{13151321}{\mathbf{e}}_7 1231$

$$1 \overset{13151321}{\mathbf{e}}_7 1231\mathbf{5} \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321 \overset{13151321}{\mathbf{e}}_7 \mathbf{1}2 \quad \Delta = -78, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\begin{aligned}
1^{13151321} \mathbf{e}_7^{1231} \mathbf{1231} \mathbf{3} \quad \Delta = -86, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{613151321} \mathbf{e}_7^{1231} \quad \Delta = -156, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1^{313151321} \mathbf{e}_7^{1231} \quad \Delta = -86, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{13151321} \mathbf{e}_7^{1231} \mathbf{2} \quad \Delta = -80, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{513151321} \mathbf{e}_7^{1231} \quad \Delta = -130, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1^{413151321} \mathbf{e}_7^{1231} \quad \Delta = -106, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{13151321} \mathbf{e}_7^{1231} \mathbf{4} \quad \Delta = -106, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{213151321} \mathbf{e}_7^{1231} \quad \Delta = -78, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{13151321} \mathbf{e}_7^{1231} \mathbf{2} \quad \Delta = -78, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1^{13151321} \mathbf{e}_7^{1231} \quad \Delta = -79, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{12}$

$$\begin{aligned}
1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{12} \mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{12} \quad \Delta = -100, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1^{51321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{12} \quad \Delta = -150, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{41321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{12} \quad \Delta = -126, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{21321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{12} \quad \Delta = -98, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{321} \mathbf{e}_7^{21} \mathbf{e}_6^{3,3} \otimes \mathbf{e}_6^{12} \quad \Delta = -98, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1^{31321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{12} \quad \Delta = -106, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1 \mathbf{e}_6^{1,3,3} \otimes \mathbf{e}_7^{1,1} 1231$

$$\begin{aligned}
1 \mathbf{e}_6^{1,3,3} \otimes \mathbf{e}_7^{1,1} 1231 \mathbf{3} \quad \Delta = -106, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \mathbf{e}_6^{31} \otimes \mathbf{e}_7^{3,3} \mathbf{1} 1231 \quad \Delta = -106, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \mathbf{e}_6^{1,3,3} \otimes \mathbf{e}_7^{1,1} 1231 \mathbf{5} \quad \Delta = -150, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \mathbf{e}_6^{1,3,3} \otimes \mathbf{e}_7^{1,1} \mathbf{2} 1231 \quad \Delta = -100, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \mathbf{e}_6^{1,3,3} \otimes \mathbf{e}_7^{21} 1231 \quad \Delta = -98, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \mathbf{e}_6^{1,3,3} \otimes \mathbf{e}_7^{1,1} 1231 \mathbf{2} \quad \Delta = -98, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \mathbf{e}_6^{21} \otimes \mathbf{e}_7^{3,3} \mathbf{1} 1231 \quad \Delta = -98, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \mathbf{e}_6^{1,3,3} \otimes \mathbf{e}_7^{1,1} 1231 \mathbf{4} \quad \Delta = -126, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $1^{1512321} \mathbf{e}_7^{12321}$

$$\begin{aligned}
1^{1512321} \mathbf{e}_7^{12321} \mathbf{7} \quad \Delta = -179, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1^{1512321} \mathbf{e}_7^{12321} \mathbf{5} \quad \Delta = -126, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{1512321} \mathbf{e}_7^{12321} \mathbf{4} \quad \Delta = -102, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
12321^{1512321} \mathbf{e}_7^{12} \quad \Delta = -74, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{1512321} \mathbf{e}_7^{12321} \mathbf{2} \quad \Delta = -74, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{1512321} \mathbf{e}_7^{12321} \mathbf{6} \quad \Delta = -152, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{21512321} \mathbf{e}_7^{12321} \quad \Delta = -74, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{1512321} \mathbf{e}_7^{12321} \mathbf{8} \quad \Delta = -207, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1^{31512321} \mathbf{e}_7^{12321} \quad \Delta = -82, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{1512321} \mathbf{e}_7^{12321} \mathbf{3} \quad \Delta = -82, n_+ = 1, n_- = 14, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1^{512321} \mathbf{e}_7^{123151}$

$$1^{512321} \mathbf{e}_7^{123151} \mathbf{3} \quad \Delta = -132, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1^{2151321} \mathbf{e}_7^{12321}$

$$\begin{aligned}
1^{2151321} \mathbf{e}_7^{12321} \mathbf{1} \Delta &= -100, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1^{2151321} \mathbf{e}_7^{12321} \mathbf{6} \Delta &= -150, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1^{2151321} \mathbf{e}_7^{12321} \mathbf{3} \Delta &= -80, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1^{2151321} \mathbf{e}_7^{12321} \mathbf{7} \Delta &= -177, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3 \\
12321^{2151321} \mathbf{e}_7^{12} \Delta &= -72, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1^{2151321} \mathbf{e}_7^{12321} \mathbf{2} \Delta &= -72, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1^{2151321} \mathbf{e}_7^{12321} \mathbf{5} \Delta &= -124, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1^{2151321} \mathbf{e}_7^{12321} \mathbf{8} \Delta &= -205, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4 \\
1^{32151321} \mathbf{e}_7^{12321} \Delta &= -81, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1^{151321} \mathbf{e}_7^{12321}$

$$\begin{aligned}
1^{151321} \mathbf{e}_7^{12321} \mathbf{3} \Delta &= -80, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1^{151321} \mathbf{e}_7^{12321} \mathbf{6} \Delta &= -150, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1^{2151321} \mathbf{e}_7^{12321} \Delta &= -72, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1^{151321} \mathbf{e}_7^{12321} \mathbf{5} \Delta &= -124, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1^{151321} \mathbf{e}_7^{12321} \mathbf{8} \Delta &= -205, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4 \\
12321^{151321} \mathbf{e}_7^{12} \Delta &= -72, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1^{151321} \mathbf{e}_7^{12321} \mathbf{7} \Delta &= -177, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1^{151321} \mathbf{e}_7^{12321} \mathbf{2} \Delta &= -72, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1^{151321} \mathbf{e}_7^{12321} \mathbf{4} \Delta &= -100, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1^{3151321} \mathbf{e}_7^{12321} \Delta &= -80, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $4^{3,2} \otimes \mathbf{e}_7^{1,3,3} \otimes \mathbf{e}_6^{1,3}$

$$4 \otimes \mathbf{e}_7^{3,2} \otimes \mathbf{e}_6^{1,3} \mathbf{1} \Delta = -134, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21^{123151321} \mathbf{e}_7^{12}$

$$\begin{aligned}
21^{123151321} \mathbf{e}_7^{12} \mathbf{3} \Delta &= -79, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\
21^{6123151321} \mathbf{e}_7^{12} \Delta &= -148, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3 \\
21^{8123151321} \mathbf{e}_7^{12} \Delta &= -203, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_5 \\
21^{4123151321} \mathbf{e}_7^{12} \Delta &= -98, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\
21^{7123151321} \mathbf{e}_7^{12} \Delta &= -175, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4 \\
21^{3123151321} \mathbf{e}_7^{12} \Delta &= -78, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0 \\
21^{2123151321} \mathbf{e}_7^{12} \Delta &= -70, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $21 \mathbf{e}_7^{21,3,3} \otimes \mathbf{e}_6^{1,3}$

$$\begin{aligned}
21 \mathbf{e}_7^{21,3,3} \otimes \mathbf{e}_6^{1,3} \mathbf{1} \Delta &= -105, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2 \\
21 \mathbf{e}_7^{21,3,3} \otimes \mathbf{e}_6^{1,3} \mathbf{5} \Delta &= -149, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_4 \\
21 \mathbf{e}_7^{21,3,3} \otimes \mathbf{e}_6^{1,3} \mathbf{6} \Delta &= -175, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_5 \\
21 \mathbf{e}_7^{21,3,3} \otimes \mathbf{e}_6^{1,3} \mathbf{1} \Delta &= -97, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2 \\
21 \mathbf{e}_7^{321,3,3} \otimes \mathbf{e}_6^{1,3} \Delta &= -106, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0 \\
21 \mathbf{e}_7^{21,3,3} \otimes \mathbf{e}_6^{1,3} \mathbf{4} \Delta &= -125, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $21 \mathbf{e}_7^{21,3,3} \otimes \mathbf{e}_7^{1,2}$

$$21 \mathbf{e}_7^{321,3,3} \otimes \mathbf{e}_7^{1,2} \Delta = -125, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1 \mathbf{e}_7^{21,3,3} \otimes \mathbf{e}_7^{21}$

$$21 \mathbf{e}_7^{21,3,3} \otimes \mathbf{e}_7^{21} \Delta = -116, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $21 \overset{3,2,1}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} 12$

$$21 \overset{3,2,1}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} 12 \mathbf{3} \quad \Delta = -134, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1 \overset{1}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \overset{2,1}{\mathfrak{e}_7} 123$

$$1 \overset{1}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \overset{2,1}{\mathfrak{e}_7} 123 \mathbf{2} \quad \Delta = -127, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{2,1}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \overset{2,1}{\mathfrak{e}_7} 123 \quad \Delta = -125, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $21 \overset{2,3,2,1}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} 1$

$$21 \overset{2,3,2,1}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} 1 \mathbf{2} \quad \Delta = -127, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \overset{1,1,2,3,1,5,1,3,2,2,1}{\mathfrak{e}_7} 1$

$$1 \overset{1,5,1,2,3,1,5,1,3,2,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -122, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{1,8,1,2,3,1,5,1,3,2,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -203, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{1,2,1,2,3,1,5,1,3,2,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -70, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{1,3,1,2,3,1,5,1,3,2,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -78, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{1,1,2,3,1,5,1,3,2,2,1}{\mathfrak{e}_7} 1 \mathbf{2} \quad \Delta = -70, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{1,6,1,2,3,1,5,1,3,2,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -148, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{1,7,1,2,3,1,5,1,3,2,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -175, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{1,4,1,2,3,1,5,1,3,2,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -98, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1 \overset{1,5,1,2,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1$

$$1 \overset{1,5,1,2,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1 \mathbf{2} \quad \Delta = -122, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1 \overset{1,1,5,1,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1$

$$1 \overset{1,3,1,5,1,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -129, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{1,1,5,1,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1 \mathbf{2} \quad \Delta = -121, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{1,2,1,5,1,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -121, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1 \overset{2,1,1,2,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1$

$$1 \overset{2,1,2,1,2,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -70, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{2,1,8,1,2,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -203, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{3,2,1,1,2,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -79, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{2,1,7,1,2,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -175, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{2,1,3,1,2,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -78, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{2,1,1,2,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1 \mathbf{2} \quad \Delta = -70, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{2,1,4,1,2,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -98, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{2,1,6,1,2,3,1,5,1,3,2,1}{\mathfrak{e}_7} 1 \quad \Delta = -148, n_+ = 1, n_- = 14, n_0 = 0 \rightarrow \mathbb{P}^2$$

$T = 15$ (804 bases)

Base: $22313221 \mathfrak{e}_8 122313$

$$22313221 \mathfrak{e}_8 122313 \mathbf{2} \quad \Delta = -122, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $14 \overset{2,4}{\mathfrak{e}_8} \otimes \mathfrak{e}_8 122222$

$$2222221 \mathfrak{e}_8 \otimes 41 \overset{2,4}{\mathfrak{e}_8} \mathbf{4} \quad \Delta = -151, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2222221 \mathfrak{e}_8 \otimes 41 \overset{2,4}{\mathfrak{e}_8} \mathbf{2} \quad \Delta = -123, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$2222221 \mathfrak{e}_8 \otimes 41 \overset{2,4}{\mathfrak{e}_8} \mathbf{3} \quad \Delta = -131, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $314 \overset{2,4}{\mathfrak{e}_8} \otimes \mathfrak{e}_8 122222$

$$222221\epsilon_8^{\otimes 2,4} \otimes 413\bar{2} \quad \Delta = -132, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1^{\otimes 313221} \epsilon_8^{\otimes 1223132}$$

$$2313221^{\otimes 313221} \epsilon_8^{\otimes 12} \quad \Delta = -121, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{\otimes 2313221} \epsilon_8^{\otimes 1223132} \quad \Delta = -122, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1^{\otimes 22313221} \epsilon_8^{\otimes 12231}$$

$$1^{\otimes 22313221} \epsilon_8^{\otimes 122315} \quad \Delta = -165, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{\otimes 22313221} \epsilon_8^{\otimes 122314} \quad \Delta = -141, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$13221^{\otimes 22313221} \epsilon_8^{\otimes 12} \quad \Delta = -113, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{\otimes 22313221} \epsilon_8^{\otimes 122312} \quad \Delta = -113, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{\otimes 22313221} \epsilon_8^{\otimes 122313} \quad \Delta = -121, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1^{\otimes 222221} \epsilon_8^{\otimes 4,2} \otimes 41$$

$$1^{\otimes 222221} \epsilon_8^{\otimes 4,2} \otimes 413\bar{1} \quad \Delta = -131, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{\otimes 222221} \epsilon_8^{\otimes 4,2} \otimes 41\bar{2} \quad \Delta = -123, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$222221\epsilon_8^{\otimes 21} \otimes 41^{\otimes 4,2} \quad \Delta = -123, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{\otimes 222221} \epsilon_8^{\otimes 4,2} \otimes 41\bar{4} \quad \Delta = -151, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1^{\otimes 22221} \epsilon_8^{\otimes 4,2} \otimes 413$$

$$1^{\otimes 22221} \epsilon_8^{\otimes 4,2} \otimes 413\bar{2} \quad \Delta = -132, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1^{\otimes 2221} \epsilon_8^{\otimes 4,2} \otimes 4132$$

$$2221\epsilon_8^{\otimes 21} \otimes 4132^{\otimes 4,2} \quad \Delta = -132, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1^{\otimes 221} \epsilon_8^{\otimes 4,2} \otimes 41322$$

$$1^{\otimes 3221} \epsilon_8^{\otimes 4,2} \otimes 41322 \quad \Delta = -141, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221\epsilon_8^{\otimes 21} \otimes 41322^{\otimes 4,2} \quad \Delta = -132, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 21^{\otimes 2313221} \epsilon_8^{\otimes 12231}$$

$$21^{\otimes 2313221} \epsilon_8^{\otimes 122315} \quad \Delta = -165, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21^{\otimes 2313221} \epsilon_8^{\otimes 122314} \quad \Delta = -141, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21^{\otimes 2313221} \epsilon_8^{\otimes 122312} \quad \Delta = -113, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 21^{\otimes 22221} \epsilon_8^{\otimes 4,2} \otimes 41$$

$$21^{\otimes 22221} \epsilon_8^{\otimes 4,2} \otimes 41\bar{2} \quad \Delta = -123, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21^{\otimes 22221} \epsilon_8^{\otimes 4,2} \otimes 41\bar{4} \quad \Delta = -151, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$21^{\otimes 22221} \epsilon_8^{\otimes 4,2} \otimes 41\bar{3} \quad \Delta = -131, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 21^{\otimes 221} \epsilon_8^{\otimes 4,2} \otimes 4132$$

$$21^{\otimes 3221} \epsilon_8^{\otimes 4,2} \otimes 4132 \quad \Delta = -141, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 2221^{\otimes 13221} \epsilon_8^{\otimes 12231}$$

$$2221^{\otimes 13221} \epsilon_8^{\otimes 122314} \quad \Delta = -132, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$2221^{\otimes 13221} \epsilon_8^{\otimes 122312} \quad \Delta = -104, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$2221^{\otimes 13221} \epsilon_8^{\otimes 122315} \quad \Delta = -156, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$2221^{\otimes 13221} \epsilon_8^{\otimes 122313} \quad \Delta = -112, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 221^{\otimes 313221} \epsilon_8^{\otimes 12231}$$

$$221^{\otimes 313221} \epsilon_8^{\otimes 122314} \quad \Delta = -140, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221^{\otimes 313221} \epsilon_8^{\otimes 122313} \quad \Delta = -120, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\begin{aligned}
221 \overset{2313221}{\mathfrak{e}_8} 12231 \quad \Delta = -113, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
13221 \overset{313221}{\mathfrak{e}_8} 122\mathbf{3} \quad \Delta = -121, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
221 \overset{313221}{\mathfrak{e}_8} 12231\mathbf{5} \quad \Delta = -164, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
221 \overset{313221}{\mathfrak{e}_8} 12231\mathbf{2} \quad \Delta = -112, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
\text{Base: } 221 \overset{2221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 41 \\
221 \overset{2221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 41\mathbf{4} \quad \Delta = -151, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
2221 \overset{3221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 41 \quad \Delta = -132, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
221 \overset{2221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 41\mathbf{3} \quad \Delta = -131, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
221 \overset{2221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 41\mathbf{2} \quad \Delta = -123, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\text{Base: } 221 \overset{221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 41\mathbf{3} \\
221 \overset{3221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 41\mathbf{3} \quad \Delta = -140, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
221 \overset{221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 41\mathbf{3}\mathbf{2} \quad \Delta = -132, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\text{Base: } 1 \overset{1,313221}{\mathfrak{e}_8} 12231\mathbf{3} \\
313221 \overset{1,313221}{\mathfrak{e}_8} \mathbf{1}\mathbf{2} \quad \Delta = -120, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1 \overset{1,2313221}{\mathfrak{e}_8} 12231 \\
1 \overset{1,2313221}{\mathfrak{e}_8} 12231\mathbf{3} \quad \Delta = -121, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
13221 \overset{1,2313221}{\mathfrak{e}_8} \mathbf{1}\mathbf{2} \quad \Delta = -113, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{1,2313221}{\mathfrak{e}_8} 12231\mathbf{2} \quad \Delta = -113, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{1,2313221}{\mathfrak{e}_8} 12231\mathbf{5} \quad \Delta = -165, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{1,2313221}{\mathfrak{e}_8} 12231\mathbf{4} \quad \Delta = -141, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 1 \overset{21,313221}{\mathfrak{e}_8} 12231 \\
1 \overset{21,313221}{\mathfrak{e}_8} 12231\mathbf{4} \quad \Delta = -140, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
13221 \overset{21,313221}{\mathfrak{e}_8} \mathbf{1}\mathbf{2} \quad \Delta = -112, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{21,313221}{\mathfrak{e}_8} 12231\mathbf{2} \quad \Delta = -112, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{21,313221}{\mathfrak{e}_8} 12231\mathbf{5} \quad \Delta = -164, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\text{Base: } 1 \overset{221,13221}{\mathfrak{e}_8} 12231 \\
1 \overset{221,13221}{\mathfrak{e}_8} 12231\mathbf{3} \quad \Delta = -112, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{3221,13221}{\mathfrak{e}_8} 12231 \quad \Delta = -113, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
13221 \overset{221,13221}{\mathfrak{e}_8} \mathbf{1}\mathbf{2} \quad \Delta = -104, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{221,13221}{\mathfrak{e}_8} 12231\mathbf{5} \quad \Delta = -156, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{221,13221}{\mathfrak{e}_8} 12231\mathbf{2} \quad \Delta = -104, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{221,13221}{\mathfrak{e}_8} 12231\mathbf{4} \quad \Delta = -132, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 21 \overset{21,13221}{\mathfrak{e}_8} 12231 \\
21 \overset{21,13221}{\mathfrak{e}_8} 12231\mathbf{5} \quad \Delta = -156, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21 \overset{21,13221}{\mathfrak{e}_8} 12231\mathbf{2} \quad \Delta = -104, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
21 \overset{21,13221}{\mathfrak{e}_8} 12231\mathbf{4} \quad \Delta = -132, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 12222222222221 \\
12222222222221(\mathbf{12}) \quad \Delta = -86, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\text{Base: } 122314141413221 \\
122314141413221\mathbf{7} \quad \Delta = -45, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
122314141413221\mathbf{8} \quad \Delta = -73, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

122314141413221⁶ $\Delta = -18, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$
122314141413221⁽¹²⁾ $\Delta = -188, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_5$

Base: 131414141413221

131414141413221⁶ $\Delta = -45, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$
122314141414131⁶ $\Delta = -45, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$
131414141413221⁷ $\Delta = -72, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$
122314141414131⁵ $\Delta = -19, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$
131414141413221⁵ $\Delta = -19, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$
131414141413221⁸ $\Delta = -100, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_5$
131414141413221⁽¹²⁾ $\Delta = -215, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_9$

Base: 123141414141321

123141414141321⁵ $\Delta = -20, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$
123141414141321⁸ $\Delta = -101, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$
123141414141321⁷ $\Delta = -73, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$
123141414141321⁶ $\Delta = -46, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: 214141414141321

214141414141321⁷ $\Delta = -92, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_5$
214141414141321⁶ $\Delta = -65, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$
214141414141321⁴ $\Delta = -15, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$
214141414141321⁵ $\Delta = -39, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$
214141414141321⁸ $\Delta = -120, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_6$

Base: 131414141414131

131414141414131⁶ $\Delta = -72, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$
131414141414131³ $\Delta = -2, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$
131414141414131⁴ $\Delta = -22, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$
131414141414131⁵ $\Delta = -46, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: 214141414141412

214141414141412³ $\Delta = -15, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$

Base: ¹14141414141321

¹14141414141321⁸ $\Delta = -120, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_6$
¹14141414141321⁷ $\Delta = -92, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_5$
¹14141414141321⁵ $\Delta = -39, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$
¹14141414141321⁴ $\Delta = -15, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$
¹14141414141321⁶ $\Delta = -65, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$
⁴¹14141414141321 $\Delta = -15, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: ¹14141414141412

¹14141414141412³ $\Delta = -15, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$
⁴¹14141414141412 $\Delta = -34, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$
³¹14141414141412 $\Delta = -14, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$
²¹14141414141412 $\Delta = -6, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_5$

Base: ¹1414141414141¹

²¹1414141414141¹ $\Delta = -6, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_5$
⁴¹1414141414141¹ $\Delta = -34, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$
³¹1414141414141¹ $\Delta = -14, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$

Base: 122315131513221

$$\begin{aligned}
122315131513221\mathbf{5} \quad \Delta = -20, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
122315131513221\mathbf{6} \quad \Delta = -46, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
122315131513221\mathbf{(12)} \quad \Delta = -216, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
122315131513221\mathbf{7} \quad \Delta = -73, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
122315131513221\mathbf{8} \quad \Delta = -101, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $12321\mathfrak{e}_6131513221$

$$\begin{aligned}
122315131\mathfrak{e}_612321\mathbf{7} \quad \Delta = -101, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
12321\mathfrak{e}_6131513221\mathbf{7} \quad \Delta = -101, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
122315131\mathfrak{e}_612321\mathbf{8} \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
12321\mathfrak{e}_6131513221\mathbf{3} \quad \Delta = -4, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
122315131\mathfrak{e}_612321\mathbf{4} \quad \Delta = -24, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
122315131\mathfrak{e}_612321\mathbf{5} \quad \Delta = -48, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
12321\mathfrak{e}_6131513221\mathbf{4} \quad \Delta = -24, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
12321\mathfrak{e}_6131513221\mathbf{5} \quad \Delta = -48, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
122315131\mathfrak{e}_612321\mathbf{3} \quad \Delta = -4, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
122315131\mathfrak{e}_612321\mathbf{6} \quad \Delta = -74, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
12321\mathfrak{e}_6131513221\mathbf{8} \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
12321\mathfrak{e}_6131513221\mathbf{(12)} \quad \Delta = -244, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_8 \\
12321\mathfrak{e}_6131513221\mathbf{6} \quad \Delta = -74, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $14 \otimes^{2,2} \mathfrak{e}_6131513221$

$$\begin{aligned}
122315131\mathfrak{e}_6 \otimes^{2,2} 41\mathbf{3} \quad \Delta = -29, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
14 \otimes^{2,2} \mathfrak{e}_6131513221\mathbf{7} \quad \Delta = -126, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
14 \otimes^{2,2} \mathfrak{e}_6131513221\mathbf{6} \quad \Delta = -99, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
14 \otimes^{2,2} \mathfrak{e}_6131513221\mathbf{2} \quad \Delta = -21, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
14 \otimes^{2,2} \mathfrak{e}_6131513221\mathbf{5} \quad \Delta = -73, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
122315131\mathfrak{e}_6 \otimes^{2,2} 41\mathbf{2} \quad \Delta = -21, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
14 \otimes^{2,2} \mathfrak{e}_6131513221\mathbf{8} \quad \Delta = -154, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
122315131\mathfrak{e}_6 \otimes^{2,2} 41\mathbf{4} \quad \Delta = -49, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
14 \otimes^{2,2} \mathfrak{e}_6131513221\mathbf{4} \quad \Delta = -49, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
14 \otimes^{2,2} \mathfrak{e}_6131513221\mathbf{(12)} \quad \Delta = -269, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_8 \\
14 \otimes^{2,2} \mathfrak{e}_6131513221\mathbf{3} \quad \Delta = -29, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $\mathfrak{e}_6 \otimes^{3,4} \mathfrak{e}_613151$

$$\mathfrak{e}_6 \otimes^{3,4} \mathfrak{e}_613151\mathbf{3} \quad \Delta = -131, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $12315131\mathfrak{e}_6131512$

$$\begin{aligned}
215131\mathfrak{e}_613151321\mathbf{3} \quad \Delta = -53, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
12315131\mathfrak{e}_6131512\mathbf{3} \quad \Delta = -54, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
215131\mathfrak{e}_613151321\mathbf{4} \quad \Delta = -73, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
215131\mathfrak{e}_613151321\mathbf{7} \quad \Delta = -150, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
215131\mathfrak{e}_613151321\mathbf{8} \quad \Delta = -178, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
215131\mathfrak{e}_613151321\mathbf{5} \quad \Delta = -97, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
215131\mathfrak{e}_613151321\mathbf{6} \quad \Delta = -123, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
215131\mathfrak{e}_613151321\mathbf{2} \quad \Delta = -45, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $1315131\mathfrak{e}_61315131$

$$\begin{aligned}
1315131\mathfrak{e}_61315131\mathbf{2} \quad \Delta = -52, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1315131\mathfrak{e}_61315131\mathbf{5} \quad \Delta = -104, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\mathbf{2} 1315131\mathfrak{e}_61315131 \quad \Delta = -53, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1315131\mathfrak{e}_61315131\mathbf{4} \quad \Delta = -80, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

$$\begin{aligned}
&1315131\mathfrak{e}_6131513\mathbf{13} \quad \Delta = -60, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1 \\
&1315131\mathfrak{e}_6131513\mathbf{16} \quad \Delta = -130, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2 \\
&\text{Base: } \mathfrak{e}_6 \overset{3,3}{\bigcirc} \mathfrak{e}_6131513 \\
&\mathfrak{e}_6 \overset{3,3}{\bigcirc} \mathfrak{e}_6131513\mathbf{2} \quad \Delta = -131, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2 \\
&\text{Base: } 1\mathfrak{e}_6 \overset{3,3}{\bigcirc} \mathfrak{e}_613151 \\
&15131\mathfrak{e}_6 \overset{3,3}{\bigcirc} \mathfrak{e}_6\mathbf{12} \quad \Delta = -122, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0 \\
&1\mathfrak{e}_6 \overset{3,3}{\bigcirc} \mathfrak{e}_613151\mathbf{2} \quad \Delta = -122, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2 \\
&15131\mathfrak{e}_6 \overset{3,3}{\bigcirc} \mathfrak{e}_6\mathbf{13} \quad \Delta = -130, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2 \\
&1\mathfrak{e}_6 \overset{3,3}{\bigcirc} \mathfrak{e}_613151\mathbf{3} \quad \Delta = -130, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2 \\
&\text{Base: } 131\mathfrak{e}_6 \overset{3,3}{\bigcirc} \mathfrak{e}_6131 \\
&131\mathfrak{e}_6 \overset{3,3}{\bigcirc} \mathfrak{e}_6131\mathbf{4} \quad \Delta = -106, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0 \\
&131\mathfrak{e}_6 \overset{3,3}{\bigcirc} \mathfrak{e}_6131\mathbf{5} \quad \Delta = -130, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2 \\
&131\mathfrak{e}_6 \overset{3,3}{\bigcirc} \mathfrak{e}_6131\mathbf{3} \quad \Delta = -86, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1 \\
&131\mathfrak{e}_6 \overset{3,3}{\bigcirc} \mathfrak{e}_6131\mathbf{2} \quad \Delta = -78, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2 \\
&131\mathfrak{e}_6 \overset{3,3}{\bigcirc} \mathfrak{e}_6131\mathbf{6} \quad \Delta = -156, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2 \\
&\text{Base: } 12315131\mathfrak{e}_613151 \\
&1 \overset{5}{\overset{123151316131}{\mathfrak{e}_6}} 1 \quad \Delta = -97, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0 \\
&1 \overset{8}{\overset{123151316131}{\mathfrak{e}_6}} 1 \quad \Delta = -178, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3 \\
&1 \overset{4}{\overset{123151316131}{\mathfrak{e}_6}} 1 \quad \Delta = -73, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1 \\
&1 \overset{7}{\overset{123151316131}{\mathfrak{e}_6}} 1 \quad \Delta = -150, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2 \\
&12315131\mathfrak{e}_613151\mathbf{13} \quad \Delta = -53, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2 \\
&1 \overset{3}{\overset{123151316131}{\mathfrak{e}_6}} 1 \quad \Delta = -53, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2 \\
&1 \overset{6}{\overset{123151316131}{\mathfrak{e}_6}} 1 \quad \Delta = -123, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2 \\
&1 \overset{2}{\overset{123151316131}{\mathfrak{e}_6}} 1 \quad \Delta = -45, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3 \\
&12315131\mathfrak{e}_613151\mathbf{12} \quad \Delta = -45, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2 \\
&\text{Base: } 12321\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_612321 \\
&12321\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_612321\mathbf{5} \quad \Delta = -76, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0 \\
&12321\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_612321\mathbf{6} \quad \Delta = -102, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2 \\
&12321\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_612321\mathbf{7} \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2 \\
&12321\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_612321\mathbf{3} \quad \Delta = -32, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2 \\
&12321\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_612321\mathbf{4} \quad \Delta = -52, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1 \\
&12321\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_612321\mathbf{2} \quad \Delta = -24, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3 \\
&12321\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_612321\mathbf{8} \quad \Delta = -157, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3 \\
&\text{Base: } 21\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_613151315 \\
&51315131\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6\mathbf{123} \quad \Delta = -131, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2 \\
&\text{Base: } 221\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_61315131 \\
&221\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_61315131\mathbf{2} \quad \Delta = -70, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0 \\
&221\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_61315131\mathbf{6} \quad \Delta = -148, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4
\end{aligned}$$

$$\begin{aligned}
221\epsilon_6 \otimes \epsilon_6^{2,2} 1315131\mathbf{5} \quad \Delta = -122, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
221\epsilon_6 \otimes \epsilon_6^{2,2} 1315131\mathbf{4} \quad \Delta = -98, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
221\epsilon_6 \otimes \epsilon_6^{2,2} 13151\mathbf{3}1 \quad \Delta = -71, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
1315131\epsilon_6 \otimes \epsilon_6^{2,2} 122\mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
221\epsilon_6 \otimes \epsilon_6^{2,2} 1315131\mathbf{3} \quad \Delta = -78, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
\text{Base: } 131\epsilon_6 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,3} 1 & \\
1\epsilon_6 \otimes \epsilon_6^{3,3} \otimes \epsilon_6^{2,2} 131\mathbf{5} \quad \Delta = -151, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
1\epsilon_6 \otimes \epsilon_6^{3,3} \otimes \epsilon_6^{2,2} 131\mathbf{2} \quad \Delta = -99, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
131\epsilon_6 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,3} 1\mathbf{2} \quad \Delta = -99, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1\epsilon_6 \otimes \epsilon_6^{3,3} \otimes \epsilon_6^{2,2} 131\mathbf{4} \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1\epsilon_6 \otimes \epsilon_6^{3,3} \otimes \epsilon_6^{2,2} 131\mathbf{6} \quad \Delta = -177, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1\epsilon_6 \otimes \epsilon_6^{3,3} \otimes \epsilon_6^{2,2} 131\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
131\epsilon_6 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,3} 1\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
\text{Base: } 14 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 12321 & \\
12321\epsilon_6 \otimes \epsilon_6^{2,2} \otimes 41\mathbf{4} \quad \Delta = -77, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
14 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 12321\mathbf{2} \quad \Delta = -49, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
14 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 12321\mathbf{5} \quad \Delta = -101, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
14 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 12321\mathbf{6} \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_4 \\
12321\epsilon_6 \otimes \epsilon_6^{2,2} \otimes 41\mathbf{2} \quad \Delta = -49, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
14 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 12321\mathbf{8} \quad \Delta = -182, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_6 \\
14 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 12321\mathbf{7} \quad \Delta = -154, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_5 \\
12321\epsilon_6 \otimes \epsilon_6^{2,2} \otimes 41\mathbf{3} \quad \Delta = -57, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
14 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 12321\mathbf{3} \quad \Delta = -57, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
14 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 12321\mathbf{4} \quad \Delta = -77, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
\text{Base: } 1321\epsilon_6 \otimes \epsilon_6^{2,2} 131512 & \\
215131\epsilon_6 \otimes \epsilon_6^{2,2} 1231\mathbf{5} \quad \Delta = -123, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
215131\epsilon_6 \otimes \epsilon_6^{2,2} 1231\mathbf{4} \quad \Delta = -99, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1\mathbf{3}21\epsilon_6 \otimes \epsilon_6^{2,2} 131512 \quad \Delta = -73, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
1321\epsilon_6 \otimes \epsilon_6^{2,2} 131512\mathbf{3} \quad \Delta = -80, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
215131\epsilon_6 \otimes \epsilon_6^{2,2} 1231\mathbf{2} \quad \Delta = -71, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
215131\epsilon_6 \otimes \epsilon_6^{2,2} 1231\mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
\text{Base: } 51321\epsilon_6 \otimes \epsilon_6^{2,2} 13151 & \\
51321\epsilon_6 \otimes \epsilon_6^{2,2} 13151\mathbf{3} \quad \Delta = -131, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
\text{Base: } 1321\epsilon_6 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^1 13151 & \\
1\mathbf{4}32161316131 \quad \Delta = -99, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1\mathbf{5}32161316131 \quad \Delta = -123, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
1\mathbf{3}21\epsilon_6 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^1 13151 \quad \Delta = -73, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
1321\epsilon_6 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^1 13151\mathbf{2} \quad \Delta = -71, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
1\mathbf{2}32161316131 \quad \Delta = -71, n_+ = 1, n_- = 15, n_0 = 0 \quad &\rightarrow \mathbb{F}_2
\end{aligned}$$

$$\begin{aligned}
1\epsilon'_7 \otimes \epsilon_6 131\mathbf{5} \quad \Delta = -150, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\epsilon'_7 \otimes \epsilon_6 131\mathbf{3} \quad \Delta = -106, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\epsilon'_7 \otimes \epsilon_6 131\mathbf{4} \quad \Delta = -126, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\epsilon'_7 \otimes \epsilon_6 131\mathbf{6} \quad \Delta = -176, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1\epsilon'_7 \otimes \epsilon'_7 1$

$$1\epsilon'_7 \otimes \epsilon'_7 \mathbf{12} \quad \Delta = -118, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $321\epsilon_6 \otimes \epsilon_6 \otimes \epsilon'_7 1$

$$321\epsilon_6 \otimes \epsilon_6 \otimes \epsilon'_7 \mathbf{12} \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon'_7 \otimes \epsilon_6 \otimes \epsilon_6 123\mathbf{2} \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $131\epsilon_6 \otimes \epsilon'_7 12$

$$21\epsilon'_7 \otimes \epsilon_6 131\mathbf{2} \quad \Delta = -98, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\epsilon_6 \otimes \epsilon'_7 12\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\epsilon'_7 \otimes \epsilon_6 131\mathbf{4} \quad \Delta = -126, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\epsilon'_7 \otimes \epsilon_6 131\mathbf{5} \quad \Delta = -150, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\epsilon'_7 \otimes \epsilon_6 131\mathbf{6} \quad \Delta = -176, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\epsilon'_7 \otimes \epsilon_6 131\mathbf{3} \quad \Delta = -106, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1\epsilon'_7 \otimes \epsilon'_7 12$

$$21\epsilon'_7 \otimes \epsilon'_7 \mathbf{12} \quad \Delta = -118, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon'_7 \otimes \epsilon'_7 12\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_6 \otimes \epsilon_6 \otimes \epsilon'_7 12$

$$1\epsilon_6 \otimes \epsilon_6 \otimes \epsilon'_7 \mathbf{12} \quad \Delta = -118, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_6 \otimes \epsilon_6 \otimes \epsilon'_7 \mathbf{12} \quad \Delta = -126, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_6 \otimes \epsilon_6 \otimes \epsilon'_7 12\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $\epsilon'_7 \otimes \epsilon'_7 123$

$$\epsilon'_7 \otimes \epsilon'_7 123\mathbf{2} \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\epsilon'_7 \otimes \epsilon'_7 123$

$$321\epsilon'_7 \otimes \epsilon'_7 \mathbf{12} \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon'_7 \otimes \epsilon'_7 123\mathbf{2} \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_6 \otimes \epsilon_6 \otimes \epsilon'_7 123$

$$1\epsilon_6 \otimes \epsilon_6 \otimes \epsilon'_7 123\mathbf{2} \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321\epsilon'_7 \otimes \epsilon_6 \otimes \epsilon_6 1\mathbf{3} \quad \Delta = -135, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$321\epsilon'_7 \otimes \epsilon_6 \otimes \epsilon_6 1\mathbf{2} \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1321\epsilon'_7 1231513221$

$$1321\epsilon'_7 1231513221\mathbf{6} \quad \Delta = -100, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1223151321\epsilon'_7 1231\mathbf{3} \quad \Delta = -30, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1223151321\epsilon'_7 1231\mathbf{5} \quad \Delta = -74, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\epsilon'_7 1231513221\mathbf{5} \quad \Delta = -74, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1321\epsilon'_7 1231513221\mathbf{3} \quad \Delta = -30, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1223151321\epsilon'_7 1231\mathbf{4} \quad \Delta = -50, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1321\epsilon'_7 1231513221\mathbf{4} \quad \Delta = -50, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\begin{aligned}
1321\mathbf{e}'_7 1231513221(12) \quad \Delta = -270, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_8 \\
1321\mathbf{e}'_7 12315132217 \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1321\mathbf{e}'_7 12315132212 \quad \Delta = -22, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1321\mathbf{e}'_7 1231513221 \quad \Delta = -24, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1223151321\mathbf{e}'_7 12312 \quad \Delta = -22, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1321\mathbf{e}'_7 12315132218 \quad \Delta = -155, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $12321\mathbf{e}'_7 123151321$

$$\begin{aligned}
12321\mathbf{e}'_7 1231513215 \quad \Delta = -76, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
123151321\mathbf{e}'_7 123215 \quad \Delta = -76, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
12321\mathbf{e}'_7 1231513212 \quad \Delta = -24, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
123151321\mathbf{e}'_7 123212 \quad \Delta = -24, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
123151321\mathbf{e}'_7 123214 \quad \Delta = -52, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
12321\mathbf{e}'_7 1231513213 \quad \Delta = -32, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
123151321\mathbf{e}'_7 123213 \quad \Delta = -32, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
12321\mathbf{e}'_7 1231513214 \quad \Delta = -52, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
123151321\mathbf{e}'_7 123216 \quad \Delta = -102, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
12321\mathbf{e}'_7 1231513216 \quad \Delta = -102, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
123151321\mathbf{e}'_7 123218 \quad \Delta = -157, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
123151321\mathbf{e}'_7 123217 \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
12321\mathbf{e}'_7 1231513217 \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
12321\mathbf{e}'_7 1231513218 \quad \Delta = -157, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_5
\end{aligned}$$

Base: $131\mathbf{e}_6 \otimes \mathbf{e}'_7 12321$

$$\begin{aligned}
12321\mathbf{e}'_7 \otimes \mathbf{e}_6 1312 \quad \Delta = -51, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
12321\mathbf{e}'_7 \otimes \mathbf{e}_6 1313 \quad \Delta = -59, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
131\mathbf{e}_6 \otimes \mathbf{e}'_7 123212 \quad \Delta = -51, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
131\mathbf{e}_6 \otimes \mathbf{e}'_7 123217 \quad \Delta = -156, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
131\mathbf{e}_6 \otimes \mathbf{e}'_7 123215 \quad \Delta = -103, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
131\mathbf{e}_6 \otimes \mathbf{e}'_7 123214 \quad \Delta = -79, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
12321\mathbf{e}'_7 \otimes \mathbf{e}_6 1314 \quad \Delta = -79, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
131\mathbf{e}_6 \otimes \mathbf{e}'_7 123218 \quad \Delta = -184, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
12321\mathbf{e}'_7 \otimes \mathbf{e}_6 1316 \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
131\mathbf{e}_6 \otimes \mathbf{e}'_7 123216 \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
131\mathbf{e}_6 \otimes \mathbf{e}'_7 123213 \quad \Delta = -59, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
12321\mathbf{e}'_7 \otimes \mathbf{e}_6 1315 \quad \Delta = -103, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $1\mathbf{e}_6 \otimes \mathbf{e}'_7 \otimes \mathbf{e}_6 1$

$$\begin{aligned}
1\mathbf{e}_6 \otimes \mathbf{e}'_7 \otimes \mathbf{e}_6 13 \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\mathbf{e}_6 \otimes \mathbf{e}'_7 \otimes \mathbf{e}_6 12 \quad \Delta = -121, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1\mathbf{e}'_7 \otimes \mathbf{e}'_7 1231513$

$$\begin{aligned}
3151321\mathbf{e}'_7 \otimes \mathbf{e}'_7 12 \quad \Delta = -128, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\mathbf{e}'_7 \otimes \mathbf{e}'_7 12315132 \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $21\mathbf{e}'_7 \otimes \mathbf{e}'_7 123151$

$$\begin{aligned}
151321\mathbf{e}'_7 \otimes \mathbf{e}'_7 123 \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21\mathbf{e}'_7 \otimes \mathbf{e}'_7 1231512 \quad \Delta = -120, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $21\mathbf{e}'_7 \otimes \mathbf{e}'_7 123215$

$$512321\epsilon'_7 \otimes \epsilon'^{3,3}_7 12\mathbf{3} \quad \Delta = -131, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 221\epsilon'_7 \otimes \epsilon'^{3,3}_7 12321$$

$$221\epsilon'_7 \otimes \epsilon'^{3,3}_7 12321\mathbf{2} \quad \Delta = -70, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$221\epsilon'_7 \otimes \epsilon'^{3,3}_7 12321\mathbf{8} \quad \Delta = -203, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$221\epsilon'_7 \otimes \epsilon'^{3,3}_7 12321\mathbf{5} \quad \Delta = -122, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221\epsilon'_7 \otimes \epsilon'^{3,3}_7 12321\mathbf{4} \quad \Delta = -98, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\epsilon'_7 \otimes \epsilon'^{3,3}_7 12321\mathbf{6} \quad \Delta = -148, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$221\epsilon'_7 \otimes \epsilon'^{3,3}_7 12321\mathbf{3} \quad \Delta = -78, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221\epsilon'_7 \otimes \epsilon'^{3,3}_7 12321\mathbf{7} \quad \Delta = -175, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$12321\epsilon'_7 \otimes \epsilon'^{3,3}_7 122\mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 321\epsilon'_7 \otimes \epsilon'^{3,3}_7 12315$$

$$51321\epsilon'_7 \otimes \epsilon'^{3,3}_7 123\mathbf{2} \quad \Delta = -131, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1321\epsilon'_7 \otimes \epsilon'^{3,3}_7 1231$$

$$1321\epsilon'_7 \otimes \epsilon'^{3,3}_7 1231\mathbf{4} \quad \Delta = -105, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1321\epsilon'_7 \otimes \epsilon'^{3,3}_7 1231\mathbf{3} \quad \Delta = -85, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1321\epsilon'_7 \otimes \epsilon'^{3,3}_7 1231\mathbf{2} \quad \Delta = -77, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\epsilon'_7 \otimes \epsilon'^{3,3}_7 1231\mathbf{5} \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\epsilon'_7 \otimes \epsilon'^{3,3}_7 1231 \quad \Delta = -79, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\epsilon'_7 \otimes \epsilon'^{1,4,3}_6 131$$

$$1\epsilon'_7 \otimes \epsilon'^{2,1,4,3}_6 131 \quad \Delta = -98, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon'_7 \otimes \epsilon'^{1,4,3}_6 131\mathbf{3} \quad \Delta = -106, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon'_7 \otimes \epsilon'^{1,4,3}_6 131\mathbf{5} \quad \Delta = -150, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\epsilon'_7 \otimes \epsilon'^{1,4,3}_6 131\mathbf{2} \quad \Delta = -98, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\epsilon'_7 \otimes \epsilon'^{1,4,3}_6 131\mathbf{4} \quad \Delta = -126, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon'_7 \otimes \epsilon'^{1,4,3}_6 131\mathbf{6} \quad \Delta = -176, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$\text{Base: } 1\epsilon'_7 \otimes \epsilon'^{1,4,5}_7 1$$

$$1\epsilon'_7 \otimes \epsilon'^{1,4,5}_7 1\mathbf{2} \quad \Delta = -118, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon'_7 \otimes \epsilon'^{2,1,4,5}_7 1 \quad \Delta = -118, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\epsilon'_7 \otimes \epsilon'^{1,4,4}_7 12$$

$$1\epsilon'_7 \otimes \epsilon'^{1,4,4}_7 12\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon'_7 \otimes \epsilon'^{2,1,4,4}_7 12 \quad \Delta = -118, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\epsilon'_7 \otimes \epsilon'^{1,3,3}_6 \otimes \epsilon'^{2,2}_6 12$$

$$1\epsilon'_7 \otimes \epsilon'^{1,3,3}_6 \otimes \epsilon'^{2,2}_6 12\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon'_7 \otimes \epsilon'^{2,1,3,3}_6 \otimes \epsilon'^{2,2}_6 12 \quad \Delta = -118, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\epsilon'_6 \otimes \epsilon'^{1,2,2}_6 \otimes \epsilon'^{3,3,1}_7 1$$

$$1\epsilon'_6 \otimes \epsilon'^{3,1,2,2}_6 \otimes \epsilon'^{3,3,1}_7 1 \quad \Delta = -126, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon'_6 \otimes \epsilon'^{2,1,2,2}_6 \otimes \epsilon'^{3,3,1}_7 1 \quad \Delta = -118, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_6^{\overset{1}{\text{}} \overset{2,2}{\text{}}} \otimes \epsilon_6^{\overset{3,3}{\text{}}} \otimes \epsilon_7^{\overset{1}{\text{}}} 1\mathbf{2} \quad \Delta = -118, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\epsilon_7^{\overset{1}{\text{}}} \otimes \epsilon_7^{\overset{3,3}{\text{}}} 123151$$

$$1\epsilon_7^{\overset{1}{\text{}}} \otimes \epsilon_7^{\overset{3,3}{\text{}}} 123151\mathbf{3} \quad \Delta = -128, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{\overset{1}{\text{}}} \otimes \epsilon_7^{\overset{3,3}{\text{}}} 123151\mathbf{2} \quad \Delta = -120, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\epsilon_7^{\overset{21}{\text{}}} \otimes \epsilon_7^{\overset{3,3}{\text{}}} 123151 \quad \Delta = -120, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\epsilon_7^{\overset{1}{\text{}}} \otimes \epsilon_7^{\overset{3,3}{\text{}}} 123215$$

$$1\epsilon_7^{\overset{21}{\text{}}} \otimes \epsilon_7^{\overset{3,3}{\text{}}} 123215 \quad \Delta = -122, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\epsilon_7^{\overset{1}{\text{}}} \otimes \epsilon_7^{\overset{4,4}{\text{}}} 1$$

$$1\epsilon_7^{\overset{21}{\text{}}} \otimes \epsilon_7^{\overset{4,4}{\text{}}} 1 \quad \Delta = -118, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\epsilon_7^{\overset{21}{\text{}}} \otimes \epsilon_7^{\overset{3,3}{\text{}}} 12321$$

$$1\epsilon_7^{\overset{21}{\text{}}} \otimes \epsilon_7^{\overset{3,3}{\text{}}} 12321\mathbf{7} \quad \Delta = -175, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1\epsilon_7^{\overset{21}{\text{}}} \otimes \epsilon_7^{\overset{3,3}{\text{}}} 12321\mathbf{3} \quad \Delta = -78, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\epsilon_7^{\overset{21}{\text{}}} \otimes \epsilon_7^{\overset{3,3}{\text{}}} 12321\mathbf{4} \quad \Delta = -98, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{\overset{21}{\text{}}} \otimes \epsilon_7^{\overset{3,3}{\text{}}} 12321\mathbf{6} \quad \Delta = -148, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\epsilon_7^{\overset{21}{\text{}}} \otimes \epsilon_7^{\overset{3,3}{\text{}}} 12321\mathbf{8} \quad \Delta = -203, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$1\epsilon_7^{\overset{21}{\text{}}} \otimes \epsilon_7^{\overset{3,3}{\text{}}} 12321\mathbf{2} \quad \Delta = -70, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\epsilon_7^{\overset{21}{\text{}}} \otimes \epsilon_7^{\overset{3,3}{\text{}}} 12321 \quad \Delta = -70, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{\overset{321}{\text{}}} \otimes \epsilon_7^{\overset{3,3}{\text{}}} 12321 \quad \Delta = -79, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } \epsilon_7^{\overset{2,3}{\text{}}} \otimes 4141414141$$

$$\epsilon_7^{\overset{2,3}{\text{}}} \otimes 4141414141\mathbf{3} \quad \Delta = -128, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\epsilon_7^{\overset{2,3}{\text{}}} \otimes 4141414141\mathbf{4} \quad \Delta = -148, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\text{Base: } 321\epsilon_6^{\overset{3,5}{\text{}}} \otimes \epsilon_7 1$$

$$321\epsilon_6^{\overset{3,5}{\text{}}} \otimes \epsilon_7 1\mathbf{2} \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7 \otimes \epsilon_6 123\mathbf{2} \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 2321\epsilon_6^{\overset{3,4}{\text{}}} \otimes \epsilon_7 1$$

$$2321\epsilon_6^{\overset{3,4}{\text{}}} \otimes \epsilon_7 1\mathbf{2} \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 2315131\epsilon_6^{\overset{3,3}{\text{}}} \otimes \epsilon_7 1$$

$$2315131\epsilon_6^{\overset{3,3}{\text{}}} \otimes \epsilon_7 1\mathbf{2} \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } \epsilon_6^{\overset{5,5}{\text{}}} \otimes \epsilon_7 12$$

$$\epsilon_6^{\overset{5,5}{\text{}}} \otimes \epsilon_7 12\mathbf{3} \quad \Delta = -128, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\epsilon_6^{\overset{4,5}{\text{}}} \otimes \epsilon_7 12$$

$$21\epsilon_7 \otimes \epsilon_6 1\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon_6^{\overset{4,5}{\text{}}} \otimes \epsilon_7 12\mathbf{3} \quad \Delta = -128, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\epsilon_7 \otimes \epsilon_6 1\mathbf{2} \quad \Delta = -119, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\epsilon_6^{\overset{1}{\text{}}} \otimes \epsilon_7 12$$

$$1\epsilon_6^{\overset{31}{\text{}}} \otimes \epsilon_7 12 \quad \Delta = -126, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon_6^{\overset{1}{\text{}}} \otimes \epsilon_7 12\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\begin{aligned}
& 1\epsilon_6^{21\ 3,5} \otimes \epsilon_7 12 \quad \Delta = -118, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 31\epsilon_6^{4,4} \otimes \epsilon_7 12 \\
& 31\epsilon_6^{4,4} \otimes \epsilon_7 12\mathbf{3} \quad \Delta = -136, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \text{Base: } 321\epsilon_6^{3,4} \otimes \epsilon_7 12 \\
& 321\epsilon_6^{3,4} \otimes \epsilon_7 12\mathbf{3} \quad \Delta = -136, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \text{Base: } 315131\epsilon_6^{3,3} \otimes \epsilon_7 12 \\
& 315131\epsilon_6^{3,3} \otimes \epsilon_7 12\mathbf{3} \quad \Delta = -137, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \text{Base: } 1\epsilon_6^{31\ 3,4} \otimes \epsilon_7 12 \\
& 1\epsilon_6^{31\ 3,4} \otimes \epsilon_7 12\mathbf{3} \quad \Delta = -135, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \text{Base: } 221\epsilon_7 12231513221 \\
& 221\epsilon_7 12231513221\mathbf{6} \quad \Delta = -119, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 12231513221\epsilon_7 122\mathbf{3} \quad \Delta = -50, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 221\epsilon_7 12231513221\mathbf{3} \quad \Delta = -49, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 221\epsilon_7 12231513221\mathbf{4} \quad \Delta = -69, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 221\epsilon_7 12231513221\mathbf{2} \quad \Delta = -41, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 221\epsilon_7 12231513221\mathbf{7} \quad \Delta = -146, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 221\epsilon_7 12231513221\mathbf{5} \quad \Delta = -93, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 221\epsilon_7 12231513221\mathbf{8} \quad \Delta = -174, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& 221\epsilon_7 12231513221(\mathbf{12}) \quad \Delta = -289, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_8 \\
& \text{Base: } \epsilon_6^{4,5} \otimes \epsilon_7 122 \\
& \epsilon_6^{4,5} \otimes \epsilon_7 122\mathbf{3} \quad \Delta = -128, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \text{Base: } \epsilon_6^{5,4} \otimes \epsilon_7 123 \\
& \epsilon_6^{5,4} \otimes \epsilon_7 123\mathbf{2} \quad \Delta = -130, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1\epsilon_6^{4,4} \otimes \epsilon_7 122 \\
& 221\epsilon_7^{4,4} \otimes \epsilon_6 \mathbf{13} \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 221\epsilon_7^{4,4} \otimes \epsilon_6 \mathbf{12} \quad \Delta = -119, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1\epsilon_6^{4,4} \otimes \epsilon_7 122\mathbf{3} \quad \Delta = -128, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \text{Base: } 1\epsilon_6^{3,5} \otimes \epsilon_7 123 \\
& 321\epsilon_7^{3,5} \otimes \epsilon_6 \mathbf{12} \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\epsilon_6^{3,5} \otimes \epsilon_7 123\mathbf{2} \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 321\epsilon_7^{3,5} \otimes \epsilon_6 \mathbf{13} \quad \Delta = -135, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 21\epsilon_6^{3,4} \otimes \epsilon_7 122 \\
& 221\epsilon_7^{3,4} \otimes \epsilon_6 12\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 15131\epsilon_6^{3,3} \otimes \epsilon_7 122 \\
& 15131\epsilon_6^{3,3} \otimes \epsilon_7 122\mathbf{3} \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 221\epsilon_7^{3,3} \otimes \epsilon_6 1315\mathbf{12} \quad \Delta = -120, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 221\epsilon_7^{3,3} \otimes \epsilon_6 1315\mathbf{13} \quad \Delta = -128, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1\epsilon_6^{1\ 3,4} \otimes \epsilon_7 122 \\
& 1\epsilon_6^{1\ 3,4} \otimes \epsilon_7 122\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 1\epsilon_6^{31\ 3,4} \otimes \epsilon_7 122 \quad \Delta = -126, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} 12231513$

$$\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} 12231513 \mathbf{2} \quad \Delta = -130, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} 1223151$

$$1\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} 1223151 \mathbf{3} \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} 1223151 \mathbf{2} \quad \Delta = -121, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1513221\mathfrak{e}_7 \otimes \mathfrak{e}_6^{3,3} \mathbf{12} \quad \Delta = -121, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1513221\mathfrak{e}_7 \otimes \mathfrak{e}_6^{3,3} \mathbf{13} \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,4} 1223$

$$3221\mathfrak{e}_7 \otimes \mathfrak{e}_6^{3,4} \mathbf{12} \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$3221\mathfrak{e}_7 \otimes \mathfrak{e}_6^{3,4} \mathbf{13} \quad \Delta = -135, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $131\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} 12231$

$$131\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} 12231 \mathbf{3} \quad \Delta = -85, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$13221\mathfrak{e}_7 \otimes \mathfrak{e}_6^{3,3} 131 \mathbf{5} \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$13221\mathfrak{e}_7 \otimes \mathfrak{e}_6^{3,3} 131 \mathbf{2} \quad \Delta = -77, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$13221\mathfrak{e}_7 \otimes \mathfrak{e}_6^{3,3} 131 \mathbf{6} \quad \Delta = -155, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$13221\mathfrak{e}_7 \otimes \mathfrak{e}_6^{3,3} 131 \mathbf{4} \quad \Delta = -105, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$131\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} 12231 \mathbf{5} \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$131\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} 12231 \mathbf{4} \quad \Delta = -105, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$13221\mathfrak{e}_7 \otimes \mathfrak{e}_6^{3,3} 131 \mathbf{3} \quad \Delta = -85, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$131\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} 12231 \mathbf{2} \quad \Delta = -77, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $4 \otimes \mathfrak{e}_7^{4,2} \otimes \mathfrak{e}_7^{3,3} \mathfrak{e}'_7 12$

$$4 \otimes \mathfrak{e}_7^{4,2} \otimes \mathfrak{e}_7^{3,3} \mathfrak{e}'_7 12 \mathbf{3} \quad \Delta = -133, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $221\mathfrak{e}'_7 \otimes \mathfrak{e}_7^{3,3} 12231$

$$221\mathfrak{e}'_7 \otimes \mathfrak{e}_7^{3,3} 12231 \mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\mathfrak{e}'_7 \otimes \mathfrak{e}_7^{3,3} 12231 \mathbf{3} \quad \Delta = -104, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\mathfrak{e}'_7 \otimes \mathfrak{e}_7^{3,3} 12231 \mathbf{4} \quad \Delta = -124, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\mathfrak{e}'_7 \otimes \mathfrak{e}_7^{3,3} 12231 \mathbf{5} \quad \Delta = -148, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$13221\mathfrak{e}_7 \otimes \mathfrak{e}'_7^{3,3} 1223 \quad \Delta = -105, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1321\mathfrak{e}'_7 \otimes \mathfrak{e}_7^{3,3} 1222$

$$2221\mathfrak{e}_7 \otimes \mathfrak{e}'_7^{3,3} 1231 \mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2221\mathfrak{e}_7 \otimes \mathfrak{e}'_7^{3,3} 1231 \mathbf{3} \quad \Delta = -104, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$2221\mathfrak{e}_7 \otimes \mathfrak{e}'_7^{3,3} 1231 \mathbf{4} \quad \Delta = -124, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1321\mathfrak{e}'_7 \otimes \mathfrak{e}_7^{3,3} 1222 \quad \Delta = -98, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$2221\mathfrak{e}_7 \otimes \mathfrak{e}'_7^{3,3} 1231 \mathbf{5} \quad \Delta = -148, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1\mathfrak{e}'_7 \otimes \mathfrak{e}_7^{21,3,3} 12231$

$$1\mathfrak{e}'_7 \otimes \mathfrak{e}_7^{321,3,3} 12231 \quad \Delta = -105, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathfrak{e}'_7 \otimes \mathfrak{e}_7^{21,3,3} 12231 \mathbf{5} \quad \Delta = -148, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathfrak{e}'_7 \otimes \mathfrak{e}_7^{21,3,3} 12231 \mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\epsilon_7' \otimes \epsilon_7 12231 \overset{21}{\underset{3,3}{\Delta}} = -104, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\epsilon_7' \otimes \epsilon_7 12231 \overset{21}{\underset{3,3}{\Delta}} = -96, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_7' \otimes \epsilon_7 12231 \overset{21}{\underset{3,3}{\Delta}} = -124, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 1512321 ϵ_7 1231512

$$2151321\epsilon_7 1232151 \overset{2}{\Delta} = -95, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1512321\epsilon_7 1231512 \overset{2}{\Delta} = -104, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2151321\epsilon_7 1232151 \overset{2}{\Delta} = -103, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: 2151321 ϵ_7 1231512

$$2151321\epsilon_7 1231512 \overset{2}{\Delta} = -102, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $4 \otimes \epsilon_7 12315131 \overset{3,3}{\Delta}$

$$4 \otimes \epsilon_7 12315131 \overset{3,3}{\Delta} = -79, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$4 \otimes \epsilon_7 12315131 \overset{3,3}{\Delta} = -80, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$4 \otimes \epsilon_7 12315131 \overset{3,3}{\Delta} = -87, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$4 \otimes \epsilon_7 12315131 \overset{3,3}{\Delta} = -107, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$4 \otimes \epsilon_7 12315131 \overset{3,3}{\Delta} = -131, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$4 \otimes \epsilon_7 12315131 \overset{3,3}{\Delta} = -157, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $14 \otimes \epsilon_7 12315131 \overset{2,3}{\Delta}$

$$14 \otimes \epsilon_7 12315131 \overset{2,3}{\Delta} = -77, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$14 \otimes \epsilon_7 12315131 \overset{2,3}{\Delta} = -155, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$14 \otimes \epsilon_7 12315131 \overset{2,3}{\Delta} = -78, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$14 \otimes \epsilon_7 12315131 \overset{2,3}{\Delta} = -105, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$13151321\epsilon_7 \otimes 41 \overset{2,3}{\Delta} = -85, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$13151321\epsilon_7 \otimes 41 \overset{2,3}{\Delta} = -105, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$14 \otimes \epsilon_7 12315131 \overset{2,3}{\Delta} = -85, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$13151321\epsilon_7 \otimes 41 \overset{2,3}{\Delta} = -77, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$14 \otimes \epsilon_7 12315131 \overset{2,3}{\Delta} = -129, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $4 \otimes \epsilon_7 12321 \overset{4,3}{\Delta}$

$$4 \otimes \epsilon_7 12321 \overset{4,3}{\Delta} = -87, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$4 \otimes \epsilon_7 12321 \overset{4,3}{\Delta} = -131, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$4 \otimes \epsilon_7 12321 \overset{4,3}{\Delta} = -212, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$4 \otimes \epsilon_7 12321 \overset{4,3}{\Delta} = -79, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$4 \otimes \epsilon_7 12321 \overset{4,3}{\Delta} = -184, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$4 \otimes \epsilon_7 12321 \overset{4,3}{\Delta} = -157, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: 31321 ϵ_7 123151321

$$31321\epsilon_7 123151321 \overset{2}{\Delta} = -58, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$31321\epsilon_7 123151321 \overset{2}{\Delta} = -163, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$31321\epsilon_7 123151321 \overset{2}{\Delta} = -66, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$31321\epsilon_7 123151321 \overset{2}{\Delta} = -191, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$31321\epsilon_7 123151321 \overset{2}{\Delta} = -86, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$123151321\epsilon_7 12313 \overset{2}{\Delta} = -59, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$31321\epsilon_7 123151321 \overset{2}{\Delta} = -136, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 1321 ϵ_7 1231513215

$$\begin{aligned}
5123151321\mathfrak{c}_71231\mathbf{2} \quad \Delta = -102, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
5123151321\mathfrak{c}_71231\mathbf{5} \quad \Delta = -154, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
5123151321\mathfrak{c}_71231\mathbf{3} \quad \Delta = -110, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\overset{2}{1321}\mathfrak{c}_7123151321\mathbf{5} \quad \Delta = -104, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
5123151321\mathfrak{c}_71231\mathbf{4} \quad \Delta = -130, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: 1321 $\mathfrak{c}_7$ 1231513151

$$\begin{aligned}
1513151321\mathfrak{c}_71231\mathbf{4} \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1321\mathfrak{c}_71231513151\mathbf{2} \quad \Delta = -101, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\overset{2}{1321}\mathfrak{c}_71231513151 \quad \Delta = -103, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1513151321\mathfrak{c}_71231\mathbf{5} \quad \Delta = -153, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1513151321\mathfrak{c}_71231\mathbf{2} \quad \Delta = -101, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1321\mathfrak{c}_71231513151\mathbf{3} \quad \Delta = -109, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1513151321\mathfrak{c}_71231\mathbf{3} \quad \Delta = -109, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1 \overset{151232181231}{5} 1$

$$\begin{aligned}
1 \overset{151232181231}{5} \mathbf{12} \quad \Delta = -95, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{2151232181231}{5} 1 \quad \Delta = -95, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{151232181231}{5} \mathbf{13} \quad \Delta = -103, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{3151232181231}{5} 1 \quad \Delta = -103, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1 \overset{215132181231}{5} 1$

$$\begin{aligned}
1 \overset{215132181231}{5} \mathbf{13} \quad \Delta = -101, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{3215132181231}{5} 1 \quad \Delta = -102, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{215132181231}{5} \mathbf{12} \quad \Delta = -93, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1 \overset{15132181231}{5} 1$

$$\begin{aligned}
1 \overset{15132181231}{5} \mathbf{13} \quad \Delta = -101, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{15132181231}{5} \mathbf{12} \quad \Delta = -93, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $414 \overset{3,2}{\otimes} \mathfrak{c}_7 \overset{3,3}{\otimes} \mathfrak{c}_6 1$

$$414 \overset{3,2}{\otimes} \mathfrak{c}_7 \overset{3,3}{\otimes} \mathfrak{c}_6 \mathbf{13} \quad \Delta = -133, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $14 \overset{2,3}{\otimes} \mathfrak{c}_7 \overset{3,3}{\otimes} \mathfrak{c}_6 12$

$$\begin{aligned}
21\mathfrak{c}_6 \overset{3,3}{\otimes} \mathfrak{c}_7 \overset{2,3}{\otimes} 41\mathbf{4} \quad \Delta = -125, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21\mathfrak{c}_6 \overset{3,3}{\otimes} \mathfrak{c}_7 \overset{2,3}{\otimes} 41\mathbf{2} \quad \Delta = -97, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
14 \overset{2,3}{\otimes} \mathfrak{c}_7 \overset{3,3}{\otimes} \mathfrak{c}_6 12\mathbf{3} \quad \Delta = -106, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21\mathfrak{c}_6 \overset{3,3}{\otimes} \mathfrak{c}_7 \overset{2,3}{\otimes} 41\mathbf{3} \quad \Delta = -105, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $131\mathfrak{c}_6 \overset{3,3}{\otimes} \mathfrak{c}_7 12313$

$$\begin{aligned}
31321\mathfrak{c}_7 \overset{3,3}{\otimes} \mathfrak{c}_6 131\mathbf{6} \quad \Delta = -163, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
31321\mathfrak{c}_7 \overset{3,3}{\otimes} \mathfrak{c}_6 131\mathbf{5} \quad \Delta = -137, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
31321\mathfrak{c}_7 \overset{3,3}{\otimes} \mathfrak{c}_6 131\mathbf{3} \quad \Delta = -93, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
31321\mathfrak{c}_7 \overset{3,3}{\otimes} \mathfrak{c}_6 131\mathbf{4} \quad \Delta = -113, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
31321\mathfrak{c}_7 \overset{3,3}{\otimes} \mathfrak{c}_6 131\mathbf{2} \quad \Delta = -85, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
131\mathfrak{c}_6 \overset{3,3}{\otimes} \mathfrak{c}_7 12313\mathbf{2} \quad \Delta = -86, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $4 \overset{2,2}{\otimes} \mathfrak{c}_6 \overset{3,3}{\otimes} \mathfrak{c}_7 1231$

$$4 \overset{2,2}{\otimes} \mathfrak{c}_6 \overset{3,3}{\otimes} \mathfrak{c}_7 1231\mathbf{2} \quad \Delta = -105, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$4 \otimes \epsilon_6^{2,2} \otimes \epsilon_7^{3,3} 1231\textcolor{red}{4} \quad \Delta = -133, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$4 \otimes \epsilon_6^{2,2} \otimes \epsilon_7^{3,3} 1231\textcolor{red}{5} \quad \Delta = -157, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1\epsilon_6^{1,3,3} \otimes \epsilon_7^{3,2} \otimes 41$$

$$1\epsilon_6^{1,3,3} \otimes \epsilon_7^{3,2} \otimes 41\textcolor{red}{4} \quad \Delta = -125, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\epsilon_6^{3,1,3,3} \otimes \epsilon_7^{3,2} \otimes 41 \quad \Delta = -105, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_6^{1,3,3} \otimes \epsilon_7^{3,2} \otimes 41\textcolor{red}{3} \quad \Delta = -105, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^{1,3,3} \otimes \epsilon_7^{3,2} \otimes 41\textcolor{red}{2} \quad \Delta = -97, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{2,1,3,3} \otimes \epsilon_7^{3,2} \otimes 41 \quad \Delta = -97, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 221\epsilon_7^{3,3} \otimes \epsilon_7 12313$$

$$221\epsilon_7^{3,3} \otimes \epsilon_7 12313\textcolor{red}{2} \quad \Delta = -105, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 3221\epsilon_7^{3,3} \otimes \epsilon_7 1231$$

$$3221\epsilon_7^{3,3} \otimes \epsilon_7^{2,3} 1231 \quad \Delta = -107, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$3221\epsilon_7^{3,3} \otimes \epsilon_7 1231\textcolor{red}{2} \quad \Delta = -105, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$3221\epsilon_7^{3,3} \otimes \epsilon_7 1231\textcolor{red}{4} \quad \Delta = -133, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$3221\epsilon_7^{3,3} \otimes \epsilon_7 1231\textcolor{red}{3} \quad \Delta = -113, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$3221\epsilon_7^{3,3} \otimes \epsilon_7 1231\textcolor{red}{5} \quad \Delta = -157, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1\epsilon_7^{2,1,3,3} \otimes \epsilon_7 12313$$

$$21\epsilon_7^{2,1,3,3} \otimes \epsilon_7 12313 \quad \Delta = -104, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{2,1,3,3} \otimes \epsilon_7 12313\textcolor{red}{2} \quad \Delta = -105, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\epsilon_7^{3,2,1,3,3} \otimes \epsilon_7 1231$$

$$1\epsilon_7^{3,2,1,3,3} \otimes \epsilon_7 1231\textcolor{red}{2} \quad \Delta = -105, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\epsilon_7^{2,3,2,1,3,3} \otimes \epsilon_7 1231 \quad \Delta = -107, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^{3,2,1,3,3} \otimes \epsilon_7 1231\textcolor{red}{4} \quad \Delta = -133, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^{3,2,1,3,3} \otimes \epsilon_7 1231\textcolor{red}{3} \quad \Delta = -113, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{3,2,1,3,3} \otimes \epsilon_7^{2,3} 1231 \quad \Delta = -107, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{3,2,1,3,3} \otimes \epsilon_7 1231\textcolor{red}{5} \quad \Delta = -157, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1512321\epsilon_7 1232151$$

$$1512321\epsilon_7 1232151\textcolor{red}{2} \quad \Delta = -97, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1512321\epsilon_7 1232151\textcolor{red}{3} \quad \Delta = -105, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 321\epsilon_6^{3,3} \otimes \epsilon_7 12321$$

$$321\epsilon_6^{3,3} \otimes \epsilon_7 12321\textcolor{red}{3} \quad \Delta = -88, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$321\epsilon_6^{3,3} \otimes \epsilon_7 12321\textcolor{red}{7} \quad \Delta = -185, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$12321\epsilon_7^{3,3} \otimes \epsilon_6 123\textcolor{red}{2} \quad \Delta = -82, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$321\epsilon_6^{3,3} \otimes \epsilon_7 12321\textcolor{red}{5} \quad \Delta = -132, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$321\epsilon_6^{3,3} \otimes \epsilon_7 12321\textcolor{red}{2} \quad \Delta = -80, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$321\epsilon_6^{3,3} \otimes \epsilon_7 12321\textcolor{red}{8} \quad \Delta = -213, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$321\epsilon_6^{3,3} \otimes \epsilon_7 12321\textcolor{red}{6} \quad \Delta = -158, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$321\epsilon_6^{3,3} \otimes \epsilon_7 12321\textcolor{red}{4} \quad \Delta = -108, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \overset{1}{\mathfrak{e}_6} 1$

$$4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \overset{1}{\mathfrak{e}_6} 1 \Delta = -99, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1 \overset{31}{\mathfrak{e}_6} \overset{3,3}{\otimes} \mathfrak{e}_7 12321$

$$1 \overset{31}{\mathfrak{e}_6} \overset{3,3}{\otimes} \mathfrak{e}_7 12321 \Delta = -157, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \overset{31}{\mathfrak{e}_6} \overset{3,3}{\otimes} \mathfrak{e}_7 12321 \Delta = -184, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1 \overset{31}{\mathfrak{e}_6} \overset{3,3}{\otimes} \mathfrak{e}_7 12321 \Delta = -212, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1 \overset{31}{\mathfrak{e}_6} \overset{3,3}{\otimes} \mathfrak{e}_7 12321 \Delta = -79, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{31}{\mathfrak{e}_6} \overset{3,3}{\otimes} \mathfrak{e}_7 12321 \Delta = -107, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{31}{\mathfrak{e}_6} \overset{3,3}{\otimes} \mathfrak{e}_7 12321 \Delta = -87, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{31}{\mathfrak{e}_6} \overset{3,3}{\otimes} \mathfrak{e}_7 12321 \Delta = -131, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $2 \overset{123151321812}{3} \overset{1}{1}$

$$2 \overset{4123151321812}{3} \overset{1}{1} \Delta = -80, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2 \overset{7123151321812}{3} \overset{1}{1} \Delta = -157, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$2 \overset{6123151321812}{3} \overset{1}{1} \Delta = -130, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$2 \overset{8123151321812}{3} \overset{1}{1} \Delta = -185, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$2 \overset{2123151321812}{3} \overset{1}{1} \Delta = -52, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$2 \overset{3123151321812}{3} \overset{1}{1} \Delta = -60, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $131 \overset{3,3}{\mathfrak{e}_6} \overset{1}{\otimes} \mathfrak{e}_7 1232$

$$2 \overset{2131612321812}{3} \overset{1}{1} \Delta = -79, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2 \overset{4131612321812}{3} \overset{1}{1} \Delta = -107, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$2 \overset{6131612321812}{3} \overset{1}{1} \Delta = -157, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2 \overset{3131612321812}{3} \overset{1}{1} \Delta = -87, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$2 \overset{5131612321812}{3} \overset{1}{1} \Delta = -131, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \overset{21}{\mathfrak{e}_7'} \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{1}{1} 232$

$$21 \overset{21}{\mathfrak{e}_7'} \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{1}{1} 232 \Delta = -98, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1 \overset{1}{\mathfrak{e}_7} \overset{5,4}{\otimes} \mathfrak{e}_6 1$

$$1 \overset{1}{\mathfrak{e}_7} \overset{5,4}{\otimes} \mathfrak{e}_6 1 \Delta = -119, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{21}{\mathfrak{e}_7} \overset{5,4}{\otimes} \mathfrak{e}_6 1 \Delta = -119, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{1}{\mathfrak{e}_7} \overset{5,4}{\otimes} \mathfrak{e}_6 1 \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1 \overset{1}{\mathfrak{e}_7} \overset{5,3}{\otimes} \mathfrak{e}_6 12$

$$1 \overset{1}{\mathfrak{e}_7} \overset{5,3}{\otimes} \mathfrak{e}_6 12 \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{21}{\mathfrak{e}_7} \overset{5,3}{\otimes} \mathfrak{e}_6 12 \Delta = -118, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1 \overset{1}{\mathfrak{e}_6} \overset{3,5}{\otimes} \overset{1}{\mathfrak{e}_7} 1$

$$1 \overset{31}{\mathfrak{e}_6} \overset{3,5}{\otimes} \overset{1}{\mathfrak{e}_7} 1 \Delta = -126, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{21}{\mathfrak{e}_6} \overset{3,5}{\otimes} \overset{1}{\mathfrak{e}_7} 1 \Delta = -118, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{1}{\mathfrak{e}_6} \overset{3,5}{\otimes} \overset{1}{\mathfrak{e}_7} 1 \Delta = -118, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1 \overset{1}{\mathfrak{e}_7} \overset{4,3}{\otimes} \mathfrak{e}_6 123$

$$1 \overset{1}{\mathfrak{e}_7} \overset{4,3}{\otimes} \mathfrak{e}_6 123 \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\overset{21}{\mathfrak{e}}_7 \otimes \overset{4,3}{\mathfrak{e}}_6 123 \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\overset{1}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}_6 131513$$

$$1\overset{21}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}_6 131513 \quad \Delta = -128, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\overset{1}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}_6 131513\overset{2}{\mathfrak{e}}_6 \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\overset{12231513221}{\mathfrak{e}}_7 12$$

$$1\overset{712231513221}{\mathfrak{e}}_7 12 \quad \Delta = -146, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\overset{(12)12231513221}{\mathfrak{e}}_7 12 \quad \Delta = -289, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$1\overset{612231513221}{\mathfrak{e}}_7 12 \quad \Delta = -119, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\overset{12231513221}{\mathfrak{e}}_7 12\overset{3}{\mathfrak{e}}_6 \quad \Delta = -50, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\overset{512231513221}{\mathfrak{e}}_7 12 \quad \Delta = -93, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\overset{412231513221}{\mathfrak{e}}_7 12 \quad \Delta = -69, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\overset{312231513221}{\mathfrak{e}}_7 12 \quad \Delta = -49, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\overset{212231513221}{\mathfrak{e}}_7 12 \quad \Delta = -41, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\overset{812231513221}{\mathfrak{e}}_7 12 \quad \Delta = -174, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\overset{12231513221}{\mathfrak{e}}_7 12 \quad \Delta = -41, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } \overset{4,5}{\mathfrak{e}}_6 \otimes \overset{21}{\mathfrak{e}}_7 1$$

$$\overset{4,5}{\mathfrak{e}}_6 \otimes \overset{321}{\mathfrak{e}}_7 1 \quad \Delta = -128, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\overset{21}{\mathfrak{e}}_7 \otimes \overset{4,4}{\mathfrak{e}}_6 1$$

$$1\overset{21}{\mathfrak{e}}_7 \otimes \overset{4,4}{\mathfrak{e}}_6 1\overset{3}{\mathfrak{e}}_6 \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\overset{21}{\mathfrak{e}}_7 \otimes \overset{4,4}{\mathfrak{e}}_6 1 \quad \Delta = -119, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\overset{21}{\mathfrak{e}}_7 \otimes \overset{4,4}{\mathfrak{e}}_6 1\overset{2}{\mathfrak{e}}_6 \quad \Delta = -119, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\overset{321}{\mathfrak{e}}_7 \otimes \overset{4,4}{\mathfrak{e}}_6 1 \quad \Delta = -128, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\overset{21}{\mathfrak{e}}_7 \otimes \overset{4,3}{\mathfrak{e}}_6 12$$

$$21\overset{21}{\mathfrak{e}}_7 \otimes \overset{4,3}{\mathfrak{e}}_6 12 \quad \Delta = -118, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\overset{21}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}_6 13151$$

$$1\overset{321}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}_6 13151 \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\overset{21}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}_6 13151 \quad \Delta = -120, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\overset{21}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}_6 13151\overset{2}{\mathfrak{e}}_6 \quad \Delta = -120, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1\overset{1}{\mathfrak{e}}_6 \otimes \overset{3,4}{\mathfrak{e}}_7 \overset{21}{\mathfrak{e}}_7 1$$

$$1\overset{21}{\mathfrak{e}}_6 \otimes \overset{3,4}{\mathfrak{e}}_7 1 \quad \Delta = -118, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\overset{1}{\mathfrak{e}}_6 \otimes \overset{3,4}{\mathfrak{e}}_7 \overset{321}{\mathfrak{e}}_7 1 \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\overset{31}{\mathfrak{e}}_6 \otimes \overset{3,4}{\mathfrak{e}}_7 1 \quad \Delta = -126, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\overset{1}{\mathfrak{e}}_6 \otimes \overset{3,4}{\mathfrak{e}}_7 1\overset{2}{\mathfrak{e}}_6 \quad \Delta = -118, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 4 \otimes \overset{3,2}{\mathfrak{e}}_7' \otimes \overset{3,3}{\mathfrak{e}}_7 \overset{21}{\mathfrak{e}}_7 1$$

$$4 \otimes \overset{3,2}{\mathfrak{e}}_7' \otimes \overset{3,3}{\mathfrak{e}}_7 \overset{321}{\mathfrak{e}}_7 1 \quad \Delta = -133, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\overset{1223151321}{\mathfrak{e}}_7 122$$

$$1\overset{1223151321}{\mathfrak{e}}_7 122\overset{3}{\mathfrak{e}}_6 \quad \Delta = -50, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\overset{(12)1223151321}{\mathfrak{e}}_7 122 \quad \Delta = -289, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$1\overset{21223151321}{\mathfrak{e}}_7 122 \quad \Delta = -41, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\begin{aligned}
1 \overset{7}{\mathbf{e}}_7^{1223151321} 122 \quad \Delta = -146, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
221 \overset{1}{\mathbf{e}}_7^{1223151321} \overset{12}{\mathbf{e}}_7 \quad \Delta = -41, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{8}{\mathbf{e}}_7^{1223151321} 122 \quad \Delta = -174, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1 \overset{3}{\mathbf{e}}_7^{1223151321} 122 \quad \Delta = -49, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{6}{\mathbf{e}}_7^{1223151321} 122 \quad \Delta = -119, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{5}{\mathbf{e}}_7^{1223151321} 122 \quad \Delta = -93, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{4}{\mathbf{e}}_7^{1223151321} 122 \quad \Delta = -69, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1 \overset{221}{\mathbf{e}}_7^{3,3} \otimes \overset{3,3}{\mathbf{e}}_7' 1231$

$$\begin{aligned}
1 \overset{3}{\mathbf{e}}_7^{221} \otimes \overset{3,3}{\mathbf{e}}_7' 1231 \quad \Delta = -105, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{221}{\mathbf{e}}_7^{3,3} \otimes \overset{3,3}{\mathbf{e}}_7' 1231 \overset{12}{\mathbf{e}}_7 \quad \Delta = -96, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{221}{\mathbf{e}}_7^{3,3} \otimes \overset{3,3}{\mathbf{e}}_7' 1231 \overset{13}{\mathbf{e}}_7 \quad \Delta = -104, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{221}{\mathbf{e}}_7^{3,3} \otimes \overset{3,3}{\mathbf{e}}_7' 1231 \overset{14}{\mathbf{e}}_7 \quad \Delta = -124, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \overset{221}{\mathbf{e}}_7^{3,3} \otimes \overset{3,3}{\mathbf{e}}_7' 1231 \overset{15}{\mathbf{e}}_7 \quad \Delta = -148, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1 \overset{221}{\mathbf{e}}_7^{3,3} \otimes \overset{3,3}{\mathbf{e}}_7' 1231 \overset{2}{\mathbf{e}}_7 \quad \Delta = -98, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
221 \overset{21}{\mathbf{e}}_7^{3,3} \otimes \overset{3,3}{\mathbf{e}}_7' 1231 \quad \Delta = -96, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1 \overset{221}{\mathbf{e}}_7^{3,3} \otimes \overset{3,3}{\mathbf{e}}_7' 1222$

$$\begin{aligned}
221 \overset{21}{\mathbf{e}}_7^{3,3} \otimes \overset{3,3}{\mathbf{e}}_7' 1222 \quad \Delta = -115, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{3}{\mathbf{e}}_7^{221} \otimes \overset{3,3}{\mathbf{e}}_7' 1222 \quad \Delta = -124, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1 \overset{3221}{\mathbf{e}}_7^{3,3} \otimes \overset{3,3}{\mathbf{e}}_7' 122$

$$1 \overset{3221}{\mathbf{e}}_7^{3,3} \otimes \overset{3,3}{\mathbf{e}}_7' 122 \overset{3}{\mathbf{e}}_7 \quad \Delta = -133, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $\mathbf{e}_6^{4,4} \otimes \overset{321}{\mathbf{e}}_7^{3,3} 1$

$$\mathbf{e}_6^{4,4} \otimes \overset{321}{\mathbf{e}}_7^{3,3} 1 \quad \Delta = -130, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \overset{321}{\mathbf{e}}_7^{4,3} \otimes \overset{4,3}{\mathbf{e}}_6 1$

$$\begin{aligned}
1 \overset{321}{\mathbf{e}}_7^{4,3} \otimes \overset{4,3}{\mathbf{e}}_6 1 \overset{13}{\mathbf{e}}_7 \quad \Delta = -135, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \overset{2321}{\mathbf{e}}_7^{4,3} \otimes \overset{4,3}{\mathbf{e}}_6 1 \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{321}{\mathbf{e}}_7^{4,3} \otimes \overset{4,3}{\mathbf{e}}_6 1 \overset{12}{\mathbf{e}}_7 \quad \Delta = -127, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1 \overset{321}{\mathbf{e}}_7^{3,3} \otimes \overset{3,3}{\mathbf{e}}_6 1315$

$$1 \overset{2321}{\mathbf{e}}_7^{3,3} \otimes \overset{3,3}{\mathbf{e}}_6 1315 \quad \Delta = -131, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \overset{123151321}{\mathbf{e}}_7^{3,3} 1231$

$$\begin{aligned}
1 \overset{6}{\mathbf{e}}_7^{123151321} 1231 \quad \Delta = -128, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \overset{4}{\mathbf{e}}_7^{123151321} 1231 \quad \Delta = -78, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{7}{\mathbf{e}}_7^{123151321} 1231 \quad \Delta = -155, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1 \overset{123151321}{\mathbf{e}}_7^{3,3} 1231 \overset{15}{\mathbf{e}}_7 \quad \Delta = -102, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{3}{\mathbf{e}}_7^{123151321} 1231 \quad \Delta = -58, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{5}{\mathbf{e}}_7^{123151321} 1231 \quad \Delta = -102, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \overset{2}{\mathbf{e}}_7^{123151321} 1231 \quad \Delta = -50, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \overset{123151321}{\mathbf{e}}_7^{3,3} 1231 \overset{14}{\mathbf{e}}_7 \quad \Delta = -78, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \overset{8}{\mathbf{e}}_7^{123151321} 1231 \quad \Delta = -183, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
1 \overset{123151321}{\mathbf{e}}_7^{3,3} 1231 \overset{12}{\mathbf{e}}_7 \quad \Delta = -50, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1321 \overset{123151321}{\mathbf{e}}_7^{3,3} \overset{12}{\mathbf{e}}_7 \quad \Delta = -50, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

$$1^{123151321} \overset{2}{\mathbf{e}_7} 1231 \quad \Delta = -52, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{123151321} \mathbf{e}_7 1231\mathbf{3} \quad \Delta = -58, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1^{1321} \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}_6 131$

$$1^{1321} \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}_6 131\mathbf{2} \quad \Delta = -77, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{41321} \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}_6 131 \quad \Delta = -105, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{21321} \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}_6 131 \quad \Delta = -77, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\overset{21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_6} 131 \quad \Delta = -77, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{51321} \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}_6 131 \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{1321} \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}_6 131\mathbf{5} \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{1321} \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}_6 131 \quad \Delta = -79, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{1321} \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}_6 131\mathbf{6} \quad \Delta = -155, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1^{1321} \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}_6 131\mathbf{3} \quad \Delta = -85, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{31321} \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}_6 131 \quad \Delta = -85, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{1321} \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}_6 131\mathbf{4} \quad \Delta = -105, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{1321} \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}'_7 122$

$$1^{1321} \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}'_7 122\mathbf{3} \quad \Delta = -105, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1321\overset{21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}'_7} 122 \quad \Delta = -96, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{41321} \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}'_7 122 \quad \Delta = -124, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{31321} \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}'_7 122 \quad \Delta = -104, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{1321} \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}'_7 122 \quad \Delta = -98, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{51321} \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}'_7 122 \quad \Delta = -148, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{21321} \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}'_7 122 \quad \Delta = -96, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\overset{21}{\mathbf{e}'_7} \otimes \overset{3,3}{\mathbf{e}_7} \overset{1}{\mathbf{e}_7} 1231$

$$1\overset{21}{\mathbf{e}'_7} \otimes \overset{3,3}{\mathbf{e}_7} \overset{1}{\mathbf{e}_7} 1231\mathbf{3} \quad \Delta = -104, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\overset{21}{\mathbf{e}'_7} \otimes \overset{3,3}{\mathbf{e}_7} \overset{1}{\mathbf{e}_7} 1231\mathbf{5} \quad \Delta = -148, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\overset{21}{\mathbf{e}'_7} \otimes \overset{3,3}{\mathbf{e}_7} \overset{1}{\mathbf{e}_7} 1231\mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21\overset{21}{\mathbf{e}'_7} \otimes \overset{3,3}{\mathbf{e}_7} \overset{1}{\mathbf{e}_7} 1231 \quad \Delta = -96, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\overset{321}{\mathbf{e}'_7} \otimes \overset{3,3}{\mathbf{e}_7} \overset{1}{\mathbf{e}_7} 1231 \quad \Delta = -105, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\overset{21}{\mathbf{e}'_7} \otimes \overset{3,3}{\mathbf{e}_7} \overset{21}{\mathbf{e}_7} 1231 \quad \Delta = -96, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\overset{21}{\mathbf{e}'_7} \otimes \overset{3,3}{\mathbf{e}_7} \overset{1}{\mathbf{e}_7} \overset{2}{\mathbf{e}_7} 1231 \quad \Delta = -98, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\overset{21}{\mathbf{e}'_7} \otimes \overset{3,3}{\mathbf{e}_7} \overset{1}{\mathbf{e}_7} 1231\mathbf{4} \quad \Delta = -124, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1^{13151321} \mathbf{e}_7 12321$

$$1^{13151321} \mathbf{e}_7 12321\mathbf{6} \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{13151321} \mathbf{e}_7 12321\mathbf{3} \quad \Delta = -59, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{313151321} \mathbf{e}_7 12321 \quad \Delta = -59, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{13151321} \mathbf{e}_7 12321\mathbf{8} \quad \Delta = -184, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{513151321} \mathbf{e}_7 12321 \quad \Delta = -103, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{13151321} \mathbf{e}_7 12321\mathbf{5} \quad \Delta = -103, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{13151321} \mathbf{e}_7 12321 \quad \Delta = -52, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$1^{13151321}$	$\mathbf{e_7}$	$12321\mathbf{4}$	$\Delta = -79, n_+ = 1, n_- = 15, n_0 = 0$	$\rightarrow \mathbb{F}_0$
$1^{\mathbf{4}13151321}$	$\mathbf{e_7}$	12321	$\Delta = -79, n_+ = 1, n_- = 15, n_0 = 0$	$\rightarrow \mathbb{F}_2$
$1^{\mathbf{6}13151321}$	$\mathbf{e_7}$	12321	$\Delta = -129, n_+ = 1, n_- = 15, n_0 = 0$	$\rightarrow \mathbb{F}_4$
$1^{\mathbf{2}13151321}$	$\mathbf{e_7}$	12321	$\Delta = -51, n_+ = 1, n_- = 15, n_0 = 0$	$\rightarrow \mathbb{F}_0$
$1^{13151321}$	$\mathbf{e_7}$	$12321\mathbf{2}$	$\Delta = -51, n_+ = 1, n_- = 15, n_0 = 0$	$\rightarrow \mathbb{F}_2$
$1^{13151321}$	$\mathbf{e_7}$	$12321\mathbf{7}$	$\Delta = -156, n_+ = 1, n_- = 15, n_0 = 0$	$\rightarrow \mathbb{F}_3$
$12321^{13151321}$	$\mathbf{e_7}$	$\mathbf{12}$	$\Delta = -51, n_+ = 1, n_- = 15, n_0 = 0$	$\rightarrow \mathbb{F}_0$

$$\text{Base: } \mathfrak{e}_6 \overset{3,3}{\otimes} \overset{3151321}{\mathfrak{e}_7} 1$$

$$\mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_7^{23151321} 1 \quad \Delta = -130, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \begin{smallmatrix} 512321 \\ \mathfrak{e}_7 \end{smallmatrix} \otimes \begin{smallmatrix} 3,3 \\ \mathfrak{e}_6 \end{smallmatrix} 1$

$$1^{512321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6 \mathbf{13} \quad \Delta = -131, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{512321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6 \mathbf{1}^{\mathbf{red}} \quad \Delta = -123, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{151321} \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_6 1$

$$1^{2151321} 3^3 \mathbf{e}_7 \otimes \mathbf{e}_6 1 \quad \Delta = -121, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{151321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6 1\mathbf{3} \quad \Delta = -129, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{\mathbf{3}151321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6 1 \quad \Delta = -129, \, n_+ = 1, \, n_- = 15, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{151321}{}^{3,3}{}_{\mathbf{e}_7} \otimes \mathbf{e}_6 \mathbf{12} \quad \Delta = -121, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \overset{12321}{\epsilon_7} \overset{3,3}{\otimes} \epsilon_6 12$

$$1^{12321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6 12\mathbf{3} \quad \Delta = -80, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{\mathbf{3}12321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6 12 \quad \Delta = -79, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{412321}{}^{3,3}{}_{\mathfrak{e}_7} \otimes \mathfrak{e}_6 12 \quad \Delta = -99, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{612321}{\mathfrak{e}_7} \overset{3,3}{\otimes} \mathfrak{e}_6 12 \quad \Delta = -149, \, n_+ = 1, \, n_- = 15, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$12321\overset{21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_6 12 \quad \Delta = -71, \, n_+ = 1, \, n_- = 15, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{\mathbf{212321}} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6 12 \quad \Delta = -71, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{\mathbf{8}^{12321}} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6 12 \quad \Delta = -204, \, n_+ = 1, \, n_- = 15, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{712321}{}^{3,3}{}_{\mathbf{e}_7} \otimes \mathbf{e}_6 12 \quad \Delta = -176, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\mathfrak{e}_6^1 \otimes^{3,3} \mathfrak{e}_7^1 12321$

$$1_{\mathfrak{e}_6}^{1 \ 3,3 \ 1} \otimes 1_{\mathfrak{e}_7}^{1 \ 3,3 \ 1} 12321\mathbf{6} \quad \Delta = -149, \ n_+ = 1, \ n_- = 15, \ n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{\textcolor{red}{21}}{\mathfrak{e}_6} \otimes \overset{3,3}{\mathfrak{e}_7} \overset{1}{12321} \quad \Delta = -71, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_7^{3,3} 12321\mathbf{3} \quad \Delta = -79, \, n_+ = 1, \, n_- = 15, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_7^{3,3} 12321\mathbf{7} \quad \Delta = -176, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_7^{3,3} 12321\mathbf{4}^1 \quad \Delta = -99, \, n_+ = 1, \, n_- = 15, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_7^{3,3} 12321\mathbf{8}^1 \quad \Delta = -204, \, n_+ = 1, \, n_- = 15, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_7^{3,3} 12321 \quad \Delta = -71, \, n_+ = 1, \, n_- = 15, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathbf{e}_6}^1 \otimes 1_{\mathbf{e}_7}^{3,3} 1_{12321\mathbf{5}}^1 \quad \Delta = -123, \, n_+ = 1, \, n_- = 15, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7 12321\overset{1}{\mathbf{2}} \quad \Delta = -71, \, n_+ = 1, \, n_- = 15, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{31}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7 12321 \quad \Delta = -79, \, n_+ = 1, \, n_- = 15, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $4 \overset{3,2}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}'_7 12$

$$4^{3,2} \otimes \mathfrak{e}_7^1 \otimes \mathfrak{e}_7^{3,3} 12\mathbf{3} \quad \Delta = -133, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1\epsilon_7^{21\ 3,3\ 1} \otimes \epsilon_7 1223$

$$1\epsilon_7^{321\ 3,3\ 1} \otimes \epsilon_7 1223 \quad \Delta = -133, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\epsilon_7^{21\ 3,3\ 1} \otimes \epsilon_7 1223 \quad \Delta = -124, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\epsilon_7^{221\ 3,3\ 221} \otimes \epsilon_7 1$

$$221\epsilon_7^{21\ 3,3\ 221} \otimes \epsilon_7 1 \quad \Delta = -115, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{3221\ 3,3\ 221} \otimes \epsilon_7 1 \quad \Delta = -124, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $21\epsilon_7^{1223151321} 12$

$$21\epsilon_7^{61223151321} 12 \quad \Delta = -119, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\epsilon_7^{81223151321} 12 \quad \Delta = -174, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\epsilon_7^{51223151321} 12 \quad \Delta = -93, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\epsilon_7^{71223151321} 12 \quad \Delta = -146, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\epsilon_7^{1223151321} 12\mathbf{3} \quad \Delta = -50, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\epsilon_7^{21223151321} 12 \quad \Delta = -41, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\epsilon_7^{(12)1223151321} 12 \quad \Delta = -289, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$21\epsilon_7^{31223151321} 12 \quad \Delta = -49, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21\epsilon_7^{41223151321} 12 \quad \Delta = -69, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $21\epsilon_7^{21\ 3,3} \otimes \epsilon_7' 1231$

$$21\epsilon_7^{321\ 3,3} \otimes \epsilon_7' 1231 \quad \Delta = -105, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\epsilon_7^{21\ 3,3} \otimes \epsilon_7' 1231\mathbf{2} \quad \Delta = -98, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\epsilon_7^{21\ 3,3} \otimes \epsilon_7' 1231\mathbf{3} \quad \Delta = -104, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\epsilon_7^{21\ 3,3} \otimes \epsilon_7' 1231\mathbf{5} \quad \Delta = -148, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\epsilon_7^{21\ 3,3} \otimes \epsilon_7' 1231\mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\epsilon_7^{21\ 3,3} \otimes \epsilon_7' 1231\mathbf{4} \quad \Delta = -124, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $21\epsilon_7^{21\ 3,3} \otimes \epsilon_7 1222$

$$21\epsilon_7^{321\ 3,3} \otimes \epsilon_7 1222 \quad \Delta = -124, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\epsilon_7^{221\ 3,3\ 21} \otimes \epsilon_7 12$

$$221\epsilon_7^{21\ 3,3\ 21} \otimes \epsilon_7 12 \quad \Delta = -115, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{221\ 3,3\ 21} \otimes \epsilon_7 12\mathbf{3} \quad \Delta = -124, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21\epsilon_7^{321\ 3,3} \otimes \epsilon_7 122$

$$21\epsilon_7^{2321\ 3,3} \otimes \epsilon_7 122 \quad \Delta = -126, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\epsilon_7^{321\ 3,3} \otimes \epsilon_7 122\mathbf{3} \quad \Delta = -133, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $21\epsilon_7^{2321\ 3,3} \otimes \epsilon_7 12$

$$21\epsilon_7^{2321\ 3,3} \otimes \epsilon_7 12\mathbf{3} \quad \Delta = -135, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_7^{21\ 3,3\ 21} \otimes \epsilon_7 123$

$$1\epsilon_7^{321\ 3,3\ 21} \otimes \epsilon_7 123 \quad \Delta = -133, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\epsilon_7^{21\ 3,3\ 21} \otimes \epsilon_7 123 \quad \Delta = -124, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\epsilon_7^{1\ 3,3\ 21} \otimes \epsilon_7 1232$

$$1\epsilon_7^{21\ 3,3\ 21} \otimes \epsilon_7 1232 \quad \Delta = -126, n_+ = 1, n_- = 15, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\epsilon_7^{1,12231513221} 1$

$$\begin{aligned}
1^{1,4}12231513221 \quad \mathfrak{e}_7 \quad 1 \quad \Delta = -69, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{1,6}12231513221 \quad \mathfrak{e}_7 \quad 1 \quad \Delta = -119, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{1,5}12231513221 \quad \mathfrak{e}_7 \quad 1 \quad \Delta = -93, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1^{1,2}12231513221 \quad \mathfrak{e}_7 \quad 1 \quad \Delta = -41, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1^{1,12231513221} \quad \mathfrak{e}_7 \quad 1^{12} \quad \Delta = -41, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{1,7}12231513221 \quad \mathfrak{e}_7 \quad 1 \quad \Delta = -146, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{1,8}12231513221 \quad \mathfrak{e}_7 \quad 1 \quad \Delta = -174, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{1,(12)}12231513221 \quad \mathfrak{e}_7 \quad 1 \quad \Delta = -289, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
1^{1,3}12231513221 \quad \mathfrak{e}_7 \quad 1 \quad \Delta = -49, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $1^{21,1223151321} \mathfrak{e}_7 1$

$$\begin{aligned}
1^{21,4}1223151321 \quad \mathfrak{e}_7 \quad 1 \quad \Delta = -69, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{21,5}1223151321 \quad \mathfrak{e}_7 \quad 1 \quad \Delta = -93, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1^{21,6}1223151321 \quad \mathfrak{e}_7 \quad 1 \quad \Delta = -119, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{21,3}1223151321 \quad \mathfrak{e}_7 \quad 1 \quad \Delta = -49, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1^{21,1223151321} \quad \mathfrak{e}_7 \quad 1^{12} \quad \Delta = -41, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{21,2}1223151321 \quad \mathfrak{e}_7 \quad 1 \quad \Delta = -41, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1^{21,(12)}1223151321 \quad \mathfrak{e}_7 \quad 1 \quad \Delta = -289, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
1^{21,7}1223151321 \quad \mathfrak{e}_7 \quad 1 \quad \Delta = -146, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{21,8}1223151321 \quad \mathfrak{e}_7 \quad 1 \quad \Delta = -174, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{321,1223151321} \quad \mathfrak{e}_7 \quad 1 \quad \Delta = -50, n_+ = 1, n_- = 15, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

$T = 16$ (871 bases)

Base: $14^{2,4} \otimes \mathfrak{e}_8 12231322$

$$\begin{aligned}
22313221 \mathfrak{e}_8^{2,4} \otimes 413 \quad \Delta = -120, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
22313221 \mathfrak{e}_8^{2,4} \otimes 414 \quad \Delta = -140, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
22313221 \mathfrak{e}_8^{2,4} \otimes 412 \quad \Delta = -112, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $314^{2,4} \otimes \mathfrak{e}_8 1223132$

$$2313221 \mathfrak{e}_8^{2,4} \otimes 4132 \quad \Delta = -121, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $22314^{2,4} \otimes \mathfrak{e}_8 12231$

$$\begin{aligned}
22314^{2,4} \otimes \mathfrak{e}_8 122315 \quad \Delta = -164, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
22314^{2,4} \otimes \mathfrak{e}_8 122314 \quad \Delta = -140, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
22314^{2,4} \otimes \mathfrak{e}_8 122313 \quad \Delta = -120, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
22314^{2,4} \otimes \mathfrak{e}_8 122312 \quad \Delta = -112, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $1414^{2,4} \otimes \mathfrak{e}_8 12222$

$$\begin{aligned}
222221 \mathfrak{e}_8^{2,4} \otimes 41412 \quad \Delta = -122, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
222221 \mathfrak{e}_8^{2,4} \otimes 41414 \quad \Delta = -150, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
222221 \mathfrak{e}_8^{2,4} \otimes 41413 \quad \Delta = -130, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $31414^{2,4} \otimes \mathfrak{e}_8 12222$

$$22221 \mathfrak{e}_8^{2,4} \otimes 414132 \quad \Delta = -131, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $2231414^{2,4} \otimes \mathfrak{e}_8 122$

$2231414 \overset{2,4}{\otimes} \mathfrak{e}_8 122\mathbf{3} \quad \Delta = -140, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$
Base: $2222221\mathfrak{e}_8 12231512$
 $2222221\mathfrak{e}_8 12231512\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $222221\mathfrak{e}_8 122315123$
 $222221\mathfrak{e}_8 122315123\mathbf{2} \quad \Delta = -129, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $2222221\mathfrak{e}_8 1223151\overset{1}{}$
 $2222221\mathfrak{e}_8 1223151\mathbf{2} \quad \Delta = -118, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$
 $2222221\mathfrak{e}_8 1223151\mathbf{3} \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $222221\mathfrak{e}_8 1223151\overset{1}{3}$
 $222221\mathfrak{e}_8 12231513\mathbf{2} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $1\mathfrak{e}_8 \overset{21}{\otimes} \overset{4,2}{4141322}$
 $21\mathfrak{e}_8 \overset{21}{\otimes} \overset{4,2}{4141322} \quad \Delta = -131, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $1\overset{2313221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 41$
 $2313221\mathfrak{e}_8 \overset{21}{\otimes} \overset{4,2}{41} \quad \Delta = -112, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1\overset{2313221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 41\mathbf{4} \quad \Delta = -140, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$
 $1\overset{2313221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 41\mathbf{3} \quad \Delta = -120, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$
 $1\overset{2313221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 41\mathbf{2} \quad \Delta = -112, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $1\overset{13221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4132$
 $13221\mathfrak{e}_8 \overset{21}{\otimes} \overset{4,2}{4132} \quad \Delta = -112, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1\overset{213221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4132 \quad \Delta = -112, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1\overset{413221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4132 \quad \Delta = -140, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$
 $1\overset{313221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4132 \quad \Delta = -120, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1\overset{513221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4132 \quad \Delta = -164, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $1\overset{22221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4141$
 $22221\mathfrak{e}_8 \overset{21}{\otimes} \overset{4,2}{4141} \quad \Delta = -122, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1\overset{22221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4141\mathbf{2} \quad \Delta = -122, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1\overset{22221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4141\mathbf{4} \quad \Delta = -150, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$
 $1\overset{22221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4141\mathbf{3} \quad \Delta = -130, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$
Base: $1\overset{2221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 41413$
 $1\overset{2221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 41413\mathbf{2} \quad \Delta = -131, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $1\overset{221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 414132$
 $1\overset{3221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 414132 \quad \Delta = -140, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$
 $221\mathfrak{e}_8 \overset{21}{\otimes} \overset{4,2}{414132} \quad \Delta = -131, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $1\overset{21513221}{\mathfrak{e}_8} 122222$
 $222221\overset{21513221}{\mathfrak{e}_8} \mathbf{12} \quad \Delta = -118, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1\overset{321513221}{\mathfrak{e}_8} 122222 \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $1\overset{321513221}{\mathfrak{e}_8} 12222$
 $22221\overset{321513221}{\mathfrak{e}_8} \mathbf{12} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1\overset{2321513221}{\mathfrak{e}_8} 12222 \quad \Delta = -129, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: $1^{2321513221} \mathfrak{e}_8 1222$
 $2221^{2321513221} \mathfrak{e}_8 12 \Delta = -129, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $1^{1513221} \mathfrak{e}_8 122222$
 $222221^{1513221} \mathfrak{e}_8 12 \Delta = -118, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1^{21513221} \mathfrak{e}_8 122222 \Delta = -118, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$
 $1^{31513221} \mathfrak{e}_8 122222 \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $1^{31513221} \mathfrak{e}_8 12222$
 $1^{231513221} \mathfrak{e}_8 12222 \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$
 $22221^{31513221} \mathfrak{e}_8 12 \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $1^{231513221} \mathfrak{e}_8 1222$
 $2221^{231513221} \mathfrak{e}_8 12 \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $1^{2231513221} \mathfrak{e}_8 122$
 $1^{2231513221} \mathfrak{e}_8 1223 \Delta = -136, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$
 $221^{2231513221} \mathfrak{e}_8 12 \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $21^{313221} \mathfrak{e}_8^{4,2} \otimes 41$
 $21^{313221} \mathfrak{e}_8^{4,2} \otimes 413 \Delta = -119, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$
 $21^{313221} \mathfrak{e}_8^{4,2} \otimes 414 \Delta = -139, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$
 $21^{313221} \mathfrak{e}_8^{4,2} \otimes 412 \Delta = -111, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $21^{13221} \mathfrak{e}_8^{4,2} \otimes 413$
 $21^{513221} \mathfrak{e}_8^{4,2} \otimes 413 \Delta = -163, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$
 $21^{413221} \mathfrak{e}_8^{4,2} \otimes 413 \Delta = -139, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$
 $21^{213221} \mathfrak{e}_8^{4,2} \otimes 413 \Delta = -111, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$
Base: $21^{2221} \mathfrak{e}_8^{4,2} \otimes 4141$
 $21^{2221} \mathfrak{e}_8^{4,2} \otimes 41412 \Delta = -122, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$
 $21^{2221} \mathfrak{e}_8^{4,2} \otimes 41414 \Delta = -150, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$
 $21^{2221} \mathfrak{e}_8^{4,2} \otimes 41413 \Delta = -130, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$
Base: $21^{221} \mathfrak{e}_8^{4,2} \otimes 41413$
 $21^{3221} \mathfrak{e}_8^{4,2} \otimes 41413 \Delta = -139, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$
Base: $21^{2321513221} \mathfrak{e}_8 122$
 $21^{2321513221} \mathfrak{e}_8 1223 \Delta = -138, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$
Base: $21^{1513221} \mathfrak{e}_8 12222$
 $21^{21513221} \mathfrak{e}_8 12222 \Delta = -118, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$
Base: $21^{231513221} \mathfrak{e}_8 122$
 $21^{231513221} \mathfrak{e}_8 1223 \Delta = -136, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$
Base: $13221^{13221} \mathfrak{e}_8 12231$
 $13221^{13221} \mathfrak{e}_8 122314 \Delta = -112, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$
 $13221^{13221} \mathfrak{e}_8 122315 \Delta = -136, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$
 $13221^{13221} \mathfrak{e}_8 122313 \Delta = -92, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$
 $13221^{13221} \mathfrak{e}_8 122312 \Delta = -84, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$
Base: $221^{13221} \mathfrak{e}_8^{4,2} \otimes 41$

$$\begin{aligned}
221 \overset{3}{\mathfrak{e}}_8^{13221 \ 4,2} \otimes 41 \quad \Delta = -111, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
221 \overset{13221 \ 4,2}{\mathfrak{e}}_8 \otimes 41\overset{4}{\mathfrak{e}}_8 \quad \Delta = -131, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
221 \overset{13221 \ 4,2}{\mathfrak{e}}_8 \otimes 41\overset{3}{\mathfrak{e}}_8 \quad \Delta = -111, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
221 \overset{213221 \ 4,2}{\mathfrak{e}}_8 \otimes 41 \quad \Delta = -103, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
13221 \overset{3221 \ 4,2}{\mathfrak{e}}_8 \otimes 41 \quad \Delta = -112, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
221 \overset{513221 \ 4,2}{\mathfrak{e}}_8 \otimes 41 \quad \Delta = -155, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
221 \overset{13221 \ 4,2}{\mathfrak{e}}_8 \otimes 41\overset{2}{\mathfrak{e}}_8 \quad \Delta = -103, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
221 \overset{413221 \ 4,2}{\mathfrak{e}}_8 \otimes 41 \quad \Delta = -131, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 221 \overset{221 \ 4,2}{\mathfrak{e}}_8 \otimes 4141 & \\
221 \overset{221 \ 4,2}{\mathfrak{e}}_8 \otimes 4141\overset{3}{\mathfrak{e}}_8 \quad \Delta = -130, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
221 \overset{3221 \ 4,2}{\mathfrak{e}}_8 \otimes 4141 \quad \Delta = -131, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
221 \overset{221 \ 4,2}{\mathfrak{e}}_8 \otimes 4141\overset{2}{\mathfrak{e}}_8 \quad \Delta = -122, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
221 \overset{221 \ 4,2}{\mathfrak{e}}_8 \otimes 4141\overset{4}{\mathfrak{e}}_8 \quad \Delta = -150, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
\text{Base: } 2221 \overset{1513221}{\mathfrak{e}}_8^{1223} & \\
2221 \overset{21513221}{\mathfrak{e}}_8^{1223} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
2221 \overset{31513221}{\mathfrak{e}}_8^{1223} \quad \Delta = -135, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\text{Base: } 221 \overset{21513221}{\mathfrak{e}}_8^{1222} & \\
221 \overset{321513221}{\mathfrak{e}}_8^{1222} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\text{Base: } 221 \overset{321513221}{\mathfrak{e}}_8^{122} & \\
221 \overset{2321513221}{\mathfrak{e}}_8^{122} \quad \Delta = -129, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
221 \overset{321513221}{\mathfrak{e}}_8^{122\overset{3}{\mathfrak{e}}_8} \quad \Delta = -136, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 221 \overset{1513221}{\mathfrak{e}}_8^{1222} & \\
221 \overset{21513221}{\mathfrak{e}}_8^{1222} \quad \Delta = -118, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
2221 \overset{1513221}{\mathfrak{e}}_8^{122\overset{3}{\mathfrak{e}}_8} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
221 \overset{31513221}{\mathfrak{e}}_8^{1222} \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\text{Base: } 221 \overset{31513221}{\mathfrak{e}}_8^{122} & \\
221 \overset{31513221}{\mathfrak{e}}_8^{122\overset{3}{\mathfrak{e}}_8} \quad \Delta = -135, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
221 \overset{231513221}{\mathfrak{e}}_8^{122} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\text{Base: } 1 \overset{21,2231513221}{\mathfrak{e}}_8^1 & \\
1 \overset{21,2231513221}{\mathfrak{e}}_8^{1\overset{2}{\mathfrak{e}}_8} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1 \overset{1,21513221}{\mathfrak{e}}_8^{12222} & \\
1 \overset{1,321513221}{\mathfrak{e}}_8^{12222} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
22221 \overset{1,21513221}{\mathfrak{e}}_8^{1\overset{2}{\mathfrak{e}}_8} \quad \Delta = -118, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1 \overset{1,321513221}{\mathfrak{e}}_8^{1222} & \\
2221 \overset{1,321513221}{\mathfrak{e}}_8^{1\overset{2}{\mathfrak{e}}_8} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{1,2321513221}{\mathfrak{e}}_8^{1222} \quad \Delta = -129, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1 \overset{221,2321513221}{\mathfrak{e}}_8^1 & \\
1 \overset{221,2321513221}{\mathfrak{e}}_8^{1\overset{2}{\mathfrak{e}}_8} \quad \Delta = -129, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \overset{3221,2321513221}{\mathfrak{e}}_8^1 \quad \Delta = -138, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
\text{Base: } 1 \overset{1,1513221}{\mathfrak{e}}_8^{12222} &
\end{aligned}$$

$$\begin{aligned}
22221^{1,1513221} \mathfrak{e}_8^{12} \quad \Delta = -118, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{1,21513221} \mathfrak{e}_8^{12222} \quad \Delta = -118, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1^{1,31513221} \mathfrak{e}_8^{12222} \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1^{1,31513221} \mathfrak{e}_8^{1222} & \\
2221^{1,31513221} \mathfrak{e}_8^{12} \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{1,231513221} \mathfrak{e}_8^{1222} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1^{221,231513221} \mathfrak{e}_8^1 & \\
1^{3221,231513221} \mathfrak{e}_8^1 \quad \Delta = -136, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1^{221,231513221} \mathfrak{e}_8^{12} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1^{21,2321513221} \mathfrak{e}_8^{12} & \\
21^{21,2321513221} \mathfrak{e}_8^{12} \quad \Delta = -129, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1^{21,231513221} \mathfrak{e}_8^{12} & \\
21^{21,231513221} \mathfrak{e}_8^{12} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1^{21,21513221} \mathfrak{e}_8^{1222} & \\
2221^{21,21513221} \mathfrak{e}_8^{12} \quad \Delta = -118, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1^{221,321513221} \mathfrak{e}_8^{12} & \\
1^{3221,321513221} \mathfrak{e}_8^{12} \quad \Delta = -136, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21^{221,321513221} \mathfrak{e}_8^{12} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1^{21,1513221} \mathfrak{e}_8^{1222} & \\
1^{21,21513221} \mathfrak{e}_8^{1222} \quad \Delta = -118, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
2221^{21,1513221} \mathfrak{e}_8^{12} \quad \Delta = -118, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1^{221,31513221} \mathfrak{e}_8^{12} & \\
21^{221,31513221} \mathfrak{e}_8^{12} \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{3221,31513221} \mathfrak{e}_8^{12} \quad \Delta = -135, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
\text{Base: } 1^{221,1513221} \mathfrak{e}_8^{1223} & \\
1^{221,21513221} \mathfrak{e}_8^{1223} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{221,31513221} \mathfrak{e}_8^{1223} \quad \Delta = -135, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\text{Base: } 1^{221,21513221} \mathfrak{e}_8^{122} & \\
1^{221,321513221} \mathfrak{e}_8^{122} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
221^{221,21513221} \mathfrak{e}_8^{12} \quad \Delta = -118, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1^{221,1513221} \mathfrak{e}_8^{122} & \\
1^{221,31513221} \mathfrak{e}_8^{122} \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{221,1513221} \mathfrak{e}_8^{1223} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
221^{221,1513221} \mathfrak{e}_8^{12} \quad \Delta = -118, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{221,21513221} \mathfrak{e}_8^{122} \quad \Delta = -118, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
\text{Base: } 21^{21,1513221} \mathfrak{e}_8^{1223} & \\
21^{21,31513221} \mathfrak{e}_8^{1223} \quad \Delta = -135, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21^{21,21513221} \mathfrak{e}_8^{1223} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 21^{221,1513221} \mathfrak{e}_8^{12} & \\
21^{221,21513221} \mathfrak{e}_8^{12} \quad \Delta = -118, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

$$21^{3221,1513221} \epsilon_8^{12} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 1222222222222221

$$1222222222222221^{(12)} \quad \Delta = -57, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 1231414141413221

$$1231414141413221^8 \quad \Delta = -72, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1223141414141321^6 \quad \Delta = -17, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1231414141413221^6 \quad \Delta = -17, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1231414141413221^7 \quad \Delta = -44, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1231414141413221^{(12)} \quad \Delta = -187, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_9$$

$$1223141414141321^7 \quad \Delta = -44, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1223141414141321^8 \quad \Delta = -72, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 2141414141413221

$$2141414141413221^{(12)} \quad \Delta = -206, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_9$$

$$2141414141413221^8 \quad \Delta = -91, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$2141414141413221^7 \quad \Delta = -63, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$2141414141413221^5 \quad \Delta = -10, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2141414141413221^6 \quad \Delta = -36, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 1314141414141321

$$1231414141414131^5 \quad \Delta = -18, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1314141414141321^6 \quad \Delta = -44, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1314141414141321^7 \quad \Delta = -71, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1314141414141321^5 \quad \Delta = -18, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1231414141414131^6 \quad \Delta = -44, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1314141414141321^8 \quad \Delta = -99, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_6$$

Base: 2141414141414131

$$2141414141414131^4 \quad \Delta = -13, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$2141414141414131^5 \quad \Delta = -37, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$2141414141414131^6 \quad \Delta = -63, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_5$$

Base: 141414141413221^1

$$141414141413221^6 \quad \Delta = -36, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$141414141413221^8 \quad \Delta = -91, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$141414141413221^7 \quad \Delta = -63, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$141414141413221^5 \quad \Delta = -10, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$141414141413221^{(12)} \quad \Delta = -206, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_9$$

Base: 141414141414131^1

$$141414141414131^4 \quad \Delta = -13, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$141414141414131^6 \quad \Delta = -63, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$141414141414131^5 \quad \Delta = -37, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$141414141414131^{41} \quad \Delta = -13, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 122315131 ϵ_6 131512

$$215131\epsilon_6131513221^8 \quad \Delta = -149, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$215131\epsilon_6131513221^7 \quad \Delta = -121, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$215131\epsilon_6131513221^3 \quad \Delta = -24, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$215131\epsilon_6131513221^6 \quad \Delta = -94, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$122315131\epsilon_6131512^3 \quad \Delta = -25, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$215131\epsilon_6131513221^4 \quad \Delta = -44, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$215131\epsilon_6131513221^2 \quad \Delta = -16, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$215131\mathfrak{e}_6131513221\mathbf{5} \quad \Delta = -68, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$215131\mathfrak{e}_6131513221\mathbf{(12)} \quad \Delta = -264, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_6$$

Base: $1315131\mathfrak{e}_613151321$

$$12315131\mathfrak{e}_61315131\mathbf{2} \quad \Delta = -24, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12315131\mathfrak{e}_61315131\mathbf{4} \quad \Delta = -52, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1315131\mathfrak{e}_613151321\mathbf{4} \quad \Delta = -52, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$12315131\mathfrak{e}_61315131\mathbf{3} \quad \Delta = -32, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1315131\mathfrak{e}_613151321\mathbf{8} \quad \Delta = -157, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1315131\mathfrak{e}_613151321\mathbf{2} \quad \Delta = -25, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1315131\mathfrak{e}_613151321\mathbf{7} \quad \Delta = -129, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1315131\mathfrak{e}_613151321\mathbf{3} \quad \Delta = -32, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1315131\mathfrak{e}_613151321\mathbf{5} \quad \Delta = -76, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12315131\mathfrak{e}_61315131\mathbf{5} \quad \Delta = -76, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$12315131\mathfrak{e}_61315131\mathbf{6} \quad \Delta = -102, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1315131\mathfrak{e}_613151321\mathbf{6} \quad \Delta = -102, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1315131\mathfrak{e}_613151321\mathbf{2} \quad \Delta = -24, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $122315131\mathfrak{e}_613151\mathbf{1}$

$$122315131\mathfrak{e}_613151\mathbf{13} \quad \Delta = -24, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{4}223151316131 \quad \Delta = -44, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{3}1223151316131 \quad \Delta = -24, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{7}1223151316131 \quad \Delta = -121, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{(12)}1223151316131 \quad \Delta = -264, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1\mathbf{8}1223151316131 \quad \Delta = -149, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{6}1223151316131 \quad \Delta = -94, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathbf{5}1223151316131 \quad \Delta = -68, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$122315131\mathfrak{e}_613151\mathbf{12} \quad \Delta = -16, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{2}1223151316131 \quad \Delta = -16, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1\mathfrak{e}_6 \otimes \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_613$

$$31\mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_61\mathbf{3} \quad \Delta = -135, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $\mathfrak{e}_6 \overset{3,4}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_612$

$$\mathfrak{e}_6 \overset{3,4}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_612\mathbf{3} \quad \Delta = -129, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $21\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_61$

$$21\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_61\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_612\mathbf{3} \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_61\mathbf{2} \quad \Delta = -119, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $221\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_613151321$

$$221\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_613151321\mathbf{3} \quad \Delta = -50, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$12315131\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6122\mathbf{3} \quad \Delta = -51, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_613151321\mathbf{5} \quad \Delta = -94, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_613151321\mathbf{4} \quad \Delta = -70, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_613151321\mathbf{7} \quad \Delta = -147, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$221\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_613151321\mathbf{6} \quad \Delta = -120, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\begin{aligned}
221\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 13151321\mathbf{2} \quad \Delta = -42, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
221\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 13151321\mathbf{8} \quad \Delta = -175, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_5 \\
\text{Base: } \mathfrak{c}_6^{3,3} \bigcirc \mathfrak{c}_6^{2,2} \otimes \mathfrak{c}_6 123 \\
\mathfrak{c}_6^{3,3} \bigcirc \mathfrak{c}_6^{2,2} \otimes \mathfrak{c}_6 123\mathbf{2} \quad \Delta = -130, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
\text{Base: } 1321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1315131 \\
1321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1315131\mathbf{2} \quad \Delta = -51, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
1315131\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1231\mathbf{5} \quad \Delta = -102, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
1315131\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1231\mathbf{4} \quad \Delta = -78, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
1321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1315131\mathbf{2} \quad \Delta = -50, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
1321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1315131\mathbf{3} \quad \Delta = -58, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
1315131\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1231\mathbf{3} \quad \Delta = -58, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
1321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1315131\mathbf{5} \quad \Delta = -102, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
1321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1315131\mathbf{1} \quad \Delta = -52, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
1321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1315131\mathbf{4} \quad \Delta = -78, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
1315131\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1231\mathbf{2} \quad \Delta = -50, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
1321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 1315131\mathbf{6} \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_4 \\
\text{Base: } 12321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 131512 \\
215131\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 12321\mathbf{3} \quad \Delta = -52, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
215131\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 12321\mathbf{4} \quad \Delta = -72, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
215131\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 12321\mathbf{8} \quad \Delta = -177, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
215131\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 12321\mathbf{5} \quad \Delta = -96, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
215131\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 12321\mathbf{2} \quad \Delta = -44, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
215131\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 12321\mathbf{7} \quad \Delta = -149, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
12321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 131512\mathbf{3} \quad \Delta = -53, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
215131\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 12321\mathbf{6} \quad \Delta = -122, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
\text{Base: } \mathfrak{c}_6^{3,3} \otimes \mathfrak{c}_6^{2,2} \otimes \mathfrak{c}_6 13151 \\
\mathfrak{c}_6^{3,3} \otimes \mathfrak{c}_6^{2,2} \otimes \mathfrak{c}_6 13151\mathbf{3} \quad \Delta = -130, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
\text{Base: } 12321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 13151\mathbf{1} \\
12321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 13151\mathbf{3} \quad \Delta = -52, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
\mathbf{4}1232161316131 \quad \Delta = -72, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
\mathbf{3}1232161316131 \quad \Delta = -52, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
\mathbf{6}1232161316131 \quad \Delta = -122, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
\mathbf{8}1232161316131 \quad \Delta = -177, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
\mathbf{7}1232161316131 \quad \Delta = -149, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
\mathbf{5}1232161316131 \quad \Delta = -96, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
\mathbf{2}1232161316131 \quad \Delta = -44, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
12321\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 13151\mathbf{2} \quad \Delta = -44, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
\text{Base: } 131\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 13151315 \\
51315131\mathfrak{c}_6 \otimes \mathfrak{c}_6^{2,2} 131\mathbf{3} \quad \Delta = -109, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0
\end{aligned}$$

$$\begin{aligned}
51315131\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 131\mathbf{5} \quad \Delta = -153, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
51315131\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 131\mathbf{6} \quad \Delta = -179, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
51315131\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 131\mathbf{4} \quad \Delta = -129, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
51315131\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 131\mathbf{2} \quad \Delta = -101, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $3131\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 1315131$

$$\begin{aligned}
3131\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 1315131\mathbf{4} \quad \Delta = -85, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1315131\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 1313\mathbf{2} \quad \Delta = -58, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
3131\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 1315131\mathbf{6} \quad \Delta = -135, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
3131\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 13151\mathbf{31} \quad \Delta = -58, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
3131\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 1315131\mathbf{2} \quad \Delta = -57, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
3131\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 1315131\mathbf{3} \quad \Delta = -65, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $14 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 131512$

$$\begin{aligned}
14 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 131512\mathbf{3} \quad \Delta = -78, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
215131\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 41\mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
215131\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 41\mathbf{2} \quad \Delta = -69, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
215131\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 41\mathbf{4} \quad \Delta = -97, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $14 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 1315\mathbf{1}$

$$\begin{aligned}
1 \begin{smallmatrix} 2,2 \\ 1413161316131 \end{smallmatrix} 5 \begin{smallmatrix} 2,2 \\ 1 \end{smallmatrix} \quad \Delta = -69, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
14 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 1315\mathbf{13} \quad \Delta = -77, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \begin{smallmatrix} 3,4 \\ 1413161316131 \end{smallmatrix} 5 \begin{smallmatrix} 2,2 \\ 1 \end{smallmatrix} \quad \Delta = -77, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
14 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 1315\mathbf{12} \quad \Delta = -69, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \begin{smallmatrix} 4,1 \\ 1413161316131 \end{smallmatrix} 5 \begin{smallmatrix} 2,2 \\ 1 \end{smallmatrix} \quad \Delta = -97, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $21\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 12315$

$$51321\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 12\mathbf{3} \quad \Delta = -129, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $221\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 1231$

$$\begin{aligned}
1321\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 122\mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
221\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 1231\mathbf{2} \quad \Delta = -68, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
221\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 1231\mathbf{3} \quad \Delta = -76, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
221\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 1231\mathbf{1} \quad \Delta = -70, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
221\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 1231\mathbf{4} \quad \Delta = -96, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
221\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 1231\mathbf{5} \quad \Delta = -120, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $221\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 1313$

$$\begin{aligned}
221\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 131\mathbf{32} \quad \Delta = -76, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
3131\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 122\mathbf{3} \quad \Delta = -84, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $\mathfrak{e}_6 \otimes^{3,4} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \mathbf{1}$

$$\mathfrak{e}_6 \otimes^{3,4} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \mathbf{13} \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1\mathfrak{e}_6 \otimes^{1,2,2} \mathfrak{e}_6 \bigcirc^{3,3} \mathfrak{e}_6 1$

$$1\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \bigcirc^{3,3} \mathfrak{e}_6 \mathbf{1} \quad \Delta = -119, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\begin{aligned}
131\mathbf{e}_6 \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{1,2,2} 131\mathbf{2} \quad \Delta = -75, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
131\mathbf{e}_6 \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{1,2,2} 131\mathbf{5} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
131\mathbf{e}_6 \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{1,2,2} 131\mathbf{3} \quad \Delta = -83, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $\mathbf{e}_7^{3,5} \otimes \mathbf{e}_6 13151$

$$\mathbf{e}_7^{3,5} \otimes \mathbf{e}_6 13151\mathbf{3} \quad \Delta = -129, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $\mathbf{e}_7^{3,4} \otimes \mathbf{e}_6 131513$

$$\mathbf{e}_7^{3,4} \otimes \mathbf{e}_6 131513\mathbf{2} \quad \Delta = -130, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $15131\mathbf{e}_6 \otimes \mathbf{e}_7^{3,4} 1$

$$15131\mathbf{e}_6 \otimes \mathbf{e}_7^{3,4} 1\mathbf{2} \quad \Delta = -121, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{3,4} \otimes \mathbf{e}_6 13151\mathbf{2} \quad \Delta = -121, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7^{3,4} \otimes \mathbf{e}_6 13151\mathbf{3} \quad \Delta = -129, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $131\mathbf{e}_6 \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_7^{3,3} 12$

$$21\mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 131\mathbf{4} \quad \Delta = -125, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 131\mathbf{5} \quad \Delta = -149, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 131\mathbf{6} \quad \Delta = -175, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 131\mathbf{2} \quad \Delta = -97, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$131\mathbf{e}_6 \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_7^{3,3} 12\mathbf{3} \quad \Delta = -106, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 131\mathbf{3} \quad \Delta = -105, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $12321\mathbf{e}_7^{3,3} 1231513221$

$$12321\mathbf{e}_7^{3,3} 1231513221\mathbf{(12)} \quad \Delta = -243, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_8$$

$$12321\mathbf{e}_7^{3,3} 1231513221\mathbf{6} \quad \Delta = -73, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1223151321\mathbf{e}_7^{3,3} 12321\mathbf{6} \quad \Delta = -73, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1223151321\mathbf{e}_7^{3,3} 12321\mathbf{5} \quad \Delta = -47, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$12321\mathbf{e}_7^{3,3} 1231513221\mathbf{7} \quad \Delta = -100, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1223151321\mathbf{e}_7^{3,3} 12321\mathbf{7} \quad \Delta = -100, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1223151321\mathbf{e}_7^{3,3} 12321\mathbf{4} \quad \Delta = -23, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$12321\mathbf{e}_7^{3,3} 1231513221\mathbf{5} \quad \Delta = -47, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$12321\mathbf{e}_7^{3,3} 1231513221\mathbf{8} \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$12321\mathbf{e}_7^{3,3} 1231513221\mathbf{4} \quad \Delta = -23, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1223151321\mathbf{e}_7^{3,3} 12321\mathbf{8} \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1223151321\mathbf{e}_7^{3,3} 12321\mathbf{3} \quad \Delta = -3, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$12321\mathbf{e}_7^{3,3} 1231513221\mathbf{3} \quad \Delta = -3, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1\mathbf{e}_6 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12$

$$1\mathbf{e}_6 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12\mathbf{3} \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6 1\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6 1\mathbf{2} \quad \Delta = -119, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $\mathbf{e}_6 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 123$

$$\mathbf{e}_6 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 123\mathbf{2} \quad \Delta = -130, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12321$

$$1321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12321\mathbf{8} \quad \Delta = -183, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$12321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231\mathbf{3} \quad \Delta = -58, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12321\mathbf{3} \quad \Delta = -58, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\mathfrak{e}_7 \otimes \mathfrak{e}'_7{}^{5,5}12 \quad \Delta = -117, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\mathfrak{e}'_7{}^{1,4,5} \otimes \mathfrak{e}_712$$

$$1\mathfrak{e}'_7{}^{2,1,4,5} \otimes \mathfrak{e}_712 \quad \Delta = -117, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathfrak{e}'_7{}^{1,4,5} \otimes \mathfrak{e}_7123 \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 4 \otimes \mathfrak{e}_6{}^{2,2} \otimes \mathfrak{e}_712{}^{4,3}$$

$$4 \otimes \mathfrak{e}_6{}^{2,2} \otimes \mathfrak{e}_7123{}^{4,3} \quad \Delta = -134, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 321\mathfrak{e}_6{}^{2,2} \otimes \mathfrak{e}_6{}^{3,3} \otimes \mathfrak{e}_712$$

$$321\mathfrak{e}_6{}^{2,2} \otimes \mathfrak{e}_6{}^{3,3} \otimes \mathfrak{e}_7123 \quad \Delta = -135, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\mathfrak{e}_6{}^{3,1,2,2} \otimes \mathfrak{e}_6{}^{3,3} \otimes \mathfrak{e}_712$$

$$1\mathfrak{e}_6{}^{3,1,2,2} \otimes \mathfrak{e}_6{}^{3,3} \otimes \mathfrak{e}_7123 \quad \Delta = -134, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 321\mathfrak{e}'_7{}^{4,4} \otimes \mathfrak{e}_712$$

$$321\mathfrak{e}'_7{}^{4,4} \otimes \mathfrak{e}_7123 \quad \Delta = -135, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 3151321\mathfrak{e}'_7{}^{3,3} \otimes \mathfrak{e}_712$$

$$3151321\mathfrak{e}'_7{}^{3,3} \otimes \mathfrak{e}_7123 \quad \Delta = -136, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 131\mathfrak{e}_6{}^{3,4} \otimes \mathfrak{e}_7122$$

$$131\mathfrak{e}_6{}^{3,4} \otimes \mathfrak{e}_71223 \quad \Delta = -106, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221\mathfrak{e}_7{}^{3,4} \otimes \mathfrak{e}_61315 \quad \Delta = -149, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221\mathfrak{e}_7{}^{3,4} \otimes \mathfrak{e}_61312 \quad \Delta = -97, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\mathfrak{e}_7{}^{3,4} \otimes \mathfrak{e}_61314 \quad \Delta = -125, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$221\mathfrak{e}_7{}^{3,4} \otimes \mathfrak{e}_61313 \quad \Delta = -105, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$221\mathfrak{e}_7{}^{3,4} \otimes \mathfrak{e}_61316 \quad \Delta = -175, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 21\mathfrak{e}_6{}^{2,2} \otimes \mathfrak{e}_6{}^{3,3} \otimes \mathfrak{e}_7122$$

$$221\mathfrak{e}_7{}^{3,3} \otimes \mathfrak{e}_6{}^{2,2} \otimes \mathfrak{e}_6123 \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\mathfrak{e}_6{}^{1,2,2} \otimes \mathfrak{e}_6{}^{3,3} \otimes \mathfrak{e}_7122$$

$$1\mathfrak{e}_6{}^{1,2,2} \otimes \mathfrak{e}_6{}^{3,3} \otimes \mathfrak{e}_71223 \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathfrak{e}_6{}^{2,1,2,2} \otimes \mathfrak{e}_6{}^{3,3} \otimes \mathfrak{e}_7122 \quad \Delta = -117, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathfrak{e}_6{}^{3,1,2,2} \otimes \mathfrak{e}_6{}^{3,3} \otimes \mathfrak{e}_7122 \quad \Delta = -125, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } \mathfrak{e}'_7{}^{5,5} \otimes \mathfrak{e}_7123$$

$$\mathfrak{e}'_7{}^{5,5} \otimes \mathfrak{e}_71232 \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\mathfrak{e}'_7{}^{5,4} \otimes \mathfrak{e}_7122$$

$$1\mathfrak{e}'_7{}^{5,4} \otimes \mathfrak{e}_71223 \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221\mathfrak{e}_7{}^{5,4} \otimes \mathfrak{e}'_7{}^{5,4}12 \quad \Delta = -117, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\mathfrak{e}'_7{}^{4,5} \otimes \mathfrak{e}_7123$$

$$1\mathfrak{e}'_7{}^{4,5} \otimes \mathfrak{e}_71232 \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$321\mathfrak{e}_7{}^{4,5} \otimes \mathfrak{e}'_7{}^{4,5}12 \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 21\mathfrak{e}'_7{}^{4,4} \otimes \mathfrak{e}_7122$$

$$221\mathfrak{e}_7{}^{4,4} \otimes \mathfrak{e}'_7{}^{4,4}123 \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $151321\mathbf{e}_7' \otimes \mathbf{e}_7' 122$

$$\begin{aligned} 221\mathbf{e}_7' \otimes \mathbf{e}_7' 123151\mathbf{3} & \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 221\mathbf{e}_7' \otimes \mathbf{e}_7' 123151\mathbf{2} & \Delta = -119, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 151321\mathbf{e}_7' \otimes \mathbf{e}_7' 122\mathbf{3} & \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3 \end{aligned}$$

Base: $512321\mathbf{e}_7' \otimes \mathbf{e}_7' 122$

$$512321\mathbf{e}_7' \otimes \mathbf{e}_7' 122\mathbf{3} \quad \Delta = -130, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\mathbf{e}_7' \otimes \mathbf{e}_7' 122$

$$1\mathbf{e}_7' \otimes \mathbf{e}_7' 122\mathbf{3} \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7' \otimes \mathbf{e}_7' 122 \quad \Delta = -117, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1321\mathbf{e}_7 12231513221$

$$\begin{aligned} 1321\mathbf{e}_7 12231513221\mathbf{7} & \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 1321\mathbf{e}_7 12231513221\mathbf{2} & \Delta = -21, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 12231513221\mathbf{e}_7 1231\mathbf{5} & \Delta = -73, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 1321\mathbf{e}_7 12231513221\mathbf{6} & \Delta = -99, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 1321\mathbf{e}_7 12231513221\mathbf{3} & \Delta = -29, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 12231513221\mathbf{e}_7 1231\mathbf{3} & \Delta = -29, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 12231513221\mathbf{e}_7 1231\mathbf{4} & \Delta = -49, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 1321\mathbf{e}_7 12231513221\mathbf{4} & \Delta = -49, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 1321\mathbf{e}_7 12231513221\mathbf{8} & \Delta = -154, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4 \\ 1321\mathbf{e}_7 12231513221 & \Delta = -23, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 12231513221\mathbf{e}_7 1231\mathbf{2} & \Delta = -21, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 1321\mathbf{e}_7 12231513221\mathbf{(12)} & \Delta = -269, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_8 \\ 1321\mathbf{e}_7 12231513221\mathbf{5} & \Delta = -73, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2 \end{aligned}$$

Base: $13221\mathbf{e}_7 1231513221$

$$\begin{aligned} 13221\mathbf{e}_7 1231513221\mathbf{5} & \Delta = -73, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 1223151321\mathbf{e}_7 12231\mathbf{3} & \Delta = -29, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 13221\mathbf{e}_7 1231513221\mathbf{(12)} & \Delta = -269, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_8 \\ 13221\mathbf{e}_7 1231513221\mathbf{3} & \Delta = -29, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 13221\mathbf{e}_7 1231513221\mathbf{8} & \Delta = -154, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4 \\ 1223151321\mathbf{e}_7 12231\mathbf{5} & \Delta = -73, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 13221\mathbf{e}_7 1231513221\mathbf{4} & \Delta = -49, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 1223151321\mathbf{e}_7 12231\mathbf{4} & \Delta = -49, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 13221\mathbf{e}_7 1231513221\mathbf{2} & \Delta = -21, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 1223151321\mathbf{e}_7 12231\mathbf{2} & \Delta = -21, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 13221\mathbf{e}_7 1231513221\mathbf{7} & \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 13221\mathbf{e}_7 1231513221\mathbf{6} & \Delta = -99, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \end{aligned}$$

Base: $12321\mathbf{e}_7 1223151321$

$$\begin{aligned} 12321\mathbf{e}_7 1223151321\mathbf{3} & \Delta = -31, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 1231513221\mathbf{e}_7 12321\mathbf{8} & \Delta = -156, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4 \\ 1231513221\mathbf{e}_7 12321\mathbf{6} & \Delta = -101, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 12321\mathbf{e}_7 1223151321\mathbf{6} & \Delta = -101, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 12321\mathbf{e}_7 1223151321\mathbf{5} & \Delta = -75, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 1231513221\mathbf{e}_7 12321\mathbf{5} & \Delta = -75, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 1231513221\mathbf{e}_7 12321\mathbf{7} & \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 1231513221\mathbf{e}_7 12321\mathbf{2} & \Delta = -23, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 12321\mathbf{e}_7 1223151321\mathbf{2} & \Delta = -23, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 1231513221\mathbf{e}_7 12321\mathbf{4} & \Delta = -51, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 12321\mathbf{e}_7 1223151321\mathbf{4} & \Delta = -51, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 12321\mathbf{e}_7 1223151321\mathbf{7} & \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4 \end{aligned}$$

$$\begin{aligned}
1231513221\mathfrak{e}_7 12321\mathbf{3} \quad \Delta = -31, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
12321\mathfrak{e}_7 1223151321\mathbf{8} \quad \Delta = -156, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_5 \\
\text{Base: } 1\mathfrak{e}_6 \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_7^{3,3} 1223 \\
3221\mathfrak{e}_7 \otimes \mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_6^{2,2} \mathbf{13} \quad \Delta = -134, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
3221\mathfrak{e}_7 \otimes \mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_6^{2,2} \mathbf{12} \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1\mathfrak{e}_7' \otimes \mathfrak{e}_7^{4,4} 1223 \\
3221\mathfrak{e}_7 \otimes \mathfrak{e}_7'^{4,4} \mathbf{12} \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1\mathfrak{e}_7' \otimes \mathfrak{e}_7^{3,3} 12231513 \\
31513221\mathfrak{e}_7 \otimes \mathfrak{e}_7'^{3,3} \mathbf{12} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1\mathfrak{e}_7' \otimes \mathfrak{e}_7^{3,3} 12231513\mathbf{2} \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
\text{Base: } 21\mathfrak{e}_7' \otimes \mathfrak{e}_7^{3,3} 1223151 \\
21\mathfrak{e}_7' \otimes \mathfrak{e}_7^{3,3} 1223151\mathbf{2} \quad \Delta = -119, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
1513221\mathfrak{e}_7 \otimes \mathfrak{e}_7'^{3,3} \mathbf{123} \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
\text{Base: } 321\mathfrak{e}_7' \otimes \mathfrak{e}_7^{3,3} 122315 \\
513221\mathfrak{e}_7 \otimes \mathfrak{e}_7'^{3,3} \mathbf{1232} \quad \Delta = -130, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
\text{Base: } 1321\mathfrak{e}_7' \otimes \mathfrak{e}_7^{3,3} 12231 \\
1321\mathfrak{e}_7' \otimes \mathfrak{e}_7^{3,3} 12231\mathbf{3} \quad \Delta = -84, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
13221\mathfrak{e}_7 \otimes \mathfrak{e}_7'^{3,3} \mathbf{12313} \quad \Delta = -84, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
1321\mathfrak{e}_7' \otimes \mathfrak{e}_7^{3,3} 12231\mathbf{5} \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_4 \\
13221\mathfrak{e}_7 \otimes \mathfrak{e}_7'^{3,3} \mathbf{12312} \quad \Delta = -76, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
13221\mathfrak{e}_7 \otimes \mathfrak{e}_7'^{3,3} \mathbf{12315} \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
1321\mathfrak{e}_7' \otimes \mathfrak{e}_7^{3,3} 12231\mathbf{2} \quad \Delta = -76, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
1321\mathfrak{e}_7' \otimes \mathfrak{e}_7^{3,3} 12231\mathbf{4} \quad \Delta = -104, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
13221\mathfrak{e}_7 \otimes \mathfrak{e}_7'^{3,3} \mathbf{12314} \quad \Delta = -104, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1321\mathfrak{e}_7' \otimes \mathfrak{e}_7^{3,3} 12231 \quad \Delta = -78, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
\text{Base: } 12321\mathfrak{e}_7' \otimes \mathfrak{e}_7^{3,3} 1222 \\
2221\mathfrak{e}_7 \otimes \mathfrak{e}_7'^{3,3} \mathbf{123216} \quad \Delta = -147, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
2221\mathfrak{e}_7 \otimes \mathfrak{e}_7'^{3,3} \mathbf{123217} \quad \Delta = -174, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
2221\mathfrak{e}_7 \otimes \mathfrak{e}_7'^{3,3} \mathbf{123215} \quad \Delta = -121, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
2221\mathfrak{e}_7 \otimes \mathfrak{e}_7'^{3,3} \mathbf{123213} \quad \Delta = -77, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
2221\mathfrak{e}_7 \otimes \mathfrak{e}_7'^{3,3} \mathbf{123218} \quad \Delta = -202, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
2221\mathfrak{e}_7 \otimes \mathfrak{e}_7'^{3,3} \mathbf{123214} \quad \Delta = -97, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
2221\mathfrak{e}_7 \otimes \mathfrak{e}_7'^{3,3} \mathbf{123212} \quad \Delta = -69, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
\text{Base: } 1\mathfrak{e}_7' \otimes \mathfrak{e}_7^{1,3,3} 1223151 \\
1\mathfrak{e}_7' \otimes \mathfrak{e}_7^{1,3,3} 1223151\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1\mathfrak{e}_7' \otimes \mathfrak{e}_7^{1,3,3} 1223151\mathbf{2} \quad \Delta = -119, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
1\mathfrak{e}_7' \otimes \mathfrak{e}_7^{21,3,3} 1223151 \quad \Delta = -119, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
\text{Base: } 13151321\mathfrak{e}_7 1232151 \\
13151321\mathfrak{e}_7 1232151\mathbf{2} \quad \Delta = -74, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{P}^2
\end{aligned}$$

$$\begin{aligned}
1512321\mathfrak{e}_712315131\mathbf{2} & \Delta = -74, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\
13151321\mathfrak{e}_71232151\mathbf{3} & \Delta = -82, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1512321\mathfrak{e}_712315131\mathbf{3} & \Delta = -82, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1 \\
\mathbf{2} \\
13151321\mathfrak{e}_71232151 & \Delta = -75, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1512321\mathfrak{e}_712315131\mathbf{4} & \Delta = -102, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1512321\mathfrak{e}_712315131\mathbf{5} & \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1512321\mathfrak{e}_712315131\mathbf{6} & \Delta = -152, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: 13151321 $\mathfrak{e}_7$ 1231512

$$\begin{aligned}
2151321\mathfrak{e}_712315131\mathbf{6} & \Delta = -150, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\
2151321\mathfrak{e}_712315131\mathbf{2} & \Delta = -72, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\
2151321\mathfrak{e}_712315131\mathbf{4} & \Delta = -100, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0 \\
2151321\mathfrak{e}_712315131\mathbf{3} & \Delta = -80, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1 \\
2151321\mathfrak{e}_712315131\mathbf{5} & \Delta = -124, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2 \\
13151321\mathfrak{e}_71231512\mathbf{3} & \Delta = -81, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\
\mathbf{2} \\
13151321\mathfrak{e}_71231512 & \Delta = -73, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $4 \otimes \mathfrak{e}_7^{3,3} 123151321$

$$\begin{aligned}
4 \otimes \mathfrak{e}_7^{3,3} 123151321\mathbf{8} & \Delta = -184, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_5 \\
4 \otimes \mathfrak{e}_7^{3,3} 123151321\mathbf{7} & \Delta = -156, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4 \\
4 \otimes \mathfrak{e}_7^{3,3} 123151321\mathbf{3} & \Delta = -59, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0 \\
4 \otimes \mathfrak{e}_7^{3,3} 123151321\mathbf{2} & \Delta = -51, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1 \\
4 \otimes \mathfrak{e}_7^{3,3} 123151321\mathbf{4} & \Delta = -79, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2 \\
4 \otimes \mathfrak{e}_7^{3,3} 123151321\mathbf{6} & \Delta = -129, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $14 \otimes \mathfrak{e}_7^{2,3} 123151321$

$$\begin{aligned}
14 \otimes \mathfrak{e}_7^{2,3} 123151321\mathbf{5} & \Delta = -101, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\
14 \otimes \mathfrak{e}_7^{2,3} 123151321\mathbf{6} & \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3 \\
123151321\mathfrak{e}_7 \otimes \mathbf{412} & \Delta = -49, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1 \\
14 \otimes \mathfrak{e}_7^{2,3} 123151321\mathbf{2} & \Delta = -49, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1 \\
14 \otimes \mathfrak{e}_7^{2,3} 123151321\mathbf{3} & \Delta = -57, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0 \\
123151321\mathfrak{e}_7 \otimes \mathbf{413} & \Delta = -57, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0 \\
14 \otimes \mathfrak{e}_7^{2,3} 123151321\mathbf{4} & \Delta = -77, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2 \\
123151321\mathfrak{e}_7 \otimes \mathbf{414} & \Delta = -77, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2 \\
14 \otimes \mathfrak{e}_7^{2,3} 123151321\mathbf{7} & \Delta = -154, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4 \\
14 \otimes \mathfrak{e}_7^{2,3} 123151321\mathbf{8} & \Delta = -182, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_5
\end{aligned}$$

Base: 31321 $\mathfrak{e}_7$ 1231513221

$$\begin{aligned}
31321\mathfrak{e}_71231513221\mathbf{3} & \Delta = -37, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1 \\
31321\mathfrak{e}_71231513221\mathbf{2} & \Delta = -29, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\
31321\mathfrak{e}_71231513221\mathbf{(12)} & \Delta = -277, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_8 \\
31321\mathfrak{e}_71231513221\mathbf{5} & \Delta = -81, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2 \\
31321\mathfrak{e}_71231513221\mathbf{8} & \Delta = -162, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4 \\
31321\mathfrak{e}_71231513221\mathbf{4} & \Delta = -57, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0 \\
31321\mathfrak{e}_71231513221\mathbf{6} & \Delta = -107, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1223151321\mathfrak{e}_712313\mathbf{2} & \Delta = -30, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0 \\
31321\mathfrak{e}_71231513221\mathbf{7} & \Delta = -134, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3
\end{aligned}$$

Base: 12321 $\mathfrak{e}_7$ 1231513215

$$5123151321\mathfrak{e}_712321\mathbf{4} \quad \Delta = -103, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\begin{aligned}
5123151321\mathfrak{e}_712321\mathbf{6} \quad \Delta &= -153, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\
5123151321\mathfrak{e}_712321\mathbf{8} \quad \Delta &= -208, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4 \\
5123151321\mathfrak{e}_712321\mathbf{2} \quad \Delta &= -75, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\
5123151321\mathfrak{e}_712321\mathbf{5} \quad \Delta &= -127, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2 \\
5123151321\mathfrak{e}_712321\mathbf{7} \quad \Delta &= -180, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3 \\
5123151321\mathfrak{e}_712321\mathbf{3} \quad \Delta &= -83, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: 151321 $\mathfrak{e}_7$ 123151315

$$513151321\mathfrak{e}_7123151\mathbf{3} \quad \Delta = -132, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: 12321 $\mathfrak{e}_7$ 1231513151

$$\begin{aligned}
1513151321\mathfrak{e}_712321\mathbf{7} \quad \Delta &= -179, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1513151321\mathfrak{e}_712321\mathbf{3} \quad \Delta &= -82, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1513151321\mathfrak{e}_712321\mathbf{6} \quad \Delta &= -152, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1513151321\mathfrak{e}_712321\mathbf{5} \quad \Delta &= -126, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1513151321\mathfrak{e}_712321\mathbf{2} \quad \Delta &= -74, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\
12321\mathfrak{e}_71231513151\mathbf{2} \quad \Delta &= -74, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1513151321\mathfrak{e}_712321\mathbf{8} \quad \Delta &= -207, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4 \\
1513151321\mathfrak{e}_712321\mathbf{4} \quad \Delta &= -102, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0 \\
12321\mathfrak{e}_71231513151\mathbf{3} \quad \Delta &= -82, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: 13151321 $\mathfrak{e}_7$ 123151¹

$$13151321\mathfrak{e}_7123151\mathbf{3} \quad \Delta = -80, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{5}{\mathfrak{e}_7} 1 \quad \Delta = -124, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{5}{\mathfrak{e}_7} 1 \quad \Delta = -80, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{5}{\mathfrak{e}_7} 1 \quad \Delta = -150, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$13151321\mathfrak{e}_7123151\mathbf{2} \quad \Delta = -72, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$13151321\mathfrak{e}_7123151 \quad \Delta = -73, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{5}{\mathfrak{e}_7} 1 \quad \Delta = -72, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{5}{\mathfrak{e}_7} 1 \quad \Delta = -100, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $\mathfrak{e}_6 \overset{4,5}{\otimes} \mathfrak{e}_71231$

$$\mathfrak{e}_6 \overset{4,5}{\otimes} \mathfrak{e}_71231\mathbf{4} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\mathfrak{e}_6 \overset{4,5}{\otimes} \mathfrak{e}_71231\mathbf{5} \quad \Delta = -151, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\mathfrak{e}_6 \overset{4,5}{\otimes} \mathfrak{e}_71231\mathbf{2} \quad \Delta = -99, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1\mathfrak{e}_6 \overset{4,4}{\otimes} \mathfrak{e}_71231$

$$1321\mathfrak{e}_7 \overset{4,4}{\otimes} \mathfrak{e}_61\mathbf{2} \quad \Delta = -99, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1321\mathfrak{e}_7 \overset{4,4}{\otimes} \mathfrak{e}_61\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathfrak{e}_6 \overset{4,4}{\otimes} \mathfrak{e}_71231\mathbf{2} \quad \Delta = -99, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathfrak{e}_6 \overset{4,4}{\otimes} \mathfrak{e}_71231\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathfrak{e}_6 \overset{4,4}{\otimes} \mathfrak{e}_71231\mathbf{5} \quad \Delta = -151, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathfrak{e}_6 \overset{4,4}{\otimes} \mathfrak{e}_71231\mathbf{4} \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathfrak{e}_6 \overset{4,4}{\otimes} \mathfrak{e}_71231\mathbf{2} \quad \Delta = -101, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $4 \overset{3,2}{\otimes} \mathfrak{e}_7 \overset{3,4}{\otimes} \mathfrak{e}_61$

$$4 \overset{3,2}{\otimes} \mathfrak{e}_7 \overset{3,4}{\otimes} \mathfrak{e}_61\mathbf{3} \quad \Delta = -134, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $21\mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_71231512$

$$2151321\mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_612\mathbf{3} \quad \Delta = -101, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} 1231512\mathbf{3} \quad \Delta = -101, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 21\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} 1231\mathbf{5}1$$

$$1^{321612332181231} \mathbf{5} \quad \Delta = -101, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} 1231\mathbf{5}1\mathbf{3} \quad \Delta = -100, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} 1231\mathbf{5}1\mathbf{2} \quad \Delta = -92, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 21\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,4} 1231$$

$$21\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,4} 1231\mathbf{2} \quad \Delta = -98, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,4} 1231\mathbf{4} \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,4} 1231\mathbf{2} \quad \Delta = -100, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,4} 1231\mathbf{3} \quad \Delta = -106, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\mathfrak{e}_7 \otimes \mathfrak{e}_6^{3,4} 12\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,4} 1231\mathbf{5} \quad \Delta = -150, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 14 \otimes \mathfrak{e}_7^{2,3} \otimes \mathfrak{e}_6^{3,3} 131$$

$$131\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6^{2,3} 41\mathbf{3} \quad \Delta = -84, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$14 \otimes \mathfrak{e}_7^{2,3} \otimes \mathfrak{e}_6^{3,3} 131\mathbf{6} \quad \Delta = -154, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$131\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6^{2,3} 41\mathbf{4} \quad \Delta = -104, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$14 \otimes \mathfrak{e}_7^{2,3} \otimes \mathfrak{e}_6^{3,3} 131\mathbf{4} \quad \Delta = -104, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$14 \otimes \mathfrak{e}_7^{2,3} \otimes \mathfrak{e}_6^{3,3} 131\mathbf{2} \quad \Delta = -76, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$131\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6^{2,3} 41\mathbf{2} \quad \Delta = -76, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \otimes \mathfrak{e}_7^{2,3} \otimes \mathfrak{e}_6^{3,3} 131\mathbf{5} \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$14 \otimes \mathfrak{e}_7^{2,3} \otimes \mathfrak{e}_6^{3,3} 131\mathbf{3} \quad \Delta = -84, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 15131\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} 1231$$

$$15131\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} 1231\mathbf{5} \quad \Delta = -152, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1321\mathfrak{e}_7 \otimes \mathfrak{e}_6^{3,3} 13151\mathbf{2} \quad \Delta = -100, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$15131\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} 1231\mathbf{2} \quad \Delta = -100, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$15131\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} 1231\mathbf{4} \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$15131\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} 1231\mathbf{3} \quad \Delta = -108, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\mathfrak{e}_7 \otimes \mathfrak{e}_6^{3,3} 13151\mathbf{3} \quad \Delta = -108, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$15131\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} 1231\mathbf{2} \quad \Delta = -102, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\mathfrak{e}_6 \otimes \mathfrak{e}_7^{1,3,3} 1231512$$

$$1\mathfrak{e}_6 \otimes \mathfrak{e}_7^{1,3,3} 1231512\mathbf{3} \quad \Delta = -101, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathfrak{e}_6 \otimes \mathfrak{e}_7^{31,3,3} 1231512 \quad \Delta = -100, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathfrak{e}_6 \otimes \mathfrak{e}_7^{21,3,3} 1231512 \quad \Delta = -92, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\mathfrak{e}_6 \otimes \mathfrak{e}_7^{1,3,3} 1231\mathbf{5}1$$

$$1\mathfrak{e}_6 \otimes \mathfrak{e}_7^{1,3,3} 1231\mathbf{5}1\mathbf{2} \quad \Delta = -92, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathfrak{e}_6 \otimes \mathfrak{e}_7^{21,3,3} 1231\mathbf{5}1 \quad \Delta = -92, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathfrak{e}_6 \otimes \mathfrak{e}_7^{1,3,3} 1231\mathbf{5}1\mathbf{3} \quad \Delta = -100, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathfrak{e}_6 \otimes \mathfrak{e}_7^{31,3,3} 1231\mathbf{5}1 \quad \Delta = -100, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\mathfrak{e}_6 \otimes \mathfrak{e}_7^{1,3,4} 1231$$

$$\begin{aligned}
1\epsilon_6^1 \otimes \epsilon_7^{3,4} 1231\mathbf{5} \quad \Delta = -150, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_4 \\
1\epsilon_6^1 \otimes \epsilon_7^{3,4} 1231\mathbf{2} \quad \Delta = -98, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
1\epsilon_6^1 \otimes \epsilon_7^{3,4} 1231\mathbf{2} \quad \Delta = -100, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1\epsilon_6^1 \otimes \epsilon_7^{3,4} 1231\mathbf{3} \quad \Delta = -106, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1\epsilon_6^{3,1} \otimes \epsilon_7^{3,4} 1231 \quad \Delta = -106, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1\epsilon_6^1 \otimes \epsilon_7^{3,4} 1231\mathbf{4} \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
1\epsilon_6^{2,1} \otimes \epsilon_7^{3,4} 1231 \quad \Delta = -98, n_+ = 1, n_- = 16, n_0 = 0 \quad &\rightarrow \mathbb{F}_1
\end{aligned}$$

$$\text{Base: } 414 \otimes \epsilon_7^{3,2} \otimes \epsilon_7^{3,3} \epsilon_7' 12$$

$$414 \otimes \epsilon_7^{3,2} \otimes \epsilon_7^{3,3} \epsilon_7' 12\mathbf{3} \quad \Delta = -132, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 14 \otimes \epsilon_7^{2,3} \otimes \epsilon_7^{3,3} \epsilon_7' 122$$

$$221\epsilon_7' \otimes \epsilon_7^{3,3} \otimes 41\mathbf{2} \quad \Delta = -95, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$14 \otimes \epsilon_7^{2,3} \otimes \epsilon_7^{3,3} \epsilon_7' 122\mathbf{3} \quad \Delta = -104, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221\epsilon_7' \otimes \epsilon_7^{3,3} \otimes 41\mathbf{4} \quad \Delta = -123, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$221\epsilon_7' \otimes \epsilon_7^{3,3} \otimes 41\mathbf{3} \quad \Delta = -103, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1321\epsilon_7' \otimes \epsilon_7^{3,3} \epsilon_7' 12313$$

$$1321\epsilon_7'^2 \otimes \epsilon_7^{3,3} \epsilon_7' 12313 \quad \Delta = -86, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$31321\epsilon_7 \otimes \epsilon_7^{3,3} \epsilon_7' 1231\mathbf{5} \quad \Delta = -136, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$31321\epsilon_7 \otimes \epsilon_7^{3,3} \epsilon_7' 1231\mathbf{4} \quad \Delta = -112, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1321\epsilon_7' \otimes \epsilon_7^{3,3} \epsilon_7' 1231\mathbf{3} \quad \Delta = -85, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$31321\epsilon_7 \otimes \epsilon_7^{3,3} \epsilon_7' 1231\mathbf{3} \quad \Delta = -92, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$31321\epsilon_7 \otimes \epsilon_7^{3,3} \epsilon_7' 1231\mathbf{2} \quad \Delta = -84, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 4 \otimes \epsilon_7^{3,2} \otimes \epsilon_7^{3,3} \epsilon_7' 1231$$

$$4 \otimes \epsilon_7^{3,2} \otimes \epsilon_7^{3,3} \epsilon_7' 1231\mathbf{2} \quad \Delta = -104, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$4 \otimes \epsilon_7^{3,2} \otimes \epsilon_7^{3,3} \epsilon_7' 1231\mathbf{5} \quad \Delta = -156, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$4 \otimes \epsilon_7^{3,2} \otimes \epsilon_7^{3,3} \epsilon_7' 1231\mathbf{4} \quad \Delta = -132, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\epsilon_7'^{2,1} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,2} 41$$

$$21\epsilon_7' \otimes \epsilon_7^{3,3} \otimes 41 \quad \Delta = -95, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7' \otimes \epsilon_7^{3,3} \otimes 41\mathbf{4} \quad \Delta = -123, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\epsilon_7' \otimes \epsilon_7^{3,3} \otimes 41\mathbf{2} \quad \Delta = -95, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7'^{3,2,1} \otimes \epsilon_7^{3,3} \otimes 41 \quad \Delta = -104, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_7' \otimes \epsilon_7^{3,3} \otimes 41\mathbf{3} \quad \Delta = -103, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 21\epsilon_6 \otimes \epsilon_7^{3,3} \epsilon_7' 1232151$$

$$21\epsilon_6 \otimes \epsilon_7^{3,3} \epsilon_7' 1232151\mathbf{2} \quad \Delta = -94, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\epsilon_6 \otimes \epsilon_7^{3,3} \epsilon_7' 1232151\mathbf{3} \quad \Delta = -102, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1512321\epsilon_7 \otimes \epsilon_6^{3,3} 12\mathbf{3} \quad \Delta = -103, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 4 \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 131$$

$$4 \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 131\mathbf{6} \quad \Delta = -156, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$4 \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 131\mathbf{5} \quad \Delta = -130, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$4^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6 131\mathbf{2} \quad \Delta = -78, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$4^{2,2} \otimes \mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_7 12321 \textcolor{red}{7} \quad \Delta = -183, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$4 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_7 12321\mathbf{5} \quad \Delta = -130, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$4^{2,2} \otimes \mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_7 12321 \mathbf{2} \quad \Delta = -78, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$4^{2,2} \otimes \mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_7 12321 \mathbf{3} \quad \Delta = -86, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$4^{2,2} \otimes \mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_7^{12321} \mathbf{8} \quad \Delta = -211, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$4^{2,2} \otimes \mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_7^{12321\mathbf{6}} \quad \Delta = -156, \quad n_+ = 1, \quad n_- = 16, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1_{\mathfrak{e}_6}^{1,3,3} \otimes \mathfrak{e}_{71232151\mathbf{2}} \quad \Delta = -94, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\overset{21}{\mathbf{e}}_6^{3,3} \otimes \mathbf{e}_7 1232151 \quad \Delta = -94, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1_{\mathfrak{e}_6}^{1\ 3,3} \otimes \mathfrak{e}_7^{1232151\mathbf{3}} \quad \Delta = -102, \ n_+ = 1, \ n_- = 16, \ n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{31\ 3,3} \otimes \mathbf{e}_7 1232151 \quad \Delta = -102, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $3221\mathfrak{e}'_7 \overset{3,3}{\otimes} \mathfrak{e}_7 12321$

$$3221\mathfrak{e}'_7 \otimes^{3,3} \mathfrak{e}_7 12321\mathbf{3} \quad \Delta = -86, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$3221\mathbf{e}'_7 \otimes \mathbf{e}_7^{3,3} 12321\mathbf{e}_7 \quad \Delta = -78, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$3221\mathbf{e}'_7{}^{3,3} \otimes \mathbf{e}_7 12321\mathbf{8} \quad \Delta = -211, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$3221\mathbf{e}'_7{}^{3,3} \otimes \mathbf{e}_7 12321\mathbf{4} \quad \Delta = -106, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$3221\mathbf{e}'_7 \otimes^{3,3} \mathbf{e}_7 12321\mathbf{5} \quad \Delta = -130, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$3221\mathbf{e}'_7{}^{3,3} \otimes \mathbf{e}_7 12321\mathbf{6} \quad \Delta = -156, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$3221\mathbf{e}'_7{}^{3,3} \otimes \mathbf{e}_7 12321\mathbf{7} \quad \Delta = -183, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

Base: $4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \overset{21}{\mathfrak{e}_7'} 1$

$$4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}'_7 \mathbf{12} \quad \Delta = -97, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \epsilon_7' \overset{321}{\otimes} \overset{3,3}{\epsilon_7} 12321$

$$1 \overset{321}{\mathfrak{e}}_7' \otimes \overset{3,3}{\mathfrak{e}}_7 123218 \quad \Delta = -211, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$1\mathbf{e}'_{7^{3,3}} \otimes \mathbf{e}_7 12321\mathbf{5} \quad \Delta = -130, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_{7'}^{321} \otimes \epsilon_{7'}^{3,3} 12321\textcolor{red}{7} \quad \Delta = -183, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1\epsilon_7^{321} \otimes \epsilon_7^{12321\mathbf{6}} \quad \Delta = -156, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\text{e}_7^{2321\ 3,3} \otimes \text{e}_7 12321 \quad \Delta = -80, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \mathbf{e}_7^{321} \otimes \mathbf{e}_7^{12321} \quad \Delta = -86, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\overset{321}{\mathbf{e}}_7' \otimes \mathbf{e}_{712321}\mathbf{2} \quad \Delta = -78, n_+ = 1, n_- = 16, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^{321} \otimes \epsilon_7^{123214} \quad \Delta = -106, \quad n_+ = 1, \quad n_- = 16, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $2^{1223151321812} 3^1$

$$\text{(12)} \quad 2 \quad 3 \quad 1 \quad \Delta = -271, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$2 \quad 3 \quad 1 \quad \Delta = -75, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2 \quad 3 \quad 1 \quad \Delta = -156, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\begin{aligned}
& \overset{4}{2} \overset{1223151321812}{3} 1 \quad \Delta = -51, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \overset{6}{2} \overset{1223151321812}{3} 1 \quad \Delta = -101, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \overset{3}{2} \overset{1223151321812}{3} 1 \quad \Delta = -31, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \overset{7}{2} \overset{1223151321812}{3} 1 \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \overset{2}{2} \overset{1223151321812}{3} 1 \quad \Delta = -23, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1321\epsilon'_7 \otimes \epsilon_7^{3,3} 1232$

$$\begin{aligned}
& \overset{5}{2} \overset{1321712321812}{3} 1 \quad \Delta = -130, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \overset{4}{2} \overset{1321712321812}{3} 1 \quad \Delta = -106, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \overset{2}{2} \overset{1321712321812}{3} 1 \quad \Delta = -78, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \overset{2}{1321\epsilon'_7} \otimes \epsilon_7^{3,3} 1232 \quad \Delta = -80, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \overset{3}{2} \overset{1321712321812}{3} 1 \quad \Delta = -86, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $4 \otimes \epsilon_7^{4,2} \otimes \epsilon_7^{3,3} 122$

$$4 \otimes \epsilon_7^{4,2} \otimes \epsilon_7^{3,3} 122\textcolor{red}{3} \quad \Delta = -132, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $2221\epsilon_7 \otimes \epsilon_7^{3,3} 12231$

$$\begin{aligned}
& 2221\epsilon_7 \otimes \epsilon_7^{3,3} 12231\textcolor{red}{4} \quad \Delta = -123, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 2221\epsilon_7 \otimes \epsilon_7^{3,3} 12231\textcolor{red}{2} \quad \Delta = -95, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 2221\epsilon_7 \otimes \epsilon_7^{3,3} 12231\textcolor{red}{3} \quad \Delta = -103, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 2221\epsilon_7 \otimes \epsilon_7^{3,3} 12231\textcolor{red}{5} \quad \Delta = -147, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $2221\epsilon_7 \otimes \epsilon_7^{3,3} 12313$

$$2221\epsilon_7 \otimes \epsilon_7^{3,3} 12313\textcolor{red}{2} \quad \Delta = -104, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_7 \otimes \epsilon_6^{1,5,3} 131$

$$\begin{aligned}
& 1\epsilon_7 \otimes \epsilon_6^{1,5,3} 131\textcolor{red}{2} \quad \Delta = -97, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1\epsilon_7 \otimes \epsilon_6^{1,5,3} 131\textcolor{red}{5} \quad \Delta = -149, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& 1\epsilon_7 \otimes \epsilon_6^{1,5,3} 131\textcolor{red}{6} \quad \Delta = -175, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_5 \\
& 1\epsilon_7 \otimes \epsilon_6^{21,5,3} 131 \quad \Delta = -97, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1\epsilon_7 \otimes \epsilon_6^{1,5,3} 131\textcolor{red}{3} \quad \Delta = -105, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1\epsilon_7 \otimes \epsilon_6^{1,5,3} 131\textcolor{red}{4} \quad \Delta = -125, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $1\epsilon_7 \otimes \epsilon_7^{1,5,5} \epsilon'_7 1$

$$\begin{aligned}
& 1\epsilon_7 \otimes \epsilon_7^{1,5,5} \epsilon'_7 1\textcolor{red}{2} \quad \Delta = -117, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1\epsilon_7 \otimes \epsilon_7^{21,5,5} \epsilon'_7 1 \quad \Delta = -117, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1\epsilon_7 \otimes \epsilon_7^{1,5,4} \epsilon'_7 12$

$$\begin{aligned}
& 1\epsilon_7 \otimes \epsilon_7^{21,5,4} \epsilon'_7 12 \quad \Delta = -117, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1\epsilon_7 \otimes \epsilon_7^{1,5,4} \epsilon'_7 12\textcolor{red}{3} \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $1\epsilon'_7 \otimes \epsilon_7^{1,4,5} \epsilon_7 1$

$$\begin{aligned}
& 1\epsilon'_7 \otimes \epsilon_7^{21,4,5} \epsilon_7 1 \quad \Delta = -117, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1\epsilon'_7 \otimes \epsilon_7^{1,4,5} \epsilon_7 1\textcolor{red}{2} \quad \Delta = -117, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1\epsilon_7 \otimes \epsilon_6^{1,3,3} \otimes \epsilon_6^{2,2} 123$

$$1\epsilon_7 \otimes \epsilon_6^{21,3,3} \otimes \epsilon_6^{2,2} 123 \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^1 \otimes \epsilon_6^{3,3} \otimes \epsilon_6^{2,2} 123\mathbf{2} \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\epsilon_7^1 \otimes \epsilon_7'^{4,4} 123$$

$$1\epsilon_7^{21} \otimes \epsilon_7'^{4,4} 123 \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^1 \otimes \epsilon_7'^{4,4} 123\mathbf{2} \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\epsilon_7^1 \otimes \epsilon_7'^{3,3} 1231513$$

$$1\epsilon_7^{21} \otimes \epsilon_7'^{3,3} 1231513 \quad \Delta = -127, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^1 \otimes \epsilon_7'^{3,3} 1231513\mathbf{2} \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\epsilon_7^{21} \otimes \epsilon_6^{4,3} 131$$

$$1\epsilon_7^{21} \otimes \epsilon_6^{4,3} 131\mathbf{6} \quad \Delta = -175, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1\epsilon_7^{21} \otimes \epsilon_6^{4,3} 131\mathbf{4} \quad \Delta = -125, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^{21} \otimes \epsilon_6^{4,3} 131\mathbf{5} \quad \Delta = -149, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\epsilon_7^{321} \otimes \epsilon_6^{4,3} 131 \quad \Delta = -106, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^{21} \otimes \epsilon_6^{4,3} 131\mathbf{3} \quad \Delta = -105, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\epsilon_7^{21} \otimes \epsilon_6^{4,3} 131 \quad \Delta = -97, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{21} \otimes \epsilon_6^{4,3} 131\mathbf{2} \quad \Delta = -97, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1\epsilon_7^{21} \otimes \epsilon_6^{3,3} \otimes \epsilon_6^{2,2} 12$$

$$21\epsilon_7^{21} \otimes \epsilon_6^{3,3} \otimes \epsilon_6^{2,2} 12 \quad \Delta = -117, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\epsilon_6^1 \otimes \epsilon_6^{2,2} \otimes \epsilon_7^{3,3} 1$$

$$1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_7^{3,3} 1 \quad \Delta = -117, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_6^{31} \otimes \epsilon_6^{2,2} \otimes \epsilon_7^{3,3} 1 \quad \Delta = -125, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_6^1 \otimes \epsilon_6^{2,2} \otimes \epsilon_7^{3,3} \mathbf{3} 21 \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^1 \otimes \epsilon_6^{2,2} \otimes \epsilon_7^{3,3} \mathbf{1} 2 \quad \Delta = -117, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\epsilon_7^{21} \otimes \epsilon_7'^{4,5} 1$$

$$21\epsilon_7^{21} \otimes \epsilon_7'^{4,5} 1 \quad \Delta = -117, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{21} \otimes \epsilon_7'^{4,5} \mathbf{1} 2 \quad \Delta = -117, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{321} \otimes \epsilon_7'^{4,5} 1 \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\epsilon_7^{21} \otimes \epsilon_7'^{4,4} 12$$

$$21\epsilon_7^{21} \otimes \epsilon_7'^{4,4} 12 \quad \Delta = -117, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\epsilon_7^{21} \otimes \epsilon_7'^{3,3} 123151$$

$$1\epsilon_7^{21} \otimes \epsilon_7'^{3,3} 123151\mathbf{2} \quad \Delta = -119, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\epsilon_7^{21} \otimes \epsilon_7'^{3,3} 123151 \quad \Delta = -119, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^{321} \otimes \epsilon_7'^{3,3} 123151 \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1\epsilon_7^{21} \otimes \epsilon_7'^{3,3} 123215$$

$$1\epsilon_7^{321} \otimes \epsilon_7'^{3,3} 123215 \quad \Delta = -130, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\epsilon_7^{21} \otimes \epsilon_7'^{3,3} 123215 \quad \Delta = -121, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\epsilon_7'^1 \otimes \epsilon_7^{4,4} 1$$

$$1\epsilon_7'^{21} \otimes \epsilon_7^{4,4} 1 \quad \Delta = -117, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_7'^1 \otimes \epsilon_7^{4,4} \mathbf{1} 2 \quad \Delta = -117, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \mathfrak{e}'_7 \otimes \mathfrak{e}'_7 1 \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 4 \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_7 1$$

$$4 \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_7 1 \quad \Delta = -132, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1 \mathfrak{e}_7 \otimes \mathfrak{e}'_7 12321$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}'_7 12321 \mathbf{8} \quad \Delta = -202, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}'_7 12321 \mathbf{2} \quad \Delta = -69, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}'_7 12321 \mathbf{7} \quad \Delta = -174, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}'_7 12321 \mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221 \mathfrak{e}_7 \otimes \mathfrak{e}'_7 12321 \quad \Delta = -69, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}'_7 12321 \mathbf{6} \quad \Delta = -147, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}'_7 12321 \quad \Delta = -78, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}'_7 12321 \mathbf{5} \quad \Delta = -121, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}'_7 12321 \mathbf{4} \quad \Delta = -97, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1 \mathfrak{e}_7 \otimes \mathfrak{e}_7 12231$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}_7 12231 \quad \Delta = -104, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}_7 12231 \mathbf{5} \quad \Delta = -147, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}_7 12231 \mathbf{4} \quad \Delta = -123, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}_7 12231 \mathbf{2} \quad \Delta = -95, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221 \mathfrak{e}_7 \otimes \mathfrak{e}_7 12231 \quad \Delta = -95, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}_7 12231 \mathbf{3} \quad \Delta = -103, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1 \mathfrak{e}_7 \otimes \mathfrak{e}_7 12313$$

$$221 \mathfrak{e}_7 \otimes \mathfrak{e}_7 12313 \quad \Delta = -103, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}_7 12313 \mathbf{2} \quad \Delta = -104, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1 \mathfrak{e}_7 \otimes \mathfrak{e}_7 1232$$

$$221 \mathfrak{e}_7 \otimes \mathfrak{e}_7 1232 \quad \Delta = -97, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1 \mathfrak{e}_7 \otimes \mathfrak{e}_7 1231$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}_7 1231 \mathbf{2} \quad \Delta = -104, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}_7 1231 \mathbf{4} \quad \Delta = -132, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}_7 1231 \mathbf{5} \quad \Delta = -156, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}_7 1231 \mathbf{2} \quad \Delta = -106, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}_7 1231 \mathbf{3} \quad \Delta = -112, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1 \mathfrak{e}_7 \otimes \mathfrak{e}_6 \otimes \mathfrak{e}_6 1$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}_6 \otimes \mathfrak{e}_6 1 \mathbf{3} \quad \Delta = -134, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}_6 \otimes \mathfrak{e}_6 1 \mathbf{2} \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \mathfrak{e}_7 \otimes \mathfrak{e}_6 \otimes \mathfrak{e}_6 1 \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } \mathfrak{e}'_7 \otimes \mathfrak{e}_7 1$$

$$\mathfrak{e}'_7 \otimes \mathfrak{e}_7 1 \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1 \mathfrak{e}_7 \otimes \mathfrak{e}'_7 1$$

$$1 \overset{2321}{\mathfrak{e}}_7 \otimes \overset{4,4}{\mathfrak{e}}'_7 1 \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{321}{\mathfrak{e}}_7 \otimes \overset{4,4}{\mathfrak{e}}'_7 12 \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1 \overset{321}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}'_7 12315$$

$$1 \overset{2321}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}'_7 12315 \quad \Delta = -130, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1 \overset{1223151321}{\mathfrak{e}}_7 1231$$

$$1 \overset{41223151321}{\mathfrak{e}}_7 1231 \quad \Delta = -49, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1321 \overset{1223151321}{\mathfrak{e}}_7 12 \quad \Delta = -21, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{1223151321}{\mathfrak{e}}_7 1231 \overset{2}{\quad} \Delta = -23, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{1223151321}{\mathfrak{e}}_7 12313 \quad \Delta = -29, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{51223151321}{\mathfrak{e}}_7 1231 \quad \Delta = -73, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{1223151321}{\mathfrak{e}}_7 12315 \quad \Delta = -73, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{71223151321}{\mathfrak{e}}_7 1231 \quad \Delta = -126, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{21223151321}{\mathfrak{e}}_7 1231 \quad \Delta = -21, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{31223151321}{\mathfrak{e}}_7 1231 \quad \Delta = -29, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{(12)1223151321}{\mathfrak{e}}_7 1231 \quad \Delta = -269, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$1 \overset{61223151321}{\mathfrak{e}}_7 1231 \quad \Delta = -99, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{81223151321}{\mathfrak{e}}_7 1231 \quad \Delta = -154, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \overset{1223151321}{\mathfrak{e}}_7 12312 \quad \Delta = -21, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{1223151321}{\mathfrak{e}}_7 12314 \quad \Delta = -49, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1 \overset{1321}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}'_7 1231$$

$$1 \overset{51321}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}'_7 1231 \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{1321}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}'_7 12315 \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \overset{1321}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}'_7 12314 \quad \Delta = -104, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{21321}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}'_7 1231 \quad \Delta = -76, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321 \overset{21}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}'_7 1231 \quad \Delta = -76, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{41321}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}'_7 1231 \quad \Delta = -104, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{1321}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}'_7 12313 \quad \Delta = -84, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{1321}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}'_7 12312 \quad \Delta = -76, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{1321}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}'_7 1231 \quad \Delta = -78, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{31321}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}'_7 1231 \quad \Delta = -84, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{1321}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}'_7 1231 \overset{2}{\quad} \Delta = -78, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1 \overset{123151321}{\mathfrak{e}}_7 12321$$

$$1 \overset{123151321}{\mathfrak{e}}_7 123217 \quad \Delta = -128, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{3123151321}{\mathfrak{e}}_7 12321 \quad \Delta = -31, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$12321 \overset{123151321}{\mathfrak{e}}_7 12 \quad \Delta = -23, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{123151321}{\mathfrak{e}}_7 123213 \quad \Delta = -31, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{8123151321}{\mathfrak{e}}_7 12321 \quad \Delta = -156, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1 \overset{123151321}{\mathfrak{e}}_7 123214 \quad \Delta = -51, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{4123151321}{\mathfrak{e}}_7 12321 \quad \Delta = -51, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{6123151321}{\mathfrak{e}}_7 12321 \quad \Delta = -101, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{2123151321}{\mathfrak{e}}_7 12321 \quad \Delta = -23, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_1$$

[illegible]

$$\begin{aligned}
221\mathfrak{e}_7^{21\ 3,3\ 1} \otimes \mathfrak{e}_7^{1231} \quad \Delta = -95, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\mathfrak{e}_7^{221\ 3,3\ 1} \otimes \mathfrak{e}_7^{12314} \quad \Delta = -123, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\mathfrak{e}_7^{221\ 3,3\ 1} \otimes \mathfrak{e}_7^{12315} \quad \Delta = -147, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{12321}$

$$\begin{aligned}
21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{123214} \quad \Delta = -97, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{123217} \quad \Delta = -174, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
21\mathfrak{e}_7^{321\ 3,3} \otimes \mathfrak{e}_7^{12321} \quad \Delta = -78, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{123213} \quad \Delta = -77, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{123212} \quad \Delta = -69, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{123218} \quad \Delta = -202, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{123216} \quad \Delta = -147, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{12231}$

$$\begin{aligned}
21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{122312} \quad \Delta = -95, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{122314} \quad \Delta = -123, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21\mathfrak{e}_7^{321\ 3,3} \otimes \mathfrak{e}_7^{12231} \quad \Delta = -104, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{122315} \quad \Delta = -147, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{122313} \quad \Delta = -103, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{12313}$

$$21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{123132} \quad \Delta = -104, n_+ = 1, n_- = 16, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\mathfrak{e}_7^{1321\ 3,3\ 21} \otimes \mathfrak{e}_7^{12}$

$$\begin{aligned}
1\mathfrak{e}_7^{31321\ 3,3\ 21} \otimes \mathfrak{e}_7^{12} \quad \Delta = -103, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\mathfrak{e}_7^{51321\ 3,3\ 21} \otimes \mathfrak{e}_7^{12} \quad \Delta = -147, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\mathfrak{e}_7^{41321\ 3,3\ 21} \otimes \mathfrak{e}_7^{12} \quad \Delta = -123, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\mathfrak{e}_7^{1321\ 3,3\ 21} \otimes \mathfrak{e}_7^{12} \quad \Delta = -97, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\mathfrak{e}_7^{1321\ 3,3\ 21} \otimes \mathfrak{e}_7^{123} \quad \Delta = -104, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1321\mathfrak{e}_7^{21\ 3,3\ 21} \otimes \mathfrak{e}_7^{12} \quad \Delta = -95, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\mathfrak{e}_7^{21321\ 3,3\ 21} \otimes \mathfrak{e}_7^{12} \quad \Delta = -95, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $21\mathfrak{e}_7^{321\ 3,3} \otimes \mathfrak{e}_7^{1231}$

$$\begin{aligned}
21\mathfrak{e}_7^{321\ 3,3} \otimes \mathfrak{e}_7^{12313} \quad \Delta = -112, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21\mathfrak{e}_7^{321\ 3,3} \otimes \mathfrak{e}_7^{12314} \quad \Delta = -132, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21\mathfrak{e}_7^{2321\ 3,3} \otimes \mathfrak{e}_7^{1231} \quad \Delta = -106, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21\mathfrak{e}_7^{321\ 3,3} \otimes \mathfrak{e}_7^{12312} \quad \Delta = -106, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21\mathfrak{e}_7^{321\ 3,3} \otimes \mathfrak{e}_7^{12315} \quad \Delta = -156, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21\mathfrak{e}_7^{321\ 3,3} \otimes \mathfrak{e}_7^{12312} \quad \Delta = -104, n_+ = 1, n_- = 16, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

$T = 17$ (935 bases)

Base: $14\mathfrak{e}_8^{2,4\ 4,2} \otimes 4132$

$$\begin{aligned}
2314\mathfrak{e}_8^{4,2\ 2,4} \otimes 413 \quad \Delta = -119, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
2314\mathfrak{e}_8^{4,2\ 2,4} \otimes 414 \quad \Delta = -139, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

$2314 \otimes_{\mathfrak{e}_8}^{4,2} \otimes_{\mathfrak{e}_8}^{2,4} 41\textcolor{red}{2} \quad \Delta = -111, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$
Base: $1414 \otimes_{\mathfrak{e}_8}^{2,4} 1223132$
 $2313221\mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{2,4} 4141\textcolor{red}{4} \quad \Delta = -139, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{P}^2$
 $2313221\mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{2,4} 4141\textcolor{red}{3} \quad \Delta = -119, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_0$
 $2313221\mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{2,4} 4141\textcolor{red}{2} \quad \Delta = -111, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$
Base: $231414 \otimes_{\mathfrak{e}_8}^{2,4} 12231$
 $231414 \otimes_{\mathfrak{e}_8}^{2,4} 12231\textcolor{red}{3} \quad \Delta = -119, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$
 $231414 \otimes_{\mathfrak{e}_8}^{2,4} 12231\textcolor{red}{5} \quad \Delta = -163, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_4$
 $231414 \otimes_{\mathfrak{e}_8}^{2,4} 12231\textcolor{red}{4} \quad \Delta = -139, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_3$
 $231414 \otimes_{\mathfrak{e}_8}^{2,4} 12231\textcolor{red}{2} \quad \Delta = -111, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{P}^2$
Base: $141414 \otimes_{\mathfrak{e}_8}^{2,4} 12222$
 $22221\mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{2,4} 414141\textcolor{red}{2} \quad \Delta = -121, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$
 $22221\mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{2,4} 414141\textcolor{red}{3} \quad \Delta = -129, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_0$
 $22221\mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{2,4} 414141\textcolor{red}{4} \quad \Delta = -149, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{P}^2$
Base: $3141414 \otimes_{\mathfrak{e}_8}^{2,4} 1222$
 $2221\mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{2,4} 414141\textcolor{red}{3} \quad \Delta = -130, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_0$
Base: $23141414 \otimes_{\mathfrak{e}_8}^{2,4} 122$
 $23141414 \otimes_{\mathfrak{e}_8}^{2,4} 122\textcolor{red}{3} \quad \Delta = -139, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_3$
Base: $22313221\mathfrak{e}_8 12231512$
 $22313221\mathfrak{e}_8 12231512\textcolor{red}{3} \quad \Delta = -116, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$
Base: $2313221\mathfrak{e}_8 122315123$
 $2313221\mathfrak{e}_8 122315123\textcolor{red}{2} \quad \Delta = -118, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$
Base: $222221\mathfrak{e}_8 122315131$
 $222221\mathfrak{e}_8 122315131\textcolor{red}{2} \quad \Delta = -97, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_0$
 $222221\mathfrak{e}_8 122315131\textcolor{red}{4} \quad \Delta = -125, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$
 $222221\mathfrak{e}_8 122315131\textcolor{red}{6} \quad \Delta = -175, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_4$
 $222221\mathfrak{e}_8 122315131\textcolor{red}{2} \quad \Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{P}^2$
 $222221\mathfrak{e}_8 122315131\textcolor{red}{3} \quad \Delta = -105, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{P}^2$
 $222221\mathfrak{e}_8 122315131\textcolor{red}{5} \quad \Delta = -149, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_3$
Base: $22313221\mathfrak{e}_8 1223151\textcolor{red}{1}$
 $22313221\mathfrak{e}_8 1223151\textcolor{red}{3} \quad \Delta = -115, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$
 $22313221\mathfrak{e}_8 1223151\textcolor{red}{2} \quad \Delta = -107, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{P}^2$
Base: $2313221\mathfrak{e}_8 1223151\textcolor{red}{3}$
 $2313221\mathfrak{e}_8 1223151\textcolor{red}{3} \quad \Delta = -116, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$
Base: $13221\mathfrak{e}_8 1223151\textcolor{red}{3}22$
 $\textcolor{red}{5}13221(12)12231 \quad \Delta = -159, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$
 $\textcolor{red}{3}13221(12)12231 \quad \Delta = -115, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_0$
 $\textcolor{red}{2}13221(12)12231 \quad \Delta = -107, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$
 $\textcolor{red}{4}13221(12)12231 \quad \Delta = -135, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{P}^2$
Base: $1\mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{1,4,2} 414141322$

$$\begin{aligned}
1^{4131513221} \mathfrak{e}_8^{122222} \quad \Delta = -125, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1^{2131513221} \mathfrak{e}_8^{122222} \quad \Delta = -97, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1^{5131513221} \mathfrak{e}_8^{122222} \quad \Delta = -149, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
222221^{131513221} \mathfrak{e}_8^{12} \quad \Delta = -97, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1^{6131513221} \mathfrak{e}_8^{122222} \quad \Delta = -175, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_4 \\
1^{3131513221} \mathfrak{e}_8^{122222} \quad \Delta = -105, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
1^{131513221} \mathfrak{e}_8^{122222} \quad \Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
\text{Base: } 1^{1513221} \mathfrak{e}_8^{1223132} \\
1^{31513221} \mathfrak{e}_8^{1223132} \quad \Delta = -115, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
2313221^{1513221} \mathfrak{e}_8^{12} \quad \Delta = -107, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1^{21513221} \mathfrak{e}_8^{1223132} \quad \Delta = -107, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
\text{Base: } 1^{31513221} \mathfrak{e}_8^{122313} \\
313221^{31513221} \mathfrak{e}_8^{12} \quad \Delta = -114, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1^{231513221} \mathfrak{e}_8^{12231} \\
1^{231513221} \mathfrak{e}_8^{122315} \quad \Delta = -159, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1^{231513221} \mathfrak{e}_8^{122314} \quad \Delta = -135, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
1^{231513221} \mathfrak{e}_8^{122313} \quad \Delta = -115, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
13221^{231513221} \mathfrak{e}_8^{12} \quad \Delta = -107, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1^{231513221} \mathfrak{e}_8^{122312} \quad \Delta = -107, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
\text{Base: } 14^{2,4} \otimes \mathfrak{e}_8^{21} \otimes 41^{4,2} \\
14^{4,2} \otimes \mathfrak{e}_8^{21} \otimes 41^{2,4} \quad \Delta = -102, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
14^{4,2} \otimes \mathfrak{e}_8^{21} \otimes 41^{4,4} \quad \Delta = -130, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
14^{4,2} \otimes \mathfrak{e}_8^{21} \otimes 41^{3,4} \quad \Delta = -110, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
\text{Base: } 21^{13221} \otimes \mathfrak{e}_8^{4,2} \otimes 41^{4,2} \\
21^{213221} \otimes \mathfrak{e}_8^{4,2} \otimes 41^{4,2} \quad \Delta = -102, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
21^{13221} \otimes \mathfrak{e}_8^{4,2} \otimes 41^{4,4} \quad \Delta = -130, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_4 \\
21^{513221} \otimes \mathfrak{e}_8^{4,2} \otimes 41^{4,2} \quad \Delta = -154, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
21^{413221} \otimes \mathfrak{e}_8^{4,2} \otimes 41^{4,2} \quad \Delta = -130, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
21^{13221} \otimes \mathfrak{e}_8^{4,2} \otimes 41^{4,3} \quad \Delta = -110, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
21^{13221} \otimes \mathfrak{e}_8^{4,2} \otimes 41^{4,2} \quad \Delta = -102, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
\text{Base: } 21^{221} \otimes \mathfrak{e}_8^{4,2} \otimes 41^{4,2} \\
21^{221} \otimes \mathfrak{e}_8^{4,2} \otimes 41^{4,4} \quad \Delta = -129, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
21^{3221} \otimes \mathfrak{e}_8^{4,2} \otimes 41^{4,2} \quad \Delta = -130, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
21^{221} \otimes \mathfrak{e}_8^{4,2} \otimes 41^{4,4} \quad \Delta = -149, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_4 \\
21^{221} \otimes \mathfrak{e}_8^{4,2} \otimes 41^{4,2} \quad \Delta = -121, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
\text{Base: } 21^{321513221} \mathfrak{e}_8^{12231} \\
21^{321513221} \mathfrak{e}_8^{122312} \quad \Delta = -107, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
21^{321513221} \mathfrak{e}_8^{122314} \quad \Delta = -135, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
21^{321513221} \mathfrak{e}_8^{122315} \quad \Delta = -159, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
\text{Base: } 21^{131513221} \mathfrak{e}_8^{12222} \\
21^{131513221} \mathfrak{e}_8^{12222} \quad \Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{P}^2
\end{aligned}$$

$$\begin{aligned}
21^{4131513221} \mathfrak{e}_8 12222 \quad \Delta = -125, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21^{3131513221} \mathfrak{e}_8 12222 \quad \Delta = -105, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21^{2131513221} \mathfrak{e}_8 12222 \quad \Delta = -97, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21^{5131513221} \mathfrak{e}_8 12222 \quad \Delta = -149, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21^{6131513221} \mathfrak{e}_8 12222 \quad \Delta = -175, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $21^{1513221} \mathfrak{e}_8 122313$

$$21^{21513221} \mathfrak{e}_8 122313 \quad \Delta = -106, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21^{31513221} \mathfrak{e}_8 12231$

$$21^{31513221} \mathfrak{e}_8 122315 \quad \Delta = -158, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{31513221} \mathfrak{e}_8 122314 \quad \Delta = -134, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21^{31513221} \mathfrak{e}_8 122312 \quad \Delta = -106, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $13221^{1513221} \mathfrak{e}_8 1223$

$$13221^{31513221} \mathfrak{e}_8 1223 \quad \Delta = -115, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$13221^{21513221} \mathfrak{e}_8 1223 \quad \Delta = -107, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $4 \otimes^{4,2} \mathfrak{e}_8 122$

$$4 \otimes^{4,2} \mathfrak{e}_8 122 \quad \Delta = -134, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $221^{21513221} \mathfrak{e}_8 12231$

$$221^{21513221} \mathfrak{e}_8 122314 \quad \Delta = -126, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221^{321513221} \mathfrak{e}_8 12231 \quad \Delta = -107, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221^{21513221} \mathfrak{e}_8 122313 \quad \Delta = -106, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221^{21513221} \mathfrak{e}_8 122315 \quad \Delta = -150, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221^{21513221} \mathfrak{e}_8 122312 \quad \Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $221^{131513221} \mathfrak{e}_8 1222$

$$221^{6131513221} \mathfrak{e}_8 1222 \quad \Delta = -175, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$221^{4131513221} \mathfrak{e}_8 1222 \quad \Delta = -125, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221^{5131513221} \mathfrak{e}_8 1222 \quad \Delta = -149, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$2221^{131513221} \mathfrak{e}_8 1223 \quad \Delta = -106, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221^{2131513221} \mathfrak{e}_8 1222 \quad \Delta = -97, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221^{3131513221} \mathfrak{e}_8 1222 \quad \Delta = -105, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221^{131513221} \mathfrak{e}_8 1222 \quad \Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $4 \otimes^{5,3} \mathfrak{e}_8 122$

$$4 \otimes^{5,3} \mathfrak{e}_8 1223 \quad \Delta = -134, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $221^{1513221} \mathfrak{e}_8 12231$

$$13221^{1513221} \mathfrak{e}_8 1223 \quad \Delta = -107, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221^{1513221} \mathfrak{e}_8 122313 \quad \Delta = -106, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221^{1513221} \mathfrak{e}_8 122314 \quad \Delta = -126, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221^{31513221} \mathfrak{e}_8 12231 \quad \Delta = -106, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221^{1513221} \mathfrak{e}_8 122315 \quad \Delta = -150, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221^{21513221} \mathfrak{e}_8 12231 \quad \Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221^{1513221} \mathfrak{e}_8 122312 \quad \Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1^{1,21513221} \mathfrak{e}_8 122313$

$$\begin{aligned}
& 1^{1,21513221} \mathfrak{e}_8^{122313} \Delta = -107, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 313221^{1,21513221} \mathfrak{e}_8^{12} \Delta = -106, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1^{1,321513221} \mathfrak{e}_8^{12231} \\
& 1^{1,2321513221} \mathfrak{e}_8^{12231} \Delta = -109, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{1,321513221} \mathfrak{e}_8^{122314} \Delta = -135, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1^{1,321513221} \mathfrak{e}_8^{122315} \Delta = -159, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1^{1,321513221} \mathfrak{e}_8^{122312} \Delta = -107, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 13221^{1,321513221} \mathfrak{e}_8^{12} \Delta = -107, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{1,321513221} \mathfrak{e}_8^{122313} \Delta = -115, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1^{1,131513221} \mathfrak{e}_8^{12222} \\
& 1^{1,5131513221} \mathfrak{e}_8^{12222} \Delta = -149, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1^{1,6131513221} \mathfrak{e}_8^{12222} \Delta = -175, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1^{1,3131513221} \mathfrak{e}_8^{12222} \Delta = -105, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1^{1,131513221} \mathfrak{e}_8^{12222} \Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 22221^{1,131513221} \mathfrak{e}_8^{12} \Delta = -97, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{1,4131513221} \mathfrak{e}_8^{12222} \Delta = -125, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{1,2131513221} \mathfrak{e}_8^{12222} \Delta = -97, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1^{1,1513221} \mathfrak{e}_8^{122313} \\
& 313221^{1,1513221} \mathfrak{e}_8^{12} \Delta = -106, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{1,1513221} \mathfrak{e}_8^{1223132} \Delta = -107, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{1,21513221} \mathfrak{e}_8^{122313} \Delta = -106, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 1^{1,31513221} \mathfrak{e}_8^{12231} \\
& 1^{1,31513221} \mathfrak{e}_8^{122313} \Delta = -114, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{1,31513221} \mathfrak{e}_8^{122314} \Delta = -134, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1^{1,31513221} \mathfrak{e}_8^{122312} \Delta = -106, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 13221^{1,31513221} \mathfrak{e}_8^{12} \Delta = -106, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{1,231513221} \mathfrak{e}_8^{12231} \Delta = -107, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{1,31513221} \mathfrak{e}_8^{122315} \Delta = -158, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1^{21,21513221} \mathfrak{e}_8^{12231} \\
& 1^{21,21513221} \mathfrak{e}_8^{122312} \Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1^{21,21513221} \mathfrak{e}_8^{122314} \Delta = -126, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 13221^{21,21513221} \mathfrak{e}_8^{12} \Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{21,21513221} \mathfrak{e}_8^{122315} \Delta = -150, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1^{21,131513221} \mathfrak{e}_8^{1222} \\
& 1^{21,6131513221} \mathfrak{e}_8^{1222} \Delta = -175, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1^{21,2131513221} \mathfrak{e}_8^{1222} \Delta = -97, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 2221^{21,131513221} \mathfrak{e}_8^{12} \Delta = -97, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{21,4131513221} \mathfrak{e}_8^{1222} \Delta = -125, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{21,3131513221} \mathfrak{e}_8^{1222} \Delta = -105, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1^{21,5131513221} \mathfrak{e}_8^{1222} \Delta = -149, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1^{21,131513221} \mathfrak{e}_8^{1222} \Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1^{21,1513221} \epsilon_8 12231$

- $1^{21,1513221} \epsilon_8 122314$ $\Delta = -126, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$
 $13221^{21,1513221} \epsilon_8 12$ $\Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1^{21,21513221} \epsilon_8 12231$ $\Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1^{21,1513221} \epsilon_8 122315$ $\Delta = -150, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1^{21,1513221} \epsilon_8 122312$ $\Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: $1^{221,131513221} \epsilon_8 122$

- $1^{221,5131513221} \epsilon_8 122$ $\Delta = -149, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$
 $1^{221,3131513221} \epsilon_8 122$ $\Delta = -105, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1^{221,4131513221} \epsilon_8 122$ $\Delta = -125, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1^{221,2131513221} \epsilon_8 122$ $\Delta = -97, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$
 $221^{221,131513221} \epsilon_8 12$ $\Delta = -97, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1^{221,131513221} \epsilon_8 122$ $\Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1^{221,6131513221} \epsilon_8 122$ $\Delta = -175, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1^{221,131513221} \epsilon_8 1223$ $\Delta = -106, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$

Base: $21^{221,131513221} \epsilon_8 12$

- $21^{221,5131513221} \epsilon_8 12$ $\Delta = -149, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$
 $21^{221,3131513221} \epsilon_8 12$ $\Delta = -105, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$
 $21^{221,4131513221} \epsilon_8 12$ $\Delta = -125, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$
 $21^{221,6131513221} \epsilon_8 12$ $\Delta = -175, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$
 $21^{221,2131513221} \epsilon_8 12$ $\Delta = -97, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$
 $21^{221,131513221} \epsilon_8 12$ $\Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$
 $21^{3221,131513221} \epsilon_8 12$ $\Delta = -106, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$

Base: 12222222222222221

- $12222222222222221(12)$ $\Delta = -28, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_4$

Base: 12231414141413221

- 122314141414132217 $\Delta = -15, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$
 122314141414132218 $\Delta = -43, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$
 $12231414141413221(12)$ $\Delta = -158, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_4$

Base: 13141414141413221

- $13141414141413221(12)$ $\Delta = -185, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_9$
 122314141414141316 $\Delta = -15, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$
 131414141414132218 $\Delta = -70, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_5$
 131414141414132216 $\Delta = -15, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$
 131414141414132217 $\Delta = -42, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_4$

Base: 12314141414141321

- 123141414141413216 $\Delta = -16, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$
 123141414141413218 $\Delta = -71, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$
 123141414141413217 $\Delta = -43, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: 21414141414141321

- 214141414141413215 $\Delta = -9, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$
 214141414141413216 $\Delta = -35, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_4$
 214141414141413217 $\Delta = -62, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_5$
 214141414141413218 $\Delta = -90, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_6$

Base: 13141414141414131

${}^2_{1321}\epsilon_6 \otimes {}^{2,2}_{\epsilon_6} 13151321$	$\Delta = -24, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{F}_1$
${}^2_{1321}\epsilon_6 \otimes {}^{2,2}_{\epsilon_6} 13151321$	$\Delta = -127, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{F}_4$
$12315131\epsilon_6 \otimes {}^{2,2}_{\epsilon_6} 1231$	$\Delta = -22, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{F}_2$
$12315131\epsilon_6 \otimes {}^{2,2}_{\epsilon_6} 1231$	$\Delta = -50, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{F}_0$
${}^2_{1321}\epsilon_6 \otimes {}^{2,2}_{\epsilon_6} 13151321$	$\Delta = -22, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{F}_1$
${}^2_{1321}\epsilon_6 \otimes {}^{2,2}_{\epsilon_6} 13151321$	$\Delta = -74, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{F}_2$
${}^2_{1321}\epsilon_6 \otimes {}^{2,2}_{\epsilon_6} 13151321$	$\Delta = -50, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{P}^2$
$12315131\epsilon_6 \otimes {}^{2,2}_{\epsilon_6} 1231$	$\Delta = -74, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{P}^2$
${}^2_{1321}\epsilon_6 \otimes {}^{2,2}_{\epsilon_6} 13151321$	$\Delta = -155, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{F}_5$

Base: $12321\epsilon_6 \overset{2,2}{\otimes} \epsilon_6 1315131$

$12321\mathbf{c_6} \otimes \mathbf{c_6}^{2,2} 1315131\mathbf{2}$	$\Delta = -23, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{F}_0$
$1315131\mathbf{c_6} \otimes \mathbf{c_6}^{2,2} 12321\mathbf{4}$	$\Delta = -51, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{F}_1$
$12321\mathbf{c_6} \otimes \mathbf{c_6}^{2,2} 1315131\mathbf{6}$	$\Delta = -101, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{F}_4$
$1315131\mathbf{c_6} \otimes \mathbf{c_6}^{2,2} 12321\mathbf{7}$	$\Delta = -128, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{F}_2$
$12321\mathbf{c_6} \otimes \mathbf{c_6}^{2,2} 1315131\mathbf{5}$	$\Delta = -75, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{F}_3$
$12321\mathbf{c_6} \otimes \mathbf{c_6}^{2,2} 1315131\mathbf{4}$	$\Delta = -51, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{F}_2$
$1315131\mathbf{c_6} \otimes \mathbf{c_6}^{2,2} 12321\mathbf{5}$	$\Delta = -75, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{F}_0$
$1315131\mathbf{c_6} \otimes \mathbf{c_6}^{2,2} 12321\mathbf{3}$	$\Delta = -31, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{F}_2$
$12321\mathbf{c_6} \otimes \mathbf{c_6}^{2,2} 1315131\mathbf{3}$	$\Delta = -31, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{P}^2$
$12321\mathbf{c_6} \otimes \mathbf{c_6}^{2,2} 1315131\mathbf{1}$	$\Delta = -24, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{P}^2$
$1315131\mathbf{c_6} \otimes \mathbf{c_6}^{2,2} 12321\mathbf{8}$	$\Delta = -156, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{F}_3$
$1315131\mathbf{c_6} \otimes \mathbf{c_6}^{2,2} 12321\mathbf{6}$	$\Delta = -101, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{P}^2$
$1315131\mathbf{c_6} \otimes \mathbf{c_6}^{2,2} 12321\mathbf{2}$	$\Delta = -23, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{F}_3$

Base: $\mathfrak{e}_6^{3,4} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 131$

$\mathbf{e}_6^{3,4} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{131}$	$\Delta = -127, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{F}_3$
$\mathbf{e}_6^{3,4} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{131}$	$\Delta = -99, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{P}^2$
$\mathbf{e}_6^{3,4} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{131}$	$\Delta = -177, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{F}_5$
$\mathbf{e}_6^{3,4} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{131}$	$\Delta = -151, n_+ = 1, n_- = 17, n_0 = 0$	$\rightarrow \mathbb{F}_4$

Base: $131\epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{3,3}{\bigcirc} \epsilon_6 1$

$$\begin{array}{ll}
1\mathbf{e}_6 \overset{3,3}{\bigcirc} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 131\mathbf{6} & \Delta = -176, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2 \\
131\mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{3,3}{\bigcirc} \mathbf{e}_6 1\mathbf{2} & \Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1\mathbf{e}_6 \overset{3,3}{\bigcirc} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 131\mathbf{2} & \Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1\mathbf{e}_6 \overset{3,3}{\bigcirc} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 131\mathbf{5} & \Delta = -150, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1\mathbf{e}_6 \overset{3,3}{\bigcirc} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 131\mathbf{4} & \Delta = -126, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
131\mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{3,3}{\bigcirc} \mathbf{e}_6 1\mathbf{3} & \Delta = -106, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1\mathbf{e}_6 \overset{3,3}{\bigcirc} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 131\mathbf{3} & \Delta = -106, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1
\end{array}$$

Base: $3131\epsilon_6 \overset{2,2}{\otimes} \epsilon_6 13151321$

$$\begin{array}{ll} 3131\epsilon_6^{2,2} \otimes \epsilon_6 13151321\textcolor{red}{6} & \Delta = -107, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 3131\epsilon_6^{2,2} \otimes \epsilon_6 13151321\textcolor{red}{7} & \Delta = -134, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_4 \end{array}$$

$3131\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 13151321\mathbf{3}$	$\Delta = -37, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$
$3131\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 13151321\mathbf{4}$	$\Delta = -57, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$
$3131\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 13151321\mathbf{8}$	$\Delta = -162, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_5$
$12315131\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 1313\mathbf{2}$	$\Delta = -30, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$
$3131\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 13151321\mathbf{5}$	$\Delta = -81, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$
$3131\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 13151321\mathbf{2}$	$\Delta = -29, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: $215131\mathfrak{c}_6^{2,2} \otimes \mathfrak{c}_6131512$
 $215131\mathfrak{c}_6^{2,2} \otimes \mathfrak{c}_6131512\mathbf{3} \quad \Delta = -73, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$

$$\begin{array}{l} \text{Base: } 1 \overset{1513161316131}{5} 1 \\ 1 \overset{1513161316131}{5} \textcolor{red}{12} \quad \Delta = -64, \, n_+ = 1, \, n_- = 17, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\ 1 \overset{1513161316131}{5} \textcolor{red}{13} \quad \Delta = -72, \, n_+ = 1, \, n_- = 17, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \end{array}$$

Base:	$221\epsilon_6 \otimes \epsilon_6 \otimes \epsilon_6$	$2,2 \quad 2,2$	12321	
$221\epsilon_6 \otimes \epsilon_6 \otimes \epsilon_6$	$2,2 \quad 2,2$	12321	7	$\Delta = -146, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_5$
$12321\epsilon_6 \otimes \epsilon_6 \otimes \epsilon_6$	$2,2 \quad 2,2$	122	3	$\Delta = -50, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$
$221\epsilon_6 \otimes \epsilon_6 \otimes \epsilon_6$	$2,2 \quad 2,2$	12321	6	$\Delta = -119, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_4$
$221\epsilon_6 \otimes \epsilon_6 \otimes \epsilon_6$	$2,2 \quad 2,2$	12321	8	$\Delta = -174, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_6$
$221\epsilon_6 \otimes \epsilon_6 \otimes \epsilon_6$	$2,2 \quad 2,2$	12321	5	$\Delta = -93, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$
$221\epsilon_6 \otimes \epsilon_6 \otimes \epsilon_6$	$2,2 \quad 2,2$	12321	3	$\Delta = -49, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$
$221\epsilon_6 \otimes \epsilon_6 \otimes \epsilon_6$	$2,2 \quad 2,2$	12321	2	$\Delta = -41, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$
$221\epsilon_6 \otimes \epsilon_6 \otimes \epsilon_6$	$2,2 \quad 2,2$	12321	4	$\Delta = -69, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$

$$1321\mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 1231\mathbf{2} \quad \Delta = -48, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $14 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 122$

$$14 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 122\mathbf{3} \quad \Delta = -75, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 41\textcolor{red}{2} \quad \Delta = -66, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 41\mathbf{3} \quad \Delta = -74, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 414 \quad \Delta = -94, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6 12315$

$$51321\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6 131\textcolor{red}{2} \quad \Delta = -99, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$51321\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6 131\bar{5} \quad \Delta = -151, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$51321\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6 131\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$51321\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6 1314 \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$51321\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6 1316 \quad \Delta = -177, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1321\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \epsilon_6 1313$

$$3131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 12314 \quad \Delta = -83, \quad n_+ = 1, \quad n_- = 17, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$3131\epsilon_6^{\otimes 2,2} \otimes \epsilon_6^{\otimes 2,2} \otimes \epsilon_6^{\otimes 2,2} 1231\mathbf{3} \quad \Delta = -63, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\epsilon_6^2 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 1313 \quad \Delta = -57, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\epsilon_6^{\otimes 2,2} \otimes \epsilon_6^{\otimes 2,2} \otimes \epsilon_6^{\otimes 2,2} 1313 \quad \Delta = -56, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$3131\epsilon_6^{\otimes 2,2} \otimes \epsilon_6^{\otimes 2,2} \otimes \epsilon_6^{\otimes 2,2} 1231\textcolor{red}{2} \quad \Delta = -55, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $3131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 1313$

$$3131\epsilon_c^{2,2} \otimes \epsilon_c^{2,2} \otimes \epsilon_c^{2,2} 1313 \text{?} \quad \Lambda = -63, \quad n_+ = 1, \quad n_- = 17, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $\epsilon_6 \otimes \epsilon_6 \otimes \epsilon_6 \otimes \epsilon_6$

$$\text{Base: } \mathfrak{t}_6 \otimes \mathfrak{t}_6 \otimes \mathfrak{t}_6 \otimes \mathfrak{t}_6 \quad \begin{matrix} 3,3 & 2,2 & 2,2 & 1 \\ \mathfrak{e}_3 \otimes \mathfrak{e}_3 & \otimes \mathfrak{e}_3 & \otimes \mathfrak{e}_3 & 1 \end{matrix} \quad \wedge = -127 \quad n_1 = 1 \quad n_2 = 17 \quad n_3 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\mathbf{B}_{\text{base}} = 1 \overset{21}{\underset{\circ}{\circ}} \overset{2,2}{\circ} \rightarrow 1315132221$$

Base: $1\mathbf{e}_6 \otimes \mathbf{e}_6 131513221$

$$1_{\mathfrak{e}_6}^{21, 2, 2} \otimes \mathfrak{e}_6 131513221\mathbf{3} \quad \Delta = -21, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_6^{21} \otimes \epsilon_6^{2,2} 131513221\mathbf{6} \quad \Delta = -91, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\epsilon_6^{21,2} \otimes \epsilon_6^{131513221} \quad \Delta = -13, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1_{\mathfrak{e}_6}^{21, 2, 2} \otimes \mathfrak{e}_6 131513221 \textcolor{red}{2} \quad \Delta = -13, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_6}^{21, 2, 2} \otimes \mathfrak{e}_6 131513221 \textcolor{red}{(12)} \quad \Delta = -261, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_8$$

$$1_{\mathfrak{e}_6}^{21} \otimes \mathfrak{e}_6^{2,2} 1315132215 \quad \Delta = -65, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1_{\mathfrak{e}_6}^{21} \otimes \mathfrak{e}_6^{2,2} 1315132214 \quad \Delta = -41, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{321}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} 131513221 \quad \Delta = -22, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1_{\mathfrak{e}_6}^{21,2} \otimes \mathfrak{e}_6 131513221\textcolor{red}{7} \quad \Delta = -118, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\overset{\textcolor{red}{31}}{\mathfrak{e}_6}{}^{2,2} \otimes \mathfrak{e}_6 131513221 \quad \Delta = -21, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_6^{21} \otimes \mathbf{e}_6^{2,2} 131513221\mathbf{8} \quad \Delta = -146, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $1\epsilon_6^{21} \otimes^{2,2} \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 12321$

$$1 \overset{3}{\mathbf{e}}_6^{21,2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 12321 \quad \Delta = -50, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 12321\mathbf{3} \quad \Delta = -49, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $15131\epsilon_6 \otimes \epsilon_7^{\overline{3,5}} 1$

$$1\epsilon_7 \otimes \epsilon_6^{\overline{3,5}} 13151\mathbf{3} \quad \Delta = -128, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_7 \otimes \epsilon_6^{\overline{3,5}} 13151\mathbf{2} \quad \Delta = -120, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$15131\epsilon_6 \otimes \epsilon_7^{\overline{3,5}} \mathbf{2} \quad \Delta = -120, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $315131\epsilon_6 \otimes \epsilon_7^{\overline{3,4}} 1$

$$315131\epsilon_6 \otimes \epsilon_7^{\overline{3,4}} \mathbf{2} \quad \Delta = -128, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7 \otimes \epsilon_6^{\overline{3,4}} 13151\mathbf{3} \quad \Delta = -129, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $15131\epsilon_6 \otimes \epsilon_7^{\overline{3,4}} 12$

$$15131\epsilon_6 \otimes \epsilon_7^{\overline{3,4}} \mathbf{23} \quad \Delta = -129, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\epsilon_7 \otimes \epsilon_6^{\overline{3,4}} 13151\mathbf{2} \quad \Delta = -120, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $4 \otimes \epsilon_6^{\overline{2,2}} \otimes \epsilon_6^{\overline{2,2}} \otimes \epsilon_7^{\overline{3,3}} 12$

$$4 \otimes \epsilon_6^{\overline{2,2}} \otimes \epsilon_6^{\overline{2,2}} \otimes \epsilon_7^{\overline{3,3}} \mathbf{23} \quad \Delta = -133, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $31\epsilon_6 \otimes \epsilon_7^{\overline{3,3}} \otimes \epsilon_7^{\overline{3,3}} 12$

$$31\epsilon_6 \otimes \epsilon_7^{\overline{3,3}} \otimes \epsilon_7^{\overline{3,3}} \mathbf{23} \quad \Delta = -135, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $131\epsilon_6 \otimes \epsilon_6^{\overline{2,2}} \otimes \epsilon_7^{\overline{3,3}} 122$

$$131\epsilon_6 \otimes \epsilon_6^{\overline{2,2}} \otimes \epsilon_7^{\overline{3,3}} \mathbf{223} \quad \Delta = -105, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\epsilon_7 \otimes \epsilon_6^{\overline{3,3}} \otimes \epsilon_6^{\overline{2,2}} 131\mathbf{6} \quad \Delta = -174, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\epsilon_7 \otimes \epsilon_6^{\overline{3,3}} \otimes \epsilon_6^{\overline{2,2}} 131\mathbf{3} \quad \Delta = -104, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$221\epsilon_7 \otimes \epsilon_6^{\overline{3,3}} \otimes \epsilon_6^{\overline{2,2}} 131\mathbf{4} \quad \Delta = -124, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221\epsilon_7 \otimes \epsilon_6^{\overline{3,3}} \otimes \epsilon_6^{\overline{2,2}} 131\mathbf{5} \quad \Delta = -148, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\epsilon_7 \otimes \epsilon_6^{\overline{3,3}} \otimes \epsilon_6^{\overline{2,2}} 131\mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_6 \otimes \epsilon_7^{\overline{3,3}} \otimes \epsilon_7^{\overline{3,3}} 122$

$$221\epsilon_7 \otimes \epsilon_7^{\overline{3,3}} \otimes \epsilon_7^{\overline{3,3}} \epsilon_6 \mathbf{12} \quad \Delta = -118, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_6 \otimes \epsilon_7^{\overline{3,3}} \otimes \epsilon_7^{\overline{3,3}} 122\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\epsilon_7 \otimes \epsilon_7^{\overline{3,3}} \otimes \epsilon_7^{\overline{3,3}} \epsilon_6 \mathbf{13} \quad \Delta = -126, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\epsilon_7 \otimes \epsilon_7^{\overline{5,5}} 123$

$$1\epsilon_7 \otimes \epsilon_7^{\overline{5,5}} \mathbf{23} \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321\epsilon_7 \otimes \epsilon_7^{\overline{5,5}} \mathbf{2} \quad \Delta = -125, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $21\epsilon_7 \otimes \epsilon_7^{\overline{5,4}} 122$

$$221\epsilon_7 \otimes \epsilon_7^{\overline{5,4}} \mathbf{23} \quad \Delta = -125, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $321\epsilon_7 \otimes \epsilon_7^{\overline{5,4}} 12$

$$321\epsilon_7 \otimes \epsilon_7^{\overline{5,4}} \mathbf{23} \quad \Delta = -134, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $221\epsilon_7 \otimes \epsilon_7^{\overline{4,4}} 122$

$$221\epsilon_7 \otimes \epsilon_7^{\overline{4,4}} \mathbf{23} \quad \Delta = -125, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $12321\epsilon_7 12231513221$

$$12321\epsilon_7 12231513221\mathbf{8} \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$12321\epsilon_7 12231513221\mathbf{7} \quad \Delta = -99, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$12231513221\epsilon_7 12321\mathbf{4} \quad \Delta = -22, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$12321\epsilon_7 12231513221\mathbf{6} \quad \Delta = -72, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\begin{aligned}
12321\mathbf{e}_7 12231513221\mathbf{4} \quad \Delta = -22, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
12321\mathbf{e}_7 12231513221\mathbf{(12)} \quad \Delta = -242, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_8 \\
12231513221\mathbf{e}_7 12321\mathbf{6} \quad \Delta = -72, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
12321\mathbf{e}_7 12231513221\mathbf{3} \quad \Delta = -2, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
12231513221\mathbf{e}_7 12321\mathbf{3} \quad \Delta = -2, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
12321\mathbf{e}_7 12231513221\mathbf{5} \quad \Delta = -46, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
12231513221\mathbf{e}_7 12321\mathbf{8} \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
12231513221\mathbf{e}_7 12321\mathbf{7} \quad \Delta = -99, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
12231513221\mathbf{e}_7 12321\mathbf{5} \quad \Delta = -46, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $12321\mathbf{e}'_7 \otimes \mathbf{e}_7 12231$

$$\begin{aligned}
13221\mathbf{e}_7 \otimes \mathbf{e}'_7 12321\mathbf{6} \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
13221\mathbf{e}_7 \otimes \mathbf{e}'_7 12321\mathbf{8} \quad \Delta = -182, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
13221\mathbf{e}_7 \otimes \mathbf{e}'_7 12321\mathbf{3} \quad \Delta = -57, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
13221\mathbf{e}_7 \otimes \mathbf{e}'_7 12321\mathbf{7} \quad \Delta = -154, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
12321\mathbf{e}'_7 \otimes \mathbf{e}_7 12231\mathbf{5} \quad \Delta = -101, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
12321\mathbf{e}'_7 \otimes \mathbf{e}_7 12231\mathbf{2} \quad \Delta = -49, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
13221\mathbf{e}_7 \otimes \mathbf{e}'_7 12321\mathbf{4} \quad \Delta = -77, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
13221\mathbf{e}_7 \otimes \mathbf{e}'_7 12321\mathbf{2} \quad \Delta = -49, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
13221\mathbf{e}_7 \otimes \mathbf{e}'_7 12321\mathbf{5} \quad \Delta = -101, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
12321\mathbf{e}'_7 \otimes \mathbf{e}_7 12231\mathbf{4} \quad \Delta = -77, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
12321\mathbf{e}'_7 \otimes \mathbf{e}_7 12231\mathbf{3} \quad \Delta = -57, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1\mathbf{e}_7 \otimes \mathbf{e}_7 1223$

$$3221\mathbf{e}_7 \otimes \mathbf{e}_7 1\mathbf{2} \quad \Delta = -125, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $2321\mathbf{e}_7 \otimes \mathbf{e}_7 1$

$$2321\mathbf{e}_7 \otimes \mathbf{e}_7 1\mathbf{2} \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21\mathbf{e}_7 \otimes \mathbf{e}_7 1223$

$$3221\mathbf{e}_7 \otimes \mathbf{e}_7 12\mathbf{3} \quad \Delta = -134, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1\mathbf{e}_7 \otimes \mathbf{e}_7 122315132$

$$231513221\mathbf{e}_7 \otimes \mathbf{e}_7 1\mathbf{2} \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $5131\mathbf{e}_6 \otimes \mathbf{e}_7 123$

$$5131\mathbf{e}_6 \otimes \mathbf{e}_7 123\mathbf{2} \quad \Delta = -131, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $13151321\mathbf{e}_7 12315131$

$$\begin{aligned}
13151321\mathbf{e}_7 12315131 \quad \Delta = -52, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
13151321\mathbf{e}_7 12315131\mathbf{4} \quad \Delta = -79, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
13151321\mathbf{e}_7 12315131\mathbf{3} \quad \Delta = -59, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
13151321\mathbf{e}_7 12315131\mathbf{6} \quad \Delta = -129, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
13151321\mathbf{e}_7 12315131\mathbf{2} \quad \Delta = -51, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
13151321\mathbf{e}_7 12315131\mathbf{5} \quad \Delta = -103, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $123151321\mathbf{e}_7 1232151$

$$\begin{aligned}
123151321\mathbf{e}_7 1232151\mathbf{3} \quad \Delta = -54, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1512321\mathbf{e}_7 123151321\mathbf{4} \quad \Delta = -74, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1512321\mathbf{e}_7 123151321\mathbf{5} \quad \Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1512321\mathbf{e}_7 123151321\mathbf{6} \quad \Delta = -124, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1512321\mathbf{e}_7 123151321\mathbf{7} \quad \Delta = -151, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

$$\begin{aligned}
1512321\mathfrak{e}_7123151321\mathbf{2} \quad \Delta = -46, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1512321\mathfrak{e}_7123151321\mathbf{3} \quad \Delta = -54, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
123151321\mathfrak{e}_71232151\mathbf{2} \quad \Delta = -46, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1512321\mathfrak{e}_7123151321\mathbf{8} \quad \Delta = -179, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: 123151321 $\mathfrak{e}_7$ 1231512

$$\begin{aligned}
2151321\mathfrak{e}_7123151321\mathbf{3} \quad \Delta = -52, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
2151321\mathfrak{e}_7123151321\mathbf{5} \quad \Delta = -96, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
123151321\mathfrak{e}_71231512\mathbf{3} \quad \Delta = -53, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
2151321\mathfrak{e}_7123151321\mathbf{6} \quad \Delta = -122, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
2151321\mathfrak{e}_7123151321\mathbf{4} \quad \Delta = -72, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
2151321\mathfrak{e}_7123151321\mathbf{2} \quad \Delta = -44, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
2151321\mathfrak{e}_7123151321\mathbf{8} \quad \Delta = -177, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
2151321\mathfrak{e}_7123151321\mathbf{7} \quad \Delta = -149, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $4 \otimes \overset{3,3}{\mathfrak{e}_7}1231513221$

$$\begin{aligned}
4 \otimes \overset{3,3}{\mathfrak{e}_7}1231513221\mathbf{2} \quad \Delta = -22, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
4 \otimes \overset{3,3}{\mathfrak{e}_7}1231513221\mathbf{8} \quad \Delta = -155, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
4 \otimes \overset{3,3}{\mathfrak{e}_7}1231513221\mathbf{7} \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
4 \otimes \overset{3,3}{\mathfrak{e}_7}1231513221\mathbf{(12)} \quad \Delta = -270, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_8 \\
4 \otimes \overset{3,3}{\mathfrak{e}_7}1231513221\mathbf{6} \quad \Delta = -100, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
4 \otimes \overset{3,3}{\mathfrak{e}_7}1231513221\mathbf{4} \quad \Delta = -50, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
4 \otimes \overset{3,3}{\mathfrak{e}_7}1231513221\mathbf{3} \quad \Delta = -30, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
4 \otimes \overset{3,3}{\mathfrak{e}_7}1231513221\mathbf{5} \quad \Delta = -74, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $14 \otimes \overset{2,3}{\mathfrak{e}_7}1231513221$

$$\begin{aligned}
14 \otimes \overset{2,3}{\mathfrak{e}_7}1231513221\mathbf{4} \quad \Delta = -48, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
14 \otimes \overset{2,3}{\mathfrak{e}_7}1231513221\mathbf{8} \quad \Delta = -153, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
14 \otimes \overset{2,3}{\mathfrak{e}_7}1231513221\mathbf{6} \quad \Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
14 \otimes \overset{2,3}{\mathfrak{e}_7}1231513221\mathbf{(12)} \quad \Delta = -268, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_8 \\
1223151321\mathfrak{e}_7 \otimes \overset{2,3}{41\mathbf{3}} \quad \Delta = -28, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
14 \otimes \overset{2,3}{\mathfrak{e}_7}1231513221\mathbf{3} \quad \Delta = -28, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1223151321\mathfrak{e}_7 \otimes \overset{2,3}{41\mathbf{2}} \quad \Delta = -20, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1223151321\mathfrak{e}_7 \otimes \overset{2,3}{41\mathbf{4}} \quad \Delta = -48, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
14 \otimes \overset{2,3}{\mathfrak{e}_7}1231513221\mathbf{5} \quad \Delta = -72, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
14 \otimes \overset{2,3}{\mathfrak{e}_7}1231513221\mathbf{2} \quad \Delta = -20, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
14 \otimes \overset{2,3}{\mathfrak{e}_7}1231513221\mathbf{7} \quad \Delta = -125, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: 123151321 $\mathfrak{e}_7$ 12315 $\overset{1}{1}$

$$\begin{aligned}
\overset{3}{1} \overset{12315132181231}{5} \overset{1}{1} \quad \Delta = -52, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\overset{2}{1} \overset{12315132181231}{5} \overset{1}{1} \quad \Delta = -44, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
123151321\mathfrak{e}_712315\mathbf{12} \quad \Delta = -44, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\overset{4}{1} \overset{12315132181231}{5} \overset{1}{1} \quad \Delta = -72, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
\overset{7}{1} \overset{12315132181231}{5} \overset{1}{1} \quad \Delta = -149, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\overset{5}{1} \overset{12315132181231}{5} \overset{1}{1} \quad \Delta = -96, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\overset{8}{1} \overset{12315132181231}{5} \overset{1}{1} \quad \Delta = -177, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

$$\begin{aligned}
& 1^{\overline{612315132181231}}_5 1 \quad \Delta = -122, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 123151321\mathfrak{e}_7 123151\overline{3} \quad \Delta = -52, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } \mathfrak{e}_6 \otimes \mathfrak{e}_7 12321^{4,5} \\
& \mathfrak{e}_6 \otimes \mathfrak{e}_7 12321\overline{6}^{4,5} \quad \Delta = -150, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& \mathfrak{e}_6 \otimes \mathfrak{e}_7 12321\overline{2}^{4,5} \quad \Delta = -72, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \mathfrak{e}_6 \otimes \mathfrak{e}_7 12321\overline{7}^{4,5} \quad \Delta = -177, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_5 \\
& \mathfrak{e}_6 \otimes \mathfrak{e}_7 12321\overline{5}^{4,5} \quad \Delta = -124, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \mathfrak{e}_6 \otimes \mathfrak{e}_7 12321\overline{3}^{4,5} \quad \Delta = -80, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \mathfrak{e}_6 \otimes \mathfrak{e}_7 12321\overline{8}^{4,5} \quad \Delta = -205, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_6 \\
& \text{Base: } \mathfrak{e}_6 \otimes \mathfrak{e}_7 123151^{4,4} \\
& \mathfrak{e}_6 \otimes \mathfrak{e}_7 123151\overline{3}^{4,4} \quad \Delta = -130, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } \mathfrak{e}_6 \otimes \mathfrak{e}_7 1231513^{4,3} \\
& \mathfrak{e}_6 \otimes \mathfrak{e}_7 1231513\overline{2}^{4,3} \quad \Delta = -130, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1\mathfrak{e}_6 \otimes \mathfrak{e}_7 12321^{4,4} \\
& 1\mathfrak{e}_6 \otimes \mathfrak{e}_7 12321\overline{6}^{4,4} \quad \Delta = -150, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& 12321\mathfrak{e}_7 \otimes \mathfrak{e}_6 \overline{12}^{4,4} \quad \Delta = -72, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1\mathfrak{e}_6 \otimes \mathfrak{e}_7 12321\overline{2}^{4,4} \quad \Delta = -72, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\mathfrak{e}_6 \otimes \mathfrak{e}_7 12321\overline{8}^{4,4} \quad \Delta = -205, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_6 \\
& 1\mathfrak{e}_6 \otimes \mathfrak{e}_7 12321\overline{4}^{4,4} \quad \Delta = -100, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 12321\mathfrak{e}_7 \otimes \mathfrak{e}_6 \overline{13}^{4,4} \quad \Delta = -80, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\mathfrak{e}_6 \otimes \mathfrak{e}_7 12321\overline{5}^{4,4} \quad \Delta = -124, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 1\mathfrak{e}_6 \otimes \mathfrak{e}_7 12321\overline{3}^{4,4} \quad \Delta = -80, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1\mathfrak{e}_6 \otimes \mathfrak{e}_7 12321\overline{7}^{4,4} \quad \Delta = -177, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_5 \\
& \text{Base: } 1\mathfrak{e}_6 \otimes \mathfrak{e}_7 123151315^{3,3} \\
& 513151321\mathfrak{e}_7 \otimes \mathfrak{e}_6 \overline{12}^{3,3} \quad \Delta = -123, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 513151321\mathfrak{e}_7 \otimes \mathfrak{e}_6 \overline{13}^{3,3} \quad \Delta = -131, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 1\mathfrak{e}_6 \otimes \mathfrak{e}_7 123215^{3,4} \\
& 512321\mathfrak{e}_7 \otimes \mathfrak{e}_6 \overline{12}^{3,4} \quad \Delta = -123, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 512321\mathfrak{e}_7 \otimes \mathfrak{e}_6 \overline{13}^{3,4} \quad \Delta = -131, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 1\mathfrak{e}_6 \otimes \mathfrak{e}_7 123151^{3,4} \\
& 151321\mathfrak{e}_7 \otimes \mathfrak{e}_6 \overline{13}^{3,4} \quad \Delta = -129, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 151321\mathfrak{e}_7 \otimes \mathfrak{e}_6 \overline{12}^{3,4} \quad \Delta = -121, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\mathfrak{e}_6 \otimes \mathfrak{e}_7 123151\overline{3}^{3,4} \quad \Delta = -129, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1\mathfrak{e}_6 \otimes \mathfrak{e}_7 123151\overline{2}^{3,4} \quad \Delta = -121, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 21\mathfrak{e}_6 \otimes \mathfrak{e}_7 12315131^{3,3} \\
& 21\mathfrak{e}_6 \otimes \mathfrak{e}_7 12315131\overline{4}^{3,3} \quad \Delta = -99, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 21\mathfrak{e}_6 \otimes \mathfrak{e}_7 12315131\overline{6}^{3,3} \quad \Delta = -149, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& 21\mathfrak{e}_6 \otimes \mathfrak{e}_7 123151\overline{31}^{3,3} \quad \Delta = -72, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 21\mathfrak{e}_6 \otimes \mathfrak{e}_7 12315131\overline{2}^{3,3} \quad \Delta = -71, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

$$21\mathfrak{c}_6 \otimes \mathfrak{c}_7^{3,3} 12315131\mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$13151321\mathfrak{c}_7 \otimes \mathfrak{c}_6^{3,3} 12\mathbf{3} \quad \Delta = -80, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 21\mathfrak{c}_6 \otimes \mathfrak{c}_7^{3,4} 12321$$

$$21\mathfrak{c}_6 \otimes \mathfrak{c}_7^{3,4} 12321\mathbf{7} \quad \Delta = -176, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$21\mathfrak{c}_6 \otimes \mathfrak{c}_7^{3,4} 12321\mathbf{6} \quad \Delta = -149, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\mathfrak{c}_6 \otimes \mathfrak{c}_7^{3,4} 12321\mathbf{8} \quad \Delta = -204, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$21\mathfrak{c}_6 \otimes \mathfrak{c}_7^{3,4} 12321\mathbf{2} \quad \Delta = -71, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$12321\mathfrak{c}_7 \otimes \mathfrak{c}_6^{3,4} 12\mathbf{3} \quad \Delta = -80, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\mathfrak{c}_6 \otimes \mathfrak{c}_7^{3,4} 12321\mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\mathfrak{c}_6 \otimes \mathfrak{c}_7^{3,4} 12321\mathbf{4} \quad \Delta = -99, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 131\mathfrak{c}_6 \otimes \mathfrak{c}_7^{3,3} 1231512$$

$$2151321\mathfrak{c}_7 \otimes \mathfrak{c}_6^{3,3} 131\mathbf{2} \quad \Delta = -71, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2151321\mathfrak{c}_7 \otimes \mathfrak{c}_6^{3,3} 131\mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$2151321\mathfrak{c}_7 \otimes \mathfrak{c}_6^{3,3} 131\mathbf{6} \quad \Delta = -149, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\mathfrak{c}_6 \otimes \mathfrak{c}_7^{3,3} 1231512\mathbf{3} \quad \Delta = -80, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2151321\mathfrak{c}_7 \otimes \mathfrak{c}_6^{3,3} 131\mathbf{4} \quad \Delta = -99, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$2151321\mathfrak{c}_7 \otimes \mathfrak{c}_6^{3,3} 131\mathbf{5} \quad \Delta = -123, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 131\mathfrak{c}_6 \otimes \mathfrak{c}_7^{3,3} 123151\mathbf{1}$$

$$131\mathfrak{c}_6 \otimes \mathfrak{c}_7^{3,3} 123151\mathbf{2} \quad \Delta = -71, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\mathbf{2}13161232181231 \quad 1 \quad 5 \quad 1 \quad \Delta = -71, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{3}13161232181231 \quad 1 \quad 5 \quad 1 \quad \Delta = -79, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\mathbf{6}13161232181231 \quad 1 \quad 5 \quad 1 \quad \Delta = -149, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\mathfrak{c}_6 \otimes \mathfrak{c}_7^{3,3} 123151\mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{4}13161232181231 \quad 1 \quad 5 \quad 1 \quad \Delta = -99, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\mathbf{5}13161232181231 \quad 1 \quad 5 \quad 1 \quad \Delta = -123, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 5131\mathfrak{c}_6 \otimes \mathfrak{c}_7^{3,3} 123151$$

$$5131\mathfrak{c}_6 \otimes \mathfrak{c}_7^{3,3} 123151\mathbf{3} \quad \Delta = -131, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 131\mathfrak{c}_6 \otimes \mathfrak{c}_7^{3,4} 1231$$

$$131\mathfrak{c}_6 \otimes \mathfrak{c}_7^{3,4} 1231\mathbf{2} \quad \Delta = -77, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1321\mathfrak{c}_7 \otimes \mathfrak{c}_6^{3,4} 131\mathbf{2} \quad \Delta = -77, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\mathfrak{c}_7 \otimes \mathfrak{c}_6^{3,4} 131\mathbf{5} \quad \Delta = -129, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1321\mathfrak{c}_7 \otimes \mathfrak{c}_6^{3,4} 131\mathbf{4} \quad \Delta = -105, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1321\mathfrak{c}_7 \otimes \mathfrak{c}_6^{3,4} 131\mathbf{6} \quad \Delta = -155, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\mathfrak{c}_6 \otimes \mathfrak{c}_7^{3,4} 1231\mathbf{5} \quad \Delta = -129, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$131\mathfrak{c}_6 \otimes \mathfrak{c}_7^{3,4} 1231\mathbf{4} \quad \Delta = -105, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$131\mathfrak{c}_6 \otimes \mathfrak{c}_7^{3,4} 1231\mathbf{3} \quad \Delta = -85, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\mathfrak{c}_7 \otimes \mathfrak{c}_6^{3,4} 131\mathbf{3} \quad \Delta = -85, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$131\mathfrak{c}_6 \otimes \mathfrak{c}_7^{3,4} 1231\mathbf{2} \quad \Delta = -79, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 4 \otimes \mathfrak{c}_7^{3,2} \otimes \mathfrak{c}_6^{3,3} \otimes \mathfrak{c}_6^{2,2} 1$$

$$1\epsilon'_7 \otimes \epsilon_7 1231 \overset{5,4}{\mathbf{3}} \quad \Delta = -105, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon'_7 \otimes \epsilon_7 1231 \overset{5,4}{\mathbf{2}} \quad \Delta = -99, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon'_7 \otimes \epsilon_7 1231 \overset{5,4}{\mathbf{4}} \quad \Delta = -125, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 21\epsilon'_7 \otimes \epsilon_7 1231 \overset{4,4}{\mathbf{1}}$$

$$21\epsilon'_7 \otimes \epsilon_7 1231 \overset{4,4}{\mathbf{5}} \quad \Delta = -149, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\epsilon'_7 \otimes \epsilon_7 1231 \overset{4,4}{\mathbf{3}} \quad \Delta = -105, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\epsilon'_7 \otimes \epsilon_7 1231 \overset{4,4}{\mathbf{2}} \quad \Delta = -97, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\epsilon'_7 \otimes \epsilon_7 1231 \overset{4,4}{\mathbf{2}} \quad \Delta = -99, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\epsilon'_7 \otimes \epsilon_7 1231 \overset{4,4}{\mathbf{4}} \quad \Delta = -125, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1321\epsilon_7 \otimes \epsilon'_7 12 \overset{4,4}{\mathbf{3}} \quad \Delta = -106, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 221\epsilon'_7 \otimes \epsilon_7 1231512 \overset{3,3}{\mathbf{1}}$$

$$221\epsilon'_7 \otimes \epsilon_7 1231512 \overset{3,3}{\mathbf{2}} \quad \Delta = -99, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2151321\epsilon_7 \otimes \epsilon'_7 122 \overset{3,3}{\mathbf{3}} \quad \Delta = -99, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 221\epsilon'_7 \otimes \epsilon_7 123151 \overset{3,3}{\mathbf{1}}$$

$$221\epsilon'_7 \otimes \epsilon_7 123151 \overset{3,3}{\mathbf{1}} \quad \Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\epsilon'_7 \otimes \epsilon_7 123151 \overset{3,3}{\mathbf{2}} \quad \Delta = -90, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{3,2,2,1,7,1,2,3,2,1,8,1,2,3,1}{\mathbf{5}} \quad \Delta = -99, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 14 \otimes \epsilon_7 \otimes \epsilon'_7 1231 \overset{2,3}{\mathbf{1}} \overset{3,3}{\mathbf{1}}$$

$$14 \otimes \epsilon_7 \otimes \epsilon'_7 1231 \overset{2,3}{\mathbf{5}} \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1321\epsilon'_7 \otimes \epsilon_7 \otimes 41 \overset{3,3}{\mathbf{4}} \quad \Delta = -103, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$14 \otimes \epsilon_7 \otimes \epsilon'_7 1231 \overset{2,3}{\mathbf{4}} \quad \Delta = -103, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1321\epsilon'_7 \otimes \epsilon_7 \otimes 41 \overset{3,3}{\mathbf{3}} \quad \Delta = -83, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$14 \otimes \epsilon_7 \otimes \epsilon'_7 1231 \overset{2,3}{\mathbf{3}} \quad \Delta = -83, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \otimes \epsilon_7 \otimes \epsilon'_7 1231 \overset{2,3}{\mathbf{2}} \quad \Delta = -75, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1321\epsilon'_7 \otimes \epsilon_7 \otimes 41 \overset{3,3}{\mathbf{2}} \quad \Delta = -75, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \otimes \epsilon_7 \otimes \epsilon'_7 1231 \overset{2,3}{\mathbf{2}} \quad \Delta = -77, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 151321\epsilon'_7 \otimes \epsilon_7 1231 \overset{3,3}{\mathbf{1}}$$

$$1321\epsilon_7 \otimes \epsilon'_7 123151 \overset{3,3}{\mathbf{2}} \quad \Delta = -99, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$151321\epsilon'_7 \otimes \epsilon_7 1231 \overset{3,3}{\mathbf{3}} \quad \Delta = -107, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$151321\epsilon'_7 \otimes \epsilon_7 1231 \overset{3,3}{\mathbf{4}} \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$151321\epsilon'_7 \otimes \epsilon_7 1231 \overset{3,3}{\mathbf{2}} \quad \Delta = -101, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$151321\epsilon'_7 \otimes \epsilon_7 1231 \overset{3,3}{\mathbf{5}} \quad \Delta = -151, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1321\epsilon_7 \otimes \epsilon'_7 123151 \overset{3,3}{\mathbf{3}} \quad \Delta = -107, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$151321\epsilon'_7 \otimes \epsilon_7 1231 \overset{3,3}{\mathbf{2}} \quad \Delta = -99, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 12321\epsilon'_7 \otimes \epsilon_7 12313 \overset{3,3}{\mathbf{1}}$$

$$31321\epsilon_7 \otimes \epsilon'_7 12321 \overset{3,3}{\mathbf{7}} \quad \Delta = -162, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$31321\epsilon_7 \otimes \epsilon'_7 12321 \overset{3,3}{\mathbf{4}} \quad \Delta = -85, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$31321\epsilon_7 \otimes \epsilon'_7 12321 \overset{3,3}{\mathbf{3}} \quad \Delta = -65, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\begin{aligned}
31321\mathfrak{e}_7 \otimes \mathfrak{e}'_7{}^{3,3}12321\mathbf{2} \quad \Delta = -57, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
12321\mathfrak{e}'_7{}^{3,3} \otimes \mathfrak{e}_7 1231\mathbf{32} \quad \Delta = -58, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
31321\mathfrak{e}_7 \otimes \mathfrak{e}'_7{}^{3,3}12321\mathbf{6} \quad \Delta = -135, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
31321\mathfrak{e}_7 \otimes \mathfrak{e}'_7{}^{3,3}12321\mathbf{8} \quad \Delta = -190, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $512321\mathfrak{e}'_7{}^{3,3} \otimes \mathfrak{e}_7 1231$

$$\begin{aligned}
512321\mathfrak{e}'_7{}^{3,3} \otimes \mathfrak{e}_7 1231\mathbf{4} \quad \Delta = -129, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
512321\mathfrak{e}'_7{}^{3,3} \otimes \mathfrak{e}_7 1231\mathbf{2} \quad \Delta = -103, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
512321\mathfrak{e}'_7{}^{3,3} \otimes \mathfrak{e}_7 1231\mathbf{3} \quad \Delta = -109, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
512321\mathfrak{e}'_7{}^{3,3} \otimes \mathfrak{e}_7 1231\mathbf{2} \quad \Delta = -101, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
512321\mathfrak{e}'_7{}^{3,3} \otimes \mathfrak{e}_7 1231\mathbf{5} \quad \Delta = -153, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $1\mathfrak{e}'_7{}^{1,4,4} \otimes \mathfrak{e}_7 1231$

$$\begin{aligned}
1\mathfrak{e}'_7{}^{1,4,4} \otimes \mathfrak{e}_7 1231\mathbf{5} \quad \Delta = -149, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_4 \\
1\mathfrak{e}'_7{}^{21,4,4} \otimes \mathfrak{e}_7 1231 \quad \Delta = -97, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
1\mathfrak{e}'_7{}^{1,4,4} \otimes \mathfrak{e}_7 1231\mathbf{2} \quad \Delta = -99, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1\mathfrak{e}'_7{}^{1,4,4} \otimes \mathfrak{e}_7 1231\mathbf{3} \quad \Delta = -105, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1\mathfrak{e}'_7{}^{1,4,4} \otimes \mathfrak{e}_7 1231\mathbf{2} \quad \Delta = -97, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
1\mathfrak{e}'_7{}^{1,4,4} \otimes \mathfrak{e}_7 1231\mathbf{4} \quad \Delta = -125, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $1\mathfrak{e}'_7{}^{21,3,3} \otimes \mathfrak{e}_7 1231512$

$$\begin{aligned}
1\mathfrak{e}'_7{}^{321,3,3} \otimes \mathfrak{e}_7 1231512 \quad \Delta = -99, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
21\mathfrak{e}'_7{}^{21,3,3} \otimes \mathfrak{e}_7 1231512 \quad \Delta = -90, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
1\mathfrak{e}'_7{}^{21,3,3} \otimes \mathfrak{e}_7 1231512\mathbf{3} \quad \Delta = -99, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1\mathfrak{e}'_7{}^{21,3,3} \otimes \mathfrak{e}_7 123151$

$$\begin{aligned}
1\mathfrak{e}'_7{}^{321,3,3} \otimes \mathfrak{e}_7 123151 \quad \Delta = -99, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
21\mathfrak{e}'_7{}^{21,3,3} \otimes \mathfrak{e}_7 123151 \quad \Delta = -90, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
1\mathfrak{e}'_7{}^{21,3,3} \otimes \mathfrak{e}_7 123151\mathbf{2} \quad \Delta = -90, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
1\mathfrak{e}'_7{}^{21,3,3} \otimes \mathfrak{e}_7 123151\mathbf{3} \quad \Delta = -98, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $21\mathfrak{e}_6{}^{3,3} \otimes \mathfrak{e}_7{}^{3,3} \otimes \mathfrak{e}_6 12$

$$21\mathfrak{e}_6{}^{3,3} \otimes \mathfrak{e}_7{}^{3,3} \otimes \mathfrak{e}_6 12\mathbf{3} \quad \Delta = -100, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $131\mathfrak{e}_6{}^{3,3} \otimes \mathfrak{e}_7 1232151$

$$\begin{aligned}
1512321\mathfrak{e}_7 \otimes \mathfrak{e}_6 131\mathbf{4} \quad \Delta = -101, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
131\mathfrak{e}_6{}^{3,3} \otimes \mathfrak{e}_7 1232151\mathbf{3} \quad \Delta = -81, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1512321\mathfrak{e}_7 \otimes \mathfrak{e}_6 131\mathbf{3} \quad \Delta = -81, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
1512321\mathfrak{e}_7 \otimes \mathfrak{e}_6 131\mathbf{2} \quad \Delta = -73, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1512321\mathfrak{e}_7 \otimes \mathfrak{e}_6 131\mathbf{6} \quad \Delta = -151, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1512321\mathfrak{e}_7 \otimes \mathfrak{e}_6 131\mathbf{5} \quad \Delta = -125, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
131\mathfrak{e}_6{}^{3,3} \otimes \mathfrak{e}_7 1232151\mathbf{2} \quad \Delta = -73, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $15131\mathfrak{e}_6{}^{3,3} \otimes \mathfrak{e}_7 12321$

$12321\mathbf{c}_7 \otimes_{\mathbf{c}_6}^{3,3} 13151\mathbf{3}$	$\Delta = -81, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$
$15131\mathbf{c}_6 \otimes_{\mathbf{c}_7}^{3,3} 12321\mathbf{8}$	$\Delta = -206, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_6$
$15131\mathbf{c}_6 \otimes_{\mathbf{c}_7}^{3,3} 12321\mathbf{2}$	$\Delta = -73, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$
$12321\mathbf{c}_7 \otimes_{\mathbf{c}_6}^{3,3} 13151\mathbf{2}$	$\Delta = -73, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$
$15131\mathbf{c}_6 \otimes_{\mathbf{c}_7}^{3,3} 12321\mathbf{6}$	$\Delta = -151, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_4$
$15131\mathbf{c}_6 \otimes_{\mathbf{c}_7}^{3,3} 12321\mathbf{3}$	$\Delta = -81, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$
$15131\mathbf{c}_6 \otimes_{\mathbf{c}_7}^{3,3} 12321\mathbf{4}$	$\Delta = -101, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$
$15131\mathbf{c}_6 \otimes_{\mathbf{c}_7}^{3,3} 12321\mathbf{7}$	$\Delta = -178, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_5$
$15131\mathbf{c}_6 \otimes_{\mathbf{c}_7}^{3,3} 12321\mathbf{5}$	$\Delta = -125, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$

Base: $1\epsilon_6^1 \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_6 12$

$$1\mathbf{e}_6^{1,3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{3,3} 12\mathbf{3} \quad \Delta = -100, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{3,3} 12 \quad \Delta = -91, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{3,1} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_{612}^{3,3} \quad \Delta = -99, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1\mathfrak{e}_6^{1\ 3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6^1 1$

$$1\overset{\textcolor{red}{2}1}{\mathfrak{e}_6} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_6} \overset{1}{1} \quad \Delta = -91, \, n_+ = 1, \, n_- = 17, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{\textcolor{red}{3}1}{\mathfrak{e}_6} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_6} \overset{1}{1} \quad \Delta = -99, \, n_+ = 1, \, n_- = 17, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $221e_7' \overset{3,3}{\otimes} e_7 1232151$

$$221\epsilon_7^{3,3} \otimes \epsilon_7 1232151\textcolor{red}{2} \quad \Delta = -92, \, n_+ = 1, \, n_- = 17, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1512321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7'122\mathbf{e}_7 \quad \Delta = -101, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$221\mathfrak{e}'_7 \overset{3,3}{\otimes} \mathfrak{e}_7 1232151\mathbf{3} \quad \Delta = -100, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}'_7 1231$

$$4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \overset{2}{\mathfrak{e}_7'} 1231 \quad \Delta = -79, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}'_7 1231\textcolor{red}{2} \quad \Delta = -77, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$4 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 1231\mathbf{r} \quad \Delta = -85, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}'_7 1231\mathbf{5} \quad \Delta = -129, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $4 \overset{3,2}{\otimes} e'_7 \overset{3,3}{\otimes} e_7 12321$

$$4 \overset{3,2}{\otimes} \mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 12321\mathbf{7} \quad \Delta = -182, \quad n_+ = 1, \quad n_- = 17, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$4 \overset{3,2}{\otimes} \mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 12321 \mathbf{5} \quad \Delta = -129, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$4 \overset{3,2}{\otimes} \mathfrak{e}_7' \overset{3,3}{\otimes} \mathfrak{e}_7 12321\mathbf{3} \quad \Delta = -85, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$4 \overset{3,2}{\otimes} \mathfrak{e}'_7 \overset{3,3}{\otimes} \mathfrak{e}_7 12321\textcolor{red}{2} \quad \Delta = -77, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$4 \overset{3,2}{\otimes} \mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 12321 \mathbf{8} \quad \Delta = -210, \, n_+ = 1, \, n_- = 17, \, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$4 \overset{3,2}{\otimes} \mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 12321\mathbf{6} \quad \Delta = -155, \, n_+ = 1, \, n_- = 17, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$4 \otimes^{3,2} \mathbf{e}'_7 \otimes^{3,3} \mathbf{e}_7 12321 \textcolor{red}{4} \quad \Delta = -105, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\overset{21}{e}_7' \overset{3,3}{\otimes} e_7 1232151$

$$1\mathbf{e}_7^{21\ 3,3} \otimes \mathbf{e}_7 1232151\mathbf{3} \quad \Delta = -100, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}'_7 \otimes \mathbf{e}_7 1232151\mathbf{2} \quad \Delta = -92, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\overset{\textcolor{red}{2}1}{e}'_7 \otimes e_7 1232151 \quad \Delta = -92, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{\textcolor{red}{3}21}{\mathfrak{e}}_{7'}^{3,3} \otimes \mathfrak{e}_7 1232151 \quad \Delta = -101, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $12321\mathfrak{e}'_7 \otimes \mathfrak{e}_7^{3,3} 1232$

$$\begin{aligned} 2 \overset{3,3}{\underset{3}{12321712321812}} 1 \quad \Delta = -59, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\ 2 \overset{8}{\underset{3}{12321712321812}} 1 \quad \Delta = -184, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_3 \\ 2 \overset{6}{\underset{3}{12321712321812}} 1 \quad \Delta = -129, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2 \\ 2 \overset{7}{\underset{3}{12321712321812}} 1 \quad \Delta = -156, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\ 2 \overset{2}{\underset{3}{12321712321812}} 1 \quad \Delta = -51, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_3 \\ 2 \overset{4}{\underset{3}{12321712321812}} 1 \quad \Delta = -79, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_1 \end{aligned}$$

Base: $21\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3} 12231513$

$$31513221\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3} 123 \quad \Delta = -135, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $221\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3} 1223151$

$$\begin{aligned} 1513221\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3} 1223 \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2 \\ 221\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3} 12231513 \quad \Delta = -126, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\ 221\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3} 12231512 \quad \Delta = -118, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2 \end{aligned}$$

Base: $13221\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3} 12231$

$$\begin{aligned} 13221\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3} 122314 \quad \Delta = -103, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_0 \\ 13221\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3} 122313 \quad \Delta = -83, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_1 \\ 13221\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3} 122312 \quad \Delta = -75, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\ 13221\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3} 122315 \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2 \end{aligned}$$

Base: $414 \otimes \mathfrak{e}_7^{3,2} \otimes \mathfrak{e}_7^{3,3} 122$

$$414 \otimes \mathfrak{e}_7^{3,2} \otimes \mathfrak{e}_7^{3,3} 1223 \quad \Delta = -131, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $13221\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3} 12313$

$$\begin{aligned} 31321\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3} 122312 \quad \Delta = -83, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\ 13221\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3} 123132 \quad \Delta = -84, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\ 31321\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3} 122314 \quad \Delta = -111, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_0 \\ 31321\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3} 122313 \quad \Delta = -91, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_1 \\ 31321\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3} 122315 \quad \Delta = -135, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2 \end{aligned}$$

Base: $4 \otimes \mathfrak{e}_7^{4,2} \otimes \mathfrak{e}_7^{3,3} 1231$

$$\begin{aligned} 4 \otimes \mathfrak{e}_7^{4,2} \otimes \mathfrak{e}_7^{3,3} 12312 \quad \Delta = -103, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2 \\ 4 \otimes \mathfrak{e}_7^{4,2} \otimes \mathfrak{e}_7^{3,3} 12315 \quad \Delta = -155, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_4 \\ 4 \otimes \mathfrak{e}_7^{4,2} \otimes \mathfrak{e}_7^{3,3} 12314 \quad \Delta = -131, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_3 \end{aligned}$$

Base: $14 \otimes \mathfrak{e}_7^{2,3} \otimes \mathfrak{e}_7^{3,3} 1222$

$$\begin{aligned} 2221\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{2,3} 412 \quad \Delta = -94, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\ 2221\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{2,3} 413 \quad \Delta = -102, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_1 \\ 2221\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{2,3} 414 \quad \Delta = -122, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_0 \end{aligned}$$

Base: $13221\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3} 1232$

$$\begin{aligned} 2 \overset{4}{\underset{3}{13221812321812}} 1 \quad \Delta = -105, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_0 \\ 2 \overset{3}{\underset{3}{13221812321812}} 1 \quad \Delta = -85, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_1 \\ 2 \overset{5}{\underset{3}{13221812321812}} 1 \quad \Delta = -129, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2 \end{aligned}$$

Base: $1\epsilon_7^{21\ 4,5} \otimes \epsilon_7 12$

$$21\epsilon_7^{21\ 4,5} \otimes \epsilon_7 12 \quad \Delta = -116, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1\epsilon_7^{21\ 4,4} \otimes \epsilon_7 122$

$$21\epsilon_7^{21\ 4,4} \otimes \epsilon_7 122 \quad \Delta = -116, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{321\ 4,4} \otimes \epsilon_7 122 \quad \Delta = -125, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\epsilon_7^{21\ 3,3} \otimes \epsilon_7 1223151$

$$1\epsilon_7^{321\ 3,3} \otimes \epsilon_7 1223151 \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\epsilon_7^{21\ 3,3} \otimes \epsilon_7 1223151 \quad \Delta = -118, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^{21\ 3,3} \otimes \epsilon_7 1223151\mathbf{2} \quad \Delta = -118, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $414 \otimes \epsilon_7^{3,2} \otimes \epsilon_7^{3,3\ 21} 1$

$$414 \otimes \epsilon_7^{3,2} \otimes \epsilon_7^{3,3\ 321} 1 \quad \Delta = -131, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_7^{1\ 5,4\ 21} \otimes \epsilon_7 1$

$$1\epsilon_7^{1\ 5,4\ 321} \otimes \epsilon_7 1 \quad \Delta = -125, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^{1\ 5,4\ 21} \otimes \epsilon_7 1\mathbf{2} \quad \Delta = -116, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^{21\ 5,4\ 21} \otimes \epsilon_7 1 \quad \Delta = -116, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1\epsilon_7^{21\ 4,4\ 21} \otimes \epsilon_7 1$

$$21\epsilon_7^{21\ 4,4\ 21} \otimes \epsilon_7 1 \quad \Delta = -116, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1\epsilon_7^{221\ 3,3\ 3,2} \otimes \epsilon_7 \otimes 41$

$$1\epsilon_7^{3221\ 3,3\ 3,2} \otimes \epsilon_7 \otimes 41 \quad \Delta = -103, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{221\ 3,3\ 3,2} \otimes \epsilon_7 \otimes 41\mathbf{4} \quad \Delta = -122, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\epsilon_7^{221\ 3,3\ 3,2} \otimes \epsilon_7 \otimes 41\mathbf{2} \quad \Delta = -94, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{221\ 3,3\ 3,2} \otimes \epsilon_7 \otimes 41\mathbf{3} \quad \Delta = -102, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\epsilon_7^{21\ 3,3\ 3,2} \otimes \epsilon_7 \otimes 41 \quad \Delta = -94, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $4 \otimes \epsilon_7^{3,3\ 3,3\ 221} \otimes \epsilon_7 1$

$$4 \otimes \epsilon_7^{3,3\ 3,3\ 221} \otimes \epsilon_7 1\mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\epsilon_7^{3221\ 3,3} \otimes \epsilon_7 12321$

$$1\epsilon_7^{3221\ 3,3} \otimes \epsilon_7 12321\mathbf{4} \quad \Delta = -105, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{3221\ 3,3} \otimes \epsilon_7 12321\mathbf{7} \quad \Delta = -182, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1\epsilon_7^{3221\ 3,3} \otimes \epsilon_7 12321\mathbf{6} \quad \Delta = -155, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\epsilon_7^{3221\ 3,3} \otimes \epsilon_7 12321\mathbf{3} \quad \Delta = -85, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\epsilon_7^{3221\ 3,3} \otimes \epsilon_7 12321\mathbf{5} \quad \Delta = -129, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^{3221\ 3,3} \otimes \epsilon_7 12321\mathbf{2} \quad \Delta = -77, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^{3221\ 3,3} \otimes \epsilon_7 12321\mathbf{8} \quad \Delta = -210, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_6$$

Base: $\epsilon_6 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3\ 321} 1$

$$\epsilon_6 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3\ 2321} 1 \quad \Delta = -129, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_7^{321\ 4,5} \otimes \epsilon_7 1$

$$1\epsilon_7^{2321\ 4,5} \otimes \epsilon_7 1 \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^{321\ 4,5} \otimes \epsilon_7 1\mathbf{2} \quad \Delta = -125, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7'{}^{3,3} 123\mathbf{2} \quad \Delta = -129, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1^{12321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231$$

$$1^{12321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231\mathbf{4} \quad \Delta = -77, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{812321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231 \quad \Delta = -182, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{312321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231 \quad \Delta = -57, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{12321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231\mathbf{3} \quad \Delta = -57, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{212321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231 \quad \Delta = -49, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{12321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231\mathbf{5} \quad \Delta = -101, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{412321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231 \quad \Delta = -77, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$12321\mathbf{e}_7^{21} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231 \quad \Delta = -49, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{712321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231 \quad \Delta = -154, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{512321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231 \quad \Delta = -101, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{12321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231\mathbf{2} \quad \Delta = -49, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{612321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231 \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{12321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231\mathbf{2} \quad \Delta = -51, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\mathbf{e}_7'^1 \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 \mathbf{e}_6^{3,3} 1$$

$$1\mathbf{e}_7'^1 \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 \mathbf{e}_6^{3,3} 1\mathbf{3} \quad \Delta = -126, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7'^{21} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 \mathbf{e}_6^{3,3} 1 \quad \Delta = -118, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7'^1 \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 \mathbf{e}_6^{3,3} 1\mathbf{2} \quad \Delta = -118, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1^{23151321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 1$$

$$1^{23151321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 1\mathbf{2} \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1^{2321} \mathbf{e}_7^{4,4} \otimes \mathbf{e}_7 1$$

$$1^{2321} \mathbf{e}_7^{4,4} \otimes \mathbf{e}_7 1\mathbf{2} \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1^{3151321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12$$

$$1^{3151321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12\mathbf{3} \quad \Delta = -135, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1^{512321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 122$$

$$1^{512321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 122\mathbf{3} \quad \Delta = -129, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1^{151321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 122$$

$$1^{151321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 122\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{3151321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 122 \quad \Delta = -126, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{2151321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 122 \quad \Delta = -118, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1^{12321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 1222$$

$$1^{612321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 1222 \quad \Delta = -146, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{812321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 1222 \quad \Delta = -201, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{412321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 1222 \quad \Delta = -96, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{712321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 1222 \quad \Delta = -173, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{212321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 1222 \quad \Delta = -68, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{512321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 1222 \quad \Delta = -120, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$12321 \overset{21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 1222 \quad \Delta = -68, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{\textcolor{red}{3}12321} \textcolor{red}{\mathfrak{e}}_7^{3,3} \otimes \mathfrak{e}_7 1222 \quad \Delta = -76, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{1321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 12231$

$$1 \overset{\textcolor{red}{2}}{\mathfrak{e}}_7^{1321} \otimes \mathfrak{e}_7^{3,3} 12231 \quad \Delta = -75, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{1321} \textcolor{blue}{e}_7 \otimes \textcolor{blue}{e}_7^{3,3} 12231 \textcolor{red}{5} \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1321\overset{21}{\mathfrak{e}_7}{}^{3,3} \otimes \mathfrak{e}_7 12231 \quad \Delta = -75, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{\textcolor{red}{3}1321}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} 12231 \quad \Delta = -83, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{1321}{}^{3,3} \mathfrak{e}_7 \otimes \mathfrak{e}_7 12231 \mathbf{3} \quad \Delta = -83, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{1321} \otimes e_7^{3,3} 12231^4 \quad \Delta = -103, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{4}{\mathfrak{e}}_7^{1321} \otimes \overset{3,3}{\mathfrak{e}}_7^{12231} \quad \Delta = -103, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{1321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{12231} \quad \Delta = -77, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{1321}{}^{3,3} \mathfrak{e}_7 \otimes \mathfrak{e}_7 12231 \mathbf{2} \quad \Delta = -75, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{5}{\mathbf{e}}_7^{1321} \otimes \mathbf{e}_7^{3,3} 12231 \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{1321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 12313$

$$1^{1321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 12313 \quad \Delta = -85, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{3,3}{\mathfrak{e}_7^{1321}} \otimes \mathfrak{e}_7^{12313} \quad \Delta = -91, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{1321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 12313 \mathbf{2} \quad \Delta = -84, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{2}{\mathbf{e}}_7^{1321} \otimes \overset{3,3}{\mathbf{e}}_7^{12313} \quad \Delta = -83, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\overset{21}{\mathbf{e}}_7^{3,3} \otimes \mathbf{e}_7 12313 \quad \Delta = -83, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \text{ } ^{51321} \text{ } ^{3,3} \text{ } \otimes \text{ } \text{e}_7 12313 \quad \Delta = -135, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \text{ } ^{41321} \text{ } _{\mathfrak{e}_7} \otimes \text{ } ^{3,3}_{\mathfrak{e}_7} 12313 \quad \Delta = -111, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $4 \overset{3,2}{\otimes} \overset{1}{\mathfrak{e}_7} \overset{3,3}{\otimes} \mathfrak{e}_7 1231$

$$4 \overset{3,2}{\otimes} \mathbf{e}_7 \overset{1}{\otimes} \overset{3,3}{\mathbf{e}_7} 1231\mathbf{5} \quad \Delta = -155, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$4 \overset{3,2}{\otimes} \mathfrak{e}_7 \overset{1}{\otimes} \overset{3,3}{\mathfrak{e}_7} 1231 \textcolor{red}{2} \quad \Delta = -103, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$4 \overset{3,2}{\otimes} \mathfrak{e}_7 \overset{1}{\otimes} \overset{3,3}{\mathfrak{e}_7} 12314 \quad \Delta = -131, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{1321}{}^{3,3}{}^1 e_7 \otimes e_7 1232$

$$1 \overset{3}{\mathbf{e}}_7^{1321} \otimes \overset{3,3}{\mathbf{e}}_7^{1232} \overset{1}{\Delta} = -85, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{1321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^1 1232 \quad \Delta = -79, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1321\overset{21}{\mathbf{e}}_7^{3,3} \otimes \overset{1}{\mathbf{e}}_7^{1232} \quad \Delta = -77, \, n_+ = 1, \, n_- = 17, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{2}{\mathbf{e}}_7^{1321} \otimes \overset{3,3}{\mathbf{e}}_7^{1232} \quad \Delta = -77, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{5}{\mathfrak{e}}_7^{1321} \otimes \overset{3,3}{\mathfrak{e}}_7^{1232} \overset{1}{\Delta} = -129, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{4}{\mathbf{e}}_7^{1321} \otimes \overset{3,3}{\mathbf{e}}_7^{1232} \quad \Delta = -105, \, n_+ = 1, \, n_- = 17, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1e_7^1 \otimes e_7^{3,3} 1e_7^1 1231513$

$$1_{\mathbf{e}_7}^{1\ 3,3\ 1} \otimes \mathbf{e}_7 1231513 \textcolor{red}{2} \quad \Delta = -127, \ n_+ = 1, \ n_- = 17, \ n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} 1231513 \quad \Delta = -126, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1\epsilon_7^{21} \otimes \epsilon_7^{3,3} 123215$

$$21\overset{21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \overset{1}{123215} \quad \Delta = -120, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{321}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \overset{1}{123215} \quad \Delta = -129, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1\epsilon_7^{21} \otimes \epsilon_7^{3,3} 123151$

$$\begin{aligned}
1 \textcolor{red}{e}_7^{3,2,1} \otimes e_7^{3,3,1} 123151 \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
21 \textcolor{red}{e}_7^{2,1} \otimes e_7^{3,3,1} 123151 \quad \Delta = -118, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1 \textcolor{red}{e}_7^{2,1} \otimes e_7^{3,3,1} 123151 \textcolor{red}{2} \quad \Delta = -118, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $1 \textcolor{red}{e}_7^{2,2,1} \otimes e_7^{3,3,1} 12321$

$$\begin{aligned}
1 \textcolor{red}{e}_7^{2,2,1} \otimes e_7^{3,3,1} 12321 \textcolor{red}{4} \quad \Delta = -96, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1 \textcolor{red}{e}_7^{2,2,1} \otimes e_7^{3,3,1} 12321 \textcolor{red}{3} \quad \Delta = -76, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
1 \textcolor{red}{e}_7^{3,2,2,1} \otimes e_7^{3,3,1} 12321 \quad \Delta = -77, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1 \textcolor{red}{e}_7^{2,2,1} \otimes e_7^{3,3,1} 12321 \textcolor{red}{7} \quad \Delta = -173, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
221 \textcolor{red}{e}_7^{2,1} \otimes e_7^{3,3,1} 12321 \quad \Delta = -68, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
1 \textcolor{red}{e}_7^{2,2,1} \otimes e_7^{3,3,2,1} 12321 \quad \Delta = -68, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1 \textcolor{red}{e}_7^{2,2,1} \otimes e_7^{3,3,1} 12321 \textcolor{red}{2} \quad \Delta = -68, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1 \textcolor{red}{e}_7^{2,2,1} \otimes e_7^{3,3,1} 12321 \textcolor{red}{5} \quad \Delta = -120, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
1 \textcolor{red}{e}_7^{2,2,1} \otimes e_7^{3,3,1} 12321 \textcolor{red}{8} \quad \Delta = -201, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_4 \\
1 \textcolor{red}{e}_7^{2,2,1} \otimes e_7^{3,3,1} 12321 \textcolor{red}{6} \quad \Delta = -146, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1 \textcolor{red}{e}_7^{3,2,1} \otimes e_7^{3,3,1} 12315$

$$1 \textcolor{red}{e}_7^{2,3,2,1} \otimes e_7^{3,3,1} 12315 \quad \Delta = -129, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1 \textcolor{red}{e}_7^{1,3,2,1} \otimes e_7^{3,3,1} 1231$

$$\begin{aligned}
1 \textcolor{red}{e}_7^{1,3,2,1} \otimes e_7^{3,3,1} 1231 \quad \Delta = -77, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
1321 \textcolor{red}{e}_7^{2,1} \otimes e_7^{3,3,1} 1231 \quad \Delta = -75, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
1 \textcolor{red}{e}_7^{2,1,3,2,1} \otimes e_7^{3,3,1} 1231 \quad \Delta = -75, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1 \textcolor{red}{e}_7^{3,1,3,2,1} \otimes e_7^{3,3,1} 1231 \quad \Delta = -83, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
1 \textcolor{red}{e}_7^{4,1,3,2,1} \otimes e_7^{3,3,1} 1231 \quad \Delta = -103, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1 \textcolor{red}{e}_7^{5,1,3,2,1} \otimes e_7^{3,3,1} 1231 \quad \Delta = -127, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $21 \textcolor{red}{e}_7^{2,1} \otimes e_7^{3,3,3,2} \otimes e_7^{3,2} 41$

$$\begin{aligned}
21 \textcolor{red}{e}_7^{2,1} \otimes e_7^{3,3,3,2} \otimes e_7^{3,2} 41 \textcolor{red}{2} \quad \Delta = -94, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
21 \textcolor{red}{e}_7^{2,1} \otimes e_7^{3,3,3,2} \otimes e_7^{3,2} 41 \textcolor{red}{3} \quad \Delta = -102, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
21 \textcolor{red}{e}_7^{3,2,1} \otimes e_7^{3,3,3,2} \otimes e_7^{3,2} 41 \quad \Delta = -103, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
21 \textcolor{red}{e}_7^{2,1} \otimes e_7^{3,3,3,2} \otimes e_7^{3,2} 41 \textcolor{red}{4} \quad \Delta = -122, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $1 \textcolor{red}{e}_7^{1,2,3,2,1} \otimes e_7^{3,3,2,1} 12$

$$\begin{aligned}
1 \textcolor{red}{e}_7^{6,1,2,3,2,1} \otimes e_7^{3,3,2,1} 12 \quad \Delta = -146, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
1 \textcolor{red}{e}_7^{7,1,2,3,2,1} \otimes e_7^{3,3,2,1} 12 \quad \Delta = -173, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1 \textcolor{red}{e}_7^{4,1,2,3,2,1} \otimes e_7^{3,3,2,1} 12 \quad \Delta = -96, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
1 \textcolor{red}{e}_7^{1,2,3,2,1} \otimes e_7^{3,3,2,1} 12 \textcolor{red}{3} \quad \Delta = -77, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
1 \textcolor{red}{e}_7^{3,1,2,3,2,1} \otimes e_7^{3,3,2,1} 12 \quad \Delta = -76, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
12321 \textcolor{red}{e}_7^{2,1} \otimes e_7^{3,3,2,1} 12 \quad \Delta = -68, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
1 \textcolor{red}{e}_7^{2,1,2,3,2,1} \otimes e_7^{3,3,2,1} 12 \quad \Delta = -68, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
1 \textcolor{red}{e}_7^{8,1,2,3,2,1} \otimes e_7^{3,3,2,1} 12 \quad \Delta = -201, n_+ = 1, n_- = 17, n_0 = 0 \quad &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $21 \textcolor{red}{e}_7^{3,2,1} \otimes e_7^{3,3,3,2} 12321$

$$21 \textcolor{red}{e}_7^{3,2,1} \otimes e_7^{3,3,3,2} 12321 \textcolor{red}{7} \quad \Delta = -182, n_+ = 1, n_- = 17, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$\begin{aligned}
21 \overset{3,3}{\mathfrak{e}_7} \otimes \mathfrak{e}_7 12321 \mathbf{6} \quad \Delta = -155, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21 \overset{3,3}{\mathfrak{e}_7} \otimes \mathfrak{e}_7 12321 \mathbf{5} \quad \Delta = -129, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21 \overset{3,3}{\mathfrak{e}_7} \otimes \mathfrak{e}_7 12321 \mathbf{8} \quad \Delta = -210, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
21 \overset{3,3}{\mathfrak{e}_7} \otimes \mathfrak{e}_7 12321 \mathbf{4} \quad \Delta = -105, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21 \overset{3,3}{\mathfrak{e}_7} \otimes \mathfrak{e}_7 12321 \mathbf{3} \quad \Delta = -85, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21 \overset{3,3}{\mathfrak{e}_7} \otimes \mathfrak{e}_7 12321 \quad \Delta = -79, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21 \overset{3,3}{\mathfrak{e}_7} \otimes \mathfrak{e}_7 12321 \mathbf{2} \quad \Delta = -77, n_+ = 1, n_- = 17, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

$T = 18$ (903 bases)

Base: $22314141414 \overset{2,4}{\otimes} \mathfrak{e}_8 1$

$$22314141414 \overset{2,4}{\otimes} \mathfrak{e}_8 \mathbf{12} \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{4,2}{\otimes} 413$

$$314 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{2,4}{\otimes} 4141 \mathbf{2} \quad \Delta = -109, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{4,2}{\otimes} 413 \mathbf{2} \quad \Delta = -110, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$314 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{2,4}{\otimes} 4141 \mathbf{4} \quad \Delta = -137, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$314 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{2,4}{\otimes} 4141 \mathbf{3} \quad \Delta = -117, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $31414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{4,2}{\otimes} 41$

$$31414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{4,2}{\otimes} 41 \mathbf{2} \quad \Delta = -109, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$31414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{4,2}{\otimes} 41 \mathbf{4} \quad \Delta = -137, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$14 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{2,4}{\otimes} 41413 \mathbf{2} \quad \Delta = -110, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $141414 \overset{2,4}{\otimes} \mathfrak{e}_8 122313$

$$313221 \mathfrak{e}_8 \overset{2,4}{\otimes} 414141 \mathbf{2} \quad \Delta = -109, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$313221 \mathfrak{e}_8 \overset{2,4}{\otimes} 414141 \mathbf{3} \quad \Delta = -117, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$313221 \mathfrak{e}_8 \overset{2,4}{\otimes} 414141 \mathbf{4} \quad \Delta = -137, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$141414 \overset{2,4}{\otimes} \mathfrak{e}_8 122313 \mathbf{2} \quad \Delta = -110, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $3141414 \overset{2,4}{\otimes} \mathfrak{e}_8 12231$

$$3141414 \overset{2,4}{\otimes} \mathfrak{e}_8 12231 \mathbf{4} \quad \Delta = -137, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$13221 \mathfrak{e}_8 \overset{2,4}{\otimes} 4141413 \mathbf{2} \quad \Delta = -110, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$3141414 \overset{2,4}{\otimes} \mathfrak{e}_8 12231 \mathbf{5} \quad \Delta = -161, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$3141414 \overset{2,4}{\otimes} \mathfrak{e}_8 12231 \mathbf{2} \quad \Delta = -109, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $14141414 \overset{2,4}{\otimes} \mathfrak{e}_8 1222$

$$2221 \mathfrak{e}_8 \overset{2,4}{\otimes} 41414141 \mathbf{3} \quad \Delta = -128, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$2221 \mathfrak{e}_8 \overset{2,4}{\otimes} 41414141 \mathbf{2} \quad \Delta = -120, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$2221 \mathfrak{e}_8 \overset{2,4}{\otimes} 41414141 \mathbf{4} \quad \Delta = -148, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $314141414 \overset{2,4}{\otimes} \mathfrak{e}_8 122$

$$221 \mathfrak{e}_8 \overset{2,4}{\otimes} 414141413 \mathbf{2} \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$314141414 \overset{2,4}{\otimes} \mathfrak{e}_8 1223 \mathbf{3} \quad \Delta = -137, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $314 \overset{2,4}{\otimes} \mathfrak{e}_8 122315123$

$$321513221 \mathfrak{e}_8 \overset{2,4}{\otimes} 413 \mathbf{2} \quad \Delta = -115, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $14 \otimes \epsilon_8^{2,4} 1223151232$

$$\begin{aligned} 2321513221\epsilon_8 \otimes 41\overset{2,4}{3} \quad \Delta = -116, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\ 2321513221\epsilon_8 \otimes 41\overset{2,4}{4} \quad \Delta = -136, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\ 2321513221\epsilon_8 \otimes 41\overset{2,4}{2} \quad \Delta = -108, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1 \end{aligned}$$

Base: $22313221\epsilon_8 122315131$

$$\begin{aligned} 22313221\epsilon_8 122315131\overset{2}{4} \quad \Delta = -114, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\ 22313221\epsilon_8 122315131\overset{2}{6} \quad \Delta = -164, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_4 \\ 22313221\epsilon_8 122315131\overset{2}{2} \quad \Delta = -86, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\ 22313221\epsilon_8 122315131\overset{2}{1} \quad \Delta = -87, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\ 22313221\epsilon_8 122315131\overset{2}{5} \quad \Delta = -138, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_3 \\ 22313221\epsilon_8 122315131\overset{2}{3} \quad \Delta = -94, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \end{aligned}$$

Base: $222221\epsilon_8 1223151321$

$$\begin{aligned} 222221\epsilon_8 1223151321\overset{2}{7} \quad \Delta = -174, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_4 \\ 222221\epsilon_8 1223151321\overset{2}{6} \quad \Delta = -147, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_3 \\ 222221\epsilon_8 1223151321\overset{2}{4} \quad \Delta = -97, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\ 222221\epsilon_8 1223151321\overset{2}{5} \quad \Delta = -121, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\ 222221\epsilon_8 1223151321\overset{2}{3} \quad \Delta = -77, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\ 222221\epsilon_8 1223151321\overset{2}{8} \quad \Delta = -202, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_5 \\ 222221\epsilon_8 1223151321\overset{2}{2} \quad \Delta = -69, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1 \end{aligned}$$

Base: $22221\epsilon_8 12231513151$

$$\begin{aligned} 22221\epsilon_8 12231513151\overset{2}{2} \quad \Delta = -120, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\ 22221\epsilon_8 12231513151\overset{2}{3} \quad \Delta = -128, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \end{aligned}$$

Base: $2221\epsilon_8 122315131513$

$$2221\epsilon_8 122315131513\overset{2}{2} \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $221\epsilon_8 12231513151322$

$$22315131513221\epsilon_8 122\overset{2}{3} \quad \Delta = -138, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $2314 \otimes \epsilon_8^{2,4} 1223151\overset{1}{1}$

$$2314 \otimes \epsilon_8^{2,4} 1223151\overset{1}{2} \quad \Delta = -106, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $314 \otimes \epsilon_8^{2,4} 12231513\overset{1}{3}$

$$\overset{231413221(12)12231}{31 \quad 5 \quad 1} \quad \Delta = -114, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $14 \otimes \epsilon_8^{2,4} 122315132\overset{1}{2}$

$$\begin{aligned} \overset{41413221(12)12231}{231 \quad 5 \quad 1} \quad \Delta = -134, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\ \overset{31413221(12)12231}{231 \quad 5 \quad 1} \quad \Delta = -114, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\ \overset{21413221(12)12231}{231 \quad 5 \quad 1} \quad \Delta = -106, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1 \end{aligned}$$

Base: $1\epsilon_8^{1 \quad 4,2} \otimes 4141414132$

$$\overset{21 \quad 4,2}{1\epsilon_8} \otimes 4141414132 \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\overset{22315131513221}{\epsilon_8} 12$

$$21\overset{22315131513221}{\epsilon_8} 1\overset{2}{2} \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $14 \otimes \epsilon_8^{2,4 \quad 1 \quad 4,2} \otimes 4141$

$$\begin{aligned} 14 \otimes \epsilon_8^{2,4 \quad 1 \quad 4,2} \otimes 4141\overset{4,2 \quad 1 \quad 2,4}{4} \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\ 1414 \otimes \epsilon_8^{4,2 \quad 1 \quad 2,4} \otimes 41\overset{4,2 \quad 1 \quad 2,4}{3} \quad \Delta = -109, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\ 1414 \otimes \epsilon_8^{4,2 \quad 1 \quad 2,4} \otimes 41\overset{4,2 \quad 1 \quad 2,4}{4} \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\ 14 \otimes \epsilon_8^{2,4 \quad 1 \quad 4,2} \otimes 4141\overset{4,2 \quad 1 \quad 2,4}{2} \quad \Delta = -101, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1 \end{aligned}$$

$$\begin{aligned}
1414 \otimes \mathfrak{e}_8^{4,2} \otimes 41\mathbf{2}^{2,4} \quad \Delta = -101, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
14 \otimes \mathfrak{e}_8^{2,4} \otimes 4141 \mathbf{2}^{4,2} \quad \Delta = -101, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
14 \otimes \mathfrak{e}_8^{2,4} \otimes 4141\mathbf{3}^{4,2} \quad \Delta = -109, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1 \mathfrak{e}_8^{13221} \otimes 414141^{4,2}$

$$\begin{aligned}
1 \mathfrak{e}_8^{13221} \otimes 414141\mathbf{4}^{4,2} \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1 \mathfrak{e}_8^{13221} \otimes 414141\mathbf{3}^{4,2} \quad \Delta = -109, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \mathfrak{e}_8^{313221} \otimes 414141^{4,2} \quad \Delta = -109, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \mathfrak{e}_8^{513221} \otimes 414141^{4,2} \quad \Delta = -153, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \mathfrak{e}_8^{413221} \otimes 414141^{4,2} \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \mathfrak{e}_8^{13221} \otimes 414141\mathbf{2}^{4,2} \quad \Delta = -101, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \mathfrak{e}_8^{213221} \otimes 414141^{4,2} \quad \Delta = -101, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
13221\mathfrak{e}_8^{21} \otimes 414141^{4,2} \quad \Delta = -101, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1 \mathfrak{e}_8^{221} \otimes 41414141^{4,2}$

$$\begin{aligned}
1 \mathfrak{e}_8^{221} \otimes 41414141\mathbf{3}^{4,2} \quad \Delta = -128, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \mathfrak{e}_8^{221} \otimes 41414141\mathbf{2}^{4,2} \quad \Delta = -120, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
221\mathfrak{e}_8^{21} \otimes 41414141^{4,2} \quad \Delta = -120, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \mathfrak{e}_8^{221} \otimes 41414141\mathbf{4}^{4,2} \quad \Delta = -148, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1 \mathfrak{e}_8^{3221} \otimes 41414141^{4,2} \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1 \mathfrak{e}_8^{21513221} \otimes 413^{4,2}$

$$1 \mathfrak{e}_8^{21513221} \otimes 413\mathbf{2}^{4,2} \quad \Delta = -106, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \mathfrak{e}_8^{321513221} \otimes 41^{4,2}$

$$\begin{aligned}
1 \mathfrak{e}_8^{321513221} \otimes 41\mathbf{4}^{4,2} \quad \Delta = -134, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
321513221\mathfrak{e}_8^{21} \otimes 41^{4,2} \quad \Delta = -106, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \mathfrak{e}_8^{321513221} \otimes 41\mathbf{2}^{4,2} \quad \Delta = -106, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \mathfrak{e}_8^{321513221} \otimes 41\mathbf{3}^{4,2} \quad \Delta = -114, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1 \mathfrak{e}_8^{2321513221} \otimes 41^{4,2} \quad \Delta = -108, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1 \mathfrak{e}_8^{131513221} 1223132$

$$\begin{aligned}
2313221 \mathfrak{e}_8^{131513221} \mathbf{2} \quad \Delta = -86, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \mathfrak{e}_8^{131513221} 1223132 \quad \Delta = -87, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \mathfrak{e}_8^{2131513221} 1223132 \quad \Delta = -86, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1 \mathfrak{e}_8^{4131513221} 1223132 \quad \Delta = -114, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1 \mathfrak{e}_8^{6131513221} 1223132 \quad \Delta = -164, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1 \mathfrak{e}_8^{3131513221} 1223132 \quad \Delta = -94, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \mathfrak{e}_8^{5131513221} 1223132 \quad \Delta = -138, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $1 \mathfrak{e}_8^{1231513221} 122222$

$$\begin{aligned}
1 \mathfrak{e}_8^{21231513221} 122222 \quad \Delta = -69, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1 \mathfrak{e}_8^{41231513221} 122222 \quad \Delta = -97, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1 \mathfrak{e}_8^{81231513221} 122222 \quad \Delta = -202, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
1 \mathfrak{e}_8^{61231513221} 122222 \quad \Delta = -147, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
222221 \mathfrak{e}_8^{1231513221} \mathbf{2} \quad \Delta = -69, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

$$\begin{aligned}
1^{71231513221} \mathfrak{e}_8 122222 \quad \Delta = -174, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1^{31231513221} \mathfrak{e}_8 122222 \quad \Delta = -77, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{51231513221} \mathfrak{e}_8 122222 \quad \Delta = -121, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\text{Base: } 1^{51231513221} \mathfrak{e}_8 12222 & \\
22221^{51231513221} \mathfrak{e}_8 12 \quad \Delta = -121, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1^{15131513221} \mathfrak{e}_8 12222 & \\
1^{315131513221} \mathfrak{e}_8 12222 \quad \Delta = -128, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{215131513221} \mathfrak{e}_8 12222 \quad \Delta = -120, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
22221^{15131513221} \mathfrak{e}_8 12 \quad \Delta = -120, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1^{315131513221} \mathfrak{e}_8 1222 & \\
2221^{315131513221} \mathfrak{e}_8 12 \quad \Delta = -128, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{2315131513221} \mathfrak{e}_8 1222 \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\text{Base: } 1^{2315131513221} \mathfrak{e}_8 122 & \\
221^{2315131513221} \mathfrak{e}_8 12 \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{2315131513221} \mathfrak{e}_8 1223 \quad \Delta = -138, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 1^{1513221} \mathfrak{e}_8^{4,2} \otimes 413 & \\
1^{21513221} \mathfrak{e}_8^{4,2} \otimes 413 \quad \Delta = -105, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1^{1513221} \mathfrak{e}_8^{4,2} \otimes 4132 \quad \Delta = -106, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\text{Base: } 1^{31513221} \mathfrak{e}_8^{4,2} \otimes 41 & \\
1^{231513221} \mathfrak{e}_8^{4,2} \otimes 41 \quad \Delta = -106, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1^{31513221} \mathfrak{e}_8^{4,2} \otimes 414 \quad \Delta = -133, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
31^{1413221(12)12231} \mathfrak{e}_8 1 \quad \Delta = -105, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1^{31513221} \mathfrak{e}_8^{4,2} \otimes 413 \quad \Delta = -113, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1^{31513221} \mathfrak{e}_8^{4,2} \otimes 412 \quad \Delta = -105, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\text{Base: } 21^{21} \mathfrak{e}_8^{4,2} \otimes 41414141 & \\
21^{21} \mathfrak{e}_8^{4,2} \otimes 414141412 \quad \Delta = -120, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21^{21} \mathfrak{e}_8^{4,2} \otimes 414141414 \quad \Delta = -148, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21^{21} \mathfrak{e}_8^{4,2} \otimes 414141413 \quad \Delta = -128, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
\text{Base: } 414 \otimes^{4,2} \mathfrak{e}_8^{1513221} 12 & \\
414 \otimes^{4,2} \mathfrak{e}_8^{31513221} 12 \quad \Delta = -133, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\text{Base: } 21^{21513221} \mathfrak{e}_8^{4,2} \otimes 41 & \\
21^{21513221} \mathfrak{e}_8^{4,2} \otimes 413 \quad \Delta = -105, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21^{21513221} \mathfrak{e}_8^{4,2} \otimes 412 \quad \Delta = -97, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21^{21513221} \mathfrak{e}_8^{4,2} \otimes 414 \quad \Delta = -125, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
\text{Base: } 21^{131513221} \mathfrak{e}_8 122313 & \\
21^{6131513221} \mathfrak{e}_8 122313 \quad \Delta = -163, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21^{3131513221} \mathfrak{e}_8 122313 \quad \Delta = -93, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21^{5131513221} \mathfrak{e}_8 122313 \quad \Delta = -137, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21^{4131513221} \mathfrak{e}_8 122313 \quad \Delta = -113, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21^{2131513221} \mathfrak{e}_8 122313 \quad \Delta = -85, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

$$21^{131513221} \mathfrak{e}_8^{122313} \quad \Delta = -86, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 4 \otimes \mathfrak{e}_8^{5,3 13221} 12$$

$$4 \otimes \mathfrak{e}_8^{5,3 13221} 12 \quad \Delta = -157, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$4 \otimes \mathfrak{e}_8^{5,3 213221} 12 \quad \Delta = -105, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$4 \otimes \mathfrak{e}_8^{5,3 413221} 12 \quad \Delta = -133, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 21^{1231513221} \mathfrak{e}_8^{12222}$$

$$21^{21231513221} \mathfrak{e}_8^{12222} \quad \Delta = -69, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21^{81231513221} \mathfrak{e}_8^{12222} \quad \Delta = -202, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$21^{31231513221} \mathfrak{e}_8^{12222} \quad \Delta = -77, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21^{61231513221} \mathfrak{e}_8^{12222} \quad \Delta = -147, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21^{71231513221} \mathfrak{e}_8^{12222} \quad \Delta = -174, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$21^{41231513221} \mathfrak{e}_8^{12222} \quad \Delta = -97, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 21^{15131513221} \mathfrak{e}_8^{1222}$$

$$21^{215131513221} \mathfrak{e}_8^{1222} \quad \Delta = -120, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 21^{315131513221} \mathfrak{e}_8^{122}$$

$$21^{315131513221} \mathfrak{e}_8^{1223} \quad \Delta = -137, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 21^{1513221 4,2} \mathfrak{e}_8 \otimes 41$$

$$21^{1513221 4,2} \mathfrak{e}_8 \otimes 41^3 \quad \Delta = -105, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21^{1513221 4,2} \mathfrak{e}_8 \otimes 41^4 \quad \Delta = -125, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$21^{1513221 4,2} \mathfrak{e}_8 \otimes 41^2 \quad \Delta = -97, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21^{21513221 4,2} \mathfrak{e}_8 \otimes 41 \quad \Delta = -97, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 221^{1513221} \mathfrak{e}_8^{1223151}$$

$$221^{1513221} \mathfrak{e}_8^{12231512} \quad \Delta = -121, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$221^{1513221} \mathfrak{e}_8^{12231513} \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 221^{31513221} \mathfrak{e}_8^{122315}$$

$$221^{231513221} \mathfrak{e}_8^{122315} \quad \Delta = -130, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 221^{131513221} \mathfrak{e}_8^{12231}$$

$$221^{2131513221} \mathfrak{e}_8^{12231} \quad \Delta = -77, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$221^{131513221} \mathfrak{e}_8^{122315} \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221^{131513221} \mathfrak{e}_8^{122314} \quad \Delta = -105, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221^{5131513221} \mathfrak{e}_8^{12231} \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221^{4131513221} \mathfrak{e}_8^{12231} \quad \Delta = -105, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221^{3131513221} \mathfrak{e}_8^{12231} \quad \Delta = -85, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221^{6131513221} \mathfrak{e}_8^{12231} \quad \Delta = -155, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$13221^{131513221} \mathfrak{e}_8^{1223} \quad \Delta = -86, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221^{131513221} \mathfrak{e}_8^{12231} \quad \Delta = -78, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221^{131513221} \mathfrak{e}_8^{122313} \quad \Delta = -85, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$221^{131513221} \mathfrak{e}_8^{122312} \quad \Delta = -77, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 221^{1231513221} \mathfrak{e}_8^{1222}$$

$$221^{71231513221} \mathfrak{e}_8^{1222} \quad \Delta = -174, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$2221^{1231513221} \mathfrak{e}_8^{1223} \quad \Delta = -78, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\begin{aligned}
221 \overset{3}{\mathfrak{e}_8}{}^{1231513221} 1222 \quad \Delta = -77, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
221 \overset{4}{\mathfrak{e}_8}{}^{1231513221} 1222 \quad \Delta = -97, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
221 \overset{5}{\mathfrak{e}_8}{}^{1231513221} 1222 \quad \Delta = -121, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
221 \overset{2}{\mathfrak{e}_8}{}^{1231513221} 1222 \quad \Delta = -69, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
221 \overset{6}{\mathfrak{e}_8}{}^{1231513221} 1222 \quad \Delta = -147, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
221 \overset{8}{\mathfrak{e}_8}{}^{1231513221} 1222 \quad \Delta = -202, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_5 \\
\text{Base: } 221 \overset{5}{\mathfrak{e}_8}{}^{1231513221} 122 & \\
221 \overset{5}{\mathfrak{e}_8}{}^{1231513221} 122 \overset{3}{\mathfrak{e}_8}{}^{1231513221} \Delta = -130, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
\text{Base: } 221 \overset{1}{\mathfrak{e}_8}{}^{15131513221} 122 & \\
221 \overset{2}{\mathfrak{e}_8}{}^{15131513221} 122 \quad \Delta = -120, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
221 \overset{1}{\mathfrak{e}_8}{}^{15131513221} 122 \overset{3}{\mathfrak{e}_8}{}^{15131513221} \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
221 \overset{3}{\mathfrak{e}_8}{}^{15131513221} 122 \quad \Delta = -128, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
\text{Base: } 1 \overset{1}{\mathfrak{e}_8}{}^{1,22315131513221} 1 & \\
1 \overset{1}{\mathfrak{e}_8}{}^{1,22315131513221} 1 \overset{2}{\mathfrak{e}_8}{}^{1,22315131513221} \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1 \overset{21}{\mathfrak{e}_8}{}^{21,2315131513221} 1 & \\
1 \overset{21}{\mathfrak{e}_8}{}^{21,2315131513221} 1 \overset{2}{\mathfrak{e}_8}{}^{21,2315131513221} \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1 \overset{1}{\mathfrak{e}_8}{}^{1,131513221} 122313 & \\
1 \overset{1}{\mathfrak{e}_8}{}^{1,131513221} 122313 \overset{2}{\mathfrak{e}_8}{}^{1,131513221} \Delta = -86, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1 \overset{1}{\mathfrak{e}_8}{}^{1,131513221} 122313 \quad \Delta = -86, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
1 \overset{1}{\mathfrak{e}_8}{}^{1,6131513221} 122313 \quad \Delta = -163, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1 \overset{1}{\mathfrak{e}_8}{}^{1,4131513221} 122313 \quad \Delta = -113, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1 \overset{1}{\mathfrak{e}_8}{}^{1,5131513221} 122313 \quad \Delta = -137, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
313221 \overset{1}{\mathfrak{e}_8}{}^{1,131513221} 1 \overset{2}{\mathfrak{e}_8}{}^{1,131513221} \Delta = -85, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1 \overset{1}{\mathfrak{e}_8}{}^{1,2131513221} 122313 \quad \Delta = -85, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1 \overset{1}{\mathfrak{e}_8}{}^{1,3131513221} 122313 \quad \Delta = -93, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
\text{Base: } 1 \overset{1}{\mathfrak{e}_8}{}^{1,1231513221} 1222 & \\
1 \overset{1}{\mathfrak{e}_8}{}^{1,61231513221} 1222 \quad \Delta = -147, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
1 \overset{1}{\mathfrak{e}_8}{}^{1,81231513221} 1222 \quad \Delta = -202, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
1 \overset{1}{\mathfrak{e}_8}{}^{1,71231513221} 1222 \quad \Delta = -174, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1 \overset{1}{\mathfrak{e}_8}{}^{1,21231513221} 1222 \quad \Delta = -69, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
1 \overset{1}{\mathfrak{e}_8}{}^{1,51231513221} 1222 \quad \Delta = -121, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1 \overset{1}{\mathfrak{e}_8}{}^{1,31231513221} 1222 \quad \Delta = -77, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1 \overset{1}{\mathfrak{e}_8}{}^{1,41231513221} 1222 \quad \Delta = -97, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
22221 \overset{1}{\mathfrak{e}_8}{}^{1,1231513221} 1 \overset{2}{\mathfrak{e}_8}{}^{1,1231513221} \Delta = -69, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1 \overset{1}{\mathfrak{e}_8}{}^{1,51231513221} 122 & \\
2221 \overset{1}{\mathfrak{e}_8}{}^{1,51231513221} 1 \overset{2}{\mathfrak{e}_8}{}^{1,51231513221} \Delta = -121, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1 \overset{1}{\mathfrak{e}_8}{}^{1,15131513221} 122 & \\
1 \overset{1}{\mathfrak{e}_8}{}^{1,215131513221} 122 \quad \Delta = -120, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
2221 \overset{1}{\mathfrak{e}_8}{}^{1,15131513221} 1 \overset{2}{\mathfrak{e}_8}{}^{1,15131513221} \Delta = -120, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1 \overset{1}{\mathfrak{e}_8}{}^{1,315131513221} 122 \quad \Delta = -128, n_+ = 1, n_- = 18, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1 \overset{221}{\mathfrak{e}_8}{}^{221,315131513221} 1 &
\end{aligned}$$

$$\begin{aligned}
& 1^{221, \textcolor{red}{2}315131513221} \mathfrak{e}_8 1 \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{\textcolor{red}{3}221, 315131513221} \mathfrak{e}_8 1 \quad \Delta = -137, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 1^{221, 315131513221} \mathfrak{e}_8 \textcolor{red}{1}2 \quad \Delta = -128, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1^{21, 315131513221} \mathfrak{e}_8 12 \\
& 21^{21, 315131513221} \mathfrak{e}_8 \textcolor{red}{1}2 \quad \Delta = -128, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1^{21, 1513221} \mathfrak{e}_8 1223151 \\
& 1^{21, 1513221} \mathfrak{e}_8 122315 \textcolor{red}{1}3 \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1^{21, 1513221} \mathfrak{e}_8 122315 \textcolor{red}{1}2 \quad \Delta = -121, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1^{21, 31513221} \mathfrak{e}_8 122315 \\
& 1^{21, \textcolor{red}{2}31513221} \mathfrak{e}_8 122315 \quad \Delta = -130, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1^{21, 131513221} \mathfrak{e}_8 12231 \\
& 1^{21, \textcolor{red}{6}131513221} \mathfrak{e}_8 12231 \quad \Delta = -155, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1^{21, 131513221} \mathfrak{e}_8 12231 \quad \Delta = -78, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1^{21, 131513221} \mathfrak{e}_8 12231 \textcolor{red}{4} \quad \Delta = -105, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1^{21, \textcolor{red}{4}131513221} \mathfrak{e}_8 12231 \quad \Delta = -105, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{21, 131513221} \mathfrak{e}_8 12231 \textcolor{red}{5} \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 13221^{21, 131513221} \mathfrak{e}_8 \textcolor{red}{1}2 \quad \Delta = -77, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{21, \textcolor{red}{2}131513221} \mathfrak{e}_8 12231 \quad \Delta = -77, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1^{21, 131513221} \mathfrak{e}_8 12231 \textcolor{red}{2} \quad \Delta = -77, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1^{21, \textcolor{red}{3}131513221} \mathfrak{e}_8 12231 \quad \Delta = -85, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1^{21, \textcolor{red}{5}131513221} \mathfrak{e}_8 12231 \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 1^{21, 1231513221} \mathfrak{e}_8 1222 \\
& 1^{21, \textcolor{red}{4}1231513221} \mathfrak{e}_8 1222 \quad \Delta = -97, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1^{21, \textcolor{red}{3}1231513221} \mathfrak{e}_8 1222 \quad \Delta = -77, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1^{21, \textcolor{red}{6}1231513221} \mathfrak{e}_8 1222 \quad \Delta = -147, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1^{21, \textcolor{red}{7}1231513221} \mathfrak{e}_8 1222 \quad \Delta = -174, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1^{21, \textcolor{red}{8}1231513221} \mathfrak{e}_8 1222 \quad \Delta = -202, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 1^{21, \textcolor{red}{2}1231513221} \mathfrak{e}_8 1222 \quad \Delta = -69, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 2221^{21, 1231513221} \mathfrak{e}_8 \textcolor{red}{1}2 \quad \Delta = -69, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1^{221, 51231513221} \mathfrak{e}_8 12 \\
& 21^{221, 51231513221} \mathfrak{e}_8 \textcolor{red}{1}2 \quad \Delta = -121, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{\textcolor{red}{3}221, 51231513221} \mathfrak{e}_8 12 \quad \Delta = -130, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \text{Base: } 1^{221, 15131513221} \mathfrak{e}_8 12 \\
& 21^{221, 15131513221} \mathfrak{e}_8 \textcolor{red}{1}2 \quad \Delta = -120, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{221, \textcolor{red}{2}15131513221} \mathfrak{e}_8 12 \quad \Delta = -120, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1^{\textcolor{red}{3}221, 15131513221} \mathfrak{e}_8 12 \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \text{Base: } 1^{221, 1231513221} \mathfrak{e}_8 122 \\
& 1^{221, \textcolor{red}{5}1231513221} \mathfrak{e}_8 122 \quad \Delta = -121, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 221^{221, 1231513221} \mathfrak{e}_8 \textcolor{red}{1}2 \quad \Delta = -69, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{221, \textcolor{red}{4}1231513221} \mathfrak{e}_8 122 \quad \Delta = -97, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1^{221, \textcolor{red}{8}1231513221} \mathfrak{e}_8 122 \quad \Delta = -202, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3
\end{aligned}$$

$1^{221,3}1231513221_{\mathfrak{e}_8}122 \quad \Delta = -77, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1^{221,6}1231513221_{\mathfrak{e}_8}122 \quad \Delta = -147, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$
 $1^{221,7}1231513221_{\mathfrak{e}_8}122 \quad \Delta = -174, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1^{221,2}1231513221_{\mathfrak{e}_8}122 \quad \Delta = -69, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$
 $1^{221,1231513221}_{\mathfrak{e}_8}122\mathbf{3} \quad \Delta = -78, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$
Base: $21^{21,15131513221}_{\mathfrak{e}_8}12$
 $21^{21,215131513221}_{\mathfrak{e}_8}12 \quad \Delta = -120, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$
Base: $21^{221,1231513221}_{\mathfrak{e}_8}12$
 $21^{221,6}1231513221_{\mathfrak{e}_8}12 \quad \Delta = -147, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$
 $21^{\mathbf{3}221,1231513221}_{\mathfrak{e}_8}12 \quad \Delta = -78, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$
 $21^{221,2}1231513221_{\mathfrak{e}_8}12 \quad \Delta = -69, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$
 $21^{221,7}1231513221_{\mathfrak{e}_8}12 \quad \Delta = -174, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$
 $21^{221,3}1231513221_{\mathfrak{e}_8}12 \quad \Delta = -77, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$
 $21^{221,4}1231513221_{\mathfrak{e}_8}12 \quad \Delta = -97, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$
 $21^{221,8}1231513221_{\mathfrak{e}_8}12 \quad \Delta = -202, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$
Base: 123141414141413221
 $123141414141413221\mathbf{7} \quad \Delta = -14, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_4$
 $123141414141413221(\mathbf{12}) \quad \Delta = -157, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_9$
 $122314141414141321\mathbf{8} \quad \Delta = -42, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$
 $123141414141413221\mathbf{8} \quad \Delta = -42, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_5$
 $122314141414141321\mathbf{7} \quad \Delta = -14, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$
Base: 214141414141413221
 $214141414141413221\mathbf{7} \quad \Delta = -33, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_4$
 $214141414141413221\mathbf{8} \quad \Delta = -61, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_5$
 $214141414141413221(\mathbf{12}) \quad \Delta = -176, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_9$
 $214141414141413221\mathbf{6} \quad \Delta = -6, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$
Base: 131414141414141321
 $131414141414141321\mathbf{7} \quad \Delta = -41, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_5$
 $123141414141414131\mathbf{6} \quad \Delta = -14, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$
 $131414141414141321\mathbf{8} \quad \Delta = -69, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_6$
 $131414141414141321\mathbf{6} \quad \Delta = -14, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_4$
Base: 214141414141414131
 $214141414141414131\mathbf{5} \quad \Delta = -7, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_4$
 $214141414141414131\mathbf{6} \quad \Delta = -33, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_5$
Base: $1^{14141414141413221}$
 $1^{14141414141413221}\mathbf{7} \quad \Delta = -33, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_4$
 $1^{14141414141413221}\mathbf{8} \quad \Delta = -61, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_5$
 $1^{14141414141413221}(\mathbf{12}) \quad \Delta = -176, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_9$
 $1^{14141414141413221}\mathbf{6} \quad \Delta = -6, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$
Base: $1^{141414141414131}$
 $1^{141414141414131}\mathbf{5} \quad \Delta = -7, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_4$
 $1^{141414141414131}\mathbf{6} \quad \Delta = -33, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_5$
Base: 12315131 $\mathfrak{e}_6$ 131513221
 $12315131\mathfrak{e}_6131513221\mathbf{8} \quad \Delta = -100, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_4$

$$122315131\epsilon_6 \otimes^{2,2} \epsilon_6 1313\bar{2} \quad \Delta = -1, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 14 \otimes^{2,2} \epsilon_6 \otimes^{2,2} \epsilon_6 13151321$$

$$14 \otimes^{2,2} \epsilon_6 \otimes^{2,2} \epsilon_6 13151321\bar{5} \quad \Delta = -72, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \otimes^{2,2} \epsilon_6 \otimes^{2,2} \epsilon_6 13151321\bar{7} \quad \Delta = -125, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$12315131\epsilon_6 \otimes^{2,2} \epsilon_6 \otimes^{2,2} 41\bar{4} \quad \Delta = -48, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$14 \otimes^{2,2} \epsilon_6 \otimes^{2,2} \epsilon_6 13151321\bar{2} \quad \Delta = -20, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$12315131\epsilon_6 \otimes^{2,2} \epsilon_6 \otimes^{2,2} 41\bar{3} \quad \Delta = -28, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$12315131\epsilon_6 \otimes^{2,2} \epsilon_6 \otimes^{2,2} 41\bar{2} \quad \Delta = -20, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \otimes^{2,2} \epsilon_6 \otimes^{2,2} \epsilon_6 13151321\bar{4} \quad \Delta = -48, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$14 \otimes^{2,2} \epsilon_6 \otimes^{2,2} \epsilon_6 13151321\bar{6} \quad \Delta = -98, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$14 \otimes^{2,2} \epsilon_6 \otimes^{2,2} \epsilon_6 13151321\bar{8} \quad \Delta = -153, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$14 \otimes^{2,2} \epsilon_6 \otimes^{2,2} \epsilon_6 13151321\bar{3} \quad \Delta = -28, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } \epsilon_6 \circ^{3,3} \epsilon_6 \otimes^{2,2} \epsilon_6 13151$$

$$\epsilon_6 \circ^{3,3} \epsilon_6 \otimes^{2,2} \epsilon_6 13151\bar{3} \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1315131\epsilon_6 \otimes^{2,2} \epsilon_6 131512$$

$$215131\epsilon_6 \otimes^{2,2} \epsilon_6 1315131\bar{2} \quad \Delta = -43, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$215131\epsilon_6 \otimes^{2,2} \epsilon_6 1315131\bar{5} \quad \Delta = -95, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$215131\epsilon_6 \otimes^{2,2} \epsilon_6 1315131\bar{6} \quad \Delta = -121, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1315131\epsilon_6 \otimes^{2,2} \epsilon_6 131512 \quad \Delta = -44, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$215131\epsilon_6 \otimes^{2,2} \epsilon_6 1315131\bar{3} \quad \Delta = -51, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1315131\epsilon_6 \otimes^{2,2} \epsilon_6 131512\bar{3} \quad \Delta = -52, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$215131\epsilon_6 \otimes^{2,2} \epsilon_6 1315131\bar{4} \quad \Delta = -71, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1315131\epsilon_6 \otimes^{2,2} \epsilon_6 13151\bar{1}$$

$$1 \overset{6}{131513161316131} \underset{5}{1} \quad \Delta = -121, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1315131\epsilon_6 \otimes^{2,2} \epsilon_6 13151\bar{2} \quad \Delta = -43, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1315131\epsilon_6 \otimes^{2,2} \epsilon_6 13151\bar{1} \quad \Delta = -44, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{3}{131513161316131} \underset{5}{1} \quad \Delta = -51, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1315131\epsilon_6 \otimes^{2,2} \epsilon_6 13151\bar{3} \quad \Delta = -51, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{5}{131513161316131} \underset{5}{1} \quad \Delta = -95, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{4}{131513161316131} \underset{5}{1} \quad \Delta = -71, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{2}{131513161316131} \underset{5}{1} \quad \Delta = -43, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1321\epsilon_6 \otimes^{2,2} \epsilon_6 \otimes^{2,2} \epsilon_6 12321$$

$$1321\epsilon_6 \otimes^{2,2} \epsilon_6 \otimes^{2,2} \epsilon_6 12321\bar{6} \quad \Delta = -99, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$12321\epsilon_6 \otimes^{2,2} \epsilon_6 \otimes^{2,2} \epsilon_6 1231\bar{2} \quad \Delta = -21, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1321\epsilon_6 \otimes^{2,2} \epsilon_6 \otimes^{2,2} \epsilon_6 12321\bar{7} \quad \Delta = -126, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1321\epsilon_6 \otimes^{2,2} \epsilon_6 \otimes^{2,2} \epsilon_6 12321 \quad \Delta = -23, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\epsilon_6 \otimes^{2,2} \epsilon_6 \otimes^{2,2} \epsilon_6 12321\bar{4} \quad \Delta = -49, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12321\epsilon_6 \otimes^{2,2} \epsilon_6 \otimes^{2,2} \epsilon_6 1231\bar{4} \quad \Delta = -49, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1321\epsilon_6 \otimes^{2,2} \epsilon_6 \otimes^{2,2} \epsilon_6 12321\bar{3} \quad \Delta = -29, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$3131\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes 41\mathbf{4} \quad \Delta = -81, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 131512$

$$21\overset{3,1}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} 131512 \quad \Delta = -69, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21\overset{2,1}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} 131512 \quad \Delta = -61, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_6}^{2,1} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} 131512\mathbf{3} \quad \Delta = -70, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{3,21}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} 131512 \quad \Delta = -70, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \epsilon_6^1 13151$

$$1 \overset{321}{\mathfrak{e}_6} \overset{2,2}{\otimes} \overset{2,2}{\mathfrak{e}_6} \overset{1}{\mathfrak{e}_6} 13151 \quad \Delta = -70, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1_{\mathfrak{e}_6}^{21} \otimes_{\mathfrak{e}_6}^{2,2} \mathfrak{e}_6 \otimes_{\mathfrak{e}_6}^{2,2} \mathfrak{e}_6 13151\mathbf{3} \quad \Delta = -69, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\overset{2,1}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 13151 \quad \Delta = -61, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_6}^{2,1} \otimes_{\mathfrak{e}_6}^{2,2} \mathfrak{e}_6 \otimes_{\mathfrak{e}_6}^{2,2} \mathfrak{e}_6 13151 \mathbf{2} \quad \Delta = -61, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\overset{3,1}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} 131\overset{1}{5}1 \quad \Delta = -69, \, n_+ = 1, \, n_- = 18, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1 \epsilon_6^{131} \otimes \epsilon_6^{2,2} 131513221$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 131513221 \mathbf{7} \quad \Delta = -97, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{\textcolor{red}{3}131}{\mathfrak{e}_6} \overset{2,2}{\otimes} \mathfrak{e}_6 131513221 \quad \Delta = 0, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 131513221 \mathbf{8} \quad \Delta = -125, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{131} \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 131513221 \mathbf{5} \quad \Delta = -44, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{5}{\mathbf{e}}_6^{131} \otimes \overset{2,2}{\mathbf{e}}_6^{131513221} \quad \Delta = -44, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{131513221} (12) \quad \Delta = -240, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$1 \overset{4,131}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} 131513221 \quad \Delta = -20, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$131\overset{\textcolor{red}{3}1}{\mathfrak{e}_6}{}^{2,2} \otimes \mathfrak{e}_6 131513221 \quad \Delta = 0, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{131} \epsilon_6^{2,2} \otimes \epsilon_6 131513221^{\text{red}} \quad \Delta = 0, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{131} \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 131513221\mathbf{6} \quad \Delta = -70, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \text{ } ^{6131} \text{ } ^{2,2}_{\epsilon_6} \otimes \epsilon_6 131513221 \quad \Delta = -70, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{131} 2^{2,2} \mathbf{e}_6 \otimes \mathbf{e}_6 131513221\mathbf{4} \quad \Delta = -20, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1 \epsilon_6^{131} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 12321$

$$131\overset{2,1}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} 12321 \quad \Delta = -20, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 12321\mathbf{6} \quad \Delta = -98, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 12321 \mathbf{2} \quad \Delta = -20, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 12321\mathbf{5} \quad \Delta = -72, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{6131}{\mathfrak{e}_6} \overset{2,2}{\otimes} \overset{2,2}{\mathfrak{e}_6} \overset{2,2}{\otimes} \mathfrak{e}_6 12321 \quad \Delta = -98, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{5}{\mathbf{e}}_6^{131} \otimes \overset{2,2}{\mathbf{e}}_6^{2,2} \otimes \overset{2,2}{\mathbf{e}}_6^{2,2} 12321 \quad \Delta = -72, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{2,1}{\mathfrak{e}}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 12321 \quad \Delta = -20, \quad n_+ = 1, \quad n_- = 18, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$131\overset{3,1}{\epsilon_6} \otimes \overset{2,2}{\epsilon_6} \otimes \overset{2,2}{\epsilon_6} 12321 \quad \Delta = -28, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 12321 \mathbf{3} \quad \Delta = -28, \quad n_+ = 1, \quad n_- = 18, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{3}{\mathbf{e}}_6^{131} \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 12321 \quad \Delta = -28, \, n_+ = 1, \, n_- = 18, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 123218 \quad \Delta = -153, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1 \overset{131}{\mathbf{e}_6} \overset{2,2}{\otimes} \overset{2,2}{\mathbf{e}_6} \overset{2,2}{\otimes} \mathbf{e}_6 123217 \quad \Delta = -125, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 123214 \quad \Delta = -48, \quad n_+ = 1, \quad n_- = 18, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{4,131}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} 12321 \quad \Delta = -48, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1^{131} \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes 41$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes 41^{\text{red}} \quad \Delta = -73, \, n_+ = 1, \, n_- = 18, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1 \overset{4131}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \otimes \overset{2,2}{41} \quad \Delta = -73, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{131} \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes 41\mathbf{red} \quad \Delta = -53, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{3,131}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{41} \quad \Delta = -53, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$131\overset{\textcolor{red}{3}}{\mathbf{1}}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes 41 \quad \Delta = -53, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{6131}{\mathbf{e}_6} \overset{2,2}{\otimes} \overset{2,2}{\mathbf{e}_6} \overset{2,2}{\otimes} \overset{2,2}{\mathbf{e}_6} \otimes 41 \quad \Delta = -123, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes 41\mathbf{2} \quad \Delta = -45, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{2131} \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes 41 \quad \Delta = -45, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$131 \overset{2,2}{\underset{1}{\mathfrak{e}_6}} \otimes \overset{2,2}{\underset{2}{\mathfrak{e}_6}} \otimes \overset{2,2}{\underset{3}{\mathfrak{e}_6}} \otimes 41 \quad \Delta = -45, \quad n_+ = 1, \quad n_- = 18, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{5131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 41 \quad \Delta = -97, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1\epsilon_6^{2,2} \otimes \epsilon_6^1 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 131$

$$131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^1 \otimes \epsilon_6^{2,2} 1\textcolor{red}{2} \quad \Delta = -95, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 131\mathbf{6} \quad \Delta = -173, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 1314 \quad \Delta = -123, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^1 \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 131\mathbf{3} \quad \Delta = -103, \, n_+ = 1, \, n_- = 18, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$131 \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^1 \otimes \mathbf{e}_6^{2,2} \mathbf{1} \quad \Delta = -103, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 131\mathbf{5} \quad \Delta = -147, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^1 \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 131\mathbf{2} \quad \Delta = -95, \, n_+ = 1, \, n_- = 18, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $e_7' \overset{3,5}{\otimes} e_6 \overset{2,2}{\otimes} e_6 131$

$$\mathbf{e}_7'^{3,5} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{131\textcolor{red}{2}} \quad \Delta = -97, \, n_+ = 1, \, n_- = 18, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\mathbf{e}_7^{3,5} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 131\mathbf{\bar{5}} \quad \Delta = -149, \, n_+ = 1, \, n_- = 18, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\mathbf{e}_7^{3,5} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 131\textcolor{red}{4} \quad \Delta = -125, \, n_+ = 1, \, n_- = 18, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_7^{3,5} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{131\textcolor{red}{6}} \quad \Delta = -175, \, n_+ = 1, \, n_- = 18, \, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

Base: $e_7' \otimes^{3,3} e_6 \otimes^{2,2} e_6 \otimes^{2,2} e_6 123$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{123\textcolor{red}{2}} \quad \Delta = -128, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $131\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{3,4} \otimes \mathfrak{e}_7'1$

$$131\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,4} \otimes \mathbf{e}_7' \mathbf{12} \quad \Delta = -97, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7' \otimes \mathbf{e}_6^{3,4} \otimes \mathbf{e}_6^{2,2} 131\mathbf{4} \quad \Delta = -125, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7' \otimes \mathbf{e}_6^{3,4} \otimes \mathbf{e}_6^{2,2} 131\mathbf{5} \quad \Delta = -149, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathfrak{e}'_7 \otimes \mathfrak{e}_6^{3,4} \otimes \mathfrak{e}_6^{2,2} 131\mathbf{6} \quad \Delta = -175, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7' \otimes \epsilon_6^{3,4} \otimes \epsilon_6^{2,2} 131 \mathbf{3} \quad \Delta = -105, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_7' \overset{3,4}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 131\textcolor{red}{2} \quad \Delta = -97, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}'_7 1$

$$21 \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,3} \otimes \mathbf{e}_7'^{1,2} \quad \Delta = -117, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{12\text{red}} \quad \Delta = -126, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \epsilon_6^1 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_7^{3,3} \otimes \epsilon_7'$

$$1\overset{\textcolor{red}{31}}{\mathfrak{e}}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_7^{\prime 1} \quad \Delta = -125, \, n_+ = 1, \, n_- = 18, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon_6^{1,2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,3} \otimes \epsilon_7'12 \quad \Delta = -117, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,3} \otimes \epsilon_7'1 \quad \Delta = -117, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } \epsilon_7^{3,5} \otimes \epsilon_6^{2,2} \otimes \epsilon_6123$$

$$\epsilon_7^{3,5} \otimes \epsilon_6^{2,2} \otimes \epsilon_61232 \quad \Delta = -128, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 21\epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_71$$

$$21\epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_712 \quad \Delta = -117, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{3,5} \otimes \epsilon_6^{2,2} \otimes \epsilon_6123 \quad \Delta = -126, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\epsilon_6^{1,2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_71$$

$$1\epsilon_6^{3,1} \otimes \epsilon_6^{2,2} \otimes \epsilon_71 \quad \Delta = -125, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_6^{1,2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_712 \quad \Delta = -117, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{2,1} \otimes \epsilon_6^{2,2} \otimes \epsilon_71 \quad \Delta = -117, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 321\epsilon_6^{2,2} \otimes \epsilon_6^{3,4} \otimes \epsilon_71$$

$$321\epsilon_6^{2,2} \otimes \epsilon_6^{3,4} \otimes \epsilon_712 \quad \Delta = -126, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{3,4} \otimes \epsilon_6^{2,2} \otimes \epsilon_61232 \quad \Delta = -128, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 315131\epsilon_6^{2,2} \otimes \epsilon_6^{3,3} \otimes \epsilon_71$$

$$1\epsilon_7^{3,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_61315132 \quad \Delta = -128, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$315131\epsilon_6^{2,2} \otimes \epsilon_6^{3,3} \otimes \epsilon_712 \quad \Delta = -127, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 2321\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_71$$

$$2321\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_712 \quad \Delta = -127, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 15131\epsilon_6^{2,2} \otimes \epsilon_6^{3,3} \otimes \epsilon_712$$

$$15131\epsilon_6^{2,2} \otimes \epsilon_6^{3,3} \otimes \epsilon_7123 \quad \Delta = -128, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\epsilon_7^{3,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6131512 \quad \Delta = -119, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\epsilon_6^{1,2,2} \otimes \epsilon_6^{3,4} \otimes \epsilon_712$$

$$1\epsilon_6^{3,1} \otimes \epsilon_6^{2,2} \otimes \epsilon_712 \quad \Delta = -125, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_6^{1,2,2} \otimes \epsilon_6^{3,4} \otimes \epsilon_7123 \quad \Delta = -126, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^{2,1} \otimes \epsilon_6^{2,2} \otimes \epsilon_712 \quad \Delta = -117, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 321\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_712$$

$$321\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7123 \quad \Delta = -134, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 21\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7122$$

$$221\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7123 \quad \Delta = -125, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\epsilon_7^{1,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7122$$

$$1\epsilon_7^{1,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_71223 \quad \Delta = -125, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^{2,1} \otimes \epsilon_7^{3,3} \otimes \epsilon_7122 \quad \Delta = -116, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_71223$$

$$3221\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_712 \quad \Delta = -125, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\epsilon_6^{2,2} \otimes \epsilon_6^{3,4} \otimes \epsilon_7123$$

$$1\epsilon_6^{2,2} \otimes \epsilon_6^{3,4} \otimes \epsilon_71232 \quad \Delta = -128, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\begin{array}{ccccc} & \textcolor{red}{7} & 1 & 2 & 2 & 3 & 1 & 5 & 1 & 3 & 2 & 1 & 8 & 1 & 2 & 3 & 1 \\ 1 & & & & & & & 5 & & & & & & & & & 1 \end{array} \quad \Delta = -120, \, n_+ = 1, \, n_- = 18, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\begin{array}{ccccc} & \textcolor{red}{5} & 1 & 2 & 2 & 3 & 1 & 5 & 1 & 3 & 2 & 1 & 8 & 1 & 2 & 3 & 1 \\ 1 & & & & & & & & 5 & & & & & & & & & 1 \end{array} \quad \Delta = -67, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $\epsilon_6 \overset{4,4}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_6 1$

$$\mathbf{e}_6^{4,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6 \mathbf{13} \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1e_6 \overset{3,3}{\otimes} e_7 \overset{4,3}{\otimes} e_6 1$

$$1\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{4,3} \otimes \mathbf{e}_6\mathbf{1}_2 \quad \Delta = -120, \, n_+ = 1, \, n_- = 18, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{4,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6\mathbf{1}\mathbf{3} \quad \Delta = -128, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_6^{4,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6\mathbf{1}\mathbf{2} \quad \Delta = -120, \, n_+ = 1, \, n_- = 18, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{4,3} \otimes \mathbf{e}_6\mathbf{1}\mathbf{3} \quad \Delta = -128, \, n_+ = 1, \, n_- = 18, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $21\mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_7 123151321$

$$123151321\mathbf{e}_7 \otimes \overset{3,3}{\mathbf{e}_6}12\mathbf{3} \quad \Delta = -52, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7 123151321\mathbf{3} \quad \Delta = -51, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{123151321\mathbf{2}} \quad \Delta = -43, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{123151321\mathbf{4}} \quad \Delta = -71, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7 123151321\mathbf{5} \quad \Delta = -95, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7 123151321\mathbf{7} \quad \Delta = -148, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$21\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7 123151321\mathbf{6} \quad \Delta = -121, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7 123151321\mathbf{8} \quad \Delta = -176, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

Base: $131\epsilon_6^{3,3} \otimes \epsilon_7 12315131$

$$13151321\mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6 131\mathbf{6} \quad \Delta = -128, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$13151321\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_6 131\mathbf{3} \quad \Delta = -58, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$131\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7 12315131\mathbf{3} \quad \Delta = -58, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$131\epsilon_6^{3,3} \otimes \epsilon_7 12315131\mathbf{5} \quad \Delta = -102, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$13151321\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_6 131\mathbf{5} \quad \Delta = -102, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$131\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7 12315131\mathbf{4} \quad \Delta = -78, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$131\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7 12315131\mathbf{6} \quad \Delta = -128, \, n_+ = 1, \, n_- = 18, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$13151321\epsilon_7^{3,3} \otimes \epsilon_6 131\mathbf{2} \quad \Delta = -50, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$131\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7 12315131\mathbf{2} \quad \Delta = -50, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$131\mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_7^{2,2} 12315131 \quad \Delta = -51, \, n_+ = 1, \, n_- = 18, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$13151321\mathbf{e}_7 \otimes \mathbf{e}_6 131\mathbf{4} \quad \Delta = -78, \, n_+ = 1, \, n_- = 18, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $\epsilon_6^{2,2} \otimes \epsilon_6^{3,3} \otimes \epsilon_7^{1231513}$

$$\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{1231513\textcolor{red}{2}} \quad \Delta = -129, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $131\epsilon_6^{3,4} \otimes \epsilon_7 12321$

$$12321\mathbf{e}_7 \overset{3,4}{\otimes} \mathbf{e}_6 131\mathbf{e}_4 \quad \Delta = -78, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$131\mathbf{e}_6^{3,4} \otimes \mathbf{e}_7 12321\mathbf{3} \quad \Delta = -58, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$12321\mathbf{e}_7^{3,4} \otimes \mathbf{e}_6 131\mathbf{e} \quad \Delta = -128, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$131\mathbf{e}_6^{3,4} \otimes \mathbf{e}_7 12321\mathbf{2} \quad \Delta = -50, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$12321\mathfrak{e}_7^{3,4} \otimes \mathfrak{e}_6 131\mathbf{2} \quad \Delta = -50, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$131\mathbf{e}_6^{3,4} \otimes \mathbf{e}_7 12321\mathbf{e}_4 \quad \Delta = -78, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$131\mathbf{e}_6^{3,4} \otimes \mathbf{e}_7 12321\mathbf{7} \quad \Delta = -155, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

Base: $1\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_7 123151$

Base: $131\epsilon_6^{2,2} \otimes \epsilon_6^{3,3} \otimes \epsilon_7 1231$

Base: $1\mathfrak{e}_6^1 \otimes^{3,3} \mathfrak{e}_7 123151321$

Base: $e_7' \overset{4,5}{\otimes} e_7 123151$

$$1c' \overset{5,4}{\otimes} c-12321 \mathbf{6} \quad \Lambda = -148 \quad m_+ = 1 \quad m_- = 18 \quad m_0 = 0 \quad \rightarrow \mathbb{E}_7$$

$$\begin{aligned}
1\mathbf{e}'_7 \otimes \mathbf{e}_7 12321\mathbf{4} \quad \Delta = -98, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\mathbf{e}'_7 \otimes \mathbf{e}_7 12321\mathbf{8} \quad \Delta = -203, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
1\mathbf{e}'_7 \otimes \mathbf{e}_7 12321\mathbf{2} \quad \Delta = -70, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
12321\mathbf{e}_7 \otimes \mathbf{e}'_7 \mathbf{12} \quad \Delta = -70, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\mathbf{e}'_7 \otimes \mathbf{e}_7 12321\mathbf{5} \quad \Delta = -122, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1\mathbf{e}'_7 \otimes \mathbf{e}_7 12321\mathbf{3} \quad \Delta = -78, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 1\mathbf{e}'_7 \otimes \mathbf{e}_7 12321\mathbf{5} \\
512321\mathbf{e}_7 \otimes \mathbf{e}'_7 \mathbf{12} \quad \Delta = -122, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
\text{Base: } 1\mathbf{e}'_7 \otimes \mathbf{e}_7 123151 \\
151321\mathbf{e}_7 \otimes \mathbf{e}'_7 \mathbf{12} \quad \Delta = -120, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\mathbf{e}'_7 \otimes \mathbf{e}_7 123151\mathbf{2} \quad \Delta = -120, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\mathbf{e}'_7 \otimes \mathbf{e}_7 123151\mathbf{3} \quad \Delta = -128, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\text{Base: } 21\mathbf{e}'_7 \otimes \mathbf{e}_7 12321 \\
21\mathbf{e}'_7 \otimes \mathbf{e}_7 12321\mathbf{2} \quad \Delta = -70, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21\mathbf{e}'_7 \otimes \mathbf{e}_7 12321\mathbf{3} \quad \Delta = -78, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
12321\mathbf{e}_7 \otimes \mathbf{e}'_7 \mathbf{123} \quad \Delta = -79, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21\mathbf{e}'_7 \otimes \mathbf{e}_7 12321\mathbf{4} \quad \Delta = -98, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21\mathbf{e}'_7 \otimes \mathbf{e}_7 12321\mathbf{6} \quad \Delta = -148, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21\mathbf{e}'_7 \otimes \mathbf{e}_7 12321\mathbf{7} \quad \Delta = -175, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
21\mathbf{e}'_7 \otimes \mathbf{e}_7 12321\mathbf{8} \quad \Delta = -203, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
\text{Base: } 21\mathbf{e}'_7 \otimes \mathbf{e}_7 123151315 \\
513151321\mathbf{e}_7 \otimes \mathbf{e}'_7 \mathbf{123} \quad \Delta = -130, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 221\mathbf{e}'_7 \otimes \mathbf{e}_7 12315131 \\
221\mathbf{e}'_7 \otimes \mathbf{e}_7 12315131\mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
221\mathbf{e}'_7 \otimes \mathbf{e}_7 123151\mathbf{31} \quad \Delta = -70, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
13151321\mathbf{e}_7 \otimes \mathbf{e}'_7 \mathbf{1223} \quad \Delta = -78, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
221\mathbf{e}'_7 \otimes \mathbf{e}_7 12315131\mathbf{4} \quad \Delta = -97, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
221\mathbf{e}'_7 \otimes \mathbf{e}_7 12315131\mathbf{5} \quad \Delta = -121, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
221\mathbf{e}'_7 \otimes \mathbf{e}_7 12315131\mathbf{2} \quad \Delta = -69, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
221\mathbf{e}'_7 \otimes \mathbf{e}_7 12315131\mathbf{6} \quad \Delta = -147, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
\text{Base: } 1321\mathbf{e}'_7 \otimes \mathbf{e}_7 1231512 \\
1321\mathbf{e}'_7 \otimes \mathbf{e}_7 1231512\mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1321\mathbf{e}'_7 \otimes \mathbf{e}_7 123151\mathbf{2} \quad \Delta = -72, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
2151321\mathbf{e}_7 \otimes \mathbf{e}'_7 \mathbf{12313} \quad \Delta = -78, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
2151321\mathbf{e}_7 \otimes \mathbf{e}'_7 \mathbf{12314} \quad \Delta = -98, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
2151321\mathbf{e}_7 \otimes \mathbf{e}'_7 \mathbf{12312} \quad \Delta = -70, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
2151321\mathbf{e}_7 \otimes \mathbf{e}'_7 \mathbf{12315} \quad \Delta = -122, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\text{Base: } 1321\mathbf{e}'_7 \otimes \mathbf{e}_7 123151
\end{aligned}$$

$$1321\mathbf{e}'_7 \otimes \mathbf{e}_7 123151 \quad \Delta = -72, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{4}{1} 32171232181231 \overset{1}{5} \quad \Delta = -98, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1321\mathbf{e}'_7 \otimes \mathbf{e}_7 1231512 \quad \Delta = -70, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{2}{1} 32171232181231 \overset{1}{5} \quad \Delta = -70, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\mathbf{e}'_7 \otimes \mathbf{e}_7 1231513 \quad \Delta = -78, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{3}{1} 32171232181231 \overset{1}{5} \quad \Delta = -78, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{5}{1} 32171232181231 \overset{1}{5} \quad \Delta = -122, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 51321\mathbf{e}'_7 \otimes \mathbf{e}_7 123151$$

$$51321\mathbf{e}'_7 \otimes \mathbf{e}_7 1231513 \quad \Delta = -130, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 12321$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 123216 \quad \Delta = -126, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 123214 \quad \Delta = -76, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 123217 \quad \Delta = -153, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$12321\mathbf{e}'_7 \otimes \mathbf{e}_7 \overset{2,3}{\otimes} 413 \quad \Delta = -56, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 123213 \quad \Delta = -56, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$12321\mathbf{e}'_7 \otimes \mathbf{e}_7 \overset{2,3}{\otimes} 412 \quad \Delta = -48, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 123215 \quad \Delta = -100, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$12321\mathbf{e}'_7 \otimes \mathbf{e}_7 \overset{2,3}{\otimes} 414 \quad \Delta = -76, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 123218 \quad \Delta = -181, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 123212 \quad \Delta = -48, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\mathbf{e}_6 \overset{3,3}{\otimes} \mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231$$

$$1\mathbf{e}_6 \otimes \mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 12315 \quad \Delta = -150, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1321\mathbf{e}_7 \otimes \mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_6 12 \quad \Delta = -98, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_6 \otimes \mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231 \overset{2}{\otimes} \quad \Delta = -100, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\mathbf{e}_7 \otimes \mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_6 13 \quad \Delta = -106, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_6 \otimes \mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 12312 \quad \Delta = -98, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_6 \otimes \mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 12314 \quad \Delta = -126, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6 \otimes \mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 12313 \quad \Delta = -106, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\mathbf{e}'_7 \overset{1}{\otimes} \mathbf{e}_7 \overset{4,4}{\otimes} 12321$$

$$1\mathbf{e}'_7 \otimes \mathbf{e}_7 123213 \quad \Delta = -78, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}'_7 \otimes \mathbf{e}_7 123218 \quad \Delta = -203, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1\mathbf{e}'_7 \otimes \mathbf{e}_7 123212 \quad \Delta = -70, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}'_7 \otimes \mathbf{e}_7 12321 \overset{21}{\otimes} \quad \Delta = -70, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}'_7 \otimes \mathbf{e}_7 123216 \quad \Delta = -148, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}'_7 \otimes \mathbf{e}_7 123217 \quad \Delta = -175, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1\mathbf{e}'_7 \otimes \mathbf{e}_7 123215 \quad \Delta = -122, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}'_7 \otimes \mathbf{e}_7 123214 \quad \Delta = -98, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\mathbf{e}'_7 \overset{1}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} 123151315$$

$$1\overset{21}{\mathbf{e}}_7' \otimes \mathbf{e}_7 123151315 \quad \Delta = -121, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1\epsilon_7^{21} \otimes \epsilon_7^{3,3} 12315131$

$$1\overset{21}{\mathbf{c}}_7^{\prime 3,3} \otimes \mathbf{c}_7 12315131\mathbf{2} \quad \Delta = -69, \, n_+ = 1, \, n_- = 18, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7^{21\ 3,3} \otimes \mathbf{e}_7 12315131\mathbf{6} \quad \Delta = -147, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^{21\ 3,3} \otimes \mathbf{e}_7 12315131\mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\overset{21}{\mathbf{e}}_7^{\prime 3,3} \otimes \overset{2}{\mathbf{e}}_7 12315131 \quad \Delta = -70, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{321}{\epsilon}_7' \otimes \overset{3,3}{\epsilon}_7 12315131 \quad \Delta = -78, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\overset{21}{\epsilon}_7' \otimes \epsilon_7 12315131 \quad \Delta = -69, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{21}{\mathbf{e}}_7^{\prime 3,3} \otimes \mathbf{e}_7 12315131\textcolor{red}{4} \quad \Delta = -97, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21\mathfrak{e}_7 \overset{5,4}{\otimes} \mathfrak{e}_7 1231$

$$21\mathfrak{e}_7^{5,4} \otimes \mathfrak{e}_7 1231\textcolor{red}{4} \quad \Delta = -124, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\mathbf{e}_7^{5,4} \otimes \mathbf{e}_7 1231\mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\mathfrak{e}_7^{5,4} \otimes \mathfrak{e}_7 12\mathbf{3} \quad \Delta = -105, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\mathbf{e}_7 \overset{5,4}{\otimes} \mathbf{e}_7 1231\mathbf{5} \quad \Delta = -148, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$21\mathbf{e}_7^{5,4} \otimes \mathbf{e}_7^{1231\mathbf{3}} \quad \Delta = -104, \, n_+ = 1, \, n_- = 18, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\mathbf{e}_7^{5,4} \otimes \mathbf{e}_7^{2,1231} \quad \Delta = -98, \, n_+ = 1, \, n_- = 18, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $4^{3,2} \otimes \mathfrak{e}_7 \otimes 4^{4,4} \otimes \mathfrak{e}_7 12$

$$4^{3,2} \otimes \mathfrak{e}_7^{4,4} \otimes \mathfrak{e}_7^{123} \quad \Delta = -133, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $221\mathbf{e}_7 \overset{4,4}{\otimes} \mathbf{e}_7 1231$

$$221\mathbf{e}_7 \otimes \mathbf{e}_7 1231\mathbf{4} \quad \Delta = -124, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1321\mathbf{e}_7^{4,4} \otimes \mathbf{e}_7 122\mathbf{3} \quad \Delta = -105, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$221\mathbf{e}_7^{4,4} \otimes \mathbf{e}_7^{2,1231} \quad \Delta = -98, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\mathbf{e}_7^{4,4} \otimes \mathbf{e}_7 1231\mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221\mathbf{e}_7^{4,4} \otimes \mathbf{e}_7 1231\mathbf{5} \quad \Delta = -148, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$221\mathbf{e}_7^{4,4} \otimes \mathbf{e}_7 1231\mathbf{3} \quad \Delta = -104, \, n_+ = 1, \, n_- = 18, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21\mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_6 131$

$$131\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6 12\mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{3,3} 131\mathbf{6} \quad \Delta = -148, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$21\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6 131\mathbf{3} \quad \Delta = -78, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6^{3,3} 131\textcolor{red}{4} \quad \Delta = -98, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6 131\mathbf{2} \quad \Delta = -70, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1\mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_6 1315$

$$5131\mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6 1\mathbf{3} \quad \Delta = -130, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$5131\mathbf{e}_6 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_6 1\mathbf{2} \quad \Delta = -122, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_7 123215$

$$512321\mathbf{e}_7 \otimes_{\mathbf{e}_6}^{3,3} \otimes_{\mathbf{e}_6}^{2,2} \mathbf{e}_6 1\mathbf{3} \quad \Delta = -130, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$512321\mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 1\mathfrak{e}_2 \quad \Delta = -122, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $21\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_7 12321$

$$1321\mathbf{e}_7' \otimes \mathbf{e}_7^{3,3} 1232151 \quad \Delta = -74, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 151321\mathbf{e}_7' \otimes \mathbf{e}_7^{3,3} 12321$$

$$151321\mathbf{e}_7' \otimes \mathbf{e}_7^{3,3} 12321\mathbf{7} \quad \Delta = -177, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$151321\mathbf{e}_7' \otimes \mathbf{e}_7^{3,3} 12321\mathbf{2} \quad \Delta = -72, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$151321\mathbf{e}_7' \otimes \mathbf{e}_7^{3,3} 12321\mathbf{4} \quad \Delta = -100, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12321\mathbf{e}_7 \otimes \mathbf{e}_7^{3,3} 123151\mathbf{3} \quad \Delta = -80, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$151321\mathbf{e}_7' \otimes \mathbf{e}_7^{3,3} 12321\mathbf{3} \quad \Delta = -80, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$151321\mathbf{e}_7' \otimes \mathbf{e}_7^{3,3} 12321\mathbf{6} \quad \Delta = -150, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$151321\mathbf{e}_7' \otimes \mathbf{e}_7^{3,3} 12321\mathbf{5} \quad \Delta = -124, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$151321\mathbf{e}_7' \otimes \mathbf{e}_7^{3,3} 12321\mathbf{8} \quad \Delta = -205, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$12321\mathbf{e}_7 \otimes \mathbf{e}_7^{3,3} 123151\mathbf{2} \quad \Delta = -72, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 4 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12321$$

$$4 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12321\mathbf{8} \quad \Delta = -183, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$4 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12321\mathbf{7} \quad \Delta = -155, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$4 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12321\mathbf{2} \quad \Delta = -50, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$4 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12321\mathbf{6} \quad \Delta = -128, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$4 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12321\mathbf{4} \quad \Delta = -78, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$4 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12321\mathbf{3} \quad \Delta = -58, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 512321\mathbf{e}_7' \otimes \mathbf{e}_7^{3,3} 12321$$

$$512321\mathbf{e}_7' \otimes \mathbf{e}_7^{3,3} 12321\mathbf{7} \quad \Delta = -179, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$512321\mathbf{e}_7' \otimes \mathbf{e}_7^{3,3} 12321\mathbf{6} \quad \Delta = -152, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$512321\mathbf{e}_7' \otimes \mathbf{e}_7^{3,3} 12321\mathbf{2} \quad \Delta = -74, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$512321\mathbf{e}_7' \otimes \mathbf{e}_7^{3,3} 12321\mathbf{3} \quad \Delta = -82, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$512321\mathbf{e}_7' \otimes \mathbf{e}_7^{3,3} 12321\mathbf{8} \quad \Delta = -207, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$512321\mathbf{e}_7' \otimes \mathbf{e}_7^{3,3} 12321\mathbf{4} \quad \Delta = -102, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$512321\mathbf{e}_7' \otimes \mathbf{e}_7^{3,3} 12321\mathbf{5} \quad \Delta = -126, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\mathbf{e}_7' \otimes \mathbf{e}_7^{21, 3,3} \otimes \mathbf{e}_6^{3,3} 12$$

$$21\mathbf{e}_7' \otimes \mathbf{e}_7^{21, 3,3} \otimes \mathbf{e}_6^{3,3} 12 \quad \Delta = -89, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7' \otimes \mathbf{e}_7^{21, 3,3} \otimes \mathbf{e}_6^{3,3} 12\mathbf{3} \quad \Delta = -98, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7' \otimes \mathbf{e}_7^{321, 3,3} \otimes \mathbf{e}_6^{3,3} 12 \quad \Delta = -98, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\mathbf{e}_6 \otimes \mathbf{e}_7^{1, 3,3} \otimes \mathbf{e}_7^{3,3, 21} 1$$

$$1\mathbf{e}_6 \otimes \mathbf{e}_7^{21, 3,3} \otimes \mathbf{e}_7^{3,3, 21} 1 \quad \Delta = -89, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6 \otimes \mathbf{e}_7^{1, 3,3} \otimes \mathbf{e}_7^{3,3, 321} 1 \quad \Delta = -98, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6 \otimes \mathbf{e}_7^{1, 3,3} \otimes \mathbf{e}_7^{3,3, 21} 1\mathbf{2} \quad \Delta = -89, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_6 \otimes \mathbf{e}_7^{31, 3,3} \otimes \mathbf{e}_7^{3,3, 21} 1 \quad \Delta = -97, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 14 \otimes \mathbf{e}_7^{2,3} \otimes \mathbf{e}_7^{3,3} 12231$$

$$14 \otimes \mathbf{e}_7^{2,3} \otimes \mathbf{e}_7^{3,3} 12231\mathbf{5} \quad \Delta = -126, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$13221\mathbf{e}_7 \otimes \mathbf{e}_7^{3,3} \otimes 41\mathbf{2} \quad \Delta = -74, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\begin{aligned}
1\epsilon_7^{21\ 4,4} \otimes \epsilon_7 1231\mathbf{3} \quad \Delta = -104, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\epsilon_7^{321\ 4,4} \otimes \epsilon_7 1231 \quad \Delta = -105, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21\epsilon_7^{21\ 4,4} \otimes \epsilon_7 1231 \quad \Delta = -96, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\epsilon_7^{21\ 4,4} \otimes \epsilon_7 1231\mathbf{2} \quad \Delta = -98, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\epsilon_7^{21\ 4,4} \otimes \epsilon_7 1231\mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\epsilon_7^{21\ 4,4} \otimes \epsilon_7 1231\mathbf{5} \quad \Delta = -148, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $1\epsilon_7^{221\ 3,3} \otimes \epsilon_7 1231512$

$$\begin{aligned}
221\epsilon_7^{21\ 3,3} \otimes \epsilon_7 1231512 \quad \Delta = -89, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\epsilon_7^{3221\ 3,3} \otimes \epsilon_7 1231512 \quad \Delta = -98, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\epsilon_7^{221\ 3,3} \otimes \epsilon_7 1231512\mathbf{3} \quad \Delta = -98, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1\epsilon_7^{221\ 3,3} \otimes \epsilon_7 123151\mathbf{1}$

$$\begin{aligned}
1\epsilon_7^{221\ 3,3} \otimes \epsilon_7 123151\mathbf{2} \quad \Delta = -89, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
221\epsilon_7^{21\ 3,3} \otimes \epsilon_7 123151\mathbf{1} \quad \Delta = -89, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\epsilon_7^{221\ 3,3} \otimes \epsilon_7 123151\mathbf{3} \quad \Delta = -97, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\epsilon_7^{3221\ 3,3} \otimes \epsilon_7 123151\mathbf{1} \quad \Delta = -98, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1\epsilon_7^{221\ 3,3} \otimes \epsilon_7 1232151$

$$\begin{aligned}
1\epsilon_7^{3221\ 3,3} \otimes \epsilon_7 1232151 \quad \Delta = -100, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
221\epsilon_7^{21\ 3,3} \otimes \epsilon_7 1232151 \quad \Delta = -91, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\epsilon_7^{221\ 3,3} \otimes \epsilon_7 1232151\mathbf{2} \quad \Delta = -91, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\epsilon_7^{221\ 3,3} \otimes \epsilon_7 1232151\mathbf{3} \quad \Delta = -99, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1\epsilon_7^{321\ 3,3} \otimes \epsilon_7' \otimes \epsilon_7' \mathbf{1}$

$$\begin{aligned}
1\epsilon_7^{2321\ 3,3} \otimes \epsilon_7' \otimes \epsilon_7' \mathbf{1} \quad \Delta = -127, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\epsilon_7^{321\ 3,3} \otimes \epsilon_7' \otimes \epsilon_7' \mathbf{12} \quad \Delta = -125, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1\epsilon_7' \otimes \epsilon_7' \otimes \epsilon_7' \mathbf{123}$

$$\begin{aligned}
1\epsilon_7' \otimes \epsilon_7' \otimes \epsilon_7' \mathbf{1232} \quad \Delta = -127, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
321\epsilon_7' \otimes \epsilon_7' \otimes \epsilon_7' \mathbf{12} \quad \Delta = -125, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1\epsilon_7^{12321\ 3,3} \otimes \epsilon_7' 12321$

$$\begin{aligned}
1\epsilon_7^{12321\ 3,3} \otimes \epsilon_7' 12321\mathbf{6} \quad \Delta = -100, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1\epsilon_7^{512321\ 3,3} \otimes \epsilon_7' 12321 \quad \Delta = -74, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\epsilon_7^{12321\ 3,3} \otimes \epsilon_7' 12321\mathbf{3} \quad \Delta = -30, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\epsilon_7^{12321\ 3,3} \otimes \epsilon_7' 12321\mathbf{7} \quad \Delta = -127, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
12321\epsilon_7^{21\ 3,3} \otimes \epsilon_7' 12321 \quad \Delta = -22, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\epsilon_7^{212321\ 3,3} \otimes \epsilon_7' 12321 \quad \Delta = -22, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1\epsilon_7^{312321\ 3,3} \otimes \epsilon_7' 12321 \quad \Delta = -30, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\epsilon_7^{712321\ 3,3} \otimes \epsilon_7' 12321 \quad \Delta = -127, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\epsilon_7^{412321\ 3,3} \otimes \epsilon_7' 12321 \quad \Delta = -50, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\epsilon_7^{12321\ 3,3} \otimes \epsilon_7' 12321\mathbf{4} \quad \Delta = -50, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\epsilon_7^{12321\ 3,3} \otimes \epsilon_7' 12321\mathbf{8} \quad \Delta = -155, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
1\epsilon_7^{812321\ 3,3} \otimes \epsilon_7' 12321 \quad \Delta = -155, n_+ = 1, n_- = 18, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

$$1^{12321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7' 12321 \mathfrak{e} \quad \Delta = -74, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{12321}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7'} 12321 \mathbf{2} \quad \Delta = -22, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{6}{\mathbf{e}}_7^{12321} \otimes \overset{3,3}{\mathbf{e}}_7' 12321 \quad \Delta = -100, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1e_7' \otimes^{1,3,3} e_7 \otimes^{1,3,3} e_7'_{12}$

$$1\overset{\textcolor{red}{21}}{\mathfrak{e}_7'} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{1}{\mathfrak{e}_7'} \otimes \overset{3,3}{\mathfrak{e}_7'} 12 \quad \Delta = -116, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{1}{e}_7' \otimes \overset{3,3}{e}_7 \otimes \overset{1}{e}_7' \otimes \overset{3,3}{e}_7' 12\textcolor{red}{3} \quad \Delta = -125, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \overset{1}{\mathfrak{e}}_7' \overset{3,3}{\otimes} \overset{1}{\mathfrak{e}}_7 \overset{3,3}{\otimes} \overset{1}{\mathfrak{e}}_7' 1$

$$1\overset{\textcolor{red}{2}1}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{1}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{1}{\mathbf{e}}_7' 1 \quad \Delta = -116, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $31\mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{1}{\otimes} \overset{3,3}{\mathfrak{e}_7} 12$

$$31\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{1,3,3} \otimes \mathbf{e}_{712\mathbf{3}} \quad \Delta = -134, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1\mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{1}{\otimes} \overset{3,3}{\mathfrak{e}_7} 122$

$$221\mathbf{e}_7 \overset{3,3}{\otimes} \overset{1}{\mathbf{e}_7} \overset{3,3}{\otimes} \mathbf{e}_6 \mathbf{1} \mathbf{\color{red}3} \quad \Delta = -125, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{1,3,3} \otimes \mathbf{e}_7^{122\mathbf{3}} \quad \Delta = -126, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\mathbf{e}_7 \overset{3,3}{\otimes} \overset{1}{\mathbf{e}_7} \overset{3,3}{\otimes} \mathbf{e}_6 \mathbf{12} \quad \Delta = -117, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1^{12321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 12231$

$$1^{12321}{}^{3,3} \mathfrak{e}_7 \otimes \mathfrak{e}_7 12231 \mathbf{5} \quad \Delta = -100, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{\overline{212321}} \otimes \mathfrak{e}_7^{3,3} 12231 \quad \Delta = -48, n_+ = 1, n_- = 18, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$12321 \overset{21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 12231 \quad \Delta = -48, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{812321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12231 \quad \Delta = -181, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{12321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{12231} \mathbf{2} \quad \Delta = -48, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{12321} \text{e}_7^{3,3} \otimes \text{e}_7^{12231} \textcolor{red}{4} \quad \Delta = -76, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{7}{\mathbf{e}}_7^{12321} \otimes \overset{3,3}{\mathbf{e}}_7^{12231} \quad \Delta = -153, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{\textcolor{red}{3}12321}{}^{3,3} \mathfrak{e}_7 \otimes \mathfrak{e}_7 12231 \quad \Delta = -56, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{6}{\mathbf{e}}_7^{12321} \otimes \overset{3,3}{\mathbf{e}}_7^{12231} \quad \Delta = -126, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{4}{\epsilon}_7^{12321} \otimes \overset{3,3}{\epsilon}_7^{12231} \quad \Delta = -76, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{12321}{}^{3,3} \mathfrak{e}_7 \otimes \mathfrak{e}_7 12231 \mathbf{3} \quad \Delta = -56, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{512321} \mathbf{c}_7^{3,3} \otimes \mathbf{c}_7 12231 \quad \Delta = -100, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1^{12321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12313$

$$1^{\textcolor{red}{2}12321^{3,3}} \mathfrak{e}_7 \otimes \mathfrak{e}_7 12313 \quad \Delta = -56, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{\textcolor{red}{3}12321} \textcolor{red}{\mathfrak{e}}_7^{3,3} \otimes \mathfrak{e}_7 12313 \quad \Delta = -64, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{712321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{12313} \quad \Delta = -161, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{4}{\mathbf{e}}_7^{12321} \otimes \overset{3,3}{\mathbf{e}}_7^{12313} \quad \Delta = -84, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{6}{\mathbf{e}}_7^{12321} \otimes \overset{3,3}{\mathbf{e}}_7^{12313} \quad \Delta = -134, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{12321}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} 12313 \textcolor{red}{2} \quad \Delta = -57, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{\textcolor{red}{8}12321} \textcolor{blue}{e}_7^{3,3} \otimes \textcolor{blue}{e}_7 12313 \quad \Delta = -189, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$12321 \overset{21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12313 \quad \Delta = -56, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1 \overset{1321}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,2}{41}$

$$1 \overset{1321}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,2}{41\mathbf{2}} \quad \Delta = -74, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$T = 19$ (900 bases)

Base: $231414141414 \otimes_{\mathfrak{e}_8}^{2,4} 1$

$231414141414 \otimes_{\mathfrak{e}_8}^{2,4} 12 \quad \Delta = -128, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: $1414 \otimes_{\mathfrak{e}_8}^{2,4} \otimes_{\mathfrak{e}_8}^{4,2} 4141$

$1414 \otimes_{\mathfrak{e}_8}^{4,2} \otimes_{\mathfrak{e}_8}^{2,4} 41414 \quad \Delta = -128, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$

$1414 \otimes_{\mathfrak{e}_8}^{4,2} \otimes_{\mathfrak{e}_8}^{2,4} 41413 \quad \Delta = -108, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$

$1414 \otimes_{\mathfrak{e}_8}^{4,2} \otimes_{\mathfrak{e}_8}^{2,4} 41412 \quad \Delta = -100, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: $141414 \otimes_{\mathfrak{e}_8}^{2,4} \otimes_{\mathfrak{e}_8}^{4,2} 41$

$141414 \otimes_{\mathfrak{e}_8}^{2,4} \otimes_{\mathfrak{e}_8}^{4,2} 412 \quad \Delta = -100, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$

$14 \otimes_{\mathfrak{e}_8}^{4,2} \otimes_{\mathfrak{e}_8}^{2,4} 4141412 \quad \Delta = -100, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$

$141414 \otimes_{\mathfrak{e}_8}^{2,4} \otimes_{\mathfrak{e}_8}^{4,2} 414 \quad \Delta = -128, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_4$

$14 \otimes_{\mathfrak{e}_8}^{4,2} \otimes_{\mathfrak{e}_8}^{2,4} 4141414 \quad \Delta = -128, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$

$14 \otimes_{\mathfrak{e}_8}^{4,2} \otimes_{\mathfrak{e}_8}^{2,4} 4141413 \quad \Delta = -108, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$

$141414 \otimes_{\mathfrak{e}_8}^{2,4} \otimes_{\mathfrak{e}_8}^{4,2} 413 \quad \Delta = -108, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$

Base: $14141414 \otimes_{\mathfrak{e}_8}^{2,4} 12231$

$13221\mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{2,4} 414141413 \quad \Delta = -108, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$

$14141414 \otimes_{\mathfrak{e}_8}^{2,4} 122312 \quad \Delta = -100, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$

$13221\mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{2,4} 414141412 \quad \Delta = -100, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$

$13221\mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{2,4} 414141414 \quad \Delta = -128, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$

$14141414 \otimes_{\mathfrak{e}_8}^{2,4} 122314 \quad \Delta = -128, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$

$14141414 \otimes_{\mathfrak{e}_8}^{2,4} 122315 \quad \Delta = -152, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_4$

$14141414 \otimes_{\mathfrak{e}_8}^{2,4} 122313 \quad \Delta = -108, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: $1414141414 \otimes_{\mathfrak{e}_8}^{2,4} 122$

$1414141414 \otimes_{\mathfrak{e}_8}^{2,4} 1223 \quad \Delta = -128, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$

$221\mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{2,4} 41414141414 \quad \Delta = -147, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$

$221\mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{2,4} 41414141412 \quad \Delta = -119, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$

$221\mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{2,4} 41414141413 \quad \Delta = -127, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: $31414 \otimes_{\mathfrak{e}_8}^{2,4} 12231512$

$21513221\mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{2,4} 414132 \quad \Delta = -105, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: $1414 \otimes_{\mathfrak{e}_8}^{2,4} 122315123$

$1414 \otimes_{\mathfrak{e}_8}^{2,4} 1223151232 \quad \Delta = -107, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$

$321513221\mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{2,4} 41412 \quad \Delta = -105, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$

$321513221\mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{2,4} 41413 \quad \Delta = -113, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$

$321513221\mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{2,4} 41414 \quad \Delta = -133, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$

Base: $321513221\mathfrak{e}_8 122315123$

$321513221\mathfrak{e}_8 1223151232 \quad \Delta = -112, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: $2314 \otimes_{\mathfrak{e}_8}^{2,4} 122315131$

$2314 \otimes_{\mathfrak{e}_8}^{2,4} 1223151314 \quad \Delta = -113, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$

$2314 \otimes_{\mathfrak{e}_8}^{2,4} 1223151315 \quad \Delta = -137, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$

$$\begin{aligned}
2314 \otimes_{\mathfrak{e}_8}^{2,4} 122315131\mathbf{2} \quad \Delta = -85, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
2314 \otimes_{\mathfrak{e}_8}^{2,4} 122315131\mathbf{6} \quad \Delta = -163, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_4 \\
2314 \otimes_{\mathfrak{e}_8}^{2,4} 122315131\mathbf{2} \quad \Delta = -86, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
2314 \otimes_{\mathfrak{e}_8}^{2,4} 122315131\mathbf{3} \quad \Delta = -93, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: 22313221 $\mathfrak{e}_8$ 1223151321

$$\begin{aligned}
22313221\mathfrak{e}_8 1223151321\mathbf{4} \quad \Delta = -86, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
22313221\mathfrak{e}_8 1223151321\mathbf{5} \quad \Delta = -110, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
22313221\mathfrak{e}_8 1223151321\mathbf{2} \quad \Delta = -58, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
22313221\mathfrak{e}_8 1223151321\mathbf{6} \quad \Delta = -136, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
22313221\mathfrak{e}_8 1223151321\mathbf{8} \quad \Delta = -191, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_5 \\
22313221\mathfrak{e}_8 1223151321\mathbf{7} \quad \Delta = -163, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_4 \\
22313221\mathfrak{e}_8 1223151321\mathbf{3} \quad \Delta = -66, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: 2222221 $\mathfrak{e}_8$ 12231513221

$$\begin{aligned}
2222221\mathfrak{e}_8 12231513221\mathbf{4} \quad \Delta = -68, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
2222221\mathfrak{e}_8 12231513221\mathbf{5} \quad \Delta = -92, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
2222221\mathfrak{e}_8 12231513221\mathbf{8} \quad \Delta = -173, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_4 \\
2222221\mathfrak{e}_8 12231513221\mathbf{6} \quad \Delta = -118, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
2222221\mathfrak{e}_8 12231513221\mathbf{3} \quad \Delta = -48, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
2222221\mathfrak{e}_8 12231513221\mathbf{2} \quad \Delta = -40, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
2222221\mathfrak{e}_8 12231513221(\mathbf{12}) \quad \Delta = -288, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_8 \\
2222221\mathfrak{e}_8 12231513221\mathbf{7} \quad \Delta = -145, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: 2313221 $\mathfrak{e}_8$ 12231513151

$$\begin{aligned}
2313221\mathfrak{e}_8 12231513151\mathbf{3} \quad \Delta = -117, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
2313221\mathfrak{e}_8 12231513151\mathbf{2} \quad \Delta = -109, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: 13221 $\mathfrak{e}_8$ 1223151315132

$$\begin{aligned}
2315131513221\mathfrak{e}_8 12231\mathbf{2} \quad \Delta = -109, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
2315131513221\mathfrak{e}_8 12231\mathbf{3} \quad \Delta = -117, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
2315131513221\mathfrak{e}_8 12231\mathbf{5} \quad \Delta = -161, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
2315131513221\mathfrak{e}_8 12231\mathbf{4} \quad \Delta = -137, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: 31414 $\otimes_{\mathfrak{e}_8}^{2,4} 1223151\mathbf{1}$

$$\begin{aligned}
31414 \otimes_{\mathfrak{e}_8}^{2,4} 1223151\mathbf{2} \quad \Delta = -104, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
\mathbf{1} \quad \begin{matrix} 23141413221(12)12231 \\ 5 \end{matrix} \quad \Delta = -105, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: 1 $\begin{matrix} 2321513221(12)12231 \\ 5 \end{matrix}$

$$\mathbf{1} \quad \begin{matrix} 2321513221(12)12231 \\ 5 \end{matrix} \mathbf{12} \quad \Delta = -103, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: 1414 $\otimes_{\mathfrak{e}_8}^{2,4} 12231513\mathbf{1}$

$$\begin{aligned}
1414 \otimes_{\mathfrak{e}_8}^{2,4} 12231513\mathbf{2} \quad \Delta = -105, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
\mathbf{31} \quad \begin{matrix} 4141413221(12)12231 \\ 5 \end{matrix} \mathbf{1} \quad \Delta = -132, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
\mathbf{31} \quad \begin{matrix} 3141413221(12)12231 \\ 5 \end{matrix} \mathbf{1} \quad \Delta = -112, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
\mathbf{31} \quad \begin{matrix} 2141413221(12)12231 \\ 5 \end{matrix} \mathbf{1} \quad \Delta = -104, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: 31 $\begin{matrix} 321513221(12)12231 \\ 5 \end{matrix}$

$$\begin{aligned}
\mathbf{31} \quad \begin{matrix} 2321513221(12)12231 \\ 5 \end{matrix} \mathbf{1} \quad \Delta = -111, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
\mathbf{1} \quad \begin{matrix} 321513221(12)12231 \\ 5 \end{matrix} \mathbf{132} \quad \Delta = -110, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: 31 $\begin{matrix} 31513221(12)12231 \\ 5 \end{matrix}$

$$\mathbf{1} \quad \begin{matrix} 31513221(12)12231 \\ 5 \end{matrix} \mathbf{132} \quad \Delta = -109, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \overset{231513221(12)12231}{5} 1$
 $1 \overset{231513221(12)12231}{5} \mathbf{12} \quad \Delta = -101, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$
Base: $1\mathfrak{e}_6 \overset{4,5}{\otimes} \mathfrak{e}_8 122222$
 $222221\mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_6 \mathbf{12} \quad \Delta = -118, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$
 $222221\mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_6 \mathbf{13} \quad \Delta = -126, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $21\mathfrak{e}_6 \overset{3,5}{\otimes} \mathfrak{e}_8 122222$
 $222221\mathfrak{e}_8 \overset{3,5}{\otimes} \mathfrak{e}_6 \mathbf{123} \quad \Delta = -126, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $321\mathfrak{e}_6 \overset{3,5}{\otimes} \mathfrak{e}_8 122222$
 $22221\mathfrak{e}_8 \overset{3,5}{\otimes} \mathfrak{e}_6 \mathbf{1232} \quad \Delta = -128, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $1\mathfrak{e}_6 \overset{1}{\otimes} \overset{3,5}{\mathfrak{e}_8} 122222$
 $1\overset{21}{\mathfrak{e}_6} \overset{3,5}{\otimes} \mathfrak{e}_8 122222 \quad \Delta = -117, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1\overset{31}{\mathfrak{e}_6} \overset{3,5}{\otimes} \mathfrak{e}_8 122222 \quad \Delta = -125, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $1\mathfrak{e}_8 \overset{1}{\otimes} \overset{4,2}{\mathfrak{e}_8} 41414141413$
 $1\mathfrak{e}_8 \overset{1}{\otimes} \overset{4,2}{\mathfrak{e}_8} 4141414141\mathbf{32} \quad \Delta = -128, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $1\mathfrak{e}_8 \overset{21}{\otimes} \overset{4,2}{\mathfrak{e}_8} 4141414141$
 $1\mathfrak{e}_8 \overset{21}{\otimes} \overset{4,2}{\mathfrak{e}_8} 4141414141\mathbf{4} \quad \Delta = -147, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_4$
 $1\mathfrak{e}_8 \overset{21}{\otimes} \overset{4,2}{\mathfrak{e}_8} 4141414141\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$
 $1\mathfrak{e}_8 \overset{21}{\otimes} \overset{4,2}{\mathfrak{e}_8} 4141414141\mathbf{2} \quad \Delta = -119, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$
 $21\mathfrak{e}_8 \overset{21}{\otimes} \overset{4,2}{\mathfrak{e}_8} 4141414141 \quad \Delta = -119, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$
Base: $41414 \overset{4,2}{\otimes} \overset{1513221}{\mathfrak{e}_8} 1$
 $41414 \overset{4,2}{\otimes} \overset{31513221}{\mathfrak{e}_8} 1 \quad \Delta = -132, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $1 \overset{21513221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4141$
 $1 \overset{321513221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4141 \quad \Delta = -105, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1 \overset{21513221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4141\mathbf{4} \quad \Delta = -124, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_4$
 $21513221\mathfrak{e}_8 \overset{21}{\otimes} \overset{4,2}{\mathfrak{e}_8} 4141 \quad \Delta = -96, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1 \overset{21513221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4141\mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1 \overset{21513221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4141\mathbf{3} \quad \Delta = -104, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$
Base: $1 \overset{21513221}{\mathfrak{e}_8} 122315123$
 $321513221 \overset{21513221}{\mathfrak{e}_8} \mathbf{12} \quad \Delta = -101, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1 \overset{21513221}{\mathfrak{e}_8} 122315123\mathbf{2} \quad \Delta = -103, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1 \overset{321513221}{\mathfrak{e}_8} 122315123 \quad \Delta = -110, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $1 \overset{131513221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 413$
 $1 \overset{5131513221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 413 \quad \Delta = -136, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$
 $1 \overset{6131513221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 413 \quad \Delta = -162, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1 \overset{131513221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 413 \quad \Delta = -85, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1 \overset{131513221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 413\mathbf{2} \quad \Delta = -85, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1 \overset{2131513221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 413 \quad \Delta = -84, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1 \overset{4131513221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 413 \quad \Delta = -112, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$

$$1^{3131513221} \mathfrak{e}_8^{4,2} \otimes 413 \quad \Delta = -92, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 4 \otimes \mathfrak{e}_8^{5,3} \otimes 41^{2,4}$$

$$4 \otimes \mathfrak{e}_8^{5,3} \otimes 414 \quad \Delta = -132, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$4 \otimes \mathfrak{e}_8^{5,3} \otimes 412 \quad \Delta = -104, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1^{1231513221} \mathfrak{e}_8^{1223132}$$

$$1^{71231513221} \mathfrak{e}_8^{1223132} \quad \Delta = -163, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{81231513221} \mathfrak{e}_8^{1223132} \quad \Delta = -191, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1^{61231513221} \mathfrak{e}_8^{1223132} \quad \Delta = -136, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{51231513221} \mathfrak{e}_8^{1223132} \quad \Delta = -110, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{41231513221} \mathfrak{e}_8^{1223132} \quad \Delta = -86, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{21231513221} \mathfrak{e}_8^{1223132} \quad \Delta = -58, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$2313221^{1231513221} \mathfrak{e}_8^{12} \quad \Delta = -58, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{31231513221} \mathfrak{e}_8^{1223132} \quad \Delta = -66, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1^{12231513221} \mathfrak{e}_8^{122222}$$

$$1^{712231513221} \mathfrak{e}_8^{122222} \quad \Delta = -145, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{612231513221} \mathfrak{e}_8^{122222} \quad \Delta = -118, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{812231513221} \mathfrak{e}_8^{122222} \quad \Delta = -173, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{512231513221} \mathfrak{e}_8^{122222} \quad \Delta = -92, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{(12)12231513221} \mathfrak{e}_8^{122222} \quad \Delta = -288, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$1^{212231513221} \mathfrak{e}_8^{122222} \quad \Delta = -40, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$222221^{12231513221} \mathfrak{e}_8^{12} \quad \Delta = -40, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{312231513221} \mathfrak{e}_8^{122222} \quad \Delta = -48, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{412231513221} \mathfrak{e}_8^{122222} \quad \Delta = -68, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1^{51231513221} \mathfrak{e}_8^{122313}$$

$$313221^{51231513221} \mathfrak{e}_8^{12} \quad \Delta = -109, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1^{15131513221} \mathfrak{e}_8^{122313}$$

$$1^{15131513221} \mathfrak{e}_8^{122313} \quad \Delta = -109, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{215131513221} \mathfrak{e}_8^{122313} \quad \Delta = -108, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$313221^{15131513221} \mathfrak{e}_8^{12} \quad \Delta = -108, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1^{315131513221} \mathfrak{e}_8^{12231}$$

$$13221^{315131513221} \mathfrak{e}_8^{12} \quad \Delta = -108, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{315131513221} \mathfrak{e}_8^{12231} \quad \Delta = -108, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{315131513221} \mathfrak{e}_8^{12231} \quad \Delta = -136, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{2315131513221} \mathfrak{e}_8^{12231} \quad \Delta = -109, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{315131513221} \mathfrak{e}_8^{12231} \quad \Delta = -160, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{315131513221} \mathfrak{e}_8^{12231} \quad \Delta = -116, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1^{1513221} \mathfrak{e}_8^{4,2} \otimes 4141$$

$$1^{1513221} \mathfrak{e}_8^{4,2} \otimes 41413 \quad \Delta = -104, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{21513221} \mathfrak{e}_8^{4,2} \otimes 4141 \quad \Delta = -96, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{141413221(12)12231} \mathfrak{e}_8^5 \quad \Delta = -96, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{1513221} \mathfrak{e}_8^{4,2} \otimes 41412 \quad \Delta = -96, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\begin{aligned}
& 1^{1513221} \mathfrak{e}_8^{4,2} \otimes 4141\textcolor{red}{4} \quad \Delta = -124, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& 1^{31513221} \mathfrak{e}_8^{4,2} \otimes 4141 \quad \Delta = -104, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 1^{321513221} \mathfrak{e}_8^{1223151} \\
& 1^{21(12)12231} \mathfrak{e}_8^5 \otimes 1 \quad \Delta = -101, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{321513221} \mathfrak{e}_8^{1223151} \textcolor{red}{2} \quad \Delta = -101, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1^{321513221} \mathfrak{e}_8^{1223151} \textcolor{red}{3} \quad \Delta = -109, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{2321513221} \mathfrak{e}_8^{1223151} \quad \Delta = -103, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1^{21513221} \mathfrak{e}_8^{12231513} \\
& 31^{21(12)12231} \mathfrak{e}_8^5 \otimes 1 \quad \Delta = -100, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{21513221} \mathfrak{e}_8^{12231513} \textcolor{red}{2} \quad \Delta = -101, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1^{31513221} \mathfrak{e}_8^{1223151} \\
& 1^{21(12)12231} \mathfrak{e}_8^5 \otimes 1 \quad \Delta = -100, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{31513221} \mathfrak{e}_8^{1223151} \textcolor{red}{3} \quad \Delta = -108, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{31513221} \mathfrak{e}_8^{1223151} \textcolor{red}{2} \quad \Delta = -100, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1^{231513221} \mathfrak{e}_8^{1223151} \quad \Delta = -101, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1^{22221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1 \\
& 22221 \mathfrak{e}_8^{21} \otimes \mathfrak{e}_6 1 \quad \Delta = -118, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1^{22221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 \textcolor{red}{13} \quad \Delta = -126, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 1^{22221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 \textcolor{red}{12} \quad \Delta = -118, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1^{22221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 12 \\
& 22221 \mathfrak{e}_8^{21} \otimes \mathfrak{e}_6 12 \quad \Delta = -117, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1^{22221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \textcolor{red}{123} \quad \Delta = -126, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \text{Base: } 1^{2221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 123 \\
& 1^{2221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \textcolor{red}{1232} \quad \Delta = -128, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 2221 \mathfrak{e}_8^{21} \otimes \mathfrak{e}_6 123 \quad \Delta = -126, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1^{221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 1232 \\
& 221 \mathfrak{e}_8^{21} \otimes \mathfrak{e}_6 1232 \quad \Delta = -128, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{3221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 1232 \quad \Delta = -137, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 1 \mathfrak{e}_6^{1,3,5} \otimes \mathfrak{e}_8^{12222} \\
& 1 \mathfrak{e}_6^{21} \otimes \mathfrak{e}_8^{3,5} 12222 \quad \Delta = -117, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1 \mathfrak{e}_6^{31} \otimes \mathfrak{e}_8^{3,5} 12222 \quad \Delta = -125, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1 \mathfrak{e}_6^{1,3,5} \otimes \mathfrak{e}_8^{21} 12222 \quad \Delta = -117, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 21^{131513221} \mathfrak{e}_8^{4,2} \otimes 41 \\
& 21^{131513221} \mathfrak{e}_8^{4,2} \otimes 41\textcolor{red}{2} \quad \Delta = -76, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 21^{2131513221} \mathfrak{e}_8^{4,2} \otimes 41 \quad \Delta = -76, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 21^{131513221} \mathfrak{e}_8^{4,2} \otimes 41 \quad \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 21^{131513221} \mathfrak{e}_8^{4,2} \otimes 41\textcolor{red}{3} \quad \Delta = -84, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 21^{3131513221} \mathfrak{e}_8^{4,2} \otimes 41 \quad \Delta = -84, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

$$\begin{aligned}
21^{6131513221}_{\mathfrak{e}_8}{}^{4,2} \otimes 41 \quad \Delta = -154, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21^{4131513221}_{\mathfrak{e}_8}{}^{4,2} \otimes 41 \quad \Delta = -104, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
21^{131513221}_{\mathfrak{e}_8}{}^{4,2} \otimes 41^4 \quad \Delta = -104, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21^{5131513221}_{\mathfrak{e}_8}{}^{4,2} \otimes 41 \quad \Delta = -128, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

$$\text{Base: } 21^{1231513221}_{\mathfrak{e}_8} 122313$$

$$\begin{aligned}
21^{81231513221}_{\mathfrak{e}_8} 122313 \quad \Delta = -190, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
21^{61231513221}_{\mathfrak{e}_8} 122313 \quad \Delta = -135, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21^{31231513221}_{\mathfrak{e}_8} 122313 \quad \Delta = -65, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21^{41231513221}_{\mathfrak{e}_8} 122313 \quad \Delta = -85, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21^{71231513221}_{\mathfrak{e}_8} 122313 \quad \Delta = -162, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21^{21231513221}_{\mathfrak{e}_8} 122313 \quad \Delta = -57, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

$$\text{Base: } 21^{12231513221}_{\mathfrak{e}_8} 12222$$

$$\begin{aligned}
21^{412231513221}_{\mathfrak{e}_8} 12222 \quad \Delta = -68, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21^{812231513221}_{\mathfrak{e}_8} 12222 \quad \Delta = -173, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21^{612231513221}_{\mathfrak{e}_8} 12222 \quad \Delta = -118, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21^{512231513221}_{\mathfrak{e}_8} 12222 \quad \Delta = -92, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21^{712231513221}_{\mathfrak{e}_8} 12222 \quad \Delta = -145, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21^{212231513221}_{\mathfrak{e}_8} 12222 \quad \Delta = -40, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21^{(12)12231513221}_{\mathfrak{e}_8} 12222 \quad \Delta = -288, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_8 \\
21^{312231513221}_{\mathfrak{e}_8} 12222 \quad \Delta = -48, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

$$\text{Base: } 21^{51231513221}_{\mathfrak{e}_8} 12231$$

$$\begin{aligned}
21^{51231513221}_{\mathfrak{e}_8} 12231^2 \quad \Delta = -101, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
21^{51231513221}_{\mathfrak{e}_8} 12231^4 \quad \Delta = -129, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21^{51231513221}_{\mathfrak{e}_8} 12231^5 \quad \Delta = -153, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

$$\text{Base: } 21^{15131513221}_{\mathfrak{e}_8} 12231$$

$$\begin{aligned}
21^{15131513221}_{\mathfrak{e}_8} 12231^4 \quad \Delta = -128, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21^{15131513221}_{\mathfrak{e}_8} 12231^5 \quad \Delta = -152, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21^{15131513221}_{\mathfrak{e}_8} 12231^2 \quad \Delta = -100, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
21^{215131513221}_{\mathfrak{e}_8} 12231 \quad \Delta = -100, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

$$\text{Base: } 21^{21513221}_{\mathfrak{e}_8} 12231^1_1$$

$$21^{21513221}_{\mathfrak{e}_8} 12231^1_1^2 \quad \Delta = -92, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 21^{1513221}_{\mathfrak{e}_8} 12231^1_1$$

$$21^{1513221}_{\mathfrak{e}_8} 12231^1_1^2 \quad \Delta = -92, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 21^{2221}_{\mathfrak{e}_8}{}^{5,4} \otimes \mathfrak{e}_6 1$$

$$21^{2221}_{\mathfrak{e}_8}{}^{5,4} \otimes \mathfrak{e}_6 1^3 \quad \Delta = -126, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21^{2221}_{\mathfrak{e}_8}{}^{5,4} \otimes \mathfrak{e}_6 1^2 \quad \Delta = -118, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 21^{221}_{\mathfrak{e}_8}{}^{5,4} \otimes \mathfrak{e}_6 13$$

$$21^{3221}_{\mathfrak{e}_8}{}^{5,4} \otimes \mathfrak{e}_6 13 \quad \Delta = -135, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 21^{221}_{\mathfrak{e}_8}{}^{5,3} \otimes \mathfrak{e}_6 123$$

$$21^{3221}_{\mathfrak{e}_8}{}^{5,3} \otimes \mathfrak{e}_6 123 \quad \Delta = -135, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1\epsilon_6^1 \otimes \epsilon_8^{3,5} 1222$

$$1\epsilon_6^{21} \otimes \epsilon_8^{3,5} 1222 \quad \Delta = -117, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_6^{31} \otimes \epsilon_8^{3,5} 1222 \quad \Delta = -125, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\epsilon_6^{31} \otimes \epsilon_8^{3,5} 12$

$$1\epsilon_6^{31} \otimes \epsilon_8^{3,5} 1221 \quad \Delta = -134, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $221^{1231513221} \epsilon_8 12231$

$$221^{51231513221} \epsilon_8 12231 \quad \Delta = -101, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221^{81231513221} \epsilon_8 12231 \quad \Delta = -182, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$221^{1231513221} \epsilon_8 12231^5 \quad \Delta = -101, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$13221^{1231513221} \epsilon_8 122^3 \quad \Delta = -58, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221^{71231513221} \epsilon_8 12231 \quad \Delta = -154, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$221^{1231513221} \epsilon_8 12231^4 \quad \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221^{41231513221} \epsilon_8 12231 \quad \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221^{61231513221} \epsilon_8 12231 \quad \Delta = -127, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221^{21231513221} \epsilon_8 12231 \quad \Delta = -49, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$221^{1231513221} \epsilon_8 12231^3 \quad \Delta = -57, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221^{31231513221} \epsilon_8 12231 \quad \Delta = -57, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221^{1231513221} \epsilon_8 12231^2 \quad \Delta = -49, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $221^{12231513221} \epsilon_8 1222$

$$221^{412231513221} \epsilon_8 1222 \quad \Delta = -68, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221^{812231513221} \epsilon_8 1222 \quad \Delta = -173, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$221^{712231513221} \epsilon_8 1222 \quad \Delta = -145, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$2221^{12231513221} \epsilon_8 122^3 \quad \Delta = -49, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221^{612231513221} \epsilon_8 1222 \quad \Delta = -118, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221^{512231513221} \epsilon_8 1222 \quad \Delta = -92, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221^{(12)12231513221} \epsilon_8 1222 \quad \Delta = -288, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$221^{212231513221} \epsilon_8 1222 \quad \Delta = -40, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221^{312231513221} \epsilon_8 1222 \quad \Delta = -48, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $\epsilon_6^{5,5} \otimes \epsilon_8^{221} 122$

$$\epsilon_6^{5,5} \otimes \epsilon_8^{221} 122^3 \quad \Delta = -127, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $221^{221} \epsilon_8^{5,4} \otimes \epsilon_6 1$

$$221^{221} \epsilon_8^{5,4} \otimes \epsilon_6 1^2 \quad \Delta = -118, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221^{3221} \epsilon_8^{5,4} \otimes \epsilon_6 1 \quad \Delta = -127, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221^{221} \epsilon_8^{5,4} \otimes \epsilon_6 1^3 \quad \Delta = -126, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $221^{3221} \epsilon_8^{5,3} \otimes \epsilon_6 1$

$$221^{3221} \epsilon_8^{5,3} \otimes \epsilon_6 1^3 \quad \Delta = -134, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221^{3221} \epsilon_8^{5,3} \otimes \epsilon_6 1^2 \quad \Delta = -126, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $221^{221} \epsilon_8^{5,3} \otimes \epsilon_6 12$

$$221^{221} \epsilon_8^{5,3} \otimes \epsilon_6 12^3 \quad \Delta = -126, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_6^1 \otimes \epsilon_8^{3,5} 122$

$$\begin{aligned}
& 1\overset{21}{\mathfrak{e}_6} \otimes \overset{3,5}{\mathfrak{e}_8} 122 \quad \Delta = -117, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1\overset{1}{\mathfrak{e}_6} \otimes \overset{3,5}{\mathfrak{e}_8} 122\overset{221}{3} \quad \Delta = -126, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1\overset{31}{\mathfrak{e}_6} \otimes \overset{3,5}{\mathfrak{e}_8} 122 \quad \Delta = -125, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1\overset{1,21513221}{\mathfrak{e}_8} 12231512 \\
& 21513221\overset{1,21513221}{\mathfrak{e}_8} 12 \quad \Delta = -92, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\overset{1,21513221}{\mathfrak{e}_8} 12231512\overset{221}{3} \quad \Delta = -101, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1\overset{1,1231513221}{\mathfrak{e}_8} 122313 \\
& 1\overset{1,31231513221}{\mathfrak{e}_8} 122313 \quad \Delta = -65, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1\overset{1,21231513221}{\mathfrak{e}_8} 122313 \quad \Delta = -57, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 313221\overset{1,1231513221}{\mathfrak{e}_8} 12 \quad \Delta = -57, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\overset{1,71231513221}{\mathfrak{e}_8} 122313 \quad \Delta = -162, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1\overset{1,61231513221}{\mathfrak{e}_8} 122313 \quad \Delta = -135, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1\overset{1,81231513221}{\mathfrak{e}_8} 122313 \quad \Delta = -190, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 1\overset{1,1231513221}{\mathfrak{e}_8} 12231\overset{3221}{2} \quad \Delta = -58, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\overset{1,41231513221}{\mathfrak{e}_8} 122313 \quad \Delta = -85, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 1\overset{1,12231513221}{\mathfrak{e}_8} 12222 \\
& 1\overset{1,812231513221}{\mathfrak{e}_8} 12222 \quad \Delta = -173, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1\overset{1,312231513221}{\mathfrak{e}_8} 12222 \quad \Delta = -48, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 1\overset{1,512231513221}{\mathfrak{e}_8} 12222 \quad \Delta = -92, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1\overset{1,(12)12231513221}{\mathfrak{e}_8} 12222 \quad \Delta = -288, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_6 \\
& 1\overset{1,612231513221}{\mathfrak{e}_8} 12222 \quad \Delta = -118, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\overset{1,712231513221}{\mathfrak{e}_8} 12222 \quad \Delta = -145, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1\overset{1,412231513221}{\mathfrak{e}_8} 12222 \quad \Delta = -68, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1\overset{1,212231513221}{\mathfrak{e}_8} 12222 \quad \Delta = -40, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& 22221\overset{1,12231513221}{\mathfrak{e}_8} 1\overset{2221}{2} \quad \Delta = -40, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1\overset{1,51231513221}{\mathfrak{e}_8} 12231 \\
& 1\overset{1,51231513221}{\mathfrak{e}_8} 12231\overset{3221}{2} \quad \Delta = -109, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\overset{1,51231513221}{\mathfrak{e}_8} 12231\overset{5221}{5} \quad \Delta = -153, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1\overset{1,51231513221}{\mathfrak{e}_8} 12231\overset{2221}{2} \quad \Delta = -101, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 13221\overset{1,51231513221}{\mathfrak{e}_8} 1\overset{2221}{2} \quad \Delta = -101, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\overset{1,51231513221}{\mathfrak{e}_8} 12231\overset{4221}{4} \quad \Delta = -129, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 1\overset{1,15131513221}{\mathfrak{e}_8} 12231 \\
& 1\overset{1,15131513221}{\mathfrak{e}_8} 12231\overset{3221}{3} \quad \Delta = -108, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\overset{1,315131513221}{\mathfrak{e}_8} 12231 \quad \Delta = -108, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\overset{1,15131513221}{\mathfrak{e}_8} 12231\overset{4221}{4} \quad \Delta = -128, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 13221\overset{1,15131513221}{\mathfrak{e}_8} 1\overset{2221}{2} \quad \Delta = -100, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\overset{1,15131513221}{\mathfrak{e}_8} 12231\overset{2221}{2} \quad \Delta = -100, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1\overset{1,215131513221}{\mathfrak{e}_8} 12231 \quad \Delta = -100, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1\overset{1,15131513221}{\mathfrak{e}_8} 12231\overset{5221}{5} \quad \Delta = -152, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1\overset{1,21513221}{\mathfrak{e}_8} 1\overset{1}{1223151} \\
& 1\overset{1,21513221}{\mathfrak{e}_8} 12231\overset{1}{51}\overset{221}{2} \quad \Delta = -92, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

$$1^{1,21513221} \mathfrak{e}_8^{1223151\mathbf{3}} \quad \Delta = -100, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{21(12)12231} \mathfrak{e}_8^{1223151\mathbf{2}} \quad \Delta = -92, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{1,321513221} \mathfrak{e}_8^{1223151} \quad \Delta = -101, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1^{1,1513221} \mathfrak{e}_8^{1223151}$

$$1^{1,1513221} \mathfrak{e}_8^{1223151\mathbf{3}} \quad \Delta = -100, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{1,1513221} \mathfrak{e}_8^{1223151\mathbf{2}} \quad \Delta = -92, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{21(12)12231} \mathfrak{e}_8^{1223151} \quad \Delta = -92, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1^{21,1231513221} \mathfrak{e}_8^{12231}$

$$1^{21,1231513221} \mathfrak{e}_8^{12231\mathbf{4}} \quad \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{21,31231513221} \mathfrak{e}_8^{12231} \quad \Delta = -57, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$13221^{21,1231513221} \mathfrak{e}_8^{12231\mathbf{12}} \quad \Delta = -49, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{21,71231513221} \mathfrak{e}_8^{12231} \quad \Delta = -154, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{21,1231513221} \mathfrak{e}_8^{12231\mathbf{2}} \quad \Delta = -49, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{21,21231513221} \mathfrak{e}_8^{12231} \quad \Delta = -49, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{21,61231513221} \mathfrak{e}_8^{12231} \quad \Delta = -127, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{21,81231513221} \mathfrak{e}_8^{12231} \quad \Delta = -182, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{21,1231513221} \mathfrak{e}_8^{12231\mathbf{5}} \quad \Delta = -101, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{21,41231513221} \mathfrak{e}_8^{12231} \quad \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1^{21,12231513221} \mathfrak{e}_8^{1222}$

$$1^{21,712231513221} \mathfrak{e}_8^{1222} \quad \Delta = -145, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$2221^{21,12231513221} \mathfrak{e}_8^{1222\mathbf{12}} \quad \Delta = -40, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{21,812231513221} \mathfrak{e}_8^{1222} \quad \Delta = -173, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{21,612231513221} \mathfrak{e}_8^{1222} \quad \Delta = -118, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{21,212231513221} \mathfrak{e}_8^{1222} \quad \Delta = -40, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{21,512231513221} \mathfrak{e}_8^{1222} \quad \Delta = -92, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{21,412231513221} \mathfrak{e}_8^{1222} \quad \Delta = -68, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{21,(12)12231513221} \mathfrak{e}_8^{1222} \quad \Delta = -288, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$1^{21,312231513221} \mathfrak{e}_8^{1222} \quad \Delta = -48, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1^{221,12231513221} \mathfrak{e}_8^{122}$

$$1^{221,12231513221} \mathfrak{e}_8^{122\mathbf{3}} \quad \Delta = -49, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{221,812231513221} \mathfrak{e}_8^{122} \quad \Delta = -173, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{221,612231513221} \mathfrak{e}_8^{122} \quad \Delta = -118, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{221,212231513221} \mathfrak{e}_8^{122} \quad \Delta = -40, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{221,(12)12231513221} \mathfrak{e}_8^{122} \quad \Delta = -288, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$1^{221,412231513221} \mathfrak{e}_8^{122} \quad \Delta = -68, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221^{221,12231513221} \mathfrak{e}_8^{122\mathbf{12}} \quad \Delta = -40, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{221,512231513221} \mathfrak{e}_8^{122} \quad \Delta = -92, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{221,712231513221} \mathfrak{e}_8^{122} \quad \Delta = -145, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{221,312231513221} \mathfrak{e}_8^{122} \quad \Delta = -48, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $21^{221,12231513221} \mathfrak{e}_8^{12}$

$$21^{221,812231513221} \mathfrak{e}_8^{12} \quad \Delta = -173, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\begin{aligned}
21^{221,3}12231513221_{\mathfrak{e}_8} 12 \quad \Delta = -48, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
21^{3221,12231513221}_{\mathfrak{e}_8} 12 \quad \Delta = -49, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
21^{221,7}12231513221_{\mathfrak{e}_8} 12 \quad \Delta = -145, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
21^{221,2}12231513221_{\mathfrak{e}_8} 12 \quad \Delta = -40, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_4 \\
21^{221,5}12231513221_{\mathfrak{e}_8} 12 \quad \Delta = -92, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
21^{221,4}12231513221_{\mathfrak{e}_8} 12 \quad \Delta = -68, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
21^{221,(12)}12231513221_{\mathfrak{e}_8} 12 \quad \Delta = -288, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_6 \\
21^{221,6}12231513221_{\mathfrak{e}_8} 12 \quad \Delta = -118, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: 1223141414141413221

$$\begin{aligned}
1223141414141413221^8 \quad \Delta = -13, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
1223141414141413221^{(12)} \quad \Delta = -128, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: 1314141414141413221

$$\begin{aligned}
1314141414141413221^7 \quad \Delta = -12, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_4 \\
1314141414141413221^8 \quad \Delta = -40, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_5 \\
1314141414141413221^{(12)} \quad \Delta = -155, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_9
\end{aligned}$$

Base: 1231414141414141321

$$\begin{aligned}
1231414141414141321^8 \quad \Delta = -41, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
1231414141414141321^7 \quad \Delta = -13, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: 2141414141414141321

$$\begin{aligned}
2141414141414141321^8 \quad \Delta = -60, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_6 \\
2141414141414141321^6 \quad \Delta = -5, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_4 \\
2141414141414141321^7 \quad \Delta = -32, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_5
\end{aligned}$$

Base: 1314141414141414131

$$1314141414141414131^6 \quad \Delta = -12, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: 141414141414141321^1

$$\begin{aligned}
141414141414141321^7 \quad \Delta = -32, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_5 \\
141414141414141321^8 \quad \Delta = -60, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_6 \\
141414141414141321^6 \quad \Delta = -5, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_4
\end{aligned}$$

Base: 122315131 $\mathfrak{e}_6$ 131513221

$$\begin{aligned}
122315131\mathfrak{e}_6131513221^6 \quad \Delta = -16, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
122315131\mathfrak{e}_6131513221^{(12)} \quad \Delta = -186, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_6 \\
122315131\mathfrak{e}_6131513221^7 \quad \Delta = -43, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
122315131\mathfrak{e}_6131513221^8 \quad \Delta = -71, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $12321\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6131513221$

$$\begin{aligned}
122315131\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_612321^7 \quad \Delta = -71, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
12321\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6131513221^7 \quad \Delta = -71, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
12321\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6131513221^5 \quad \Delta = -18, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
12321\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6131513221^{(12)} \quad \Delta = -214, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_8 \\
122315131\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_612321^5 \quad \Delta = -18, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
12321\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6131513221^8 \quad \Delta = -99, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_4 \\
122315131\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_612321^8 \quad \Delta = -99, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
122315131\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_612321^6 \quad \Delta = -44, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
12321\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6131513221^6 \quad \Delta = -44, n_+ = 1, n_- = 19, n_0 = 0 \quad &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $14 \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2}131513221$

$$12321\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 12321\mathbf{7} \quad \Delta = -99, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $\mathfrak{e}_6 \overset{3,3}{\bigcirc} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 12$

$$\mathfrak{e}_6^{3,3} \bigcirc \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{123} \quad \Delta = -127, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $221\epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 1315131$

$$221\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6 1315131\textcolor{red}{2} \quad \Delta = -40, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$221\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 1315131\textcolor{red}{4} \quad \Delta = -68, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6 1315131\bar{5} \quad \Delta = -92, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 1315131\mathbf{6} \quad \Delta = -118, \, n_+ = 1, \, n_- = 19, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1315131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6 122\textcolor{red}{3} \quad \Delta = -49, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$221\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 1315131\mathbf{3} \quad \Delta = -48, \, n_+ = 1, \, n_- = 19, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 1315131 \quad \Delta = -41, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $14 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 12321$

$$14 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 12321 \textcolor{red}{2} \quad \Delta = -19, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$12321 \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes 41 \mathbf{e}_2 \quad \Delta = -19, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$12321 \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes 41\mathbf{3} \quad \Delta = -27, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$14 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 12321\textcolor{red}{7} \quad \Delta = -124, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$14 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 12321\mathbf{3} \quad \Delta = -27, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$14 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 12321\mathbf{6} \quad \Delta = -97, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$14 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 12321\mathbf{5} \quad \Delta = -71, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$12321 \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 41\mathbf{4} \quad \Delta = -47, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$14 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 12321 \textcolor{red}{4} \quad \Delta = -47, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$14 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 123218 \quad \Delta = -152, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

Base: $1321\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \epsilon_6 131512$

$$1321\mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 131512\mathbf{3} \quad \Delta = -50, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$215131\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 1231\mathbf{3} \quad \Delta = -49, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\overset{2}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} 131512 \quad \Delta = -43, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$215131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 1231\textcolor{red}{2} \quad \Delta = -41, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$215131\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} 1231\mathfrak{f} \quad \Delta = -93, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$215131\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} 1231\textcolor{red}{4} \quad \Delta = -69, \, n_+ = 1, \, n_- = 19, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1321\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^1 13151$

$$1 \overset{3}{1} \overset{3}{2} \overset{1}{6} \overset{1}{3} \overset{1}{6} \overset{1}{3} \overset{1}{6} \overset{1}{3} \overset{1}{1} \quad \Delta = -49, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{4}{} \overset{13}{} \overset{2}{} \overset{16}{} \overset{13}{} \overset{16}{} \overset{13}{} \overset{16}{} \overset{13}{} \overset{1}{} \quad \Delta = -69, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1321\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^1 13151\textcolor{red}{2} \quad \Delta = -41, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{21321613161316131}{5} 1 \quad \Delta = -41, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1321\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^1 13151\mathbf{3} \quad \Delta = -49, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\overset{2}{13}21\overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} 13151 \quad \Delta = -43, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{5}{} \overset{13}{} \overset{21}{} \overset{6}{} \overset{13}{} \overset{16}{} \overset{13}{} \overset{16}{} \overset{13}{} \overset{1}{} \quad \Delta = -93, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $14 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} 41$

$$14 \begin{smallmatrix} 2,2 \\ \otimes \end{smallmatrix} \mathbf{e}_6 \begin{smallmatrix} 2,2 \\ \otimes \end{smallmatrix} \mathbf{e}_6 \begin{smallmatrix} 2,2 \\ \otimes \end{smallmatrix} \mathbf{e}_6 \begin{smallmatrix} 2,2 \\ \otimes \end{smallmatrix} 41\mathbf{4} \quad \Delta = -72, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $131\epsilon_6 \otimes \epsilon_7^{3,3} 123151321$

$$\begin{aligned}
131\epsilon_6 \otimes \epsilon_7^{3,3} 123151321\mathbf{4} \quad \Delta = -50, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
131\epsilon_6 \otimes \epsilon_7^{3,3} 123151321\mathbf{7} \quad \Delta = -127, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
131\epsilon_6 \otimes \epsilon_7^{3,3} 123151321\mathbf{3} \quad \Delta = -30, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
123151321\epsilon_7 \otimes \epsilon_6^{3,3} 131\mathbf{3} \quad \Delta = -30, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
123151321\epsilon_7 \otimes \epsilon_6^{3,3} 131\mathbf{4} \quad \Delta = -50, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
123151321\epsilon_7 \otimes \epsilon_6^{3,3} 131\mathbf{6} \quad \Delta = -100, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
131\epsilon_6 \otimes \epsilon_7^{3,3} 123151321\mathbf{6} \quad \Delta = -100, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
123151321\epsilon_7 \otimes \epsilon_6^{3,3} 131\mathbf{5} \quad \Delta = -74, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
131\epsilon_6 \otimes \epsilon_7^{3,3} 123151321\mathbf{5} \quad \Delta = -74, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
123151321\epsilon_7 \otimes \epsilon_6^{3,3} 131\mathbf{2} \quad \Delta = -22, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
131\epsilon_6 \otimes \epsilon_7^{3,3} 123151321\mathbf{2} \quad \Delta = -22, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
131\epsilon_6 \otimes \epsilon_7^{3,3} 123151321\mathbf{8} \quad \Delta = -155, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_5
\end{aligned}$$

Base: $1\epsilon_6^{1,3,3} \otimes \epsilon_7^{3,3} 1231513221$

$$\begin{aligned}
1\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} 1231513221 \quad \Delta = -22, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\epsilon_6^{1,3,3} \otimes \epsilon_7^{3,3} 1231513221\mathbf{3} \quad \Delta = -22, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\epsilon_6^{1,3,3} \otimes \epsilon_7^{3,3} 1231513221\mathbf{7} \quad \Delta = -119, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1\epsilon_6^{1,3,3} \otimes \epsilon_7^{3,3} 1231513221\mathbf{4} \quad \Delta = -42, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\epsilon_6^{1,3,3} \otimes \epsilon_7^{3,3} 1231513221\mathbf{6} \quad \Delta = -92, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\epsilon_6^{1,3,3} \otimes \epsilon_7^{3,3} 1231513221(\mathbf{12}) \quad \Delta = -262, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_8 \\
1\epsilon_6^{1,3,3} \otimes \epsilon_7^{3,3} 1231513221\mathbf{2} \quad \Delta = -14, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\epsilon_6^{1,3,3} \otimes \epsilon_7^{3,3} 1231513221\mathbf{8} \quad \Delta = -147, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1\epsilon_6^{2,1,3,3} \otimes \epsilon_7^{3,3} 1231513221 \quad \Delta = -14, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\epsilon_6^{1,3,3} \otimes \epsilon_7^{3,3} 1231513221\mathbf{5} \quad \Delta = -66, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $\epsilon_7' \otimes \epsilon_7^{4,5} \otimes \epsilon_6^{3,3} 1$

$$\epsilon_7' \otimes \epsilon_7^{4,5} \otimes \epsilon_6^{3,3} \mathbf{13} \quad \Delta = -127, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_6 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{4,4} \epsilon_6' 1$

$$\begin{aligned}
1\epsilon_6 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{4,4} \epsilon_6' \mathbf{12} \quad \Delta = -119, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\epsilon_7' \otimes \epsilon_7^{4,4} \otimes \epsilon_6^{3,3} \mathbf{13} \quad \Delta = -127, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\epsilon_7' \otimes \epsilon_7^{4,4} \otimes \epsilon_6^{3,3} \mathbf{12} \quad \Delta = -119, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $\epsilon_6 \otimes \epsilon_7^{4,4} \otimes \epsilon_7^{3,3} \epsilon_6' 12$

$$\epsilon_6 \otimes \epsilon_7^{4,4} \otimes \epsilon_7^{3,3} \epsilon_6' \mathbf{123} \quad \Delta = -128, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_6 \otimes \epsilon_7^{3,4} \otimes \epsilon_7^{3,3} \epsilon_6' 12$

$$\begin{aligned}
21\epsilon_7' \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,4} \mathbf{12} \quad \Delta = -118, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\epsilon_6 \otimes \epsilon_7^{3,4} \otimes \epsilon_7^{3,3} \epsilon_6' \mathbf{123} \quad \Delta = -127, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21\epsilon_7' \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,4} \mathbf{13} \quad \Delta = -126, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $221\epsilon_7' \otimes \epsilon_7^{3,3} 123151321$

$$\begin{aligned}
221\epsilon_7' \otimes \epsilon_7^{3,3} 123151321\mathbf{5} \quad \Delta = -93, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
221\epsilon_7' \otimes \epsilon_7^{3,3} 123151321\mathbf{7} \quad \Delta = -146, n_+ = 1, n_- = 19, n_0 = 0 &\rightarrow \mathbb{F}_4
\end{aligned}$$

$$\begin{aligned}
221\epsilon'_7 \otimes \epsilon_7 123151321\mathbf{2} & \Delta = -41, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
221\epsilon'_7 \otimes \epsilon_7 123151321\mathbf{8} & \Delta = -174, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_5 \\
123151321\epsilon_7 \otimes \epsilon'_7 122\mathbf{3} & \Delta = -50, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
221\epsilon'_7 \otimes \epsilon_7 123151321\mathbf{6} & \Delta = -119, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3 \\
221\epsilon'_7 \otimes \epsilon_7 123151321\mathbf{4} & \Delta = -69, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2 \\
221\epsilon'_7 \otimes \epsilon_7 123151321\mathbf{3} & \Delta = -49, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $\epsilon_6 \otimes \epsilon_7 \otimes \epsilon'_7 123$

$$\epsilon_6 \otimes \epsilon_7 \otimes \epsilon'_7 123\mathbf{2} \quad \Delta = -129, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1321\epsilon'_7 \otimes \epsilon_7 12315131$

$$\begin{aligned}
1321\epsilon'_7 \otimes \epsilon_7 12315131\mathbf{2} & \Delta = -49, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
13151321\epsilon_7 \otimes \epsilon'_7 1231\mathbf{2} & \Delta = -49, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1321\epsilon'_7 \otimes \epsilon_7 12315131\mathbf{5} & \Delta = -101, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1321\epsilon'_7 \otimes \epsilon_7 12315131\mathbf{6} & \Delta = -127, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_4 \\
13151321\epsilon_7 \otimes \epsilon'_7 1231\mathbf{5} & \Delta = -101, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1321\epsilon'_7 \otimes \epsilon_7 12315131\mathbf{1} & \Delta = -51, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1321\epsilon'_7 \otimes \epsilon_7 12315131\mathbf{2} & \Delta = -50, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1321\epsilon'_7 \otimes \epsilon_7 12315131\mathbf{3} & \Delta = -57, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1321\epsilon'_7 \otimes \epsilon_7 12315131\mathbf{4} & \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
13151321\epsilon_7 \otimes \epsilon'_7 1231\mathbf{4} & \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
13151321\epsilon_7 \otimes \epsilon'_7 1231\mathbf{3} & \Delta = -57, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $12321\epsilon'_7 \otimes \epsilon_7 1231512$

$$\begin{aligned}
2151321\epsilon_7 \otimes \epsilon'_7 12321\mathbf{2} & \Delta = -43, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3 \\
2151321\epsilon_7 \otimes \epsilon'_7 12321\mathbf{6} & \Delta = -121, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2 \\
2151321\epsilon_7 \otimes \epsilon'_7 12321\mathbf{7} & \Delta = -148, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
2151321\epsilon_7 \otimes \epsilon'_7 12321\mathbf{4} & \Delta = -71, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
12321\epsilon'_7 \otimes \epsilon_7 1231512\mathbf{3} & \Delta = -52, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
2151321\epsilon_7 \otimes \epsilon'_7 12321\mathbf{5} & \Delta = -95, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
2151321\epsilon_7 \otimes \epsilon'_7 12321\mathbf{8} & \Delta = -176, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3 \\
2151321\epsilon_7 \otimes \epsilon'_7 12321\mathbf{3} & \Delta = -51, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $12321\epsilon'_7 \otimes \epsilon_7 123151$

$$\begin{aligned}
1 \quad \begin{smallmatrix} 4 \\ 1232171232181231 \\ 5 \end{smallmatrix} \quad 1 \quad \Delta = -71, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1 \quad \begin{smallmatrix} 3 \\ 1232171232181231 \\ 5 \end{smallmatrix} \quad 1 \quad \Delta = -51, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1 \quad \begin{smallmatrix} 6 \\ 1232171232181231 \\ 5 \end{smallmatrix} \quad 1 \quad \Delta = -121, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1 \quad \begin{smallmatrix} 8 \\ 1232171232181231 \\ 5 \end{smallmatrix} \quad 1 \quad \Delta = -176, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3 \\
12321\epsilon'_7 \otimes \epsilon_7 123151\mathbf{3} & \Delta = -51, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1 \quad \begin{smallmatrix} 5 \\ 1232171232181231 \\ 5 \end{smallmatrix} \quad 1 \quad \Delta = -95, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1 \quad \begin{smallmatrix} 7 \\ 1232171232181231 \\ 5 \end{smallmatrix} \quad 1 \quad \Delta = -148, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
12321\epsilon'_7 \otimes \epsilon_7 123151\mathbf{2} & \Delta = -43, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1 \quad \begin{smallmatrix} 2 \\ 1232171232181231 \\ 5 \end{smallmatrix} \quad 1 \quad \Delta = -43, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3
\end{aligned}$$

$$1\mathbf{e}_7 \otimes \mathbf{e}_7^{5,4} 123151\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 123151\mathbf{3}$$

$$1\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 123151\mathbf{32} \quad \Delta = -128, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$3151321\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 1\mathbf{2} \quad \Delta = -127, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 21\mathbf{e}_7 \otimes \mathbf{e}_7^{5,4} 12321$$

$$21\mathbf{e}_7 \otimes \mathbf{e}_7^{5,4} 12321\mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\mathbf{e}_7 \otimes \mathbf{e}_7^{5,4} 12321\mathbf{2} \quad \Delta = -69, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\mathbf{e}_7 \otimes \mathbf{e}_7^{5,4} 12321\mathbf{7} \quad \Delta = -174, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$21\mathbf{e}_7 \otimes \mathbf{e}_7^{5,4} 12321\mathbf{6} \quad \Delta = -147, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$12321\mathbf{e}_7 \otimes \mathbf{e}_7^{5,4} 1\mathbf{23} \quad \Delta = -78, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\mathbf{e}_7 \otimes \mathbf{e}_7^{5,4} 12321\mathbf{8} \quad \Delta = -202, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$21\mathbf{e}_7 \otimes \mathbf{e}_7^{5,4} 12321\mathbf{4} \quad \Delta = -97, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 21\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 12321\mathbf{5}$$

$$512321\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 1\mathbf{23} \quad \Delta = -130, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 21\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 123151$$

$$151321\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 1\mathbf{23} \quad \Delta = -128, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 123151\mathbf{2} \quad \Delta = -119, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 221\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 12321$$

$$221\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 12321\mathbf{8} \quad \Delta = -202, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$221\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 12321\mathbf{6} \quad \Delta = -147, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$221\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 12321\mathbf{5} \quad \Delta = -121, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 12321\mathbf{7} \quad \Delta = -174, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$12321\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 1\mathbf{223} \quad \Delta = -78, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 12321\mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 12321\mathbf{2} \quad \Delta = -69, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 12321\mathbf{4} \quad \Delta = -97, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 321\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 12315$$

$$51321\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 1\mathbf{232} \quad \Delta = -130, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1321\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 1231$$

$$1\mathbf{321e}_7 \otimes \mathbf{e}_7^{4,4} 1231 \quad \Delta = -78, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1321\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 1231\mathbf{5} \quad \Delta = -128, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1321\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 1231\mathbf{2} \quad \Delta = -76, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 1231\mathbf{4} \quad \Delta = -104, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1321\mathbf{e}_7 \otimes \mathbf{e}_7^{4,4} 1231\mathbf{3} \quad \Delta = -84, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 131\mathbf{e}_6 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{3,3} 131$$

$$131\mathbf{e}_6 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{3,3} 131\mathbf{5} \quad \Delta = -101, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$131\mathbf{e}_6 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{3,3} 131\mathbf{3} \quad \Delta = -57, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\mathbf{e}_6 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{3,3} 131\mathbf{4} \quad \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$131\mathbf{e}_6 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{3,3} 131\mathbf{6} \quad \Delta = -127, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7' \overset{2}{1231} \quad \Delta = -71, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\overset{\textcolor{red}{3}}{\mathbf{e}}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{\prime 1231} \quad \Delta = -77, \, n_+ = 1, \, n_- = 19, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{\textcolor{red}{2}}{\mathbf{e}}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231 \quad \Delta = -69, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\overset{1}{e}_6 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}'_7 1231\textcolor{red}{3} \quad \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_6}^{1,3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7' 1231\mathbf{2} \quad \Delta = -69, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\overset{1}{e}_6 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}'_7 1231\textcolor{red}{4} \quad \Delta = -97, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}'_7 12315$

$$51321\epsilon'_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_6 1\mathbf{3} \quad \Delta = -129, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$51321e_7^{3,3} \otimes e_7^{3,3} \otimes e_6^{3,3} \mathbf{1} \quad \Delta = -121, \quad n_+ = 1, \quad n_- = 19, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $12321\epsilon_7^{\prime 3,3} \otimes \epsilon_7 1232151$

$$1512321c \overset{3,3}{\otimes} c' 12321\mathbf{3} \quad \Lambda = -53 \quad m_1 = 1 \quad m_2 = 10 \quad m_3 = 0 \quad \rightarrow \mathbb{E}$$

$$1512321\mathbf{c} \overset{3,3}{\otimes} \mathbf{c}'/12321\mathbf{4} \quad \wedge = -73, \quad n_+ = 1, \quad n_- = 19, \quad n_0 = 0 \quad \rightarrow \mathbb{R}.$$

$$1512321\mathbf{c} \otimes \mathbf{c}' 12321\mathbf{f} \quad \Delta = -15, n_+ = 1, n_- = 15, n_0 = 0 \quad \rightarrow \mathbb{P}^1$$

$$13321c' \overset{3,3}{\otimes} c-1232151\textcolor{red}{2} \quad \Lambda = -45, \quad n_+ = 1, \quad n_- = 19, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1512321\mathbf{c}_7 \otimes \mathbf{c}'/1292191\mathbf{z} \quad \Delta = -49, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{E}_7$$

$$1512321\text{c}7 \otimes \text{c}712321\text{f}8 \quad \Delta = -178, \quad n_+ = 1, \quad n_- = 19, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_8$$

$$1512321\overline{c_7} \otimes \overline{c_7} 12321\overline{2} \quad \Delta = -48, \quad n_+ = 1, \quad n_- = 18, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1512321\epsilon_7' \otimes \epsilon_7' 12321\mathbf{7} \quad \Delta = -54, n_+ = 1, n_- = 18, n_0 = 0 \quad \rightarrow \mathbb{E}_0$$

$$12321\textcolor{red}{c}_7^3 \otimes \textcolor{red}{c}_{7123211}^3 \quad \Delta = -155, \quad n_+ = 1, \quad n_- = 15, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

Base: $1c \otimes_{3,3} c' \otimes_{3,3} c - 12321$

Base: $\mathfrak{t}_6 \otimes \mathfrak{t}_7 \otimes \mathfrak{t}_{712521}$											
1	3,3	/	3,3	12321	2	4	71	1	12	0	1

$$1\mathfrak{e}_6 \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_7 12321\mathbf{2} \quad \Delta = -71, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon_6 \otimes \epsilon_7 \otimes \epsilon_7 123214 \quad \Delta = -99, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6 \otimes \epsilon_7 \otimes \epsilon_7 12321\mathbf{5} \quad \Delta = -123, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$12321\mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_{61}\mathbf{3} \quad \Delta = -19, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon_6 \otimes \epsilon_7 \otimes \epsilon_7 12521\mathbf{3} \quad \Delta = -19, \quad n_+ = 1, \quad n_- = 19, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_6 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 12321\mathbf{8} \quad \Delta = -204, \quad n_+ = 1, \quad n_- = 19, \quad n_0 = 0 \quad \rightarrow \mathbb{F}$$

$$12321\mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_6 12 \quad \Delta = -71, \quad n_+ = 1, \quad n_- = 19, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1_{\mathbb{E}_6} \otimes \mathbb{E}_7 \otimes \mathbb{E}_7 125210 \quad \Delta = -149, \quad n_+ = 1, \quad n_- = 19, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\mathfrak{e}_6 \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_7 12321$$

Base: $1\mathfrak{e}'_7 \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_6 1315$

$$1e_7' \otimes e_7 \otimes e_6 1315 \quad \Delta$$

Base: $1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_6 131$

$$1_{\mathbf{e}_7'}^{321, 3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6 131 \quad \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_6 131\mathbf{2} \quad \Delta = -68, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\epsilon_7'^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 131\textcolor{red}{4} \quad \Delta = -96, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 131\mathbf{3} \quad \Delta = -76, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathbb{E}_7'}^{21, 3, 3} \otimes \mathfrak{e}_7^{3, 3} \otimes \mathfrak{e}_6^{3, 3} 131 \mathbf{6} \quad \Delta = -146, \quad n_+ = 1, \quad n_- = 19, \quad n_0 = 0 \quad \rightarrow \mathbb{E}_5$$

$$21e'_{-} \otimes e_{7-} \otimes e_{c|31} \quad \Lambda = -68 \quad n_+ = 1 \quad n_- = 19 \quad n_0 = 0 \quad \rightarrow \mathbb{E}_6$$

Base: $1\epsilon_7^{21\ 3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7'122$
 $21\epsilon_7^{21\ 3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7'122 \quad \Delta = -87, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1\epsilon_7^{321\ 3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7'122 \quad \Delta = -96, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1\epsilon_7^{21\ 3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7'122\mathbf{3} \quad \Delta = -96, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$
Base: $1\epsilon_7^{21\ 3,3} \otimes \epsilon_7^{3,3\ 21} \otimes \epsilon_7'1$
 $21\epsilon_7^{21\ 3,3} \otimes \epsilon_7^{3,3\ 21} \otimes \epsilon_7'1 \quad \Delta = -87, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1\epsilon_7^{321\ 3,3} \otimes \epsilon_7^{3,3\ 21} \otimes \epsilon_7'1 \quad \Delta = -96, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$
Base: $221\epsilon_7^{3,3} \otimes \epsilon_7123151315$
 $513151321\epsilon_7^{3,3} \otimes \epsilon_7122\mathbf{3} \quad \Delta = -129, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$
Base: $151321\epsilon_7^{3,3} \otimes \epsilon_7122315$
 $513221\epsilon_7^{3,3} \otimes \epsilon_7123151\mathbf{3} \quad \Delta = -129, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$
Base: $13221\epsilon_7^{3,3} \otimes \epsilon_71231512$
 $2151321\epsilon_7^{3,3} \otimes \epsilon_712231\mathbf{5} \quad \Delta = -121, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$
 $2151321\epsilon_7^{3,3} \otimes \epsilon_712231\mathbf{4} \quad \Delta = -97, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$
 $2151321\epsilon_7^{3,3} \otimes \epsilon_712231\mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$
 $13221\epsilon_7^{3,3} \otimes \epsilon_71231512\mathbf{3} \quad \Delta = -78, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$
 $2151321\epsilon_7^{3,3} \otimes \epsilon_712231\mathbf{2} \quad \Delta = -69, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $2221\epsilon_7^{3,3} \otimes \epsilon_712315131$
 $2221\epsilon_7^{3,3} \otimes \epsilon_712315131\mathbf{3} \quad \Delta = -76, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$
 $2221\epsilon_7^{3,3} \otimes \epsilon_712315131\mathbf{5} \quad \Delta = -120, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$
 $2221\epsilon_7^{3,3} \otimes \epsilon_712315131\mathbf{4} \quad \Delta = -96, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$
 $2221\epsilon_7^{3,3} \otimes \epsilon_7123151\mathbf{3}^2 \quad \Delta = -69, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$
 $2221\epsilon_7^{3,3} \otimes \epsilon_712315131\mathbf{2} \quad \Delta = -68, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$
 $2221\epsilon_7^{3,3} \otimes \epsilon_712315131\mathbf{6} \quad \Delta = -146, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_4$
Base: $13221\epsilon_7^{3,3} \otimes \epsilon_7123151^1$
 $13221\epsilon_7^{3,3} \otimes \epsilon_7123151\mathbf{2}^1 \quad \Delta = -69, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$
 $1^{51322181232181231} \quad \Delta = -121, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$
 $1^{21322181232181231} \quad \Delta = -69, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1^{41322181232181231} \quad \Delta = -97, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1^{31322181232181231} \quad \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$
 $13221\epsilon_7^{3,3} \otimes \epsilon_7123151\mathbf{3}^1 \quad \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $21\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_71222$
 $2221\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_612\mathbf{3} \quad \Delta = -97, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$
Base: $1\epsilon_6^{1\ 3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_71222$
 $1\epsilon_6^{21\ 3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_71222 \quad \Delta = -88, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1\epsilon_6^{31\ 3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_71222 \quad \Delta = -96, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$
Base: $13221\epsilon_7^{3,3} \otimes \epsilon_71232151$
 $1512321\epsilon_7^{3,3} \otimes \epsilon_712231\mathbf{2} \quad \Delta = -71, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$

$$1512321\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3}12313\mathbf{2} \quad \Delta = -80, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$31321\mathfrak{e}_7 \otimes \mathfrak{e}_7^{3,3}1232151\mathbf{2} \quad \Delta = -79, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 2 \begin{smallmatrix} 1512321812321812 \\ 3 \quad 1 \end{smallmatrix}$$

$$2 \begin{smallmatrix} 21512321812321812 \\ 3 \quad 1 \end{smallmatrix} \quad \Delta = -73, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2 \begin{smallmatrix} 31512321812321812 \\ 3 \quad 1 \end{smallmatrix} \quad \Delta = -81, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 2 \begin{smallmatrix} 2151321812321812 \\ 3 \quad 1 \end{smallmatrix}$$

$$2 \begin{smallmatrix} 32151321812321812 \\ 3 \quad 1 \end{smallmatrix} \quad \Delta = -80, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 2 \begin{smallmatrix} 151321812321812 \\ 3 \quad 1 \end{smallmatrix}$$

$$2 \begin{smallmatrix} 3151321812321812 \\ 3 \quad 1 \end{smallmatrix} \quad \Delta = -79, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2 \begin{smallmatrix} 2151321812321812 \\ 3 \quad 1 \end{smallmatrix} \quad \Delta = -71, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1\mathfrak{e}_7^{1 \ 5,4} \otimes \mathfrak{e}_712321$$

$$1\mathfrak{e}_7^{1 \ 5,4} \otimes \mathfrak{e}_712321\mathbf{4} \quad \Delta = -97, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathfrak{e}_7^{1 \ 5,4} \otimes \mathfrak{e}_712321\mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathfrak{e}_7^{1 \ 5,4} \otimes \mathfrak{e}_712321\mathbf{2} \quad \Delta = -69, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathfrak{e}_7^{1 \ 5,4} \otimes \mathfrak{e}_712321\mathbf{7} \quad \Delta = -174, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1\mathfrak{e}_7^{1 \ 5,4} \otimes \mathfrak{e}_712321\mathbf{6} \quad \Delta = -147, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathfrak{e}_7^{1 \ 5,4} \otimes \mathfrak{e}_712321\mathbf{8} \quad \Delta = -202, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1\mathfrak{e}_7^{21 \ 5,4} \otimes \mathfrak{e}_712321 \quad \Delta = -69, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathfrak{e}_7^{1 \ 5,4} \otimes \mathfrak{e}_712321\mathbf{5} \quad \Delta = -121, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\mathfrak{e}_7^{1 \ 4,3} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6131$$

$$1\mathfrak{e}_7^{1 \ 4,3} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6131\mathbf{6} \quad \Delta = -174, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1\mathfrak{e}_7^{1 \ 4,3} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6131\mathbf{3} \quad \Delta = -104, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathfrak{e}_7^{1 \ 4,3} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6131\mathbf{4} \quad \Delta = -124, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathfrak{e}_7^{1 \ 4,3} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6131\mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathfrak{e}_7^{21 \ 4,3} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6131 \quad \Delta = -96, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathfrak{e}_7^{1 \ 4,3} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6131\mathbf{5} \quad \Delta = -148, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1\mathfrak{e}_7^{1 \ 3,3} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_612$$

$$1\mathfrak{e}_7^{1 \ 3,3} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_612\mathbf{3} \quad \Delta = -125, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathfrak{e}_7^{21 \ 3,3} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_612 \quad \Delta = -116, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\mathfrak{e}_6^{1 \ 2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_71$$

$$1\mathfrak{e}_6^{1 \ 2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_71\mathbf{2} \quad \Delta = -116, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathfrak{e}_6^{31 \ 2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_71 \quad \Delta = -124, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathfrak{e}_6^{21 \ 2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_71 \quad \Delta = -116, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\mathfrak{e}_7^{1 \ 3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_71223$$

$$1\mathfrak{e}_7^{21 \ 3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_71223 \quad \Delta = -124, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\mathfrak{e}_7^{1 \ 4,4} \otimes \mathfrak{e}_7123215$$

$$1\mathfrak{e}_7^{21 \ 4,4} \otimes \mathfrak{e}_7123215 \quad \Delta = -121, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\mathfrak{e}_7^{1 \ 4,4} \otimes \mathfrak{e}_7123151$$

$$\begin{aligned}
& 1\mathfrak{e}_7^{21\ 4,4} \otimes \mathfrak{e}_7 123151 \quad \Delta = -119, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\mathfrak{e}_7^{1\ 4,4} \otimes \mathfrak{e}_7 123151\mathbf{2} \quad \Delta = -119, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1\mathfrak{e}_7^{1\ 4,4} \otimes \mathfrak{e}_7 123151\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 122 \\
& 21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 122 \quad \Delta = -115, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1\mathfrak{e}_7^{321\ 3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 122 \quad \Delta = -124, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1\mathfrak{e}_7^{21\ 4,4} \otimes \mathfrak{e}_7 12321 \\
& 1\mathfrak{e}_7^{21\ 4,4} \otimes \mathfrak{e}_7 12321\mathbf{7} \quad \Delta = -174, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_5 \\
& 21\mathfrak{e}_7^{21\ 4,4} \otimes \mathfrak{e}_7 12321 \quad \Delta = -69, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1\mathfrak{e}_7^{321\ 4,4} \otimes \mathfrak{e}_7 12321 \quad \Delta = -78, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\mathfrak{e}_7^{21\ 4,4} \otimes \mathfrak{e}_7 12321\mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1\mathfrak{e}_7^{21\ 4,4} \otimes \mathfrak{e}_7 12321\mathbf{8} \quad \Delta = -202, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_6 \\
& 1\mathfrak{e}_7^{21\ 4,4} \otimes \mathfrak{e}_7 12321\mathbf{6} \quad \Delta = -147, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& 1\mathfrak{e}_7^{21\ 4,4} \otimes \mathfrak{e}_7 12321\mathbf{2} \quad \Delta = -69, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\mathfrak{e}_7^{21\ 4,4} \otimes \mathfrak{e}_7 12321\mathbf{4} \quad \Delta = -97, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7 123151315 \\
& 21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7 123151315 \quad \Delta = -120, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\mathfrak{e}_7^{321\ 3,3} \otimes \mathfrak{e}_7 123151315 \quad \Delta = -129, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 1\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{3,3\ 21} \otimes \mathfrak{e}_7 1 \\
& 21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{3,3\ 21} \otimes \mathfrak{e}_7 1 \quad \Delta = -115, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 1\mathfrak{e}_7^{221\ 3,3} \otimes \mathfrak{e}_7 12315131 \\
& 1\mathfrak{e}_7^{3221\ 3,3} \otimes \mathfrak{e}_7 12315131 \quad \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\mathfrak{e}_7^{221\ 3,3} \otimes \mathfrak{e}_7 12315131\mathbf{4} \quad \Delta = -96, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1\mathfrak{e}_7^{221\ 3,3} \otimes \mathfrak{e}_7 12315131\mathbf{2} \quad \Delta = -68, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\mathfrak{e}_7^{221\ 3,3} \otimes \mathfrak{e}_7^{2\ 3,3} 12315131 \quad \Delta = -69, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 221\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7 12315131 \quad \Delta = -68, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1\mathfrak{e}_7^{221\ 3,3} \otimes \mathfrak{e}_7 12315131\mathbf{6} \quad \Delta = -146, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& 1\mathfrak{e}_7^{221\ 3,3} \otimes \mathfrak{e}_7 12315131\mathbf{3} \quad \Delta = -76, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1\mathfrak{e}_7^{221\ 3,3} \otimes \mathfrak{e}_7 12315131\mathbf{5} \quad \Delta = -120, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \text{Base: } 1\mathfrak{e}_7^{221\ 3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6 12 \\
& 1\mathfrak{e}_7^{221\ 3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6 12\mathbf{3} \quad \Delta = -97, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 221\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6 12 \quad \Delta = -88, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1\mathfrak{e}_7^{3221\ 3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6 12 \quad \Delta = -97, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 1\mathfrak{e}_6^{1\ 3,3} \otimes \mathfrak{e}_7^{3,3\ 221} \otimes \mathfrak{e}_7 1 \\
& 1\mathfrak{e}_6^{21\ 3,3} \otimes \mathfrak{e}_7^{3,3\ 221} \otimes \mathfrak{e}_7 1 \quad \Delta = -88, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1\mathfrak{e}_6^{1\ 3,3} \otimes \mathfrak{e}_7^{3,3\ 221} \otimes \mathfrak{e}_7 \mathbf{12} \quad \Delta = -88, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\mathfrak{e}_6^{1\ 3,3} \otimes \mathfrak{e}_7^{3,3\ 3221} \otimes \mathfrak{e}_7 1 \quad \Delta = -97, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 1\mathfrak{e}_6^{31\ 3,3} \otimes \mathfrak{e}_7^{3,3\ 221} \otimes \mathfrak{e}_7 1 \quad \Delta = -96, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 1\mathfrak{e}_7^{321\ 3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 12
\end{aligned}$$

$$1 \overset{3,21}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}}_7' \overset{3,3}{\otimes} \mathbf{e}_7 12\mathbf{3} \quad \Delta = -133, \quad n_+ = 1, \quad n_- = 19, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1e_7^{1\ 3,3} \otimes e_7' \otimes e_7^{3,3\ 1} 123$

$$1\epsilon_7^1 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^1 123\textcolor{red}{2} \quad \Delta = -126, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_7' \overset{1}{123} \quad \Delta = -124, \, n_+ = 1, \, n_- = 19, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $2321e'_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 1$

$$2321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} \quad \Delta = -126, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \overset{2321}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7'} \otimes \overset{3,3}{\mathfrak{e}_7} 1$

$$1^{2321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \quad \Delta = -126, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $321\epsilon'_7 \overset{3,3}{\otimes} \epsilon_7 \overset{1}{\otimes} \overset{3,3}{\epsilon_7} 12$

$$321e_7^{3,3} \otimes e_7^{1,3,3} \otimes e_7^{12\text{red}} \quad \Delta = -133, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $21e'_7 \overset{3,3}{\otimes} e_7 \overset{1}{\otimes} \overset{3,3}{e_7} 122$

$$221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} \quad \Delta = -124, \, n_+ = 1, \, n_- = 19, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1\overset{1}{e}_7' \otimes \overset{3,3}{e}_7 \otimes \overset{1}{e}_7 \otimes \overset{3,3}{e}_7 122$

$$1\overset{\textcolor{red}{2}1}{\mathfrak{e}}_7' \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{1,3,3} \quad \Delta = -115, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^{\prime 1} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{1,3,3} \epsilon_7 122\mathbf{3} \quad \Delta = -124, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1e'_7 \overset{3,3}{\otimes} e_7^1 \overset{3,3}{\otimes} e_7 1223$

$$3221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} \quad \Delta = -124, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \overset{12321}{\mathfrak{e}_7} \overset{3,3}{\otimes} \overset{3,2}{\mathfrak{e}_7} \otimes 41$

$$1 \overset{7}{\mathbf{e}}_7 \overset{12321}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,2}{\otimes} 41 \quad \Delta = -152, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{12321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,2}{41\mathbf{3}} \quad \Delta = -55, \, n_+ = 1, \, n_- = 19, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{3,12321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,2} \otimes 41 \quad \Delta = -55, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{6}{\mathbf{e}}_7^{12321} \overset{3,3}{\otimes} \overset{3,2}{\mathbf{e}}_7 \otimes 41 \quad \Delta = -125, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{8}{\mathbf{e}}_7^{12321} \overset{3,3}{\otimes} \overset{3,2}{\mathbf{e}}_7 \otimes 41 \quad \Delta = -180, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{412321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,2} 41 \quad \Delta = -75, \, n_+ = 1, \, n_- = 19, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{5}{\epsilon}_7^{12321} \otimes \overset{3,3}{\epsilon}_7 \otimes \overset{3,2}{41} \quad \Delta = -99, \, n_+ = 1, \, n_- = 19, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{12321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,2} 41\textcolor{red}{2} \quad \Delta = -47, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{212321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,2} 41 \quad \Delta = -47, \, n_+ = 1, \, n_- = 19, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{12321} \text{e}_7^{3,3} \otimes \text{e}_7^{3,2} 41\textcolor{red}{4} \quad \Delta = -75, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$12321 \overset{21}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,2}{41} \quad \Delta = -47, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{51321} \text{e}_7^{3,3} \otimes \text{e}_7^{123151}$

$$1^{51321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 123151 \mathbf{3} \quad \Delta = -129, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \overset{1321}{e_7} \overset{3,3}{\otimes} e_7 1231512$

$$1 \stackrel{21321}{\mathfrak{e}_7} \otimes \stackrel{3,3}{\mathfrak{e}_7} 1231512 \quad \Delta = -69, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{3,1321}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} 1231512 \quad \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{4}{\mathbf{e}}_7^{1321} \otimes \overset{3,3}{\mathbf{e}}_7^{1231512} \quad \Delta = -97, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{1321} 3^3 \mathfrak{e}_7 \otimes \mathfrak{e}_7 1231512 \quad \Delta = -71, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{1321} 3^{,3} \mathfrak{e}_7 \otimes \mathfrak{e}_7 1231512\mathbf{3} \quad \Delta = -78, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{5}{\mathbf{e}}_7^{1321} \otimes \overset{3,3}{\mathbf{e}}_7^{1231512} \quad \Delta = -121, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\overset{\textcolor{red}{2}}{\textcolor{red}{1}}\overset{3,3}{\otimes} \textcolor{violet}{e}_7 1231512 \quad \Delta = -69, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1^{1321} \text{e}_7^{3,3} \otimes \text{e}_7^1 123151$

$$1321\overset{21}{\mathbf{e}_7}{}^{3,3} \otimes \overset{1}{\mathbf{e}_7}{}^{123151} \quad \Delta = -69, \, n_+ = 1, \, n_- = 19, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{2}{\epsilon}_7^{1321} \otimes \overset{3,3}{\epsilon}_7^{123151} \quad \Delta = -69, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{1321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 1231 \overset{1}{5} \overset{1}{\mathbf{2}} \quad \Delta = -69, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{4}{\mathbf{e}}_7^{1321} \otimes \overset{3,3}{\mathbf{e}}_7^{123151} \quad \Delta = -97, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{1321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \overset{1}{123151} \quad \Delta = -71, \, n_+ = 1, \, n_- = 19, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{5}{\mathbf{e}}_7^{1321} \otimes \overset{3,3}{\mathbf{e}}_7^{123151} \quad \Delta = -121, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{123151} \mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{3,3}{\mathfrak{e}_7^{1321}} \otimes \overset{1}{\mathfrak{e}_7^{123151}} \quad \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1e_6 \overset{3,3}{\otimes} e_7 \overset{1}{\otimes} \overset{3,3}{e_7} 1231$

$$1\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} 1231\mathbf{4} \quad \Delta = -125, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} 1231\mathbf{5} \quad \Delta = -149, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} \overset{2}{1231} \quad \Delta = -99, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} 1231\mathbf{2} \quad \Delta = -97, \, n_+ = 1, \, n_- = 19, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1321\mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{1,3} \otimes \mathfrak{e}_6\mathbf{12} \quad \Delta = -97, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{1}{\otimes} \overset{3,3}{\mathbf{e}_6} \mathbf{13} \quad \Delta = -105, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} 1231\mathbf{r} \quad \Delta = -105, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7^{12321} 1$

$$4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7^{612321} 1 \quad \Delta = -127, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \overset{812321}{\mathfrak{e}_7} 1 \quad \Delta = -182, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$4^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{12321} \mathbf{12} \quad \Delta = -49, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \overset{412321}{\mathfrak{e}_7} 1 \quad \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \overset{712321}{\mathfrak{e}_7} 1 \quad \Delta = -154, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \overset{\textcolor{red}{1}2321}{\mathfrak{e}_7} 1 \quad \Delta = -49, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \textcolor{red}{1} \textcolor{red}{2321} \mathfrak{e}_7 1 \quad \Delta = -57, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{512321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 12321$

$$1^{512321} \otimes e_7^{3,3} 12321 \textcolor{red}{3} \quad \Delta = -81, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{512321}{}^{3,3} \mathbf{e}_7 \otimes \mathbf{e}_7 12321 \mathbf{6} \quad \Delta = -151, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{512321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12321 \mathbf{5} \quad \Delta = -125, \, n_+ = 1, \, n_- = 19, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{512321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12321 \mathbf{8} \quad \Delta = -206, \quad n_+ = 1, \quad n_- = 19, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$1^{512321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12321 \mathbf{7} \quad \Delta = -178, \, n_+ = 1, \, n_- = 19, \, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1^{512321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12321 \mathbf{2} \quad \Delta = -73, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{512321} \otimes e_7^{3,3} \otimes e_7^{12321} \Delta = -101, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{1321} e_7^{3,3} \otimes e_7^{1232151}$

$$1 \overset{4}{\mathfrak{e}}_7^{1321} \otimes \overset{3,3}{\mathfrak{e}}_7^{1232151} \quad \Delta = -99, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1321\overset{21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 1232151 \quad \Delta = -71, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \text{ } ^{21321} \text{ } ^{3,3} \text{ } \otimes \text{ } \text{e}_7 1232151 \quad \Delta = -71, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{1232151\mathbf{red}} \quad \Delta = -71, \quad n_+ = 1, \quad n_- = 19, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\begin{aligned}
21 \overset{3,3}{\mathfrak{e}_7} \otimes \overset{21}{\mathfrak{e}_7} 12315131 \quad \Delta = -77, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
21 \overset{21}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} 12315131 \overset{2}{\mathfrak{e}_7} \quad \Delta = -68, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
21 \overset{21}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} 12315131 \overset{4}{\mathfrak{e}_7} \quad \Delta = -96, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
21 \overset{21}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} 12315131 \overset{2}{\mathfrak{e}_7} \quad \Delta = -69, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2
\end{aligned}$$

$$\text{Base: } 21 \overset{21}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_6} 12$$

$$21 \overset{21}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_6} 12 \overset{3}{\mathfrak{e}_7} \quad \Delta = -97, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21 \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_6} 12 \quad \Delta = -97, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1 \overset{1}{\mathfrak{e}_6} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{21}{\mathfrak{e}_7} 12$$

$$1 \overset{21}{\mathfrak{e}_6} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{21}{\mathfrak{e}_7} 12 \quad \Delta = -88, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{1}{\mathfrak{e}_6} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{21}{\mathfrak{e}_7} 12 \overset{3}{\mathfrak{e}_7} \quad \Delta = -97, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{3,3}{\mathfrak{e}_6} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{21}{\mathfrak{e}_7} 12 \quad \Delta = -96, n_+ = 1, n_- = 19, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$T = 20$ (864 bases)

$$\text{Base: } 3141414141414 \overset{2,4}{\otimes} \mathfrak{e}_8 1$$

$$1 \overset{2,4}{\mathfrak{e}_8} \otimes 4141414141414 \overset{2}{\mathfrak{e}_8} 1231 \quad \Delta = -127, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 141414141414 \overset{2,4}{\otimes} \mathfrak{e}_8 12$$

$$21 \overset{2,4}{\mathfrak{e}_8} \otimes 4141414141414 \overset{2}{\mathfrak{e}_8} 1231 \quad \Delta = -126, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21 \overset{2,4}{\mathfrak{e}_8} \otimes 4141414141414 \overset{2}{\mathfrak{e}_8} 1231 \overset{2}{\mathfrak{e}_7} \quad \Delta = -118, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21 \overset{2,4}{\mathfrak{e}_8} \otimes 4141414141414 \overset{2}{\mathfrak{e}_8} 1231 \overset{4}{\mathfrak{e}_7} \quad \Delta = -146, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 4141414 \overset{4,2}{\otimes} \mathfrak{e}_8 1223151$$

$$4141414 \overset{4,2}{\otimes} \mathfrak{e}_8 1223151 \overset{3}{\mathfrak{e}_8} 1231 \quad \Delta = -131, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 141414 \overset{2,4}{\otimes} \mathfrak{e}_8 12231512$$

$$21513221 \overset{2,4}{\mathfrak{e}_8} \otimes 414141 \overset{2}{\mathfrak{e}_8} 1231 \quad \Delta = -95, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$141414 \overset{2,4}{\otimes} \mathfrak{e}_8 12231512 \overset{3}{\mathfrak{e}_8} 1231 \quad \Delta = -104, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21513221 \overset{2,4}{\mathfrak{e}_8} \otimes 414141 \overset{2}{\mathfrak{e}_8} 1231 \overset{4}{\mathfrak{e}_7} \quad \Delta = -123, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21513221 \overset{2,4}{\mathfrak{e}_8} \otimes 414141 \overset{2}{\mathfrak{e}_8} 1231 \overset{3}{\mathfrak{e}_7} \quad \Delta = -103, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 31414 \overset{2,4}{\otimes} \mathfrak{e}_8 122315131$$

$$31414 \overset{2,4}{\otimes} \mathfrak{e}_8 122315131 \overset{2}{\mathfrak{e}_7} \quad \Delta = -84, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$31414 \overset{2,4}{\otimes} \mathfrak{e}_8 122315131 \overset{2}{\mathfrak{e}_7} \overset{6}{\mathfrak{e}_7} \quad \Delta = -161, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$31414 \overset{2,4}{\otimes} \mathfrak{e}_8 122315131 \overset{2}{\mathfrak{e}_7} \overset{4}{\mathfrak{e}_7} \quad \Delta = -111, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$31414 \overset{2,4}{\otimes} \mathfrak{e}_8 122315131 \overset{2}{\mathfrak{e}_7} \overset{5}{\mathfrak{e}_7} \quad \Delta = -135, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$131513221 \overset{2,4}{\mathfrak{e}_8} \otimes 4141 \overset{2}{\mathfrak{e}_8} 1231 \quad \Delta = -84, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$31414 \overset{2,4}{\otimes} \mathfrak{e}_8 122315131 \overset{2}{\mathfrak{e}_7} \overset{3}{\mathfrak{e}_7} \quad \Delta = -91, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$31414 \overset{2,4}{\otimes} \mathfrak{e}_8 122315131 \overset{2}{\mathfrak{e}_7} \overset{2}{\mathfrak{e}_7} \quad \Delta = -83, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 131513221 \mathfrak{e}_8 1223151232$$

$$131513221 \overset{2}{\mathfrak{e}_8} 1223151232 \quad \Delta = -83, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$2321513221 \mathfrak{e}_8 122315131 \overset{3}{\mathfrak{e}_8} 1231 \quad \Delta = -90, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$2321513221 \mathfrak{e}_8 122315131 \overset{4}{\mathfrak{e}_8} 1231 \quad \Delta = -110, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$2321513221 \mathfrak{e}_8 122315131 \overset{6}{\mathfrak{e}_8} 1231 \quad \Delta = -160, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$2321513221 \mathfrak{e}_8 122315131 \overset{5}{\mathfrak{e}_8} 1231 \quad \Delta = -134, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$2321513221\epsilon_8 122315131\mathbf{2} \quad \Delta = -82, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 4 \otimes \epsilon_8 \otimes \epsilon_8 \otimes 4141$$

$$4 \otimes \epsilon_8 \otimes 4141\mathbf{2} \quad \Delta = -103, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$4 \otimes \epsilon_8 \otimes 4141\mathbf{4} \quad \Delta = -131, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 2314 \otimes \epsilon_8 1223151321$$

$$2314 \otimes \epsilon_8 1223151321\mathbf{2} \quad \Delta = -57, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$2314 \otimes \epsilon_8 1223151321\mathbf{5} \quad \Delta = -109, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2314 \otimes \epsilon_8 1223151321\mathbf{4} \quad \Delta = -85, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2314 \otimes \epsilon_8 1223151321\mathbf{6} \quad \Delta = -135, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$2314 \otimes \epsilon_8 1223151321\mathbf{7} \quad \Delta = -162, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$2314 \otimes \epsilon_8 1223151321\mathbf{8} \quad \Delta = -190, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$2314 \otimes \epsilon_8 1223151321\mathbf{3} \quad \Delta = -65, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 22313221\epsilon_8 12231513221$$

$$22313221\epsilon_8 12231513221\mathbf{4} \quad \Delta = -57, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$22313221\epsilon_8 12231513221\mathbf{7} \quad \Delta = -134, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$22313221\epsilon_8 12231513221(\mathbf{12}) \quad \Delta = -277, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$22313221\epsilon_8 12231513221\mathbf{2} \quad \Delta = -29, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$22313221\epsilon_8 12231513221\mathbf{6} \quad \Delta = -107, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$22313221\epsilon_8 12231513221\mathbf{8} \quad \Delta = -162, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$22313221\epsilon_8 12231513221\mathbf{5} \quad \Delta = -81, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$22313221\epsilon_8 12231513221\mathbf{3} \quad \Delta = -37, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 314 \otimes \epsilon_8 12231513151$$

$$15131513221\epsilon_8 \otimes 413\mathbf{2} \quad \Delta = -108, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$314 \otimes \epsilon_8 12231513151\mathbf{2} \quad \Delta = -107, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 14 \otimes \epsilon_8 122315131513$$

$$315131513221\epsilon_8 \otimes 41\mathbf{3} \quad \Delta = -115, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$315131513221\epsilon_8 \otimes 41\mathbf{2} \quad \Delta = -107, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$14 \otimes \epsilon_8 12231513151\mathbf{3} \quad \Delta = -108, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$315131513221\epsilon_8 \otimes 41\mathbf{4} \quad \Delta = -135, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 141414 \otimes \epsilon_8 1223151$$

$$\mathbf{2}14141413221(12)12231 \quad 1 \quad \Delta = -95, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$141414 \otimes \epsilon_8 1223151\mathbf{2} \quad \Delta = -95, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\mathbf{4}14141413221(12)12231 \quad 1 \quad \Delta = -123, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\mathbf{3}14141413221(12)12231 \quad 1 \quad \Delta = -103, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$141414 \otimes \epsilon_8 1223151\mathbf{3} \quad \Delta = -103, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 131513221\epsilon_8 122315132$$

$$\mathbf{6}131513221(12)12231 \quad 231 \quad 1 \quad \Delta = -158, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{2}131513221(12)12231 \quad 231 \quad 1 \quad \Delta = -80, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{2}131513221\epsilon_8 1223151\mathbf{3}2 \quad \Delta = -81, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\mathbf{5}131513221(12)12231 \quad 231 \quad 1 \quad \Delta = -132, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\mathbf{4}131513221(12)12231 \quad 231 \quad 1 \quad \Delta = -108, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$231 \overset{3}{1} 131513221 \overset{(12)}{5} 12231 \quad \Delta = -88, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\mathfrak{e}_6 \overset{4,5}{\otimes} \mathfrak{e}_8 1223132$$

$$2313221\mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_6 \mathbf{13} \quad \Delta = -115, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$2313221\mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_6 \mathbf{12} \quad \Delta = -107, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 21\mathfrak{e}_6 \overset{3,5}{\otimes} \mathfrak{e}_8 1223132$$

$$2313221\mathfrak{e}_8 \overset{3,5}{\otimes} \mathfrak{e}_6 \mathbf{123} \quad \Delta = -115, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 2321\mathfrak{e}_6 \overset{3,5}{\otimes} \mathfrak{e}_8 12231$$

$$2321\mathfrak{e}_6 \overset{3,5}{\otimes} \mathfrak{e}_8 12231 \mathbf{3} \quad \Delta = -116, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2321\mathfrak{e}_6 \overset{3,5}{\otimes} \mathfrak{e}_8 12231 \mathbf{4} \quad \Delta = -136, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$2321\mathfrak{e}_6 \overset{3,5}{\otimes} \mathfrak{e}_8 12231 \mathbf{2} \quad \Delta = -108, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2321\mathfrak{e}_6 \overset{3,5}{\otimes} \mathfrak{e}_8 12231 \mathbf{5} \quad \Delta = -160, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 131\mathfrak{e}_6 \overset{3,5}{\otimes} \mathfrak{e}_8 122222$$

$$222221\mathfrak{e}_8 \overset{3,5}{\otimes} \mathfrak{e}_6 131 \mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$222221\mathfrak{e}_8 \overset{3,5}{\otimes} \mathfrak{e}_6 131 \mathbf{5} \quad \Delta = -148, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$222221\mathfrak{e}_8 \overset{3,5}{\otimes} \mathfrak{e}_6 131 \mathbf{3} \quad \Delta = -104, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$222221\mathfrak{e}_8 \overset{3,5}{\otimes} \mathfrak{e}_6 131 \mathbf{4} \quad \Delta = -124, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$222221\mathfrak{e}_8 \overset{3,5}{\otimes} \mathfrak{e}_6 131 \mathbf{6} \quad \Delta = -174, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\mathfrak{e}_6 \overset{1}{\otimes} \overset{3,5}{\mathfrak{e}_8} 1223132$$

$$1\mathfrak{e}_6 \overset{31}{\otimes} \overset{3,5}{\mathfrak{e}_8} 1223132 \quad \Delta = -114, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathfrak{e}_6 \overset{21}{\otimes} \overset{3,5}{\mathfrak{e}_8} 1223132 \quad \Delta = -106, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\mathfrak{e}'_7 \overset{5,5}{\otimes} \mathfrak{e}_8 122222$$

$$222221\mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}'_7 \mathbf{12} \quad \Delta = -116, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 21\mathfrak{e}'_7 \overset{4,5}{\otimes} \mathfrak{e}_8 122222$$

$$222221\mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}'_7 \mathbf{123} \quad \Delta = -125, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 321\mathfrak{e}'_7 \overset{4,5}{\otimes} \mathfrak{e}_8 12222$$

$$22221\mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}'_7 \mathbf{1232} \quad \Delta = -127, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\mathfrak{e}'_7 \overset{1}{\otimes} \overset{4,5}{\mathfrak{e}_8} 122222$$

$$1\mathfrak{e}'_7 \overset{21}{\otimes} \overset{4,5}{\mathfrak{e}_8} 122222 \quad \Delta = -116, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\mathfrak{e}_8 \overset{1}{\otimes} \overset{4,2}{\mathfrak{e}_8} 4141414141$$

$$1\mathfrak{e}_8 \overset{1}{\otimes} \overset{4,2}{\mathfrak{e}_8} 4141414141 \mathbf{3} \quad \Delta = -126, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathfrak{e}_8 \overset{1}{\otimes} \overset{4,2}{\mathfrak{e}_8} 4141414141 \mathbf{4} \quad \Delta = -146, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathfrak{e}_8 \overset{1}{\otimes} \overset{4,2}{\mathfrak{e}_8} 4141414141 \mathbf{2} \quad \Delta = -118, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathfrak{e}_8 \overset{21}{\otimes} \overset{4,2}{\mathfrak{e}_8} 4141414141 \quad \Delta = -118, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1 \overset{131513221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4141$$

$$1 \overset{5131513221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4141 \quad \Delta = -127, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{131513221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4141 \mathbf{3} \quad \Delta = -83, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{131513221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4141 \mathbf{2} \quad \Delta = -75, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{2131513221}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4141 \quad \Delta = -75, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\begin{aligned}
1^{4131513221} \mathfrak{e}_8^{4,2} \otimes 4141 \quad \Delta = -103, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1^{131513221} \mathfrak{e}_8^{4,2} \otimes 41414 \quad \Delta = -103, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1^{131513221} \mathfrak{e}_8^{4,2} \otimes 4141 \quad \Delta = -76, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
131513221 \mathfrak{e}_8^{21} \mathfrak{e}_8^{4,2} \otimes 4141 \quad \Delta = -75, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1^{6131513221} \mathfrak{e}_8^{4,2} \otimes 4141 \quad \Delta = -153, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{3131513221} \mathfrak{e}_8^{4,2} \otimes 4141 \quad \Delta = -83, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1^{321513221} \mathfrak{e}_8^{122315131}$

$$\begin{aligned}
1^{321513221} \mathfrak{e}_8^{122315131} 5 \quad \Delta = -132, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{321513221} \mathfrak{e}_8^{122315131} 6 \quad \Delta = -158, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{321513221} \mathfrak{e}_8^{122315131} 2 \quad \Delta = -80, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
131513221^{321513221} \mathfrak{e}_8^{12} \quad \Delta = -80, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{321513221} \mathfrak{e}_8^{122315131} 2 \quad \Delta = -81, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1^{2321513221} \mathfrak{e}_8^{122315131} \quad \Delta = -82, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{321513221} \mathfrak{e}_8^{122315131} 4 \quad \Delta = -108, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{321513221} \mathfrak{e}_8^{122315131} 3 \quad \Delta = -88, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1^{1231513221} \mathfrak{e}_8^{4,2} \otimes 413$

$$\begin{aligned}
1^{71231513221} \mathfrak{e}_8^{4,2} \otimes 413 \quad \Delta = -161, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{1231513221} \mathfrak{e}_8^{4,2} \otimes 413 2 \quad \Delta = -57, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{21231513221} \mathfrak{e}_8^{4,2} \otimes 413 \quad \Delta = -56, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1^{31231513221} \mathfrak{e}_8^{4,2} \otimes 413 \quad \Delta = -64, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{61231513221} \mathfrak{e}_8^{4,2} \otimes 413 \quad \Delta = -134, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{81231513221} \mathfrak{e}_8^{4,2} \otimes 413 \quad \Delta = -189, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1^{41231513221} \mathfrak{e}_8^{4,2} \otimes 413 \quad \Delta = -84, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1^{12231513221} \mathfrak{e}_8^{1223132}$

$$\begin{aligned}
1^{412231513221} \mathfrak{e}_8^{1223132} \quad \Delta = -57, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{212231513221} \mathfrak{e}_8^{1223132} \quad \Delta = -29, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{512231513221} \mathfrak{e}_8^{1223132} \quad \Delta = -81, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{(12)12231513221} \mathfrak{e}_8^{1223132} \quad \Delta = -277, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_8 \\
2313221^{12231513221} \mathfrak{e}_8^{12} \quad \Delta = -29, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{312231513221} \mathfrak{e}_8^{1223132} \quad \Delta = -37, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1^{612231513221} \mathfrak{e}_8^{1223132} \quad \Delta = -107, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{812231513221} \mathfrak{e}_8^{1223132} \quad \Delta = -162, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1^{712231513221} \mathfrak{e}_8^{1223132} \quad \Delta = -134, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $1^{51231513221} \mathfrak{e}_8^{4,2} \otimes 41$

$$\begin{aligned}
1^{51231513221} \mathfrak{e}_8^{4,2} \otimes 41 3 \quad \Delta = -108, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1^{51231513221} \mathfrak{e}_8^{4,2} \otimes 41 4 \quad \Delta = -128, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
51231513221 \mathfrak{e}_8^{21} \mathfrak{e}_8^{4,2} \otimes 41 \quad \Delta = -100, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1^{51231513221} \mathfrak{e}_8^{4,2} \otimes 41 2 \quad \Delta = -100, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1^{15131513221} \mathfrak{e}_8^{4,2} \otimes 41$

$$1^{315131513221} \mathfrak{e}_8^{4,2} \otimes 41 \quad \Delta = -107, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\begin{aligned}
1^{15131513221} \mathfrak{e}_8^{4,2} \otimes 41\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
1^{15131513221} \mathfrak{e}_8^{4,2} \otimes 41\mathbf{2} \quad \Delta = -99, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
1^{215131513221} \mathfrak{e}_8^{4,2} \otimes 41 \quad \Delta = -99, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
15131513221 \mathfrak{e}_8^{21} \otimes 41^{4,2} \quad \Delta = -99, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
1^{15131513221} \mathfrak{e}_8^{4,2} \otimes 41\mathbf{4} \quad \Delta = -127, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_4
\end{aligned}$$

$$\text{Base: } 4 \otimes \mathfrak{e}_8^{5,3} \otimes 1^{1513221}$$

$$4 \otimes \mathfrak{e}_8^{5,3} \otimes 1^{21513221} \quad \Delta = -99, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1^{31513221} \mathfrak{e}_8 \otimes 122315131$$

$$\begin{aligned}
1^{31513221} \mathfrak{e}_8 \otimes 122315131\mathbf{3} \quad \Delta = -87, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
1^{31513221} \mathfrak{e}_8 \otimes 122315131\mathbf{5} \quad \Delta = -131, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
1^{31513221} \mathfrak{e}_8 \otimes 122315131\mathbf{4} \quad \Delta = -107, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
1^{31513221} \mathfrak{e}_8 \otimes 122315131\mathbf{6} \quad \Delta = -157, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
1^{231513221} \mathfrak{e}_8 \otimes 122315131 \quad \Delta = -80, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
1^{31513221} \mathfrak{e}_8 \otimes 122315131^2 \quad \Delta = -80, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
1^{31513221} \mathfrak{e}_8 \otimes 122315131\mathbf{2} \quad \Delta = -79, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
131513221 \mathfrak{e}_8^{31513221} \otimes 1\mathbf{2} \quad \Delta = -79, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0
\end{aligned}$$

$$\text{Base: } 1^{313221} \mathfrak{e}_8 \otimes \mathfrak{e}_6^{5,4} \otimes 1$$

$$\begin{aligned}
1^{2313221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 \otimes 1 \quad \Delta = -107, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
1^{313221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 \otimes 1\mathbf{3} \quad \Delta = -114, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
313221 \mathfrak{e}_8^{21} \otimes \mathfrak{e}_6^{5,4} \otimes 1 \quad \Delta = -106, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
1^{313221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 \otimes 1\mathbf{2} \quad \Delta = -106, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2
\end{aligned}$$

$$\text{Base: } 1^{13221} \mathfrak{e}_8 \otimes \mathfrak{e}_6^{5,4} \otimes 13$$

$$\begin{aligned}
1^{413221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 \otimes 13 \quad \Delta = -134, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
1^{513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 \otimes 13 \quad \Delta = -158, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
1^{213221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 \otimes 13 \quad \Delta = -106, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1
\end{aligned}$$

$$\text{Base: } 1^{313221} \mathfrak{e}_8 \otimes \mathfrak{e}_6^{5,3} \otimes 12$$

$$\begin{aligned}
1^{2313221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \otimes 12 \quad \Delta = -106, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
313221 \mathfrak{e}_8^{21} \otimes \mathfrak{e}_6^{5,3} \otimes 12 \quad \Delta = -105, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1
\end{aligned}$$

$$\text{Base: } 1^{13221} \mathfrak{e}_8 \otimes \mathfrak{e}_6^{5,3} \otimes 123$$

$$\begin{aligned}
1^{213221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \otimes 123 \quad \Delta = -106, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
13221 \mathfrak{e}_8^{21} \otimes \mathfrak{e}_6^{5,3} \otimes 123 \quad \Delta = -106, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
1^{313221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \otimes 123 \quad \Delta = -114, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
1^{13221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \otimes 123\mathbf{2} \quad \Delta = -108, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
1^{413221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \otimes 123 \quad \Delta = -134, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
1^{513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \otimes 123 \quad \Delta = -158, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2
\end{aligned}$$

$$\text{Base: } 1^{22221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \otimes 131$$

$$\begin{aligned}
1^{22221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \otimes 131\mathbf{4} \quad \Delta = -124, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
1^{22221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \otimes 131\mathbf{3} \quad \Delta = -104, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
1^{22221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \otimes 131\mathbf{5} \quad \Delta = -148, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_4
\end{aligned}$$

$$\begin{aligned}
21^{1231513221}_{\mathfrak{e}_8}{}^{4,2} \otimes 41\mathbf{3} \quad \Delta = -56, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21^{\mathbf{3}1231513221}_{\mathfrak{e}_8}{}^{4,2} \otimes 41 \quad \Delta = -56, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21^{\mathbf{2}1231513221}_{\mathfrak{e}_8}{}^{4,2} \otimes 41 \quad \Delta = -48, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21^{1231513221}_{\mathfrak{e}_8}{}^{4,2} \otimes 41\mathbf{4} \quad \Delta = -76, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21^{1231513221}_{\mathfrak{e}_8}{}^{4,2} \otimes 41\mathbf{2} \quad \Delta = -48, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21^{\mathbf{4}1231513221}_{\mathfrak{e}_8}{}^{4,2} \otimes 41 \quad \Delta = -76, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

$$\text{Base: } 21^{12231513221}_{\mathfrak{e}_8} 122313$$

$$\begin{aligned}
21^{\mathbf{5}12231513221}_{\mathfrak{e}_8} 122313 \quad \Delta = -80, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21^{\mathbf{8}12231513221}_{\mathfrak{e}_8} 122313 \quad \Delta = -161, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21^{\mathbf{6}12231513221}_{\mathfrak{e}_8} 122313 \quad \Delta = -106, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21^{\mathbf{7}12231513221}_{\mathfrak{e}_8} 122313 \quad \Delta = -133, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21^{\mathbf{2}12231513221}_{\mathfrak{e}_8} 122313 \quad \Delta = -28, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21^{\mathbf{3}12231513221}_{\mathfrak{e}_8} 122313 \quad \Delta = -36, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
21^{(\mathbf{12})12231513221}_{\mathfrak{e}_8} 122313 \quad \Delta = -276, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_8 \\
21^{\mathbf{4}12231513221}_{\mathfrak{e}_8} 122313 \quad \Delta = -56, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

$$\text{Base: } 21^{5131513221}_{\mathfrak{e}_8} 1223151$$

$$21^{5131513221}_{\mathfrak{e}_8} 122315\mathbf{13} \quad \Delta = -131, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 21^{1513221}_{\mathfrak{e}_8} 122315131$$

$$\begin{aligned}
21^{1513221}_{\mathfrak{e}_8} 122315\mathbf{131}^{\mathbf{2}} \quad \Delta = -72, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
21^{1513221}_{\mathfrak{e}_8} 12231513\mathbf{15} \quad \Delta = -123, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21^{1513221}_{\mathfrak{e}_8} 12231513\mathbf{12} \quad \Delta = -71, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21^{\mathbf{2}1513221}_{\mathfrak{e}_8} 122315131 \quad \Delta = -71, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21^{1513221}_{\mathfrak{e}_8} 12231513\mathbf{13} \quad \Delta = -79, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
21^{1513221}_{\mathfrak{e}_8} 12231513\mathbf{14} \quad \Delta = -99, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21^{1513221}_{\mathfrak{e}_8} 12231513\mathbf{16} \quad \Delta = -149, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

$$\text{Base: } \mathfrak{e}_6 \otimes^{5,5}_{\mathfrak{e}_8}{}^{13221} 12$$

$$\begin{aligned}
\mathfrak{e}_6 \otimes^{5,5}_{\mathfrak{e}_8}{}^{\mathbf{4}13221} 12 \quad \Delta = -126, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
\mathfrak{e}_6 \otimes^{5,5}_{\mathfrak{e}_8}{}^{\mathbf{2}13221} 12 \quad \Delta = -98, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
\mathfrak{e}_6 \otimes^{5,5}_{\mathfrak{e}_8}{}^{\mathbf{5}13221} 12 \quad \Delta = -150, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_4
\end{aligned}$$

$$\text{Base: } 21^{13221}_{\mathfrak{e}_8}{}^{5,4} \otimes \mathfrak{e}_6 1$$

$$\begin{aligned}
21^{13221}_{\mathfrak{e}_8}{}^{5,4} \otimes \mathfrak{e}_6\mathbf{12} \quad \Delta = -98, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21^{\mathbf{2}13221}_{\mathfrak{e}_8}{}^{5,4} \otimes \mathfrak{e}_6 1 \quad \Delta = -98, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21^{13221}_{\mathfrak{e}_8}{}^{5,4} \otimes \mathfrak{e}_6\mathbf{13} \quad \Delta = -106, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21^{\mathbf{5}13221}_{\mathfrak{e}_8}{}^{5,4} \otimes \mathfrak{e}_6 1 \quad \Delta = -150, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21^{\mathbf{4}13221}_{\mathfrak{e}_8}{}^{5,4} \otimes \mathfrak{e}_6 1 \quad \Delta = -126, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

$$\text{Base: } 4 \otimes^{4,2}_{\mathfrak{e}_8}{}^{21}_{\mathfrak{e}_8}{}^{3,5} \otimes \mathfrak{e}_6 1$$

$$4 \otimes^{4,2}_{\mathfrak{e}_8}{}^{21}_{\mathfrak{e}_8}{}^{3,5} \otimes \mathfrak{e}_6\mathbf{13} \quad \Delta = -133, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 21^{13221}_{\mathfrak{e}_8}{}^{5,3} \otimes \mathfrak{e}_6 12$$

$$\begin{aligned}
21^{\mathbf{5}13221}_{\mathfrak{e}_8}{}^{5,3} \otimes \mathfrak{e}_6 12 \quad \Delta = -149, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21^{\mathbf{2}13221}_{\mathfrak{e}_8}{}^{5,3} \otimes \mathfrak{e}_6 12 \quad \Delta = -97, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

$$21 \overset{4}{\mathfrak{e}}_8^{13221} \overset{5,3}{\otimes} \mathfrak{e}_6 12 \quad \Delta = -125, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 21 \overset{2221}{\mathfrak{e}}_8^{5,3} \otimes \mathfrak{e}_6 131$$

$$21 \overset{2221}{\mathfrak{e}}_8^{5,3} \otimes \mathfrak{e}_6 131 \overset{4}{\mathfrak{e}}_6 \quad \Delta = -124, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21 \overset{2221}{\mathfrak{e}}_8^{5,3} \otimes \mathfrak{e}_6 131 \overset{3}{\mathfrak{e}}_6 \quad \Delta = -104, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21 \overset{2221}{\mathfrak{e}}_8^{5,3} \otimes \mathfrak{e}_6 131 \overset{5}{\mathfrak{e}}_6 \quad \Delta = -148, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21 \overset{2221}{\mathfrak{e}}_8^{5,3} \otimes \mathfrak{e}_6 131 \overset{6}{\mathfrak{e}}_6 \quad \Delta = -174, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$21 \overset{2221}{\mathfrak{e}}_8^{5,3} \otimes \mathfrak{e}_6 131 \overset{2}{\mathfrak{e}}_6 \quad \Delta = -96, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 4 \overset{2,2}{\mathfrak{e}}_6 \overset{5,3}{\otimes} \overset{221}{\mathfrak{e}}_8^{12}$$

$$4 \overset{2,2}{\mathfrak{e}}_6 \overset{5,3}{\otimes} \overset{3221}{\mathfrak{e}}_8^{12} \quad \Delta = -133, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1 \overset{1}{\mathfrak{e}}_6 \overset{3,5}{\otimes} \overset{21}{\mathfrak{e}}_8^{12231}$$

$$1 \overset{1}{\mathfrak{e}}_6 \overset{3,5}{\otimes} \overset{21}{\mathfrak{e}}_8^{12231} \overset{5}{\mathfrak{e}}_6 \quad \Delta = -149, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{1}{\mathfrak{e}}_6 \overset{3,5}{\otimes} \overset{21}{\mathfrak{e}}_8^{12231} \overset{4}{\mathfrak{e}}_6 \quad \Delta = -125, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{1}{\mathfrak{e}}_6 \overset{3,5}{\otimes} \overset{21}{\mathfrak{e}}_8^{12231} \overset{2}{\mathfrak{e}}_6 \quad \Delta = -97, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{21}{\mathfrak{e}}_6 \overset{3,5}{\otimes} \overset{21}{\mathfrak{e}}_8^{12231} \quad \Delta = -97, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{31}{\mathfrak{e}}_6 \overset{3,5}{\otimes} \overset{21}{\mathfrak{e}}_8^{12231} \quad \Delta = -105, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 21 \overset{2221}{\mathfrak{e}}_8^{5,5} \otimes \mathfrak{e}_7' 1$$

$$21 \overset{2221}{\mathfrak{e}}_8^{5,5} \otimes \mathfrak{e}_7' 1 \overset{2}{\mathfrak{e}}_7 \quad \Delta = -116, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 21 \overset{221}{\mathfrak{e}}_8^{5,4} \otimes \mathfrak{e}_7' 123$$

$$21 \overset{3221}{\mathfrak{e}}_8^{5,4} \otimes \mathfrak{e}_7' 123 \quad \Delta = -134, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1 \overset{1}{\mathfrak{e}}_7 \overset{4,5}{\otimes} \overset{21}{\mathfrak{e}}_8^{1222}$$

$$1 \overset{21}{\mathfrak{e}}_7 \overset{4,5}{\otimes} \overset{21}{\mathfrak{e}}_8^{1222} \quad \Delta = -116, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 221 \overset{12231513221}{\mathfrak{e}}_8^{12231}$$

$$221 \overset{12231513221}{\mathfrak{e}}_8^{12231} \overset{5}{\mathfrak{e}}_8 \quad \Delta = -72, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221 \overset{512231513221}{\mathfrak{e}}_8^{12231} \quad \Delta = -72, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221 \overset{612231513221}{\mathfrak{e}}_8^{12231} \quad \Delta = -98, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221 \overset{12231513221}{\mathfrak{e}}_8^{12231} \overset{2}{\mathfrak{e}}_8 \quad \Delta = -20, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$221 \overset{212231513221}{\mathfrak{e}}_8^{12231} \quad \Delta = -20, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221 \overset{12231513221}{\mathfrak{e}}_8^{12231} \overset{3}{\mathfrak{e}}_8 \quad \Delta = -28, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221 \overset{312231513221}{\mathfrak{e}}_8^{12231} \quad \Delta = -28, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$221 \overset{(12)12231513221}{\mathfrak{e}}_8^{12231} \quad \Delta = -268, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$13221 \overset{12231513221}{\mathfrak{e}}_8^{12231} \overset{3}{\mathfrak{e}}_8 \quad \Delta = -29, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221 \overset{12231513221}{\mathfrak{e}}_8^{12231} \overset{4}{\mathfrak{e}}_8 \quad \Delta = -48, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221 \overset{412231513221}{\mathfrak{e}}_8^{12231} \quad \Delta = -48, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221 \overset{712231513221}{\mathfrak{e}}_8^{12231} \quad \Delta = -125, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221 \overset{812231513221}{\mathfrak{e}}_8^{12231} \quad \Delta = -153, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 221 \overset{221}{\mathfrak{e}}_8^{5,3} \otimes \mathfrak{e}_6 131$$

$$221 \overset{3221}{\mathfrak{e}}_8^{5,3} \otimes \mathfrak{e}_6 131 \quad \Delta = -105, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221 \overset{221}{\mathfrak{e}}_8^{5,3} \otimes \mathfrak{e}_6 131 \overset{6}{\mathfrak{e}}_6 \quad \Delta = -174, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$221 \overset{221}{\mathfrak{e}}_8^{5,3} \otimes \mathfrak{e}_6 131 \overset{2}{\mathfrak{e}}_6 \quad \Delta = -96, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\begin{aligned}
1^{1,1513221} \mathfrak{e}_8^{122315131} \mathbf{5} \quad \Delta = -123, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{1,1513221} \mathfrak{e}_8^{122315131} \mathbf{2} \quad \Delta = -71, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{1,1513221} \mathfrak{e}_8^{122315131} \mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1^{1,31513221} \mathfrak{e}_8^{122315131} \quad \Delta = -79, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{1,1513221} \mathfrak{e}_8^{122315131} \mathbf{4} \quad \Delta = -99, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1^{21,12231513221} \mathfrak{e}_8^{12231}$

$$\begin{aligned}
1^{21,212231513221} \mathfrak{e}_8^{12231} \quad \Delta = -20, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1^{21,(12)12231513221} \mathfrak{e}_8^{12231} \quad \Delta = -268, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
1^{21,312231513221} \mathfrak{e}_8^{12231} \quad \Delta = -28, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1^{21,812231513221} \mathfrak{e}_8^{12231} \quad \Delta = -153, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{21,12231513221} \mathfrak{e}_8^{12231} \mathbf{2} \quad \Delta = -20, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
13221^{21,12231513221} \mathfrak{e}_8^{12} \quad \Delta = -20, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{21,12231513221} \mathfrak{e}_8^{12231} \mathbf{4} \quad \Delta = -48, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{21,712231513221} \mathfrak{e}_8^{12231} \quad \Delta = -125, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{21,12231513221} \mathfrak{e}_8^{12231} \mathbf{5} \quad \Delta = -72, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{21,512231513221} \mathfrak{e}_8^{12231} \quad \Delta = -72, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1^{21,412231513221} \mathfrak{e}_8^{12231} \quad \Delta = -48, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{21,612231513221} \mathfrak{e}_8^{12231} \quad \Delta = -98, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: 12314141414141413221

$$\begin{aligned}
1223141414141414141321 \mathbf{8} \quad \Delta = -12, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1231414141414141413221 \mathbf{(12)} \quad \Delta = -127, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_9 \\
1231414141414141413221 \mathbf{8} \quad \Delta = -12, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_5
\end{aligned}$$

Base: 21414141414141413221

$$\begin{aligned}
2141414141414141413221 \mathbf{7} \quad \Delta = -3, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
2141414141414141413221 \mathbf{(12)} \quad \Delta = -146, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_9 \\
2141414141414141413221 \mathbf{8} \quad \Delta = -31, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_5
\end{aligned}$$

Base: 13141414141414141321

$$\begin{aligned}
1314141414141414141321 \mathbf{8} \quad \Delta = -39, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
1314141414141414141321 \mathbf{7} \quad \Delta = -11, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_5
\end{aligned}$$

Base: 21414141414141414131

$$2141414141414141414131 \mathbf{6} \quad \Delta = -3, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_5$$

Base: $1^{141414141414141413221}$

$$\begin{aligned}
1^{141414141414141413221} \mathbf{(12)} \quad \Delta = -146, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_9 \\
1^{141414141414141413221} \mathbf{8} \quad \Delta = -31, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
1^{141414141414141413221} \mathbf{7} \quad \Delta = -3, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $1^{1414141414141414131}$

$$1^{1414141414141414131} \mathbf{6} \quad \Delta = -3, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_5$$

Base: $1315131 \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{13151321}$

$$\begin{aligned}
12315131 \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{1315131} \mathbf{3} \quad \Delta = -2, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
12315131 \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{1315131} \mathbf{6} \quad \Delta = -72, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1315131 \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{13151321} \mathbf{6} \quad \Delta = -72, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1315131 \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{13151321} \mathbf{3} \quad \Delta = -2, n_+ = 1, n_- = 20, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

$$1 \overset{2}{1} 4 1 3 1 6 1 3 1 6 1 3 1 6 1 3 1 \quad \Delta = -39, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{4}{1} 4 1 3 1 6 1 3 1 6 1 3 1 6 1 3 1 \quad \Delta = -67, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\begin{array}{ccccc} & \textcolor{red}{3} & 1 & 4 & 1 & 3 & 1 & 6 & 1 & 3 & 1 & 6 & 1 & 3 & 1 \\ 1 & & & & & & 5 & & & & & & & & 1 \end{array} \quad \Delta = -47, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 1231\mathbf{e}_6^{\text{red}} \quad \Delta = -38, \quad n_+ = 1, \quad n_- = 20, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 122\mathbf{3} \quad \Delta = -47, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 1231\mathbf{3} \quad \Delta = -46, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $221\epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 1313$

$$3131\mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 122\mathbf{3} \quad \Delta = -54, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{2,1} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 13151321\mathbf{3} \quad \Delta = -20, \quad n_+ = 1, \quad n_- = 20, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{3,21}{\epsilon_6} \otimes \overset{2,2}{\epsilon_6} \otimes \overset{2,2}{\epsilon_6} 13151321 \quad \Delta = -21, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_6^{2,1} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 131513214 \quad \Delta = -40, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\overset{2,1}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} 13151321 \quad \Delta = -12, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{21} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 13151321\mathbf{5} \quad \Delta = -64, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_6}^{2,1} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} 13151321\mathbf{6} \quad \Delta = -90, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 12314 \quad \Delta = -66, \quad n_+ = 1, \quad n_- = 20, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^{21, 2, 2} \otimes \epsilon_6^{2, 2} \otimes \epsilon_6^{2, 2} \otimes \epsilon_6^{2, 2} 12315 \quad \Delta = -90, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 1231\mathbf{3} \quad \Delta = -46, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\overset{2,1}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 1231 \quad \Delta = -38, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{3,21}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} 1231 \quad \Delta = -47, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 1231 \quad \Delta = -40, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\overset{3,1}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} 1231 \quad \Delta = -46, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{21,2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 1231\textcolor{red}{2} \quad \Delta = -38, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 1313 \textcolor{red}{2} \quad \Delta = -46, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\overset{2,1}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} 1313 \quad \Delta = -45, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$4 \overset{3,2}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 \mathbf{123} \quad \Delta = -132, \, n_+ = 1, \, n_- = 20, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $221\mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7' \overset{3,3}{\otimes} \mathfrak{e}_7 1231$

$$221\mathbf{e}_7 \otimes^{3,3} \mathbf{e}'_7 \otimes^{3,3} \mathbf{e}_7 1231\mathbf{5} \quad \Delta = -147, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$221\mathbf{e}_7 \otimes \overset{3,3}{\mathbf{e}_7'} \otimes \overset{3,3}{\mathbf{e}_7} \overset{2}{1231} \quad \Delta = -97, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7 1231\textcolor{red}{2} \quad \Delta = -95, \, n_+ = 1, \, n_- = 20, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221\epsilon_7^{3,3} \otimes \epsilon_7' \otimes \epsilon_7^{3,3} 1231\textcolor{red}{3} \quad \Delta = -103, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\epsilon_7^{3,3} \otimes \epsilon_7^{\prime 3,3} \otimes \epsilon_7 122\textcolor{red}{3} \quad \Delta = -104, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$221\epsilon_7^{3,3} \otimes \epsilon_7' \otimes \epsilon_7^{3,3} 1231\textcolor{red}{4} \quad \Delta = -123, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $e_6^{3,3} \otimes e_7^{4,4} \otimes e_7 123$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{4,4} \otimes \mathbf{e}_7^{123\text{red}} \quad \Delta = -129, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1321\mathbf{e}_7 \overset{4,4}{\otimes} \mathbf{e}_7 12321$

$$1321\mathbf{e}_7 \overset{4,4}{\otimes} \mathbf{e}_7 12321\mathbf{2} \quad \Delta = -49, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1321\mathbf{e}_7^{4,4} \otimes \mathbf{e}_7 12321\mathbf{3} \quad \Delta = -57, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\mathbf{e}_7 \overset{4,4}{\otimes} \mathbf{e}_7 12321\mathbf{8} \quad \Delta = -182, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$1321\mathbf{e}_7 \overset{4,4}{\otimes} \mathbf{e}_7 12321\mathbf{6} \quad \Delta = -127, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$12321\mathbf{e}_7 \otimes^{4,4} \mathbf{e}_7 1231\mathbf{3} \quad \Delta = -57, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1321\overset{\textcolor{red}{2}}{\mathfrak{e}}_7^{4,4} \otimes \mathfrak{e}_7 12321 \quad \Delta = -51, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$12321\mathbf{e}_7 \overset{4,4}{\otimes} \mathbf{e}_7 1231\mathbf{5} \quad \Delta = -101, \, n_+ = 1, \, n_- = 20, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\mathbf{e}_7 \overset{4,4}{\otimes} \mathbf{e}_7 12321\mathbf{7} \quad \Delta = -154, \, n_+ = 1, \, n_- = 20, \, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1321\mathbf{e}_7 \overset{4,4}{\otimes} \mathbf{e}_7 12321\mathbf{5} \quad \Delta = -101, \, n_+ = 1, \, n_- = 20, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$12321\mathbf{e}_7 \overset{4,4}{\otimes} \mathbf{e}_7 1231\mathbf{e}_7 \quad \Delta = -77, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$12321\mathbf{e}_7 \otimes^{4,4} \mathbf{e}_7 1231\mathbf{2} \quad \Delta = -49, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\mathbf{e}_7^{4,4} \otimes \mathbf{e}_7 12321\mathbf{4} \quad \Delta = -77, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}'_7 12$

$$21\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 1\mathbf{2} \quad \Delta = -117, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21e_7^{3,3} \otimes e_7^{3,3} \otimes e_6^{2,2} \otimes e_6^{1,3} \quad \Delta = -125, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7'^{12\textcolor{red}{3}} \quad \Delta = -126, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $e_6 \overset{2,2}{\otimes} e_6 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7' 123$

$$\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}'_{7123\textcolor{red}{2}} \quad \Delta = -128, \, n_+ = 1, \, n_- = 20, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $131\epsilon_6 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7' 1231$

$$131\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon'_7 1231\textcolor{red}{2} \quad \Delta = -48, \quad n_+ = 1, \quad n_- = 20, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$131\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7'^2 1231 \quad \Delta = -50, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\epsilon'_7 \otimes \epsilon_7 \otimes \epsilon_6 1316 \quad \Delta = -126, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$131\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7' 1231\textcolor{red}{4} \quad \Delta = -76, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1321\mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_6 131\mathbf{4} \quad \Delta = -76, \, n_+ = 1, \, n_- = 20, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1321\mathbf{e}_7^{\prime 3,3} \otimes \mathbf{e}_7^{\prime 3,3} \otimes \mathbf{e}_6 131\mathbf{3} \quad \Delta = -56, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$131\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}'_{1231\mathbf{3}} \quad \Delta = -56, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_6 131\mathbf{e} \quad \Delta = -48, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1321e_7^{3,3} \otimes e_7^{3,3} \otimes e_6 1315 \quad \Delta = -100, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\mathfrak{e}'_7{}^{3,3} \otimes \mathfrak{e}'_7{}^{3,3} \otimes \mathfrak{e}_7 12321\mathfrak{8} \quad \Delta = -202, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$21\mathfrak{e}'_7{}^{3,3} \otimes \mathfrak{e}'_7{}^{3,3} \otimes \mathfrak{e}_7 12321\mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$12321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7'{}^{3,3} \otimes \mathbf{e}_7'{}^{3,3}12\mathbf{3} \quad \Delta = -78, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1 \overset{1}{\epsilon}_7' \otimes \overset{3,3}{\epsilon}_7 \otimes \overset{3,3}{\epsilon}_6 \otimes \overset{2,2}{\epsilon}_6 1$$

$$1\overset{21}{\epsilon}_7' \otimes \overset{3,3}{\epsilon}_7 \otimes \overset{3,3}{\epsilon}_6 \otimes \overset{2,2}{\epsilon}_6 1 \quad \Delta = -117, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{1}{e}_7' \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_6 \otimes \overset{2,2}{e}_6 \mathbf{1}_2 \quad \Delta = -117, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_6 \otimes \epsilon_6 \text{13} \quad \Delta = -125, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\epsilon_7' \otimes^{1,3,3} \epsilon_7 \otimes^{3,3} \epsilon_7' 12315$$

$$1\overset{\textcolor{red}{21}}{\mathbf{e}}_7' \otimes \mathbf{e}_7 \otimes \mathbf{e}_7' \overset{3,3}{12315} \quad \Delta = -119, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1\overset{1}{e}_7' \otimes \overset{3,3}{e}_7' \otimes \overset{3,3}{e}_7' 12321$

$$1\overset{1}{e}_7' \otimes \overset{3,3}{e}_7' \otimes \overset{3,3}{e}_7 12321\textcolor{red}{5} \quad \Delta = -121, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\overset{\textcolor{red}{21}}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_7 12321 \quad \Delta = -69, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{1}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_7 12321\textcolor{red}{4} \quad \Delta = -97, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{1}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_7 12321\textcolor{red}{2} \quad \Delta = -69, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{1}{\epsilon}_7' \otimes \overset{3,3}{\epsilon}_7' \otimes \overset{3,3}{\epsilon}_7 12321\textcolor{red}{7} \quad \Delta = -174, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1\overset{1}{e}_7' \otimes \overset{3,3}{e}_7' \otimes \overset{3,3}{e}_7 12321\textcolor{red}{8} \quad \Delta = -202, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$1_{\mathbf{e}'_7}{}^1 \otimes \mathbf{e}'_7{}^{3,3} \otimes \mathbf{e}_7{}^{3,3} 12321\mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1_{\mathfrak{e}_7'}^{1,3,3} \otimes \mathfrak{e}_7' \otimes \mathfrak{e}_7^{3,3} 12321 \mathbf{6} \quad \Delta = -147, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $1\mathbf{e}'_7 \overset{21}{\otimes} \overset{3,3}{\mathbf{e}_7} \overset{3,3}{\otimes} \mathbf{e}'_7 1231$

$$1\overset{21}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7' 1231\mathbf{2} \quad \Delta = -67, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\overset{21}{\epsilon}'_7 \otimes \overset{3,3}{\epsilon}_7 \otimes \overset{3,3}{\epsilon}'_7 \overset{2}{1231} \quad \Delta = -69, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{21}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7' 1231\textcolor{red}{4} \quad \Delta = -95, \, n_+ = 1, \, n_- = 20, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{3,21}{\epsilon'_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon'_7} 1231 \quad \Delta = -76, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{21}{\epsilon}'_7 \otimes \overset{3,3}{\epsilon}_7 \otimes \overset{3,3}{\epsilon}'_7 1231\textcolor{red}{3} \quad \Delta = -75, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\mathfrak{e}_7^{\prime 21\ 3,3} \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_7^{\prime 3,3} 1231 \quad \Delta = -67, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $31\mathfrak{e}_6^{3,4} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 12$

$$31\mathfrak{e}_6^{3,4} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 12\mathbf{3} \quad \Delta = -134, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $\epsilon_6^{4,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_7 122$

$$\mathfrak{e}_6^{4,4} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{122\mathbf{3}} \quad \Delta = -127, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_6^{3,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_7 122$

$$221 \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,4}{\mathbf{e}_7} \otimes \overset{3,4}{\mathbf{e}_6} \mathbf{13} \quad \Delta = -125, \, n_+ = 1, \, n_- = 20, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_6^{3,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 122\mathbf{3} \quad \Delta = -126, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221\mathfrak{e}_7^{\overline{3,3}} \otimes \mathfrak{e}_7^{\overline{3,4}} \otimes \mathfrak{e}_6\mathbf{1}^{\overline{2}} \quad \Delta = -117, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 5131\epsilon_6 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 122$$

$$5131\mathfrak{e}_6 \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_7 122\mathbf{3} \quad \Delta = -128, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $13221\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 12315131$

$$13221\mathfrak{e}_7 \otimes \mathfrak{e}_7 12315131\mathbf{3} \quad \Delta = -56, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$13151321\mathbf{e}_7 \otimes \mathbf{e}_7 12231\mathbf{3}$	$\Delta = -56, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$
$13221\mathbf{e}_7 \otimes \mathbf{e}_7 12315131\mathbf{2}$	$\Delta = -48, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$
$13221\mathbf{e}_7 \otimes \mathbf{e}_7 12315131\mathbf{1}$	$\Delta = -49, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$
$13221\mathbf{e}_7 \otimes \mathbf{e}_7 12315131\mathbf{6}$	$\Delta = -126, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_4$
$13151321\mathbf{e}_7 \otimes \mathbf{e}_7 12231\mathbf{2}$	$\Delta = -48, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$
$13151321\mathbf{e}_7 \otimes \mathbf{e}_7 12231\mathbf{5}$	$\Delta = -100, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$
$13221\mathbf{e}_7 \otimes \mathbf{e}_7 12315131\mathbf{5}$	$\Delta = -100, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_3$
$13151321\mathbf{e}_7 \otimes \mathbf{e}_7 12231\mathbf{4}$	$\Delta = -76, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$
$13221\mathbf{e}_7 \otimes \mathbf{e}_7 12315131\mathbf{4}$	$\Delta = -76, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: $2221\mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 123151321$

$2221\mathbf{e}_7 \otimes \mathbf{e}_7 123151321\mathbf{7}$	$\Delta = -145, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_4$
$2221\mathbf{e}_7 \otimes \mathbf{e}_7 123151321\mathbf{4}$	$\Delta = -68, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$
$2221\mathbf{e}_7 \otimes \mathbf{e}_7 123151321\mathbf{8}$	$\Delta = -173, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_5$
$2221\mathbf{e}_7 \otimes \mathbf{e}_7 123151321\mathbf{5}$	$\Delta = -92, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$
$2221\mathbf{e}_7 \otimes \mathbf{e}_7 123151321\mathbf{2}$	$\Delta = -40, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$
$2221\mathbf{e}_7 \otimes \mathbf{e}_7 123151321\mathbf{3}$	$\Delta = -48, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$
$2221\mathbf{e}_7 \otimes \mathbf{e}_7 123151321\mathbf{6}$	$\Delta = -118, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_3$

Base: $131e_6 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 1222$

$2221\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6 131$	$\Delta = -119, n_+ = 1, n_- = 20, n_0 = 0$	$\rightarrow \mathbb{F}_0$
$2221\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6 131$	$\Delta = -67, n_+ = 1, n_- = 20, n_0 = 0$	$\rightarrow \mathbb{F}_3$
$2221\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6 131$	$\Delta = -75, n_+ = 1, n_- = 20, n_0 = 0$	$\rightarrow \mathbb{F}_2$
$2221\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6 131$	$\Delta = -145, n_+ = 1, n_- = 20, n_0 = 0$	$\rightarrow \mathbb{P}^2$
$2221\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6 131$	$\Delta = -95, n_+ = 1, n_- = 20, n_0 = 0$	$\rightarrow \mathbb{F}_1$

Base: $221e_7' \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 1222$

$$2221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 122\mathbf{3} \quad \Delta = -95, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1e_7' \otimes^{21, 3, 3} e_7 \otimes^{3, 3} e_7 1222$

$$21\overset{\textcolor{red}{21}}{\mathfrak{e}}_7' \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_7 1222 \quad \Delta = -86, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{3,21}{\epsilon'_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} 1222 \quad \Delta = -95, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1\mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 122315$

$$513221\mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6\mathbf{13} \quad \Delta = -128, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$513221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6 1\mathbf{2} \quad \Delta = -120, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $21\mathbf{e}_6 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12231$

$$21\mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 12231\textcolor{red}{2} \quad \Delta = -68, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 122314 \quad \Delta = -96, \, n_+ = 1, \, n_- = 20, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12231\mathbf{3} \quad \Delta = -76, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$13221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_6 12\mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1\epsilon_6^{1,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 12231$

$$1\overset{1}{\mathbf{e}_6} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12231\mathbf{2} \quad \Delta = -68, \, n_+ = 1, \, n_- = 20, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_6^{1\ 3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12231\mathbf{5} \quad \Delta = -120, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\overset{1}{\epsilon}_6 \otimes \overset{3,3}{\epsilon}_7 \otimes \overset{3,3}{\epsilon}_7 12231\textcolor{red}{4} \quad \Delta = -96, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 12231\mathbf{3} \quad \Delta = -76, \, n_+ = 1, \, n_- = 20, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{3,1}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 12231 \quad \Delta = -76, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_6^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12231 \quad \Delta = -68, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $31321\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 12315131$

$$31321\epsilon_7^{3,3} \otimes \epsilon_7 12315131\textcolor{red}{4} \quad \Delta = -84, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$31321\epsilon_7^{\textcolor{teal}{3},3} \otimes \epsilon_7^{\textcolor{red}{2}} 12315131 \quad \Delta = -57, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$31321\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 12315131\mathbf{6} \quad \Delta = -134, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$31321e_7 \otimes e_7 123151312 \quad \Delta = -56, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$31321\mathbf{e}_7 \otimes \mathbf{e}_7 12315131\mathbf{3} \quad \Delta = -64, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$13151321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12313\mathbf{2} \quad \Delta = -57, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1321\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 123151315$

$$513151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231\mathbf{4} \quad \Delta = -128, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$513151321\epsilon_7^{3,3} \otimes \epsilon_7^{1,1} 1231\bar{5} \quad \Delta = -152, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$513151321\epsilon_7^{3,3} \otimes \epsilon_7 1231\bar{2} \quad \Delta = -100, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1321\mathbf{e}_7^{\overset{2}{\otimes}} \otimes \mathbf{e}_7^{3,3} 123151315 \quad \Delta = -102, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$513151321\mathbf{e}_7 \otimes \mathbf{e}_7^{3,3} 1231\mathbf{r} \quad \Delta = -108, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231512$

$$2151321 \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{2,3} 41 \mathbf{red} \quad \Delta = -76, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$2151321\epsilon_7^{3,3} \otimes \epsilon_7^{2,3} 41\textcolor{red}{2} \quad \Delta = -68, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$2151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{2,3}{\otimes} 41\mathbf{4} \quad \Delta = -96, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231512\mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 123151^1$

$$14^{2,3} \otimes \mathbf{e}_7 \otimes \mathbf{e}_7^{3,3} 123151^1 \mathbf{2} \quad \Delta = -68, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{31} 4^{13} 5^{13} 7^{12} 11^{12} 13^{12} 17^{12} 19^{12} 23^{12} 29^{12} 31^{12} 37^{12} 41^{12} 43^{12} 47^{12} 53^{12} 59^{12} 61^{12} 67^{12} 71^{12} 73^{12} 79^{12} 83^{12} 89^{12} 97^{12} 101^{12} 103^{12} 107^{12} 109^{12} 113^{12} 127^{12} 131^{12} 137^{12} 139^{12} 143^{12} 149^{12} 151^{12} 157^{12} 163^{12} 167^{12} 173^{12} 179^{12} 181^{12} 187^{12} 191^{12} 193^{12} 197^{12} 199^{12} 211^{12} 223^{12} 227^{12} 229^{12} 233^{12} 239^{12} 241^{12} 251^{12} 257^{12} 263^{12} 269^{12} 271^{12} 277^{12} 281^{12} 283^{12} 293^{12} 307^{12} 311^{12} 313^{12} 317^{12} 331^{12} 337^{12} 347^{12} 349^{12} 353^{12} 359^{12} 367^{12} 373^{12} 379^{12} 383^{12} 389^{12} 397^{12} 401^{12} 409^{12} 419^{12} 421^{12} 431^{12} 433^{12} 439^{12} 443^{12} 449^{12} 457^{12} 461^{12} 463^{12} 467^{12} 473^{12} 479^{12} 481^{12} 487^{12} 491^{12} 499^{12} 503^{12} 509^{12} 521^{12} 523^{12} 527^{12} 539^{12} 541^{12} 547^{12} 557^{12} 563^{12} 569^{12} 571^{12} 577^{12} 581^{12} 587^{12} 593^{12} 599^{12} 601^{12} 607^{12} 613^{12} 617^{12} 619^{12} 631^{12} 637^{12} 643^{12} 647^{12} 649^{12} 653^{12} 659^{12} 661^{12} 667^{12} 673^{12} 677^{12} 683^{12} 689^{12} 691^{12} 697^{12} 701^{12} 709^{12} 713^{12} 727^{12} 733^{12} 739^{12} 743^{12} 751^{12} 757^{12} 761^{12} 769^{12} 773^{12} 787^{12} 793^{12} 797^{12} 809^{12} 811^{12} 823^{12} 827^{12} 829^{12} 833^{12} 839^{12} 853^{12} 857^{12} 859^{12} 863^{12} 877^{12} 883^{12} 887^{12} 893^{12} 897^{12} 901^{12} 907^{12} 911^{12} 913^{12} 917^{12} 929^{12} 937^{12} 941^{12} 943^{12} 947^{12} 953^{12} 959^{12} 961^{12} 967^{12} 971^{12} 973^{12} 977^{12} 983^{12} 989^{12} 991^{12} 997^{12} 1009^{12} 1013^{12} 1017^{12} 1019^{12} 1021^{12} 1033^{12} 1037^{12} 1039^{12} 1043^{12} 1047^{12} 1049^{12} 1053^{12} 1057^{12} 1059^{12} 1063^{12} 1067^{12} 1069^{12} 1073^{12} 1077^{12} 1081^{12} 1087^{12} 1093^{12} 1097^{12} 1103^{12} 1107^{12} 1109^{12} 1113^{12} 1117^{12} 1123^{12} 1127^{12} 1129^{12} 1133^{12} 1137^{12} 1139^{12} 1143^{12} 1147^{12} 1149^{12} 1153^{12} 1157^{12} 1159^{12} 1163^{12} 1167^{12} 1169^{12} 1173^{12} 1177^{12} 1181^{12} 1183^{12} 1187^{12} 1193^{12} 1197^{12} 1201^{12} 1203^{12} 1207^{12} 1213^{12} 1217^{12} 1219^{12} 1223^{12} 1227^{12} 1229^{12} 1233^{12} 1237^{12} 1239^{12} 1243^{12} 1247^{12} 1249^{12} 1253^{12} 1257^{12} 1259^{12} 1263^{12} 1267^{12} 1269^{12} 1273^{12} 1277^{12} 1281^{12} 1283^{12} 1287^{12} 1293^{12} 1297^{12} 1301^{12} 1303^{12} 1307^{12} 1313^{12} 1317^{12} 1319^{12} 1323^{12} 1327^{12} 1329^{12} 1333^{12} 1337^{12} 1339^{12} 1343^{12} 1347^{12} 1349^{12} 1353^{12} 1357^{12} 1359^{12} 1363^{12} 1367^{12} 1369^{12} 1373^{12} 1377^{12} 1381^{12} 1383^{12} 1387^{12} 1393^{12} 1397^{12} 1401^{12} 1403^{12} 1407^{12} 1413^{12} 1417^{12} 1419^{12} 1423^{12} 1427^{12} 1429^{12} 1433^{12} 1437^{12} 1439^{12} 1443^{12} 1447^{12} 1449^{12} 1453^{12} 1457^{12} 1459^{12} 1463^{12} 1467^{12} 1469^{12} 1473^{12} 1477^{12} 1481^{12} 1483^{12} 1487^{12} 1493^{12} 1497^{12} 1501^{12} 1503^{12} 1507^{12} 1513^{12} 1517^{12} 1519^{12} 1523^{12} 1527^{12} 1529^{12} 1533^{12} 1537^{12} 1539^{12} 1543^{12} 1547^{12} 1549^{12} 1553^{12} 1557^{12} 1559^{12} 1563^{12} 1567^{12} 1569^{12} 1573^{12} 1577^{12} 1581^{12} 1583^{12} 1587^{12} 1593^{12} 1597^{12} 1601^{12} 1603^{12} 1607^{12} 1613^{12} 1617^{12} 1619^{12} 1623^{12} 1627^{12} 1629^{12} 1633^{12} 1637^{12} 1639^{12} 1643^{12} 1647^{12} 1649^{12} 1653^{12} 1657^{12} 1659^{12} 1663^{12} 1667^{12} 1669^{12} 1673^{12} 1677^{12} 1681^{12} 1683^{12} 1687^{12} 1693^{12} 1697^{12} 1701^{12} 1703^{12} 1707^{12} 1713^{12} 1717^{12} 1719^{12} 1723^{12} 1727^{12} 1729^{12} 1733^{12} 1737^{12} 1739^{12} 1743^{12} 1747^{12} 1749^{12} 1753^{12} 1757^{12} 1759^{12} 1763^{12} 1767^{12} 1769^{12} 1773^{12} 1777^{12} 1781^{12} 1783^{12} 1787^{12} 1793^{12} 1797^{12} 1801^{12} 1803^{12} 1807^{12} 1813^{12} 1817^{12} 1819^{12} 1823^{12} 1827^{12} 1829^{12} 1833^{12} 1837^{12} 1839^{12} 1843^{12} 1847^{12} 1849^{12} 1853^{12} 1857^{12} 1859^{12} 1863^{12} 1867^{12} 1869^{12} 1873^{12} 1877^{12} 1881^{12} 1883^{12} 1887^{12} 1893^{12} 1897^{12} 1901^{12} 1903^{12} 1907^{12} 1913^{12} 1917^{12} 1919^{12} 1923^{12} 1927^{12} 1929^{12} 1933^{12} 1937^{12} 1939^{12} 1943^{12} 1947^{12} 1949^{12} 1953^{12} 1957^{12} 1959^{12} 1963^{12} 1967^{12} 1969^{12} 1973^{12} 1977^{12} 1981^{12} 1983^{12} 1987^{12} 1993^{12} 1997^{12} 2001^{12} 2003^{12} 2007^{12} 2013^{12} 2017^{12} 2019^{12} 2023^{12} 2027^{12} 2029^{12} 2033^{12} 2037^{12} 2039^{12} 2043^{12} 2047^{12} 2049^{12} 2053^{12} 2057^{$$

$$14^{2,3} \otimes e_7^{3,3} \otimes e_7^{1,1} 123151 \mathbf{13} \quad \Delta = -76, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \quad \overset{414132181232181231}{5} \quad 1 \quad \Delta = -96, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\begin{array}{c} \textcolor{red}{2}14132181232181231 \\ 1 \qquad\qquad\qquad 5 \qquad\qquad\qquad 1 \end{array} \Delta = -68, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 1232151$

$$4 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1232151\mathbf{2} \quad \Delta = -72, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 1232151\mathbf{3} \quad \Delta = -80, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $14 \overset{2,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 1232151$

$$14^{2,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{1232151\textcolor{red}{2}} \quad \Delta = -70, \quad n_+ = 1, \quad n_- = 20, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1512321\epsilon_7^{\otimes 3,3} \otimes \epsilon_7^{\otimes 2,3} 41\mathbf{2} \quad \Delta = -70, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1512321\epsilon_7^{\otimes 3,3} \otimes \epsilon_7^{\otimes 2,3} \otimes 41\mathbf{3} \quad \Delta = -78, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1232151\mathbf{3} \quad \Delta = -78, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1512321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{2,3}{\otimes} 41\mathbf{4} \quad \Delta = -98, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $4 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 1231512$

$$1^{\textcolor{red}{3}21} \textcolor{violet}{e}_7^{\textcolor{teal}{3},3} \otimes \textcolor{violet}{e}_7^{\textcolor{teal}{4},3} \otimes \textcolor{violet}{e}_6^{\textcolor{teal}{4},3} \quad \Delta = -126, \, n_+ = 1, \, n_- = 20, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1_{\mathbf{e}_7}^{21, 3, 3} \otimes \mathbf{e}_7' \otimes \mathbf{e}_7^{3, 3} \overset{2}{1231} \quad \Delta = -97, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_7'^{3,3} \otimes \mathbf{e}_7^{3,3} 1231\mathbf{5} \quad \Delta = -147, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$21\overset{\textcolor{red}{2}}{\mathbf{e}}_7^{1,3,3} \otimes \mathbf{e}_7^{\prime 3,3} \otimes \mathbf{e}_7^{1231} \quad \Delta = -95, \, n_+ = 1, \, n_- = 20, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{3,3} 1315$

$$21\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{3,3} \quad \Delta = -119, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{221} \mathbf{e}_7 \otimes \mathbf{e}_7 123151321 \mathbf{3} \quad \Delta = -48, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{221} \mathbf{e}_7 \otimes \mathbf{e}_7 123151321 \quad \Delta = -173, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$221\epsilon_7^{21} \otimes \epsilon_7^{3,3} 123151321 \quad \Delta = -40, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7^{221} \otimes \mathbf{e}_7^{3,3} 123151321\mathbf{5} \quad \Delta = -92, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{221} \mathbf{e}_7 \otimes \mathbf{e}_7 123151321^4 \quad \Delta = -68, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{221} \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_6^{131} \mathbf{6} \quad \Delta = -145, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1^{221} \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_6 131 \Delta = -67, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_7^{221} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{3,3} 131\mathbf{5} \quad \Delta = -119, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \epsilon_7^{221} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 131 \mathbf{3} \quad \Delta = -75, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{221} e_7^{3,3} \otimes e_7^{3,3} \otimes e_7' 122\mathbf{3} \quad \Delta = -95, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221\overset{21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7'122 \quad \Delta = -86, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $\mathbf{1e}_7' \otimes \mathbf{e}_7 \otimes \mathbf{e}_7' 1$ $\Delta = -95, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_3$

293

[illegible]

$$1\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} 12321\mathbf{6} \quad \Delta = -148, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{1}{\otimes} \overset{3,3}{\mathbf{e}_7} 12321\mathbf{2} \quad \Delta = -70, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1 \overset{51321}{\mathfrak{e}_7} \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_6 1$

$$1^{51321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6 \mathbf{13} \quad \Delta = -128, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{51321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6 1^{\text{red}} \quad \Delta = -120, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{1321} \otimes_{\mathfrak{e}_7}^{3,3} \otimes_{\mathfrak{e}_7}^{3,3} \otimes_{\mathfrak{e}_6} 12$

$$1 \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_6} 12 \quad \Delta = -76, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\overset{21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_6 12 \quad \Delta = -68, \, n_+ = 1, \, n_- = 20, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{4}{\mathfrak{e}}_7^{1321} \overset{3,3}{\otimes} \mathfrak{e}_7^{3,3} \overset{3,3}{\otimes} \mathfrak{e}_{612} \quad \Delta = -96, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{21321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_6} 12 \quad \Delta = -68, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{1321}{\mathfrak{e}_7} \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_6 12\mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_{612} \quad \Delta = -70, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_6^1 \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7^1 1231$

$$1\overset{3,1}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 1231 \quad \Delta = -76, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231\mathbf{e}_7^1 \quad \Delta = -120, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \overset{1}{1231}\mathbf{3} \quad \Delta = -76, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_6^{1\ 3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{1\ 1231}\mathbf{2} \quad \Delta = -68, \ n_+ = 1, \ n_- = 20, \ n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{2,1}{\mathfrak{e}}_6 \otimes \overset{3,3}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}_7 1231 \quad \Delta = -68, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathbf{e}_6}^{1\ 3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{21} 1231 \quad \Delta = -68, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_6}^1 \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} 1_{\mathfrak{e}_7}^1 12314 \quad \Delta = -96, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \overset{1}{1231} \overset{2}{\Delta} = -70, n_+ = 1, n_- = 20, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1e_7^{1\ 3,3} \otimes e_7^{1\ 3,3} \otimes e_7^{1223}$

$$1\overset{\textcolor{red}{2}1}{\mathbf{e}_7} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{1,3,3} 1223 \quad \Delta = -123, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1e_7^{21} \otimes^{3,3} e_7^1 \otimes^{3,3} e_7 122$

$$21\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{1,3,3} 122 \quad \Delta = -114, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{3,21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{1}{\mathbf{e}}_7 \overset{3,3}{122} \quad \Delta = -123, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1 \overset{3,2,1}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{1}{e_7} \otimes \overset{3,3}{e_7} 12$

$$1^{321} \epsilon_7^{\otimes 3} \otimes \epsilon_7^{\otimes 3} \otimes \epsilon_7^{123} \quad \Delta = -132, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1 \overset{2321}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{1}{e_7} \otimes \overset{3,3}{e_7} \otimes 1$

$$1 \overset{2321}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{1}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \textcolor{red}{12} \quad \Delta = -125, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1\mathbf{e}_7 \overset{1}{\otimes} \overset{3,3}{\mathbf{e}_7} \overset{1}{\otimes} \overset{3,3}{\mathbf{e}_7} \overset{1}{\mathbf{e}_7} 123$

$$1 \overset{1}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{1}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{1}{e}_7 123\mathbf{2} \quad \Delta = -125, \, n_+ = 1, \, n_- = 20, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \overset{1}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{1}{\otimes} 123 \quad \Delta = -123, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \overset{21}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \overset{1}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \overset{21}{\mathfrak{e}_7} 1$

$$21\overset{\textcolor{red}{21}}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{1}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{21}{\mathfrak{e}_7} \quad \Delta = -114, \, n_+ = 1, \, n_- = 20, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $21\mathbf{e}_7^{21} \otimes^{3,3} \mathbf{e}_7 123151321$

$$21\epsilon_7^{21,3,3} \otimes \epsilon_7^{1231513214} \quad \Delta = -68, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\overset{21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 123151321\mathbf{5} \quad \Delta = -92, n_+ = 1, n_- = 20, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\begin{aligned}
21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{123151321\ 2} \quad \Delta = -40, n_+ = 1, n_- = 20, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
21\mathfrak{e}_7^{321\ 3,3} \otimes \mathfrak{e}_7^{123151321} \quad \Delta = -49, n_+ = 1, n_- = 20, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{123151321\ 8} \quad \Delta = -173, n_+ = 1, n_- = 20, n_0 = 0 \quad &\rightarrow \mathbb{F}_5 \\
21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{123151321\ 3} \quad \Delta = -48, n_+ = 1, n_- = 20, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{123151321\ 6} \quad \Delta = -118, n_+ = 1, n_- = 20, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{123151321\ 7} \quad \Delta = -145, n_+ = 1, n_- = 20, n_0 = 0 \quad &\rightarrow \mathbb{F}_4
\end{aligned}$$

$$\text{Base: } 21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6^{131}$$

$$\begin{aligned}
21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6^{131\ 4} \quad \Delta = -95, n_+ = 1, n_- = 20, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6^{131\ 2} \quad \Delta = -67, n_+ = 1, n_- = 20, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
21\mathfrak{e}_7^{321\ 3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6^{131} \quad \Delta = -76, n_+ = 1, n_- = 20, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6^{131\ 3} \quad \Delta = -75, n_+ = 1, n_- = 20, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6^{131\ 6} \quad \Delta = -145, n_+ = 1, n_- = 20, n_0 = 0 \quad &\rightarrow \mathbb{F}_5
\end{aligned}$$

$$\text{Base: } 21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{122}$$

$$\begin{aligned}
21\mathfrak{e}_7^{321\ 3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{122} \quad \Delta = -95, n_+ = 1, n_- = 20, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{122\ 3} \quad \Delta = -95, n_+ = 1, n_- = 20, n_0 = 0 \quad &\rightarrow \mathbb{F}_3
\end{aligned}$$

$$\text{Base: } 1\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{3,3\ 21} \otimes \mathfrak{e}_7^{12}$$

$$\begin{aligned}
21\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{3,3\ 21} \otimes \mathfrak{e}_7^{12} \quad \Delta = -86, n_+ = 1, n_- = 20, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
1\mathfrak{e}_7^{21\ 3,3} \otimes \mathfrak{e}_7^{3,3\ 21} \otimes \mathfrak{e}_7^{12\ 3} \quad \Delta = -95, n_+ = 1, n_- = 20, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
1\mathfrak{e}_7^{321\ 3,3} \otimes \mathfrak{e}_7^{3,3\ 21} \otimes \mathfrak{e}_7^{12} \quad \Delta = -95, n_+ = 1, n_- = 20, n_0 = 0 \quad &\rightarrow \mathbb{F}_1
\end{aligned}$$

$T = 21$ (916 bases)

$$\text{Base: } \mathfrak{e}_8^{2,4} \otimes 414141414141413$$

$$\mathfrak{e}_8^{2,4} \otimes 414141414141413\ 2 \quad \Delta = -126, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 14141414141414 \otimes \mathfrak{e}_8^{2,4} 1$$

$$\begin{aligned}
1\mathfrak{e}_8^{2,4} \otimes 41414141414141\ 4 \quad \Delta = -145, n_+ = 1, n_- = 21, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
1\mathfrak{e}_8^{2,4} \otimes 41414141414141\ 3 \quad \Delta = -125, n_+ = 1, n_- = 21, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
1\mathfrak{e}_8^{2,4} \otimes 41414141414141\ 2 \quad \Delta = -117, n_+ = 1, n_- = 21, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
14141414141414 \otimes \mathfrak{e}_8^{2,4} 1\ 2 \quad \Delta = -117, n_+ = 1, n_- = 21, n_0 = 0 \quad &\rightarrow \mathbb{F}_2
\end{aligned}$$

$$\text{Base: } 141414 \otimes \mathfrak{e}_8^{2,4} 122315131$$

$$\begin{aligned}
131513221\mathfrak{e}_8^{2,4} \otimes 414141\ 4 \quad \Delta = -102, n_+ = 1, n_- = 21, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
141414 \otimes \mathfrak{e}_8^{2,4} 122315131\ 2 \quad \Delta = -74, n_+ = 1, n_- = 21, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
141414 \otimes \mathfrak{e}_8^{2,4} 122315131\ 6 \quad \Delta = -152, n_+ = 1, n_- = 21, n_0 = 0 \quad &\rightarrow \mathbb{F}_4 \\
131513221\mathfrak{e}_8^{2,4} \otimes 414141\ 2 \quad \Delta = -74, n_+ = 1, n_- = 21, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
141414 \otimes \mathfrak{e}_8^{2,4} 122315131\ 3 \quad \Delta = -75, n_+ = 1, n_- = 21, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
141414 \otimes \mathfrak{e}_8^{2,4} 122315131\ 3 \quad \Delta = -82, n_+ = 1, n_- = 21, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
141414 \otimes \mathfrak{e}_8^{2,4} 122315131\ 5 \quad \Delta = -126, n_+ = 1, n_- = 21, n_0 = 0 \quad &\rightarrow \mathbb{F}_3 \\
131513221\mathfrak{e}_8^{2,4} \otimes 414141\ 3 \quad \Delta = -82, n_+ = 1, n_- = 21, n_0 = 0 \quad &\rightarrow \mathbb{F}_0 \\
141414 \otimes \mathfrak{e}_8^{2,4} 122315131\ 4 \quad \Delta = -102, n_+ = 1, n_- = 21, n_0 = 0 \quad &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $31414 \otimes \epsilon_8^{2,4} 1223151321$

$$\begin{aligned}
31414 \otimes \epsilon_8^{2,4} 1223151321 \mathbf{7} \quad \Delta = -160, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
31414 \otimes \epsilon_8^{2,4} 1223151321 \mathbf{4} \quad \Delta = -83, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
31414 \otimes \epsilon_8^{2,4} 1223151321 \mathbf{8} \quad \Delta = -188, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
31414 \otimes \epsilon_8^{2,4} 1223151321 \mathbf{6} \quad \Delta = -133, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
31414 \otimes \epsilon_8^{2,4} 1223151321 \mathbf{3} \quad \Delta = -63, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1231513221 \epsilon_8 \otimes 41413 \mathbf{2} \quad \Delta = -56, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
31414 \otimes \epsilon_8^{2,4} 1223151321 \mathbf{2} \quad \Delta = -55, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1231513221 \epsilon_8 1223151232$

$$\begin{aligned}
2321513221 \epsilon_8 1223151321 \mathbf{5} \quad \Delta = -106, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
2321513221 \epsilon_8 1223151321 \mathbf{6} \quad \Delta = -132, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
2321513221 \epsilon_8 1223151321 \mathbf{4} \quad \Delta = -82, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
2321513221 \epsilon_8 1223151321 \mathbf{8} \quad \Delta = -187, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
2321513221 \epsilon_8 1223151321 \mathbf{7} \quad \Delta = -159, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
2321513221 \epsilon_8 1223151321 \mathbf{3} \quad \Delta = -62, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
2321513221 \epsilon_8 1223151321 \mathbf{2} \quad \Delta = -54, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $2314 \otimes \epsilon_8^{2,4} 12231513221$

$$\begin{aligned}
2314 \otimes \epsilon_8^{2,4} 12231513221 \mathbf{(12)} \quad \Delta = -276, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_8 \\
2314 \otimes \epsilon_8^{2,4} 12231513221 \mathbf{8} \quad \Delta = -161, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
2314 \otimes \epsilon_8^{2,4} 12231513221 \mathbf{6} \quad \Delta = -106, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
2314 \otimes \epsilon_8^{2,4} 12231513221 \mathbf{3} \quad \Delta = -36, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
2314 \otimes \epsilon_8^{2,4} 12231513221 \mathbf{4} \quad \Delta = -56, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
2314 \otimes \epsilon_8^{2,4} 12231513221 \mathbf{5} \quad \Delta = -80, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
2314 \otimes \epsilon_8^{2,4} 12231513221 \mathbf{2} \quad \Delta = -28, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
2314 \otimes \epsilon_8^{2,4} 12231513221 \mathbf{7} \quad \Delta = -133, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $1414 \otimes \epsilon_8^{2,4} 12231513215$

$$\begin{aligned}
51231513221 \epsilon_8 \otimes 4141 \mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
51231513221 \epsilon_8 \otimes 4141 \mathbf{4} \quad \Delta = -127, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
51231513221 \epsilon_8 \otimes 4141 \mathbf{2} \quad \Delta = -99, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1414 \otimes \epsilon_8^{2,4} 12231513151$

$$\begin{aligned}
1414 \otimes \epsilon_8^{2,4} 12231513151 \mathbf{3} \quad \Delta = -106, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1414 \otimes \epsilon_8^{2,4} 12231513151 \mathbf{2} \quad \Delta = -98, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
15131513221 \epsilon_8 \otimes 4141 \mathbf{2} \quad \Delta = -98, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
15131513221 \epsilon_8 \otimes 4141 \mathbf{4} \quad \Delta = -126, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
15131513221 \epsilon_8 \otimes 4141 \mathbf{3} \quad \Delta = -106, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $321513221 \epsilon_8 12231513151$

$$\begin{aligned}
321513221 \epsilon_8 12231513151 \mathbf{2} \quad \Delta = -103, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
15131513221 \epsilon_8 1223151232 \mathbf{2} \quad \Delta = -105, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
321513221 \epsilon_8 12231513151 \mathbf{3} \quad \Delta = -111, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $21513221 \epsilon_8 122315131513$

$$21513221 \epsilon_8 122315131513 \mathbf{2} \quad \Delta = -103, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \overset{315131513221(12)12231}{5} 1$

$$\begin{aligned}
& \overset{2315131513221(12)12231}{1 \quad 5 \quad 1} \quad \Delta = -103, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
& \overset{315131513221(12)12231}{1 \quad 5 \quad 1} \quad \overset{2}{2} \quad \Delta = -102, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
& \overset{315131513221(12)12231}{1 \quad 5 \quad 1} \quad \overset{3}{3} \quad \Delta = -110, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0
\end{aligned}$$

$$\text{Base: } 31 \overset{15131513221(12)12231}{5} 1$$

$$\begin{aligned}
& \overset{215131513221(12)12231}{31 \quad 5 \quad 1} \quad \Delta = -102, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
& \overset{15131513221(12)12231}{1 \quad 5 \quad 1} \quad \overset{13}{13} \quad \Delta = -103, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0
\end{aligned}$$

$$\text{Base: } 1231513221\mathfrak{c}_812231\overset{1}{5}132$$

$$\begin{aligned}
& \overset{51231513221(12)12231}{231 \quad 5 \quad 1} \quad \Delta = -104, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& \overset{41231513221(12)12231}{231 \quad 5 \quad 1} \quad \Delta = -80, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
& \overset{71231513221(12)12231}{231 \quad 5 \quad 1} \quad \Delta = -157, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
& \overset{81231513221(12)12231}{231 \quad 5 \quad 1} \quad \Delta = -185, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
& \overset{21231513221(12)12231}{231 \quad 5 \quad 1} \quad \Delta = -52, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
& \overset{61231513221(12)12231}{231 \quad 5 \quad 1} \quad \Delta = -130, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
& \overset{31231513221(12)12231}{231 \quad 5 \quad 1} \quad \Delta = -60, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2
\end{aligned}$$

$$\text{Base: } 314 \overset{2,4}{\otimes} \mathfrak{c}_8 \overset{5,4}{\otimes} \mathfrak{c}_61$$

$$\begin{aligned}
& 1\mathfrak{c}_6 \overset{5,4}{\otimes} \mathfrak{c}_8 \overset{2,4}{\otimes} 413\overset{2}{2} \quad \Delta = -106, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
& 314 \overset{2,4}{\otimes} \mathfrak{c}_8 \overset{5,4}{\otimes} \mathfrak{c}_61\overset{2}{2} \quad \Delta = -105, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2
\end{aligned}$$

$$\text{Base: } 14 \overset{2,4}{\otimes} \mathfrak{c}_8 \overset{5,4}{\otimes} \mathfrak{c}_613$$

$$\begin{aligned}
& 31\mathfrak{c}_6 \overset{5,4}{\otimes} \mathfrak{c}_8 \overset{2,4}{\otimes} 41\overset{4}{4} \quad \Delta = -133, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
& 31\mathfrak{c}_6 \overset{5,4}{\otimes} \mathfrak{c}_8 \overset{2,4}{\otimes} 41\overset{3}{3} \quad \Delta = -113, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& 31\mathfrak{c}_6 \overset{5,4}{\otimes} \mathfrak{c}_8 \overset{2,4}{\otimes} 41\overset{2}{2} \quad \Delta = -105, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1
\end{aligned}$$

$$\text{Base: } 314 \overset{2,4}{\otimes} \mathfrak{c}_8 \overset{5,3}{\otimes} \mathfrak{c}_612$$

$$21\mathfrak{c}_6 \overset{5,3}{\otimes} \mathfrak{c}_8 \overset{2,4}{\otimes} 413\overset{2}{2} \quad \Delta = -105, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 14 \overset{2,4}{\otimes} \mathfrak{c}_8 \overset{5,3}{\otimes} \mathfrak{c}_6123$$

$$\begin{aligned}
& 321\mathfrak{c}_6 \overset{5,3}{\otimes} \mathfrak{c}_8 \overset{2,4}{\otimes} 41\overset{2}{2} \quad \Delta = -105, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
& 14 \overset{2,4}{\otimes} \mathfrak{c}_8 \overset{5,3}{\otimes} \mathfrak{c}_6123\overset{2}{2} \quad \Delta = -107, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
& 321\mathfrak{c}_6 \overset{5,3}{\otimes} \mathfrak{c}_8 \overset{2,4}{\otimes} 41\overset{3}{3} \quad \Delta = -113, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& 321\mathfrak{c}_6 \overset{5,3}{\otimes} \mathfrak{c}_8 \overset{2,4}{\otimes} 41\overset{4}{4} \quad \Delta = -133, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2
\end{aligned}$$

$$\text{Base: } 131\mathfrak{c}_6 \overset{3,5}{\otimes} \mathfrak{c}_81223132$$

$$\begin{aligned}
& 2313221\mathfrak{c}_8 \overset{3,5}{\otimes} \mathfrak{c}_6131\overset{2}{2} \quad \Delta = -85, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
& 2313221\mathfrak{c}_8 \overset{3,5}{\otimes} \mathfrak{c}_6131\overset{6}{6} \quad \Delta = -163, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
& 2313221\mathfrak{c}_8 \overset{3,5}{\otimes} \mathfrak{c}_6131\overset{5}{5} \quad \Delta = -137, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
& 2313221\mathfrak{c}_8 \overset{3,5}{\otimes} \mathfrak{c}_6131\overset{3}{3} \quad \Delta = -93, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
& 2313221\mathfrak{c}_8 \overset{3,5}{\otimes} \mathfrak{c}_6131\overset{4}{4} \quad \Delta = -113, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0
\end{aligned}$$

$$\text{Base: } 15131\mathfrak{c}_6 \overset{3,5}{\otimes} \mathfrak{c}_812222$$

$$\begin{aligned}
& 22221\mathfrak{c}_8 \overset{3,5}{\otimes} \mathfrak{c}_613151\overset{3}{3} \quad \Delta = -127, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
& 22221\mathfrak{c}_8 \overset{3,5}{\otimes} \mathfrak{c}_613151\overset{2}{2} \quad \Delta = -119, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $315131\epsilon_6 \otimes \epsilon_8^{3,5} 1222$
 $2221\epsilon_8 \otimes \epsilon_6^{3,5} 131513\mathbf{2} \quad \Delta = -128, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $2315131\epsilon_6 \otimes \epsilon_8^{3,5} 122$
 $2315131\epsilon_6 \otimes \epsilon_8^{3,5} 122\mathbf{3} \quad \Delta = -137, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$
Base: $1\epsilon_6 \otimes \epsilon_8^{1,3,5} \otimes \epsilon_8^{4,2} 413$
 $1\epsilon_6 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{4,2} 413 \quad \Delta = -112, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1\epsilon_6 \otimes \epsilon_8^{2,1,3,5} \otimes \epsilon_8^{4,2} 413 \quad \Delta = -104, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1\epsilon_6 \otimes \epsilon_8^{1,3,5} \otimes \epsilon_8^{4,2} 413\mathbf{2} \quad \Delta = -105, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $1\epsilon_6 \otimes \epsilon_8^{3,1,3,5} \otimes \epsilon_8^{4,2} 41$
 $1\epsilon_6 \otimes \epsilon_8^{3,1,3,5} \otimes \epsilon_8^{4,2} 41\mathbf{2} \quad \Delta = -104, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1\epsilon_6 \otimes \epsilon_8^{3,1,3,5} \otimes \epsilon_8^{4,2} 41\mathbf{4} \quad \Delta = -132, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_4$
Base: $1\epsilon_7^{5,5} \otimes \epsilon_8 1223132$
 $2313221\epsilon_8 \otimes \epsilon_7^{5,5} 1\mathbf{2} \quad \Delta = -105, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$
Base: $21\epsilon_7^{4,5} \otimes \epsilon_8 1223132$
 $2313221\epsilon_8 \otimes \epsilon_7^{4,5} 1\mathbf{23} \quad \Delta = -114, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $2321\epsilon_7^{4,5} \otimes \epsilon_8 12231$
 $2321\epsilon_7^{4,5} \otimes \epsilon_8 12231\mathbf{5} \quad \Delta = -159, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_4$
 $2321\epsilon_7^{4,5} \otimes \epsilon_8 12231\mathbf{4} \quad \Delta = -135, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$
 $2321\epsilon_7^{4,5} \otimes \epsilon_8 12231\mathbf{3} \quad \Delta = -115, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$
 $2321\epsilon_7^{4,5} \otimes \epsilon_8 12231\mathbf{2} \quad \Delta = -107, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$
Base: $1\epsilon_7^{1,4,5} \otimes \epsilon_8 1223132$
 $1\epsilon_7^{2,1,4,5} \otimes \epsilon_8 1223132 \quad \Delta = -105, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$
Base: $21\epsilon_7^{5,5} \otimes \epsilon_8 122222$
 $222221\epsilon_8 \otimes \epsilon_7^{5,5} 1\mathbf{23} \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $221\epsilon_7^{4,5} \otimes \epsilon_8 122222$
 $222221\epsilon_8 \otimes \epsilon_7^{4,5} 1\mathbf{223} \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $321\epsilon_7^{5,5} \otimes \epsilon_8 12222$
 $22221\epsilon_8 \otimes \epsilon_7^{5,5} 1\mathbf{232} \quad \Delta = -126, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $1\epsilon_7^{1,5,5} \otimes \epsilon_8 122222$
 $1\epsilon_7^{2,1,5,5} \otimes \epsilon_8 122222 \quad \Delta = -115, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$
Base: $1\epsilon_7^{2,1,4,5} \otimes \epsilon_8 122222$
 $21\epsilon_7^{2,1,4,5} \otimes \epsilon_8 122222 \quad \Delta = -115, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1\epsilon_7^{3,2,1,4,5} \otimes \epsilon_8 122222 \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $1\epsilon_7^{3,2,1,4,5} \otimes \epsilon_8 12222$
 $1\epsilon_7^{2,3,2,1,4,5} \otimes \epsilon_8 12222 \quad \Delta = -126, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $1\epsilon_8 \otimes \epsilon_6^{1,5,3} 13151322$
 $1\epsilon_8 \otimes \epsilon_6^{2,1,5,3} 13151322 \quad \Delta = -128, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: $1\epsilon_8^{21, 5, 3} \otimes \epsilon_6 1315132$

$$21\epsilon_8^{21, 5, 3} \otimes \epsilon_6 1315132 \quad \Delta = -128, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $4 \otimes \epsilon_8^{5, 3, 131513221} 1$

$$4 \otimes \epsilon_8^{5, 3, 2131513221} 1 \quad \Delta = -78, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$4 \otimes \epsilon_8^{5, 3, 5131513221} 1 \quad \Delta = -130, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$4 \otimes \epsilon_8^{5, 3, 4131513221} 1 \quad \Delta = -106, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$4 \otimes \epsilon_8^{5, 3, 6131513221} 1 \quad \Delta = -156, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$4 \otimes \epsilon_8^{5, 3, 3131513221} 1 \quad \Delta = -86, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$4 \otimes \epsilon_8^{5, 3, 131513221} 1 \quad \Delta = -79, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \otimes \epsilon_8^{1231513221, 4, 2} \otimes 4141$

$$1 \otimes \epsilon_8^{71231513221, 4, 2} \otimes 4141 \quad \Delta = -152, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \otimes \epsilon_8^{1231513221, 4, 2} \otimes 4141 \mathbf{3} \quad \Delta = -55, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1231513221\epsilon_8^{21, 4, 2} \otimes 4141 \quad \Delta = -47, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \otimes \epsilon_8^{1231513221, 4, 2} \otimes 4141 \mathbf{2} \quad \Delta = -47, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \otimes \epsilon_8^{21231513221, 4, 2} \otimes 4141 \quad \Delta = -47, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \otimes \epsilon_8^{41231513221, 4, 2} \otimes 4141 \quad \Delta = -75, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \otimes \epsilon_8^{1231513221, 4, 2} \otimes 4141 \mathbf{4} \quad \Delta = -75, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \otimes \epsilon_8^{31231513221, 4, 2} \otimes 4141 \quad \Delta = -55, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \otimes \epsilon_8^{61231513221, 4, 2} \otimes 4141 \quad \Delta = -125, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \otimes \epsilon_8^{81231513221, 4, 2} \otimes 4141 \quad \Delta = -180, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \otimes \epsilon_8^{51231513221, 4, 2} \otimes 4141 \quad \Delta = -99, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1 \otimes \epsilon_8^{321513221} 1223151321$

$$1231513221 \epsilon_8^{321513221} \mathbf{12} \quad \Delta = -52, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \otimes \epsilon_8^{321513221} 1223151321 \mathbf{3} \quad \Delta = -60, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \otimes \epsilon_8^{321513221} 1223151321 \mathbf{8} \quad \Delta = -185, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \otimes \epsilon_8^{321513221} 1223151321 \mathbf{5} \quad \Delta = -104, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \otimes \epsilon_8^{321513221} 1223151321 \mathbf{2} \quad \Delta = -52, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \otimes \epsilon_8^{321513221} 1223151321 \mathbf{6} \quad \Delta = -130, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \otimes \epsilon_8^{321513221} 1223151321 \mathbf{7} \quad \Delta = -157, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \otimes \epsilon_8^{321513221} 1223151321 \mathbf{4} \quad \Delta = -80, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \otimes \epsilon_8^{2321513221} 1223151321 \quad \Delta = -54, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \otimes \epsilon_8^{12231513221, 4, 2} \otimes 413$

$$1 \otimes \epsilon_8^{12231513221, 4, 2} \otimes 413 \mathbf{2} \quad \Delta = -28, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \otimes \epsilon_8^{212231513221, 4, 2} \otimes 413 \quad \Delta = -27, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \otimes \epsilon_8^{512231513221, 4, 2} \otimes 413 \quad \Delta = -79, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \otimes \epsilon_8^{312231513221, 4, 2} \otimes 413 \quad \Delta = -35, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \otimes \epsilon_8^{712231513221, 4, 2} \otimes 413 \quad \Delta = -132, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \otimes \epsilon_8^{(12)12231513221, 4, 2} \otimes 413 \quad \Delta = -275, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1 \otimes \epsilon_8^{812231513221, 4, 2} \otimes 413 \quad \Delta = -160, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \otimes \epsilon_8^{412231513221, 4, 2} \otimes 413 \quad \Delta = -55, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\begin{aligned}
& 1^{612231513221} \mathfrak{e}_8^{4,2} \otimes 413 \quad \Delta = -105, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1^{51231513221} \mathfrak{e}_8^{12231512} \\
& 21513221^{51231513221} \mathfrak{e}_8^{12} \quad \Delta = -95, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1^{15131513221} \mathfrak{e}_8^{12231512} \\
& 1^{315131513221} \mathfrak{e}_8^{12231512} \quad \Delta = -102, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 21513221^{15131513221} \mathfrak{e}_8^{12} \quad \Delta = -94, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{215131513221} \mathfrak{e}_8^{12231512} \quad \Delta = -94, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1^{15131513221} \mathfrak{e}_8^{122315123} \quad \Delta = -103, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1^{51231513221} \mathfrak{e}_8^{1223151} \\
& 1^{21(12)12231} \mathfrak{e}_8^{5} \quad \Delta = -95, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{51231513221} \mathfrak{e}_8^{12231512} \quad \Delta = -95, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 1^{15131513221} \mathfrak{e}_8^{1223151} \\
& 1^{315131513221} \mathfrak{e}_8^{1223151} \quad \Delta = -102, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1^{15131513221} \mathfrak{e}_8^{12231513} \quad \Delta = -102, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{21(12)12231} \mathfrak{e}_8^{5} \quad \Delta = -94, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{215131513221} \mathfrak{e}_8^{1223151} \quad \Delta = -94, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1^{15131513221} \mathfrak{e}_8^{12231512} \quad \Delta = -94, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 1^{31513221} \mathfrak{e}_8^{1223151321} \\
& 1^{31513221} \mathfrak{e}_8^{12231513213} \quad \Delta = -59, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1^{231513221} \mathfrak{e}_8^{1223151321} \quad \Delta = -52, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1^{31513221} \mathfrak{e}_8^{12231513215} \quad \Delta = -103, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{31513221} \mathfrak{e}_8^{12231513216} \quad \Delta = -129, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1^{31513221} \mathfrak{e}_8^{12231513212} \quad \Delta = -51, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 1231513221^{31513221} \mathfrak{e}_8^{12} \quad \Delta = -51, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{31513221} \mathfrak{e}_8^{12231513217} \quad \Delta = -156, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1^{31513221} \mathfrak{e}_8^{12231513218} \quad \Delta = -184, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 1^{31513221} \mathfrak{e}_8^{12231513214} \quad \Delta = -79, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } \mathfrak{e}_6^{5,5} \otimes \mathfrak{e}_8^{1,2,4} \otimes 41 \\
& \mathfrak{e}_6^{5,5} \otimes \mathfrak{e}_8^{1,2,4} \otimes 414 \quad \Delta = -125, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \mathfrak{e}_6^{5,5} \otimes \mathfrak{e}_8^{1,2,4} \otimes 412 \quad \Delta = -97, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 14^{2,4} \otimes \mathfrak{e}_8^{1,5,4} \otimes \mathfrak{e}_6 1 \\
& 14^{2,4} \otimes \mathfrak{e}_8^{1,5,4} \otimes \mathfrak{e}_6 12 \quad \Delta = -97, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1\mathfrak{e}_6^{5,4} \otimes \mathfrak{e}_8^{1,2,4} \otimes 413 \quad \Delta = -105, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 14^{2,4} \otimes \mathfrak{e}_8^{21,5,4} \otimes \mathfrak{e}_6 1 \quad \Delta = -97, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 14^{2,4} \otimes \mathfrak{e}_8^{1,5,4} \otimes \mathfrak{e}_6 13 \quad \Delta = -105, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\mathfrak{e}_6^{5,4} \otimes \mathfrak{e}_8^{1,2,4} \otimes 414 \quad \Delta = -125, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1\mathfrak{e}_6^{5,4} \otimes \mathfrak{e}_8^{1,2,4} \otimes 412 \quad \Delta = -97, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 414^{4,2} \otimes \mathfrak{e}_8^{1,3,5} \otimes \mathfrak{e}_6 1 \\
& 414^{4,2} \otimes \mathfrak{e}_8^{1,3,5} \otimes \mathfrak{e}_6 13 \quad \Delta = -132, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 14^{2,4} \otimes \mathfrak{e}_8^{1,5,3} \otimes \mathfrak{e}_6 12
\end{aligned}$$

$$\begin{aligned}
21\mathfrak{e}_6 \otimes \mathfrak{e}_8 \otimes 41\mathbf{4} & \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2 \\
14 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_6 12 & \quad \Delta = -96, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2 \\
14 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_6 12\mathbf{3} & \quad \Delta = -105, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0 \\
21\mathfrak{e}_6 \otimes \mathfrak{e}_8 \otimes 41\mathbf{3} & \quad \Delta = -104, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0 \\
21\mathfrak{e}_6 \otimes \mathfrak{e}_8 \otimes 41\mathbf{2} & \quad \Delta = -96, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

$$\text{Base: } 1 \mathfrak{e}_8^{313221 \ 5,3} \otimes \mathfrak{e}_6 131$$

$$\begin{aligned}
1 \mathfrak{e}_8^{313221 \ 5,3} \otimes \mathfrak{e}_6 131\mathbf{3} & \quad \Delta = -92, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1 \mathfrak{e}_8^{313221 \ 5,3} \otimes \mathfrak{e}_6 131\mathbf{4} & \quad \Delta = -112, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1 \mathfrak{e}_8^{313221 \ 5,3} \otimes \mathfrak{e}_6 131\mathbf{2} & \quad \Delta = -84, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1 \mathfrak{e}_8^{313221 \ 5,3} \otimes \mathfrak{e}_6 131\mathbf{5} & \quad \Delta = -136, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_4 \\
1 \mathfrak{e}_8^{313221 \ 5,3} \otimes \mathfrak{e}_6 131\mathbf{6} & \quad \Delta = -162, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_5 \\
313221\mathfrak{e}_8^{21 \ 5,3} \otimes \mathfrak{e}_6 131 & \quad \Delta = -84, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1 \mathfrak{e}_8^{2313221 \ 5,3} \otimes \mathfrak{e}_6 131 & \quad \Delta = -85, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

$$\text{Base: } 4 \otimes \mathfrak{e}_6^{2,2 \ 5,3} \otimes \mathfrak{e}_8^{13221} 1$$

$$\begin{aligned}
4 \otimes \mathfrak{e}_6^{2,2 \ 5,3} \otimes \mathfrak{e}_8^{13221} 1 & \quad \Delta = -104, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2 \\
4 \otimes \mathfrak{e}_6^{2,2 \ 5,3} \otimes \mathfrak{e}_8^{413221} 1 & \quad \Delta = -132, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3 \\
4 \otimes \mathfrak{e}_6^{2,2 \ 5,3} \otimes \mathfrak{e}_8^{513221} 1 & \quad \Delta = -156, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_4
\end{aligned}$$

$$\text{Base: } 1 \mathfrak{e}_8^{221 \ 5,3} \otimes \mathfrak{e}_6 13151$$

$$\begin{aligned}
1 \mathfrak{e}_8^{221 \ 5,3} \otimes \mathfrak{e}_6 13151\mathbf{2} & \quad \Delta = -119, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1 \mathfrak{e}_8^{221 \ 5,3} \otimes \mathfrak{e}_6 13151\mathbf{3} & \quad \Delta = -127, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2 \\
221\mathfrak{e}_8^{21 \ 5,3} \otimes \mathfrak{e}_6 13151 & \quad \Delta = -119, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

$$\text{Base: } 1 \mathfrak{e}_8^{221 \ 5,3} \otimes \mathfrak{e}_6 131513$$

$$\begin{aligned}
1 \mathfrak{e}_8^{3221 \ 5,3} \otimes \mathfrak{e}_6 131513 & \quad \Delta = -136, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2 \\
221\mathfrak{e}_8^{21 \ 5,3} \otimes \mathfrak{e}_6 131513 & \quad \Delta = -127, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1 \mathfrak{e}_8^{221 \ 5,3} \otimes \mathfrak{e}_6 131513\mathbf{2} & \quad \Delta = -128, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

$$\text{Base: } 1\mathfrak{e}_6^{1 \ 3,5} \otimes \mathfrak{e}_8^{1 \ 4,2} \otimes 41$$

$$\begin{aligned}
1\mathfrak{e}_6^{1 \ 3,5} \otimes \mathfrak{e}_8^{21 \ 4,2} \otimes 41 & \quad \Delta = -96, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1\mathfrak{e}_6^{1 \ 3,5} \otimes \mathfrak{e}_8 \otimes 41\mathbf{3} & \quad \Delta = -104, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1\mathfrak{e}_6^{31 \ 3,5} \otimes \mathfrak{e}_8^{1 \ 4,2} \otimes 41 & \quad \Delta = -104, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1\mathfrak{e}_6^{1 \ 3,5} \otimes \mathfrak{e}_8 \otimes 41\mathbf{2} & \quad \Delta = -96, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1\mathfrak{e}_6^{21 \ 3,5} \otimes \mathfrak{e}_8^{1 \ 4,2} \otimes 41 & \quad \Delta = -96, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1\mathfrak{e}_6^{1 \ 3,5} \otimes \mathfrak{e}_8 \otimes 41\mathbf{4} & \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2
\end{aligned}$$

$$\text{Base: } 1 \mathfrak{e}_8^{313221 \ 5,5} \otimes \mathfrak{e}_7' 1$$

$$\begin{aligned}
1 \mathfrak{e}_8^{313221 \ 5,5} \otimes \mathfrak{e}_7' 1\mathbf{2} & \quad \Delta = -104, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2 \\
313221\mathfrak{e}_8^{21 \ 5,5} \otimes \mathfrak{e}_7' 1 & \quad \Delta = -104, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1 \mathfrak{e}_8^{2313221 \ 5,5} \otimes \mathfrak{e}_7' 1 & \quad \Delta = -105, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

$$\text{Base: } 1 \mathfrak{e}_8^{313221 \ 5,4} \otimes \mathfrak{e}_7' 12$$

$$\begin{aligned}
1 \mathfrak{e}_8^{2313221 \ 5,4} \otimes \mathfrak{e}_7' 12 & \quad \Delta = -105, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1 \\
313221\mathfrak{e}_8^{21 \ 5,4} \otimes \mathfrak{e}_7' 12 & \quad \Delta = -104, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1^{13221\ 5,4} \mathfrak{e}_8 \otimes \mathfrak{e}'_7 123$

$$\begin{aligned}
1^{213221\ 5,4} \mathfrak{e}_8 \otimes \mathfrak{e}'_7 123 & \quad \Delta = -105, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1 \\
13221^{21\ 5,4} \mathfrak{e}_8 \otimes \mathfrak{e}'_7 123 & \quad \Delta = -105, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1^{313221\ 5,4} \mathfrak{e}_8 \otimes \mathfrak{e}'_7 123 & \quad \Delta = -113, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1^{413221\ 5,4} \mathfrak{e}_8 \otimes \mathfrak{e}'_7 123 & \quad \Delta = -133, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1^{13221\ 5,4} \mathfrak{e}_8 \otimes \mathfrak{e}'_7 123^{\color{red}2} & \quad \Delta = -107, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1^{513221\ 5,4} \mathfrak{e}_8 \otimes \mathfrak{e}'_7 123 & \quad \Delta = -157, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1^{1\ 4,5\ 1} \mathfrak{e}'_7 \otimes \mathfrak{e}_8 122313$

$$\begin{aligned}
1^{1\ 4,5\ 21} \mathfrak{e}'_7 \otimes \mathfrak{e}_8 122313 & \quad \Delta = -104, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1^{1\ 4,5\ 1} \mathfrak{e}'_7 \otimes \mathfrak{e}_8 122313^{\color{red}2} & \quad \Delta = -105, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1^{21\ 4,5\ 1} \mathfrak{e}'_7 \otimes \mathfrak{e}_8 122313 & \quad \Delta = -104, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1^{22221\ 5,5} \mathfrak{e}_8 \otimes \mathfrak{e}_7 12$

$$\begin{aligned}
22221^{21\ 5,5} \mathfrak{e}_8 \otimes \mathfrak{e}_7 12 & \quad \Delta = -115, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1^{22221\ 5,5} \mathfrak{e}_8 \otimes \mathfrak{e}_7 12^{\color{red}3} & \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $1^{22221\ 5,4} \mathfrak{e}_8 \otimes \mathfrak{e}_7 122$

$$\begin{aligned}
22221^{21\ 5,4} \mathfrak{e}_8 \otimes \mathfrak{e}_7 122 & \quad \Delta = -115, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1^{22221\ 5,4} \mathfrak{e}_8 \otimes \mathfrak{e}_7 122^{\color{red}3} & \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $1^{2221\ 5,5} \mathfrak{e}_8 \otimes \mathfrak{e}_7 123$

$$\begin{aligned}
1^{2221\ 5,5} \mathfrak{e}_8 \otimes \mathfrak{e}_7 123^{\color{red}2} & \quad \Delta = -126, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2 \\
2221^{21\ 5,5} \mathfrak{e}_8 \otimes \mathfrak{e}_7 123 & \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1^{2221\ 5,4} \mathfrak{e}_8 \otimes \mathfrak{e}_7 1223$

$$2221^{21\ 5,4} \mathfrak{e}_8 \otimes \mathfrak{e}_7 1223 \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1^{221\ 5,5} \mathfrak{e}_8 \otimes \mathfrak{e}_7 1232$

$$\begin{aligned}
1^{3221\ 5,5} \mathfrak{e}_8 \otimes \mathfrak{e}_7 1232 & \quad \Delta = -135, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2 \\
221^{21\ 5,5} \mathfrak{e}_8 \otimes \mathfrak{e}_7 1232 & \quad \Delta = -126, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1^{1\ 5,5\ 1} \mathfrak{e}_7 \otimes \mathfrak{e}_8 12222$

$$\begin{aligned}
1^{21\ 5,5\ 1} \mathfrak{e}_7 \otimes \mathfrak{e}_8 12222 & \quad \Delta = -115, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1^{1\ 5,5\ 21} \mathfrak{e}_7 \otimes \mathfrak{e}_8 12222 & \quad \Delta = -115, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1^{21\ 4,5\ 1} \mathfrak{e}_7 \otimes \mathfrak{e}_8 12222$

$$\begin{aligned}
1^{21\ 4,5\ 21} \mathfrak{e}_7 \otimes \mathfrak{e}_8 12222 & \quad \Delta = -115, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2 \\
21^{21\ 4,5\ 1} \mathfrak{e}_7 \otimes \mathfrak{e}_8 12222 & \quad \Delta = -115, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1^{321\ 4,5\ 1} \mathfrak{e}_7 \otimes \mathfrak{e}_8 12222 & \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1^{321\ 4,5\ 1} \mathfrak{e}_7 \otimes \mathfrak{e}_8 1222$

$$\begin{aligned}
1^{321\ 4,5\ 21} \mathfrak{e}_7 \otimes \mathfrak{e}_8 1222 & \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1^{2321\ 4,5\ 1} \mathfrak{e}_7 \otimes \mathfrak{e}_8 1222 & \quad \Delta = -126, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1^{2321\ 4,5\ 221} \mathfrak{e}_7 \otimes \mathfrak{e}_8 1$

$$\begin{aligned}
1^{2321\ 4,5\ 3221} \mathfrak{e}_7 \otimes \mathfrak{e}_8 1 & \quad \Delta = -135, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1^{2321\ 4,5\ 221} \mathfrak{e}_7 \otimes \mathfrak{e}_8 1^{\color{red}2} & \quad \Delta = -126, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $21^{131513221} \mathfrak{e}_8 122315131$

$$\begin{aligned} 21^{131513221} \mathfrak{e}_8 122315131\mathbf{5} \quad \Delta = -102, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{P}^2 \\ 21^{131513221} \mathfrak{e}_8 122315131\mathbf{1} \quad \Delta = -51, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_1 \\ 21^{131513221} \mathfrak{e}_8 122315131\mathbf{2} \quad \Delta = -50, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_2 \\ 21^{131513221} \mathfrak{e}_8 122315131\mathbf{4} \quad \Delta = -78, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_0 \\ 21^{131513221} \mathfrak{e}_8 122315131\mathbf{6} \quad \Delta = -128, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_2 \\ 21^{131513221} \mathfrak{e}_8 122315131\mathbf{3} \quad \Delta = -58, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_1 \end{aligned}$$

Base: $21^{21513221} \mathfrak{e}_8 1223151321$

$$\begin{aligned} 21^{21513221} \mathfrak{e}_8 1223151321\mathbf{4} \quad \Delta = -71, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_1 \\ 21^{21513221} \mathfrak{e}_8 1223151321\mathbf{2} \quad \Delta = -43, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_3 \\ 21^{21513221} \mathfrak{e}_8 1223151321\mathbf{8} \quad \Delta = -176, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_3 \\ 21^{21513221} \mathfrak{e}_8 1223151321\mathbf{3} \quad \Delta = -51, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_2 \\ 21^{21513221} \mathfrak{e}_8 1223151321\mathbf{6} \quad \Delta = -121, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{P}^2 \\ 21^{21513221} \mathfrak{e}_8 1223151321\mathbf{7} \quad \Delta = -148, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_2 \end{aligned}$$

Base: $21^{12231513221} \mathfrak{e}_8^{4,2} \otimes 41$

$$\begin{aligned} 21^{712231513221} \mathfrak{e}_8^{4,2} \otimes 41 \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_0 \\ 21^{12231513221} \mathfrak{e}_8^{4,2} \otimes 41\mathbf{3} \quad \Delta = -27, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_3 \\ 21^{312231513221} \mathfrak{e}_8^{4,2} \otimes 41 \quad \Delta = -27, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_4 \\ 21^{(12)12231513221} \mathfrak{e}_8^{4,2} \otimes 41 \quad \Delta = -267, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_5 \\ 21^{412231513221} \mathfrak{e}_8^{4,2} \otimes 41 \quad \Delta = -47, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_3 \\ 21^{12231513221} \mathfrak{e}_8^{4,2} \otimes 41\mathbf{4} \quad \Delta = -47, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_4 \\ 21^{512231513221} \mathfrak{e}_8^{4,2} \otimes 41 \quad \Delta = -71, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_2 \\ 21^{812231513221} \mathfrak{e}_8^{4,2} \otimes 41 \quad \Delta = -152, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{P}^2 \\ 21^{212231513221} \mathfrak{e}_8^{4,2} \otimes 41 \quad \Delta = -19, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_5 \\ 21^{12231513221} \mathfrak{e}_8^{4,2} \otimes 41\mathbf{2} \quad \Delta = -19, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_2 \\ 21^{612231513221} \mathfrak{e}_8^{4,2} \otimes 41 \quad \Delta = -97, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_1 \end{aligned}$$

Base: $21^{1513221} \mathfrak{e}_8 1223151321$

$$\begin{aligned} 21^{1513221} \mathfrak{e}_8 1223151321\mathbf{4} \quad \Delta = -71, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_1 \\ 21^{1513221} \mathfrak{e}_8 1223151321\mathbf{7} \quad \Delta = -148, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_2 \\ 21^{1513221} \mathfrak{e}_8 1223151321\mathbf{6} \quad \Delta = -121, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{P}^2 \\ 21^{1513221} \mathfrak{e}_8 1223151321\mathbf{3} \quad \Delta = -51, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_2 \\ 21^{1513221} \mathfrak{e}_8 1223151321\mathbf{8} \quad \Delta = -176, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_3 \\ 21^{1513221} \mathfrak{e}_8 1223151321\mathbf{2} \quad \Delta = -43, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_3 \\ 21^{21513221} \mathfrak{e}_8 1223151321 \quad \Delta = -43, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{P}^2 \end{aligned}$$

Base: $\mathfrak{e}_6^{5,4} \otimes \mathfrak{e}_8^{1513221} 12$

$$\mathfrak{e}_6^{5,4} \otimes \mathfrak{e}_8^{31513221} 12 \quad \Delta = -129, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $\mathfrak{e}_6^{5,3} \otimes \mathfrak{e}_8^{31513221} 12$

$$\mathfrak{e}_6^{5,3} \otimes \mathfrak{e}_8^{231513221} 12 \quad \Delta = -129, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21^{1513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 1$

$$\begin{aligned} 21^{21513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 1 \quad \Delta = -120, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_1 \\ 21^{1513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \mathbf{13} \quad \Delta = -128, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_3 \end{aligned}$$

$$21^{31513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 1 \quad \Delta = -128, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21^{1513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 12 \quad \Delta = -120, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 21^{13221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131$$

$$21^{213221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131 \quad \Delta = -76, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{13221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 1314 \quad \Delta = -104, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21^{413221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131 \quad \Delta = -104, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21^{13221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 1312 \quad \Delta = -76, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21^{513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131 \quad \Delta = -128, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21^{13221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 1316 \quad \Delta = -154, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$21^{13221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 1315 \quad \Delta = -128, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21^{13221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 1313 \quad \Delta = -84, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 21^{221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 13151$$

$$21^{3221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 13151 \quad \Delta = -128, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21^{221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131512 \quad \Delta = -119, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7' 1$$

$$21^{413221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7' 1 \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21^{513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7' 1 \quad \Delta = -148, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21^{213221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7' 1 \quad \Delta = -96, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7' 12 \quad \Delta = -96, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 21^{13221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7' 12$$

$$21^{213221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7' 12 \quad \Delta = -96, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7' 12 \quad \Delta = -148, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21^{413221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7' 12 \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\mathfrak{e}_7' \otimes \mathfrak{e}_8^{1,4,5,21} 12231$$

$$1\mathfrak{e}_7' \otimes \mathfrak{e}_8^{1,4,5,21} 12231 \quad \Delta = -96, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathfrak{e}_7' \otimes \mathfrak{e}_8^{1,4,5,21} 122312 \quad \Delta = -96, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathfrak{e}_7' \otimes \mathfrak{e}_8^{1,4,5,21} 122315 \quad \Delta = -148, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathfrak{e}_7' \otimes \mathfrak{e}_8^{1,4,5,21} 122314 \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 21^{221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7 123$$

$$21^{3221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7 123 \quad \Delta = -133, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 21^{221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 1223$$

$$21^{3221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 1223 \quad \Delta = -133, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{1,5,5,21} 1222$$

$$1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{1,5,5,21} 1222 \quad \Delta = -115, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{21,4,5,21} 1222$$

$$21\mathfrak{e}_7 \otimes \mathfrak{e}_8^{21,4,5,21} 1222 \quad \Delta = -115, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{321,4,5,221} 12$$

$$1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{321,4,5,221} 12 \quad \Delta = -133, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $221 \text{ } \epsilon_8^{3221 \ 5,5} \otimes \epsilon_7 1$

$221 \text{ } \epsilon_8^{3221 \ 5,5} \otimes \epsilon_7 12 \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$

Base: $221 \text{ } \epsilon_8^{221 \ 5,5} \otimes \epsilon_7 12$

$221 \text{ } \epsilon_8^{221 \ 5,5} \otimes \epsilon_7 123 \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3$

Base: $221 \text{ } \epsilon_8^{3221 \ 5,4} \otimes \epsilon_7 12$

$221 \text{ } \epsilon_8^{3221 \ 5,4} \otimes \epsilon_7 123 \quad \Delta = -133, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3$

Base: $221 \text{ } \epsilon_8^{221 \ 5,4} \otimes \epsilon_7 122$

$221 \text{ } \epsilon_8^{3221 \ 5,4} \otimes \epsilon_7 122 \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$

$221 \text{ } \epsilon_8^{221 \ 5,4} \otimes \epsilon_7 1223 \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3$

Base: $1 \text{ } \epsilon_7^{1 \ 5,5} \otimes \epsilon_8^{221} 122$

$1 \text{ } \epsilon_7^{1 \ 5,5} \otimes \epsilon_8^{221} 1223 \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2$

$1 \text{ } \epsilon_7^{21 \ 5,5} \otimes \epsilon_8^{221} 122 \quad \Delta = -115, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$

Base: $1 \text{ } \epsilon_7^{1 \ 4,5} \otimes \epsilon_8^{221} 1223$

$1 \text{ } \epsilon_7^{21 \ 4,5} \otimes \epsilon_8^{221} 1223 \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$

Base: $1 \text{ } \epsilon_7^{21 \ 4,5} \otimes \epsilon_8^{221} 122$

$1 \text{ } \epsilon_7^{321 \ 4,5} \otimes \epsilon_8^{221} 122 \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$

$1 \text{ } \epsilon_7^{21 \ 4,5} \otimes \epsilon_8^{221} 122 \quad \Delta = -115, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$

Base: $1 \text{ } \epsilon_8^{1,131513221} 122315131$

$1 \text{ } \epsilon_8^{1,131513221} 1223151315 \quad \Delta = -102, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2$

$1 \text{ } \epsilon_8^{1,131513221} 1223151321 \quad \Delta = -50, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$

$1 \text{ } \epsilon_8^{1,131513221} 1223151312 \quad \Delta = -50, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$

$1 \text{ } \epsilon_8^{1,131513221} 122315131 \quad \Delta = -51, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$

$1 \text{ } \epsilon_8^{1,131513221} 1223151314 \quad \Delta = -78, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$

$1 \text{ } \epsilon_8^{1,131513221} 1223151313 \quad \Delta = -58, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$

$1 \text{ } \epsilon_8^{1,131513221} 1223151316 \quad \Delta = -128, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$

Base: $1 \text{ } \epsilon_8^{1,21513221} 1223151321$

$1231513221 \text{ } \epsilon_8^{1,21513221} 12 \quad \Delta = -43, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$

$1 \text{ } \epsilon_8^{1,21513221} 12231513214 \quad \Delta = -71, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$

$1 \text{ } \epsilon_8^{1,321513221} 1223151321 \quad \Delta = -52, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$

$1 \text{ } \epsilon_8^{1,21513221} 12231513218 \quad \Delta = -176, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3$

$1 \text{ } \epsilon_8^{1,21513221} 12231513213 \quad \Delta = -51, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$

$1 \text{ } \epsilon_8^{1,21513221} 12231513215 \quad \Delta = -95, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$

$1 \text{ } \epsilon_8^{1,21513221} 12231513217 \quad \Delta = -148, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$

$1 \text{ } \epsilon_8^{1,21513221} 12231513212 \quad \Delta = -43, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3$

$1 \text{ } \epsilon_8^{1,21513221} 12231513216 \quad \Delta = -121, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2$

Base: $1 \text{ } \epsilon_8^{1,1513221} 1223151321$

$1 \text{ } \epsilon_8^{1,1513221} 12231513218 \quad \Delta = -176, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3$

$1231513221 \text{ } \epsilon_8^{1,1513221} 12 \quad \Delta = -43, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$

$1 \text{ } \epsilon_8^{1,21513221} 1223151321 \quad \Delta = -43, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$

$1 \text{ } \epsilon_8^{1,1513221} 12231513214 \quad \Delta = -71, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$

$1^{1,1513221} \mathbf{e}_8 1223151321\mathbf{6} \quad \Delta = -121, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$
 $1^{1,1513221} \mathbf{e}_8 1223151321\mathbf{2} \quad \Delta = -43, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$
 $1^{1,1513221} \mathbf{e}_8 1223151321\mathbf{5} \quad \Delta = -95, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1^{1,1513221} \mathbf{e}_8 1223151321\mathbf{7} \quad \Delta = -148, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1^{1,1513221} \mathbf{e}_8 1223151321\mathbf{3} \quad \Delta = -51, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1^{1,31513221} \mathbf{e}_8 1223151321 \quad \Delta = -51, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: 122314141414141413221
 $122314141414141413221\mathbf{(12)} \quad \Delta = -98, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: 131414141414141413221
 $131414141414141413221\mathbf{8} \quad \Delta = -10, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_5$
 $131414141414141413221\mathbf{(12)} \quad \Delta = -125, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_9$
Base: 123141414141414141321
 $123141414141414141321\mathbf{8} \quad \Delta = -11, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: 214141414141414141321
 $214141414141414141321\mathbf{8} \quad \Delta = -30, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_6$
 $214141414141414141321\mathbf{7} \quad \Delta = -2, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_5$
Base: $1^{14141414141414141321}$
 $1^{14141414141414141321}\mathbf{7} \quad \Delta = -2, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_5$
 $1^{14141414141414141321}\mathbf{8} \quad \Delta = -30, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_6$
Base: $12315131\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 13151321$
 $12315131\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 13151321\mathbf{5} \quad \Delta = -18, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$
 $12315131\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 13151321\mathbf{8} \quad \Delta = -99, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$
 $12315131\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 13151321\mathbf{7} \quad \Delta = -71, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$
 $12315131\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 13151321\mathbf{6} \quad \Delta = -44, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $1315131\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 131513221$
 $1315131\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 131513221\mathbf{5} \quad \Delta = -17, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$
 $1315131\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 131513221\mathbf{7} \quad \Delta = -70, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$
 $1315131\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 131513221\mathbf{6} \quad \Delta = -43, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$
 $122315131\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 1315131\mathbf{5} \quad \Delta = -17, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1315131\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 131513221\mathbf{(12)} \quad \Delta = -213, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_8$
 $122315131\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 1315131\mathbf{6} \quad \Delta = -43, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$
 $1315131\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 131513221\mathbf{8} \quad \Delta = -98, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_4$
Base: $221\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 131513221$
 $221\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 131513221\mathbf{7} \quad \Delta = -88, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$
 $221\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 131513221\mathbf{5} \quad \Delta = -35, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$
 $221\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 131513221\mathbf{(12)} \quad \Delta = -231, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_8$
 $221\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 131513221\mathbf{8} \quad \Delta = -116, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_4$
 $221\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 131513221\mathbf{4} \quad \Delta = -11, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$
 $221\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 131513221\mathbf{6} \quad \Delta = -61, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $1321\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 13151321$
 $12315131\mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 1231\mathbf{5} \quad \Delta = -44, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: $e_7 \overset{3,5}{\otimes} e_6 \overset{2,2}{\otimes} e_6 \overset{2,2}{\otimes} e_6^1$

$$12321\epsilon_7' \otimes^{3,3} \epsilon_7 123151321 \textcolor{red}{4} \quad \Delta = -22, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$123151321\mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7'12321\mathfrak{f} \quad \Delta = -46, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$12321\epsilon_7' \otimes^{3,3} \epsilon_7 123151321\textcolor{red}{5} \quad \Delta = -46, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12321\mathbf{e}_7' \otimes^{3,3} \mathbf{e}_7 123151321\mathbf{3} \quad \Delta = -2, \, n_+ = 1, \, n_- = 21, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$12321\epsilon_7' \otimes^{3,3} \epsilon_7 123151321\epsilon_6 \quad \Delta = -72, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $e_7^{4,5} \otimes e_7^{3,3} \otimes e_7'_{123}$

$$\mathbf{e}_7^{4,5} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 123\mathbf{2} \quad \Delta = -127, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21e'_7 \overset{3,3}{\otimes} e_7 \overset{4,5}{\otimes} e_7 1$

$$1\mathbf{e}_7^{4,5} \otimes \mathbf{e}_7 \otimes \mathbf{e}_7^{3,3} 12\mathbf{3} \quad \Delta = -125, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\mathbf{e}'_7{}^{3,3} \otimes \mathbf{e}_7{}^{4,5} \otimes \mathbf{e}_7 \mathbf{1}^{\text{red}} \quad \Delta = -116, \, n_+ = 1, \, n_- = 21, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_7' \overset{1}{\otimes} \overset{3,3}{\epsilon_7} \overset{4,5}{\otimes} \epsilon_7 1$

$$1\text{e}_7' \otimes^{\overset{1}{}}{}^{\underset{3,3}{}} \text{e}_7 \otimes^{\overset{4,5}{}} \text{e}_7 \textcolor{red}{1} \textcolor{red}{2} \quad \Delta = -116, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\overset{21}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_7 1 \quad \Delta = -116, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $321e'_7 \overset{3,3}{\otimes} e_7 \overset{4,4}{\otimes} e_7 1$

$$1\mathbf{e}_7^{4,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}'_7 123\mathbf{2} \quad \Delta = -127, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,4} \otimes \mathbf{e}_7 \mathbf{1} \text{ (red)} \quad \Delta = -125, \, n_+ = 1, \, n_- = 21, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1e_7 \overset{3,3}{\otimes} e'_7 \overset{3,3}{\otimes} e_7 1231513$

$$3151321 \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{\prime 3,3} \otimes \mathfrak{e}_7 12 \quad \Delta = -126, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7 \otimes^{3,3} \mathbf{e}'_7 \otimes^{3,3} \mathbf{e}_7 1231513\mathbf{red} \quad \Delta = -127, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21e_7 \overset{3,3}{\otimes} e_7' \overset{3,3}{\otimes} e_7 123151$

$$151321\mathbf{e}_7 \otimes^{3,3} \mathbf{e}'_7 \otimes^{3,3} \mathbf{e}_7 12\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\epsilon_7^{3,3} \otimes \epsilon_7'^{3,3} \otimes \epsilon_7 123151\textcolor{red}{2} \quad \Delta = -118, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1e_7' \otimes^{1,3,3} e_7 \otimes^{4,4} e_7 12$

$$1\mathbf{e}'_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \mathbf{123} \quad \Delta = -125, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1_{\mathbf{e}_7'}^{\mathbf{21}} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_{712}^{4,4} \quad \Delta = -116, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1e_7' \otimes^{3,3} e_7 \otimes^{4,4} e_7 123$

$$321\mathfrak{e}_7^{4,4} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7'12 \quad \Delta = -125, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^{\prime 3,3} \otimes \epsilon_7^{\prime 4,4} \otimes \epsilon_7^{\prime 123\textcolor{red}{2}} \quad \Delta = -127, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 12315$

$$51321\mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{\prime 3,3} \otimes \mathfrak{e}_7 123\textcolor{red}{2} \quad \Delta = -129, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1321e_7 \overset{3,3}{\otimes} e_7' \overset{3,3}{\otimes} e_7 1231$

$$1321\overset{\textcolor{red}{2}}{\mathbf{e}}_7 \otimes^{3,3} \mathbf{e}'_7 \otimes^{3,3} \mathbf{e}_7 1231 \quad \Delta = -77, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1321\mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}'_7 \overset{3,3}{\otimes} \mathfrak{e}_7 1231\textcolor{red}{2} \quad \Delta = -75, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\mathfrak{e}_7 \otimes^{3,3} \mathfrak{e}'_7 \otimes^{3,3} \mathfrak{e}_7 1231\mathfrak{f} \quad \Delta = -127, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\epsilon_7^{3,3} \otimes \epsilon_7' \otimes \epsilon_7^{3,3} 1231\textcolor{red}{3} \quad \Delta = -83, \, n_+ = 1, \, n_- = 21, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1321\mathbf{e}_7 \otimes \overset{3,3}{\mathbf{e}_7'} \otimes \overset{3,3}{\mathbf{e}_7} 1231\mathbf{4} \quad \Delta = -103, \, n_+ = 1, \, n_- = 21, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1321e_7' \otimes^{3,3} e_7 \otimes^{3,3} e_7' 1231$

$${}^{\mathbf{2}}1321\mathfrak{e}_7' \otimes^{3,3} \mathfrak{e}_7 \otimes^{3,3} \mathfrak{e}_7' 1231 \quad \Delta = -49, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\epsilon_7' \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7' 1231\textcolor{red}{4} \quad \Delta = -75, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1321\mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} 1231\mathbf{3} \quad \Delta = -55, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\mathfrak{e}_7' \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7' 1231\textcolor{red}{5} \quad \Delta = -99, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1321\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7'1231\mathbf{e}_7 \quad \Delta = -47, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $131\epsilon_6 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7' 12321$

$$131\mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7' 12321\textcolor{red}{2} \quad \Delta = -21, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$131\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 12321\mathbf{8} \quad \Delta = -154, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$12321\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 131\textcolor{red}{6} \quad \Delta = -99, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$12321\mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6 131\mathbf{3} \quad \Delta = -29, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$131\mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7' 12321\mathfrak{f} \quad \Delta = -73, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$12321\epsilon_7^{\prime 3,3} \otimes \epsilon_7^{\prime 3,3} \otimes \epsilon_6^{3,3} 131\textcolor{red}{5} \quad \Delta = -73, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$131\mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7' 12321\mathbf{3} \quad \Delta = -29, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$12321\mathbf{c}_7' \overset{3,3}{\otimes} \mathbf{c}_7 \overset{3,3}{\otimes} \mathbf{c}_6 131\mathbf{4} \quad \Delta = -49, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$131\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7' 123214 \quad \Delta = -49, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$131\mathbf{e}_6 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 12321\mathbf{7} \quad \Delta = -126, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$131\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7' 12321\textcolor{red}{6} \quad \Delta = -99, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$12321\mathfrak{e}_7' \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_6 131\textcolor{red}{2} \quad \Delta = -21, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $e_6 \overset{3,3}{\otimes} e'_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e'_7 12$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 12\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $221\epsilon_7' \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7' 12321$

$$221\mathbf{e}_7' \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7'}^{3,3} 12321\mathbf{6} \quad \Delta = -118, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$221\mathbf{e}'_7 \otimes \mathbf{e}'_7 \otimes \mathbf{e}'_7 12321\mathbf{2} \quad \Delta = -40, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$12321\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7'122\mathbf{3} \quad \Delta = -49, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12321\mathbf{8} \quad \Delta = -173, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$221\mathbf{e}_7' \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7'} 12321\mathbf{3} \quad \Delta = -48, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7' 12321\mathbf{7} \quad \Delta = -145, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7'12321\mathbf{4} \quad \Delta = -68, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7'12321\mathbf{5} \quad \Delta = -92, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}'_7 \overset{3,3}{\otimes} \mathfrak{e}'_7 1$

$$1\mathbf{e}_6 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}'_7 \otimes^{3,3} \mathbf{e}'_7 \mathbf{12} \quad \Delta = -118, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_6 \mathbf{12} \quad \Delta = -118, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}'_7 \otimes \mathbf{e}'_7 \otimes \mathbf{e}'_7 \otimes \mathbf{e}_6 \mathbf{13} \quad \Delta = -126, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1\epsilon_7' \otimes^{21, 3, 3} \epsilon_7 \otimes^{3, 3} \epsilon_7' 12321$

$$21\overset{21}{\epsilon}_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7'12321 \quad \Delta = -40, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}'_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}'_7 12321 \quad \Delta = -40, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_7 \otimes \mathbf{e}_7' 12321\mathbf{3} \quad \Delta = -40, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{3,2,1}{e'_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e'_7} 12321 \quad \Delta = -49, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\begin{aligned}
1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7' 12321\mathbf{7} \quad \Delta = -145, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7' 12321\mathbf{5} \quad \Delta = -92, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7' 12321\mathbf{4} \quad \Delta = -68, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7' 12321\mathbf{6} \quad \Delta = -118, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7' 12321\mathbf{8} \quad \Delta = -173, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_6
\end{aligned}$$

$$\text{Base: } 21\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7' 123215$$

$$512321\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7' 123 \quad \Delta = -129, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 221\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7' 12321$$

$$\begin{aligned}
221\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7' 12321\mathbf{8} \quad \Delta = -201, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
12321\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7' 122\mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
221\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7' 12321\mathbf{5} \quad \Delta = -120, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
221\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7' 12321\mathbf{7} \quad \Delta = -173, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
221\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7' 12321\mathbf{4} \quad \Delta = -96, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
221\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7' 12321\mathbf{6} \quad \Delta = -146, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
221\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7' 12321\mathbf{2} \quad \Delta = -68, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
221\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7' 12321\mathbf{3} \quad \Delta = -76, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

$$\text{Base: } 12321\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7' 12321$$

$$\begin{aligned}
12321\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7' 12321\mathbf{6} \quad \Delta = -100, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
12321\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7' 12321\mathbf{8} \quad \Delta = -155, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
12321\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7' 12321\mathbf{4} \quad \Delta = -50, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
12321\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7' 12321\mathbf{3} \quad \Delta = -30, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
12321\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7' 12321\mathbf{2} \quad \Delta = -22, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
12321\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7' 12321\mathbf{5} \quad \Delta = -74, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
12321\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7' 12321\mathbf{7} \quad \Delta = -127, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

$$\text{Base: } 31\epsilon_6 \otimes \epsilon_6 \otimes \epsilon_6 \otimes \epsilon_7 \otimes \epsilon_7' 12$$

$$31\epsilon_6 \otimes \epsilon_6 \otimes \epsilon_6 \otimes \epsilon_7 \otimes \epsilon_7' 12\mathbf{3} \quad \Delta = -133, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\epsilon_6 \otimes \epsilon_6 \otimes \epsilon_6 \otimes \epsilon_7 \otimes \epsilon_7' 122$$

$$\begin{aligned}
1\epsilon_6 \otimes \epsilon_6 \otimes \epsilon_6 \otimes \epsilon_7 \otimes \epsilon_7' 122\mathbf{3} \quad \Delta = -125, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
221\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_6 \otimes \epsilon_6 \otimes \epsilon_6 \mathbf{13} \quad \Delta = -124, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
221\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_6 \otimes \epsilon_6 \otimes \epsilon_6 \mathbf{12} \quad \Delta = -116, n_+ = 1, n_- = 21, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

$$\text{Base: } \epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7' 122$$

$$\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7' 122\mathbf{3} \quad \Delta = -125, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7' 122$$

$$1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7' 122\mathbf{3} \quad \Delta = -125, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' \mathbf{12} \quad \Delta = -116, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 51321\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7' 122$$

$$51321\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7' 122\mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 13221\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7' 123151321$$

$$\begin{aligned}
221\epsilon'_7 \otimes \epsilon_7 \otimes \epsilon_7 12231\mathbf{3} \quad \Delta = -74, n_+ = 1, n_- = 21, n_0 = 0 \quad &\rightarrow \mathbb{F}_2 \\
13221\epsilon_7 \otimes \epsilon_7 \otimes \epsilon'_7 122\mathbf{3} \quad \Delta = -75, n_+ = 1, n_- = 21, n_0 = 0 \quad &\rightarrow \mathbb{F}_1 \\
221\epsilon'_7 \otimes \epsilon_7 \otimes \epsilon_7 12231\mathbf{5} \quad \Delta = -118, n_+ = 1, n_- = 21, n_0 = 0 \quad &\rightarrow \mathbb{F}_4 \\
221\epsilon'_7 \otimes \epsilon_7 \otimes \epsilon_7 12231\mathbf{2} \quad \Delta = -66, n_+ = 1, n_- = 21, n_0 = 0 \quad &\rightarrow \mathbb{P}^2 \\
221\epsilon'_7 \otimes \epsilon_7 \otimes \epsilon_7 12231\mathbf{4} \quad \Delta = -94, n_+ = 1, n_- = 21, n_0 = 0 \quad &\rightarrow \mathbb{F}_3
\end{aligned}$$

$$\text{Base: } 1\epsilon'_7 \otimes \epsilon_7 \otimes \epsilon_7 122315$$

$$1\epsilon'_7 \otimes \epsilon_7 \otimes \epsilon_7 122315 \quad \Delta = -118, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\epsilon'_7 \otimes \epsilon_7 \otimes \epsilon_7 12231$$

$$21\epsilon'_7 \otimes \epsilon_7 \otimes \epsilon_7 12231 \quad \Delta = -66, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon'_7 \otimes \epsilon_7 \otimes \epsilon_7 12231 \quad \Delta = -75, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon'_7 \otimes \epsilon_7 \otimes \epsilon_7 12231\mathbf{4} \quad \Delta = -94, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon'_7 \otimes \epsilon_7 \otimes \epsilon_7 12231\mathbf{3} \quad \Delta = -74, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon'_7 \otimes \epsilon_7 \otimes \epsilon_7 12231\mathbf{2} \quad \Delta = -66, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 31321\epsilon_7 \otimes \epsilon_7 123151321$$

$$31321\epsilon_7 \otimes \epsilon_7 123151321\mathbf{4} \quad \Delta = -56, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$31321\epsilon_7 \otimes \epsilon_7 123151321\mathbf{3} \quad \Delta = -36, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$31321\epsilon_7 \otimes \epsilon_7 123151321\mathbf{2} \quad \Delta = -28, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$31321\epsilon_7 \otimes \epsilon_7 123151321\mathbf{7} \quad \Delta = -133, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$31321\epsilon_7 \otimes \epsilon_7 123151321\mathbf{8} \quad \Delta = -161, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$31321\epsilon_7 \otimes \epsilon_7 123151321\mathbf{6} \quad \Delta = -106, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$123151321\epsilon_7 \otimes \epsilon_7 12313\mathbf{2} \quad \Delta = -29, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$31321\epsilon_7 \otimes \epsilon_7 123151321\mathbf{5} \quad \Delta = -80, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } \epsilon_6 \otimes \epsilon_7 \otimes \epsilon_7 1231$$

$$\epsilon_6 \otimes \epsilon_7 \otimes \epsilon_7 1231\mathbf{4} \quad \Delta = -126, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\epsilon_6 \otimes \epsilon_7 \otimes \epsilon_7 1231\mathbf{2} \quad \Delta = -98, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\epsilon_6 \otimes \epsilon_7 \otimes \epsilon_7 1231\mathbf{5} \quad \Delta = -150, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1\epsilon_6 \otimes \epsilon_7 \otimes \epsilon_7 1231$$

$$1321\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_6 1\mathbf{2} \quad \Delta = -97, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1321\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_6 1\mathbf{3} \quad \Delta = -105, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon_6 \otimes \epsilon_7 \otimes \epsilon_7 1231\mathbf{2} \quad \Delta = -97, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\epsilon_6 \otimes \epsilon_7 \otimes \epsilon_7 1231\mathbf{5} \quad \Delta = -149, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\epsilon_6 \otimes \epsilon_7 \otimes \epsilon_7 1231\mathbf{2} \quad \Delta = -99, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_6 \otimes \epsilon_7 \otimes \epsilon_7 1231\mathbf{4} \quad \Delta = -125, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon_6 \otimes \epsilon_7 \otimes \epsilon_7 1231\mathbf{3} \quad \Delta = -105, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 2151321\epsilon_7 \otimes \epsilon_7 1231512$$

$$2151321\epsilon_7 \otimes \epsilon_7 1231512\mathbf{3} \quad \Delta = -72, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 14 \otimes \epsilon_7 \otimes \epsilon_7 12315131$$

$$13151321\epsilon_7 \otimes \epsilon_7 \otimes 41\mathbf{3} \quad \Delta = -55, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$513151321\epsilon_7 \otimes \epsilon_7^{3,3} 12321\mathbf{2} \quad \Delta = -73, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1 \quad \begin{matrix} 151232181232181231 \\ 5 \end{matrix} \quad 1$$

$$1 \quad \begin{matrix} 151232181232181231 \\ 5 \end{matrix} \quad \mathbf{12} \quad \Delta = -65, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \quad \begin{matrix} 3151232181232181231 \\ 5 \end{matrix} \quad 1 \quad \Delta = -73, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \quad \begin{matrix} 151232181232181231 \\ 5 \end{matrix} \quad \mathbf{13} \quad \Delta = -73, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \quad \begin{matrix} 2151232181232181231 \\ 5 \end{matrix} \quad 1 \quad \Delta = -65, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 4 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 12$$

$$4 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} \mathbf{123} \quad \Delta = -78, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 14 \otimes \epsilon_7^{2,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 12$$

$$21\epsilon_6 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes 41\mathbf{2} \quad \Delta = -67, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$14 \otimes \epsilon_7^{2,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} \mathbf{123} \quad \Delta = -76, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\epsilon_6 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes 41\mathbf{4} \quad \Delta = -95, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21\epsilon_6 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes 41\mathbf{3} \quad \Delta = -75, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 131\epsilon_6 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 12313$$

$$131\epsilon_6 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1231\mathbf{32} \quad \Delta = -56, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$31321\epsilon_7 \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 131\mathbf{3} \quad \Delta = -63, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$31321\epsilon_7 \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 131\mathbf{6} \quad \Delta = -133, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$31321\epsilon_7 \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 131\mathbf{2} \quad \Delta = -55, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$31321\epsilon_7 \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 131\mathbf{4} \quad \Delta = -83, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$31321\epsilon_7 \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 131\mathbf{5} \quad \Delta = -107, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 4 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 1$$

$$4 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} \mathbf{12} \quad \Delta = -69, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$4 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} \mathbf{13} \quad \Delta = -77, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1\epsilon_6 \otimes \epsilon_7^{1,3,3} \otimes \epsilon_7^{3,3} \otimes 41$$

$$1\epsilon_6 \otimes \epsilon_7^{1,3,3} \otimes \epsilon_7^{3,3} \otimes 41\mathbf{2} \quad \Delta = -67, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6 \otimes \epsilon_7^{1,3,3} \otimes \epsilon_7^{3,3} \otimes 41\mathbf{4} \quad \Delta = -95, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\epsilon_6 \otimes \epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} \otimes 41 \quad \Delta = -67, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_6 \otimes \epsilon_7^{31,3,3} \otimes \epsilon_7^{3,3} \otimes 41 \quad \Delta = -75, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6 \otimes \epsilon_7^{1,3,3} \otimes \epsilon_7^{3,3} \otimes 41\mathbf{3} \quad \Delta = -75, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 221\epsilon_7' \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 12313$$

$$221\epsilon_7' \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1231\mathbf{32} \quad \Delta = -75, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$31321\epsilon_7 \otimes \epsilon_7^{3,3} \otimes \epsilon_7' 122\mathbf{3} \quad \Delta = -83, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\epsilon_7' \otimes \epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} 12313$$

$$21\epsilon_7' \otimes \epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} 12313 \quad \Delta = -74, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7' \otimes \epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} 1231\mathbf{32} \quad \Delta = -75, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7' \otimes \epsilon_7^{321,3,3} \otimes \epsilon_7^{3,3} 12313 \quad \Delta = -83, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 2 \quad \begin{matrix} 123151321812321812 \\ 3 \end{matrix} \quad 1$$

$$2 \quad \begin{matrix} 5123151321812321812 \\ 3 \end{matrix} \quad 1 \quad \Delta = -74, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$2 \begin{smallmatrix} 4123151321812321812 \\ 3 \end{smallmatrix} 1$	$\Delta = -50, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$
$2 \begin{smallmatrix} 6123151321812321812 \\ 3 \end{smallmatrix} 1$	$\Delta = -100, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$
$2 \begin{smallmatrix} 1213151321812321812 \\ 3 \end{smallmatrix} 1$	$\Delta = -22, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$
$2 \begin{smallmatrix} 7123151321812321812 \\ 3 \end{smallmatrix} 1$	$\Delta = -127, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_4$
$2 \begin{smallmatrix} 8123151321812321812 \\ 3 \end{smallmatrix} 1$	$\Delta = -155, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_5$
$2 \begin{smallmatrix} 3123151321812321812 \\ 3 \end{smallmatrix} 1$	$\Delta = -30, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$

$\begin{smallmatrix} 6131612321812321812 \\ 2 \quad 3 \quad 1 \end{smallmatrix}$	$\Delta = -127, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$
$\begin{smallmatrix} 3131612321812321812 \\ 2 \quad 3 \quad 1 \end{smallmatrix}$	$\Delta = -57, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$
$\begin{smallmatrix} 4131612321812321812 \\ 2 \quad 3 \quad 1 \end{smallmatrix}$	$\Delta = -77, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1$
$\begin{smallmatrix} 2131612321812321812 \\ 2 \quad 3 \quad 1 \end{smallmatrix}$	$\Delta = -49, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_3$
$\begin{smallmatrix} 5131612321812321812 \\ 2 \quad 3 \quad 1 \end{smallmatrix}$	$\Delta = -101, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$

$$\overset{\textcolor{red}{3}}{2} \overset{2}{2} \overset{1}{1} \overset{7}{3} \overset{2}{2} \overset{1}{1} \overset{2}{2} \overset{1}{1} \overset{3}{2} \overset{1}{1} \overset{2}{2} \overset{1}{1} \overset{2}{2} \overset{1}{1} \overset{2}{2} \overset{1}{1} \quad \Delta = -77, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\begin{array}{ll} 21 \overset{21}{\epsilon_7'} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \overset{1}{1232} & \Delta = -68, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 1 \overset{321}{\epsilon_7'} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \overset{1}{1232} & \Delta = -77, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1 \end{array}$$

$$\begin{aligned} 1\overset{21}{\mathbf{e}}_7^{\overset{4,4}{\otimes}} \otimes \overset{3,3}{\mathbf{e}}_7^{\otimes} \otimes \mathbf{e}'_7 12 \quad \Delta = -116, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\ 1\overset{1}{\mathbf{e}}_7^{\otimes} \otimes \overset{4,4}{\mathbf{e}}_7^{\otimes} \otimes \overset{3,3}{\mathbf{e}}_7^{\otimes} \otimes \mathbf{e}'_7 12\mathbf{3} \quad \Delta = -125, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \end{aligned}$$

$$\begin{array}{ll}
\mathbf{1e}_7^{1\ 3.3} \otimes \mathbf{e}_7^{3.3} \otimes \mathbf{e}_7^{3.3} \mathbf{123151} \mathbf{2} & \Delta = -118, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2 \\
\mathbf{1e}_7^{21\ 3.3} \otimes \mathbf{e}_7^{3.3} \otimes \mathbf{e}_7^{3.3} \mathbf{123151} & \Delta = -118, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0 \\
\mathbf{1e}_7^{1\ 3.3} \otimes \mathbf{e}_7^{3.3} \otimes \mathbf{e}_7^{3.3} \mathbf{123151} \mathbf{3} & \Delta = -126, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2
\end{array}$$

$$\begin{array}{ll} \textcolor{red}{1}\textcolor{blue}{e}_7' \textcolor{blue}{e}_7 \textcolor{blue}{e}_7 \textcolor{blue}{e}_7' 1 & \Delta = -116, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_1 \\ \textcolor{blue}{e}_7' \textcolor{blue}{e}_7 \textcolor{blue}{e}_7 \textcolor{blue}{e}_7' \textcolor{red}{1} & \Delta = -116, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0 \end{array}$$

$$1\overset{2,1}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_7' 123215 \quad \Delta = -120, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\mathbf{e}_7^{4,5} \otimes \mathbf{e}_7^{3,3} \mathbf{e}_7^{321} \quad \Delta = -125, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\begin{array}{lll}
1 \overset{3,21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,4}{\mathbf{e}}_7' 1 & \Delta = -125, n_+ = 1, n_- = 21, n_0 = 0 & \rightarrow \mathbb{F}_0 \\
21 \overset{2,7}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,4}{\mathbf{e}}_7' 1 & \Delta = -116, n_+ = 1, n_- = 21, n_0 = 0 & \rightarrow \mathbb{F}_1 \\
1 \overset{2,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,4}{\mathbf{e}}_7' \mathbf{1} 2 & \Delta = -116, n_+ = 1, n_- = 21, n_0 = 0 & \rightarrow \mathbb{F}_2
\end{array}$$

$$1 \overset{3,221}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \overset{221}{1} \quad \Delta = -94, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $e_7' \otimes^{4,4} e_7 \otimes^{3,3} e_7^{321} 1$

$$\mathbf{e}_7'{}^{4,4} \otimes \mathbf{e}_7{}^{3,3} \mathbf{e}_7'{}^{2321} 1 \quad \Delta = -127, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } \epsilon_6^{2,2} \otimes \epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{321} 1$$

$$\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{2,1} \otimes \mathbf{e}_7^1 \quad \Delta = -127, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{12321} \epsilon_7^{3,3} \otimes \epsilon_7 12315131$

$$1^{12321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12315131 \mathbf{3} \quad \Delta = -29, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{3,12321} \epsilon_7^{3,3} \otimes \epsilon_7 12315131 \quad \Delta = -29, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{812321}{\mathbf{e}_7} \overset{3,3}{\otimes} \mathbf{e}_7 12315131 \quad \Delta = -154, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{612321} \epsilon_7^{3,3} \otimes \epsilon_7 12315131 \quad \Delta = -99, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{412321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12315131 \quad \Delta = -49, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{12321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{12315131\textcolor{red}{4}} \quad \Delta = -49, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{12321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 12315131 \textcolor{red}{2} \quad \Delta = -21, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{12321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{12315131} \quad \Delta = -22, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{12321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 12315131\mathbf{6} \quad \Delta = -99, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{212321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 12315131 \quad \Delta = -21, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$12321\overset{21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12315131 \quad \Delta = -21, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{12321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 12315131\mathfrak{f} \quad \Delta = -73, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{512321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12315131 \quad \Delta = -73, n_+ = 1, n_- = 21, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{7}{\mathbf{e}}_7^{12321} \overset{3,3}{\otimes} \mathbf{e}_7^{12315131} \quad \Delta = -126, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{1321} \otimes e_7^{3,3} 123151321$

$$1^{1321} \mathbf{c}_7^{3,3} \otimes \mathbf{c}_7 123151321 \mathbf{3} \quad \Delta = -28, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{1321} \mathbf{c}_7^{3,3} \otimes \mathbf{c}_7 123151321\mathbf{7} \quad \Delta = -125, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 123151321\mathbf{6} \quad \Delta = -98, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 123151321\mathbf{5} \quad \Delta = -72, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{5}{\mathbf{e}}_7^{1321} \otimes \overset{3,3}{\mathbf{e}}_7^{123151321} \quad \Delta = -72, \quad n_+ = 1, \quad n_- = 21, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 123151321\mathbf{8} \quad \Delta = -153, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1 \overset{3,1321}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} 123151321 \quad \Delta = -28, \quad n_+ = 1, \quad n_- = 21, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{4}{\mathbf{e}}_7^{1321} \otimes \overset{3,3}{\mathbf{e}}_7^{123151321} \quad \Delta = -48, \quad n_+ = 1, \quad n_- = 21, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{123151321\mathbf{2}} \quad \Delta = -20, \quad n_+ = 1, \quad n_- = 21, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{1321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{1231513214} \quad \Delta = -48, \quad n_+ = 1, \quad n_- = 21, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{2}{\mathbf{e}}_7^{1321} \otimes \overset{3,3}{\mathbf{e}}_7^{123151321} \quad \Delta = -20, \ n_+ = 1, \ n_- = 21, \ n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{1321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{123151321} \quad \Delta = -22, \, n_+ = 1, \, n_- = 21, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1321\overset{21}{e_7} \otimes \overset{3,3}{e_7} 123151321 \quad \Delta = -20, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $e_7' \overset{3,3}{\otimes} e_7 \overset{1}{\otimes} \overset{3,3}{\otimes} e_7 1231513$

$$\mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{1}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231513 \textcolor{red}{2} \quad \Delta = -127, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1e_7' \otimes^{3,3} e_7 \otimes^{3,3} e_7 123151$

$$151321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{1,3} \otimes \mathbf{e}_7^{1,2} \quad \Delta = -118, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{1}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} 123151\mathbf{3} \quad \Delta = -126, n_+ = 1, n_- = 21, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21_{\mathfrak{e}_7}^{21} \otimes^{3,3} \mathfrak{e}_7 \otimes^{3,3} 21_{\mathfrak{e}_7} 12$

$$\begin{aligned}
315131513221\mathbf{e}_8122315131\mathbf{2} \quad \Delta = -81, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
315131513221\mathbf{e}_8122315131\mathbf{4} \quad \Delta = -109, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
315131513221\mathbf{e}_8122315131\mathbf{6} \quad \Delta = -159, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
315131513221\mathbf{e}_8122315131\mathbf{5} \quad \Delta = -133, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $12231513221\mathbf{e}_812231513\mathbf{2}$

$$\begin{aligned}
231 \quad \begin{matrix} 6 \\ 5 \end{matrix} 12231513221(12)12231 \quad 1 \quad \Delta = -101, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
231 \quad \begin{matrix} 8 \\ 5 \end{matrix} 12231513221(12)12231 \quad 1 \quad \Delta = -156, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
231 \quad \begin{matrix} 7 \\ 5 \end{matrix} 12231513221(12)12231 \quad 1 \quad \Delta = -128, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
231 \quad \begin{matrix} 2 \\ 5 \end{matrix} 12231513221(12)12231 \quad 1 \quad \Delta = -23, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
231 \quad \begin{matrix} (12) \\ 5 \end{matrix} 12231513221(12)12231 \quad 1 \quad \Delta = -271, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
231 \quad \begin{matrix} 4 \\ 5 \end{matrix} 12231513221(12)12231 \quad 1 \quad \Delta = -51, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
231 \quad \begin{matrix} 5 \\ 5 \end{matrix} 12231513221(12)12231 \quad 1 \quad \Delta = -75, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
231 \quad \begin{matrix} 3 \\ 5 \end{matrix} 12231513221(12)12231 \quad 1 \quad \Delta = -31, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $\mathbf{e}_6 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes 4141$

$$\begin{aligned}
\mathbf{e}_6 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes 4141\mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
\mathbf{e}_6 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes 4141\mathbf{4} \quad \Delta = -124, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $1414 \otimes \mathbf{e}_8 \otimes \mathbf{e}_6 \otimes 1$

$$\begin{aligned}
1\mathbf{e}_6 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes 4141\mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1414 \otimes \mathbf{e}_8 \otimes \mathbf{e}_6 \otimes 1\mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\mathbf{e}_6 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes 4141\mathbf{3} \quad \Delta = -104, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1414 \otimes \mathbf{e}_8 \otimes \mathbf{e}_6 \otimes 1\mathbf{3} \quad \Delta = -104, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1\mathbf{e}_6 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes 4141\mathbf{4} \quad \Delta = -124, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1\mathbf{e}_6 \otimes \mathbf{e}_8 \otimes 122315123$

$$\begin{aligned}
1\mathbf{e}_6 \otimes \mathbf{e}_8 \otimes 122315123\mathbf{2} \quad \Delta = -103, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
321513221\mathbf{e}_8 \otimes \mathbf{e}_6 \otimes 1\mathbf{3} \quad \Delta = -109, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
321513221\mathbf{e}_8 \otimes \mathbf{e}_6 \otimes 1\mathbf{2} \quad \Delta = -101, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1\mathbf{e}_6 \otimes \mathbf{e}_8 \otimes 12231513$

$$\begin{aligned}
31 \quad \begin{matrix} 3 \\ 5 \end{matrix} 161231513221(12)12231 \quad 1 \quad \Delta = -108, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\mathbf{e}_6 \otimes \mathbf{e}_8 \otimes 12231513\mathbf{2} \quad \Delta = -101, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
31 \quad \begin{matrix} 2 \\ 5 \end{matrix} 161231513221(12)12231 \quad 1 \quad \Delta = -100, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $41414 \otimes \mathbf{e}_8 \otimes \mathbf{e}_6 \otimes 1$

$$41414 \otimes \mathbf{e}_8 \otimes \mathbf{e}_6 \otimes 1\mathbf{3} \quad \Delta = -131, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $31\mathbf{e}_6 \otimes \mathbf{e}_8 \otimes 1223151$

$$31\mathbf{e}_6 \otimes \mathbf{e}_8 \otimes 1223151\mathbf{2} \quad \Delta = -100, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1414 \otimes \mathbf{e}_8 \otimes \mathbf{e}_6 \otimes 12$

$$\begin{aligned}
21\mathbf{e}_6 \otimes \mathbf{e}_8 \otimes 4141\mathbf{2} \quad \Delta = -95, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21\mathbf{e}_6 \otimes \mathbf{e}_8 \otimes 4141\mathbf{4} \quad \Delta = -123, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1414 \otimes \mathbf{e}_8 \otimes \mathbf{e}_6 \otimes 12\mathbf{3} \quad \Delta = -104, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21\mathbf{e}_6 \otimes \mathbf{e}_8 \otimes 4141\mathbf{3} \quad \Delta = -103, n_+ = 1, n_- = 22, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $21\epsilon_6 \otimes \epsilon_8^{3,5} 122315123$
 $21\epsilon_6 \otimes \epsilon_8^{3,5} 122315123\mathbf{2}$ $\Delta = -102, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $21\epsilon_6 \otimes \epsilon_8^{3,5} 12231513^1$
 $21\epsilon_6 \otimes \epsilon_8^{3,5} 12231513\mathbf{2}$ $\Delta = -100, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $321\epsilon_6 \otimes \epsilon_8^{3,5} 12231512$
 $321\epsilon_6 \otimes \epsilon_8^{3,5} 12231512\mathbf{3}$ $\Delta = -109, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$
 $21513221\epsilon_8 \otimes \epsilon_6^{3,5} 123\mathbf{2}$ $\Delta = -102, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $321\epsilon_6 \otimes \epsilon_8^{3,5} 1223151^1$
 $321\epsilon_6 \otimes \epsilon_8^{3,5} 1223151\mathbf{2}$ $\Delta = -100, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$
 $1^{23216131513221(12)12231} \otimes \epsilon_8^{3,5} 1223151\mathbf{3}$ $\Delta = -102, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$
 $321\epsilon_6 \otimes \epsilon_8^{3,5} 1223151\mathbf{3}$ $\Delta = -108, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $314 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} 131$
 $314 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} 131\mathbf{4}$ $\Delta = -111, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_3$
 $131\epsilon_6 \otimes \epsilon_8^{5,3} \otimes \epsilon_6^{2,4} 413\mathbf{2}$ $\Delta = -84, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$
 $314 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} 131\mathbf{2}$ $\Delta = -83, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$
 $314 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} 131\mathbf{5}$ $\Delta = -135, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_4$
 $314 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} 131\mathbf{3}$ $\Delta = -91, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$
 $314 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} 131\mathbf{6}$ $\Delta = -161, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_5$
Base: $4 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} \otimes \epsilon_6^{2,4} 41$
 $4 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} \otimes \epsilon_6^{2,4} 41\mathbf{2}$ $\Delta = -103, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$
 $4 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} \otimes \epsilon_6^{2,4} 41\mathbf{4}$ $\Delta = -131, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_4$
Base: $15131\epsilon_6 \otimes \epsilon_8^{3,5} 122313$
 $313221\epsilon_8 \otimes \epsilon_6^{3,5} 13151\mathbf{2}$ $\Delta = -107, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$
 $15131\epsilon_6 \otimes \epsilon_8^{3,5} 122313\mathbf{2}$ $\Delta = -108, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $315131\epsilon_6 \otimes \epsilon_8^{3,5} 12231$
 $315131\epsilon_6 \otimes \epsilon_8^{3,5} 12231\mathbf{4}$ $\Delta = -135, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_3$
 $315131\epsilon_6 \otimes \epsilon_8^{3,5} 12231\mathbf{3}$ $\Delta = -115, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$
 $315131\epsilon_6 \otimes \epsilon_8^{3,5} 12231\mathbf{2}$ $\Delta = -107, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$
 $315131\epsilon_6 \otimes \epsilon_8^{3,5} 12231\mathbf{5}$ $\Delta = -159, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_4$
 $13221\epsilon_8 \otimes \epsilon_6^{3,5} 131513\mathbf{2}$ $\Delta = -108, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $21\epsilon_6 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{3,5} 1222$
 $22221\epsilon_8 \otimes \epsilon_6^{3,5} \otimes \epsilon_6^{2,2} 123\mathbf{3}$ $\Delta = -125, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $321\epsilon_6 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{3,5} 1222$
 $2221\epsilon_8 \otimes \epsilon_6^{3,5} \otimes \epsilon_6^{2,2} 123\mathbf{2}$ $\Delta = -127, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$
Base: $2321\epsilon_6 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{3,5} 122$
 $2321\epsilon_6 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{3,5} 122\mathbf{3}$ $\Delta = -136, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_3$
Base: $1\epsilon_6 \otimes \epsilon_8^{1,3,5} \otimes \epsilon_6^{4,2} 4141$
 $1\epsilon_6 \otimes \epsilon_8^{1,3,5} \otimes \epsilon_6^{4,2} 4141\mathbf{3}$ $\Delta = -103, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_3$

$$1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes 4141\epsilon_8^{4,2} \quad \Delta = -123, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\epsilon_6^{31} \otimes \epsilon_8^{3,5} \otimes 4141 \quad \Delta = -103, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes 4141\epsilon_8^{4,2} \quad \Delta = -95, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{21} \otimes \epsilon_8^{3,5} \otimes 4141 \quad \Delta = -95, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\epsilon_6^1 \otimes \epsilon_8^{3,5} 122315123$$

$$1\epsilon_6^1 \otimes \epsilon_8^{3,5} 122315123\epsilon_8^{4,2} \quad \Delta = -102, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{21} \otimes \epsilon_8^{3,5} 122315123 \quad \Delta = -100, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_6^{31} \otimes \epsilon_8^{3,5} 122315123 \quad \Delta = -108, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\epsilon_6^1 \otimes \epsilon_8^{3,5} 12231513$$

$$1\epsilon_6^{21} \otimes \epsilon_8^{3,5} 12231513 \quad \Delta = -99, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_6^{31} \otimes \epsilon_8^{3,5} 12231513 \quad \Delta = -107, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_6^1 \otimes \epsilon_8^{3,5} 12231513\epsilon_8^{4,2} \quad \Delta = -100, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\epsilon_6^1 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{3,5} 12222$$

$$1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{3,5} 12222 \quad \Delta = -116, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_6^{31} \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{3,5} 12222 \quad \Delta = -124, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\epsilon_6^{31} \otimes \epsilon_8^{3,5} 1223151$$

$$1\epsilon_6^{31} \otimes \epsilon_8^{3,5} 1223151\epsilon_8^{4,2} \quad \Delta = -99, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 314 \otimes \epsilon_8^{2,4} \otimes \epsilon_7^{5,5} 1$$

$$1\epsilon_7^{5,5} \otimes \epsilon_8^{2,4} \otimes 413\epsilon_8^{5,5} \quad \Delta = -104, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$314 \otimes \epsilon_8^{2,4} \otimes \epsilon_7^{5,5} 1\epsilon_8^{5,5} \quad \Delta = -103, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 314 \otimes \epsilon_8^{2,4} \otimes \epsilon_7^{5,4} 12$$

$$21\epsilon_7^{5,4} \otimes \epsilon_8^{2,4} \otimes 413\epsilon_8^{5,4} \quad \Delta = -104, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 14 \otimes \epsilon_8^{2,4} \otimes \epsilon_7^{5,4} 123$$

$$321\epsilon_7^{5,4} \otimes \epsilon_8^{2,4} \otimes 413 \quad \Delta = -112, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$321\epsilon_7^{5,4} \otimes \epsilon_8^{2,4} \otimes 414 \quad \Delta = -132, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$321\epsilon_7^{5,4} \otimes \epsilon_8^{2,4} \otimes 412 \quad \Delta = -104, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$14 \otimes \epsilon_8^{2,4} \otimes \epsilon_7^{5,4} 123\epsilon_8^{5,4} \quad \Delta = -106, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\epsilon_7^1 \otimes \epsilon_8^{4,5} \otimes 413$$

$$1\epsilon_7^1 \otimes \epsilon_8^{4,5} \otimes 413\epsilon_8^{4,2} \quad \Delta = -104, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes 413 \quad \Delta = -103, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 21\epsilon_7^{5,5} \otimes \epsilon_8^{5,5} 1223132$$

$$2313221\epsilon_8^{5,5} \otimes \epsilon_7^{5,5} 123 \quad \Delta = -113, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 3221\epsilon_7^{4,5} \otimes \epsilon_8^{4,5} 122313$$

$$3221\epsilon_7^{4,5} \otimes \epsilon_8^{4,5} 122313\epsilon_8^{4,5} \quad \Delta = -113, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 2321\epsilon_7^{5,5} \otimes \epsilon_8^{5,5} 12231$$

$$2321\epsilon_7^{5,5} \otimes \epsilon_8^{5,5} 12231\epsilon_8^{5,5} \quad \Delta = -134, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$2321\epsilon_7^{5,5} \otimes \epsilon_8^{5,5} 12231\epsilon_8^{5,5} \quad \Delta = -158, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$2321\epsilon_7^{5,5} \otimes \epsilon_8^{5,5} 12231\epsilon_8^{5,5} \quad \Delta = -114, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{5,5} 12231\mathbf{2} \quad \Delta = -106, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122222$$

$$222221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 1231\mathbf{3} \quad \Delta = -103, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$222221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 1231\mathbf{2} \quad \Delta = -95, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\mathbf{2} 1321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122222 \quad \Delta = -97, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$222221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 1231\mathbf{4} \quad \Delta = -123, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$222221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 1231\mathbf{5} \quad \Delta = -147, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1\mathfrak{e}_7^{1,5,5} \otimes \mathfrak{e}_8 1223132$$

$$\mathbf{2} 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{5,5} 1223132 \quad \Delta = -104, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\mathfrak{e}_7^{21,4,5} \otimes \mathfrak{e}_8 1223132$$

$$\mathbf{3} 21\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 1223132 \quad \Delta = -113, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 1223132 \quad \Delta = -104, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\mathfrak{e}_7^{2321,4,5} \otimes \mathfrak{e}_8 12231$$

$$\mathbf{1} \mathfrak{e}_7^{2321,4,5} \otimes \mathfrak{e}_8 12231\mathbf{4} \quad \Delta = -134, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\mathbf{1} \mathfrak{e}_7^{2321,4,5} \otimes \mathfrak{e}_8 12231\mathbf{3} \quad \Delta = -114, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\mathbf{1} \mathfrak{e}_7^{2321,4,5} \otimes \mathfrak{e}_8 12231\mathbf{5} \quad \Delta = -158, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\mathbf{1} \mathfrak{e}_7^{2321,4,5} \otimes \mathfrak{e}_8 12231\mathbf{2} \quad \Delta = -106, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1\mathfrak{e}_8^{21,5,3} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 1232$$

$$21\mathfrak{e}_8 \otimes \mathfrak{e}_6^{5,3} \otimes \mathfrak{e}_6^{2,2} 1232 \quad \Delta = -127, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 4 \otimes \mathfrak{e}_8^{5,3,1231513221} 1$$

$$4 \otimes \mathfrak{e}_8^{5,3,1231513221} \mathbf{1} \quad \Delta = -50, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$4 \otimes \mathfrak{e}_8^{5,3,61231513221} \mathbf{1} \quad \Delta = -128, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$4 \otimes \mathfrak{e}_8^{5,3,31231513221} \mathbf{1} \quad \Delta = -58, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$4 \otimes \mathfrak{e}_8^{5,3,71231513221} \mathbf{1} \quad \Delta = -155, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$4 \otimes \mathfrak{e}_8^{5,3,41231513221} \mathbf{1} \quad \Delta = -78, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$4 \otimes \mathfrak{e}_8^{5,3,81231513221} \mathbf{1} \quad \Delta = -183, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$\text{Base: } 1\mathfrak{e}_8^{12231513221,4,2} \otimes 4141$$

$$\mathbf{1} \mathfrak{e}_8^{812231513221,4,2} \otimes 4141 \quad \Delta = -151, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\mathbf{1} \mathfrak{e}_8^{212231513221,4,2} \otimes 4141 \quad \Delta = -18, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$\mathbf{1} \mathfrak{e}_8^{12231513221,4,2} \otimes 4141\mathbf{2} \quad \Delta = -18, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$12231513221\mathfrak{e}_8^{21,4,2} \otimes 4141 \quad \Delta = -18, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\mathbf{1} \mathfrak{e}_8^{712231513221,4,2} \otimes 4141 \quad \Delta = -123, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\mathbf{1} \mathfrak{e}_8^{312231513221,4,2} \otimes 4141 \quad \Delta = -26, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\mathbf{1} \mathfrak{e}_8^{12231513221,4,2} \otimes 4141\mathbf{3} \quad \Delta = -26, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\mathbf{1} \mathfrak{e}_8^{412231513221,4,2} \otimes 4141 \quad \Delta = -46, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\mathbf{1} \mathfrak{e}_8^{(12)12231513221,4,2} \otimes 4141 \quad \Delta = -266, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$\mathbf{1} \mathfrak{e}_8^{12231513221,4,2} \otimes 4141\mathbf{4} \quad \Delta = -46, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\mathbf{1} \mathfrak{e}_8^{612231513221,4,2} \otimes 4141 \quad \Delta = -96, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\mathbf{1} \mathfrak{e}_8^{512231513221,4,2} \otimes 4141 \quad \Delta = -70, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{321513221} \epsilon_8 12231513221$

- $1^{321513221} \epsilon_8 12231513221 \mathbf{7} \quad \Delta = -128, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$
 $1^{321513221} \epsilon_8 12231513221 \mathbf{(12)} \quad \Delta = -271, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_6$
 $1^{2321513221} \epsilon_8 12231513221 \quad \Delta = -25, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1^{321513221} \epsilon_8 12231513221 \mathbf{8} \quad \Delta = -156, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$
 $12231513221^{321513221} \epsilon_8 \mathbf{12} \quad \Delta = -23, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1^{321513221} \epsilon_8 12231513221 \mathbf{2} \quad \Delta = -23, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_4$
 $1^{321513221} \epsilon_8 12231513221 \mathbf{4} \quad \Delta = -51, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1^{321513221} \epsilon_8 12231513221 \mathbf{3} \quad \Delta = -31, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_3$
 $1^{321513221} \epsilon_8 12231513221 \mathbf{5} \quad \Delta = -75, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1^{321513221} \epsilon_8 12231513221 \mathbf{6} \quad \Delta = -101, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: $1^{51231513221} \epsilon_8 122315131$

- $1^{51231513221} \epsilon_8 122315131 \mathbf{2} \quad \Delta = -74, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$
 $131513221^{51231513221} \epsilon_8 \mathbf{12} \quad \Delta = -74, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1^{51231513221} \epsilon_8 122315131 \mathbf{2} \quad \Delta = -75, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1^{51231513221} \epsilon_8 122315131 \mathbf{6} \quad \Delta = -152, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1^{51231513221} \epsilon_8 122315131 \mathbf{3} \quad \Delta = -82, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1^{51231513221} \epsilon_8 122315131 \mathbf{5} \quad \Delta = -126, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$
 $1^{51231513221} \epsilon_8 122315131 \mathbf{4} \quad \Delta = -102, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: $1^{15131513221} \epsilon_8 122315131$

- $1^{215131513221} \epsilon_8 122315131 \quad \Delta = -73, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$
 $1^{15131513221} \epsilon_8 122315131 \mathbf{2} \quad \Delta = -73, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$
 $131513221^{15131513221} \epsilon_8 \mathbf{12} \quad \Delta = -73, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1^{15131513221} \epsilon_8 122315131 \mathbf{2} \quad \Delta = -74, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1^{15131513221} \epsilon_8 122315131 \mathbf{5} \quad \Delta = -125, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$
 $1^{315131513221} \epsilon_8 122315131 \quad \Delta = -81, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1^{15131513221} \epsilon_8 122315131 \mathbf{6} \quad \Delta = -151, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1^{15131513221} \epsilon_8 122315131 \mathbf{3} \quad \Delta = -81, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1^{15131513221} \epsilon_8 122315131 \mathbf{4} \quad \Delta = -101, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: $1^{31513221} \epsilon_8 12231513221$

- $12231513221^{31513221} \epsilon_8 \mathbf{12} \quad \Delta = -22, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1^{31513221} \epsilon_8 12231513221 \mathbf{6} \quad \Delta = -100, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1^{31513221} \epsilon_8 12231513221 \mathbf{5} \quad \Delta = -74, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1^{231513221} \epsilon_8 12231513221 \quad \Delta = -23, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1^{31513221} \epsilon_8 12231513221 \mathbf{7} \quad \Delta = -127, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$
 $1^{31513221} \epsilon_8 12231513221 \mathbf{(12)} \quad \Delta = -270, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_6$
 $1^{31513221} \epsilon_8 12231513221 \mathbf{4} \quad \Delta = -50, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1^{31513221} \epsilon_8 12231513221 \mathbf{8} \quad \Delta = -155, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$
 $1^{31513221} \epsilon_8 12231513221 \mathbf{3} \quad \Delta = -30, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_3$
 $1^{31513221} \epsilon_8 12231513221 \mathbf{2} \quad \Delta = -22, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_4$

Base: $\epsilon_6 \otimes^{5,5} \epsilon_8 1$

- $\epsilon_6 \otimes^{5,5} \epsilon_8 1 \mathbf{21513221} \quad \Delta = -92, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$

Base: $1^{21513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1$

$1^{21513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1^{\mathbf{2}}$ $\Delta = -92, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$

$21513221 \mathfrak{e}_8^{21} \mathfrak{e}_6 1^{5,4}$ $\Delta = -92, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$

$1^{21513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1^{\mathbf{3}}$ $\Delta = -100, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_3$

$1^{321513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1$ $\Delta = -101, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: $1^{1513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1$

$1^{31513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1$ $\Delta = -100, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$

$1^{21513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1$ $\Delta = -92, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$

$1^{1513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1^{\mathbf{3}}$ $\Delta = -100, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_3$

$1^{161231513221(12)12231} \mathfrak{e}_8^5 \otimes \mathfrak{e}_6 1$ $\Delta = -92, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$

$1^{1513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1^{\mathbf{2}}$ $\Delta = -92, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: $1^{21513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 12$

$21513221 \mathfrak{e}_8^{21} \mathfrak{e}_6 12^{5,3}$ $\Delta = -91, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$

$1^{21513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 12^{\mathbf{3}}$ $\Delta = -100, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_3$

$1^{321513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 12$ $\Delta = -100, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: $1^{1513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 12$

$1^{31513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 12$ $\Delta = -99, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$

$1^{1513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 12^{\mathbf{3}}$ $\Delta = -100, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_3$

$1^{216131513221(12)12231} \mathfrak{e}_8^5 \otimes \mathfrak{e}_6 12$ $\Delta = -91, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$

$1^{21513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 12$ $\Delta = -91, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: $14^{2,4} \mathfrak{e}_8^{1,5,3} \otimes \mathfrak{e}_6 131$

$14^{2,4} \mathfrak{e}_8^{21} \mathfrak{e}_6 131^{5,3}$ $\Delta = -75, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$

$14^{2,4} \mathfrak{e}_8^{1,5,3} \otimes \mathfrak{e}_6 131^{\mathbf{4}}$ $\Delta = -103, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$

$14^{2,4} \mathfrak{e}_8^{1,5,3} \otimes \mathfrak{e}_6 131^{\mathbf{3}}$ $\Delta = -83, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$

$131 \mathfrak{e}_6^{5,3} \mathfrak{e}_8^{1,2,4} \otimes 41^{\mathbf{3}}$ $\Delta = -83, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$

$14^{2,4} \mathfrak{e}_8^{1,5,3} \otimes \mathfrak{e}_6 131^{\mathbf{5}}$ $\Delta = -127, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$

$131 \mathfrak{e}_6^{5,3} \mathfrak{e}_8^{1,2,4} \otimes 41^{\mathbf{4}}$ $\Delta = -103, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$

$14^{2,4} \mathfrak{e}_8^{1,5,3} \otimes \mathfrak{e}_6 131^{\mathbf{2}}$ $\Delta = -75, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$

$131 \mathfrak{e}_6^{5,3} \mathfrak{e}_8^{1,2,4} \otimes 41^{\mathbf{2}}$ $\Delta = -75, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$

$14^{2,4} \mathfrak{e}_8^{1,5,3} \otimes \mathfrak{e}_6 131^{\mathbf{6}}$ $\Delta = -153, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: $1^{13221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 13151$

$13221 \mathfrak{e}_8^{21} \mathfrak{e}_6 13151^{5,3}$ $\Delta = -99, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$

$1^{413221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 13151$ $\Delta = -127, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$

$1^{513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 13151$ $\Delta = -151, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$

$1^{313221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 13151$ $\Delta = -107, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$

$1^{13221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 13151^{\mathbf{3}}$ $\Delta = -107, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$

$1^{13221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 13151^{\mathbf{2}}$ $\Delta = -99, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$

$1^{213221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 13151$ $\Delta = -99, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: $1^{2221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 12$

$$2221\overset{\textcolor{red}{21}}{\mathfrak{e}_8}{}^{5,3} \otimes \mathfrak{e}_6{}^{2,2} \otimes \mathfrak{e}_6{}^{12} \quad \Delta = -116, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \text{ } ^{2221} \text{ } ^{5,3} \text{ } \otimes \text{ } ^{2,2} \text{ } \otimes \text{ } \text{e}_6 \text{12} \textcolor{red}{3} \quad \Delta = -125, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1 \epsilon_8^{221} \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} 123$

$$1_{\mathfrak{e}_8}^{221} \otimes_{\mathfrak{e}_6}^{5,3} \otimes_{\mathfrak{e}_6}^{2,2} 123\mathbf{2} \quad \Delta = -127, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221_{\mathbf{e}_8}^{21, 5, 3} \otimes \mathbf{e}_6^{2, 2} \otimes \mathbf{e}_6^{2, 2} \quad \Delta = -125, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{3,2,2}{\mathfrak{e}}_8 \otimes \overset{5,3}{\mathfrak{e}}_6 \otimes \overset{2,2}{\mathfrak{e}}_6 123 \quad \Delta = -134, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1\epsilon_6^1 \otimes \epsilon_8^{3,5} 1\epsilon_8^1 12231512$

$$1\overset{31}{\mathfrak{e}}_6 \otimes \overset{3,5}{\mathfrak{e}}_8 \overset{1}{12231512} \quad \Delta = -99, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} 12231512\mathbf{3} \quad \Delta = -100, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \overset{21}{12231512} \quad \Delta = -91, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{21} \otimes \epsilon_8^{3,5} 12231512 \quad \Delta = -91, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1\overset{1}{e}_6 \otimes \overset{3,5}{e}_8 1\overset{1}{2}231\overset{1}{5}1$

$$1\overset{\textcolor{red}{3}}{\mathfrak{e}}_6^{3,5} \otimes \mathfrak{e}_8^1 1223151^1 \quad \Delta = -99, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{21}{\mathfrak{e}}_6^{3,5} \otimes \overset{1}{\mathfrak{e}}_8^{1223151} \quad \Delta = -91, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1_{\mathfrak{e}_6}^{1 \ 3,5 \ \textcolor{red}{21}} \otimes 1_{\mathfrak{e}_8}^{1223151} \quad \Delta = -91, \ n_+ = 1, \ n_- = 22, \ n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 12231\overset{1}{5}1\overset{1}{2} \quad \Delta = -91, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 12231\overset{1}{5}1\overset{1}{\mathbf{3}} \quad \Delta = -99, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1\epsilon_6^1 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8^1 1222$

$$1\overset{2,1}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{3,5}{\mathfrak{e}_8} \overset{1}{1222} \quad \Delta = -116, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_6^1 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{3,5} 222 \quad \Delta = -116, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\overset{3}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \overset{1}{1222} \quad \Delta = -124, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1 \mathfrak{e}_6^{31} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{3,5} \otimes \mathfrak{e}_8^{221} 1$$

$$1_{\mathfrak{e}_6}^{31\ 2,2} \otimes \mathfrak{e}_6 \otimes \mathfrak{e}_8^{3,5\ \textcolor{red}{3}221} 1 \quad \Delta = -133, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $14 \begin{smallmatrix} 2,4 \\ \otimes \end{smallmatrix} \mathbf{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathbf{e}'_7 1$

$$1\mathfrak{e}'_7 \otimes^{5,5} 1 \otimes^{2,4} 41\textcolor{red}{4} \quad \Delta = -123, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$14^{2,4} \otimes \mathfrak{e}_8^{21} \otimes \mathfrak{e}_7^{5,5} 1 \quad \Delta = -95, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$14 \overset{2,4}{\otimes} \overset{1}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{\prime}{\mathfrak{e}}_7 \mathbf{12} \quad \Delta = -95, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7' \otimes^{5,5} \mathbf{e}_8 \otimes^{1,2,4} 41\mathbf{2} \quad \Delta = -95, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7'^{5,5} \otimes \mathbf{e}_8^{1,2,4} 41\mathbf{3} \quad \Delta = -103, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $14 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}'_7 12$

$$14^{2,4} \otimes \mathfrak{e}_8^{21} \otimes \mathfrak{e}_7^{5,4}{}_{12} \quad \Delta = -95, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\mathbf{e}'_7 \otimes \mathbf{e}_8 \otimes 41\mathbf{e}_2 \quad \Delta = -95, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$14 \overset{2,4}{\otimes} \overset{1}{e}_8 \overset{5,4}{\otimes} e'_7 12 \textcolor{red}{3} \quad \Delta = -104, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^1 \otimes 41\mathbf{e}_8^{2,4} \quad \Delta = -103, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\mathbf{e}'_7 \overset{5,4}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \overset{2,4}{41\mathbf{e}_4} \quad \Delta = -123, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1\mathfrak{e}'_7 \overset{1}{\otimes} \overset{4,5}{\mathfrak{e}_8} \overset{1}{\otimes} \overset{4,2}{41}$

$$1\overset{\textcolor{red}{21}}{\mathfrak{e}}_7' \otimes \mathfrak{e}_8^{4,5} \otimes 41^{1,4,2} \quad \Delta = -95, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{1}{e}_7^{4,5} \otimes \overset{2}{e}_8^{4,2} \otimes 41 \quad \Delta = -95, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7' \otimes \mathbf{e}_8 \otimes 4\mathbf{1}\mathbf{3} \quad \Delta = -103, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7' \otimes \mathbf{e}_8 \otimes 4\mathbf{1} \quad \Delta = -123, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\epsilon_7'^1 \otimes \epsilon_8^{4,5} \otimes 41\epsilon_8^{4,2} \quad \Delta = -95, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7 12$

$$313221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_7 12 \quad \Delta = -103, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{2313221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \mathfrak{e}_7 12 \quad \Delta = -104, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1^{313221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 122$

$$313221\mathbf{c}_8^{21\ 5,4} \otimes \mathbf{c}_7122 \quad \Delta = -103, \ n_+ = 1, \ n_- = 22, \ n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{2313221}{\mathfrak{e}_8} \overset{5,4}{\otimes} \mathfrak{e}_7 122 \quad \Delta = -104, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7 123$

$$1^{\textcolor{red}{3}13221} \overset{5,5}{\otimes} \mathfrak{e}_8 7123 \quad \Delta = -112, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{4}{\mathfrak{e}}_8^{13221} \otimes \overset{5,5}{\mathfrak{e}}_7^{123} \quad \Delta = -132, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{13221} 5,5 \mathfrak{e}_8 \otimes \mathfrak{e}_7 123\mathbf{2} \quad \Delta = -106, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$13221\overset{\textcolor{red}{21}}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_7 123 \quad \Delta = -104, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{\overline{5}13221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7 123 \quad \Delta = -156, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{213221} \otimes^{5,5} \epsilon_8 \epsilon_7 123 \quad \Delta = -104, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1^{13221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 1223$

$$13221\overset{\textcolor{red}{21}}{\mathfrak{e}}_8 \otimes \overset{5,4}{\mathfrak{e}}_7 1223 \quad \Delta = -104, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{\mathbf{3}13221} \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 1223 \quad \Delta = -112, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{413221} \otimes \mathfrak{e}_8^{5,4} 1223 \quad \Delta = -132, \quad n_+ = 1, \quad n_- = 22, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{213221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 1223 \quad \Delta = -104, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{5,13221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 1223 \quad \Delta = -156, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{22221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 1231$

$$1^{22221} 5,4 \mathbf{e}_8 \otimes \mathbf{e}_7 1231 \mathbf{4} \quad \Delta = -123, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{22221} 5,4 \mathbf{e}_8 \otimes \mathbf{e}_7 1231 \mathbf{3} \quad \Delta = -103, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{22221} 5.4 \mathbf{e}_8 \otimes \mathbf{e}_7 1231 \mathbf{2} \quad \Delta = -95, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{22221} \overset{5,4}{\mathfrak{e}_8} \otimes \overset{2}{\mathfrak{e}_7} 1231 \quad \Delta = -97, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{22221} 5,4 \text{ e}_8 \otimes \text{e}_7 1231 \textcolor{red}{5} \quad \Delta = -147, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$22221\overset{21}{\mathbf{e}}_8^{5,4} \otimes \mathbf{e}_7 1231 \quad \Delta = -95, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1\mathfrak{e}_7^1 \otimes^{5,5} \mathfrak{e}_8^1 122313$

$$1\mathbf{e}_7^{21\ 5,5\ 1} \otimes \mathbf{e}_8^{122313} \quad \Delta = -103, \ n_+ = 1, \ n_- = 22, \ n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7^{1\ 5,5\ 21} \otimes \mathbf{e}_8^{122313} \quad \Delta = -103, \ n_+ = 1, \ n_- = 22, \ n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{1}{e}7\overset{5,5}{\otimes} \overset{1}{e}8122313\overset{\textcolor{red}{2}}{} \quad \Delta = -104, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1\mathfrak{e}_7^{21} \otimes \mathfrak{e}_8^{4,5} 122313$

$$21\overset{21}{\mathfrak{e}}_7^{4,5} \otimes \mathfrak{e}_8^{122313} \quad \Delta = -103, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathfrak{e}_7^{21\ 4,5\ 21} \otimes \mathfrak{e}_8^{122313} \quad \Delta = -103, \ n_+ = 1, \ n_- = 22, \ n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{21\ 4,5\ 1} \otimes \epsilon_8^{122313\textcolor{red}{2}} \quad \Delta = -104, \ n_+ = 1, \ n_- = 22, \ n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \overset{321}{\mathfrak{e}_7} \otimes \overset{4,5}{\mathfrak{e}_8} 1$ 12231

$$1\overset{31}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \overset{221}{12} \quad \Delta = -124, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1_{\mathbf{e}_6}^1 \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{3221} \quad \Delta = -125, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{3,5} 12^{221} \quad \Delta = -116, \quad n_+ = 1, \quad n_- = 22, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $e'_7 \overset{5,5}{\otimes} e_8^{1513221} 12$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{31513221} 12 \quad \Delta = -127, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } \mathfrak{e}'_7 \overset{5,4}{\otimes} \mathfrak{e}_8^{31513221} 12$$

$$\mathfrak{e}_7^{5,4} \otimes \mathfrak{e}_8^{231513221} 12 \quad \Delta = -128, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21^{1513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_7 1$

$$21^{\textcolor{red}{1}513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_7 1 \quad \Delta = -119, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21^{31513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_7 1 \quad \Delta = -127, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21^{1513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7' \mathbf{12} \quad \Delta = -119, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7 12$

$$21 \overset{\textcolor{red}{5}}{13221} \overset{5,5}{\otimes} \mathfrak{e}_7 12 \quad \Delta = -147, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21^{213221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_{712} \quad \Delta = -95, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{413221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_{712} \quad \Delta = -123, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $4 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_7 12$

$$4^{4,2} \otimes \mathfrak{e}_8^{21} \otimes \mathfrak{e}_7^{4,5} 12\mathbf{3} \quad \Delta = -132, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $21^{13221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 122$

$$21 \overset{5}{\mathbf{e}}_8^{13221} \otimes \overset{5,4}{\mathbf{e}}_7^{122} \quad \Delta = -147, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{P}^5$$

$$21^{213221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 122 \quad \Delta = -95, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21^{413221} \epsilon_8^{5,4} \otimes e_7 122 \quad \Delta = -123, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}$$

Base: $21^{2221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 1231$

$$21 \overset{2221}{\mathfrak{e}}_8 \otimes \overset{5,4}{\mathfrak{e}}_7 1231\textcolor{red}{4} \quad \Delta = -123, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21 \overset{2221}{\mathfrak{e}}_8 \otimes \overset{5,4}{\mathfrak{e}}_7 1231 \textcolor{red}{5} \quad \Delta = -147, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$21 \text{ }^{2221} \text{ }^5,4 \text{ }_8 \text{ } \otimes \text{ }_7 \text{ } 1231 \text{ }_2 \quad \Delta = -95, \ n_+ = 1, \ n_- = 22, \ n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21 \overset{2221}{e}_8 \overset{5,4}{\otimes} \overset{2}{e}_7 1231 \quad \Delta = -97, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21 \overset{2221}{\mathfrak{e}}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 1231 \mathbf{3} \quad \Delta = -103, \ n_+ = 1, \ n_- = 22, \ n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $4 \begin{smallmatrix} 3,2 \\ \otimes \end{smallmatrix} \mathfrak{e}_7 \begin{smallmatrix} 5,4 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 12$

$$4^{3,2} \otimes \mathfrak{e}_7 \otimes^{5,4} \mathfrak{e}_8^{3221} 12 \quad \Delta = -132, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_7^1 \otimes \epsilon_8^{5,5} 12231^{21}$

$$1\overset{\textcolor{red}{21}}{\mathfrak{e}}_7 \otimes \overset{5,5}{\mathfrak{e}}_8^{21} 12231 \quad \Delta = -95, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7^{1\ 5,5\ 21} \otimes \mathbf{e}_8^{12231\mathbf{4}} \quad \Delta = -123, \ n_+ = 1, \ n_- = 22, \ n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\epsilon_7^{1\ 5,5\ 21} \otimes \epsilon_8^{12231\ 2} \quad \Delta = -95, \ n_+ = 1, \ n_- = 22, \ n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{1\ 5,5\ 21} \otimes \epsilon_8^{12231\ 5} \quad \Delta = -147, \ n_+ = 1, \ n_- = 22, \ n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 12231^{21}$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 12231\bar{4} \quad \Delta = -123, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\overset{21}{\mathfrak{e}}_7^{4,5} \otimes \overset{21}{\mathfrak{e}}_8^{12231} \quad \Delta = -95, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 12231\bar{2} \quad \Delta = -95, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 12231\mathbf{5} \quad \Delta = -147, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 221\epsilon_8^{221} \otimes \epsilon_7^{5,4} 1231$$

$$221\epsilon_8^{221} \otimes \epsilon_7^{5,4} 1231\mathbf{2} \quad \Delta = -97, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\epsilon_8^{221} \otimes \epsilon_7^{5,4} 1231\mathbf{3} \quad \Delta = -103, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\epsilon_8^{221} \otimes \epsilon_7^{5,4} 1231\mathbf{4} \quad \Delta = -123, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\epsilon_8^{221} \otimes \epsilon_7^{5,4} 1231\mathbf{2} \quad \Delta = -95, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\epsilon_8^{221} \otimes \epsilon_7^{5,4} 1231\mathbf{5} \quad \Delta = -147, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$221\epsilon_8^{3221} \otimes \epsilon_7^{5,4} 1231 \quad \Delta = -104, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\epsilon_8^{1,1231513221} 122315131$$

$$1\epsilon_8^{1,61231513221} 122315131 \quad \Delta = -100, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$131513221\epsilon_8^{1,1231513221} 1\mathbf{2} \quad \Delta = -22, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_8^{1,51231513221} 122315131 \quad \Delta = -74, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_8^{1,1231513221} 122315131 \quad \Delta = -23, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_8^{1,1231513221} 122315131\mathbf{4} \quad \Delta = -50, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_8^{1,31231513221} 122315131 \quad \Delta = -30, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_8^{1,1231513221} 122315131\mathbf{3} \quad \Delta = -30, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_8^{1,41231513221} 122315131 \quad \Delta = -50, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_8^{1,71231513221} 122315131 \quad \Delta = -127, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_8^{1,21231513221} 122315131 \quad \Delta = -22, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_8^{1,1231513221} 122315131\mathbf{5} \quad \Delta = -74, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\epsilon_8^{1,81231513221} 122315131 \quad \Delta = -155, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_8^{1,1231513221} 122315131\mathbf{2} \quad \Delta = -22, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_8^{1,1231513221} 122315131\mathbf{6} \quad \Delta = -100, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\epsilon_8^{1,21513221} 12231513221$$

$$12231513221\epsilon_8^{1,21513221} 1\mathbf{2} \quad \Delta = -14, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_8^{1,21513221} 12231513221\mathbf{8} \quad \Delta = -147, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_8^{1,21513221} 12231513221\mathbf{6} \quad \Delta = -92, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_8^{1,21513221} 12231513221\mathbf{3} \quad \Delta = -22, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_8^{1,21513221} 12231513221\mathbf{2} \quad \Delta = -14, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\epsilon_8^{1,21513221} 12231513221\mathbf{4} \quad \Delta = -42, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_8^{1,21513221} 12231513221\mathbf{5} \quad \Delta = -66, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_8^{1,21513221} 12231513221\mathbf{7} \quad \Delta = -119, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\epsilon_8^{1,321513221} 12231513221 \quad \Delta = -23, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_8^{1,21513221} 12231513221\mathbf{(12)} \quad \Delta = -262, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$\text{Base: } 1\epsilon_8^{1,1513221} 12231513221$$

$$1\epsilon_8^{1,1513221} 12231513221\mathbf{(12)} \quad \Delta = -262, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1\epsilon_8^{1,1513221} 12231513221\mathbf{6} \quad \Delta = -92, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_8^{1,31513221} 12231513221 \quad \Delta = -22, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_8^{1,1513221} 12231513221\mathbf{3} \quad \Delta = -22, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_8^{1,21513221} 12231513221 \quad \Delta = -14, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_8^{1,1513221} 12231513221\mathbf{7} \quad \Delta = -119, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $131\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,4} \otimes \mathbf{e}_71$

Base: $1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7 1231$

$$1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7 1231 \textcolor{red}{2} \quad \Delta = -96, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1321\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 1 \textcolor{red}{2} \quad \Delta = -96, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7 1231 \textcolor{red}{5} \quad \Delta = -148, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7 1231 \textcolor{red}{2} \quad \Delta = -98, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7 1231 \textcolor{red}{4} \quad \Delta = -124, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7 1231 \textcolor{red}{3} \quad \Delta = -104, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $13151321\epsilon_7 \otimes \epsilon_7 1231512$

$$2151321\epsilon_7 \otimes \epsilon_7 12315131 \textcolor{red}{4} \quad \Delta = -70, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$2151321\epsilon_7 \otimes \epsilon_7 12315131 \textcolor{red}{5} \quad \Delta = -94, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$2151321\epsilon_7 \otimes \epsilon_7 12315131 \textcolor{red}{2} \quad \Delta = -42, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$2151321\epsilon_7 \otimes \epsilon_7 12315131 \textcolor{red}{3} \quad \Delta = -50, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\textcolor{red}{2} 13151321\epsilon_7 \otimes \epsilon_7 1231512 \quad \Delta = -43, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2151321\epsilon_7 \otimes \epsilon_7 12315131 \textcolor{red}{6} \quad \Delta = -120, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$13151321\epsilon_7 \otimes \epsilon_7 1231512 \textcolor{red}{3} \quad \Delta = -51, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $14 \otimes \epsilon_7 \otimes \epsilon_7 123151321$

$$14 \otimes \epsilon_7 \otimes \epsilon_7 123151321 \textcolor{red}{3} \quad \Delta = -27, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$14 \otimes \epsilon_7 \otimes \epsilon_7 123151321 \textcolor{red}{8} \quad \Delta = -152, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$14 \otimes \epsilon_7 \otimes \epsilon_7 123151321 \textcolor{red}{2} \quad \Delta = -19, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$14 \otimes \epsilon_7 \otimes \epsilon_7 123151321 \textcolor{red}{7} \quad \Delta = -124, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$14 \otimes \epsilon_7 \otimes \epsilon_7 123151321 \textcolor{red}{4} \quad \Delta = -47, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$14 \otimes \epsilon_7 \otimes \epsilon_7 123151321 \textcolor{red}{6} \quad \Delta = -97, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$123151321\epsilon_7 \otimes \epsilon_7 \otimes 41 \textcolor{red}{4} \quad \Delta = -47, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$123151321\epsilon_7 \otimes \epsilon_7 \otimes 41 \textcolor{red}{2} \quad \Delta = -19, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \otimes \epsilon_7 \otimes \epsilon_7 123151321 \textcolor{red}{5} \quad \Delta = -71, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$123151321\epsilon_7 \otimes \epsilon_7 \otimes 41 \textcolor{red}{3} \quad \Delta = -27, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $13151321\epsilon_7 \otimes \epsilon_7 123151$

$$\textcolor{red}{4} 1315132181232181231 \quad \Delta = -70, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$13151321\epsilon_7 \otimes \epsilon_7 123151 \textcolor{red}{2} \quad \Delta = -42, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\textcolor{red}{5} 1315132181232181231 \quad \Delta = -94, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\textcolor{red}{2} 1315132181232181231 \quad \Delta = -42, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\textcolor{red}{6} 1315132181232181231 \quad \Delta = -120, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\textcolor{red}{3} 1315132181232181231 \quad \Delta = -50, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\textcolor{red}{2} 13151321\epsilon_7 \otimes \epsilon_7 123151 \quad \Delta = -43, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$13151321\epsilon_7 \otimes \epsilon_7 123151 \textcolor{red}{3} \quad \Delta = -50, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $\epsilon_6 \otimes \epsilon_7 \otimes \epsilon_7 123151$

$$\epsilon_6 \otimes \epsilon_7 \otimes \epsilon_7 123151 \textcolor{red}{3} \quad \Delta = -128, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_6 \otimes \epsilon_6 \otimes \epsilon_7 \otimes \epsilon_7 1231$

$$1\epsilon_6 \otimes \epsilon_6 \otimes \epsilon_7 \otimes \epsilon_7 1231 \textcolor{red}{5} \quad \Delta = -148, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_4$$

[illegible]

Base: $2^{1223151321812321812}$ 3 1

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7'^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 122315$

$$1 \overset{3,2}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 122315 \quad \Delta = -126, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\overset{2,1}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} 122315 \quad \Delta = -117, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1\mathfrak{e}_7^{21} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{4,4} \otimes 1$

$$21\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,4} \otimes \mathbf{e}_7^1 \quad \Delta = -115, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,4}{\mathbf{e}}_7 1\overset{1}{\mathbf{e}}_7 \quad \Delta = -115, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{3,21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{4,4}{\mathbf{e}_7} \overset{1}{\mathbf{e}_7} \quad \Delta = -124, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \overset{221}{\mathbf{e}_7} \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 12321$

$$1^{221} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 123218 \quad \Delta = -172, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1 \overset{3,221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}'_7} 12321 \quad \Delta = -48, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{221} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12321\mathbf{6} \quad \Delta = -117, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{221} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7' 123214 \quad \Delta = -67, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{221} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7' 123215 \quad \Delta = -91, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{221}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7' 12321 \mathbf{7} \quad \Delta = -144, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1 \mathbf{e}_7^{221} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12321 \mathbf{3} \quad \Delta = -47, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\overset{21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7' 12321 \quad \Delta = -39, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}$$

$$1 \mathbf{e}_7^{221} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12321 \mathbf{2} \quad \Delta = -39, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \mathfrak{e}_7^{221} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} 12231$

$$1 \overset{3,221}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} 12231 \quad \Delta = -74, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{221} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} 12231 \mathbf{r} \quad \Delta = -73, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{221} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} 122314 \quad \Delta = -93, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221\overset{21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12231 \quad \Delta = -65, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}$$

$$1 \overset{221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12231 \mathbf{2} \quad \Delta = -65, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\overset{221}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 12231\mathbf{5} \quad \Delta = -117, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $1 \text{e}_7^{221} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} 12313$

$$1_{\mathfrak{e}_7}^{221} \otimes_{\mathfrak{e}_7}^{3,3} \otimes_{\mathfrak{e}_7}^{3,3} 12313_{\text{red}} \quad \Delta = -74, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\overset{21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12313 \quad \Delta = -73, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}$$

$$1 \overset{3,2,2,1}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12313 \quad \Delta = -82, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1 \overset{221}{\mathfrak{e}_7} \overset{3,3}{\otimes} \overset{3,3}{\mathfrak{e}_7} \overset{1}{\otimes} \mathfrak{e}_7 1232$

$$1 \overset{3,2,2,1}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \overset{1}{1232} \quad \Delta = -76, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$221\overset{21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \overset{1}{1232} \quad \Delta = -67, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_7$$

Base: $e_7^{4,5} \otimes e_7^{3,3} \otimes e_7^{321} 1$

$$\mathbf{e}_7^{4,5} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{2,2,1} \quad \Delta = -126, \, n_+ = 1, \, n_- = 22, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \overset{3,2}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{4,4}{e_7} 1$

$$1 \overset{3,21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{4,4}{\mathbf{e}_7} 1 \textcolor{red}{2} \quad \Delta = -124, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{2321}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,4}{\mathbf{e}}_7 1 \quad \Delta = -126, n_+ = 1, n_- = 22, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1^{12321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 123151321$

$$\begin{aligned}
1321 \overset{21}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \overset{21}{12} \quad \Delta = -65, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
1 \overset{21321}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \overset{21}{12} \quad \Delta = -65, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
1 \overset{1321}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \overset{21}{12} \quad \Delta = -67, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
1 \overset{1321}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \overset{21}{12} \overset{23}{12} \quad \Delta = -74, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
1 \overset{41321}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \overset{21}{12} \quad \Delta = -93, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
1 \overset{31321}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \overset{21}{12} \quad \Delta = -73, n_+ = 1, n_- = 22, n_0 = 0 \quad \rightarrow \mathbb{F}_2
\end{aligned}$$

$T = 23$ (879 bases)

Base: $141414 \overset{2,4}{\otimes} \mathfrak{e}_8 12231513221$

$$\begin{aligned}
141414 \overset{2,4}{\otimes} \mathfrak{e}_8 12231513221 \overset{2,4}{6} \quad \Delta = -95, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
141414 \overset{2,4}{\otimes} \mathfrak{e}_8 12231513221 \overset{2,4}{4} \quad \Delta = -45, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
12231513221 \overset{2,4}{\mathfrak{e}_8} \otimes 414141 \overset{2,4}{4} \quad \Delta = -45, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
141414 \overset{2,4}{\otimes} \mathfrak{e}_8 12231513221 \overset{2,4}{8} \quad \Delta = -150, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_4 \\
12231513221 \overset{2,4}{\mathfrak{e}_8} \otimes 414141 \overset{2,4}{3} \quad \Delta = -25, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
141414 \overset{2,4}{\otimes} \mathfrak{e}_8 12231513221 \overset{2,4}{3} \quad \Delta = -25, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
12231513221 \overset{2,4}{\mathfrak{e}_8} \otimes 414141 \overset{2,4}{2} \quad \Delta = -17, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
141414 \overset{2,4}{\otimes} \mathfrak{e}_8 12231513221 \overset{2,4}{5} \quad \Delta = -69, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
141414 \overset{2,4}{\otimes} \mathfrak{e}_8 12231513221 \overset{2,4}{7} \quad \Delta = -122, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
141414 \overset{2,4}{\otimes} \mathfrak{e}_8 12231513221 \overset{2,4}{2} \quad \Delta = -17, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
141414 \overset{2,4}{\otimes} \mathfrak{e}_8 12231513221 \overset{2,4}{(12)} \quad \Delta = -265, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_8
\end{aligned}$$

Base: $15131513221 \mathfrak{e}_8 12231513215$

$$51231513221 \mathfrak{e}_8 12231513151 \overset{2}{2} \quad \Delta = -97, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $15131513221 \mathfrak{e}_8 12231513151$

$$\begin{aligned}
15131513221 \mathfrak{e}_8 12231513151 \overset{2}{3} \quad \Delta = -104, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
15131513221 \mathfrak{e}_8 12231513151 \overset{2}{2} \quad \Delta = -96, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1231513221 \mathfrak{e}_8 122315131513$

$$\begin{aligned}
315131513221 \mathfrak{e}_8 1223151321 \overset{2}{2} \quad \Delta = -53, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
315131513221 \mathfrak{e}_8 1223151321 \overset{2}{8} \quad \Delta = -186, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
315131513221 \mathfrak{e}_8 1223151321 \overset{2}{5} \quad \Delta = -105, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
1231513221 \mathfrak{e}_8 12231513151 \overset{2}{3} \quad \Delta = -54, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
315131513221 \mathfrak{e}_8 1223151321 \overset{2}{6} \quad \Delta = -131, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
315131513221 \mathfrak{e}_8 1223151321 \overset{2}{3} \quad \Delta = -61, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
315131513221 \mathfrak{e}_8 1223151321 \overset{2}{7} \quad \Delta = -158, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
315131513221 \mathfrak{e}_8 1223151321 \overset{2}{4} \quad \Delta = -81, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $4 \overset{5,3}{\otimes} \mathfrak{e}_8 \otimes \overset{4,5}{\mathfrak{e}_6} 1$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \otimes \overset{4,5}{\mathfrak{e}_6} \overset{2}{12} \quad \Delta = -99, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $31 \mathfrak{e}_6 \overset{4,5}{\otimes} \mathfrak{e}_8 122315131$

$$\begin{aligned}
31 \mathfrak{e}_6 \overset{4,5}{\otimes} \mathfrak{e}_8 122315131 \overset{4,5}{6} \quad \Delta = -157, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_4 \\
31 \mathfrak{e}_6 \overset{4,5}{\otimes} \mathfrak{e}_8 122315131 \overset{4,5}{3} \quad \Delta = -87, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
31 \mathfrak{e}_6 \overset{4,5}{\otimes} \mathfrak{e}_8 122315131 \overset{2}{1} \quad \Delta = -80, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
31 \mathfrak{e}_6 \overset{4,5}{\otimes} \mathfrak{e}_8 122315131 \overset{4,5}{2} \quad \Delta = -79, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\
31 \mathfrak{e}_6 \overset{4,5}{\otimes} \mathfrak{e}_8 122315131 \overset{4,5}{5} \quad \Delta = -131, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3
\end{aligned}$$

$$31\epsilon_6 \otimes \epsilon_8^{4,5} 122315131\textcolor{red}{4} \quad \Delta = -107, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 321\epsilon_6 \otimes \epsilon_8^{3,5} 122315131$$

$$321\epsilon_6 \otimes \epsilon_8^{3,5} 122315131\textcolor{red}{6} \quad \Delta = -157, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$321\epsilon_6 \otimes \epsilon_8^{3,5} 122315131\textcolor{red}{5} \quad \Delta = -131, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$131513221\epsilon_8 \otimes \epsilon_6^{3,5} 123\textcolor{red}{2} \quad \Delta = -81, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$321\epsilon_6 \otimes \epsilon_8^{3,5} 122315131\textcolor{red}{2} \quad \Delta = -80, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$321\epsilon_6 \otimes \epsilon_8^{3,5} 122315131\textcolor{red}{2} \quad \Delta = -79, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$321\epsilon_6 \otimes \epsilon_8^{3,5} 122315131\textcolor{red}{3} \quad \Delta = -87, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$321\epsilon_6 \otimes \epsilon_8^{3,5} 122315131\textcolor{red}{4} \quad \Delta = -107, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1414 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} 131$$

$$131\epsilon_6 \otimes \epsilon_8^{5,3} \otimes 4141\textcolor{red}{2} \quad \Delta = -74, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\epsilon_6 \otimes \epsilon_8^{5,3} \otimes 4141\textcolor{red}{4} \quad \Delta = -102, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1414 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} 131\textcolor{red}{5} \quad \Delta = -126, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1414 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} 131\textcolor{red}{2} \quad \Delta = -74, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1414 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} 131\textcolor{red}{4} \quad \Delta = -102, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1414 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} 131\textcolor{red}{6} \quad \Delta = -152, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$131\epsilon_6 \otimes \epsilon_8^{5,3} \otimes 4141\textcolor{red}{3} \quad \Delta = -82, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1414 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} 131\textcolor{red}{3} \quad \Delta = -82, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 131\epsilon_6 \otimes \epsilon_8^{3,5} 122315123$$

$$321513221\epsilon_8 \otimes \epsilon_6^{3,5} 131\textcolor{red}{5} \quad \Delta = -131, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$321513221\epsilon_8 \otimes \epsilon_6^{3,5} 131\textcolor{red}{4} \quad \Delta = -107, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$321513221\epsilon_8 \otimes \epsilon_6^{3,5} 131\textcolor{red}{2} \quad \Delta = -79, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\epsilon_6 \otimes \epsilon_8^{3,5} 122315123\textcolor{red}{2} \quad \Delta = -81, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321513221\epsilon_8 \otimes \epsilon_6^{3,5} 131\textcolor{red}{6} \quad \Delta = -157, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321513221\epsilon_8 \otimes \epsilon_6^{3,5} 131\textcolor{red}{3} \quad \Delta = -87, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 131\epsilon_6 \otimes \epsilon_8^{3,5} 1223151\textcolor{red}{3}$$

$$\textcolor{red}{5}1316131513221(12)12231 \quad 31 \quad 5 \quad 1 \quad \Delta = -130, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\textcolor{red}{2}1316131513221(12)12231 \quad 31 \quad 5 \quad 1 \quad \Delta = -78, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\epsilon_6 \otimes \epsilon_8^{3,5} 1223151\textcolor{red}{3} \quad \Delta = -79, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\textcolor{red}{6}1316131513221(12)12231 \quad 31 \quad 5 \quad 1 \quad \Delta = -156, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\textcolor{red}{4}1316131513221(12)12231 \quad 31 \quad 5 \quad 1 \quad \Delta = -106, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\textcolor{red}{3}1316131513221(12)12231 \quad 31 \quad 5 \quad 1 \quad \Delta = -86, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 4 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} 1223151\textcolor{red}{1}$$

$$4 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} 1223151\textcolor{red}{2} \quad \Delta = -98, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 14 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} 13151$$

$$14 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} 13151\textcolor{red}{3} \quad \Delta = -106, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$15131\epsilon_6 \otimes \epsilon_8^{5,3} \otimes 41\textcolor{red}{2} \quad \Delta = -98, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$15131\epsilon_6 \otimes \epsilon_8^{5,3} \otimes 41\textcolor{red}{4} \quad \Delta = -126, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$15131\mathbf{e}_6^{5,3} \otimes \mathbf{e}_8^{2,4} \otimes 41\mathbf{e}_8 \quad \Delta = -106, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $21\epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{3,5}{\otimes} \epsilon_8 122313$

$$21\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8 122313\textcolor{red}{2} \quad \Delta = -105, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $321\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{3,5}{\otimes} \mathfrak{e}_8 12231$

$$13221\mathbf{e}_8 \overset{3,5}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 123\mathbf{2} \quad \Delta = -107, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$321\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8 12231\mathbf{4} \quad \Delta = -133, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$321\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 \otimes \mathbf{e}_8^{3,5} 12231\mathbf{5} \quad \Delta = -157, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$321\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8 12231\mathbf{red} \quad \Delta = -113, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$321\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 \otimes \mathbf{e}_8^{3,5} 12231\mathbf{e}_8 \quad \Delta = -105, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $131\epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8 12222$

$$22221\mathbf{e}_8 \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_6^{2,2} 131\mathbf{5} \quad \Delta = -147, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$22221\mathbf{e}_8 \overset{3,5}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 131\mathbf{4} \quad \Delta = -123, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$22221\mathbf{e}_8 \overset{3,5}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 131\mathbf{2} \quad \Delta = -95, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$22221\mathbf{e}_8 \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_6^{2,2} 131\mathbf{6} \quad \Delta = -173, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$22221\mathbf{e}_8 \otimes^{3,5} \mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 131\mathbf{3} \quad \Delta = -103, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{3,5}{\otimes} \mathfrak{e}_6 1$

$$4^{5,3} \otimes \mathfrak{e}_8^{3,5} \otimes \mathfrak{e}_6^{1,1} \mathbf{1}^{\mathbf{2}} \quad \Delta = -98, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1\epsilon_6^{1,2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8^{122313}$

$$1\overset{2,1}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{3,5}{\mathfrak{e}_8} 122313 \quad \Delta = -104, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{3,1}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 122313 \quad \Delta = -112, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_6^1 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{3,5} 122313\textcolor{red}{2} \quad \Delta = -105, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_6^{31} \otimes \epsilon_8^{3,5} 122315131$

$$1_{\mathfrak{e}_6}^{31, 3, 5} \otimes \mathfrak{e}_8 122315131\mathbf{3} \quad \Delta = -86, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1_{\mathfrak{e}_6}^{31, 3, 5} \otimes 1_{\mathfrak{e}_8}^{122315131} \quad \Delta = -79, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1_{\mathfrak{e}_6}^{31} \otimes 1_{\mathfrak{e}_8}^{3,5} 1223151314 \quad \Delta = -106, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{31} \otimes \mathbf{e}_8^{3,5} 122315131\mathbf{2} \quad \Delta = -78, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1_{\mathfrak{e}_6}^{31} \otimes 1_{\mathfrak{e}_8}^{3,5} 1223151315 \quad \Delta = -130, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1_{\mathfrak{e}_6}^{31} \otimes 1_{\mathfrak{e}_8}^{3,5} 122315131\mathbf{6} \quad \Delta = -156, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $1\epsilon_6^{31} \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{3,5} 12231$

$$1\epsilon_6^{31} \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{3,5} 12231\mathbf{5} \quad \Delta = -156, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1_{\mathbf{e}_6}^{31} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_8^{3,5} 12231\mathbf{red} \quad \Delta = -104, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1_{\mathfrak{e}_6}^{31} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_8^{3,5} 122314 \quad \Delta = -132, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1414 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}'_7 1$

$$1e_7'^{5,5} \otimes e_8^{2,4} 4141\textcolor{red}{2} \quad \Delta = -94, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1e_7' \otimes^{5,5} e_8 \otimes^{2,4} 4141\textcolor{red}{4} \quad \Delta = -122, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7^{\prime 5,5} \otimes \mathbf{e}_8^{2,4} 4141\mathbf{3} \quad \Delta = -102, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1414 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}'_7 \mathbf{1} \textcolor{red}{2} \quad \Delta = -94, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon'_7 \otimes \epsilon_8^{5,5} 122315123$

$$321513221\epsilon_8 \otimes \epsilon'_7{}^{5,5} 12 \quad \Delta = -99, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon'_7 \otimes \epsilon_8^{5,5} 1223151232 \quad \Delta = -101, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\epsilon'_7 \otimes \epsilon_8^{5,5} 12231513$

$$1\epsilon'_7 \otimes \epsilon_8^{5,5} 122315132 \quad \Delta = -99, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$31 \overset{21712231513221(12)12231}{5} 1 \quad \Delta = -98, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1414 \otimes \epsilon_8^{2,4} \otimes \epsilon'_7{}^{5,4} 12$

$$21\epsilon'_7 \otimes \epsilon_8^{5,4} \otimes 41412 \quad \Delta = -94, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\epsilon'_7 \otimes \epsilon_8^{5,4} \otimes 41413 \quad \Delta = -102, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21\epsilon'_7 \otimes \epsilon_8^{5,4} \otimes 41414 \quad \Delta = -122, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1414 \otimes \epsilon_8^{2,4} \otimes \epsilon'_7{}^{5,4} 123 \quad \Delta = -103, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $21\epsilon'_7 \otimes \epsilon_8^{4,5} 122315123$

$$21\epsilon'_7 \otimes \epsilon_8^{4,5} 1223151232 \quad \Delta = -101, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21\epsilon'_7 \otimes \epsilon_8^{4,5} 12231513$

$$21\epsilon'_7 \otimes \epsilon_8^{4,5} 122315132 \quad \Delta = -99, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $321\epsilon'_7 \otimes \epsilon_8^{4,5} 12231512$

$$321\epsilon'_7 \otimes \epsilon_8^{4,5} 122315123 \quad \Delta = -108, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21513221\epsilon_8 \otimes \epsilon'_7{}^{4,5} 1232 \quad \Delta = -101, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $321\epsilon'_7 \otimes \epsilon_8^{4,5} 1223151$

$$321\epsilon'_7 \otimes \epsilon_8^{4,5} 12231513 \quad \Delta = -107, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321\epsilon'_7 \otimes \epsilon_8^{4,5} 12231512 \quad \Delta = -99, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{232171231513221(12)12231}{5} 1 \quad \Delta = -101, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\epsilon'_7 \otimes \epsilon_8^{1,4,5} \otimes \epsilon_8^{4,2} 4141$

$$1\epsilon'_7 \otimes \epsilon_8^{1,4,5} \otimes 41413 \quad \Delta = -102, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon'_7 \otimes \epsilon_8^{1,4,5} \otimes 41414 \quad \Delta = -122, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\epsilon'_7 \otimes \epsilon_8^{1,4,5} \otimes 41412 \quad \Delta = -94, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon'_7 \otimes \epsilon_8^{21,4,5} \otimes 4141 \quad \Delta = -94, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\epsilon'_7 \otimes \epsilon_8^{1,4,5} 122315123$

$$1\epsilon'_7 \otimes \epsilon_8^{21,4,5} 122315123 \quad \Delta = -99, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon'_7 \otimes \epsilon_8^{1,4,5} 1223151232 \quad \Delta = -101, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\epsilon'_7 \otimes \epsilon_8^{1,4,5} 12231513$

$$1\epsilon'_7 \otimes \epsilon_8^{21,4,5} 12231513 \quad \Delta = -98, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon'_7 \otimes \epsilon_8^{1,4,5} 122315132 \quad \Delta = -99, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $314 \otimes \epsilon_8^{2,4} \otimes \epsilon_7^{5,5} 12$

$$21\epsilon_7 \otimes \epsilon_8^{5,5} \otimes 4132 \quad \Delta = -103, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $314 \otimes \epsilon_8^{2,4} \otimes \epsilon_7^{5,4} 122$

$$221\epsilon_7 \otimes \epsilon_8^{5,4} \otimes 4132 \quad \Delta = -103, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $14 \otimes^{2,4} \mathfrak{e}_8 \otimes^{5,5} \mathfrak{e}_7 123$

$$\begin{aligned} 321\mathfrak{e}_7 \otimes^{5,5} \mathfrak{e}_8 \otimes^{2,4} 414 & \Delta = -131, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 14 \otimes^{2,4} \mathfrak{e}_8 \otimes^{5,5} \mathfrak{e}_7 123 & \Delta = -105, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 321\mathfrak{e}_7 \otimes^{5,5} \mathfrak{e}_8 \otimes^{2,4} 413 & \Delta = -111, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 321\mathfrak{e}_7 \otimes^{5,5} \mathfrak{e}_8 \otimes^{2,4} 412 & \Delta = -103, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1 \end{aligned}$$

Base: $14 \otimes^{2,4} \mathfrak{e}_8 \otimes^{5,4} \mathfrak{e}_7 1223$

$$\begin{aligned} 3221\mathfrak{e}_7 \otimes^{5,4} \mathfrak{e}_8 \otimes^{2,4} 413 & \Delta = -111, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 3221\mathfrak{e}_7 \otimes^{5,4} \mathfrak{e}_8 \otimes^{2,4} 414 & \Delta = -131, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 3221\mathfrak{e}_7 \otimes^{5,4} \mathfrak{e}_8 \otimes^{2,4} 412 & \Delta = -103, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1 \end{aligned}$$

Base: $12321\mathfrak{e}_7 \otimes^{4,5} \mathfrak{e}_8 12222$

$$\begin{aligned} 222221\mathfrak{e}_8 \otimes^{4,5} \mathfrak{e}_7 12321 & \Delta = -68, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 222221\mathfrak{e}_8 \otimes^{4,5} \mathfrak{e}_7 12321 & \Delta = -76, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 222221\mathfrak{e}_8 \otimes^{4,5} \mathfrak{e}_7 12321 & \Delta = -120, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 222221\mathfrak{e}_8 \otimes^{4,5} \mathfrak{e}_7 12321 & \Delta = -173, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 222221\mathfrak{e}_8 \otimes^{4,5} \mathfrak{e}_7 12321 & \Delta = -201, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 222221\mathfrak{e}_8 \otimes^{4,5} \mathfrak{e}_7 12321 & \Delta = -146, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 222221\mathfrak{e}_8 \otimes^{4,5} \mathfrak{e}_7 12321 & \Delta = -96, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1 \end{aligned}$$

Base: $1321\mathfrak{e}_7 \otimes^{4,5} \mathfrak{e}_8 1223132$

$$\begin{aligned} 2313221\mathfrak{e}_8 \otimes^{4,5} \mathfrak{e}_7 12315 & \Delta = -136, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 2313221\mathfrak{e}_8 \otimes^{4,5} \mathfrak{e}_7 12314 & \Delta = -112, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 2313221\mathfrak{e}_8 \otimes^{4,5} \mathfrak{e}_7 12312 & \Delta = -84, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 1321\mathfrak{e}_7 \otimes^{4,5} \mathfrak{e}_8 1223132 & \Delta = -86, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 2313221\mathfrak{e}_8 \otimes^{4,5} \mathfrak{e}_7 12313 & \Delta = -92, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1 \end{aligned}$$

Base: $151321\mathfrak{e}_7 \otimes^{4,5} \mathfrak{e}_8 12222$

$$\begin{aligned} 22221\mathfrak{e}_8 \otimes^{4,5} \mathfrak{e}_7 1231512 & \Delta = -118, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 22221\mathfrak{e}_8 \otimes^{4,5} \mathfrak{e}_7 1231513 & \Delta = -126, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0 \end{aligned}$$

Base: $3151321\mathfrak{e}_7 \otimes^{4,5} \mathfrak{e}_8 1222$

$$2221\mathfrak{e}_8 \otimes^{4,5} \mathfrak{e}_7 12315132 \Delta = -127, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $23151321\mathfrak{e}_7 \otimes^{4,5} \mathfrak{e}_8 122$

$$23151321\mathfrak{e}_7 \otimes^{4,5} \mathfrak{e}_8 1223 \Delta = -136, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\mathfrak{e}_7 \otimes^{1,5,5} \mathfrak{e}_8 \otimes^{4,2} 413$

$$\begin{aligned} 1\mathfrak{e}_7 \otimes^{21,5,5} \mathfrak{e}_8 \otimes^{4,2} 413 & \Delta = -102, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 1\mathfrak{e}_7 \otimes^{1,5,5} \mathfrak{e}_8 \otimes^{4,2} 413 & \Delta = -103, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2 \end{aligned}$$

Base: $1\mathfrak{e}_7 \otimes^{21,4,5} \mathfrak{e}_8 \otimes^{4,2} 413$

$$\begin{aligned} 21\mathfrak{e}_7 \otimes^{21,4,5} \mathfrak{e}_8 \otimes^{4,2} 413 & \Delta = -102, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 1\mathfrak{e}_7 \otimes^{21,4,5} \mathfrak{e}_8 \otimes^{4,2} 413 & \Delta = -103, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2 \end{aligned}$$

Base: $1\mathfrak{e}_7 \otimes^{321,4,5} \mathfrak{e}_8 \otimes^{4,2} 41$

$$1\mathfrak{e}_7 \otimes^{321,4,5} \mathfrak{e}_8 \otimes^{4,2} 414 \Delta = -131, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\begin{aligned}
1 \text{ }^{2321}_{\mathfrak{e}_7} \otimes \text{ }^{4,5}_{\mathfrak{e}_8} \otimes \text{ }^{4,2}_{41} \quad \Delta = -105, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \\
1 \text{ }^{321}_{\mathfrak{e}_7} \otimes \text{ }^{4,5}_{\mathfrak{e}_8} \otimes \text{ }^{4,2}_{41\textcolor{red}{3}} \quad \Delta = -111, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
1 \text{ }^{321}_{\mathfrak{e}_7} \otimes \text{ }^{4,5}_{\mathfrak{e}_8} \otimes \text{ }^{4,2}_{41\textcolor{red}{2}} \quad \Delta = -103, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1 \text{ }^1_{\mathfrak{e}_8} \otimes \text{ }^{5,4}_{\mathfrak{e}_7} 123151322$

$$1 \text{ }^{21}_{\mathfrak{e}_8} \otimes \text{ }^{5,4}_{\mathfrak{e}_7} 123151322 \quad \Delta = -127, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \text{ }^{21}_{\mathfrak{e}_8} \otimes \text{ }^{5,4}_{\mathfrak{e}_7} 12315132$

$$21 \text{ }^{21}_{\mathfrak{e}_8} \otimes \text{ }^{5,4}_{\mathfrak{e}_7} 12315132 \quad \Delta = -127, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $4 \otimes \text{ }^{5,3}_{\mathfrak{e}_8} 12231513221_1$

$$4 \otimes \text{ }^{5,3}_{\mathfrak{e}_8} (12) 12231513221_1 \quad \Delta = -269, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_8$$

$$4 \otimes \text{ }^{5,3}_{\mathfrak{e}_8} 8 12231513221_1 \quad \Delta = -154, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$4 \otimes \text{ }^{5,3}_{\mathfrak{e}_8} 4 12231513221_1 \quad \Delta = -49, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$4 \otimes \text{ }^{5,3}_{\mathfrak{e}_8} 2 12231513221_1 \quad \Delta = -21, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$4 \otimes \text{ }^{5,3}_{\mathfrak{e}_8} 3 12231513221_1 \quad \Delta = -29, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$4 \otimes \text{ }^{5,3}_{\mathfrak{e}_8} 6 12231513221_1 \quad \Delta = -99, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$4 \otimes \text{ }^{5,3}_{\mathfrak{e}_8} 7 12231513221_1 \quad \Delta = -126, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$4 \otimes \text{ }^{5,3}_{\mathfrak{e}_8} 5 12231513221_1 \quad \Delta = -73, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1 \text{ }^{51231513221}_{\mathfrak{e}_8} 1223151321$

$$1 \text{ }^{51231513221}_{\mathfrak{e}_8} 1223151321\textcolor{red}{6} \quad \Delta = -124, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \text{ }^{51231513221}_{\mathfrak{e}_8} 1223151321\textcolor{red}{5} \quad \Delta = -98, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \text{ }^{51231513221}_{\mathfrak{e}_8} 1223151321\textcolor{red}{4} \quad \Delta = -74, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \text{ }^{51231513221}_{\mathfrak{e}_8} 1223151321\textcolor{red}{2} \quad \Delta = -46, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1231513221 \text{ }^{51231513221}_{\mathfrak{e}_8} 1\textcolor{red}{2} \quad \Delta = -46, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \text{ }^{51231513221}_{\mathfrak{e}_8} 1223151321\textcolor{red}{8} \quad \Delta = -179, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \text{ }^{51231513221}_{\mathfrak{e}_8} 1223151321\textcolor{red}{3} \quad \Delta = -54, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \text{ }^{51231513221}_{\mathfrak{e}_8} 1223151321\textcolor{red}{7} \quad \Delta = -151, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \text{ }^{15131513221}_{\mathfrak{e}_8} 1223151321$

$$1 \text{ }^{15131513221}_{\mathfrak{e}_8} 1223151321\textcolor{red}{3} \quad \Delta = -53, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1231513221 \text{ }^{15131513221}_{\mathfrak{e}_8} 1\textcolor{red}{2} \quad \Delta = -45, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \text{ }^{15131513221}_{\mathfrak{e}_8} 1223151321\textcolor{red}{6} \quad \Delta = -123, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \text{ }^{315131513221}_{\mathfrak{e}_8} 1223151321 \quad \Delta = -53, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \text{ }^{15131513221}_{\mathfrak{e}_8} 1223151321\textcolor{red}{2} \quad \Delta = -45, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \text{ }^{15131513221}_{\mathfrak{e}_8} 1223151321\textcolor{red}{5} \quad \Delta = -97, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \text{ }^{15131513221}_{\mathfrak{e}_8} 1223151321\textcolor{red}{4} \quad \Delta = -73, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \text{ }^{215131513221}_{\mathfrak{e}_8} 1223151321 \quad \Delta = -45, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \text{ }^{15131513221}_{\mathfrak{e}_8} 1223151321\textcolor{red}{8} \quad \Delta = -178, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \text{ }^{15131513221}_{\mathfrak{e}_8} 1223151321\textcolor{red}{7} \quad \Delta = -150, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $\mathfrak{e}_6 \otimes \text{ }^{5,5}_{\mathfrak{e}_8} 131513221_1$

$$\mathfrak{e}_6 \otimes \text{ }^{5,5}_{\mathfrak{e}_8} 3 131513221_1 \quad \Delta = -79, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\mathfrak{e}_6 \otimes \text{ }^{5,5}_{\mathfrak{e}_8} 5 131513221_1 \quad \Delta = -123, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\mathfrak{e}_6 \otimes \text{ }^{5,5}_{\mathfrak{e}_8} 2 131513221_1 \quad \Delta = -71, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\mathfrak{e}_6^{5,5} \otimes^{131513221} \mathfrak{e}_8 \quad 1 \quad \Delta = -72, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{131513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1$

$$1^{131513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1 \quad \Delta = -72, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{4}{\text{e}_8} \overset{13}{\text{e}_8} \overset{15}{\text{e}_8} \overset{13}{\text{e}_8} \overset{22}{\text{e}_8} \overset{1}{\text{e}_6} \overset{5,4}{\otimes} \Delta = -99, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{131513221}{}^{5,4} \mathfrak{e}_8 \otimes \mathfrak{e}_6 \mathbf{12} \quad \Delta = -71, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{5}{1} 3 1 5 1 3 2 2 1 \overset{5,4}{\otimes} \mathfrak{e}_6 1 \quad \Delta = -123, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{2131513221}{}^{5,4} \otimes e_6 1 \quad \Delta = -71, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{\textcolor{red}{3}131513221^{5,4}} \otimes \mathfrak{e}_6 1 \quad \Delta = -79, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{131513221}{}^{5,4} \mathfrak{e}_8 \otimes \mathfrak{e}_6 \mathbf{13} \quad \Delta = -79, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{6131513221} \otimes \epsilon_8^{5,4} \epsilon_6 1 \quad \Delta = -149, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$131513221\overset{21}{\mathfrak{e}}_8^{5,4} \otimes \mathfrak{e}_6 1 \quad \Delta = -71, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1^{5131513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 1$

$$1^{5131513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \mathbf{13} \quad \Delta = -130, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{5131513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \mathbf{12} \quad \Delta = -122, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{131513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 12$

$$1^{\overline{6}131513221} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 12 \quad \Delta = -148, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{4131513221} 5,3 \text{ } \otimes \text{ } \mathfrak{e}_8 \text{ } \otimes \text{ } \mathfrak{e}_6 12 \quad \Delta = -98, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{131513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \mathbf{123} \quad \Delta = -79, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{2131513221} \otimes \mathfrak{e}_6 12 \quad \Delta = -70, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{3131513221} 5,3 \text{ } \epsilon_8 \otimes \epsilon_6 12 \quad \Delta = -78, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$131513221\mathfrak{e}_8^{21\ 5,3} \otimes \mathfrak{e}_612 \quad \Delta = -70, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{131513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 12 \quad \Delta = -71, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{21513221} \epsilon_8^{5,3} \otimes \epsilon_6 131$

$$1^{21513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131\mathbf{6} \quad \Delta = -148, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1^{21513221} \otimes e_6^{5,3} 131 \Delta = -78, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{21513221} \epsilon_8^{5,3} \otimes \epsilon_6 131 \mathbf{2} \quad \Delta = -70, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{21513221}{}^{5,3} \mathbf{e}_8 \otimes \mathbf{e}_6 1314 \quad \Delta = -98, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{21513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131\mathbf{5} \quad \Delta = -122, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{321513221} \otimes \mathfrak{e}_6^{5,3} 131 \quad \Delta = -79, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21513221\epsilon_8^{21, 5, 3} \otimes \epsilon_6 131 \quad \Delta = -70, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1^{1513221} \epsilon_8^{5,3} \otimes \epsilon_6 131$

$$1^{31513221} 5,3 \otimes e_6 131 \quad \Delta = -78, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{1513221} \otimes \mathbf{e}_6 1314 \quad \Delta = -98, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \quad \mathbf{e}_8 \otimes \mathbf{e}_6 \mathbf{131} \mathbf{2} \quad \Delta = -70, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{21513221} \epsilon_8 \otimes \epsilon_6 131 \quad \Delta = -70, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \quad 5 \quad 1 \quad \Delta = -70, \quad n_+ = 1, \quad n_- = 23, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{15} 13221^{5,3} \otimes \mathfrak{e}_6 131\mathbf{5} \quad \Delta = -122, \quad n_+ = 1, \quad n_- = 23, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{1513221} \mathfrak{e}_8 \otimes \mathfrak{e}_6 131\mathbf{3} \quad \Delta = -78, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 1$$

$$21513221 \mathfrak{e}_8^{21} \mathfrak{e}'_7 1 \quad \Delta = -90, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 12 \quad \Delta = -90, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{321513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 1 \quad \Delta = -99, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 1$$

$$1^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 12 \quad \Delta = -90, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{31513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 1 \quad \Delta = -98, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 1 \quad \Delta = -90, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{1712231513221(12)12231} \mathfrak{e}_8^5 \quad \Delta = -90, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1^{21513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_7 12$$

$$21513221 \mathfrak{e}_8^{21} \mathfrak{e}'_7 12 \quad \Delta = -90, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{21513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_7 123 \quad \Delta = -99, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{321513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_7 12 \quad \Delta = -99, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1^{1513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_7 12$$

$$1^{21513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_7 12 \quad \Delta = -90, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{1513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_7 123 \quad \Delta = -99, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{31513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_7 12 \quad \Delta = -98, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{2171231513221(12)12231} \mathfrak{e}_8^5 \quad \Delta = -90, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1 \mathfrak{e}'_7 \otimes \mathfrak{e}_8^{1,4,5} 12231512$$

$$1 \mathfrak{e}'_7 \otimes \mathfrak{e}_8^{1,4,5} 12231512 \quad \Delta = -90, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \mathfrak{e}'_7 \otimes \mathfrak{e}_8^{1,4,5} 122315123 \quad \Delta = -99, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \mathfrak{e}'_7 \otimes \mathfrak{e}_8^{21,4,5} 12231512 \quad \Delta = -90, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1 \mathfrak{e}'_7 \otimes \mathfrak{e}_8^{1,4,5} 1223151$$

$$1 \mathfrak{e}'_7 \otimes \mathfrak{e}_8^{1,4,5} 12231512 \quad \Delta = -90, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \mathfrak{e}'_7 \otimes \mathfrak{e}_8^{21,4,5} 1223151 \quad \Delta = -90, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \mathfrak{e}'_7 \otimes \mathfrak{e}_8^{1,4,5} 1223151 \quad \Delta = -90, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \mathfrak{e}'_7 \otimes \mathfrak{e}_8^{1,4,5} 12231513 \quad \Delta = -98, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 14 \otimes \mathfrak{e}_8^{2,4} \mathfrak{e}_7^{1,5,5} 12$$

$$21 \mathfrak{e}_7 \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}_7^{1,2,4} 12 \quad \Delta = -94, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$14 \otimes \mathfrak{e}_8^{2,4} \mathfrak{e}_7^{21,5,5} 12 \quad \Delta = -94, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21 \mathfrak{e}_7 \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}_7^{1,2,4} 12 \quad \Delta = -102, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$14 \otimes \mathfrak{e}_8^{2,4} \mathfrak{e}_7^{1,5,5} 123 \quad \Delta = -103, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21 \mathfrak{e}_7 \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}_7^{1,2,4} 12 \quad \Delta = -122, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 414 \otimes \mathfrak{e}_8^{4,2} \mathfrak{e}_7^{1,4,5} 12$$

$$414 \otimes \mathfrak{e}_8^{4,2} \mathfrak{e}_7^{1,4,5} 123 \quad \Delta = -131, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 14 \otimes \mathfrak{e}_8^{2,4} \mathfrak{e}_7^{1,5,4} 122$$

$$221 \mathfrak{e}_7 \otimes \mathfrak{e}_8^{5,4} \mathfrak{e}_7^{1,2,4} 12 \quad \Delta = -94, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\begin{array}{ll}
14 \otimes_{\mathbf{e}_8}^{2,4} \otimes_{\mathbf{e}_7}^{21,5,4} 122 & \Delta = -94, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2 \\
221 \mathbf{e}_7 \otimes_{\mathbf{e}_8}^{5,4} \otimes_{\mathbf{e}_8}^{1,2,4} 41\mathbf{4} & \Delta = -122, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2 \\
221 \mathbf{e}_7 \otimes_{\mathbf{e}_8}^{5,4} \otimes_{\mathbf{e}_8}^{1,2,4} 41\mathbf{3} & \Delta = -102, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0 \\
14 \otimes_{\mathbf{e}_8}^{2,4} \otimes_{\mathbf{e}_7}^{5,4} 122\mathbf{3} & \Delta = -103, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0
\end{array}$$

Base: $1^{313221} e_8^{5,4} \otimes e_7^{1231}$

$1 \text{ }^{313221}_{\mathbf{e}_8} \text{ }^{5,4} \otimes \text{ }^2_{\mathbf{e}_7} 1231$	$\Delta = -85, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$
$1 \text{ }^{313221}_{\mathbf{e}_8} \text{ }^{5,4} \otimes \text{ }^4_{\mathbf{e}_7} 1231$	$\Delta = -111, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$
$1 \text{ }^{313221}_{\mathbf{e}_8} \text{ }^{5,4} \otimes \text{ }^3_{\mathbf{e}_7} 1231$	$\Delta = -91, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$
$1 \text{ }^{2313221}_{\mathbf{e}_8} \text{ }^{5,4} \otimes \text{ }^4_{\mathbf{e}_7} 1231$	$\Delta = -84, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$
$313221 \text{ }^{21}_{\mathbf{e}_8} \text{ }^{5,4} \otimes \text{ }^4_{\mathbf{e}_7} 1231$	$\Delta = -83, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$
$1 \text{ }^{313221}_{\mathbf{e}_8} \text{ }^{5,4} \otimes \text{ }^2_{\mathbf{e}_7} 1231$	$\Delta = -83, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$
$1 \text{ }^{313221}_{\mathbf{e}_8} \text{ }^{5,4} \otimes \text{ }^5_{\mathbf{e}_7} 1231$	$\Delta = -135, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_5$

Base: $1^{22221}{}^{5,4}e_8 \otimes e_7 12321$

$1_{\mathbf{e}_8}^{22221\ 5,4} \otimes \mathbf{e}_7$	$12321\mathbf{2}$	$\Delta = -68, n_+ = 1, n_- = 23, n_0 = 0$	$\rightarrow \mathbb{F}_0$
$22221_{\mathbf{e}_8}^{21\ 5,4} \otimes \mathbf{e}_7$	12321	$\Delta = -68, n_+ = 1, n_- = 23, n_0 = 0$	$\rightarrow \mathbb{F}_1$
$1_{\mathbf{e}_8}^{22221\ 5,4} \otimes \mathbf{e}_7$	$12321\mathbf{3}$	$\Delta = -76, n_+ = 1, n_- = 23, n_0 = 0$	$\rightarrow \mathbb{P}^2$
$1_{\mathbf{e}_8}^{22221\ 5,4} \otimes \mathbf{e}_7$	$12321\mathbf{6}$	$\Delta = -146, n_+ = 1, n_- = 23, n_0 = 0$	$\rightarrow \mathbb{F}_4$
$1_{\mathbf{e}_8}^{22221\ 5,4} \otimes \mathbf{e}_7$	$12321\mathbf{5}$	$\Delta = -120, n_+ = 1, n_- = 23, n_0 = 0$	$\rightarrow \mathbb{F}_3$
$1_{\mathbf{e}_8}^{22221\ 5,4} \otimes \mathbf{e}_7$	$12321\mathbf{7}$	$\Delta = -173, n_+ = 1, n_- = 23, n_0 = 0$	$\rightarrow \mathbb{F}_5$
$1_{\mathbf{e}_8}^{22221\ 5,4} \otimes \mathbf{e}_7$	$12321\mathbf{8}$	$\Delta = -201, n_+ = 1, n_- = 23, n_0 = 0$	$\rightarrow \mathbb{F}_6$
$1_{\mathbf{e}_8}^{22221\ 5,4} \otimes \mathbf{e}_7$	$12321\mathbf{4}$	$\Delta = -96, n_+ = 1, n_- = 23, n_0 = 0$	$\rightarrow \mathbb{F}_2$

$$\text{Base: } 4 \overset{3,2}{\otimes} \mathfrak{e}_7 \overset{5,4}{\otimes} \mathfrak{e}_8 1$$

$$\begin{array}{lll}
4 \otimes_{\mathbf{e}_7}^{3,2} \otimes_{\mathbf{e}_8}^{5,4} 213221 \mathbf{e}_8 1 & \Delta = -103, n_+ = 1, n_- = 23, n_0 = 0 & \rightarrow \mathbb{P}^2 \\
4 \otimes_{\mathbf{e}_7}^{3,2} \otimes_{\mathbf{e}_8}^{5,4} 413221 \mathbf{e}_8 1 & \Delta = -131, n_+ = 1, n_- = 23, n_0 = 0 & \rightarrow \mathbb{F}_3 \\
4 \otimes_{\mathbf{e}_7}^{3,2} \otimes_{\mathbf{e}_8}^{5,4} 513221 \mathbf{e}_8 1 & \Delta = -155, n_+ = 1, n_- = 23, n_0 = 0 & \rightarrow \mathbb{F}_4
\end{array}$$

Base: $1^{2221}{}^{5,4} \otimes e_7 123215$

$$2221\overset{21}{\mathbf{e}}_8^{5,4} \otimes \mathbf{e}_7 123215 \quad \Delta = -120, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1^{2221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 123151$

$$\begin{array}{lll}
1^{2221} \mathbf{e}_8 \otimes \mathbf{e}_7 123151 \mathbf{2} & \Delta = -118, n_+ = 1, n_- = 23, n_0 = 0 & \rightarrow \mathbb{P}^2 \\
2221 \mathbf{e}_8 \otimes \mathbf{e}_7 123151 & \Delta = -118, n_+ = 1, n_- = 23, n_0 = 0 & \rightarrow \mathbb{F}_0 \\
1^{2221} \mathbf{e}_8 \otimes \mathbf{e}_7 123151 \mathbf{3} & \Delta = -126, n_+ = 1, n_- = 23, n_0 = 0 & \rightarrow \mathbb{F}_2
\end{array}$$

Base: $1^{221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 1231513$

$$\begin{array}{lll}
1_{\mathbf{e}_8}^{221} \otimes_{\mathbf{e}_7}^{5,4} \mathbf{e}_7 1231513\mathbf{2} & \Delta = -127, n_+ = 1, n_- = 23, n_0 = 0 & \rightarrow \mathbb{F}_2 \\
1_{\mathbf{e}_8}^{3221} \otimes_{\mathbf{e}_7}^{5,4} \mathbf{e}_7 1231513 & \Delta = -135, n_+ = 1, n_- = 23, n_0 = 0 & \rightarrow \mathbb{P}^2 \\
221_{\mathbf{e}_8}^{21} \otimes_{\mathbf{e}_7}^{5,4} \mathbf{e}_7 1231513 & \Delta = -126, n_+ = 1, n_- = 23, n_0 = 0 & \rightarrow \mathbb{F}_0
\end{array}$$

Base: $1e_7^{1\ 5,5} \otimes e_8^{1\ 4,2} \otimes 41$

$$\begin{array}{lll}
\mathbf{1}_{\mathbf{e}_7}^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{21} \otimes \mathbf{41}^{4,2} & \Delta = -94, n_+ = 1, n_- = 23, n_0 = 0 & \rightarrow \mathbb{F}_2 \\
\mathbf{1}_{\mathbf{e}_7}^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{41} \otimes \mathbf{e}_8^{4,2} & \Delta = -94, n_+ = 1, n_- = 23, n_0 = 0 & \rightarrow \mathbb{F}_1 \\
\mathbf{1}_{\mathbf{e}_7}^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{41} \otimes \mathbf{41}^{4,2} & \Delta = -94, n_+ = 1, n_- = 23, n_0 = 0 & \rightarrow \mathbb{F}_1
\end{array}$$

$$1\epsilon_7^1 \otimes \epsilon_8^{5,5} \otimes 41\epsilon_8^{4,2} \quad \Delta = -102, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^1 \otimes \epsilon_8^{5,5} \otimes 41\epsilon_8^{4,2} \quad \Delta = -122, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes 41\epsilon_8^{1,4,2}$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes 41\epsilon_8^{1,4,2} \quad \Delta = -94, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes 41\epsilon_8^{1,4,2} \quad \Delta = -94, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes 41\epsilon_8^{1,4,2} \quad \Delta = -94, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{321} \otimes \epsilon_8^{4,5} \otimes 41\epsilon_8^{1,4,2} \quad \Delta = -103, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes 41\epsilon_8^{1,4,2} \quad \Delta = -122, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes 41\epsilon_8^{1,4,2} \quad \Delta = -102, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 21^{1231513221} \epsilon_8^{1223151321}$$

$$21^{1231513221} \epsilon_8^{1223151321} \quad \Delta = -127, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21^{1231513221} \epsilon_8^{1223151321} \quad \Delta = -72, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21^{1231513221} \epsilon_8^{1223151321} \quad \Delta = -2, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{1231513221} \epsilon_8^{1223151321} \quad \Delta = -22, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21^{1231513221} \epsilon_8^{1223151321} \quad \Delta = -99, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 21^{12231513221} \epsilon_8^{122315131}$$

$$21^{412231513221} \epsilon_8^{122315131} \quad \Delta = -21, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21^{12231513221} \epsilon_8^{122315131} \quad \Delta = -21, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21^{(12)12231513221} \epsilon_8^{122315131} \quad \Delta = -241, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$21^{812231513221} \epsilon_8^{122315131} \quad \Delta = -126, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21^{612231513221} \epsilon_8^{122315131} \quad \Delta = -71, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{12231513221} \epsilon_8^{122315131} \quad \Delta = -71, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{12231513221} \epsilon_8^{122315131} \quad \Delta = -1, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21^{312231513221} \epsilon_8^{122315131} \quad \Delta = -1, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21^{712231513221} \epsilon_8^{122315131} \quad \Delta = -98, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21^{12231513221} \epsilon_8^{122315131} \quad \Delta = -45, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21^{512231513221} \epsilon_8^{122315131} \quad \Delta = -45, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 21^{221} \epsilon_8^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{131}$$

$$21^{221} \epsilon_8^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{131} \quad \Delta = -95, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21^{3221} \epsilon_8^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{131} \quad \Delta = -104, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21^{221} \epsilon_8^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{131} \quad \Delta = -147, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21^{221} \epsilon_8^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{131} \quad \Delta = -173, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$21^{221} \epsilon_8^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{131} \quad \Delta = -123, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21^{221} \epsilon_8^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{131} \quad \Delta = -103, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } \epsilon_7^{5,5} \otimes \epsilon_8^{31513221} \otimes 12$$

$$\epsilon_7^{5,5} \otimes \epsilon_8^{31513221} \otimes 12 \quad \Delta = -127, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 21^{1513221} \epsilon_8^{5,5} \otimes \epsilon_7^1$$

$$21^{1513221} \epsilon_8^{5,5} \otimes \epsilon_7^1 \quad \Delta = -118, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{21513221} \epsilon_8^{5,5} \otimes \epsilon_7^1 \quad \Delta = -118, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21^{31513221} \epsilon_8^{5,5} \otimes \epsilon_7^1 \quad \Delta = -126, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$122315131 \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 12321 \mathbf{8} \quad \Delta = -69, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $14 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 131513221$

$$14 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 131513221\mathbf{6} \quad \Delta = -39, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 1315132218 \quad \Delta = -94, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$14 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 131513221 \textcolor{red}{(12)} \quad \Delta = -209, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$14 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 131513221\mathbf{5} \quad \Delta = -13, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$14 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 131513221\mathbf{7} \quad \Delta = -66, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1315131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \epsilon_6^{2,2} 1315131$

$$1315131\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 1315131\mathbf{4} \quad \Delta = -20, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1315131\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 1315131\mathbf{e}_6 \quad \Delta = -70, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1315131\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 1315131\mathbf{5} \quad \Delta = -44, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1315131\mathbf{c}_6^{2,2} \otimes \mathbf{c}_6^{2,2} \otimes \mathbf{c}_6 1315131\mathbf{c}_6 \quad \Delta = 0, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: 12315131 $\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \epsilon_6$ 131512

$$215131\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 13151321\mathbf{7} \quad \Delta = -90, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$215131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6 13151321\textcolor{red}{4} \quad \Delta = -13, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$215131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6 13151321\mathbf{6} \quad \Delta = -63, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$215131\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 13151321\mathbf{8} \quad \Delta = -118, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$215131\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 13151321\mathbf{5} \quad \Delta = -37, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $12315131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \epsilon_6^1 13151$

$$\begin{array}{ccccccc} & 7 & 1 & 2 & 3 & 1 & 5 & 1 & 3 & 1 & 6 & 1 & 3 & 1 & 6 & 1 & 3 & 1 & 6 & 1 & 3 & 1 \\ 1 & & & & & & 5 & & & & & & & & & & & & & & & 1 \end{array} \quad \Delta = -90, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{5}{1} 2 3 1 5 1 3 1 6 1 3 1 6 1 3 1 6 1 3 1 \quad \Delta = -37, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{412315131613161316131} 5 1 \quad \Delta = -13, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{612315131613161316131}{5} 1 \quad \Delta = -63, \quad n_+ = 1, \quad n_- = 23, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{8}{1} 2 3 1 5 1 3 1 6 1 3 1 6 1 3 1 6 1 3 1 \quad \Delta = -118, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $12321\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 12321$

$$12321\mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 12321\mathbf{7} \quad \Delta = -69, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$12321\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} 12321\mathbf{6} \quad \Delta = -42, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$12321\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 12321\mathbf{5} \quad \Delta = -16, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12321\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} 12321\mathbf{8} \quad \Delta = -97, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $221\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 1315131$

$$221\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 1315131\mathbf{4} \quad \Delta = -38, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{1315131} \quad \Delta = -11, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 1315131\mathbf{5} \quad \Delta = -62, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 1315131\mathbf{2} \quad \Delta = -10, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$221\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 1315131\mathbf{6} \quad \Delta = -88, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$221\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 1315131\mathbf{3} \quad \Delta = -18, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1315131\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 122\mathbf{3} \quad \Delta = -19, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $14 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 12321$

$$14 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 12321\mathbf{6} \quad \Delta = -67, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$13221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 12321\mathbf{3} \quad \Delta = -27, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$13221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 12321\mathbf{2} \quad \Delta = -19, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$13221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 12321\mathbf{6} \quad \Delta = -97, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1321e_7 \overset{3,3}{\otimes} e_7 \overset{4,5}{\otimes} e_7 1$

$$1\mathbf{e}_7^{4,5} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 1231\mathbf{2} \quad \Delta = -95, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{4,5} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 1231\mathbf{3} \quad \Delta = -103, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1e_7^{4,5} \otimes e_7^{3,3} \otimes e_7 1231\bar{5} \quad \Delta = -147, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_7 \mathbf{12} \quad \Delta = -95, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\mathbf{e}_7 \overset{2}{\otimes} \overset{3,3}{\mathbf{e}_7} \overset{4,5}{\otimes} \mathbf{e}_7 \quad \Delta = -97, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7^{4,5} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{12314} \quad \Delta = -123, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $13151321\mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 12315131$

$$13151321\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 12315131\mathbf{3} \quad \Delta = -29, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$13151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12315131\mathbf{2} \quad \Delta = -21, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$13151321\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 12315131\mathbf{5} \quad \Delta = -73, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$13151321\mathbf{e}_7^{\overset{2}{}} \otimes \mathbf{e}_7^{\overset{3,3}{}} 12315131 \quad \Delta = -22, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$13151321\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 12315131\mathbf{6} \quad \Delta = -99, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$13151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12315131\mathbf{4} \quad \Delta = -49, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $123151321\mathfrak{e}_7 \otimes^{3,3} \mathfrak{e}_7 1231512$

$$2151321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{123151321\mathbf{8}} \quad \Delta = -147, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$2151321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 123151321\mathbf{3} \quad \Delta = -22, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$2151321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 123151321\mathbf{5} \quad \Delta = -66, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$123151321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 1231512\mathbf{3} \quad \Delta = -23, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2151321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 123151321\mathbf{2} \quad \Delta = -14, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$2151321\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 123151321\mathbf{7} \quad \Delta = -119, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$2151321\mathbf{e}_7 \otimes \mathbf{e}_7^{3,3} 123151321\mathbf{6} \quad \Delta = -92, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$2151321\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 123151321\mathbf{4} \quad \Delta = -42, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $14 \overset{2,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 1231513221$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231513221\textcolor{red}{4} \quad \Delta = -18, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231513221 \textcolor{red}{(12)} \quad \Delta = -238, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12315132217 \quad \Delta = -95, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231513221\mathbf{6} \quad \Delta = -68, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12315132218 \quad \Delta = -123, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1223151321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{2,3} 41\mathbf{4} \quad \Delta = -18, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231513221\mathbf{5} \quad \Delta = -42, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $123151321\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 123151$

$$1 \overset{6}{2} 3 1 5 1 3 2 1 8 1 2 3 2 1 8 1 2 3 1 \quad \Delta = -92, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{412315132181232181231}{5} 1 \quad \Delta = -42, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \quad 5 \quad 1 \quad \Delta = -14, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$123151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{1}{123151}\mathbf{e}_7 \quad \Delta = -14, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$1\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{12321\mathbf{3}}$	$\Delta = -77, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$
$1\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{12321\mathbf{5}}$	$\Delta = -121, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$
$12321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{12\mathbf{2}}$	$\Delta = -69, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$
$1\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{12321\mathbf{8}}$	$\Delta = -202, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_6$
$1\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{12321\mathbf{6}}$	$\Delta = -147, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_4$

Base: $1\epsilon_6^1 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 12315131$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 12315131\mathbf{3} \quad \Delta = -49, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12315131\mathbf{2} \quad \Delta = -41, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_6^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12315131 \quad \Delta = -41, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1_{\mathbf{e}_6}^{1,3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12315131\mathbf{6} \quad \Delta = -119, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\overset{3,1}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 12315131 \quad \Delta = -49, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1_{\mathbf{e}_6}^{1,3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 123151314 \quad \Delta = -69, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12315131\mathbf{5} \quad \Delta = -93, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 12315131 \overset{2}{\phantom{\mathbf{e}}_7} \quad \Delta = -42, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1\epsilon_6 \overset{1}{\otimes} \overset{3,3}{\epsilon_7} \overset{3,3}{\otimes} \overset{3,3}{\epsilon_7} \overset{3,3}{\otimes} \epsilon_6 12$

$$1\overset{3,1}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_6 12 \quad \Delta = -69, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_6 12\mathbf{3} \quad \Delta = -70, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\overset{21}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_6 12 \quad \Delta = -61, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1e_6 \overset{1}{\otimes} \overset{3,3}{e_7} \overset{3,3}{\otimes} \overset{3,3}{e_7} \overset{3,3}{\otimes} \overset{1}{e_6} 1$

$$1_{\mathfrak{e}_6}^{\mathbf{21}} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6^{\mathbf{3,3}} \otimes \mathfrak{e}_6^{\mathbf{1}} \quad \Delta = -61, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\overset{3,1}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \overset{1}{\mathbf{e}}_6 \quad \Delta = -69, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $\mathbf{e}_7' \overset{4,5}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12321$

$$\mathbf{e}_7' \overset{4,5}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12321\mathbf{6} \quad \Delta = -147, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\mathbf{e}_7^{\prime 4,5} \otimes \mathbf{e}_7^{3,3} \mathbf{e}_7 12321\mathbf{2} \quad \Delta = -69, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\mathbf{e}_7^{4,5} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12321\mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\mathbf{e}_7^{4,5} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{123218} \quad \Delta = -202, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$\mathbf{e}_7' \overset{4,5}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12321\mathbf{\color{red}7} \quad \Delta = -174, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$\mathbf{e}_7^{4,5} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{12321\textcolor{red}{5}} \quad \Delta = -121, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1e_7' \overset{4,4}{\otimes} e_7 \overset{3,3}{\otimes} e_7 12321$

$$1\mathbf{e}'_7{}^{4,4} \otimes \mathbf{e}_7{}^{3,3} \otimes \mathbf{e}_7 12321\mathbf{6} \quad \Delta = -147, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^{4,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{123214} \quad \Delta = -97, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{4,4} \otimes \mathbf{e}_7^{3,3} 12321\mathbf{5} \quad \Delta = -121, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7^{4,4} \otimes \mathbf{e}_7^{3,3} 12321\mathbf{7} \quad \Delta = -174, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1e_7' \overset{4,4}{\otimes} e_7 \overset{3,3}{\otimes} e_7 12321 \textcolor{red}{3} \quad \Delta = -77, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$12321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{4,4}{\otimes} \mathbf{e}'_7 \mathbf{1} \textcolor{red}{2} \quad \Delta = -69, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_7' \overset{4,4}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 12321\textcolor{red}{2} \quad \Delta = -69, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7^{4,4} \otimes \mathbf{e}_7^{3,3} 12321\mathbf{8} \quad \Delta = -202, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

Base: $221e_7' \otimes^{3,3} e_7 \otimes^{3,3} e_7 1232151$

$$1512321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 122\mathbf{3} \quad \Delta = -71, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$221\epsilon_7' \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 1232151\textcolor{red}{2} \quad \Delta = -62, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221\epsilon_7' \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 1232151\textcolor{red}{3} \quad \Delta = -70, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $221e_7' \otimes^{3,3} e_7 \otimes^{3,3} e_7 1231512$

$$221\epsilon_7' \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 1231512\textcolor{red}{3} \quad \Delta = -69, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$2151321\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7' 122\textcolor{red}{3} \quad \Delta = -69, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $221e_7' \otimes^{3,3} e_7 \otimes^{3,3} e_7 123151^1$

$$1 \overset{322171232181232181231}{5} 1 \quad \Delta = -69, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$221\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 123151\mathbf{3} \quad \Delta = -68, \quad n_+ = 1, \quad n_- = 23, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{1}{123151\mathbf{2}} \quad \Delta = -60, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}'_7 1231$

$$4 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 1231 \textcolor{red}{4} \quad \Delta = -75, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$4 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 1231\textcolor{red}{2} \quad \Delta = -47, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$4^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7' 1231\textcolor{red}{3} \quad \Delta = -55, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \overset{2}{\mathfrak{e}_7'} 1231 \quad \Delta = -49, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $14 \overset{2,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}'_7 1231$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \overset{2}{\mathbf{e}_7'} 1231 \quad \Delta = -47, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 1231\mathbf{5} \quad \Delta = -97, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 1231\mathbf{2} \quad \Delta = -45, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1321\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{2,3}{\otimes} 41\mathbf{2} \quad \Delta = -45, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1321\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{2,3}{\otimes} 41\mathbf{3} \quad \Delta = -53, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 1231\mathbf{3} \quad \Delta = -53, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 12314 \quad \Delta = -73, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1321\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{2,3}{\otimes} 41\mathbf{4} \quad \Delta = -73, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $51321\epsilon_7' \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 12321$

$$51321\epsilon_7' \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 12321\textcolor{red}{4} \quad \Delta = -99, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$51321\epsilon_7' \otimes_{\epsilon_7}^{3,3} \otimes_{\epsilon_7}^{3,3} \epsilon_7 12321\mathbf{6} \quad \Delta = -149, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$51321\epsilon_7' \otimes_{\epsilon_7}^{3,3} \otimes_{\epsilon_7}^{3,3} \epsilon_7 12321\textcolor{red}{7} \quad \Delta = -176, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$51321\epsilon_7' \otimes_{\epsilon_7}^{3,3} \otimes_{\epsilon_7}^{3,3} \epsilon_7 123218 \quad \Delta = -204, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$51321\mathbf{e}_7' \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,3} \mathbf{e}_7 12321\mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$51321\mathbf{e}_7' \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 12321\mathbf{e}_7 \quad \Delta = -71, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$51321\mathbf{c}_7' \otimes_{\mathbf{c}_7}^{3,3} \otimes_{\mathbf{c}_7}^{3,3} \mathbf{c}_7 12321\mathbf{5} \quad \Delta = -123, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $12321e_7' \otimes^{3,3} e_7 \otimes^{3,3} e_7 12313$

$$31321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7' 12321\mathbf{6} \quad \Delta = -105, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$31321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7'12321\mathbf{8} \quad \Delta = -160, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$31321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 12321\mathbf{4} \quad \Delta = -55, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$31321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 12321\mathbf{5} \quad \Delta = -79, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$31321\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7' 12321\textcolor{red}{2} \quad \Delta = -27, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$31321\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}'_7 12321\mathbf{e}_3 \quad \Delta = -35, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{1321} \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \epsilon_7' 12321 \quad \Delta = -21, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \text{ } ^{1321} \text{ } ^{3,3} \text{ } \otimes \text{ } \text{ } ^{3,3} \text{ } \otimes \text{ } \text{ } ^{3,3} \text{ } 123217 \quad \Delta = -124, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1 \overset{3,1321}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}'_7} 12321 \quad \Delta = -27, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{1321}{\mathbf{e}_7} \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}_7} \overset{3,3}{\otimes} \mathbf{e}_7' 12321 \mathbf{4} \quad \Delta = -47, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{4,1321}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}'_7} 12321 \quad \Delta = -47, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{2,1}{\mathfrak{e}}_7 \overset{3,3}{\otimes} \overset{3,3}{\mathfrak{e}}_7 \overset{3,3}{\otimes} \mathfrak{e}'_{712321} \quad \Delta = -19, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{1321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7'} 123218 \quad \Delta = -152, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1 \overset{1321}{\mathbf{e}_7} \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}_7} \overset{3,3}{\otimes} \mathbf{e}'_7 12321 \textcolor{red}{2} \quad \Delta = -19, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{1321}{\mathbf{e}_7} \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7' 12321\mathbf{5} \quad \Delta = -71, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1 \overset{1}{e'_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{1}{\otimes} \overset{3,3}{e'_7} 1$$

$$1\overset{1}{\mathbf{e}}_7^{\prime 3,3} \otimes \mathbf{e}_7^{3,3} \otimes \overset{1}{\mathbf{e}}_7^{3,3} \otimes \mathbf{e}_7^{\prime 1,2} \quad \Delta = -115, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\overset{\textcolor{red}{21}}{\mathbf{e}}_7' \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{1,3,3} \quad \Delta = -115, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $21e_7 \overset{3,3}{\otimes} e_7 \overset{1}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_6 1$

$$21\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{3,3} \mathbf{1}^{\text{red}} \quad \Delta = -116, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{3,3} \mathbf{1} \quad \Delta = -124, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} 12\mathbf{e}_7 \quad \Delta = -125, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $e_6^{3,3} \otimes e_7^{3,3} \otimes e_7^1 \otimes e_7^{3,3} e_{7123}$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} 123\mathbf{red} \quad \Delta = -127, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1321\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{1}{\otimes} \overset{3,3}{\epsilon_7} 12321$

$$12321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{1}{\otimes} \overset{3,3}{\mathbf{e}_7} 1231\mathbf{5} \quad \Delta = -99, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{1}{\otimes} \overset{3,3}{\mathbf{e}_7} 12321\mathbf{3} \quad \Delta = -55, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$12321\mathbf{e}_7 \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{1}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 1231\mathbf{2} \quad \Delta = -47, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1321\mathbf{e}_7 \otimes_{\mathbf{e}_7}^{3,3} \mathbf{e}_7 \otimes_{\mathbf{e}_7}^{1,3,3} 12321\mathbf{5} \quad \Delta = -99, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^1 \mathbf{e}_7 \otimes^{3,3} 12321\mathbf{8} \quad \Delta = -180, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1321\epsilon_7^{3,3} \otimes \epsilon_7^1 \otimes \epsilon_7^{3,3} 12321\textcolor{red}{4} \quad \Delta = -75, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\overset{2}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{1}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 12321 \quad \Delta = -49, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$12321\mathbf{e}_7 \overset{3,3}{\otimes} \overset{1}{\mathbf{e}_7} \overset{3,3}{\otimes} \mathbf{e}_7 1231\mathbf{e}_7 \quad \Delta = -75, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^1 \mathbf{e}_7 \otimes^{3,3} 12321\mathbf{e}_7 \quad \Delta = -152, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1321\mathbf{e}_7 \overset{3,3}{\otimes} \overset{1}{\mathbf{e}_7} \overset{3,3}{\otimes} \mathbf{e}_7 12321\mathbf{6} \quad \Delta = -125, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1321\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{1,3,3} \mathbf{e}_7 12321\mathbf{e}_7 \quad \Delta = -47, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$12321\epsilon_7^{3,3} \otimes \epsilon_7^{1,3,3} \otimes \epsilon_7 1231\textcolor{red}{3} \quad \Delta = -55, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $e_6 \overset{3,3}{\otimes} e_7 \overset{1}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 122$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 122\mathbf{\bar{3}} \quad \Delta = -125, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{12321} \otimes_{\mathfrak{e}_7}^{3,3} \otimes_{\mathfrak{e}_7}^{3,3} \mathfrak{e}_7 1222$

$$1^{412321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} 1222 \quad \Delta = -66, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{8}{\mathbf{e}}_7^{12321} \otimes \overset{3,3}{\mathbf{e}}_7^{3,3} \otimes \overset{3,3}{\mathbf{e}}_7^{3,3} 1222 \quad \Delta = -171, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{612321}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} 1222 \quad \Delta = -116, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{5}{\epsilon}_7^{12321} \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 1222 \quad \Delta = -90, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{7}{\mathbf{e}}_7^{12321} \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 1222 \quad \Delta = -143, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$12321 \overset{21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 1222 \quad \Delta = -38, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{212321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{1222} \quad \Delta = -38, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{312321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{1222} \quad \Delta = -46, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1 \overset{1321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 12231$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 122314 \quad \Delta = -73, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{21321}{\mathfrak{e}_7} \overset{3,3}{\otimes} \overset{3,3}{\mathfrak{e}_7} \overset{3,3}{\otimes} \mathfrak{e}_7 12231 \quad \Delta = -45, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{5}{\mathbf{e}}_7^{1321} \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 12231 \quad \Delta = -97, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 122315 \quad \Delta = -97, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12231 \quad \Delta = -47, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{1321} \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7^{12231} \Delta = -53, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{1321} \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{12231} \Delta = -45, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{4}{\mathbf{e}}_7^{1321} \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 12231 \quad \Delta = -73, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{31321} \otimes e_7^{3,3} \otimes e_7^{3,3} 12231 \quad \Delta = -53, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\overset{21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12231 \quad \Delta = -45, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{1321} \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} e_7 \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} e_7 12313$

$$1 \stackrel{3,1}{\mathbf{e}}_7 \stackrel{3,3}{\otimes} \stackrel{3,3}{\mathbf{e}}_7 \stackrel{3,3}{\otimes} \mathbf{e}_7 12313 \quad \Delta = -61, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{21321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \mathbf{e}_7^{12313} \quad \Delta = -53, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{4}{\mathfrak{e}}_7^{1321} \otimes \overset{3,3}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}_7 12313 \quad \Delta = -81, \quad n_+ = 1, \quad n_- = 23, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{1321} \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7^{12313} \quad \Delta = -55, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \stackrel{1321}{\mathbf{e}}_7 \otimes \stackrel{3,3}{\mathbf{e}}_7 \otimes \stackrel{3,3}{\mathbf{e}}_7 12313 \Delta = -54, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \stackrel{5}{\mathbf{e}}_7 \otimes \stackrel{3,3}{\mathbf{e}}_7 \otimes \stackrel{3,3}{\mathbf{e}}_7 12313 \quad \Delta = -105, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1321\overset{2,1}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 12313 \quad \Delta = -53, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \overset{51321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 1231$

$$1^{51321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \mathbf{e}_7^{12314} \quad \Delta = -125, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{51321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{12315} \quad \Delta = -149, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{51321} \textcolor{red}{e}_7^{3,3} \otimes \textcolor{red}{e}_7^{3,3} \otimes \textcolor{red}{e}_7^{1231\textcolor{red}{2}} \quad \Delta = -97, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{51321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \overset{2}{1231} \quad \Delta = -99, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{1321} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^1 1232$

$$1 \overset{2}{\text{e}}_7^{1321} \overset{3,3}{\otimes} \overset{3,3}{\text{e}}_7 \overset{1}{\otimes} \overset{3,3}{\text{e}}_7 1232 \quad \Delta = -47, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{4}{\mathbf{e}}_7^{1321} \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \overset{1}{1232} \quad \Delta = -75, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{1}{\otimes} \mathbf{e}_7 1232 \quad \Delta = -55, n_+ = 1, n_- = 23, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\overset{21}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \overset{1}{1232} \quad \Delta = -47, \quad n_+ = 1, \quad n_- = 23, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{1321} \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 1232 = 1^+, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $e_6 \overset{3,3}{\otimes} e_7 \overset{1}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{21}{\otimes} 1$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \mathbf{e}_7^{21} \quad \Delta = -125, \, n_+ = 1, \, n_- = 23, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1 \overset{221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \overset{1}{\mathbf{e}_7} 12321$

$$1 \overset{221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12321 \overset{1}{\mathbf{2}} \quad \Delta = -38, \quad n_+ = 1, \quad n_- = 23, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12321\mathbf{3} \quad \Delta = -46, n_+ = 1, n_- = 23, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$221\overset{21}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \overset{1}{\epsilon_7} 12321 \quad \Delta = -38, \quad n_+ = 1, \quad n_- = 23, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: 12231513221 $\mathfrak{e}_8$ 122315131513

- 315131513221 $\mathfrak{e}_8$ 12231513221 $\mathbf{8}$ $\Delta = -157, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$
315131513221 $\mathfrak{e}_8$ 12231513221 $\mathbf{5}$ $\Delta = -76, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1$
315131513221 $\mathfrak{e}_8$ 12231513221 $\mathbf{3}$ $\Delta = -32, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3$
315131513221 $\mathfrak{e}_8$ 12231513221 $\mathbf{(12)}$ $\Delta = -272, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_6$
315131513221 $\mathfrak{e}_8$ 12231513221 $\mathbf{2}$ $\Delta = -24, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_4$
315131513221 $\mathfrak{e}_8$ 12231513221 $\mathbf{6}$ $\Delta = -102, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0$
315131513221 $\mathfrak{e}_8$ 12231513221 $\mathbf{7}$ $\Delta = -129, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2$
12231513221 $\mathfrak{e}_8$ 122315131513 $\mathbf{2}$ $\Delta = -25, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$
315131513221 $\mathfrak{e}_8$ 12231513221 $\mathbf{4}$ $\Delta = -52, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: $\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{5,5}12231513151

- $\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{5,5}12231513151 $\mathbf{2}$ $\Delta = -94, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2$

Base: $1\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{4,5}12231513215

- 51231513221 $\mathfrak{e}_8 \otimes \mathfrak{e}_6$ ^{4,5} $\mathbf{13}$ $\Delta = -103, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0$
51231513221 $\mathfrak{e}_8 \otimes \mathfrak{e}_6$ ^{4,5} $\mathbf{12}$ $\Delta = -95, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: $1\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{4,5}12231513151

- $1\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{4,5}12231513151 $\mathbf{3}$ $\Delta = -102, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$
15131513221 $\mathfrak{e}_8 \otimes \mathfrak{e}_6$ ^{4,5} $\mathbf{13}$ $\Delta = -102, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0$
 $1\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{4,5}12231513151 $\mathbf{2}$ $\Delta = -94, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2$
15131513221 $\mathfrak{e}_8 \otimes \mathfrak{e}_6$ ^{4,5} $\mathbf{12}$ $\Delta = -94, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: $31\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{4,5}1223151321

- $31\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{4,5}1223151321 $\mathbf{2}$ $\Delta = -51, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1$
 $31\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{4,5}1223151321 $\mathbf{6}$ $\Delta = -129, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3$
 $31\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{4,5}1223151321 $\mathbf{7}$ $\Delta = -156, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_4$
 $31\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{4,5}1223151321 $\mathbf{3}$ $\Delta = -59, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0$
 $31\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{4,5}1223151321 $\mathbf{8}$ $\Delta = -184, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_5$
 $31\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{4,5}1223151321 $\mathbf{4}$ $\Delta = -79, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2$

Base: $21\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{3,5}12231513151

- $21\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{3,5}12231513151 $\mathbf{3}$ $\Delta = -101, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$
 $21\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{3,5}12231513151 $\mathbf{2}$ $\Delta = -93, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2$
15131513221 $\mathfrak{e}_8 \otimes \mathfrak{e}_6$ ^{3,5} $\mathbf{123}$ $\Delta = -102, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: $321\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{3,5}1223151321

- $321\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{3,5}1223151321 $\mathbf{6}$ $\Delta = -129, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3$
 $321\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{3,5}1223151321 $\mathbf{7}$ $\Delta = -156, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_4$
1231513221 $\mathfrak{e}_8 \otimes \mathfrak{e}_6$ ^{3,5} $\mathbf{1232}$ $\Delta = -53, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0$
 $321\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{3,5}1223151321 $\mathbf{3}$ $\Delta = -59, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0$
 $321\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{3,5}1223151321 $\mathbf{5}$ $\Delta = -103, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$
 $321\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{3,5}1223151321 $\mathbf{8}$ $\Delta = -184, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_5$
 $321\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{3,5}1223151321 $\mathbf{2}$ $\Delta = -51, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1$
 $321\mathfrak{e}_6 \otimes \mathfrak{e}_8$ ^{3,5}1223151321 $\mathbf{4}$ $\Delta = -79, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2$

Base: $4 \otimes \mathfrak{e}_8$ ^{5,3} $\otimes \mathfrak{e}_6$ ^{3,5}131

$$\begin{aligned}
4 \otimes \epsilon_8 \otimes \epsilon_6^{5,3} 1312 & \Delta = -77, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2 \\
4 \otimes \epsilon_8 \otimes \epsilon_6^{5,3} 1313 & \Delta = -85, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
4 \otimes \epsilon_8 \otimes \epsilon_6^{5,3} 1316 & \Delta = -155, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_5 \\
4 \otimes \epsilon_8 \otimes \epsilon_6^{5,3} 1315 & \Delta = -129, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_4
\end{aligned}$$

$$\text{Base: } 4 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} 122315131$$

$$\begin{aligned}
4 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} 1223151315 & \Delta = -129, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3 \\
4 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} 1223151312 & \Delta = -77, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0 \\
4 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} 122315131^2 & \Delta = -78, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2 \\
4 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} 1223151313 & \Delta = -85, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2 \\
4 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} 1223151316 & \Delta = -155, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_4 \\
4 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} 1223151314 & \Delta = -105, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

$$\text{Base: } 15131\epsilon_6^{3,5} \otimes \epsilon_8 12231512$$

$$\begin{aligned}
15131\epsilon_6^{3,5} \otimes \epsilon_8 122315123 & \Delta = -102, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
21513221\epsilon_8^{3,5} \otimes \epsilon_6 131512 & \Delta = -93, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
21513221\epsilon_8^{3,5} \otimes \epsilon_6 131513 & \Delta = -101, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

$$\text{Base: } 15131\epsilon_6^{3,5} \otimes \epsilon_8^1 1223151$$

$$\begin{aligned}
15131\epsilon_6^{3,5} \otimes \epsilon_8^1 12231512 & \Delta = -93, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1^{2151316131513221(12)12231} & \Delta = -93, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1^{3151316131513221(12)12231} & \Delta = -101, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0 \\
15131\epsilon_6^{3,5} \otimes \epsilon_8^1 12231513 & \Delta = -101, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

$$\text{Base: } 414 \otimes \epsilon_8^{4,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_6^{2,2} 1$$

$$414 \otimes \epsilon_8^{4,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_6^{2,2} 13 \Delta = -131, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 14 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} 12$$

$$\begin{aligned}
21\epsilon_6^{2,2} \otimes \epsilon_6^{5,3} \otimes \epsilon_8^{2,4} 412 & \Delta = -95, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
21\epsilon_6^{2,2} \otimes \epsilon_6^{5,3} \otimes \epsilon_8^{2,4} 414 & \Delta = -123, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0 \\
14 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} 123 & \Delta = -104, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3 \\
21\epsilon_6^{2,2} \otimes \epsilon_6^{5,3} \otimes \epsilon_8^{2,4} 413 & \Delta = -103, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

$$\text{Base: } 131\epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8 122313$$

$$\begin{aligned}
313221\epsilon_8^{3,5} \otimes \epsilon_6^{2,2} \otimes \epsilon_6 1314 & \Delta = -111, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0 \\
313221\epsilon_8^{3,5} \otimes \epsilon_6^{2,2} \otimes \epsilon_6 1315 & \Delta = -135, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2 \\
313221\epsilon_8^{3,5} \otimes \epsilon_6^{2,2} \otimes \epsilon_6 1313 & \Delta = -91, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
313221\epsilon_8^{3,5} \otimes \epsilon_6^{2,2} \otimes \epsilon_6 1316 & \Delta = -161, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
131\epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8 1223132 & \Delta = -84, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
313221\epsilon_8^{3,5} \otimes \epsilon_6^{2,2} \otimes \epsilon_6 1312 & \Delta = -83, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

$$\text{Base: } 4 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} 12231$$

$$\begin{aligned}
4 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} 122312 & \Delta = -103, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2 \\
4 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} 122314 & \Delta = -131, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3 \\
4 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} 122315 & \Delta = -155, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_4
\end{aligned}$$

Base: $15131\mathfrak{e}_6 \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_8^{3,5} 1222$

$2221\mathfrak{e}_8 \otimes \mathfrak{e}_6^{3,5} \otimes \mathfrak{e}_6^{2,2} \mathfrak{e}_6 13151\mathbf{3} \quad \Delta = -126, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0$

$2221\mathfrak{e}_8 \otimes \mathfrak{e}_6^{3,5} \otimes \mathfrak{e}_6^{2,2} \mathfrak{e}_6 13151\mathbf{2} \quad \Delta = -118, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: $315131\mathfrak{e}_6 \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_8^{3,5} 122$

$315131\mathfrak{e}_6 \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_8^{3,5} 122\mathbf{3} \quad \Delta = -135, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3$

$221\mathfrak{e}_8 \otimes \mathfrak{e}_6^{3,5} \otimes \mathfrak{e}_6^{2,2} \mathfrak{e}_6 131513\mathbf{2} \quad \Delta = -127, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: $1\mathfrak{e}_6^{1,3,5} \otimes \mathfrak{e}_8 12231513215$

$1\mathfrak{e}_6^{31,3,5} \otimes \mathfrak{e}_8 12231513215 \quad \Delta = -102, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0$

$1\mathfrak{e}_6^{21,3,5} \otimes \mathfrak{e}_8 12231513215 \quad \Delta = -94, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: $1\mathfrak{e}_6^{1,3,5} \otimes \mathfrak{e}_8 12231513151$

$1\mathfrak{e}_6^{1,3,5} \otimes \mathfrak{e}_8 12231513151\mathbf{2} \quad \Delta = -93, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2$

$1\mathfrak{e}_6^{21,3,5} \otimes \mathfrak{e}_8 12231513151 \quad \Delta = -93, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1$

$1\mathfrak{e}_6^{1,3,5} \otimes \mathfrak{e}_8 12231513151\mathbf{3} \quad \Delta = -101, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$

$1\mathfrak{e}_6^{31,3,5} \otimes \mathfrak{e}_8 12231513151 \quad \Delta = -101, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: $1\mathfrak{e}_6^{1,2,2} \otimes \mathfrak{e}_6^{3,5} \otimes \mathfrak{e}_8^{4,2} 41$

$1\mathfrak{e}_6^{1,2,2} \otimes \mathfrak{e}_6^{3,5} \otimes \mathfrak{e}_8^{4,2} 41\mathbf{3} \quad \Delta = -103, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3$

$1\mathfrak{e}_6^{1,2,2} \otimes \mathfrak{e}_6^{3,5} \otimes \mathfrak{e}_8^{4,2} 41\mathbf{4} \quad \Delta = -123, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_4$

$1\mathfrak{e}_6^{1,2,2} \otimes \mathfrak{e}_6^{3,5} \otimes \mathfrak{e}_8^{4,2} 41\mathbf{2} \quad \Delta = -95, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$

$1\mathfrak{e}_6^{21,2,2} \otimes \mathfrak{e}_6^{3,5} \otimes \mathfrak{e}_8^{4,2} 41 \quad \Delta = -95, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$

$1\mathfrak{e}_6^{31,2,2} \otimes \mathfrak{e}_6^{3,5} \otimes \mathfrak{e}_8^{4,2} 41 \quad \Delta = -103, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: $1\mathfrak{e}_6^{31,3,5} \otimes \mathfrak{e}_8 1223151321$

$1\mathfrak{e}_6^{31,3,5} \otimes \mathfrak{e}_8 1223151321\mathbf{4} \quad \Delta = -78, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2$

$1\mathfrak{e}_6^{31,3,5} \otimes \mathfrak{e}_8 1223151321\mathbf{3} \quad \Delta = -58, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0$

$1\mathfrak{e}_6^{31,3,5} \otimes \mathfrak{e}_8 1223151321\mathbf{2} \quad \Delta = -50, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1$

$1\mathfrak{e}_6^{31,3,5} \otimes \mathfrak{e}_8 1223151321\mathbf{6} \quad \Delta = -128, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3$

$1\mathfrak{e}_6^{31,3,5} \otimes \mathfrak{e}_8 1223151321\mathbf{8} \quad \Delta = -183, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_5$

$1\mathfrak{e}_6^{31,3,5} \otimes \mathfrak{e}_8 1223151321\mathbf{7} \quad \Delta = -155, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_4$

Base: $4 \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_7^{5,5} 1$

$4 \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_7^{5,5} 1\mathbf{2} \quad \Delta = -97, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: $321\mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_8 122315131$

$321\mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_8 122315131\mathbf{2} \quad \Delta = -78, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0$

$321\mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_8 122315131\mathbf{2} \quad \Delta = -79, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2$

$321\mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_8 122315131\mathbf{6} \quad \Delta = -156, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_4$

$131513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 123\mathbf{2} \quad \Delta = -80, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0$

$321\mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_8 122315131\mathbf{5} \quad \Delta = -130, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3$

$321\mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_8 122315131\mathbf{4} \quad \Delta = -106, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$

$321\mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_8 122315131\mathbf{3} \quad \Delta = -86, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2$

Base: $4 \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_7^{4,5} 1$

$$\begin{aligned}
& 4 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_7' \overset{5,3}{1} \overset{4,5}{1} \overset{1}{2} \quad \Delta = -97, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1414 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_7 \overset{2,4}{12} \overset{5,5}{12} \\
& 21\mathfrak{e}_7 \otimes \mathfrak{e}_8 \otimes 4141 \overset{5,5}{2} \overset{2,4}{1} \overset{1}{2} \quad \Delta = -93, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 21\mathfrak{e}_7 \otimes \mathfrak{e}_8 \otimes 4141 \overset{5,5}{3} \overset{2,4}{1} \overset{1}{2} \quad \Delta = -101, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 21\mathfrak{e}_7 \otimes \mathfrak{e}_8 \otimes 4141 \overset{5,5}{4} \overset{2,4}{1} \overset{1}{2} \quad \Delta = -121, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1414 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_7 \overset{2,4}{12} \overset{5,5}{12} \overset{3}{3} \quad \Delta = -102, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \text{Base: } 21\mathfrak{e}_7 \otimes \mathfrak{e}_8 \overset{5,5}{122315123} \\
& 21\mathfrak{e}_7 \otimes \mathfrak{e}_8 \overset{5,5}{122315123} \overset{2}{2} \quad \Delta = -100, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 21\mathfrak{e}_7 \otimes \mathfrak{e}_8 \overset{5,5}{12231513} \overset{1}{1} \\
& 21\mathfrak{e}_7 \otimes \mathfrak{e}_8 \overset{5,5}{12231513} \overset{2}{2} \quad \Delta = -98, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 41414 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_7 \overset{4,2}{12} \overset{4,5}{12} \\
& 41414 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_7 \overset{4,2}{12} \overset{4,5}{12} \overset{3}{3} \quad \Delta = -130, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \text{Base: } 1414 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_7 \overset{2,4}{12} \overset{5,4}{12} \\
& 221\mathfrak{e}_7 \otimes \mathfrak{e}_8 \otimes 4141 \overset{5,4}{3} \overset{2,4}{1} \overset{1}{2} \quad \Delta = -101, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 221\mathfrak{e}_7 \otimes \mathfrak{e}_8 \otimes 4141 \overset{5,4}{4} \overset{2,4}{1} \overset{1}{2} \quad \Delta = -121, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1414 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_7 \overset{2,4}{12} \overset{5,4}{12} \overset{3}{3} \quad \Delta = -102, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 221\mathfrak{e}_7 \otimes \mathfrak{e}_8 \otimes 4141 \overset{5,4}{2} \overset{2,4}{1} \overset{1}{2} \quad \Delta = -93, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 221\mathfrak{e}_7 \otimes \mathfrak{e}_8 \overset{4,5}{122315123} \\
& 221\mathfrak{e}_7 \otimes \mathfrak{e}_8 \overset{4,5}{122315123} \overset{2}{2} \quad \Delta = -100, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 321\mathfrak{e}_7 \otimes \mathfrak{e}_8 \overset{5,5}{12231512} \\
& 321\mathfrak{e}_7 \otimes \mathfrak{e}_8 \overset{5,5}{12231512} \overset{3}{3} \quad \Delta = -107, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 21513221\mathfrak{e}_8 \otimes \mathfrak{e}_7 \overset{5,5}{123} \overset{2}{2} \quad \Delta = -100, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 321\mathfrak{e}_7 \otimes \mathfrak{e}_8 \overset{5,5}{1223151} \overset{1}{1} \\
& \overset{2321812231513221(12)12231}{1} \overset{5}{5} \overset{1}{1} \quad \Delta = -100, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 321\mathfrak{e}_7 \otimes \mathfrak{e}_8 \overset{5,5}{1223151} \overset{2}{2} \quad \Delta = -98, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 321\mathfrak{e}_7 \otimes \mathfrak{e}_8 \overset{5,5}{1223151} \overset{3}{3} \quad \Delta = -106, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 221\mathfrak{e}_7 \otimes \mathfrak{e}_8 \overset{4,5}{12231513} \overset{1}{1} \\
& 221\mathfrak{e}_7 \otimes \mathfrak{e}_8 \overset{4,5}{12231513} \overset{2}{2} \quad \Delta = -98, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 3221\mathfrak{e}_7 \otimes \mathfrak{e}_8 \overset{4,5}{12231512} \\
& 3221\mathfrak{e}_7 \otimes \mathfrak{e}_8 \overset{4,5}{12231512} \overset{3}{3} \quad \Delta = -107, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 3221\mathfrak{e}_7 \otimes \mathfrak{e}_8 \overset{4,5}{1223151} \overset{1}{1} \\
& 3221\mathfrak{e}_7 \otimes \mathfrak{e}_8 \overset{4,5}{1223151} \overset{3}{3} \quad \Delta = -106, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 3221\mathfrak{e}_7 \otimes \mathfrak{e}_8 \overset{4,5}{1223151} \overset{2}{2} \quad \Delta = -98, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 12321\mathfrak{e}_7 \otimes \mathfrak{e}_8 \overset{4,5}{1223132} \\
& 2313221\mathfrak{e}_8 \otimes \mathfrak{e}_7 \overset{4,5}{12321} \overset{2}{2} \quad \Delta = -57, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 2313221\mathfrak{e}_8 \otimes \mathfrak{e}_7 \overset{4,5}{12321} \overset{7}{7} \quad \Delta = -162, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 2313221\mathfrak{e}_8 \otimes \mathfrak{e}_7 \overset{4,5}{12321} \overset{8}{8} \quad \Delta = -190, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 2313221\mathfrak{e}_8 \otimes \mathfrak{e}_7 \overset{4,5}{12321} \overset{4}{4} \quad \Delta = -85, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

$$\begin{aligned}
& 2313221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 12321\mathbf{3} \quad \Delta = -65, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 2313221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 12321\mathbf{6} \quad \Delta = -135, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 2313221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 12321\mathbf{5} \quad \Delta = -109, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 4 \otimes \mathfrak{e}_7^{3,2} \otimes \mathfrak{e}_8^{5,4} \otimes 41^{2,4} \\
& 4 \otimes \mathfrak{e}_7^{3,2} \otimes \mathfrak{e}_8^{5,4} \otimes 41\mathbf{4} \quad \Delta = -130, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& 4 \otimes \mathfrak{e}_7^{3,2} \otimes \mathfrak{e}_8^{5,4} \otimes 41\mathbf{2} \quad \Delta = -102, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 314 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 1231 \\
& 1321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{5,4} \otimes 41\mathbf{3} \quad \Delta = -83, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 314 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 1231\mathbf{2} \quad \Delta = -84, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 314 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 1231\mathbf{2} \quad \Delta = -82, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 314 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 1231\mathbf{4} \quad \Delta = -110, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 314 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 1231\mathbf{5} \quad \Delta = -134, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& 314 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 1231\mathbf{3} \quad \Delta = -90, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 151321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122313 \\
& 313221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 123151\mathbf{2} \quad \Delta = -106, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 151321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122313\mathbf{2} \quad \Delta = -107, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 3151321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231 \\
& 3151321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231\mathbf{5} \quad \Delta = -158, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& 3151321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231\mathbf{2} \quad \Delta = -106, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 13221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 1231513\mathbf{2} \quad \Delta = -107, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 3151321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231\mathbf{4} \quad \Delta = -134, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 3151321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231\mathbf{3} \quad \Delta = -114, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_8^{4,5} 12222 \\
& 22221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_6^{3,3} 1\mathbf{3} \quad \Delta = -125, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 22221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_6^{3,3} 1\mathbf{2} \quad \Delta = -117, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{1,5,5} \otimes 41\mathbf{4}^{4,2} \\
& 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{1,5,5} \otimes 41\mathbf{4}^{4,2} \quad \Delta = -121, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{2,1,5,5} \otimes 41\mathbf{4}^{4,2} \quad \Delta = -93, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{1,5,5} \otimes 41\mathbf{4}^{4,2} \quad \Delta = -93, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{1,5,5} \otimes 41\mathbf{4}^{4,2} \quad \Delta = -101, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \text{Base: } 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{1,5,5} 122315123 \\
& 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{2,1,5,5} 122315123 \quad \Delta = -98, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{1,5,5} 122315123\mathbf{2} \quad \Delta = -100, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{1,5,5} 12231513 \\
& 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{2,1,5,5} 12231513 \quad \Delta = -97, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{1,5,5} 12231513\mathbf{2} \quad \Delta = -98, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{2,1,4,5} \otimes 41\mathbf{4}^{4,2} \\
& 21\mathfrak{e}_7 \otimes \mathfrak{e}_8^{2,1,4,5} \otimes 41\mathbf{4}^{4,2} \quad \Delta = -93, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

$$131513221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,3}{\mathfrak{e}}_6 131 \quad \Delta = -49, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{2131513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131 \quad \Delta = -49, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{131513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131\mathbf{3} \quad \Delta = -57, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{3131513221} 5,3 \otimes e_6 131 \quad \Delta = -57, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{131513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131 \quad \Delta = -50, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{4}{\text{e}_8} \overset{131513221}{\otimes} \overset{5,3}{\text{e}_6 131} \quad \Delta = -77, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{131513221} \epsilon_8^{5,3} \otimes \epsilon_6^{1316} \quad \Delta = -127, \quad n_+ = 1, \quad n_- = 24, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1^{131513221} \otimes \mathfrak{e}_6^{5,3} \quad \Delta = -101, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{6131513221} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6^{131} \quad \Delta = -127, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{131513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6^{1314} \quad \Delta = -77, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } \epsilon_6^{2,2} \otimes \epsilon_6^{5,3} \otimes \epsilon_8^{31513221} 1$$

$$\text{E6: } \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{5,3} \otimes \mathfrak{e}_8^{231513221} \otimes 1 \quad \Delta = -128, \quad n_+ = 1, \quad n_- = 24, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1^{1513221} \epsilon_8 \otimes \epsilon_6 \otimes \epsilon_6 1^{5,3} \otimes \epsilon_6 \otimes \epsilon_6 1^{2,2}$$

$$1^{31513221} \epsilon_8^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_{61} \quad \Delta = -127, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{21513221} \epsilon_8 \otimes \epsilon_6 \otimes \epsilon_6^1 \quad \Delta = -127, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{1513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 \mathbf{13} \quad \Delta = -127, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{1513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{12} \quad \Delta = -119, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \overset{13221}{\epsilon_8} \overset{5,3}{\otimes} \overset{2,2}{\epsilon_6} \otimes \epsilon_6 131$

$$1^{13221} \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6^{2,2} 1314 \quad \Delta = -103, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{213221} \epsilon_8 \otimes \epsilon_6 \otimes \epsilon_6 131 \quad \Delta = -75, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{13221}{}_{\mathfrak{e}_8}{}^{5,3} \otimes \mathfrak{e}_6{}^{2,2} \otimes \mathfrak{e}_6{}_{131\mathfrak{f}} \quad \Delta = -127, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{13221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 131 \mathbf{6} \quad \Delta = -153, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1^{13221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 131\mathbf{3} \quad \Delta = -83, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{413221} \epsilon_8^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_{6131} \quad \Delta = -103, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{313221} \epsilon_8^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6 131 \quad \Delta = -83, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{13221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6 131\mathbf{2} \quad \Delta = -75, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$13221_{\mathfrak{e}_8}^{\mathbf{2}_1^{5,3}} \otimes \mathfrak{e}_6^{\mathbf{2},2} \otimes \mathfrak{e}_6^{\mathbf{2},2} 131 \quad \Delta = -75, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{5}{\mathbf{e}}_8 \overset{13221}{\otimes} \overset{5,3}{\mathbf{e}}_6 \overset{2,2}{\otimes} \mathbf{e}_6 131 \quad \Delta = -127, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1 \overset{221}{\mathfrak{e}_8} \overset{5,3}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 13151$

$$1 \overset{3221}{\mathfrak{e}}_8 \overset{5,3}{\otimes} \overset{2,2}{\mathfrak{e}}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 13151 \quad \Delta = -127, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221\overset{\textcolor{red}{2}1}{\epsilon_8} \otimes \overset{5,3}{\epsilon_6} \otimes \overset{2,2}{\epsilon_6} 13151 \quad \Delta = -118, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{221} \epsilon_8^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6 13151 \mathbf{2} \quad \Delta = -118, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{221} \epsilon_8^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6 13151\mathbf{3} \quad \Delta = -126, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_6^1 \otimes \epsilon_8^{3,5} 1$ 1223151321

$$1_{\mathfrak{e}_6}^{1 \ 3,5 \ 1} \otimes 1_{\mathfrak{e}_8}^{12231513218} \quad \Delta = -175, \ n_+ = 1, \ n_- = 24, \ n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1_{\mathfrak{e}_6} \otimes 1_{\mathfrak{e}_8}^{1, 3, 5, 21} 1223151321 \quad \Delta = -42, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_6}^1 \otimes 1_{\mathfrak{e}_8}^{3,5} 1223151321\mathbf{3} \quad \Delta = -50, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_6}^1 \otimes 1_{\mathfrak{e}_8}^{3,5} 1223151321\mathbf{4} \quad \Delta = -70, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_6^1 \otimes \epsilon_8^{3,5} 1223151321\mathbf{2} \quad \Delta = -42, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\begin{aligned}
& 1^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7 12\mathbf{3} \quad \Delta = -98, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 1^{21812231513221(12)12231} \mathfrak{e}_8^5 \otimes \mathfrak{e}_7 12 \quad \Delta = -89, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7 12 \quad \Delta = -89, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1^{31513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7 12 \quad \Delta = -97, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 1^{21513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 122 \\
& 1^{321513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 122 \quad \Delta = -98, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1^{21513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 122\mathbf{3} \quad \Delta = -98, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 21513221\mathfrak{e}_8^{21} \mathfrak{e}_7^{5,4} 122 \quad \Delta = -89, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 1^{1513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 122 \\
& 1^{31513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 122 \quad \Delta = -97, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1^{1513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 122\mathbf{3} \quad \Delta = -98, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 1^{22181231513221(12)12231} \mathfrak{e}_8^5 \otimes \mathfrak{e}_7 12 \quad \Delta = -89, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1^{21513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 122 \quad \Delta = -89, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1^{313221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12321 \\
& 1^{313221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12321\mathbf{3} \quad \Delta = -64, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1^{313221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12321\mathbf{2} \quad \Delta = -56, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{313221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12321\mathbf{8} \quad \Delta = -189, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_6 \\
& 1^{313221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12321\mathbf{6} \quad \Delta = -134, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& 1^{313221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12321\mathbf{4} \quad \Delta = -84, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1^{2313221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12321 \quad \Delta = -57, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 313221\mathfrak{e}_8^{21} \mathfrak{e}_7^{5,4} 12321 \quad \Delta = -56, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1^{313221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12321\mathbf{7} \quad \Delta = -161, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_5 \\
& \text{Base: } 14^{2,4} \mathfrak{e}_8^1 \mathfrak{e}_7^{5,4} 1231 \\
& 1321\mathfrak{e}_7^{5,4} \mathfrak{e}_8^1 \mathfrak{e}_7^{2,4} 41\mathbf{4} \quad \Delta = -102, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 14^{2,4} \mathfrak{e}_8^1 \mathfrak{e}_7^{5,4} 1231\mathbf{2} \quad \Delta = -74, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1321\mathfrak{e}_7^{5,4} \mathfrak{e}_8^1 \mathfrak{e}_7^{2,4} 41\mathbf{2} \quad \Delta = -74, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 14^{2,4} \mathfrak{e}_8^{21} \mathfrak{e}_7^{5,4} 1231 \quad \Delta = -74, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 14^{2,4} \mathfrak{e}_8^1 \mathfrak{e}_7^{5,4} 1231\mathbf{2} \quad \Delta = -76, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1321\mathfrak{e}_7^{5,4} \mathfrak{e}_8^1 \mathfrak{e}_7^{2,4} 41\mathbf{3} \quad \Delta = -82, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 14^{2,4} \mathfrak{e}_8^1 \mathfrak{e}_7^{5,4} 1231\mathbf{3} \quad \Delta = -82, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 14^{2,4} \mathfrak{e}_8^1 \mathfrak{e}_7^{5,4} 1231\mathbf{4} \quad \Delta = -102, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 14^{2,4} \mathfrak{e}_8^1 \mathfrak{e}_7^{5,4} 1231\mathbf{5} \quad \Delta = -126, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 1^{13221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 123215 \\
& 1^{513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 123215 \quad \Delta = -152, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1^{413221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 123215 \quad \Delta = -128, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1^{313221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 123215 \quad \Delta = -108, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 13221\mathfrak{e}_8^{21} \mathfrak{e}_7^{5,4} 123215 \quad \Delta = -100, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1^{213221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 123215 \quad \Delta = -100, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 1^{13221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 123151
\end{aligned}$$

$$\begin{aligned}
21^{5,12231513221}_{\mathfrak{e}_8} 1223151321 \quad \Delta = -17, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21^{12231513221}_{\mathfrak{e}_8} 1223151321\mathbf{8} \quad \Delta = -98, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
21^{8,12231513221}_{\mathfrak{e}_8} 1223151321 \quad \Delta = -98, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21^{6,12231513221}_{\mathfrak{e}_8} 1223151321 \quad \Delta = -43, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21^{7,12231513221}_{\mathfrak{e}_8} 1223151321 \quad \Delta = -70, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

$$\text{Base: } 21^{13221}_{\mathfrak{e}_8} \otimes^{5,4} \mathfrak{e}_7 12321$$

$$\begin{aligned}
21^{4,13221}_{\mathfrak{e}_8} \otimes^{5,4} \mathfrak{e}_7 12321 \quad \Delta = -76, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21^{13221}_{\mathfrak{e}_8} \otimes^{5,4} \mathfrak{e}_7 12321\mathbf{6} \quad \Delta = -126, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
21^{2,13221}_{\mathfrak{e}_8} \otimes^{5,4} \mathfrak{e}_7 12321 \quad \Delta = -48, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21^{13221}_{\mathfrak{e}_8} \otimes^{5,4} \mathfrak{e}_7 12321\mathbf{3} \quad \Delta = -56, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21^{13221}_{\mathfrak{e}_8} \otimes^{5,4} \mathfrak{e}_7 12321\mathbf{7} \quad \Delta = -153, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
21^{13221}_{\mathfrak{e}_8} \otimes^{5,4} \mathfrak{e}_7 12321\mathbf{2} \quad \Delta = -48, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21^{5,13221}_{\mathfrak{e}_8} \otimes^{5,4} \mathfrak{e}_7 12321 \quad \Delta = -100, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
21^{13221}_{\mathfrak{e}_8} \otimes^{5,4} \mathfrak{e}_7 12321\mathbf{8} \quad \Delta = -181, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
21^{13221}_{\mathfrak{e}_8} \otimes^{5,4} \mathfrak{e}_7 12321\mathbf{4} \quad \Delta = -76, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

$$\text{Base: } 21^{221}_{\mathfrak{e}_8} \otimes^{5,4} \mathfrak{e}_7 \otimes^{3,3} \mathfrak{e}_6 1$$

$$\begin{aligned}
21^{3,221}_{\mathfrak{e}_8} \otimes^{5,4} \mathfrak{e}_7 \otimes^{3,3} \mathfrak{e}_6 1 \quad \Delta = -126, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21^{221}_{\mathfrak{e}_8} \otimes^{5,4} \mathfrak{e}_7 \otimes^{3,3} \mathfrak{e}_6 \mathbf{2} \quad \Delta = -117, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21^{221}_{\mathfrak{e}_8} \otimes^{5,4} \mathfrak{e}_7 \otimes^{3,3} \mathfrak{e}_6 \mathbf{3} \quad \Delta = -125, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

$$\text{Base: } 1^{1,12231513221}_{\mathfrak{e}_8} 1223151321$$

$$\begin{aligned}
1^{1,12231513221}_{\mathfrak{e}_8} 1223151321\mathbf{7} \quad \Delta = -70, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{1,7,12231513221}_{\mathfrak{e}_8} 1223151321 \quad \Delta = -70, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{1,12231513221}_{\mathfrak{e}_8} 1223151321\mathbf{6} \quad \Delta = -43, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1^{1,6,12231513221}_{\mathfrak{e}_8} 1223151321 \quad \Delta = -43, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1^{1,(12),12231513221}_{\mathfrak{e}_8} 1223151321 \quad \Delta = -213, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
1^{1,8,12231513221}_{\mathfrak{e}_8} 1223151321 \quad \Delta = -98, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1^{1,12231513221}_{\mathfrak{e}_8} 1223151321\mathbf{8} \quad \Delta = -98, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1^{1,5,12231513221}_{\mathfrak{e}_8} 1223151321 \quad \Delta = -17, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1^{1,12231513221}_{\mathfrak{e}_8} 1223151321\mathbf{5} \quad \Delta = -17, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

$$\text{Base: } 123141414141414141413221$$

$$12314141414141414141413221\mathbf{(12)} \quad \Delta = -67, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_9$$

$$\text{Base: } 21414141414141414141413221$$

$$21414141414141414141413221\mathbf{(12)} \quad \Delta = -86, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_9$$

$$\text{Base: } 141414141414141414141413221$$

$$141414141414141414141413221\mathbf{(12)} \quad \Delta = -86, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_9$$

$$\text{Base: } 122315131\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 131512$$

$$\begin{aligned}
215131\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 131513221\mathbf{8} \quad \Delta = -89, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
215131\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 131513221\mathbf{5} \quad \Delta = -8, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
215131\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 131513221\mathbf{7} \quad \Delta = -61, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
215131\mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 \otimes^{2,2} \mathfrak{e}_6 131513221\mathbf{(12)} \quad \Delta = -204, n_+ = 1, n_- = 24, n_0 = 0 &\rightarrow \mathbb{F}_4
\end{aligned}$$

[illegible]

$14 \otimes_{\mathbf{e}_7} \overset{2,3}{\mathbf{e}_7} \otimes_{\mathbf{e}_7} \overset{3,3}{\mathbf{e}_7} \otimes_{\mathbf{e}_7'} 12321$	$\Delta = -18, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0$
$12321\mathbf{e}_7' \otimes_{\mathbf{e}_7} \overset{3,3}{\mathbf{e}_7} \otimes_{\mathbf{e}_7} \overset{3,3}{\mathbf{e}_7} \otimes_{\mathbf{e}_7} \overset{2,3}{413}$	$\Delta = -26, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2'$
$14 \otimes_{\mathbf{e}_7} \overset{2,3}{\mathbf{e}_7} \otimes_{\mathbf{e}_7} \overset{3,3}{\mathbf{e}_7} \otimes_{\mathbf{e}_7'} 12321$	$\Delta = -123, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_5$
$14 \otimes_{\mathbf{e}_7} \overset{2,3}{\mathbf{e}_7} \otimes_{\mathbf{e}_7} \overset{3,3}{\mathbf{e}_7} \otimes_{\mathbf{e}_7'} 12321$	$\Delta = -26, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2$
$12321\mathbf{e}_7' \otimes_{\mathbf{e}_7} \overset{3,3}{\mathbf{e}_7} \otimes_{\mathbf{e}_7} \overset{3,3}{\mathbf{e}_7} \otimes_{\mathbf{e}_7} \overset{2,3}{41}$	$\Delta = -18, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3$
$14 \otimes_{\mathbf{e}_7} \overset{2,3}{\mathbf{e}_7} \otimes_{\mathbf{e}_7} \overset{3,3}{\mathbf{e}_7} \otimes_{\mathbf{e}_7'} 12321$	$\Delta = -96, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_4$
$14 \otimes_{\mathbf{e}_7} \overset{2,3}{\mathbf{e}_7} \otimes_{\mathbf{e}_7} \overset{3,3}{\mathbf{e}_7} \otimes_{\mathbf{e}_7'} 12321$	$\Delta = -151, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_6$
$12321\mathbf{e}_7' \otimes_{\mathbf{e}_7} \overset{3,3}{\mathbf{e}_7} \otimes_{\mathbf{e}_7} \overset{3,3}{\mathbf{e}_7} \otimes_{\mathbf{e}_7} \overset{2,3}{41}$	$\Delta = -46, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1$
$14 \otimes_{\mathbf{e}_7} \overset{2,3}{\mathbf{e}_7} \otimes_{\mathbf{e}_7} \overset{3,3}{\mathbf{e}_7} \otimes_{\mathbf{e}_7'} 12321$	$\Delta = -70, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3$
$14 \otimes_{\mathbf{e}_7} \overset{2,3}{\mathbf{e}_7} \otimes_{\mathbf{e}_7} \overset{3,3}{\mathbf{e}_7} \otimes_{\mathbf{e}_7'} 12321$	$\Delta = -46, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: $e_6 \overset{3,3}{\otimes} e_7' \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 12321$

$e_6^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{12321}$	$\Delta = -203, n_+ = 1, n_- = 24, n_0 = 0$	$\rightarrow \mathbb{F}_6$
$e_6^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{12321}$	$\Delta = -78, n_+ = 1, n_- = 24, n_0 = 0$	$\rightarrow \mathbb{P}^2$
$e_6^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{12321}$	$\Delta = -122, n_+ = 1, n_- = 24, n_0 = 0$	$\rightarrow \mathbb{F}_3$
$e_6^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{12321}$	$\Delta = -175, n_+ = 1, n_- = 24, n_0 = 0$	$\rightarrow \mathbb{F}_5$
$e_6^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{12321}$	$\Delta = -70, n_+ = 1, n_- = 24, n_0 = 0$	$\rightarrow \mathbb{F}_0$
$e_6^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{12321}$	$\Delta = -148, n_+ = 1, n_- = 24, n_0 = 0$	$\rightarrow \mathbb{F}_4$

Base: $1e_7^{21} \otimes e_7^{3,3} \otimes e_7^{3,3} 12315131$

$1\mathbf{e}_7^{21\ 3,3} \otimes \mathbf{e}_7 \otimes \mathbf{e}_7^{3,3} 12315131$	$\Delta = -67, n_+ = 1, n_- = 24, n_0 = 0$	$\rightarrow \mathbb{F}_2$
$1\mathbf{e}_7^{321\ 3,3} \otimes \mathbf{e}_7 \otimes \mathbf{e}_7^{3,3} 12315131$	$\Delta = -48, n_+ = 1, n_- = 24, n_0 = 0$	$\rightarrow \mathbb{F}_1$
$1\mathbf{e}_7^{21\ 3,3} \otimes \mathbf{e}_7 \otimes \mathbf{e}_7^{3,3} 12315131$	$\Delta = -47, n_+ = 1, n_- = 24, n_0 = 0$	$\rightarrow \mathbb{P}^2$
$1\mathbf{e}_7^{21\ 3,3} \otimes \mathbf{e}_7 \otimes \mathbf{e}_7^{3,3} 12315131$	$\Delta = -91, n_+ = 1, n_- = 24, n_0 = 0$	$\rightarrow \mathbb{F}_3$
$1\mathbf{e}_7^{21\ 3,3} \otimes \mathbf{e}_7 \otimes \mathbf{e}_7^{3,3} 12315131$	$\Delta = -117, n_+ = 1, n_- = 24, n_0 = 0$	$\rightarrow \mathbb{F}_4$
$1\mathbf{e}_7^{21\ 3,3} \otimes \mathbf{e}_7 \otimes \mathbf{e}_7^{3,3} 12315131$	$\Delta = -40, n_+ = 1, n_- = 24, n_0 = 0$	$\rightarrow \mathbb{P}^2$
$1\mathbf{e}_7^{21\ 3,3} \otimes \mathbf{e}_7 \otimes \mathbf{e}_7^{3,3} 12315131$	$\Delta = -39, n_+ = 1, n_- = 24, n_0 = 0$	$\rightarrow \mathbb{F}_0$
$21\mathbf{e}_7^{21\ 3,3} \otimes \mathbf{e}_7 \otimes \mathbf{e}_7^{3,3} 12315131$	$\Delta = -39, n_+ = 1, n_- = 24, n_0 = 0$	$\rightarrow \mathbb{F}_2$

$$\text{Base: } 1e_7' \otimes^{21, 3, 3} e_7 \otimes^{3, 3} e_7 \otimes^{3, 3} e_6 12$$

$$\begin{array}{ll}
1\mathbf{e}_7^{21\ 3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6\mathbf{12}\mathbf{\color{red}} & \Delta = -68, \ n_+ = 1, \ n_- = 24, \ n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
1\mathbf{e}_7^{\mathbf{\color{red}}21\ 3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6\mathbf{12} & \Delta = -68, \ n_+ = 1, \ n_- = 24, \ n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
21\mathbf{e}_7^{21\ 3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6\mathbf{12} & \Delta = -59, \ n_+ = 1, \ n_- = 24, \ n_0 = 0 \quad \rightarrow \mathbb{F}_3
\end{array}$$

$$\text{Base: } 1e_6^1 \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} e_7'^{21} 1$$

$$\begin{array}{llll}
\mathbf{1}_{\mathbf{e}_6}^{31} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \mathbf{e}_7'{}^{21} & \Delta = -67, n_+ = 1, n_- = 24, n_0 = 0 & \rightarrow \mathbb{F}_2 \\
\mathbf{1}_{\mathbf{e}_6}^{21} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \mathbf{e}_7'{}^{21} & \Delta = -59, n_+ = 1, n_- = 24, n_0 = 0 & \rightarrow \mathbb{F}_3 \\
\mathbf{1}_{\mathbf{e}_6}^1 \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \mathbf{e}_7'{}^{21} & \Delta = -59, n_+ = 1, n_- = 24, n_0 = 0 & \rightarrow \mathbb{F}_0 \\
\mathbf{1}_{\mathbf{e}_6}^1 \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \mathbf{e}_7'{}^{321} & \Delta = -68, n_+ = 1, n_- = 24, n_0 = 0 & \rightarrow \mathbb{F}_3
\end{array}$$

Base: $12321e_7^{3,3} \otimes e_7^{4,5} \otimes e_7 1$

$$12321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{4,5}{\otimes} \mathbf{e}_7 1\mathbf{2} \quad \Delta = -68, \, n_+ = 1, \, n_- = 24, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$221\overset{21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 1232151$	$\Delta = -61, n_+ = 1, n_- = 24, n_0 = 0$	$\rightarrow \mathbb{F}_2$
$1\overset{221}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \mathbf{e}_7 1232151\mathbf{2}$	$\Delta = -61, n_+ = 1, n_- = 24, n_0 = 0$	$\rightarrow \mathbb{P}^2$
$1\overset{3221}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 1232151$	$\Delta = -70, n_+ = 1, n_- = 24, n_0 = 0$	$\rightarrow \mathbb{F}_1$
$1\overset{221}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \mathbf{e}_7 1232151\mathbf{3}$	$\Delta = -69, n_+ = 1, n_- = 24, n_0 = 0$	$\rightarrow \mathbb{F}_2$

$$\begin{array}{ll}
1 \overset{221}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} 1231512 \textcolor{red}{\mathbf{2}} & \Delta = -68, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
221 \overset{21}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} 1231512 & \Delta = -59, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1 \overset{\textcolor{red}{3}221}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} 1231512 & \Delta = -68, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1
\end{array}$$

$$\begin{array}{lll}
1 \overset{221}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{1}{\mathbf{e}}_7 123151\textcolor{red}{2} & \Delta = -59, n_+ = 1, n_- = 24, n_0 = 0 & \rightarrow \mathbb{P}^2 \\
1 \overset{\textcolor{red}{3}221}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 123151 & \Delta = -68, n_+ = 1, n_- = 24, n_0 = 0 & \rightarrow \mathbb{F}_1 \\
221\overset{\textcolor{red}{2}1}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{1}{\mathbf{e}}_7 123151 & \Delta = -59, n_+ = 1, n_- = 24, n_0 = 0 & \rightarrow \mathbb{F}_2 \\
1 \overset{221}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 123151\textcolor{red}{3} & \Delta = -67, n_+ = 1, n_- = 24, n_0 = 0 & \rightarrow \mathbb{F}_2
\end{array}$$

$$\begin{array}{ll} 1 \overset{2321}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}'_7 \otimes \overset{3,3}{\mathbf{e}}_7 1 & \Delta = -125, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 1 \overset{321}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}'_7 \otimes \overset{3,3}{\mathbf{e}}_7 1 \mathbf{2} & \Delta = -123, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2 \end{array}$$

$1 \text{ } ^{712321} \text{ } ^{3,3} \otimes \text{ } ^{3,3} \text{ } ^{3,3} \text{ } \text{e}'_7 12321$	$\Delta = -97, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2$
$1 \text{ } ^{12321} \text{ } ^{3,3} \otimes \text{ } ^{3,3} \text{ } ^{3,3} \text{ } \text{e}'_7 12321 \textcolor{red}{7}$	$\Delta = -97, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_5$
$1 \text{ } ^{12321} \text{ } ^{3,3} \otimes \text{ } ^{3,3} \text{ } ^{3,3} \text{ } \text{e}'_7 12321 \textcolor{red}{5}$	$\Delta = -44, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3$
$1 \textcolor{red}{5} ^{12321} \text{ } ^{3,3} \otimes \text{ } ^{3,3} \text{ } ^{3,3} \text{ } \text{e}'_7 12321$	$\Delta = -44, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_1$
$1 \text{ } ^{12321} \text{ } ^{3,3} \otimes \text{ } ^{3,3} \text{ } ^{3,3} \text{ } \text{e}'_7 12321 \textcolor{red}{4}$	$\Delta = -20, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$
$1 \textcolor{red}{4} ^{12321} \text{ } ^{3,3} \otimes \text{ } ^{3,3} \text{ } ^{3,3} \text{ } \text{e}'_7 12321$	$\Delta = -20, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$
$1 \textcolor{red}{6} ^{12321} \text{ } ^{3,3} \otimes \text{ } ^{3,3} \text{ } ^{3,3} \text{ } \text{e}'_7 12321$	$\Delta = -70, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_0$
$1 \text{ } ^{12321} \text{ } ^{3,3} \otimes \text{ } ^{3,3} \text{ } ^{3,3} \text{ } \text{e}'_7 12321 \textcolor{red}{6}$	$\Delta = -70, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_4$
$1 \textcolor{red}{3} ^{12321} \text{ } ^{3,3} \otimes \text{ } ^{3,3} \text{ } ^{3,3} \text{ } \text{e}'_7 12321$	$\Delta = 0, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3$
$1 \text{ } ^{12321} \text{ } ^{3,3} \otimes \text{ } ^{3,3} \text{ } ^{3,3} \text{ } \text{e}'_7 12321 \textcolor{red}{8}$	$\Delta = -125, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_6$
$1 \textcolor{red}{8} ^{12321} \text{ } ^{3,3} \otimes \text{ } ^{3,3} \text{ } ^{3,3} \text{ } \text{e}'_7 12321$	$\Delta = -125, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$
$1 \text{ } ^{12321} \text{ } ^{3,3} \otimes \text{ } ^{3,3} \text{ } ^{3,3} \text{ } \text{e}'_7 12321 \textcolor{red}{3}$	$\Delta = 0, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2$

$$\begin{array}{ll} 1\mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7'_{123} \Delta = -125, n_+ = 1, n_- = 24, n_0 = 0 & \rightarrow \mathbb{F}_2 \\ 321\mathbf{e}_7' \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7'_{123} \Delta = -123, n_+ = 1, n_- = 24, n_0 = 0 & \rightarrow \mathbb{F}_0 \end{array}$$

$$\begin{aligned} 1\mathbf{e}'_7{}^{21}{}^{3,3} \otimes \mathbf{e}_7{}^{3,3} \otimes \mathbf{e}_7{}^1{}^{3,3} \otimes \mathbf{e}_7{}^{3,3} 12 \quad \Delta = -114, \, n_+ = 1, \, n_- = 24, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0 \\ 1\mathbf{e}'_7{}^1{}^{3,3} \otimes \mathbf{e}_7{}^{3,3} \otimes \mathbf{e}_7{}^{3,3} \otimes \mathbf{e}_7{}^1{}^{3,3} 12\mathbf{e}_7{}^{3,3} \quad \Delta = -123, \, n_+ = 1, \, n_- = 24, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \end{aligned}$$

$$321\epsilon_7^{3,3} \otimes \epsilon_7^1 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7' 12 \quad \Delta = -123, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7' \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{1,3,3} \mathbf{e}_7 123\mathbf{e}_7 \quad \Delta = -125, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $12321\epsilon_7^{\begin{smallmatrix} 3,3 \\ 1 \end{smallmatrix}} \otimes \epsilon_7^{\begin{smallmatrix} 3,3 \\ 1 \end{smallmatrix}} 12321$

$$12321\mathbf{e}_7 \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{1}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12321\mathbf{5} \quad \Delta = -72, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$12321\mathbf{e}_7 \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{1}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12321\mathbf{6} \quad \Delta = -98, \, n_+ = 1, \, n_- = 24, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$12321\mathbf{e}_7 \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{1}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12321\mathbf{e}_7 \quad \Delta = -20, \, n_+ = 1, \, n_- = 24, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$12321\mathbf{e}_7 \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{1}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12321\mathbf{3} \quad \Delta = -28, \, n_+ = 1, \, n_- = 24, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$12321\overset{3,3}{\mathbf{e}_7} \otimes \overset{1}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12321\textcolor{red}{4} \quad \Delta = -48, \, n_+ = 1, \, n_- = 24, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$12321\mathbf{e}_7 \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{1}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12321\mathbf{e}_7 \quad \Delta = -125, \ n_+ = 1, \ n_- = 24, \ n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$12321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} 12321\mathbf{8} \quad \Delta = -153, \, n_+ = 1, \, n_- = 24, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $1e'_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 122$

$$1\mathbf{e}_7' \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 122\mathbf{3} \quad \Delta = -123, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7'1\mathbf{2} \quad \Delta = -114, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \overset{12321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 12231$

$$1^{12321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12231 \mathbf{e}_7 \quad \Delta = -18, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{3,1}{\mathfrak{e}_7} \overset{2,3}{\mathfrak{e}_7} \overset{3,3}{\mathfrak{e}_7} \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_7 12231 \quad \Delta = -26, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$12321 \overset{21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12231 \quad \Delta = -18, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{212321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} 12231 \quad \Delta = -18, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1 \overset{12321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12231 \mathbf{4} \quad \Delta = -46, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{12321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12231 \mathbf{5} \quad \Delta = -70, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{512321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12231 \quad \Delta = -70, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{812321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{12231} \quad \Delta = -151, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{7}{\mathbf{e}}_7 \overset{12321}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12231 \quad \Delta = -123, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{412321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12231 \quad \Delta = -46, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{12321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12231\mathbf{3} \quad \Delta = -26, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{612321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12231 \quad \Delta = -96, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \overset{12321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 12313$

$$1 \overset{3,1}{\mathbf{e}}_7 \overset{1,2,3,2,1}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12313 \quad \Delta = -34, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$12321 \overset{21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12313 \quad \Delta = -26, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{8}{\mathbf{e}}_7^{12321} \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12313 \quad \Delta = -159, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{5}{\mathbf{e}}_7^{12321} \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12313 \quad \Delta = -78, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{7}{\mathbf{e}}_7^{12321} \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12313 \quad \Delta = -131, \, n_+ = 1, \, n_- = 24, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{4}{\mathbf{e}}_7^{12321} \overset{3,3}{\otimes} \mathbf{e}_7^{3,3} \overset{3,3}{\otimes} \mathbf{e}_7^{12313} \quad \Delta = -54, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{12321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{12313\textcolor{red}{2}} \quad \Delta = -27, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{21} \mathbf{e}_7^{12321} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12313 \quad \Delta = -26, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1 \overset{6}{\mathbf{e}}_7^{12321} \otimes \overset{3,3}{\mathbf{e}}_7^{3,3} \otimes \overset{3,3}{\mathbf{e}}_7^{3,3} 12313 \quad \Delta = -104, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \overset{1321}{\mathfrak{e}_7} \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,2}{\otimes} 41$

$$1 \overset{5}{\mathbf{e}}_7^{1321} \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,2}{\mathbf{e}}_7 \otimes 41 \quad \Delta = -96, \, n_+ = 1, \, n_- = 24, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{21321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,2}{\mathbf{e}_7} \otimes 41 \quad \Delta = -44, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,2} 41\mathbf{e}_7 \quad \Delta = -44, n_+ = 1, n_- = 24, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{4,1}{\mathfrak{e}_7} \overset{3,3}{\otimes} \overset{3,3}{\mathfrak{e}_7} \overset{3,2}{\otimes} 41 \quad \Delta = -72, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,2} 41\textcolor{red}{4} \quad \Delta = -72, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1 \overset{1321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,2}{\mathbf{e}_7} \otimes 41\mathbf{e}_7 \quad \Delta = -52, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{3,1321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,2}{41} \quad \Delta = -52, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1321\overset{2,1}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,2}{41} \quad \Delta = -44, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{1321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,2}{\mathbf{e}_7} \otimes 41 \quad \Delta = -46, \, n_+ = 1, \, n_- = 24, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $\mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{1}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 1231$

$$\mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_7^1 \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} 1231\mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231\mathbf{\bar{5}} \quad \Delta = -148, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{12314} \quad \Delta = -124, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7^{1321} 1$

$$4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{1321}{\otimes} \mathbf{12} \quad \Delta = -46, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathbf{2}_{1321} \mathfrak{e}_7 1 \quad \Delta = -46, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$4 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7^{1321} 1 \quad \Delta = -54, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \overset{1321}{\mathfrak{e}_7} 1 \quad \Delta = -48, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$4 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7^{41321} 1 \quad \Delta = -74, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1^{51321} \otimes_{\mathfrak{e}_7}^{3,3} \otimes_{\mathfrak{e}_7}^{3,3} 12321$

$$1 \overset{51321}{\mathfrak{e}_7} \overset{3,3}{\otimes} \overset{3,3}{\mathfrak{e}_7} \overset{3,3}{\otimes} \mathfrak{e}_7 12321 \mathbf{2} \quad \Delta = -70, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{51321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12321\mathbf{5} \quad \Delta = -122, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{51321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 123218 \quad \Delta = -203, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$1^{51321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12321 \mathbf{6} \quad \Delta = -148, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{51321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{12321} \mathbf{3} \quad \Delta = -78, \, n_+ = 1, \, n_- = 24, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{51321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{12321} \mathbf{4} \quad \Delta = -98, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{51321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12321 \mathbf{7} \quad \Delta = -175, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

Base: $1^{12321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \mathfrak{e}_7^1 1232$

$$1 \overset{7}{\mathbf{e}}_7 \overset{12321}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{1}{\mathbf{e}}_7 1232 \quad \Delta = -125, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{8}{\mathbf{e}_7} \overset{12321}{\otimes} \overset{3,3}{\mathbf{e}_7} \overset{3,3}{\otimes} \overset{1}{\mathbf{e}_7} 1232 \quad \Delta = -153, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{3,3}{\mathbf{e}_7} \overset{3,3}{\otimes} \overset{1}{\mathbf{e}_7} \overset{3,3}{\otimes} \overset{1}{\mathbf{e}_7} 1232 \quad \Delta = -28, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{5}{\mathbf{e}}_7 \overset{12321}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{1}{\mathbf{e}}_7 1232 \quad \Delta = -72, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{6}{\epsilon}_7^{12321} \overset{3,3}{\otimes} \overset{3,3}{\epsilon}_7 \overset{1}{\otimes} \epsilon_7^{1232} \quad \Delta = -98, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{4}{\epsilon}_7 \overset{12321}{\otimes} \overset{3,3}{\epsilon}_7 \overset{3,3}{\otimes} \overset{1}{\epsilon}_7 1232 \quad \Delta = -48, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{2}{\epsilon}_7^{12321} \overset{3,3}{\otimes} \overset{3,3}{\epsilon}_7 \overset{1}{\otimes} \overset{1}{\epsilon}_7^{1232} \quad \Delta = -20, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$12321 \overset{21}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \overset{1}{1232} \quad \Delta = -20, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \overset{21}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{1}{\otimes} \overset{3,3}{e_7'} 1$

$$1 \overset{3,2,1}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{1,3,3}{\mathbf{e}}_7' 1 \quad \Delta = -123, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21 \overset{\textcolor{red}{2}}{\mathbf{e}}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{1,3,3} \otimes \mathbf{e}_7' \quad \Delta = -114, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{1,3,3} \otimes \mathbf{e}_7'12 \quad \Delta = -114, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $e_7' \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 1$

$$\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{1}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{2321}{\otimes} \mathbf{e}_7 \quad \Delta = -125, n_+ = 1, n_- = 24, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{5,4} \otimes \epsilon_8^{4,5} \otimes \epsilon_6 12 \quad \Delta = -92, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 31\epsilon_6^{4,5} \otimes \epsilon_8 12231513221$$

$$31\epsilon_6^{4,5} \otimes \epsilon_8 12231513221 7 \quad \Delta = -127, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$31\epsilon_6^{4,5} \otimes \epsilon_8 12231513221 2 \quad \Delta = -22, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$31\epsilon_6^{4,5} \otimes \epsilon_8 12231513221 3 \quad \Delta = -30, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$31\epsilon_6^{4,5} \otimes \epsilon_8 12231513221 6 \quad \Delta = -100, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$31\epsilon_6^{4,5} \otimes \epsilon_8 12231513221 8 \quad \Delta = -155, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$31\epsilon_6^{4,5} \otimes \epsilon_8 12231513221 (12) \quad \Delta = -270, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$31\epsilon_6^{4,5} \otimes \epsilon_8 12231513221 5 \quad \Delta = -74, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$31\epsilon_6^{4,5} \otimes \epsilon_8 12231513221 4 \quad \Delta = -50, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 21\epsilon_6^{3,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_6 1$$

$$21\epsilon_6^{3,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_6 1 2 \quad \Delta = -91, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\epsilon_6^{3,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_6 1 3 \quad \Delta = -99, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^{5,4} \otimes \epsilon_8^{3,5} \otimes \epsilon_6 1 2 3 \quad \Delta = -100, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 21\epsilon_6^{3,5} \otimes \epsilon_8^{5,3} \otimes \epsilon_6 1 2$$

$$21\epsilon_6^{5,3} \otimes \epsilon_8^{3,5} \otimes \epsilon_6 1 2 3 \quad \Delta = -99, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 321\epsilon_6^{3,5} \otimes \epsilon_8 12231513221$$

$$321\epsilon_6^{3,5} \otimes \epsilon_8 12231513221 4 \quad \Delta = -50, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$321\epsilon_6^{3,5} \otimes \epsilon_8 12231513221 7 \quad \Delta = -127, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$12231513221\epsilon_8^{3,5} \otimes \epsilon_6 1 2 3 2 \quad \Delta = -24, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$321\epsilon_6^{3,5} \otimes \epsilon_8 12231513221 6 \quad \Delta = -100, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321\epsilon_6^{3,5} \otimes \epsilon_8 12231513221 3 \quad \Delta = -30, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$321\epsilon_6^{3,5} \otimes \epsilon_8 12231513221 (12) \quad \Delta = -270, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$321\epsilon_6^{3,5} \otimes \epsilon_8 12231513221 8 \quad \Delta = -155, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$321\epsilon_6^{3,5} \otimes \epsilon_8 12231513221 2 \quad \Delta = -22, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321\epsilon_6^{3,5} \otimes \epsilon_8 12231513221 5 \quad \Delta = -74, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 131\epsilon_6^{3,5} \otimes \epsilon_8 12231513215$$

$$51231513221\epsilon_8^{3,5} \otimes \epsilon_6 1 3 1 3 \quad \Delta = -81, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$51231513221\epsilon_8^{3,5} \otimes \epsilon_6 1 3 1 2 \quad \Delta = -73, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$51231513221\epsilon_8^{3,5} \otimes \epsilon_6 1 3 1 5 \quad \Delta = -125, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$51231513221\epsilon_8^{3,5} \otimes \epsilon_6 1 3 1 4 \quad \Delta = -101, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$51231513221\epsilon_8^{3,5} \otimes \epsilon_6 1 3 1 6 \quad \Delta = -151, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 131\epsilon_6^{3,5} \otimes \epsilon_8 12231513151$$

$$15131513221\epsilon_8^{3,5} \otimes \epsilon_6 1 3 1 4 \quad \Delta = -100, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$131\epsilon_6^{3,5} \otimes \epsilon_8 12231513151 3 \quad \Delta = -80, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$15131513221\epsilon_8^{3,5} \otimes \epsilon_6 1 3 1 3 \quad \Delta = -80, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$15131513221\epsilon_8^{3,5} \otimes \epsilon_6 1 3 1 2 \quad \Delta = -72, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\epsilon_6^{3,5} \otimes \epsilon_8 12231513151 2 \quad \Delta = -72, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$15131513221\epsilon_8^{3,5} \otimes \epsilon_6 1 3 1 5 \quad \Delta = -124, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$15131513221\epsilon_8 \otimes \epsilon_6^{3,5} 1316 \quad \Delta = -150, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 4 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} 1223151321$$

$$4 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} 12231513213 \quad \Delta = -57, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$4 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} 12231513216 \quad \Delta = -127, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$4 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} 12231513218 \quad \Delta = -182, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$4 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} 12231513217 \quad \Delta = -154, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$4 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} 12231513214 \quad \Delta = -77, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$4 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{5,3} 12231513212 \quad \Delta = -49, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 15131\epsilon_6^{3,5} \otimes \epsilon_8 122315131$$

$$15131\epsilon_6^{3,5} \otimes \epsilon_8 1223151313 \quad \Delta = -80, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$15131\epsilon_6^{3,5} \otimes \epsilon_8 1223151312 \quad \Delta = -72, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$15131\epsilon_6^{3,5} \otimes \epsilon_8 1223151315 \quad \Delta = -124, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$15131\epsilon_6^{3,5} \otimes \epsilon_8 1223151316 \quad \Delta = -150, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$15131\epsilon_6^{3,5} \otimes \epsilon_8 1223151314 \quad \Delta = -100, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$15131\epsilon_6^{3,5} \otimes \epsilon_8^{2,2} 122315131 \quad \Delta = -73, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$131513221\epsilon_8 \otimes \epsilon_6^{3,5} 131512 \quad \Delta = -72, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$131513221\epsilon_8 \otimes \epsilon_6^{3,5} 131513 \quad \Delta = -80, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 21\epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8 12231512$$

$$21513221\epsilon_8 \otimes \epsilon_6^{3,5} \otimes \epsilon_6^{2,2} 123 \quad \Delta = -99, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8 122315123 \quad \Delta = -99, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 21\epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8^{1,1} 1223151$$

$$21\epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8^{1,1} 12231513 \quad \Delta = -98, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{32161316131513221(12)12231} \quad \Delta = -99, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8^{1,1} 12231512 \quad \Delta = -90, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 14 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} 131$$

$$131\epsilon_6^{2,2} \otimes \epsilon_6^{5,3} \otimes \epsilon_8^{2,4} 414 \quad \Delta = -102, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$14 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} 1314 \quad \Delta = -102, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$131\epsilon_6^{2,2} \otimes \epsilon_6^{5,3} \otimes \epsilon_8^{2,4} 412 \quad \Delta = -74, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\epsilon_6^{2,2} \otimes \epsilon_6^{5,3} \otimes \epsilon_8^{2,4} 413 \quad \Delta = -82, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$14 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} 1313 \quad \Delta = -82, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} 1312 \quad \Delta = -74, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$14 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} 1315 \quad \Delta = -126, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$14 \otimes \epsilon_8^{2,4} \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} 1316 \quad \Delta = -152, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$\text{Base: } 15131\epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8 12231$$

$$15131\epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8 122313 \quad \Delta = -106, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$13221\epsilon_8 \otimes \epsilon_6^{3,5} \otimes \epsilon_6^{2,2} 131513 \quad \Delta = -106, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$15131\epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8 122315 \quad \Delta = -150, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$15131\epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8 122314 \quad \Delta = -126, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$13221\epsilon_8 \otimes \epsilon_6^{3,5} \otimes \epsilon_6^{2,2} 131512 \quad \Delta = -98, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1_{\mathbf{e}_6}^{31, 3, 5} \otimes \mathbf{e}_8 12231513221 \text{ (12)} \quad \Delta = -269, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_8$$

$$1_{\mathbf{e}_6}^{31, 3, 5} \otimes \mathbf{e}_8 12231513221\mathbf{6} \quad \Delta = -99, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{31} \otimes \epsilon_8^{3,5} 12231513221\textcolor{red}{7} \quad \Delta = -126, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_6^{31} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{3,5} 122$

$$1\mathbf{e}_6^{31,2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8 122\mathbf{3} \quad \Delta = -132, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\mathfrak{e}'_7 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513215$

$$51231513221 \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 \mathbf{12} \quad \Delta = -93, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1\mathfrak{e}'_7 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513151$

$$15131513221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 \mathbf{12} \quad \Delta = -92, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}'_7 \otimes^{5,5} \mathbf{e}_8 12231513151\mathbf{3} \quad \Delta = -100, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7' \overset{5,5}{\otimes} \mathbf{e}_8 12231513151\mathbf{2} \quad \Delta = -92, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $21\epsilon_7'^{4,5} \otimes \epsilon_8 12231513151$

$$21\mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_8 12231513151\mathbf{2} \quad \Delta = -92, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\mathfrak{c}_7^{4,5} \otimes \mathfrak{c}_8 12231513151\mathbf{3} \quad \Delta = -100, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$15131513221\mathbf{e}_8^{4,5} \otimes \mathbf{e}_7'12\mathbf{3} \quad \Delta = -101, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $321\epsilon_7' \otimes^{4,5} \epsilon_8 1223151321$

$$321\epsilon_7' \otimes^{4,5} \epsilon_8 1223151321\bar{5} \quad \Delta = -102, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321c_7^{4,5} \otimes c_8 12231513218 \quad \Delta = -183, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$321\epsilon_7' \otimes^{4,5} \epsilon_8 1223151321\textcolor{red}{2} \quad \Delta = -50, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1231513221\mathbf{e}_8 \otimes \mathbf{e}'_7 123\mathbf{2} \quad \Delta = -52, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$321\epsilon_7' \otimes \epsilon_8^{4,5} 1223151321\mathbf{3} \quad \Delta = -58, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$321\overset{4,5}{\epsilon}_7' \otimes \overset{4,5}{\epsilon}_8 1223151321\textcolor{red}{6} \quad \Delta = -128, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$321\epsilon_7' \otimes \epsilon_8 1223151321\mathbf{7} \quad \Delta = -155, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$321\epsilon_7' \otimes_{\mathbb{F}_2} \epsilon_8 12231513214 \quad \Delta = -78, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1\epsilon_7' \otimes \epsilon_8^{1,4,5} 12231513215$

$$1\epsilon_7' \otimes \epsilon_8^{21\ 4,5} 12231513215 \quad \Delta = -93, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1\epsilon_7' \otimes \epsilon_8^{1,4,5} 12231513151$

$$1\mathbf{e}_7' \otimes \mathbf{e}_8^{12231513151\mathbf{3}} \quad \Delta = -100, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{21}{\epsilon}'_7 \otimes \epsilon_8 12231513151 \quad \Delta = -92, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_7' \otimes \epsilon_8^{1\ 4,5} 12231513151\textcolor{red}{2} \quad \Delta = -92, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $321\mathfrak{e}_7^{5,5} \otimes \mathfrak{e}_8 122315131$

$$321\epsilon_7^{5,5} \otimes \epsilon_8 1223151314 \quad \Delta = -105, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$131513221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7123\mathbf{2} \quad \Delta = -79, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$321\epsilon_7^{5,5} \otimes \epsilon_8^{122315131} \quad \Delta = -78, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$321\mathbf{e}_7 \otimes \mathbf{e}_8^{5,5} 122315131\mathbf{e} \quad \Delta = -77, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$321\mathbf{e}_7 \otimes \mathbf{e}_8^{5,5} 122315131\mathbf{6} \quad \Delta = -155, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$321\epsilon_7^{5,5} \otimes \epsilon_8 122315131\mathbf{5} \quad \Delta = -129, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$321\mathbf{e}_7 \otimes \mathbf{e}_8^{5,5} 122315131\mathbf{3} \quad \Delta = -85, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $3221\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122315131$

$$\begin{aligned}
3221\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122315131\mathbf{3} \quad \Delta = -85, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
3221\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122315131\mathbf{4} \quad \Delta = -105, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
3221\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122315131\mathbf{2} \quad \Delta = -78, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
3221\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122315131\mathbf{1} \quad \Delta = -77, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
3221\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122315131\mathbf{6} \quad \Delta = -155, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
3221\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122315131\mathbf{5} \quad \Delta = -129, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $314 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 12321$

$$\begin{aligned}
314 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 12321\mathbf{7} \quad \Delta = -160, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_5 \\
314 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 12321\mathbf{8} \quad \Delta = -188, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_6 \\
314 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 12321\mathbf{2} \quad \Delta = -55, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
12321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{5,4} \otimes 413\mathbf{2} \quad \Delta = -56, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
314 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 12321\mathbf{6} \quad \Delta = -133, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
314 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 12321\mathbf{3} \quad \Delta = -63, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
314 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 12321\mathbf{4} \quad \Delta = -83, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1414 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 1231$

$$\begin{aligned}
1414 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 1231\mathbf{4} \quad \Delta = -101, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1414 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 1231\mathbf{2} \quad \Delta = -73, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{5,4} \otimes 4141\mathbf{2} \quad \Delta = -73, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1414 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 1231\mathbf{5} \quad \Delta = -125, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_4 \\
1414 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 1231\mathbf{3} \quad \Delta = -75, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1414 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 1231\mathbf{1} \quad \Delta = -81, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{5,4} \otimes 4141\mathbf{3} \quad \Delta = -81, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{5,4} \otimes 4141\mathbf{4} \quad \Delta = -101, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $14 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 123215$

$$\begin{aligned}
512321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{5,4} \otimes 41\mathbf{4} \quad \Delta = -127, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
512321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{5,4} \otimes 41\mathbf{3} \quad \Delta = -107, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
512321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{5,4} \otimes 41\mathbf{2} \quad \Delta = -99, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $14 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 123151$

$$\begin{aligned}
151321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{5,4} \otimes 41\mathbf{4} \quad \Delta = -125, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
151321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{5,4} \otimes 41\mathbf{3} \quad \Delta = -105, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
14 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 123151\mathbf{2} \quad \Delta = -97, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
151321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{5,4} \otimes 41\mathbf{2} \quad \Delta = -97, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
14 \otimes \mathfrak{e}_8^{2,4} \otimes \mathfrak{e}_7^{5,4} 123151\mathbf{3} \quad \Delta = -105, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122315123$

$$\begin{aligned}
1321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122315123\mathbf{2} \quad \Delta = -80, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122315123\mathbf{1} \quad \Delta = -80, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
321513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 1231\mathbf{5} \quad \Delta = -130, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
321513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 1231\mathbf{4} \quad \Delta = -106, n_+ = 1, n_- = 25, n_0 = 0 &\rightarrow \mathbb{F}_0
\end{aligned}$$

$$\begin{aligned}
& 321513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 1231\mathbf{3} \quad \Delta = -86, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 321513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 1231\mathbf{2} \quad \Delta = -78, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 4 \otimes \mathfrak{e}_7^{3,2} \otimes \mathfrak{e}_8^{5,4} 12231\mathbf{1} \\
& 4 \otimes \mathfrak{e}_7^{3,2} \otimes \mathfrak{e}_8^{5,4} 12231\mathbf{1} \mathbf{2} \quad \Delta = -97, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 1321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231\mathbf{1} \mathbf{3} \\
& 1321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231\mathbf{1} \mathbf{3} \mathbf{2} \quad \Delta = -78, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231\mathbf{1} \mathbf{5} \mathbf{1} \mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \mathbf{4} 132181231513221(12)12231 \quad \Delta = -105, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \mathbf{5} 132181231513221(12)12231 \quad \Delta = -129, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \mathbf{2} 132181231513221(12)12231 \quad \Delta = -77, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \mathbf{3} 132181231513221(12)12231 \quad \Delta = -85, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 1\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_8^{4,5} 12231\mathbf{3} \\
& 313221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_6^{3,3} \mathbf{1} \mathbf{2} \quad \Delta = -105, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_8^{4,5} 12231\mathbf{3} \mathbf{2} \quad \Delta = -106, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 313221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_6^{3,3} \mathbf{1} \mathbf{3} \quad \Delta = -113, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 31\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_8^{4,5} 12231 \\
& 31\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_8^{4,5} 12231\mathbf{4} \quad \Delta = -133, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 31\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_8^{4,5} 12231\mathbf{2} \quad \Delta = -105, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 31\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_8^{4,5} 12231\mathbf{5} \quad \Delta = -157, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& \text{Base: } 21\mathfrak{e}_7' \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_8^{4,5} 1222 \\
& 22221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_7'^{3,3} 12\mathbf{3} \mathbf{2} \quad \Delta = -124, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 321\mathfrak{e}_7' \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_8^{4,5} 1222 \\
& 2221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_7'^{3,3} 12\mathbf{3} \mathbf{2} \quad \Delta = -126, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 2321\mathfrak{e}_7' \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_8^{4,5} 122 \\
& 2321\mathfrak{e}_7' \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_8^{4,5} 122\mathbf{3} \quad \Delta = -135, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& \text{Base: } 1\mathfrak{e}_7' \otimes \mathfrak{e}_7^{1,3,3} \otimes \mathfrak{e}_8^{4,5} 12222 \\
& 1\mathfrak{e}_7' \otimes \mathfrak{e}_7^{21,3,3} \otimes \mathfrak{e}_8^{4,5} 12222 \quad \Delta = -115, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 4 \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_7^{5,5} \mathbf{1} \mathbf{1} \\
& 4 \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_7^{5,5} \mathbf{1} \mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 4 \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_7^{4,5} \mathbf{2} \mathbf{1} \\
& 4 \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_7^{4,5} \mathbf{2} \mathbf{1} \mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{321,4,5} 122315131 \\
& 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{321,4,5} 122315131\mathbf{6} \quad \Delta = -155, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{321,4,5} 122315131\mathbf{5} \quad \Delta = -129, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{321,4,5} 122315131\mathbf{3} \quad \Delta = -78, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{2321,4,5} 122315131 \quad \Delta = -79, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\mathfrak{e}_7 \otimes \mathfrak{e}_8^{321,4,5} 122315131\mathbf{2} \quad \Delta = -77, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

$$1^{321}{}_{\mathbf{e}_7}{}^{4,5} \otimes \mathbf{e}_8 122315131\mathbf{3} \quad \Delta = -85, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_8^{21} \otimes \mathbf{e}_6^{5,3} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 1232 \quad \Delta = -126, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\overset{2,1}{\mathfrak{e}}_8 \otimes \overset{5,3}{\mathfrak{e}}_6 \otimes \overset{2,2}{\mathfrak{e}}_6 \otimes \overset{2,2}{\mathfrak{e}}_6 123 \quad \Delta = -124, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\epsilon_8^{21} \otimes \epsilon_7^{5,4} \otimes \epsilon_7^{3,3} 1232 \quad \Delta = -126, \quad n_+ = 1, \quad n_- = 25, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$22221\overset{21}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 122222 \quad \Delta = -114, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$22221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \overset{1}{12222} \quad \Delta = -114, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\mathbf{e}_6 \otimes \begin{smallmatrix} 5,5 \\ \textcolor{red}{212231513221} \end{smallmatrix} \mathbf{e}_8 \mathbf{1} \quad \Delta = -14, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\mathfrak{e}_6^{5,5} \otimes \mathfrak{e}_8^{412231513221} 1 \quad \Delta = -42, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\mathfrak{e}_6^{5,5} \otimes \mathfrak{e}_8^{12231513221} 1 \quad \Delta = -22, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\mathfrak{e}_6^{5,5} \otimes \mathfrak{e}_8^{(12231513221)} 1 \quad \Delta = -119, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1^{12231513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1$$

$$1^{712231513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1 \quad \Delta = -119, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{812231513221} \otimes \mathfrak{e}_6 1^{5,4} \quad \Delta = -147, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{612231513221} \otimes \mathfrak{e}_8 \quad \Delta = -92, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$(12) \quad \mathfrak{e}_8 \otimes \mathfrak{e}_6 \quad \Delta = -66, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{12231513221} \mathbf{e}_8^{5,4} \otimes \mathbf{e}_6 \mathbf{1} \mathbf{2} \quad \Delta = -14, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{12231513221} \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 12$

$$12231513221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,3}{\mathfrak{e}}_6 12 \quad \Delta = -13, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{512231513221^{5,5}} \mathfrak{e}_8 \otimes \mathfrak{e}_{612} \quad \Delta = -65, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

416

$$\begin{array}{ll}
\mathbf{1}_{\mathbf{e}_6}^{1,2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{3,221} \mathbf{1} & \Delta = -124, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_3 \\
\mathbf{1}_{\mathbf{e}_6}^{2,1,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{221} \mathbf{1} & \Delta = -115, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1 \\
\mathbf{1}_{\mathbf{e}_6}^{3,1,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{221} \mathbf{1} & \Delta = -123, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0 \\
\mathbf{1}_{\mathbf{e}_6}^{1,2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{221} \mathbf{1}^2 & \Delta = -115, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0
\end{array}$$

$$\mathbf{e}_7' \otimes^{5,5} \mathbf{e}_8 \otimes^{1,3,5} \mathbf{e}_6 \mathbf{13} \quad \Delta = -126, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{21231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7'1 \quad \Delta = -41, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1231513221\overset{21}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_7'1 \quad \Delta = -41, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{41231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7' 1 \quad \Delta = -69, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{31231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7'1 \quad \Delta = -49, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{61231513221}{}^{5,5}{}_{\mathbf{e}_8} \otimes \mathbf{e}'_7 1 \quad \Delta = -119, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{1,3,5} \otimes \mathbf{e}_6 \mathbf{13} \quad \Delta = -126, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}'_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_6 1\mathbf{e}_2 \quad \Delta = -118, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{41231513221} 5,4 \mathbf{e}_8 \otimes \mathbf{e}'_{712} \quad \Delta = -69, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{21231513221} 5,4 \mathbf{e}_8 \otimes \mathbf{e}'_{712} \quad \Delta = -41, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{81231513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_{712} \quad \Delta = -174, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{61231513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_7 12 \quad \Delta = -119, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{5, 1231513221} \mathfrak{e}_8 \otimes \mathfrak{e}'_{712}{}^{5, 4} \quad \Delta = -93, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{1}{\epsilon}_7' \otimes \overset{4,5}{\epsilon}_8 1223151321\overset{1}{4} \quad \Delta = -69, \quad n_+ = 1, \quad n_- = 25, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1_{\mathcal{C}}^1 \otimes 1_{\mathcal{C}_0}^{4,5} \otimes 1_{\mathcal{C}_0}^{1223151321} \otimes 1_{\mathcal{C}_0}^3 \quad \wedge \quad -49 \quad n_1 = 1 \quad n_2 = 25 \quad n_3 = 0 \quad \rightarrow \mathbb{E}_0$$

$$1_{\overline{10}} \otimes 8_{122} = 19_{10} + 10_+ + 10_- + 10_0 + 10_1 + 10_2 + 10_3 + 10_4 + 10_5 + 10_6 + 10_7 + 10_8 + 10_9 + 10_{10} + 10_{11} + 10_{12} + 10_{13} + 10_{14} + 10_{15} + 10_{16} + 10_{17} + 10_{18} + 10_{19}$$

$$1e_7 \otimes 1e_{812231515121} \quad \Delta = -41, \quad n_+ = 1, \quad n_- = 29, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7' \otimes \epsilon_8^{1,4,5} 12231513218 \quad \Delta = -174, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon_7' \otimes 1\epsilon_8 1223151321\textcolor{red}{7} \quad \Delta = -146, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \overset{5131513221}{\mathbf{e}_8} \overset{5,5}{\otimes} \mathbf{e}_7 1$

$$1^{5131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7 \mathbf{12} \quad \Delta = -120, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{131513221} \epsilon_8^{5,5} \otimes \epsilon_7 12$

$$1 \overset{4}{\text{e}_8} \overset{13}{\text{e}_8} \overset{15}{\text{e}_8} \overset{13}{\text{e}_8} \overset{22}{\text{e}_8} \overset{1}{\text{e}_8} \overset{5,5}{\otimes} \text{e}_7 12 \quad \Delta = -96, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$131513221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_7 12 \quad \Delta = -68, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{2131513221} \otimes^{5,5} \mathbf{e}_8 \otimes \mathbf{e}_7 12 \quad \Delta = -68, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7 12 \quad \Delta = -69, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{3131513221}{}^{5,5} \otimes e_7 12 \quad \Delta = -76, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{131513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7 \mathbf{123} \quad \Delta = -77, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{6131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_{712} \quad \Delta = -146, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{5131513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12$

$$1^{5131513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 \mathbf{123} \quad \Delta = -129, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1^{131513221} \epsilon_8^{5,4} \otimes \epsilon_7 122$

$$1^{131513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 122\mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{131513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 122 \quad \Delta = -69, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{4131513221}{}^{5,4} \mathfrak{e}_8 \otimes \mathfrak{e}_7 122 \quad \Delta = -96, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$131513221\overset{21}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 122 \quad \Delta = -68, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{2131513221}{}^{5,4} \mathfrak{e}_8 \otimes \mathfrak{e}_7 122 \quad \Delta = -68, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{3131513221}{}^{5,4} \mathfrak{e}_8 \otimes \mathfrak{e}_7 122 \quad \Delta = -76, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{6131513221}{}^{5,4} \mathfrak{e}_8 \otimes \mathfrak{e}_7 122 \quad \Delta = -146, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{5131513221} \otimes \epsilon_8^{5,4} \otimes \epsilon_7 122 \quad \Delta = -120, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $14 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \overset{5,4}{\mathfrak{e}_7} 12321$

$$14 \overset{2,4}{\otimes} \overset{1}{\mathbf{e}}_8 \overset{5,4}{\otimes} \mathbf{e}_7 12321 \textcolor{red}{7} \quad \Delta = -152, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$14^{2,4} \otimes \mathfrak{e}_8^{1,5,4} \otimes \mathfrak{e}_7^{123216} \quad \Delta = -125, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$12321\mathbf{e}_7 \otimes \overset{5,4}{\mathbf{e}_8} \otimes \overset{1}{\mathbf{e}_8} \otimes \overset{2,4}{41}\mathbf{3} \quad \Delta = -55, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$14^{2,4} \otimes \mathbf{e}_8^{1,5,4} \otimes \mathbf{e}_7^{12321\mathbf{5}} \quad \Delta = -99, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$14^{2,4} \otimes \mathbf{e}_8^{1,5,4} \otimes \mathbf{e}_7^{123218} \quad \Delta = -180, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$14^{2,4} \otimes \mathbf{e}_8^{21} \otimes \mathbf{e}_7^{5,4} 12321 \quad \Delta = -47, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14^{2,4} \otimes \mathbf{e}_8^{1,5,4} \otimes \mathbf{e}_7 12321\mathbf{2} \quad \Delta = -47, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$14 \otimes^{2,4} \mathbf{e}_8 \otimes^{1,5,4} \mathbf{e}_7 12321\mathbf{3} \quad \Delta = -55, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$12321\mathbf{e}_7^{\overline{5,4}} \otimes \mathbf{e}_8^{\overline{1}} \otimes 41\mathbf{2}^{\overline{2,4}} \quad \Delta = -47, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$12321\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes 41\mathbf{e}_8 \quad \Delta = -75, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$14 \overset{2,4}{\otimes} \overset{1}{\mathbf{e}}_8 \overset{5,4}{\otimes} \mathbf{e}_7 12321\textcolor{red}{4} \quad \Delta = -75, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1^{1513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12315$

$$1^{31513221} 5,4 \mathbf{e}_8 \otimes \mathbf{e}_7 12315 \quad \Delta = -129, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{21513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 1231$

$$1^{21513221} 5,4 \text{ e}_8 \otimes \text{e}_7 12314 \quad \Delta = -97, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\begin{aligned}
1^{21513221} \epsilon_8^{5,4} \otimes \epsilon_7^{1231} \quad \Delta = -71, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_2 \\
1^{21513221} \epsilon_8^{5,4} \otimes \epsilon_7^{1231} \quad \Delta = -121, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_4 \\
21513221 \epsilon_8^{21} \otimes \epsilon_7^{1231} \quad \Delta = -69, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_1 \\
1^{21513221} \epsilon_8^{5,4} \otimes \epsilon_7^{1231} \quad \Delta = -69, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{P}^2 \\
1^{21513221} \epsilon_8^{5,4} \otimes \epsilon_7^{1231} \quad \Delta = -77, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_2 \\
1^{321513221} \epsilon_8^{5,4} \otimes \epsilon_7^{1231} \quad \Delta = -78, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1^{1513221} \epsilon_8^{5,4} \otimes \epsilon_7^{1231}$

$$\begin{aligned}
1^{1513221} \epsilon_8^{5,4} \otimes \epsilon_7^{1231} \quad \Delta = -71, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_2 \\
1^{21513221} \epsilon_8^{5,4} \otimes \epsilon_7^{1231} \quad \Delta = -69, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_2 \\
1^{1513221} \epsilon_8^{5,4} \otimes \epsilon_7^{1231} \quad \Delta = -69, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{P}^2 \\
1^{132181231513221(12)12231} \quad \Delta = -69, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_1 \\
1^{1513221} \epsilon_8^{5,4} \otimes \epsilon_7^{1231} \quad \Delta = -121, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_4 \\
1^{1513221} \epsilon_8^{5,4} \otimes \epsilon_7^{1231} \quad \Delta = -77, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_2 \\
1^{31513221} \epsilon_8^{5,4} \otimes \epsilon_7^{1231} \quad \Delta = -77, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_1 \\
1^{1513221} \epsilon_8^{5,4} \otimes \epsilon_7^{1231} \quad \Delta = -97, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $1^{13221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^1$

$$\begin{aligned}
1^{13221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^1 \quad \Delta = -97, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_2 \\
1^{413221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^1 \quad \Delta = -125, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_0 \\
1^{313221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^1 \quad \Delta = -105, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_1 \\
1^{513221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^1 \quad \Delta = -149, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{P}^2 \\
1^{13221} \epsilon_8^{21} \otimes \epsilon_7^{5,4} \otimes \epsilon_6^1 \quad \Delta = -97, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_1 \\
1^{13221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^1 \quad \Delta = -105, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_3 \\
1^{213221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^1 \quad \Delta = -97, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1^{2221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_7'_{12}$

$$\begin{aligned}
2221 \epsilon_8^{21} \otimes \epsilon_7^{5,4} \otimes \epsilon_7'_{12} \quad \Delta = -115, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_1 \\
1^{2221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_7'_{12} \quad \Delta = -124, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $1^{221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_7'_{123}$

$$\begin{aligned}
1^{221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_7'_{123} \quad \Delta = -126, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_2 \\
1^{3221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_7'_{123} \quad \Delta = -133, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{P}^2 \\
221 \epsilon_8^{21} \otimes \epsilon_7^{5,4} \otimes \epsilon_7'_{123} \quad \Delta = -124, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $1 \epsilon_7^{1,3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8^{1,222}$

$$\begin{aligned}
1 \epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_8^{4,5} \quad \Delta = -115, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_1 \\
1 \epsilon_7^{1,3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8^{21} \quad \Delta = -115, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $1 \epsilon_7^{1,5,5} \otimes \epsilon_8^{1,122315131}$

$$\begin{aligned}
1 \epsilon_7^{1,5,5} \otimes \epsilon_8^{1,122315131} \quad \Delta = -76, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_1 \\
1 \epsilon_7^{1,5,5} \otimes \epsilon_8^{1,122315131} \quad \Delta = -68, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_2 \\
1 \epsilon_7^{1,5,5} \otimes \epsilon_8^{1,122315131} \quad \Delta = -69, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_1 \\
1 \epsilon_7^{1,5,5} \otimes \epsilon_8^{1,122315131} \quad \Delta = -146, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_2
\end{aligned}$$

$$\begin{aligned}
& 1\epsilon_7^1 \otimes \epsilon_8^{5,5} 122315131\mathbf{5} \quad \Delta = -120, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 1\epsilon_7^{21} \otimes \epsilon_8^{5,5} 122315131 \quad \Delta = -68, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1\epsilon_7^1 \otimes \epsilon_8^{5,5} 2122315131 \quad \Delta = -68, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1\epsilon_7^1 \otimes \epsilon_8^{5,5} 122315131\mathbf{4} \quad \Delta = -96, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1\epsilon_7^1 \otimes \epsilon_8^{4,5} 1223151315 \\
& 1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 1223151315 \quad \Delta = -120, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 122315131 \\
& 1\epsilon_7^{321} \otimes \epsilon_8^{4,5} 122315131 \quad \Delta = -77, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 122315131\mathbf{4} \quad \Delta = -96, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 2122315131 \quad \Delta = -68, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 122315131\mathbf{2} \quad \Delta = -68, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 21\epsilon_7^{21} \otimes \epsilon_8^{4,5} 122315131 \quad \Delta = -68, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 122315131\mathbf{6} \quad \Delta = -146, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 122315131\mathbf{3} \quad \Delta = -76, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 122315131\mathbf{2} \quad \Delta = -69, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 1\epsilon_6^{1,2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8^{21} 12 \\
& 1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8^{21} 12 \quad \Delta = -115, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1\epsilon_6^{31} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{21} 12 \quad \Delta = -123, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1\epsilon_8^{22221} \otimes \epsilon_8^{5,5} 211222 \\
& 22221\epsilon_8^{21} \otimes \epsilon_8^{5,5} 211222 \quad \Delta = -114, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 21\epsilon_8^{12231513221} 12231513221 \\
& 21\epsilon_8^{12231513221} 12231513221\mathbf{6} \quad \Delta = -14, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 21\epsilon_8^{12231513221} 12231513221\mathbf{8} \quad \Delta = -69, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 21\epsilon_8^{12231513221} 12231513221\mathbf{(12)} \quad \Delta = -184, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_6 \\
& 21\epsilon_8^{12231513221} 12231513221\mathbf{7} \quad \Delta = -41, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 21\epsilon_8^{3221} \otimes \epsilon_7^{5,4} \otimes \epsilon_7^{3,3} \epsilon_7' 1 \\
& 21\epsilon_8^{3221} \otimes \epsilon_7^{5,4} \otimes \epsilon_7^{3,3} \epsilon_7' 1\mathbf{2} \quad \Delta = -124, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1\epsilon_7' \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8^{221} 12 \\
& 1\epsilon_7' \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8^{3221} 12 \quad \Delta = -124, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 1\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8^{221} 12 \quad \Delta = -115, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 221\epsilon_8^{221} \otimes \epsilon_8^{5,5} 122222 \\
& 221\epsilon_8^{3221} \otimes \epsilon_8^{5,5} 122222 \quad \Delta = -123, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1\epsilon_8^{22221} \otimes \epsilon_8^{5,5} 221122 \\
& 1\epsilon_8^{22221} \otimes \epsilon_8^{5,5} 221122\mathbf{3} \quad \Delta = -123, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 22221\epsilon_8^{21} \otimes \epsilon_8^{5,5} 221122 \quad \Delta = -114, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 1\epsilon_8^{2221} \otimes \epsilon_8^{5,5} 2211223 \\
& 2221\epsilon_8^{21} \otimes \epsilon_8^{5,5} 2211223 \quad \Delta = -123, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 21\epsilon_8^{221} \otimes \epsilon_8^{5,5} 1223
\end{aligned}$$

[illegible]

$$1 \overset{4,131}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} 1313 \quad \Delta = -22, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1^{131} \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^1 131$$

$$1 \overset{5}{\mathbf{e}}_6^{131} \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{1}{\mathbf{e}}_6^{131} \quad \Delta = -38, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $e_7 \overset{3,4}{\otimes} e_6 \overset{2,2}{\otimes} e_6 \overset{2,2}{\otimes} e_6 \overset{2,2}{\otimes} e_6 131$

$$\mathbf{e}_7^{3,4} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{131\textcolor{red}{2}} \quad \Delta = -94, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\mathbf{e}_7^{3,4} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{1316} \quad \Delta = -172, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{12\mathbf{3}} \quad \Delta = -123, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^1 \mathbf{1}^{\mathbf{red}} \quad \Delta = -122, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$123151321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 123151321\mathbf{5} \quad \Delta = -17, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$123151321\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 123151321\mathbf{6} \quad \Delta = -43, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: 13151321 $\epsilon_7^{3,3} \otimes \epsilon_7$ 1231513221

$$1223151321 \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12315131 \mathbf{e}_7 \quad \Delta = -42, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1223151321\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 12315131\mathbf{5} \quad \Delta = -16, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$13151321\epsilon_7^{\otimes 3.3} \otimes \epsilon_7 1231513221 \text{ (12)} \quad \Delta = -212, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$\text{Base: } 21e_7 \overset{3,3}{\otimes} e_7' \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 1231$$

$$1321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 12\mathbf{3} \quad \Delta = -103, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{\prime 3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231\mathbf{e}_7 \quad \Delta = -94, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7'} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{2}{\mathbf{e}_7} 1231 \quad \Delta = -96, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1231513221\mathbf{6} \quad \Delta = -62, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7 1231513221 \textcolor{red}{(12)} \quad \Delta = -232, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$21\mathbf{e}_6 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231513221\mathbf{8} \quad \Delta = -117, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\mathbf{c}_6^{3,3} \otimes \mathbf{c}_7^{3,3} \otimes \mathbf{c}_7 1231513221\mathbf{4} \quad \Delta = -12, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\mathbf{e}_6 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231513221\mathbf{5} \quad \Delta = -36, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $131\epsilon_6 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 123151321$

$$131\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1231513214 \quad \Delta = -20, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$123151321 \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_6 131 \mathbf{e}_6 \quad \Delta = 0, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$123151321\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_6 131\mathbf{6} \quad \Delta = -70, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$131\mathbf{e}_6 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 123151321\mathbf{6} \quad \Delta = -70, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$131\mathbf{e}_6 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 123151321\mathbf{5} \quad \Delta = -44, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 123151321\mathbf{7} \quad \Delta = -97, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$123151321\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_6 131\mathbf{5} \quad \Delta = -44, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$131\mathbf{e}_6 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 123151321\mathbf{8} \quad \Delta = -125, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$131\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7 123151321\mathbf{3} \quad \Delta = 0, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$123151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_6 131\mathbf{4} \quad \Delta = -20, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $131\epsilon_6 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_6 131$

$$131\mathbf{e}_6 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_6 131\mathbf{f} \quad \Delta = -71, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$131\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6 131\textcolor{red}{3} \quad \Delta = -27, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$131\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6 131\mathbf{6} \quad \Delta = -97, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$131\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6 131\textcolor{red}{4} \quad \Delta = -47, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$131\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6 131\textcolor{red}{2} \quad \Delta = -19, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $1\epsilon_6^1 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1231513221$

$$1\mathbf{e}_6^{1,3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231513221\mathbf{7} \quad \Delta = -89, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{1,3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231513221\mathbf{5} \quad \Delta = -36, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_6^{1,3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231513221 \text{ (12)} \quad \Delta = -232, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$1\mathbf{e}_6^{1,3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231513221\mathbf{8} \quad \Delta = -117, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_6^{1,3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231513221\mathbf{6} \quad \Delta = -62, \quad n_+ = 1, \quad n_- = 25, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{1,3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231513221\mathbf{4} \quad \Delta = -12, \quad n_+ = 1, \quad n_- = 25, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7'_{12}$

$$\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' \mathbf{123} \quad \Delta = -125, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $e_7' \overset{4,4}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7' 12$

$$\mathbf{e}_7' \overset{4,4}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7' \mathbf{123} \quad \Delta = -125, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $221e_7' \otimes^{3,3} e_7 \otimes^{3,3} e_7 123151321$

$$221\mathbf{e}'_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 123151321\mathbf{8} \quad \Delta = -144, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$123151321\epsilon_7 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 122\mathbf{3} \quad \Delta = -20, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$221\mathbf{e}'_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 123151321\mathbf{3} \quad \Delta = -19, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221\mathbf{e}_7' \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 123151321\mathbf{6} \quad \Delta = -89, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\mathbf{e}_7' \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 123151321\mathbf{2} \quad \Delta = -11, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$221\mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 123151321\mathbf{7} \quad \Delta = -116, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$221\epsilon_7' \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 123151321\mathbf{5} \quad \Delta = -63, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\epsilon_7' \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 1231513214 \quad \Delta = -39, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $131\epsilon_6 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7' 122$

$$221\epsilon_7' \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_6 131\mathbf{6} \quad \Delta = -116, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$131\mathbf{e}_6 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 122\mathbf{e}_3 \quad \Delta = -47, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_6 131\mathbf{5} \quad \Delta = -90, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6 131\mathbf{e}_6 \quad \Delta = -46, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\overset{3,3}{\epsilon}_7' \otimes \overset{3,3}{\epsilon}_7 \otimes \overset{3,3}{\epsilon}_7 \otimes \overset{3,3}{\epsilon}_6 131\textcolor{red}{4} \quad \Delta = -66, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_6 131\mathbf{2} \quad \Delta = -38, \quad n_+ = 1, \quad n_- = 25, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $221e_7' \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7' 122$

$$221\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7' 122\mathbf{e}_7 \quad \Delta = -66, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1321\epsilon_7' \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 12315131$

$$13151321\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}'_7 1231\mathbf{5} \quad \Delta = -71, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1321\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12315131\mathbf{5} \quad \Delta = -71, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1321\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12315131\mathbf{6} \quad \Delta = -97, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1321\overset{2}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 12315131 \quad \Delta = -21, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$13151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 1231\mathbf{2} \quad \Delta = -19, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1321\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12315131\mathbf{2} \quad \Delta = -19, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1321\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12315131\mathbf{4} \quad \Delta = -47, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12315131\mathbf{3} \quad \Delta = -27, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$13151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 1231\mathbf{3} \quad \Delta = -27, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{2}{12315131} \quad \Delta = -20, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$13151321\mathbf{e}_7 \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7}' 1231\mathbf{e}_4 \quad \Delta = -47, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $21e_6 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e'_7 1231$

$$1321\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_6 12\mathbf{3} \quad \Delta = -48, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7' 1231\mathbf{4} \quad \Delta = -67, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}'_7 1231\mathbf{3} \quad \Delta = -47, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7' 1231\textcolor{red}{2} \quad \Delta = -39, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}'_7 \overset{2}{1231} \quad \Delta = -41, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\mathbf{e}_6 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 1231\mathbf{5} \quad \Delta = -91, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $1\epsilon_6^1 \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7' 1231$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7'1231\mathbf{3} \quad \Delta = -47, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{3,1}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7' 1231 \quad \Delta = -47, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{1,3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 12315 \quad \Delta = -91, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7' \overset{2}{1231} \quad \Delta = -41, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{1,3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7'1231\mathbf{4} \quad \Delta = -67, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231 \quad \Delta = -39, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7'_{12312} \quad \Delta = -39, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $12321\epsilon_7' \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 1232151$

$$\begin{array}{lll}
1512321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12231\mathbf{4} & \Delta = -69, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 & \rightarrow \mathbb{F}_1 \\
13221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1232151\mathbf{2} & \Delta = -41, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 & \rightarrow \mathbb{P}^2 \\
1512321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12231\mathbf{5} & \Delta = -93, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 & \rightarrow \mathbb{F}_0
\end{array}$$

Base: $13221\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 1231512$

$$2151321 \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12231 \mathbf{e}_7 \quad \Delta = -47, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$2151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12231\mathbf{5} \quad \Delta = -91, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$2151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12231\mathbf{e} \quad \Delta = -39, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$13221\mathbf{e}_7 \otimes_{3,3} \mathbf{e}_7 \otimes_{3,3} \mathbf{e}_7 1231512\mathbf{3} \quad \Delta = -48, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$2151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12231\mathbf{4} \quad \Delta = -67, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $2221\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 12315131$

$$2221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12315131 \overset{2}{\quad} \Delta = -39, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12315131\mathbf{4} \quad \Delta = -66, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$2221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12315131\mathbf{2} \quad \Delta = -38, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$2221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12315131\mathbf{5} \quad \Delta = -90, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$2221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12315131\mathbf{r} \quad \Delta = -46, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$2221\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 12315131\mathbf{6} \quad \Delta = -116, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $13221\epsilon_7^{\overset{3,3}{\otimes}} \epsilon_7^{\overset{3,3}{\otimes}} \epsilon_7^{\overset{1}{\otimes}} 123151$

[illegible]

$$1 \overset{5}{} \overset{1322181232181232181231}{} 5 \Delta = -91, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{41322181232181232181231}{5} 1 \quad \Delta = -67, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$13221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 123151\mathbf{3} \quad \Delta = -47, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{2}{1} 3 2 2 1 8 1 2 3 2 1 8 1 2 3 2 1 8 1 2 3 1 \quad \Delta = -39, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$13221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{1}{123151\mathbf{e}_7} \quad \Delta = -39, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $21e_6 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 1222$

$$2221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6\mathbf{123} \quad \Delta = -67, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_6^1 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1222$

$$1_{\epsilon_6}^{21} \otimes_{\epsilon_7}^{3,3} \otimes_{\epsilon_7}^{3,3} \otimes_{\epsilon_7}^{3,3} 1_{222} \quad \Delta = -58, \quad n_+ = 1, \quad n_- = 25, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^{3,1} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1222 \quad \Delta = -66, \quad n_+ = 1, \quad n_- = 25, \quad n_0 = 0 \quad \rightarrow \mathbb{F}$$

Base: $14 \overset{2,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,2}{\otimes} 41$

$$14 \overset{3,2}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{2,3}{\otimes} 41 \mathbf{3} \quad \Lambda = -51 \quad n_+ = 1 \quad n_- = 25 \quad n_0 = 0 \quad \rightarrow \mathbb{E}_9$$

$$14 \begin{smallmatrix} 3,2 \\ \otimes \end{smallmatrix} \varepsilon_7 \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} \varepsilon_7 \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} \varepsilon_7 \begin{smallmatrix} 2,3 \\ \otimes \end{smallmatrix} 41^? \quad \Lambda = -43 \quad n_+ = 1 \quad n_- = 25 \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$14 \begin{smallmatrix} 3,2 \\ \otimes \end{smallmatrix} \epsilon_7 \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} \epsilon_7 \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} \epsilon_7 \begin{smallmatrix} 2,3 \\ \otimes \end{smallmatrix} 414 \quad \wedge = -71 \quad n_+ = 1 \quad n_- = 25 \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $31321e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 1231512$

$$31221\text{c} \xrightarrow{\otimes} \text{c} \xrightarrow{\otimes} \text{c} \xrightarrow{\otimes} 1231512\text{c} \quad \Lambda = 56 \quad m = 1 \quad n = 25 \quad m_0 = 0 \quad \in \mathbb{R}$$

$$2151321\bar{c} \otimes \bar{c} \otimes \bar{c} \otimes 1231312\bar{c} \quad \Delta = -50, \quad n_+ = 1, \quad n_- = 29, \quad n_0 = 0 \quad \rightarrow \mathbb{R}$$

$$\mathbf{B}_{\text{even}} = 21321 \begin{smallmatrix} 3,3 \\ \curvearrowright \end{smallmatrix} \begin{smallmatrix} 3,3 \\ \curvearrowright \end{smallmatrix} 10215 \begin{smallmatrix} 1 \\ \curvearrowright \end{smallmatrix}$$

	Base:	$\text{S}^{18}\Sigma^+_{g7} \otimes v_7 \otimes v_7\text{T}_{2\Sigma^+_{g1}}$								
		3,3	3,3	1						
S ¹⁸ O ⁻ :		1021516	1021519	A	47	1	25	0	B ²	

$$31521\mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 123151\mathbf{z} \quad \Delta = -47, \quad n_+ = 1, \quad n_- = 25, \quad n_0 = 0 \quad \rightarrow$$

$$1 \overset{221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_6} 12\mathbf{3} \quad \Delta = -67, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1 \mathbf{e}_6^{1 \ 3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{221} 1$

$$1 \overset{3,1}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \overset{221}{\mathbf{e}}_7 1 \quad \Delta = -66, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_6} \overset{1}{\otimes} \overset{3,3}{\mathfrak{e}_7} \overset{3,3}{\otimes} \overset{3,3}{\mathfrak{e}_7} \overset{3,3}{\otimes} \overset{3221}{\mathfrak{e}_7} 1 \quad \Delta = -67, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{1\ 3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{221} \mathbf{1}_2 \quad \Delta = -58, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{21}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \overset{221}{1} \quad \Delta = -58, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $2321e_7 \overset{3,3}{\otimes} e_7 \overset{1}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 1$

$$2321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{1}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1\mathbf{2} \quad \Delta = -124, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $321e_7 \overset{3,3}{\otimes} e_7 \overset{1}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 12$

$$321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12\mathbf{e}_7^{\mathbf{red}} \quad \Delta = -131, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $21e_7 \overset{3,3}{\otimes} e_7 \overset{1}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 122$

$$221\overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{1}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12\mathbf{3} \quad \Delta = -122, \quad n_+ = 1, \quad n_- = 25, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1e_7 \overset{3,3}{\otimes} e_7 \overset{1}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 1223$

$$3221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{12} \quad \Delta = -122, \quad n_+ = 1, \quad n_- = 25, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1^{12321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,2} 41$

$$1 \overset{3,1}{\mathbf{e}}_7 \overset{2,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,2}{\otimes} 41 \quad \Delta = -25, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{12321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,2} 41\mathbf{3} \quad \Delta = -25, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{12321} \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,2} 41\text{red} \quad \Delta = -45, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \overset{4}{\mathbf{e}}_7 \overset{12321}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{3,2}{\mathbf{e}}_7 \otimes 41 \quad \Delta = -45, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{8}{\mathbf{e}}_7 \overset{12321}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{3,2}{\mathbf{e}}_7 \otimes 41 \quad \Delta = -150, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{12321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,2}{41\mathbf{2}} \quad \Delta = -17, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{\mathbf{612321}} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,2} 41 \quad \Delta = -95, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{212321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,2} 41 \quad \Delta = -17, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$12321\overset{21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,2}{41} \quad \Delta = -17, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{\overline{512321}} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,2} 41 \quad \Delta = -69, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{7}{\mathbf{e}}_7 \overset{12321}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{3,2}{\mathbf{e}}_7 \otimes 41 \quad \Delta = -122, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1e'_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 1231$

$$1321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{1}{\otimes} \mathbf{e}'_{712} \quad \Delta = -94, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231\mathbf{e}_7^{3,3} \quad \Delta = -94, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231\mathbf{4} \quad \Delta = -122, \quad n_+ = 1, \quad n_- = 25, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231\mathbf{3} \quad \Delta = -102, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\epsilon_7^{3,3} \otimes \epsilon_7^1 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \epsilon_7^{2,3} 1231 \quad \Delta = -96, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{1,3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231\mathbf{5} \quad \Delta = -146, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7^{12321} 1$

$$4 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{412321}{\otimes} \mathbf{e}_7 1 \quad \Delta = -47, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$4 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{8^{12321}}{\otimes} 1 \quad \Delta = -152, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$4 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{512321}{\otimes} \mathbf{e}_7 1 \quad \Delta = -71, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$4 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{712321}{\otimes} \mathbf{1} \quad \Delta = -124, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$\begin{array}{llll}
4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7^{12321} 1 & \Delta = -27, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{P}^2 \\
4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7^{612321} 1 & \Delta = -97, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_4 \\
4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7^{12321} 1^2 & \Delta = -19, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_0 \\
4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7^{212321} 1 & \Delta = -19, n_+ = 1, n_- = 25, n_0 = 0 & \rightarrow \mathbb{F}_0
\end{array}$$

$$1 \overset{3,1321}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} 1232151 \quad \Delta = -49, n_+ = 1, n_- = 25, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\overset{2,1}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} 1232151 \quad \Delta = -41, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{1321}{\mathbf{e}_7} \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}_7} \overset{3,3}{\otimes} \mathbf{e}_7 1232151 \quad \Delta = -43, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{1321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 1232151\mathbf{2} \quad \Delta = -41, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{1321} \otimes^{3,3} e_7 \otimes^{3,3} e_7 1231512$

$$1 \overset{3,1321}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231512 \quad \Delta = -47, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{1321} \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} 1231512\textcolor{red}{3} \quad \Delta = -48, \quad n_+ = 1, \quad n_- = 25, \quad n_0 = 0 \quad \rightarrow \mathbb{F}$$

$$1321\overset{21}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} 1231512 \quad \Delta = -39, n_+ = 1, n_- = 25, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{1321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \mathfrak{e}_7^{123151}$

$$1 \overset{1321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 123151\mathbf{3} \quad \Delta = -47, \, n_+ = 1, \, n_- = 25, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{21321}{\epsilon_7} \overset{3,3}{\otimes} \overset{3,3}{\epsilon_7} \overset{1}{\otimes} \overset{1}{\epsilon_7} 123151 \quad \Delta = -39, \quad n_+ = 1, \quad n_- = 25, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{1321} \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 123151^2 \quad \Lambda = -39 \quad n_+ = 1 \quad n_- = 25 \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

[illegible]

Base. $\mathfrak{t}_6 \otimes \mathfrak{t}_7 \otimes \mathfrak{t}_7 \otimes \mathfrak{t}_7 12321$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{12321\mathbf{3}} \quad \Delta = -77, \quad n_+ = 1, \quad n_- = 25, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\epsilon_6^{3,3} \otimes \epsilon_7^1 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{12321} \quad \Lambda = -69, \quad n_1 = 1, \quad n_2 = 25, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\begin{array}{c} 3,3 \quad 1 \quad 3,3 \quad 3,3 \\ \mathfrak{e}_6 \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_7 \end{array} 123217 \quad \Lambda = -174, \quad n_1 = 1, \quad n_2 = 25, \quad n_0 = 0 \quad \rightarrow \mathbb{E}_2$$

$$1 \overset{21}{\underset{\circ}{\wedge}} \overset{33}{\underset{\circ}{\wedge}} \overset{33}{\underset{\circ}{\wedge}} \overset{1}{\underset{\circ}{\wedge}} \overset{33}{\underset{\circ}{\wedge}} \overset{122}{\underset{\circ}{\wedge}} \quad \Lambda = \quad 122 \quad m = 1 \quad n = 25 \quad m = 0 \quad \in \mathbb{E}$$

$$2221e_8 \otimes^{3,5} e_6 \otimes^{2,2} e_6 \otimes^{2,2} e_6 131\mathbf{3} \quad \Delta = -102, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$2221\mathbf{e}_8 \otimes^{3,5} \mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 \otimes^{2,2} \mathbf{e}_6 131\mathbf{4} \quad \Delta = -122, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$2221\mathfrak{e}_8^{3,5} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{1315} \quad \Delta = -146, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $4 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{5,3}{\otimes} \mathfrak{e}_8 122$

$$4 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{5,3}{\otimes} \mathfrak{e}_8 122\mathbf{3} \quad \Delta = -131, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_6^{5,3} 131$

$$1\overset{\textcolor{red}{31}}{\mathfrak{e}_6} \otimes \overset{3,5}{\mathfrak{e}_8} \otimes \overset{5,3}{\mathfrak{e}_6} 131 \quad \Delta = -77, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1_{\mathfrak{e}_6}^{1,3,5} \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_6^{5,3} 131 \mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_6}^{1,3,5} \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_6^{5,3} 1314 \quad \Delta = -97, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1_{\mathbf{e}_6}^{1,3,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6^{131\mathbf{6}} \quad \Delta = -147, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1\overset{\textcolor{red}{21}}{\mathfrak{e}_6} \otimes \overset{3,5}{\mathfrak{e}_8} \otimes \overset{5,3}{\mathfrak{e}_6} 131 \quad \Delta = -69, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_6}^{1,3,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6^{131} \mathbf{2} \quad \Delta = -69, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1_{\mathfrak{e}_6}^{1, 3, 5} \otimes \mathfrak{e}_8^{5, 3} \otimes \mathfrak{e}_6^{131\mathfrak{f}} \quad \Delta = -121, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $1\epsilon_6^{1,2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8^{122315131}$

$$1\overset{2,1}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 122315131 \quad \Delta = -69, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{3,1}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 122315131 \quad \Delta = -77, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon_6^{1,2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8^{122315131\textcolor{red}{3}} \quad \Delta = -77, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_6^{1,2,2} \otimes \mathbf{e}_6 \otimes \mathbf{e}_8^{3,5} 122315131\mathbf{5} \quad \Delta = -121, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{1,2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{1223151314} \quad \Delta = -97, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{1,2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{1223151316} \quad \Delta = -147, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 1223151\overset{2}{31} \quad \Delta = -70, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 122315131\mathbf{2} \quad \Delta = -69, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1\epsilon_6^1 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8^{12231}$

$$1\mathbf{e}_6^{1,2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_8^{3,5} 12231\mathbf{R} \quad \Delta = -103, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_6}^{3,1} \otimes_{\mathfrak{e}_6}^{2,2} \otimes_{\mathfrak{e}_6}^{2,2} \otimes_{\mathfrak{e}_8}^{3,5} 12231 \quad \Delta = -103, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_6^{1,2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{122315} \quad \Delta = -147, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\overset{2,1}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 12231 \quad \Delta = -95, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_6^{1,2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{12231\text{red}} \quad \Delta = -95, \quad n_+ = 1, \quad n_- = 26, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_6^{1,2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{122314} \quad \Delta = -123, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $e_6 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7' 1$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}'_7 \mathbf{12} \quad \Delta = -90, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1e_6 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7' 1$

$$1e_7' \overset{5,5}{\otimes} e_8 \overset{4,5}{\otimes} e_6 1\textcolor{red}{2} \quad \Delta = -90, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1e'_7 \overset{5,5}{\otimes} e_8 \overset{4,5}{\otimes} e_6 1\mathbf{3} \quad \Delta = -98, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}'_7 \mathbf{12} \quad \Delta = -90, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21\epsilon_6 \overset{3,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_7'$

$$21\epsilon_6^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_{71}' \textcolor{red}{12} \quad \Delta = -89, \quad n_+ = 1, \quad n_- = 26, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}'_7 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{3,5}{\otimes} \mathbf{e}_6 \mathbf{123} \quad \Delta = -98, \quad n_+ = 1, \quad n_- = 26, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_7^{5,5} 1$

$$1\epsilon_6^{3,5} \otimes \epsilon_8 \otimes \epsilon_7'^{5,5} 1 \quad \Delta = -97, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_6^{2,1} \otimes \epsilon_8 \otimes \epsilon_7'^{3,5} 1 \quad \Delta = -89, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^1 \otimes \epsilon_8 \otimes \epsilon_7'^{3,5} 1 \quad \Delta = -89, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\epsilon_6^{4,5} \otimes \epsilon_8 \otimes \epsilon_7'^{5,4} 12$$

$$21\epsilon_7'^{5,4} \otimes \epsilon_8 \otimes \epsilon_6 1 \quad \Delta = -98, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21\epsilon_7'^{5,4} \otimes \epsilon_8 \otimes \epsilon_6 1 \quad \Delta = -90, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{4,5} \otimes \epsilon_8 \otimes \epsilon_7'^{5,4} 12 \quad \Delta = -99, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 21\epsilon_6^{3,5} \otimes \epsilon_8 \otimes \epsilon_7'^{5,4} 12$$

$$21\epsilon_6^{3,5} \otimes \epsilon_8 \otimes \epsilon_7'^{5,4} 12 \quad \Delta = -98, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\epsilon_7'^{5,4} \otimes \epsilon_8 \otimes \epsilon_6 12 \quad \Delta = -98, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\epsilon_6^1 \otimes \epsilon_8 \otimes \epsilon_7'^{3,5} 12$$

$$1\epsilon_6^{2,1} \otimes \epsilon_8 \otimes \epsilon_7'^{3,5} 12 \quad \Delta = -89, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^1 \otimes \epsilon_8 \otimes \epsilon_7'^{3,5} 12 \quad \Delta = -98, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^{3,5} \otimes \epsilon_8 \otimes \epsilon_7'^{5,4} 12 \quad \Delta = -97, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 321\epsilon_7'^{4,5} \otimes \epsilon_8 12231513221$$

$$321\epsilon_7'^{4,5} \otimes \epsilon_8 12231513221 \quad \Delta = -21, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321\epsilon_7'^{4,5} \otimes \epsilon_8 12231513221 \quad \Delta = -49, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$321\epsilon_7'^{4,5} \otimes \epsilon_8 12231513221(12) \quad \Delta = -269, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$12231513221\epsilon_8 \otimes \epsilon_7'^{4,5} 123 \quad \Delta = -23, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$321\epsilon_7'^{4,5} \otimes \epsilon_8 12231513221 \quad \Delta = -154, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$321\epsilon_7'^{4,5} \otimes \epsilon_8 12231513221 \quad \Delta = -99, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321\epsilon_7'^{4,5} \otimes \epsilon_8 12231513221 \quad \Delta = -126, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$321\epsilon_7'^{4,5} \otimes \epsilon_8 12231513221 \quad \Delta = -73, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$321\epsilon_7'^{4,5} \otimes \epsilon_8 12231513221 \quad \Delta = -29, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } \epsilon_6^{5,5} \otimes \epsilon_8 \otimes \epsilon_7'^{4,5} 1$$

$$\epsilon_6^{5,5} \otimes \epsilon_8 \otimes \epsilon_7'^{4,5} 1 \quad \Delta = -90, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\epsilon_7'^1 \otimes \epsilon_8 \otimes \epsilon_6 1$$

$$1\epsilon_7'^1 \otimes \epsilon_8 \otimes \epsilon_6 1 \quad \Delta = -90, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7'^{2,1} \otimes \epsilon_8 \otimes \epsilon_6 1 \quad \Delta = -90, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7'^1 \otimes \epsilon_8 \otimes \epsilon_6 1 \quad \Delta = -98, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\epsilon_7'^1 \otimes \epsilon_8 \otimes \epsilon_6 12$$

$$1\epsilon_7'^{2,1} \otimes \epsilon_8 \otimes \epsilon_6 12 \quad \Delta = -89, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7'^1 \otimes \epsilon_8 \otimes \epsilon_6 12 \quad \Delta = -98, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\epsilon_6^1 \otimes \epsilon_8 \otimes \epsilon_7'^{3,5} 1$$

$$1\epsilon_6^{3,5} \otimes \epsilon_8 \otimes \epsilon_7'^{5,4} 1 \quad \Delta = -97, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_6^{2,1} \otimes \epsilon_8 \otimes \epsilon_7'^{3,5} 1 \quad \Delta = -89, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^1 \otimes \epsilon_8 \otimes \epsilon_7'^{3,5} 1 \quad \Delta = -89, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $21\epsilon_7 \otimes \epsilon_8^{5,5} 12231513151$

$$15131513221\epsilon_8 \otimes \epsilon_7^{5,5} 12\mathbf{3} \quad \Delta = -100, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\epsilon_7 \otimes \epsilon_8^{5,5} 12231513151\mathbf{2} \quad \Delta = -91, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\epsilon_7 \otimes \epsilon_8^{5,5} 12231513151\mathbf{3} \quad \Delta = -99, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $321\epsilon_7 \otimes \epsilon_8^{5,5} 1223151321$

$$321\epsilon_7 \otimes \epsilon_8^{5,5} 1223151321\mathbf{3} \quad \Delta = -57, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$321\epsilon_7 \otimes \epsilon_8^{5,5} 1223151321\mathbf{6} \quad \Delta = -127, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$321\epsilon_7 \otimes \epsilon_8^{5,5} 1223151321\mathbf{4} \quad \Delta = -77, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$321\epsilon_7 \otimes \epsilon_8^{5,5} 1223151321\mathbf{8} \quad \Delta = -182, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1231513221\epsilon_8 \otimes \epsilon_7^{5,5} 12\mathbf{3} \quad \Delta = -51, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$321\epsilon_7 \otimes \epsilon_8^{5,5} 1223151321\mathbf{7} \quad \Delta = -154, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$321\epsilon_7 \otimes \epsilon_8^{5,5} 1223151321\mathbf{5} \quad \Delta = -101, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321\epsilon_7 \otimes \epsilon_8^{5,5} 1223151321\mathbf{2} \quad \Delta = -49, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $221\epsilon_7 \otimes \epsilon_8^{4,5} 12231513151$

$$221\epsilon_7 \otimes \epsilon_8^{4,5} 12231513151\mathbf{3} \quad \Delta = -99, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\epsilon_7 \otimes \epsilon_8^{4,5} 12231513151\mathbf{2} \quad \Delta = -91, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$15131513221\epsilon_8 \otimes \epsilon_7^{4,5} 12\mathbf{2} \quad \Delta = -100, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $3221\epsilon_7 \otimes \epsilon_8^{4,5} 1223151321$

$$3221\epsilon_7 \otimes \epsilon_8^{4,5} 1223151321\mathbf{3} \quad \Delta = -57, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$3221\epsilon_7 \otimes \epsilon_8^{4,5} 1223151321\mathbf{6} \quad \Delta = -127, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$3221\epsilon_7 \otimes \epsilon_8^{4,5} 1223151321\mathbf{5} \quad \Delta = -101, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$3221\epsilon_7 \otimes \epsilon_8^{4,5} 1223151321\mathbf{4} \quad \Delta = -77, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$3221\epsilon_7 \otimes \epsilon_8^{4,5} 1223151321\mathbf{7} \quad \Delta = -154, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$3221\epsilon_7 \otimes \epsilon_8^{4,5} 1223151321\mathbf{8} \quad \Delta = -182, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$3221\epsilon_7 \otimes \epsilon_8^{4,5} 1223151321\mathbf{2} \quad \Delta = -49, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1414 \otimes \epsilon_8^{2,4} \otimes \epsilon_7^{5,4} 12321$

$$1414 \otimes \epsilon_8^{2,4} \otimes \epsilon_7^{5,4} 12321\mathbf{5} \quad \Delta = -98, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1414 \otimes \epsilon_8^{2,4} \otimes \epsilon_7^{5,4} 12321\mathbf{4} \quad \Delta = -74, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12321\epsilon_7 \otimes \epsilon_8^{5,4} \otimes 4141\mathbf{2} \quad \Delta = -46, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1414 \otimes \epsilon_8^{2,4} \otimes \epsilon_7^{5,4} 12321\mathbf{8} \quad \Delta = -179, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$12321\epsilon_7 \otimes \epsilon_8^{5,4} \otimes 4141\mathbf{4} \quad \Delta = -74, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1414 \otimes \epsilon_8^{2,4} \otimes \epsilon_7^{5,4} 12321\mathbf{7} \quad \Delta = -151, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1414 \otimes \epsilon_8^{2,4} \otimes \epsilon_7^{5,4} 12321\mathbf{3} \quad \Delta = -54, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$12321\epsilon_7 \otimes \epsilon_8^{5,4} \otimes 4141\mathbf{3} \quad \Delta = -54, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1414 \otimes \epsilon_8^{2,4} \otimes \epsilon_7^{5,4} 12321\mathbf{6} \quad \Delta = -124, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1414 \otimes \epsilon_8^{2,4} \otimes \epsilon_7^{5,4} 12321\mathbf{2} \quad \Delta = -46, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $151321\epsilon_7 \otimes \epsilon_8^{4,5} 12231512$

$$21513221\epsilon_8 \otimes \epsilon_7^{4,5} 123151\mathbf{3} \quad \Delta = -100, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21513221\epsilon_8 \otimes \epsilon_7^{4,5} 123151\mathbf{2} \quad \Delta = -92, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$151321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231512\mathbf{3} \quad \Delta = -101, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 12321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231512\mathbf{3}$$

$$321513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 12321\mathbf{3} \quad \Delta = -59, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 12321\mathbf{4} \quad \Delta = -79, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$321513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 12321\mathbf{2} \quad \Delta = -51, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$321513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 12321\mathbf{7} \quad \Delta = -156, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231512\mathbf{3} \quad \Delta = -53, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 12321\mathbf{5} \quad \Delta = -103, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$321513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 12321\mathbf{6} \quad \Delta = -129, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$321513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 12321\mathbf{8} \quad \Delta = -184, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 4^{3,2} \otimes \mathfrak{e}_7^{5,4} \otimes \mathfrak{e}_8 12231513\mathbf{1}$$

$$4^{3,2} \otimes \mathfrak{e}_7^{5,4} \otimes \mathfrak{e}_8 12231513\mathbf{1}^2 \quad \Delta = -77, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$4^{3,2} \otimes \mathfrak{e}_7^{5,4} \otimes \mathfrak{e}_8 12231513\mathbf{1}^4 \quad \Delta = -104, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$4^{3,2} \otimes \mathfrak{e}_7^{5,4} \otimes \mathfrak{e}_8 12231513\mathbf{1}^6 \quad \Delta = -154, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$4^{3,2} \otimes \mathfrak{e}_7^{5,4} \otimes \mathfrak{e}_8 12231513\mathbf{1}^2 \quad \Delta = -76, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$4^{3,2} \otimes \mathfrak{e}_7^{5,4} \otimes \mathfrak{e}_8 12231513\mathbf{1}^5 \quad \Delta = -128, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$4^{3,2} \otimes \mathfrak{e}_7^{5,4} \otimes \mathfrak{e}_8 12231513\mathbf{1}^3 \quad \Delta = -84, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 4^{5,3} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_7 123\mathbf{1}$$

$$4^{5,3} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_7 123\mathbf{1}^5 \quad \Delta = -128, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$4^{5,3} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_7 123\mathbf{1}^2 \quad \Delta = -76, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$4^{5,3} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_7 123\mathbf{1}^3 \quad \Delta = -84, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$4^{5,3} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_7 123\mathbf{1}^2 \quad \Delta = -78, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 512321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231\mathbf{5}^1$$

$$512321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231\mathbf{5}^1 \mathbf{2} \quad \Delta = -94, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 151321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231\mathbf{5}^1$$

$$\mathbf{3}15132181231513221(12)12231 \quad 1 \quad 5 \quad 1 \quad \Delta = -100, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\mathbf{2}15132181231513221(12)12231 \quad 1 \quad 5 \quad 1 \quad \Delta = -92, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$151321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231\mathbf{5}^1 \mathbf{3} \quad \Delta = -100, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$151321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231\mathbf{5}^1 \mathbf{2} \quad \Delta = -92, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 12321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231\mathbf{5}^1 \mathbf{1}^3$$

$$\mathbf{2}1232181231513221(12)12231 \quad 31 \quad 5 \quad 1 \quad \Delta = -50, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\mathbf{7}1232181231513221(12)12231 \quad 31 \quad 5 \quad 1 \quad \Delta = -155, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{5}1232181231513221(12)12231 \quad 31 \quad 5 \quad 1 \quad \Delta = -102, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\mathbf{4}1232181231513221(12)12231 \quad 31 \quad 5 \quad 1 \quad \Delta = -78, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$12321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231\mathbf{5}^1 \mathbf{1}^3 \mathbf{2} \quad \Delta = -51, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{3}1232181231513221(12)12231 \quad 31 \quad 5 \quad 1 \quad \Delta = -58, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{8}1232181231513221(12)12231 \quad 31 \quad 5 \quad 1 \quad \Delta = -183, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\mathbf{6}1232181231513221(12)12231 \quad 31 \quad 5 \quad 1 \quad \Delta = -128, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{221} \epsilon_8^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 1314 \quad \Delta = -122, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1_{\mathfrak{e}_8}^{221} \otimes \mathfrak{e}_6^{5,3} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} 131\mathbf{3} \quad \Delta = -102, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{12231513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7' 1$

$$1^{12231513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7' \mathbf{12} \quad \Delta = -12, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{212231513221} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7'1 \quad \Delta = -12, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1^{812231513221} \otimes \mathfrak{e}_7^{5,5} \quad \Delta = -145, \, n_+ = 1, \, n_- = 26, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{512231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 1 \quad \Delta = -64, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{312231513221} \otimes e_8^{5,5} \otimes e_7'1 \quad \Delta = -20, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{612231513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}'_7 1 \quad \Delta = -90, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{(12)12231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 \quad \Delta = -260, \, n_+ = 1, \, n_- = 26, \, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1^{712231513221} \otimes \mathbf{e}_8' \quad \Delta = -117, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{412231513221} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7'1 \quad \Delta = -40, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$12231513221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_7' 1 \quad \Delta = -12, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1e_7' \overset{4,5}{\otimes} e_8^1 \overset{5,4}{\otimes} e_7' 1$$

$$1\mathbf{e}'_7 \overset{5,4}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \overset{4,5}{\mathbf{e}'_7} \mathbf{1}_2 \quad \Delta = -117, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1^{12231513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_7 12$

$$1^{812231513221} \otimes \mathbf{e}'_{712} \quad \Delta = -145, \, n_+ = 1, \, n_- = 26, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{212231513221} \otimes e'_{12} \quad \Delta = -12, \quad n_+ = 1, \quad n_- = 26, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1^{412231513221} \otimes e'_{712} \quad \Delta = -40, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{(12)12231513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_7 12 \quad \Delta = -260, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1^{12231513221} \otimes e_7^{5,4} 12\mathbf{3} \quad \Delta = -21, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{612231513221} \otimes \mathfrak{e}_8'{}^{5,4}{}_{12} \quad \Delta = -90, \quad n_+ = 1, \quad n_- = 26, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{712231513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_{712} \quad \Delta = -117, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{312231513221} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{12} \quad \Delta = -20, \quad n_+ = 1, \quad n_- = 26, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{512231513221} \otimes \mathfrak{e}_8'_{12} \quad \Delta = -64, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$12231513221\overset{21}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7' 12 \quad \Delta = -12, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1\overset{1}{e}_7' \otimes \overset{4,5}{e}_8 12231513221$

$$1\epsilon_7^{\prime 1} \otimes \epsilon_8^{4,5 1} 12231513221\mathbf{6} \quad \Delta = -90, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{1}{\mathbf{e}}_7' \otimes \overset{4,5}{\mathbf{e}}_8 12231513221\overset{1}{\mathbf{e}}_4 \quad \Delta = -40, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{1\ 4,5\ 1} \otimes 8_{\text{S}}^{12231513221\text{red}} \quad \Delta = -12, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\epsilon_7^1 \otimes \epsilon_8^{1,4,5} 122315132218 \quad \Delta = -145, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^1 \otimes \epsilon_8^{4,5} 12231513221\mathbf{3} \quad \Delta = -20, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^{1,4,5} \otimes 8_8 122315132217 \quad \Delta = -117, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\epsilon_7^{1,4,5} \otimes \epsilon_8^{1,2,3,5} 122315132215 \quad \Delta = -64, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1_{\mathbb{Z}}^{\mathbf{21} \ 4,5 \ 1} \otimes 1_{\mathbb{Z}}^{\mathbf{12231513221}} \quad \Delta = -12, \quad n_+ = 1, \quad n_- = 26, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_7' \otimes 1\epsilon_8 \begin{smallmatrix} 1 & 4,5 & 21 \\ 12231513221 \end{smallmatrix} \quad \Delta = -12, \quad n_+ = 1, \quad n_- = 26, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^1 \otimes 1\epsilon_8^{4,5} 12231513221 \text{ (12)} \quad \Delta = -260, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_6$$

Base: $1\epsilon_6 \overset{3,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_7 1$

$$1^{21513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12321 \mathbf{5} \quad \Delta = -94, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1^{131513221} \epsilon_8^{5,4} \otimes \epsilon_7^{1231}$

$$1 \overset{6}{\text{e}_8} \overset{131513221}{\otimes} \overset{5,4}{\text{e}_7} 1231 \quad \Delta = -126, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{131513221} \otimes e_7^{5,4} \otimes e_7^{1231} \quad \Delta = -50, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{131513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 1231 \mathbf{2} \quad \Delta = -48, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{131513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 1231 \mathbf{3} \quad \Delta = -56, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$131513221\overset{21}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 1231 \quad \Delta = -48, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{5,131513221} \otimes \mathfrak{e}_7^{5,4} 1231 \quad \Delta = -100, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{\overline{3}131513221} \otimes \mathfrak{e}_7^{5,4} 1231 \quad \Delta = -56, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{131513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 1231 \quad \Delta = -49, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{131513221} \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 1231\mathbf{5} \quad \Delta = -100, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{2131513221} \otimes \mathfrak{e}_7^{5,4} 1231 \quad \Delta = -48, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{4131513221} \otimes \mathfrak{e}_7^{5,4} 1231 \quad \Delta = -76, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{131513221}{}^{5,4} \mathbf{e}_8 \otimes \mathbf{e}_7 1231 \mathbf{4} \quad \Delta = -76, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1^{15} 13221^{5,4} \otimes e_7 12321$

[illegible]

$$1^{1513221} \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 12321 \mathbf{3} \quad \Delta = -50, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{31513221} \epsilon_8 \otimes \epsilon_7 12321 \quad \Delta = -50, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{1513221} \epsilon_8 \otimes \epsilon_7 12321^{\mathbf{5},4} \quad \Delta = -42, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{21513221} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12321 \quad \Delta = -42, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{1513221} \epsilon_8^{5,4} \otimes \epsilon_7 12321 \mathbf{6} \quad \Delta = -120, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{1513221} \epsilon_8^{5,4} \otimes \epsilon_7 12321 \textcolor{red}{5} \quad \Delta = -94, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{1513221} \epsilon_8^{5,4} \otimes \epsilon_7 12321 \textcolor{red}{4} \quad \Delta = -70, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{1513221} \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 12321 \mathbf{7} \quad \Delta = -147, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1^{1513221} \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 12321 \mathbf{8} \quad \Delta = -175, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

Base: $e_6 \overset{3,3}{\otimes} e_7 \overset{5,4}{\otimes} e_8 \overset{1513221}{1}$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{1513221} \quad \Delta = -128, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{13221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_7' 12$

$$1^{513221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \otimes \epsilon'_{712} \quad \Delta = -147, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \stackrel{4,1}{\epsilon}_8 \otimes \stackrel{5,4}{\epsilon}_7 \otimes \stackrel{3,3}{\epsilon}'_{712} \quad \Delta = -123, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{13221} \mathbf{e}_8 \otimes \mathbf{e}_7 \otimes \mathbf{e}'_{712} \quad \Delta = -126, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$13221\mathbf{e}_8 \otimes \mathbf{e}_7 \otimes \mathbf{e}'_{712} \quad \Delta = -104, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{31} 3221^{5,4} \otimes e_7 \otimes e_{712}^{3,3} \quad \Delta = -103, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{213221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_7'_{12} \quad \Delta = -95, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\epsilon_7' \otimes^{1,3,3} \epsilon_7 \otimes^{4,5} \epsilon_8' 12231$$

Base: $1\mathfrak{e}_7 \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_8 12231$
 $1\mathfrak{e}_7' \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_8 12231$ $\Delta = -95, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$

$$1\mathbf{c}_7' \otimes \mathbf{c}_7 \otimes \mathbf{c}_8 12231 \quad \Delta = -95, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{c}_7' \otimes \mathbf{c}_7 \otimes \mathbf{c}_8 12231\mathbf{5} \quad \Delta = -147, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^1 \otimes \epsilon_7 \otimes \epsilon_8^{12231\mathbf{19}} \quad \Delta = -147, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\begin{aligned}
1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_8^{122312} \quad \Delta = -95, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\epsilon_7^{21} \otimes \epsilon_7 \otimes \epsilon_8^{12231} \quad \Delta = -95, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_8^{122314} \quad \Delta = -123, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

$$\text{Base: } 1\epsilon_8^{2221} \otimes \epsilon_7 \otimes \epsilon_7^{3,3} 122$$

$$\begin{aligned}
2221\epsilon_8^{21} \otimes \epsilon_7 \otimes \epsilon_7^{5,4} 122 \quad \Delta = -114, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\epsilon_8^{2221} \otimes \epsilon_7 \otimes \epsilon_7^{5,4} 1223 \quad \Delta = -123, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

$$\text{Base: } 1\epsilon_8^{221} \otimes \epsilon_7 \otimes \epsilon_7^{5,4} 1223$$

$$\begin{aligned}
221\epsilon_8^{21} \otimes \epsilon_7 \otimes \epsilon_7^{5,4} 1223 \quad \Delta = -123, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\epsilon_8^{3221} \otimes \epsilon_7 \otimes \epsilon_7^{5,4} 1223 \quad \Delta = -132, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

$$\text{Base: } 1\epsilon_7^{1} \otimes \epsilon_8^{5,5} 1223151321$$

$$\begin{aligned}
1\epsilon_7^{1} \otimes \epsilon_8^{5,5} 12231513214 \quad \Delta = -68, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\epsilon_7^{1} \otimes \epsilon_8^{5,5} 12231513213 \quad \Delta = -48, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\epsilon_7^{1} \otimes \epsilon_8^{5,5} 12231513215 \quad \Delta = -92, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\epsilon_7^{1} \otimes \epsilon_8^{5,5} 12231513212 \quad \Delta = -40, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1\epsilon_7^{1} \otimes \epsilon_8^{5,5} 12231513216 \quad \Delta = -118, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\epsilon_7^{1} \otimes \epsilon_8^{5,5} 12231513218 \quad \Delta = -173, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1\epsilon_7^{1} \otimes \epsilon_8^{5,5} 1223151321 \quad \Delta = -40, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\epsilon_7^{21} \otimes \epsilon_8^{5,5} 1223151321 \quad \Delta = -40, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\epsilon_7^{1} \otimes \epsilon_8^{5,5} 12231513217 \quad \Delta = -145, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

$$\text{Base: } 1\epsilon_7^{1} \otimes \epsilon_8^{4,5} \otimes \epsilon_6^{5,3} 1$$

$$\begin{aligned}
1\epsilon_7^{1} \otimes \epsilon_8^{4,5} \otimes \epsilon_6^{5,3} 13 \quad \Delta = -125, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_6^{5,3} 1 \quad \Delta = -117, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\epsilon_7^{1} \otimes \epsilon_8^{4,5} \otimes \epsilon_6^{5,3} 12 \quad \Delta = -117, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{P}^2
\end{aligned}$$

$$\text{Base: } 1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 1223151321$$

$$\begin{aligned}
1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 12231513217 \quad \Delta = -145, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 1223151321 \quad \Delta = -40, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
21\epsilon_7^{21} \otimes \epsilon_8^{4,5} 1223151321 \quad \Delta = -40, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 12231513212 \quad \Delta = -40, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_3 \\
1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 12231513214 \quad \Delta = -68, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\epsilon_7^{321} \otimes \epsilon_8^{4,5} 1223151321 \quad \Delta = -49, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 12231513216 \quad \Delta = -118, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{P}^2 \\
1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 12231513215 \quad \Delta = -92, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 12231513213 \quad \Delta = -48, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_2 \\
1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 12231513218 \quad \Delta = -173, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_3
\end{aligned}$$

$$\text{Base: } 1\epsilon_7^{21} \otimes \epsilon_7 \otimes \epsilon_8^{3,3} 1222$$

$$\begin{aligned}
1\epsilon_7^{321} \otimes \epsilon_7 \otimes \epsilon_8^{3,3} 1222 \quad \Delta = -123, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_0 \\
21\epsilon_7^{21} \otimes \epsilon_7 \otimes \epsilon_8^{3,3} 1222 \quad \Delta = -114, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_1 \\
1\epsilon_7^{21} \otimes \epsilon_7 \otimes \epsilon_8^{3,3} 1222 \quad \Delta = -114, n_+ = 1, n_- = 26, n_0 = 0 &\rightarrow \mathbb{F}_2
\end{aligned}$$

$$\text{Base: } 1\epsilon_7^{321} \otimes \epsilon_7 \otimes \epsilon_8^{3,3} 1$$

$$3131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes 41\textcolor{red}{4} \quad \Delta = -21, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 131512$

$$1 \overset{321}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} 131512 \quad \Delta = -10, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{21, 2, 2} \otimes \mathbf{e}_6^{2, 2} \otimes \mathbf{e}_6^{2, 2} \otimes \mathbf{e}_6^{2, 2} \otimes \mathbf{e}_6 131512\mathbf{3} \quad \Delta = -10, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\overset{\textcolor{red}{31}}{\mathfrak{e}_6}{}^{2,2} \otimes \mathfrak{e}_6{}^{2,2} \otimes \mathfrak{e}_6{}^{2,2} \otimes \mathfrak{e}_6{}^{2,2} \otimes \mathfrak{e}_6{}^{2,2} 131512 \quad \Delta = -9, \, n_+ = 1, \, n_- = 26, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\overset{2,1}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} 131512 \quad \Delta = -1, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1_{\epsilon_6}^{2,1} \otimes_{\epsilon_6}^{2,2} \otimes_{\epsilon_6}^{2,2} \otimes_{\epsilon_6}^{2,2} \otimes_{\epsilon_6}^{2,2} 1_{13151}^1$

$$21\overset{2,1}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \overset{1}{13151} \quad \Delta = -1, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\overset{\textcolor{red}{31}}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{1}{\mathfrak{e}_6} 13151 \quad \Delta = -9, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{321}_{\mathfrak{e}_6}{}^{2,2} \otimes \mathfrak{e}_6{}^{2,2} \otimes \mathfrak{e}_6{}^{2,2} \otimes \mathfrak{e}_6{}^{2,2} \otimes \mathfrak{e}_6{}^{2,2} \otimes \mathfrak{e}_6{}^{13151} \quad \Delta = -10, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^{21\ 2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^1 13151\mathbf{3} \quad \Delta = -9, \ n_+ = 1, \ n_- = 26, \ n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{13151\textcolor{red}{2}} \quad \Delta = -1, \, n_+ = 1, \, n_- = 26, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1 \overset{131}{\epsilon_6} \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 131513221$

$$1_{\mathfrak{e}_6}^{131} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} 131513221 \text{ (12)} \quad \Delta = -180, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$1_{\mathfrak{e}_6}^{131} \otimes_{\mathfrak{e}_6}^{2,2} \otimes_{\mathfrak{e}_6}^{2,2} \otimes_{\mathfrak{e}_6}^{2,2} 131513221\mathbf{6} \quad \Delta = -10, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 1315132217 \quad \Delta = -37, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{6}{\mathbf{e}}_6^{131} \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 131513221 \quad \Delta = -10, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 1315132218 \quad \Delta = -65, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1^{131} \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \epsilon_6^{12321}$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 123217 \quad \Delta = -65, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 12321\mathbf{5} \quad \Delta = -12, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{131} \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 123218 \quad \Delta = -93, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1^{5131} \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} 12321 \quad \Delta = -12, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 12321 \mathbf{6} \quad \Delta = -38, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \mathbf{e}_6^{131} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 12321 \quad \Delta = -38, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1 \overset{131}{\epsilon_6} \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} 41$$

$$1 \overset{4131}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes 41 \quad \Delta = -13, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \overset{6131}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes 41 \quad \Delta = -63, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{5131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes 41 \quad \Delta = -37, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes 41\mathbf{e}_4 \quad \Delta = -13, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $\epsilon_7 \overset{3,3}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 131$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 131\mathbf{5} \quad \Delta = -145, \, n_+ = 1, \, n_- = 26, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \mathbf{131} \Delta = -93, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 131\mathbf{6} \quad \Delta = -171, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 1314 \quad \Delta = -121, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 123151321 $\epsilon_7^{3,3} \otimes \epsilon_7$ 1231513221

$$1223151321 \mathbf{e_7} \overset{3,3}{\otimes} \mathbf{e_7} 123151321 \mathbf{8} \quad \Delta = -69, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$123151321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 1231513221 \text{ (12)} \quad \Delta = -184, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$21\epsilon_7^{3,3} \otimes \epsilon_7^{'3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7 12321\mathbf{3} \quad \Delta = -75, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12321\mathbf{6} \quad \Delta = -145, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$12321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 123 \quad \Delta = -76, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\epsilon_7^{3,3} \otimes \epsilon_7'^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7 12321\textcolor{red}{7} \quad \Delta = -172, \, n_+ = 1, \, n_- = 26, \, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

Base: $e_7' \overset{4,4}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 122$

$$\mathbf{e}_7' \otimes \mathbf{e}_7^{4,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_{7122\textcolor{red}{3}} \quad \Delta = -124, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} 122$

$$\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{122\textcolor{red}{3}} \quad \Delta = -124, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $13221\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7 12315131$

$$13151321 \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12231 \mathbf{e}_7 \quad \Delta = -46, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$13221\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 12315131\mathbf{6} \quad \Delta = -96, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$13151321\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 122315 \quad \Delta = -70, \quad n_+ = 1, \quad n_- = 26, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$13151321\epsilon_7 \otimes_{\substack{3,3 \\ 2,2}} \epsilon_7 \otimes_{\substack{3,3 \\ 2,2}} \epsilon_7 12231\textcolor{red}{2} \quad \Delta = -18, \, n_+ = 1, \, n_- = 26, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$13221\overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12315131\overset{3}{\mathbf{5}} \quad \Delta = -70, \, n_+ = 1, \, n_- = 26, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$13221\epsilon_7^{\overset{3,3}{\otimes}} \otimes \epsilon_7^{\overset{3,3}{\otimes}} \otimes \epsilon_7^{\overset{2}{\otimes}} 12315131 \quad \Delta = -19, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$13221\mathfrak{e}_7 \overset{3.3}{\otimes} \mathfrak{e}_7 \overset{3.3}{\otimes} \mathfrak{e}_7 12315131\mathbf{3} \quad \Delta = -26, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\begin{array}{c} 13151321\mathbf{e}_7 \\ 3,3 \end{array} \otimes \begin{array}{c} \mathbf{e}_7 \\ 3,3 \end{array} \otimes \begin{array}{c} \mathbf{e}_7 \\ 3,3 \end{array} 12231\mathbf{3} \quad \Delta = -26, \quad n_+ = 1, \quad n_- = 26, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$13221\mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 12315131\mathbf{2} \quad \Delta = -18, \quad n_+ = 1, \quad n_- = 26, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$13221\mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 12315131\mathbf{4} \quad \Delta = -46, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $2221\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 123151321$
 $\phantom{\text{Base:}} $
 $\phantom{\text{Base:}} $
 $\phantom{\text{Base:}} $

$$2221\mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 123151321\mathbf{4} \quad \Delta = -38, \quad n_+ = 1, \quad n_- = 26, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^4$$

$$2221\mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 | 23151321\mathbf{2} \quad \Delta = -10, \quad n_+ = 1, \quad n_- = 26, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$2221\mathfrak{e}_7 \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_7 123151321\mathbf{6} \quad \Delta = -88, \quad n_+ = 1, \quad n_- = 26, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\begin{array}{l} 2221\bar{e}_7 \otimes \bar{e}_7 \otimes \bar{e}_7 123151321\bar{7} \quad \Delta = -119, \quad n_+ = 1, \quad n_- = 20, \quad n_0 = 0 \quad \rightarrow \mathbb{R}^4 \\ 2221\bar{e}_6 \otimes \bar{e}_6 \otimes \bar{e}_6 123151321\bar{8} \quad \Lambda = -143, \quad n_+ = 1, \quad n_- = 26, \quad n_0 = 0 \quad \rightarrow \mathbb{R}^4 \end{array}$$

$$22211\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 | 25151521\mathbf{6} \quad \Delta = -148, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$2221\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 123151321\mathbf{3} \quad \Delta = -18, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $21\epsilon_6 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 12231$

$$21\epsilon_6 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 12231\mathbf{3} \quad \Delta = -46, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\mathbf{e}_6 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12231\mathbf{5} \quad \Delta = -90, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$13221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_612\mathbf{3} \quad \Delta = -47, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\mathbf{e}_6 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12231\mathbf{e}_2 \quad \Delta = -38, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 122314 \quad \Delta = -66, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $131\epsilon_6 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 1222$

$$2221\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_6 131\mathbf{e}_5 \quad \Delta = -89, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$2221\epsilon_7^{\textcolor{teal}{3,3}} \otimes \epsilon_7^{\textcolor{teal}{3,3}} \otimes \epsilon_7^{\textcolor{teal}{3,3}} \otimes \epsilon_6 131\textcolor{red}{3} \quad \Delta = -45, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$2221\overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}_6 131\mathbf{2} \quad \Delta = -37, \, n_+ = 1, \, n_- = 26, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$2221\overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}_6 131\mathbf{4} \quad \Delta = -65, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$2221\mathbf{e}_7 \otimes_{3,3} \mathbf{e}_7 \otimes_{3,3} \mathbf{e}_7 \otimes_{3,3} \mathbf{e}_6 131\mathbf{6} \quad \Delta = -115, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

[illegible]

$$1\mathbf{e}_7^{1,3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{12321\mathbf{5}} \quad \Delta = -119, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $e_6 \overset{2,2}{\otimes} e_6 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7^1$

$$\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,21} \quad \Delta = -124, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $e_7' \overset{4,4}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7^{21} 1$

$$\mathbf{e}_7^{4,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \mathbf{e}_7^{321} \quad \Delta = -124, \, n_+ = 1, \, n_- = 26, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1 \overset{221}{\epsilon_7} \overset{3,3}{\otimes} \overset{3,3}{\epsilon_7} 123151321$

$$1 \overset{3,221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 123151321 \quad \Delta = -19, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 123151321\mathbf{7} \quad \Delta = -115, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^{221} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 123151321\mathbf{6} \quad \Delta = -88, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 123151321 \mathbf{4} \quad \Delta = -38, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 123151321\mathbf{3} \quad \Delta = -18, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 1231513218 \quad \Delta = -143, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1 \overset{221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 123151321\mathbf{5} \quad \Delta = -62, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\overset{2,1}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} 123151321 \quad \Delta = -10, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 123151321\mathbf{2} \quad \Delta = -10, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1 \overset{221}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_6 131$$

$$1 \overset{221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_6} 1314 \quad \Delta = -65, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\overset{2,1}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_6 131 \quad \Delta = -37, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_6} 131\mathbf{2} \quad \Delta = -37, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{221} \mathbf{e}_7 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{3,3} 131\mathbf{6} \quad \Delta = -115, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1 \mathbf{e}_7^{221} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{3,3} 131\mathbf{r} \quad \Delta = -45, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{3,221}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_6} 131 \quad \Delta = -46, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \mathbf{e}_7^{221} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{3,3} 131\mathbf{5} \quad \Delta = -89, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1 \overset{221}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7' 122$

$$1_{\mathbf{e}_7}^{221} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{\prime 3,3} 122\mathbf{3} \quad \Delta = -65, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\overset{2,1}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7' 122 \quad \Delta = -56, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{3,221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7}'_{122} \quad \Delta = -65, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1e_7^{21} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} e_7^{221} 1$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1\mathbf{e}_7^{221} \quad \Delta = -56, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\overset{\textcolor{red}{2}}{1}\overset{\textcolor{red}{3}}{e}_7' \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{221} \quad \Delta = -56, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{21}{\epsilon}_7' \otimes \overset{3,3}{\epsilon}_7 \otimes \overset{3,3}{\epsilon}_7 \otimes \overset{3,3}{\epsilon}_7 \overset{221}{\epsilon}_7' 1 \quad \Delta = -65, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{321}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \overset{221}{\mathbf{e}}_7 1 \quad \Delta = -65, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21e_7 \overset{3,3}{\otimes} e_7 \overset{1}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 1231$

$$21\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{1,3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231\mathbf{2} \quad \Delta = -93, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} 12\mathbf{e}_7^{\mathbf{red}} \quad \Delta = -102, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231\mathbf{4} \quad \Delta = -121, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231\mathbf{3} \quad \Delta = -101, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{1,3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231\mathbf{5} \quad \Delta = -145, n_+ = 1, n_- = 26, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^1 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{1,3,3} \otimes \epsilon_7^{3,3} 12314 \quad \Delta = -121, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^1 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{1,3,3} \otimes \epsilon_7^{3,3} 1231^2 \quad \Delta = -95, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\epsilon_7^1 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{1,3,3} \otimes \epsilon_7^{3,3} 12313 \quad \Delta = -101, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 21\epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 123151321$$

$$21\epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1231513214 \quad \Delta = -38, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\epsilon_7^{321,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 123151321 \quad \Delta = -19, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21\epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1231513217 \quad \Delta = -115, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1231513213 \quad \Delta = -18, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1231513212 \quad \Delta = -10, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21\epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1231513215 \quad \Delta = -62, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1231513218 \quad \Delta = -143, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$21\epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1231513216 \quad \Delta = -88, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 21\epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 131$$

$$21\epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 1313 \quad \Delta = -45, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 1316 \quad \Delta = -115, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$21\epsilon_7^{321,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 131 \quad \Delta = -46, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 1314 \quad \Delta = -65, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 1315 \quad \Delta = -89, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 1312 \quad \Delta = -37, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 21\epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7'^{3,3} 122$$

$$21\epsilon_7^{321,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7'^{3,3} 122 \quad \Delta = -65, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7'^{3,3} 1223 \quad \Delta = -65, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\epsilon_7'^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 12$$

$$21\epsilon_7'^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{21,3,3} 12 \quad \Delta = -56, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_7'^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{21,3,3} 123 \quad \Delta = -65, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\epsilon_7'^{321,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{21,3,3} 12 \quad \Delta = -65, n_+ = 1, n_- = 26, n_0 = 0 \rightarrow \mathbb{F}_2$$

$T = 27$ (746 bases)

$$\text{Base: } 2315131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8 1$$

$$2315131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8 12 \quad \Delta = -126, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 314 \otimes \epsilon_8^{2,4} \otimes \epsilon_8^{5,5} 122222$$

$$222221\epsilon_8^{5,5} \otimes \epsilon_8^{2,4} \otimes \epsilon_8 4132 \quad \Delta = -102, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 131\epsilon_6^{3,5} \otimes \epsilon_8^{5,3} \otimes \epsilon_6 131$$

$$131\epsilon_6^{5,3} \otimes \epsilon_8^{3,5} \otimes \epsilon_6 1312 \quad \Delta = -48, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$131\epsilon_6^{5,3} \otimes \epsilon_8^{3,5} \otimes \epsilon_6 1314 \quad \Delta = -76, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$131\epsilon_6^{5,3} \otimes \epsilon_8^{3,5} \otimes \epsilon_6 1316 \quad \Delta = -126, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$131\epsilon_6^{5,3} \otimes \epsilon_8^{3,5} \otimes \epsilon_6 1315 \quad \Delta = -100, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$131\epsilon_6^{5,3} \otimes \epsilon_8^{3,5} \otimes \epsilon_6 1313 \quad \Delta = -56, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{1,3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7 123 \quad \Delta = -97, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^{2,1,3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7 12 \quad \Delta = -88, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{3,1,3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7 12 \quad \Delta = -96, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 321\epsilon_7^{5,5} \otimes \epsilon_8 12231513221$$

$$321\epsilon_7^{5,5} \otimes \epsilon_8 122315132214 \quad \Delta = -48, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$321\epsilon_7^{5,5} \otimes \epsilon_8 122315132216 \quad \Delta = -98, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321\epsilon_7^{5,5} \otimes \epsilon_8 122315132217 \quad \Delta = -125, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$12231513221\epsilon_8^{5,5} \otimes \epsilon_7 1232 \quad \Delta = -22, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$321\epsilon_7^{5,5} \otimes \epsilon_8 122315132218 \quad \Delta = -153, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$321\epsilon_7^{5,5} \otimes \epsilon_8 122315132212 \quad \Delta = -20, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321\epsilon_7^{5,5} \otimes \epsilon_8 122315132213 \quad \Delta = -28, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$321\epsilon_7^{5,5} \otimes \epsilon_8 12231513221(12) \quad \Delta = -268, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$321\epsilon_7^{5,5} \otimes \epsilon_8 122315132215 \quad \Delta = -72, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1\epsilon_6^{4,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7 122$$

$$221\epsilon_7^{5,4} \otimes \epsilon_8^{4,5} \otimes \epsilon_6 13 \quad \Delta = -97, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$221\epsilon_7^{5,4} \otimes \epsilon_8^{4,5} \otimes \epsilon_6 12 \quad \Delta = -89, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{4,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7 1223 \quad \Delta = -98, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 21\epsilon_6^{3,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7 122$$

$$21\epsilon_6^{3,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7 1223 \quad \Delta = -97, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\epsilon_7^{5,4} \otimes \epsilon_8^{3,5} \otimes \epsilon_6 123 \quad \Delta = -97, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\epsilon_6^{1,3,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7 122$$

$$1\epsilon_6^{3,1,3,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7 122 \quad \Delta = -96, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_6^{2,1,3,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7 122 \quad \Delta = -88, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{1,3,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7 1223 \quad \Delta = -97, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 3221\epsilon_7^{4,5} \otimes \epsilon_8 12231513221$$

$$3221\epsilon_7^{4,5} \otimes \epsilon_8 122315132215 \quad \Delta = -72, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$3221\epsilon_7^{4,5} \otimes \epsilon_8 122315132214 \quad \Delta = -48, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$3221\epsilon_7^{4,5} \otimes \epsilon_8 122315132213 \quad \Delta = -28, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$3221\epsilon_7^{4,5} \otimes \epsilon_8 122315132212 \quad \Delta = -20, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$3221\epsilon_7^{4,5} \otimes \epsilon_8 122315132216 \quad \Delta = -98, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$3221\epsilon_7^{4,5} \otimes \epsilon_8 12231513221(12) \quad \Delta = -268, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$3221\epsilon_7^{4,5} \otimes \epsilon_8 122315132218 \quad \Delta = -153, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$3221\epsilon_7^{4,5} \otimes \epsilon_8 122315132217 \quad \Delta = -125, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 512321\epsilon_7^{4,5} \otimes \epsilon_8 122315131$$

$$512321\epsilon_7^{4,5} \otimes \epsilon_8 1223151313 \quad \Delta = -81, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$512321\epsilon_7^{4,5} \otimes \epsilon_8^{2,1,3,5} 122315131 \quad \Delta = -74, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$512321\epsilon_7^{4,5} \otimes \epsilon_8 1223151312 \quad \Delta = -73, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$512321\epsilon_7^{4,5} \otimes \epsilon_8 1223151314 \quad \Delta = -101, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$512321\epsilon_7^{4,5} \otimes \epsilon_8 1223151315 \quad \Delta = -125, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$512321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122315131\mathbf{6} \quad \Delta = -151, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 151321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122315131$$

$$151321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122315131\mathbf{2} \quad \Delta = -71, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$131513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 123151\mathbf{2} \quad \Delta = -71, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$151321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122315131\mathbf{6} \quad \Delta = -149, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$151321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122315131\mathbf{5} \quad \Delta = -123, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$151321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122315131\mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$151321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122315131\mathbf{4} \quad \Delta = -99, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 123151\mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$151321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 122315131\mathbf{1} \quad \Delta = -72, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 4 \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_7^{4,5} 12321$$

$$4 \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_7^{4,5} 12321\mathbf{8} \quad \Delta = -182, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$4 \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_7^{4,5} 12321\mathbf{4} \quad \Delta = -77, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$4 \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_7^{4,5} 12321\mathbf{7} \quad \Delta = -154, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$4 \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_7^{4,5} 12321\mathbf{3} \quad \Delta = -57, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$4 \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_7^{4,5} 12321\mathbf{6} \quad \Delta = -127, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$4 \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_7^{4,5} 12321\mathbf{2} \quad \Delta = -49, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 4 \otimes \mathfrak{e}_7^{3,2} \otimes \mathfrak{e}_8^{5,4} 1223151321$$

$$4 \otimes \mathfrak{e}_7^{3,2} \otimes \mathfrak{e}_8^{5,4} 1223151321\mathbf{7} \quad \Delta = -153, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$4 \otimes \mathfrak{e}_7^{3,2} \otimes \mathfrak{e}_8^{5,4} 1223151321\mathbf{8} \quad \Delta = -181, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$4 \otimes \mathfrak{e}_7^{3,2} \otimes \mathfrak{e}_8^{5,4} 1223151321\mathbf{4} \quad \Delta = -76, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$4 \otimes \mathfrak{e}_7^{3,2} \otimes \mathfrak{e}_8^{5,4} 1223151321\mathbf{6} \quad \Delta = -126, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$4 \otimes \mathfrak{e}_7^{3,2} \otimes \mathfrak{e}_8^{5,4} 1223151321\mathbf{3} \quad \Delta = -56, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$4 \otimes \mathfrak{e}_7^{3,2} \otimes \mathfrak{e}_8^{5,4} 1223151321\mathbf{2} \quad \Delta = -48, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231513215$$

$$51231513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 1231\mathbf{4} \quad \Delta = -100, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$51231513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 1231\mathbf{5} \quad \Delta = -124, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$51231513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 1231\mathbf{2} \quad \Delta = -72, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$51231513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 1231\mathbf{3} \quad \Delta = -80, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{2,4,5} 12231513215 \quad \Delta = -74, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231513151$$

$$15131513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 1231\mathbf{4} \quad \Delta = -99, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$15131513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 1231\mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{2,4,5} 12231513151 \quad \Delta = -73, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231513151\mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$15131513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 1231\mathbf{2} \quad \Delta = -71, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$15131513221\mathfrak{e}_8 \otimes \mathfrak{e}_7^{4,5} 1231\mathbf{5} \quad \Delta = -123, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1321\mathfrak{e}_7 \otimes \mathfrak{e}_8^{4,5} 12231513151\mathbf{2} \quad \Delta = -71, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1\mathfrak{e}_6 \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_8^{4,5} 12231512$$

$$1\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{12231512\mathbf{3}} \quad \Delta = -100, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21513221\mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_6 \mathbf{13} \quad \Delta = -99, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21513221\mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_6 1\mathbf{2} \quad \Delta = -91, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1\mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{4,5}{\otimes} \mathfrak{e}_8 1223151$

$$\begin{array}{ccccc} \textcolor{red}{3}161232181231513221(12)12231 \\ 1 & & 5 & & 1 \end{array} \quad \Delta = -99, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{1223151\mathbf{3}} \quad \Delta = -99, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{1223151\mathbf{2}} \quad \Delta = -91, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \quad \overset{2161232181231513221(12)12231}{5} \quad 1 \quad \Delta = -91, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $14 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 12$

$$21\mathfrak{e}'_7 \otimes^{3,3} \mathfrak{e}_7 \otimes^{5,4} \mathfrak{e}_8 \otimes^{2,4} 41\mathbf{red} \quad \Delta = -94, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$14 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 12\mathbf{3} \quad \Delta = -103, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{2,4} \otimes 41\mathbf{e}_8 \quad \Delta = -122, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\mathfrak{e}'_7 \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{5,4} \otimes \mathfrak{e}_8^{2,4} \otimes 41\mathbf{3} \quad \Delta = -102, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\mathbf{e}_7' \overset{1}{\otimes} \overset{3,3}{\mathbf{e}_7} \overset{4,5}{\otimes} \overset{4,2}{\mathbf{e}_8} \otimes 41$$

$$1\overset{\textcolor{red}{21}}{\mathfrak{e}}_7' \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_8^{4,5} \otimes 41^{4,2} \quad \Delta = -94, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1e_7^1 \otimes e_7^{3,3} \otimes e_8^{4,5} \otimes 41\mathbf{3} \quad \Delta = -102, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^1 \otimes \epsilon_7^{3,3} \otimes \epsilon_8^{4,5} \otimes 41\epsilon_8^{4,2} \quad \Delta = -122, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_8 \otimes 41\textcolor{red}{2} \quad \Delta = -94, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $221e_7 \overset{3,3}{\otimes} e_7 \overset{4,5}{\otimes} e_8 122313$

$$221\epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8 122313\textcolor{red}{2} \quad \Delta = -103, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $3221\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{4,5}{\otimes} \epsilon_8 12231$

$$3221\mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_8 12231\mathbf{3} \quad \Delta = -111, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$3221\mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_8 12231\mathbf{f} \quad \Delta = -155, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$3221\mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_8 12231\textcolor{red}{4} \quad \Delta = -131, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$3221\epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8 12231\textcolor{red}{2} \quad \Delta = -103, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1321\mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{4,5}{\otimes} \mathfrak{e}_8 12222$

$$22221\mathbf{e}_8 \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 1231\mathbf{e}_8 \quad \Delta = -102, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$22221\mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231\mathbf{5} \quad \Delta = -146, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$22221\mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231\mathbf{4} \quad \Delta = -122, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$22221\overset{4,5}{\mathbf{e}_8} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{1,5}{\mathbf{e}_7} 1231\mathbf{2} \quad \Delta = -94, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\overset{2}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}_7 \otimes \overset{4,5}{\mathfrak{e}}_8 12222 \quad \Delta = -96, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } e_6 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7 1$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^1 \mathbf{12} \quad \Delta = -89, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1e_7^1 \otimes e_8^{5,5} \otimes e_6^{5,4}1$

$$1\overset{1}{\mathbf{e}}_7 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_6 1\mathbf{2} \quad \Delta = -89, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{\textcolor{red}{21}}{\mathfrak{e}}_7^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1 \quad \Delta = -89, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_6 1\mathbf{3} \quad \Delta = -97, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_7^{1\ 5,5} \otimes \epsilon_8^{5,3} \otimes \epsilon_6 12$

$$1\overset{1}{\mathbf{e}}_7\overset{5,5}{\otimes}\overset{5,3}{\mathbf{e}}_8\overset{5,3}{\otimes}\mathbf{e}_612\mathbf{3} \quad \Delta = -97, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1_{\mathfrak{e}_6}^{\mathbf{3}_1 \mathbf{3},5} \otimes \mathfrak{e}_8^{\mathbf{5},5} \otimes \mathfrak{e}_7^{\mathbf{1}} 1 \quad \Delta = -96, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_7 1\overset{1}{\mathbf{2}} \quad \Delta = -88, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{21} \mathbf{12} \quad \Delta = -89, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{\textcolor{red}{3}21}{\mathbf{e}_7} \otimes \overset{4,5}{\mathbf{e}_8} \otimes \overset{5,4}{\mathbf{e}_6} 1 \quad \Delta = -98, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_6^{5,4} \mathbf{13} \quad \Delta = -97, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\mathbf{e}_7^{21,4,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_61 \quad \Delta = -89, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\mathbf{e}_7^{21,4,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6^{12} \quad \Delta = -88, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_7}^{3,21} \otimes 1_{\mathfrak{e}_8}^{4,5} \otimes 1_{\mathfrak{e}_6}^{5,3} \quad \Delta = -97, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1_{\mathfrak{e}_6}^{\mathbf{3}_1} \otimes \mathfrak{e}_8^{3,5} \otimes \mathfrak{e}_7^{5,4} 1_{\mathfrak{e}_7}^{21} \quad \Delta = -96, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_6^{21} \otimes \epsilon_8^{3,5} \otimes \epsilon_7^{5,4} 1^{21} \quad \Delta = -88, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_8^{4,5} 122313$

$$1\epsilon_7^{21,3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8^{122313\textcolor{red}{2}} \quad \Delta = -103, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{g}_7}^{321} \otimes 1_{\mathfrak{g}_8}^{4,5} = 1_{\mathfrak{g}_8}^{12231513221} \mathbf{5} \quad \Lambda = -72 \quad n_+ = 1 \quad n_- = 27 \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$${}_{\varepsilon_7}^{[232]} \otimes {}_{\varepsilon_8}[1226] = -129, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1_{\mathfrak{e}_7}^{321} \otimes \mathfrak{e}_8 12231513221\mathbf{3} \quad \Delta = -28, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_7}^{321} \otimes 1_{\mathfrak{e}_8}^{4,5} \otimes 1_{\mathfrak{e}_9}^{12231513221} \Delta = -20, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_7}^{321} \otimes \mathfrak{e}_8^{4,5} 12231513221 \text{ (12)} \quad \Delta = -268, \quad n_+ = 1, \quad n_- = 27, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_8$$

$$1^{321} \mathfrak{f}_7 \otimes 1^{3,3} \mathfrak{f}_7 \otimes 1^{4,5} \mathfrak{f}_8 | 2231 \mathbf{4} \quad \Delta = -131, \quad n_+ = 1, \quad n_- = 27, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_7}^{321} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_8^{4,5} 122312 \quad \Delta = -103, \quad n_+ = 1, \quad n_- = 27, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

467

$$1^{321} \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_8^{12231\mathbf{3}} \quad \Delta = -111, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_8^1 \otimes \mathbf{e}_6^{5,3} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 131513\mathbf{2} \quad \Delta = -126, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_8^{21} \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 13151$

$$1\mathbf{e}_8^{21\ 5,3} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{13151\mathbf{2}} \quad \Delta = -117, \ n_+ = 1, \ n_- = 27, \ n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{2313221} \otimes \mathfrak{e}_8^{5,5} 1223132 \quad \Delta = -92, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $14^{2,4} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} 122222$

$$14 \overset{2,4}{\otimes} \overset{21}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 122222 \quad \Delta = -93, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$222221\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes 41\mathbf{3}^{2,4} \quad \Delta = -101, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 413 \mathbf{2} \quad \Delta = -102, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 122313$

$$313221\mathbf{e}_8^{21} \otimes \mathbf{e}_8^{5,5} \mathbf{e}_8^1 122313 \quad \Delta = -90, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes 41^2 \quad \Delta = -93, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$22221 \overset{21}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{1}{\mathfrak{e}_8} \otimes \overset{4,2}{41} \quad \Delta = -93, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow 1$$

$$1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,4,2} 41\mathbf{3} \quad \Delta = -101, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7' \otimes^{4,5} 1\mathbf{e}_8 \otimes^{5,5} \mathbf{e}_7 1\mathbf{e}_8 \quad \Delta = -116, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{12231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7 12$

$$1^{12231513221} \otimes \mathbf{e}_7 12\mathbf{3} \quad \Delta = -20, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{(12)12231513221} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7 12 \quad \Delta = -259, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1^{512231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7 12 \quad \Delta = -63, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

1	$\overset{612231513221}{\mathbf{e}_8}$	$\overset{5,5}{\otimes} \mathbf{e}_7 12$	$\Delta = -89, n_+ = 1, n_- = 27, n_0 = 0$	$\rightarrow \mathbb{F}_1$
1	$\overset{812231513221}{\mathbf{e}_8}$	$\overset{5,5}{\otimes} \mathbf{e}_7 12$	$\Delta = -144, n_+ = 1, n_- = 27, n_0 = 0$	$\rightarrow \mathbb{P}^2$
1	$\overset{712231513221}{\mathbf{e}_8}$	$\overset{5,5}{\otimes} \mathbf{e}_7 12$	$\Delta = -116, n_+ = 1, n_- = 27, n_0 = 0$	$\rightarrow \mathbb{F}_0$
1	$\overset{312231513221}{\mathbf{e}_8}$	$\overset{5,5}{\otimes} \mathbf{e}_7 12$	$\Delta = -19, n_+ = 1, n_- = 27, n_0 = 0$	$\rightarrow \mathbb{F}_4$

Base: $e_7' \overset{5,5}{\otimes} e_8 \overset{1}{\otimes} e_7 \overset{4,5}{12}$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{1,4,5} \otimes \mathbf{e}_7 \mathbf{123} \quad \Delta = -125, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1e'_7 \overset{4,5}{\otimes} e_8 \overset{1}{\otimes} \overset{5,4}{e_7} 12$

$$1\mathbf{e}'_7 \otimes^{4,5} \mathbf{e}_8 \otimes^{1,5,4} \mathbf{e}_7 12\mathbf{3} \quad \Delta = -125, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_7'^{4,5} \mathbf{12} \quad \Delta = -116, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1^{12231513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 122$

$$1^{212231513221} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{122} \quad \Delta = -11, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1^{312231513221} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{122} \quad \Delta = -19, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{(12)}_{\mathbf{e}_8}{}^{12231513221}{}^{5,4} \otimes \mathbf{e}_7 122 \quad \Delta = -259, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1^{412231513221} \otimes \mathfrak{e}_8^{5,4} 122 \quad \Delta = -39, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{812231513221} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7^{122} \quad \Delta = -144, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{12231513221} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 122\mathbf{3} \quad \Delta = -20, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{5,12231513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 122 \quad \Delta = -63, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{612231513221} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 122 \quad \Delta = -89, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$12231513221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,4}{\mathfrak{e}}_7 122 \quad \Delta = -11, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{712231513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 122 \quad \Delta = -116, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $e_7' \overset{5,4}{\otimes} e_8 \overset{1}{\otimes} \overset{4,5}{e_7} 123$

$$\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{1,4,5} \otimes \mathbf{e}_7 123\mathbf{2} \quad \Delta = -127, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{131513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12321$

$$1^{131513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7^{12321} \quad \Delta = -22, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{131513221} \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 12321 \mathbf{7} \quad \Delta = -126, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$131513221^{21\ 5,4} \mathbf{e}_8 \otimes \mathbf{e}_7 12321 \quad \Delta = -21, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{5131513221} \otimes \mathfrak{e}_7^{5,4} 12321 \quad \Delta = -73, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{3131513221} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{12321} \quad \Delta = -29, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{131513221} \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 12321 \mathbf{3} \quad \Delta = -29, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{2131513221}{}^{5,4} \mathfrak{e}_8 \otimes \mathfrak{e}_7 12321 \quad \Delta = -21, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{131513221} \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 12321 \mathbf{5} \quad \Delta = -73, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{131513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12321^{\text{red}} \quad \Delta = -21, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{131513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12321 \mathbf{8} \quad \Delta = -154, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$1^{6131513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12321 \quad \Delta = -99, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{131513221} \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 12321 \mathbf{6} \quad \Delta = -99, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{131513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12321^{\textcolor{red}{4}} \quad \Delta = -49, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{4131513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12321 \quad \Delta = -49, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1^{1231513221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7^{1231}$

$$1^{1231513221} \overset{5,4}{\mathfrak{e}_8} \otimes \overset{2}{\mathfrak{e}_7} 1231 \quad \Delta = -22, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{5,5,1}$	12231513221	3	$\Delta = -19, n_+ = 1, n_- = 27, n_0 = 0$	$\rightarrow \mathbb{F}_3$
$1\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{5,5,1}$	12231513221		$\Delta = -11, n_+ = 1, n_- = 27, n_0 = 0$	$\rightarrow \mathbb{F}_1$
$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{5,5,1}$	12231513221	2	$\Delta = -11, n_+ = 1, n_- = 27, n_0 = 0$	$\rightarrow \mathbb{F}_4$
$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{5,5,1}$	12231513221	5	$\Delta = -63, n_+ = 1, n_- = 27, n_0 = 0$	$\rightarrow \mathbb{F}_1$
$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{5,5,1}$	12231513221	7	$\Delta = -116, n_+ = 1, n_- = 27, n_0 = 0$	$\rightarrow \mathbb{P}^2$
$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{5,5,1}$	12231513221	(12)	$\Delta = -259, n_+ = 1, n_- = 27, n_0 = 0$	$\rightarrow \mathbb{F}_6$
$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{5,5,1}$	12231513221	8	$\Delta = -144, n_+ = 1, n_- = 27, n_0 = 0$	$\rightarrow \mathbb{F}_2$
$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{5,5,1}$	12231513221	6	$\Delta = -89, n_+ = 1, n_- = 27, n_0 = 0$	$\rightarrow \mathbb{F}_0$

Base: $1 \mathbf{e}_7^1 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7'^1 \mathbf{e}_8^{5,4}$

$$1\overset{1}{e}\overset{4,5}{7} \otimes \overset{1}{e}\overset{5,4}{8} \otimes \overset{5,4}{e}'\overset{1}{7}\textcolor{red}{1}\textcolor{red}{2} \quad \Delta = -116, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_7^{21\ 4,5\ 1\ 5,4} \otimes \mathbf{e}_8 \otimes \mathbf{e}_7'1 \quad \Delta = -116, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1\overset{21}{\mathfrak{e}}_7 \otimes \overset{4,5}{\mathfrak{e}}_8 \overset{1}{1}2231513221$

$$1_{\mathbf{e}_7}^{21\ 4,5\ 1} \otimes 1_{\mathbf{e}_8}^{12231513221\mathbf{7}} \quad \Delta = -116, \ n_+ = 1, \ n_- = 27, \ n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 12231513221\mathbf{6} \quad \Delta = -89, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1_{\mathfrak{e}_7}^{21} \otimes 1_{\mathfrak{e}_8}^{4,5} 1_{12231513221}^1 \quad \Delta = -19, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 122315132218 \quad \Delta = -144, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{321}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \overset{1}{12231513221} \quad \Delta = -20, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{21}{\epsilon}_7 \otimes \overset{4,5}{\epsilon}_8 \overset{21}{12231513221} \quad \Delta = -11, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_7}^{21} \otimes 1_{\mathfrak{e}_8}^{4,5} 12231513221 \text{ (12)} \quad \Delta = -259, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 12231513221\textcolor{red}{2} \quad \Delta = -11, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$21\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{4,5} 12231513221 \quad \Delta = -11, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1_{\mathfrak{e}_7}^{21} \otimes 1_{\mathfrak{e}_8}^{4,5} 122315132215 \quad \Delta = -63, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} 12231513221\textcolor{red}{4} \quad \Delta = -39, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_8^{4,5} \epsilon_8^1 12231$

$$1 \overset{3,21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{4,5}{\mathbf{e}_8} \overset{1}{12231} \quad \Delta = -103, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \overset{1}{12231\mathbf{3}} \quad \Delta = -102, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_8^{4,5} 12231\bar{5} \quad \Delta = -146, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\overset{21}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{4,5}{e}_8 \overset{21}{12231} \quad \Delta = -94, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \overset{1}{12231}\mathbf{2} \quad \Delta = -94, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21\overset{2,1}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \overset{1}{12231} \quad \Delta = -94, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \overset{1}{12231}\textcolor{red}{4} \quad \Delta = -122, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8 1223132$

$$21^{413221} \otimes \mathfrak{e}_8^{5,5} 1223132 \quad \Delta = -111, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21^{2132215,5} \otimes \mathfrak{e}_8 1223132 \quad \Delta = -83, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{513221} \otimes^{5,5} \mathfrak{e}_8 1223132 \quad \Delta = -135, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $21^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 413$

$$21^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 413 \textcolor{red}{2} \quad \Delta = -102, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8 12222$

$$21^{21513221} \otimes \mathfrak{e}_8^{5,5} 12222 \quad \Delta = -117, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21^{31513221}{}^{5,5} \mathfrak{e}_8 \otimes \mathfrak{e}_8 12222 \quad \Delta = -125, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $21^{31513221} \epsilon_8^{5,5} \otimes \epsilon_8 1222$

$$21^{231513221} \otimes \mathfrak{e}_8^{5,5} 1222 \quad \Delta = -126, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $21^{231513221} \epsilon_8^{5,5} \otimes \epsilon_8 122$

$$21^{231513221}{}^{5,5}\mathfrak{e}_8 \otimes \mathfrak{e}_8 122\mathbf{3} \quad \Delta = -135, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_8^{1\ 5,5\ 21} \otimes \epsilon_8 1223151322$

$$1_{\mathfrak{e}_8}^{\mathbf{21}} \otimes 1_{\mathfrak{e}_8}^{5,5} 1_{\mathfrak{e}_8}^{21} 1223151322 \quad \Delta = -126, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1\epsilon_8^{21} \otimes \epsilon_8^{5,5} 1\epsilon_8^{21} 122315132$

$$21\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8^{21} 122315132 \quad \Delta = -126, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1^{313221} \epsilon_8^{5,5} \otimes \epsilon_8^{21} 12231$

$$1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 122314 \quad \Delta = -110, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$313221\mathfrak{e}_8^{21\ 5,5\ 21} \otimes \mathfrak{e}_8^{21} 12231 \quad \Delta = -82, \ n_+ = 1, \ n_- = 27, \ n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{2313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231 \quad \Delta = -83, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231 \mathbf{5} \quad \Delta = -134, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231 \textcolor{red}{2} \quad \Delta = -82, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 4 \begin{smallmatrix} 4,2 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 1$$

$$4^{4,2} \otimes \mathfrak{e}_8^{21} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{413221} 1 \quad \Delta = -130, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$4 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{21}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{213221}{\mathfrak{e}_8} 1 \quad \Delta = -102, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$4^{4,2} \otimes \mathfrak{e}_8^{21} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{13221} \otimes 1 \quad \Delta = -154, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21^{2221} \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \overset{4,2}{41}$

$$21^{2221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1,4,2} \otimes 41\mathbf{3} \quad \Delta = -101, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,4,2} \otimes 41\mathbf{2} \quad \Delta = -93, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} \otimes 41^{4,2} \quad \Delta = -93, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{2221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{1,4,2} 41_{\text{red}} \quad \Delta = -121, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8^{221} 12$

$$414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{3221}{12} \quad \Delta = -130, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 1223151$

$$1 \text{ e}_8^{2221} \otimes \text{e}_8^{5,5} 21 1223151 \text{ red} \quad \Delta = -117, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{2221} \epsilon_8^{5,5} \otimes \epsilon_8^{21} 1223151\mathbf{3} \quad \Delta = -125, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8^{21} 1223151 \quad \Delta = -117, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1^{221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231513$

$$1 \overset{3}{\mathbf{e}}_8^{221} \otimes \overset{5,5}{\mathbf{e}}_8^{21} 12231513 \quad \Delta = -134, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \overset{21}{12231513} \quad \Delta = -125, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{221} \epsilon_8^{5,5} \otimes \epsilon_8^{21} 12231513\textcolor{red}{2} \quad \Delta = -126, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231$

$$21 \overset{2}{\mathfrak{e}}_8^{13221} \otimes \overset{5,5}{\mathfrak{e}}_8^{21} 12231 \quad \Delta = -74, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21^{513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231 \quad \Delta = -126, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21^{413221} \otimes 21^{5,5} \otimes 12231 \quad \Delta = -102, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\begin{array}{ll}
14 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 131513221 \textcolor{red}{(12)} & \Delta = -179, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_8 \\
14 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 131513221 \textcolor{red}{8} & \Delta = -64, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_4 \\
14 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 131513221 \textcolor{red}{7} & \Delta = -36, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_3
\end{array}$$

$$1\epsilon_6^{21,2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 1315131\bar{5} \quad \Delta = -32, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^{21,2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{13151314} \quad \Delta = -8, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{21,2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{13151316} \quad \Delta = -58, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1_{\mathfrak{e}_6}^{21} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes 122$

$$1_{\mathbf{e}_6}^{21, 2, 2} \otimes \mathbf{e}_6^{2, 2} \otimes \mathbf{e}_6^{2, 2} \otimes \mathbf{e}_6^{2, 2} \otimes \mathbf{e}_6^{2, 2} \otimes \mathbf{e}_6^{122\mathbf{3}} \quad \Delta = -7, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \mathbf{e}_6^{321} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 122 \quad \Delta = -7, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\epsilon_6^{31} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 122 \quad \Delta = -6, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1 \epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \epsilon_6^{21} 1$$

$$21\epsilon_6^{31} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{21} \quad \Delta = -6, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \overset{321}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \otimes \overset{2,2}{\mathfrak{e}_6} \overset{21}{\mathfrak{e}_6} 1 \quad \Delta = -7, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1^{131} \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 131512$

$$1^{4131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 131512 \quad \Delta = -8, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{6131}_{\mathbf{e}_6} \otimes^{2,2}_{\mathbf{e}_6} \otimes^{2,2}_{\mathbf{e}_6} \otimes^{2,2}_{\mathbf{e}_6} \otimes^{2,2}_{\mathbf{e}_6} 131512 \quad \Delta = -58, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{5131}_{\mathbf{e}_6} \otimes^{2,2}_{\mathbf{e}_6} \otimes^{2,2}_{\mathbf{e}_6} \otimes^{2,2}_{\mathbf{e}_6} \otimes^{2,2}_{\mathbf{e}_6} 131512 \quad \Delta = -32, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{131} \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^1 13151$

$$1^{6131}_{\mathfrak{e}_6} \otimes^{2,2}_{\mathfrak{e}_6} \otimes^{2,2}_{\mathfrak{e}_6} \otimes^{2,2}_{\mathfrak{e}_6} \otimes^{2,2}_{\mathfrak{e}_6} \otimes^1_{\mathfrak{e}_6} 13151 \quad \Delta = -58, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{5131} \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{13151} \quad \Delta = -32, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{4131}_{\epsilon_6} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{13151} \quad \Delta = -8, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 1223151321 $\epsilon_7^{3,3} \otimes \epsilon_7$ 1231513221

$$1223151321\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 1231513221\textcolor{red}{7} \quad \Delta = -12, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1223151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231513221\mathbf{8} \quad \Delta = -40, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1223151321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 1231513221 \text{ (12)} \quad \Delta = -155, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_5$$

Base: $1321\epsilon_7' \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 1231513221$

$$1321\mathfrak{e}_7' \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 1231513221\mathbf{7} \quad \Delta = -67, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1321\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 12315132216 \quad \Delta = -40, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1223151321\epsilon_7 \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon'_7 12315 \quad \Delta = -14, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1321\epsilon_7^{\otimes 3,3} \otimes \epsilon_7^{\otimes 3,3} \epsilon_7 1231513221\mathbf{5} \quad \Delta = -14, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\overset{3,3}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \mathbf{e}_7 1231513221 \text{ (12)} \quad \Delta = -210, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$1321\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 12315132218 \quad \Delta = -95, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1321\mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 1231$$

$$1321 \epsilon'_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon'_7 1231 \textcolor{red}{3} \quad \Delta = -25, \quad n_+ = 1, \quad n_- = 27, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1321\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 12315 \quad \Delta = -28, \quad n_+ = -1, \quad n_- = -27, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_{13}$$

$$[321]e_7' \otimes e_7 \otimes e_7 \otimes e_7' [231] \Delta = -17, \quad n_+ = 1, \quad n_- = 27, \quad n_0 = 0 \quad \rightarrow \mathbb{F}$$

$$\begin{array}{c} 1231 \\ \textcolor{red}{2} \end{array} \begin{array}{c} \otimes \\ \textcolor{red}{2} \end{array} \begin{array}{c} 3,3 \\ \otimes \end{array} \begin{array}{c} \otimes \\ \textcolor{red}{2} \end{array} \begin{array}{c} 3,3 \\ \otimes \end{array} \begin{array}{c} \otimes \\ \textcolor{red}{2} \end{array} \begin{array}{c} 3,3 \\ \otimes \end{array} \begin{array}{c} \otimes \\ \textcolor{red}{2} \end{array} \begin{array}{c} 1231 \\ \textcolor{red}{2} \end{array} \quad \Delta = -19, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1321\overline{e}_7' \otimes e_7 \oplus e_7 \otimes e_7 \oplus 1231 = 16; n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $12321\epsilon'_7 \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 123151321$

$$12321\epsilon'_{-} \otimes_{3,3} \epsilon_{-} \otimes_{3,3} \epsilon_{-} 123151321\mathbf{6} \quad \Lambda = -42 \quad n_{+} = 1 \quad n_{-} = 27 \quad n_{\circ} = 0 \quad \rightarrow \mathbb{R}_{\circ}$$

$$12321c_7 \otimes c_7 \otimes c_7 123131321\mathbf{6} \quad \Delta = -42, \quad n_+ = 1, \quad n_- = 21, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7 \otimes^{3,3} \mathbf{e}'_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_6 \mathbf{1} \mathbf{3} \quad \Delta = -124, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7'^{3,3} \otimes \mathbf{e}_7 1\mathbf{e}_2 \quad \Delta = -116, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $e_7 \overset{4,5}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 122$

$$\mathbf{e}_7^{4,5} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{122\mathbf{3}} \quad \Delta = -123, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $221e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{4,4}{\otimes} e_7 1$

$$1\mathbf{e}_7^{4,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{122\textcolor{red}{3}} \quad \Delta = -123, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,4} \otimes \mathbf{e}_7\mathbf{1}\mathbf{2} \quad \Delta = -114, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $13221\epsilon_7 \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 123151321$

$$13221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 123151321\mathbf{7} \quad \Delta = -95, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$13221\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 123151321\mathbf{5} \quad \Delta = -42, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$123151321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12231\mathbf{5} \quad \Delta = -42, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$123151321\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 12231\mathbf{4} \quad \Delta = -18, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$13221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 123151321\mathbf{4} \quad \Delta = -18, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$13221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 123151321\mathbf{8} \quad \Delta = -123, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$13221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 123151321\mathbf{6} \quad \Delta = -68, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $2221\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 1231513221$

$$2221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231513221\mathbf{5} \quad \Delta = -33, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$2221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 1231513221 \textcolor{red}{(12)} \quad \Delta = -229, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$2221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231513221\mathbf{8} \quad \Delta = -114, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$2221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231513221\mathbf{4} \quad \Delta = -9, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$2221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231513221\mathbf{6} \quad \Delta = -59, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231513221\mathbf{7} \quad \Delta = -86, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $131\epsilon_6 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 12231$

$$13221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_6 131\mathbf{4} \quad \Delta = -45, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$13221e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_6 131\mathbf{r} \quad \Delta = -25, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$13221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_6 131\mathbf{5} \quad \Delta = -69, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$131e_6 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 12231\bar{5} \quad \Delta = -69, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$131\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12231\mathbf{3} \quad \Delta = -25, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$13221e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_6 131\mathbf{6} \quad \Delta = -95, \quad n_+ = 1, \quad n_- = 27, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$131\mathbf{e}_6 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12231\mathbf{e}_7 \quad \Delta = -17, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$13221\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_6 131\textcolor{red}{2} \quad \Delta = -17, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$131\epsilon_6 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 122314 \quad \Delta = -45, \quad n_+ = 1, \quad n_- = 27, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $221\epsilon_7' \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 12231$

$$221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12231\mathbf{5} \quad \Delta = -88, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$221\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7 12231\textcolor{red}{2} \quad \Delta = -36, \quad n_+ = 1, \quad n_- = 27, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 122314 \quad \Delta = -64, \quad n_+ = 1, \quad n_- = 27, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221\epsilon'_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 12231\textcolor{red}{\mathbf{1}} \quad \Delta = -44, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$13221\epsilon_7 \otimes_{\epsilon_7}^{3,3} \otimes_{\epsilon_7}^{3,3} \epsilon_7' 122\mathbf{3} \quad \Delta = -45, \quad n_+ = 1, \quad n_- = 27, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1321e'_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 1222$

$$2221\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}'_7 1231\mathbf{4} \quad \Delta = -64, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$2221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 1231\mathbf{5} \quad \Delta = -88, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$2221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 1231\mathbf{2} \quad \Delta = -36, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1321\overset{2}{e'_7}\overset{3,3}{\otimes} e_7\overset{3,3}{\otimes} e_7\overset{3,3}{\otimes} e_71222 \quad \Delta = -38, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$2221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 1231\mathbf{3} \quad \Delta = -44, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1e_7' \overset{21}{\otimes} \overset{3,3}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 12231$$

$$21\overset{21}{e_7} \otimes_{\mathbb{F}_3} e_7 \otimes_{\mathbb{F}_3} e_7 \otimes_{\mathbb{F}_3} e_7 12231 \quad \Delta = -36, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7^{21,3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 122315 \quad \Delta = -88, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\overset{21}{\underset{7}{e}}_7 \otimes \overset{3,3}{\underset{7}{e}}_7 \otimes \overset{3,3}{\underset{7}{e}}_7 \otimes \overset{3,3}{\underset{7}{e}}_7 12231\overset{4}{\textcolor{red}} \quad \Delta = -64, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{3,21}{e_7'} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} 12231 \quad \Delta = -45, \quad n_+ = 1, \quad n_- = 27, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 12231\textcolor{red}{3} \quad \Delta = -44, \quad n_+ = 1, \quad n_- = 27, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 12231\textcolor{red}{2} \quad \Delta = -36, \quad n_+ = 1, \quad n_- = 27, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $2151321\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7 1231512$

$$2151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231512\mathbf{3} \quad \Delta = -42, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $14 \overset{2,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 12315131$

$$13151321 \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{2,3}{\mathbf{e}_7} \otimes 41\textcolor{red}{4} \quad \Delta = -45, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$13151321e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{2,3} 41\textcolor{red}{2} \quad \Delta = -17, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12315131\mathbf{6} \quad \Delta = -95, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 123151314 \quad \Delta = -45, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12315131\textcolor{red}{2} \quad \Delta = -17, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$13151321e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{2,3} 41\mathbf{3} \quad \Delta = -25, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12315131\mathbf{3} \quad \Delta = -25, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12315131\mathbf{5} \quad \Delta = -69, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12315131 \overset{2}{} \quad \Delta = -18, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $31321\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7 123151321$

$$31321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 123151321\mathbf{7} \quad \Delta = -103, \quad n_+ = 1, \quad n_- = 27, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$31321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 123151321\mathbf{5} \quad \Delta = -50, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$31321e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} 1231513214 \quad \Delta = -26, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$31321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 123151321\mathbf{3} \quad \Delta = -6, \, n_+ = 1, \, n_- = 27, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$31321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 123151321\mathbf{8} \quad \Delta = -131, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$31321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 123151321\mathbf{6} \quad \Delta = -76, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: 1²¹⁵¹³²¹⁸¹²³²¹⁸¹²³²¹⁸¹²³¹51

$$1 \overset{\textcolor{red}{3}215132181232181232181231}{5} 1 \quad \Delta = -42, n_+ = 1, n_- = 27, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{215132181232181232181231} 5^{13} \Delta = -41, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \quad 215132181232181232181231 \quad 12 \quad \Delta = -33, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 1¹⁵132181232181232181231¹

$$1^{15132181232181232181231} 5^{13} 13^{\text{red}} \Delta = -41, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{15132181232181232181231} 5^{12} 12^{\text{red}} \Delta = -33, n_+ = 1, n_- = 27, n_0 = 0 \rightarrow \mathbb{F}_3$$

[illegible]

$$221\mathbf{e}_8^{3,5} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{12\mathbf{3}} \quad \Delta = -123, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\epsilon_6^1 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{3,5} 12231513221$

$$1\mathbf{e}_6^{1,2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{12231513221\textcolor{red}{2}} \quad \Delta = -12, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{2,1}{\mathfrak{e}}_6 \otimes \overset{2,2}{\mathfrak{e}}_6 \otimes \overset{3,5}{\mathfrak{e}}_8 12231513221 \quad \Delta = -12, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_6^{1,2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8^{12231513221\textcolor{red}{3}} \quad \Delta = -20, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{3,1}{\mathfrak{e}}_6 \otimes \overset{2,2}{\mathfrak{e}}_6 \otimes \overset{3,5}{\mathfrak{e}}_8 12231513221 \quad \Delta = -20, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon_6^{1,2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8^{122315132215} \quad \Delta = -64, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\epsilon_6^1 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{3,5} 12231513221\mathbf{6} \quad \Delta = -90, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{1,2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8 12231513221 \text{ (12)} \quad \Delta = -260, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$1\epsilon_6^1 \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{3,5} 12231513221\textcolor{red}{4} \quad \Delta = -40, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_6^{1,2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8 12231513221\mathbf{7} \quad \Delta = -117, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{1,2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{122315132218} \quad \Delta = -145, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $1_{\epsilon_6}^1 \otimes_{\epsilon_6}^{2,2} \otimes_{\epsilon_6}^{2,2} \otimes_{\epsilon_6}^{2,2} \otimes_{\epsilon_8}^{3,5} 122$

$$1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8^{122} \quad \Delta = -114, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_6^{31,2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{122} \quad \Delta = -122, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_6^{1,2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_8^{3,5} 122\mathbf{3} \quad \Delta = -123, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $e_7' \overset{5,5}{\otimes} e_8 \overset{3,5}{\otimes} e_6 \overset{2,2}{\otimes} e_6 1$

$$\mathbf{e}_7' \overset{5,5}{\otimes} \mathbf{e}_8 \overset{3,5}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \mathbf{13} \quad \Delta = -125, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{3,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}'_7 1$

$$1\epsilon_7' \overset{5,4}{\otimes} \epsilon_8 \overset{3,5}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 1\textcolor{red}{2} \quad \Delta = -117, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6 \mathbf{1} \mathbf{3} \quad \Delta = -125, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}'_7 \mathbf{12} \quad \Delta = -117, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $5131\mathbf{e}_6 \overset{3,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_71$

$$5131\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7 \mathbf{12} \quad \Delta = -119, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $131\mathbf{e}_6 \overset{3,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_712$

$$21\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6^{131\mathbf{6}} \quad \Delta = -145, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21e_7^{5,5} \otimes e_8^{3,5} \otimes e_6^{131} \mathbf{3} \quad \Delta = -75, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21e_7^{5,5} \otimes e_8^{3,5} \otimes e_6^{1314} \quad \Delta = -95, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6 131\mathbf{2} \quad \Delta = -67, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$131\mathfrak{e}_6^{3,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7 12\mathbf{3} \quad \Delta = -76, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\mathfrak{e}'_7 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_7 12$

$$21\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}'_7 \mathbf{12} \quad \Delta = -87, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1e_7' \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7 12\mathbf{3} \quad \Delta = -96, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $21e'_7 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7 12$

$$21\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}'_7 12\mathbf{3} \quad \Delta = -96, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21\mathbf{e}_7^{\prime 4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7 12\mathbf{3} \quad \Delta = -96, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\mathbf{e}_7' \overset{1}{\otimes} \overset{4,5}{\mathbf{e}_8} \overset{5,5}{\otimes} \mathbf{e}_7 12$

$$1\overset{1}{e}_7^{4,5} \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_7 12\textcolor{red}{3} \quad \Delta = -96, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon_7' \otimes \epsilon_8 \otimes \epsilon_7 12 \quad \Delta = -87, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 5131\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_7 12$$

$$5131\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_7 123 \quad \Delta = -128, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 131\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_7 122$$

$$131\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_7 1223 \quad \Delta = -76, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\epsilon_7 \otimes \epsilon_8 \otimes \epsilon_6 1313 \quad \Delta = -75, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\epsilon_7 \otimes \epsilon_8 \otimes \epsilon_6 1312 \quad \Delta = -67, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\epsilon_7 \otimes \epsilon_8 \otimes \epsilon_6 1316 \quad \Delta = -145, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\epsilon_7 \otimes \epsilon_8 \otimes \epsilon_6 1314 \quad \Delta = -95, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$221\epsilon_7 \otimes \epsilon_8 \otimes \epsilon_6 1315 \quad \Delta = -119, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\epsilon_7' \otimes \epsilon_8 \otimes \epsilon_7 122$$

$$221\epsilon_7 \otimes \epsilon_8 \otimes \epsilon_7' 12 \quad \Delta = -87, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7' \otimes \epsilon_8 \otimes \epsilon_7 1223 \quad \Delta = -96, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 21\epsilon_7' \otimes \epsilon_8 \otimes \epsilon_7 122$$

$$21\epsilon_7' \otimes \epsilon_8 \otimes \epsilon_7 1223 \quad \Delta = -96, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\epsilon_7 \otimes \epsilon_8 \otimes \epsilon_7' 123 \quad \Delta = -96, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\epsilon_7' \otimes \epsilon_8 \otimes \epsilon_7 122$$

$$1\epsilon_7' \otimes \epsilon_8 \otimes \epsilon_7 1223 \quad \Delta = -96, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_7' \otimes \epsilon_8 \otimes \epsilon_7 122 \quad \Delta = -87, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 512321\epsilon_7 \otimes \epsilon_8 1223151321$$

$$512321\epsilon_7 \otimes \epsilon_8 12231513212 \quad \Delta = -45, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$512321\epsilon_7 \otimes \epsilon_8 12231513216 \quad \Delta = -123, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$512321\epsilon_7 \otimes \epsilon_8 12231513218 \quad \Delta = -178, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$512321\epsilon_7 \otimes \epsilon_8 12231513213 \quad \Delta = -53, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$512321\epsilon_7 \otimes \epsilon_8 12231513214 \quad \Delta = -73, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$512321\epsilon_7 \otimes \epsilon_8 12231513217 \quad \Delta = -150, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 151321\epsilon_7 \otimes \epsilon_8 1223151321$$

$$151321\epsilon_7 \otimes \epsilon_8 12231513214 \quad \Delta = -71, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1231513221\epsilon_8 \otimes \epsilon_7 1231512 \quad \Delta = -43, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$151321\epsilon_7 \otimes \epsilon_8 12231513212 \quad \Delta = -43, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$151321\epsilon_7 \otimes \epsilon_8 12231513213 \quad \Delta = -51, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$151321\epsilon_7 \otimes \epsilon_8 12231513217 \quad \Delta = -148, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1231513221\epsilon_8 \otimes \epsilon_7 1231513 \quad \Delta = -51, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$151321\epsilon_7 \otimes \epsilon_8 12231513218 \quad \Delta = -176, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$151321\epsilon_7 \otimes \epsilon_8 12231513216 \quad \Delta = -121, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$151321\epsilon_7 \otimes \epsilon_8 12231513215 \quad \Delta = -95, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 4 \otimes \epsilon_7 \otimes \epsilon_8 12231513221$$

$$4 \otimes \epsilon_7 \otimes \epsilon_8 122315132216 \quad \Delta = -97, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$4 \otimes_{\mathbf{e}_7}^{3,2} \otimes_{\mathbf{e}_8}^{5,4} 12231513221$	8	$\Delta = -152, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_4$
$4 \otimes_{\mathbf{e}_7}^{3,2} \otimes_{\mathbf{e}_8}^{5,4} 12231513221$	(12)	$\Delta = -267, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_8$
$4 \otimes_{\mathbf{e}_7}^{3,2} \otimes_{\mathbf{e}_8}^{5,4} 12231513221$	2	$\Delta = -19, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$
$4 \otimes_{\mathbf{e}_7}^{3,2} \otimes_{\mathbf{e}_8}^{5,4} 12231513221$	7	$\Delta = -124, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$
$4 \otimes_{\mathbf{e}_7}^{3,2} \otimes_{\mathbf{e}_8}^{5,4} 12231513221$	3	$\Delta = -27, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$
$4 \otimes_{\mathbf{e}_7}^{3,2} \otimes_{\mathbf{e}_8}^{5,4} 12231513221$	4	$\Delta = -47, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$
$4 \otimes_{\mathbf{e}_7}^{3,2} \otimes_{\mathbf{e}_8}^{5,4} 12231513221$	5	$\Delta = -71, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{P}^2$

Base: $12321\epsilon_7 \otimes^{4,5} \epsilon_8 12231513215$

$$51231513221\mathbf{e}_8 \otimes^{4,5} \mathbf{e}_7 12321\mathbf{5} \quad \Delta = -97, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$51231513221\mathbf{c_8} \overset{4,5}{\otimes} \mathbf{c_7}12321\mathbf{4} \quad \Delta = -73, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$51231513221\mathbf{e}_8 \otimes^{4,5} \mathbf{e}_7 12321\mathbf{7} \quad \Delta = -150, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$51231513221\mathbf{e}_8 \otimes^{4,5} \mathbf{e}_7 12321\mathbf{8} \quad \Delta = -178, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$51231513221\mathbf{e}_8 \otimes \mathbf{e}_7^{4,5}12321\mathbf{6} \quad \Delta = -123, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$51231513221\mathbf{e_8} \overset{4,5}{\otimes} \mathbf{e_7}12321\mathbf{2} \quad \Delta = -45, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$51231513221\epsilon_8 \otimes \epsilon_7^{4,5} 12321\mathbf{3} \quad \Delta = -53, \quad n_+ = 1, \quad n_- = 28, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $12321\epsilon_7^{4,5} \otimes \epsilon_8 12231513151$

$$15131513221\mathbf{e}_8 \otimes^{4,5} \mathbf{e}_7 12321\mathbf{3} \quad \Delta = -52, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$15131513221\mathbf{c}_8 \otimes^{4,5} \mathbf{c}_7 12321\mathbf{5} \quad \Delta = -96, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$15131513221\mathbf{c}_8 \otimes \mathbf{c}_7 12321\mathbf{4} \quad \Delta = -72, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$15131513221\mathbf{e}_8 \otimes \mathbf{e}_7^{4,5}12321\mathbf{6} \quad \Delta = -122, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$15131513221\mathbf{e}_8 \otimes \mathbf{e}_7^{4,5}12321\mathbf{8} \quad \Delta = -177, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$15131513221\epsilon_8 \overset{4,5}{\otimes} \epsilon_7 12321\textcolor{red}{2} \quad \Delta = -44, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$12321\epsilon_7^{4,5} \otimes \epsilon_8 12231513151\epsilon_2 \quad \Delta = -44, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$15131513221\mathbf{e}_8 \otimes \mathbf{e}_7 12321\mathbf{7} \quad \Delta = -149, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$12321\epsilon_7^{4,5} \otimes \epsilon_8 12231513151\mathbf{3} \quad \Delta = -52, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $\mathfrak{e}_6^{5,5} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_7^{1231}$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{2,3,1} \quad \Delta = -71, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{1231\textcolor{red}{2}} \quad \Delta = -69, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7 1231\mathbf{\color{red}3} \quad \Delta = -77, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\mathfrak{e}_6^{5,5} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_7 1231\mathbf{5} \quad \Delta = -121, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $1\mathfrak{e}_6 \overset{4,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 1231$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 1231\mathbf{2} \quad \Delta = -69, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_6\mathbf{13} \quad \Delta = -77, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 1231\mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_6 \mathbf{12} \quad \Delta = -69, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 1231\mathbf{5} \quad \Delta = -121, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 1231\mathbf{4} \quad \Delta = -97, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{\mathbf{2}} 1231 \quad \Delta = -71, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{4,5}{\otimes} \mathfrak{e}_8 122315131$

$$\begin{aligned}
131513221\epsilon_8 \otimes \epsilon_7 \otimes \epsilon_6 12 & \Delta = -70, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1\epsilon_6 \otimes \epsilon_7 \otimes \epsilon_8 1223151312 & \Delta = -70, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1\epsilon_6 \otimes \epsilon_7 \otimes \epsilon_8 1223151316 & \Delta = -148, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_4 \\
1\epsilon_6 \otimes \epsilon_7 \otimes \epsilon_8 1223151313 & \Delta = -78, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1\epsilon_6 \otimes \epsilon_7 \otimes \epsilon_8 1223151315 & \Delta = -122, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3 \\
131513221\epsilon_8 \otimes \epsilon_7 \otimes \epsilon_6 13 & \Delta = -78, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1\epsilon_6 \otimes \epsilon_7 \otimes \epsilon_8 1223151314 & \Delta = -98, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1\epsilon_6 \otimes \epsilon_7 \otimes \epsilon_8 122315131 & \Delta = -71, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{P}^2
\end{aligned}$$

Base: $1\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_7 12315$

$$\begin{aligned}
51321\epsilon_7 \otimes \epsilon_8 \otimes \epsilon_6 13 & \Delta = -128, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{P}^2 \\
51321\epsilon_7 \otimes \epsilon_8 \otimes \epsilon_6 12 & \Delta = -120, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

Base: $21\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_7 1231$

$$\begin{aligned}
21\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_7 1231 & \Delta = -70, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1321\epsilon_7 \otimes \epsilon_8 \otimes \epsilon_6 123 & \Delta = -77, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1 \\
21\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_7 12313 & \Delta = -76, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2 \\
21\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_7 12312 & \Delta = -68, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{P}^2 \\
21\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_7 12314 & \Delta = -96, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3
\end{aligned}$$

Base: $1\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_7 1231$

$$\begin{aligned}
1\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_7 12315 & \Delta = -120, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_4 \\
1\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_7 12313 & \Delta = -76, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_7 1231 & \Delta = -68, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_7 12312 & \Delta = -68, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_7 1231 & \Delta = -76, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_7 12314 & \Delta = -96, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_7 1231 & \Delta = -70, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $21\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_8 12231512$

$$\begin{aligned}
21513221\epsilon_8 \otimes \epsilon_7 \otimes \epsilon_7' 123 & \Delta = -98, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0 \\
21\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_8 122315123 & \Delta = -98, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

Base: $21\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_8 1223151$

$$\begin{aligned}
21\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_8 12231513 & \Delta = -97, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1^{32171232181231513221(12)12231} & \Delta = -98, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0
\end{aligned}$$

$$21\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_8 12231512 \Delta = -89, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_8 12231512$

$$\begin{aligned}
1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_8 122315123 & \Delta = -98, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_8 12231512 & \Delta = -89, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1
\end{aligned}$$

Base: $1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_8 1223151$

$$\begin{aligned}
1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_8 1223151 & \Delta = -89, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_8 12231513 & \Delta = -97, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

$$1\overset{1}{\mathbf{e}}_7' \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 1223151\overset{1}{\mathbf{e}}_2 \quad \Delta = -89, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $414 \overset{4,2}{\otimes} e_8 \overset{4,5}{\otimes} e_7 \overset{3,3}{\otimes} e_7 12$

$$414 \overset{4,2}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12\mathbf{3} \quad \Delta = -130, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $14 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 122$

$$221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{2,4} 41\mathbf{2} \quad \Delta = -93, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$14 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 122\mathbf{\bar{3}} \quad \Delta = -102, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{2,4} 41\mathbf{3} \quad \Delta = -101, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$221\mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{5,4} \otimes \mathfrak{e}_8^{2,4} 41\mathfrak{f} \quad \Delta = -121, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1321\mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{4,5}{\otimes} \mathfrak{e}_8 122313$

$$313221\text{e}_8 \otimes \text{e}_7 \otimes \text{e}_7 1231\text{f} \quad \Delta = -134, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$313221\epsilon_8^{\overline{4,5}} \otimes \epsilon_7^{\overline{3,3}} \otimes \epsilon_7 1231\overline{2} \quad \Delta = -82, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$313221\epsilon_8 \otimes \epsilon_7 \otimes \epsilon_7 1231\mathbf{3} \quad \Delta = -90, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1321\overset{3,3}{\mathbf{e}_7} \otimes \overset{4,5}{\mathbf{e}_7} \otimes \mathbf{e}_8 122313\textcolor{red}{2} \quad \Delta = -83, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$313221\overset{4,5}{\mathbf{e}_8} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}_7 1231\mathbf{4} \quad \Delta = -110, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1321\overset{2}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{4,5}{e_8} 122313 \quad \Delta = -84, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $4 \overset{3,2}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{5,4}{\otimes} e_8 12231$

$$4 \overset{3,2}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{5,4}{\otimes} \mathbf{e}_8 12231\mathbf{5} \quad \Delta = -154, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$4 \overset{3,2}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{5,4}{\otimes} \mathbf{e}_8 122314 \quad \Delta = -130, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$4 \overset{3,2}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{5,4}{\otimes} \mathfrak{e}_8 12231\textcolor{red}{2} \quad \Delta = -102, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $151321e_7^{3,3} \otimes e_7^{4,5} \otimes e_81222$

$$2221\mathbf{e}_8 \otimes_{4,5} \mathbf{e}_7 \otimes_{3,3} \mathbf{e}_7 123151\mathbf{3} \quad \Delta = -125, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$2221e_8^{4,5} \otimes e_7^{3,3} \otimes e_7 123151\textcolor{red}{2} \quad \Delta = -117, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $3151321\epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8 122$

$$3151321\mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_8 122\mathbf{3} \quad \Delta = -134, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{12315132} \quad \Delta = -126, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $12321\epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8 12222$

$$22221\mathbf{e}_8 \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_7^{3,3} 12321\mathbf{7} \quad \Delta = -172, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$22221\epsilon_8^{4,5} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{123214} \quad \Delta = -95, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$22221\mathbf{e}_8 \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_7^{3,3} 12321\mathbf{f} \quad \Delta = -119, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$22221\mathbf{e}_8 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 12321\mathbf{3} \quad \Delta = -75, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$22221\mathbf{e}_8 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7^{123218} \quad \Delta = -200, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$22221\mathbf{e}_8 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7^{12321\mathbf{2}} \quad \Delta = -67, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$22221\epsilon_8 \otimes \epsilon_7 \otimes \epsilon_7^{123216} \quad \Delta = -145, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1e_7 \overset{1}{\otimes} \overset{5,5}{e_8} \overset{5,3}{\otimes} e_6 131$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_6^{5,3} 131\mathbf{6} \quad \Delta = -145, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_6^{5,3} 131 \quad \Delta = -67, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_6^{5,3} 131\mathbf{4} \quad \Delta = -95, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^{1,5,5} \otimes \epsilon_8^{5,3} \otimes \epsilon_6^{1312} \quad \Delta = -67, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\overset{1}{e}_7 \otimes \overset{5,5}{e}_8 \otimes \overset{5,3}{e}_6 131\textcolor{red}{5} \quad \Delta = -119, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\epsilon_7^{1\ 5,5} \otimes \epsilon_8^{5,3} \otimes \epsilon_6 131\mathbf{3} \quad \Delta = -75, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1e_7^1 \otimes^{5,5} e_8 \otimes^{5,5} e_7' 1$

$$1\overset{21}{\mathbf{e}}_7^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}'_7 1 \quad \Delta = -87, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{1}{e}_7\overset{5,5}{\otimes}\overset{5,5}{e}_8\overset{5,5}{\otimes}e'_7\mathbf{12} \quad \Delta = -87, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1e_7 \overset{1}{\otimes} \overset{5,5}{e_8} \overset{5,4}{\otimes} e'_7 12$

$$1\overset{21}{\mathbf{e}}_7 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7' 12 \quad \Delta = -87, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{1,5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{12,3} \quad \Delta = -96, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\overset{1}{\mathfrak{e}}_7' \otimes \overset{4,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{1}{\mathfrak{e}}_7 1$$

$$1\overset{1}{e}_7'\overset{4,5}{\otimes}\overset{5,5}{e}_8\overset{1}{\otimes}1\overset{1}{e}_7\textcolor{red}{2} \quad \Delta = -87, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{\textcolor{red}{21}}{\mathbf{e}}_7' \otimes \mathbf{e}_8 \otimes \mathbf{e}_7 1 \quad \Delta = -87, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1e_7^{1,4,5} \otimes e_8^{5,3} \otimes e_6^{1315}$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_6^{5,3} 1315 \quad \Delta = -119, \quad n_+ = 1, \quad n_- = 28, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_6^{5,3} 131$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_6^{5,3} 131\mathbf{e}_2 \quad \Delta = -67, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_6^{5,3} 131\mathbf{4} \quad \Delta = -95, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\mathbf{e}_7^{21,4,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6 131 \quad \Delta = -67, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_6^{5,3} 131\mathbf{3} \quad \Delta = -75, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{3,21}{\mathbf{e}_7} \otimes \overset{4,5}{\mathbf{e}_8} \otimes \overset{5,3}{\mathbf{e}_6} 131 \quad \Delta = -76, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_6^{5,3} 131\mathbf{6} \quad \Delta = -145, \quad n_+ = 1, \quad n_- = 28, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

Base: $1\mathfrak{e}_7^{21} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_7'^{5,5} 1$

$$21\mathbf{e}_7^{1,4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}'_7 \quad \Delta = -87, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{3,21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}'_7 1 \quad \Delta = -96, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{5,5} \mathbf{12} \quad \Delta = -87, \quad n_+ = 1, \quad n_- = 28, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\mathfrak{e}_7^{21} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_7'^{5,4} 12$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7'^{5,4} 12\mathbf{3} \quad \Delta = -96, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\mathbf{e}_7^{21,4,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7'12 \quad \Delta = -87, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{3,21}{\mathfrak{e}_7} \otimes \overset{4,5}{\mathfrak{e}_8} \otimes \overset{5,4}{\mathfrak{e}'_7} 12 \quad \Delta = -96, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\overset{1}{e}_7' \otimes \overset{4,5}{e}_8 \otimes \overset{5,4}{e}_7 \overset{21}{1}$$

$$1\mathbf{e}_7' \otimes \mathbf{e}_8 \otimes \mathbf{e}_7 \mathbf{1} \quad \Delta = -87, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^{\prime 1} \otimes \epsilon_8^{4,5} \otimes \epsilon_7^{5,4} \epsilon_7^{21} 1 \quad \Delta = -96, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{\textcolor{red}{21}}{\epsilon}_7' \otimes \epsilon_8 \otimes \epsilon_7 1 \quad \Delta = -87, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \mathfrak{e}_7^{21} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_8^{4,5} \otimes 41^{4,2}$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_8^{4,5} \otimes 4\mathbf{1}^{\mathbf{red}} \quad \Delta = -101, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{3,21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{4,5}{\mathbf{e}_8} \otimes \overset{4,2}{41} \quad \Delta = -102, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21\overset{2,1}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{4,2}{41} \quad \Delta = -93, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_8^{4,5} \otimes 4\mathbf{1}_4^{4,2} \quad \Delta = -121, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_8^{4,5} \otimes 41\mathbf{e}_8^{4,2} \quad \Delta = -93, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_8^1 \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 123$

$1\epsilon_8^1 \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 123$ $\Delta = -125, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$

$1\epsilon_8^{21} \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 123$ $\Delta = -123, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: $1\epsilon_8^1 \otimes \epsilon_7^{5,4} \otimes \epsilon_7^{3,3} 12315132$

$1\epsilon_8^{21} \otimes \epsilon_7^{5,4} \otimes \epsilon_7^{3,3} 12315132$ $\Delta = -126, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: $1\epsilon_8^{21} \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \epsilon_6 12$

$21\epsilon_8^{21} \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \epsilon_6 12$ $\Delta = -114, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: $1\epsilon_6^1 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8^{21} 1$

$1\epsilon_6^1 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8^{21} 1$ $\Delta = -114, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$

$1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8^{21} 1$ $\Delta = -114, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$

$1\epsilon_6^{31} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8^{21} 1$ $\Delta = -122, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: $1\epsilon_8^{21} \otimes \epsilon_7^{5,4} \otimes \epsilon_7^{3,3} 1231513$

$21\epsilon_8^{21} \otimes \epsilon_7^{5,4} \otimes \epsilon_7^{3,3} 1231513$ $\Delta = -125, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: $14 \otimes \epsilon_8^{2,4} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} 1223132$

$2313221\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes 414$ $\Delta = -110, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{P}^2$

$2313221\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes 413$ $\Delta = -90, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$

$14 \otimes \epsilon_8^{2,4} \otimes \epsilon_8^{21} \otimes \epsilon_8^{5,5} 1223132$ $\Delta = -82, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$

$2313221\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes 412$ $\Delta = -82, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: $1 \otimes \epsilon_8^{313221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 413$

$313221\epsilon_8^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 413$ $\Delta = -89, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$

$1 \otimes \epsilon_8^{313221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 413$ $\Delta = -90, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$

$1 \otimes \epsilon_8^{313221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 413$ $\Delta = -90, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: $1 \otimes \epsilon_8^{22221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 4141$

$1 \otimes \epsilon_8^{22221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 4141$ $\Delta = -100, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$

$1 \otimes \epsilon_8^{22221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 4141$ $\Delta = -92, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$

$22221\epsilon_8^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 4141$ $\Delta = -92, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$

$1 \otimes \epsilon_8^{22221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 4141$ $\Delta = -120, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_4$

Base: $1 \otimes \epsilon_8^{21513221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 122222$

$21513221\epsilon_8^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 122222$ $\Delta = -88, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$

$1 \otimes \epsilon_8^{321513221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 122222$ $\Delta = -97, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: $1 \otimes \epsilon_8^{22221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 122315123$

$1 \otimes \epsilon_8^{22221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 122315123$ $\Delta = -99, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$

$22221\epsilon_8^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 122315123$ $\Delta = -97, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: $1 \otimes \epsilon_8^{1513221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 122222$

$1 \otimes \epsilon_8^{21513221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 122222$ $\Delta = -88, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$

$1 \otimes \epsilon_8^{222221(12)12231513221(12)12231} \otimes \epsilon_8^5 \otimes \epsilon_8^1$ $\Delta = -88, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$

$1 \otimes \epsilon_8^{31513221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 122222$ $\Delta = -96, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: $1 \otimes \epsilon_8^{22221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 12231513$

[illegible]

$$1 \overset{3,221}{\mathbf{e}_8} \otimes \overset{5,4}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 123151 \quad \Delta = -126, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1 \overset{2221}{\mathfrak{e}_8} \overset{5,4}{\otimes} \overset{3,3}{\mathfrak{e}_7} 12321$

$$1 \overset{2,2,1}{\epsilon}_8 \otimes \overset{5,4}{\epsilon}_7 \otimes \overset{3,3}{\epsilon}_7 12321 \textcolor{red}{4} \quad \Delta = -95, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{2221} \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12321\mathbf{3} \quad \Delta = -75, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$2221\overset{21}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 12321 \quad \Delta = -67, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{2221} \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12321 \mathbf{6} \quad \Delta = -145, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{2221} \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12321 \mathbf{8} \quad \Delta = -200, \quad n_+ = 1, \quad n_- = 28, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$1 \text{e}_8^{2221} \otimes \text{e}_7^{5,4} \otimes \text{e}_7^{3,3} 12321 \textcolor{red}{2} \quad \Delta = -67, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \mathbf{e}_8^{2221} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_7^{3,3} 12321 \mathbf{7} \quad \Delta = -172, \quad n_+ = 1, \quad n_- = 28, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1 \mathbf{e}_8^{2221} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_7^{3,3} 12321 \mathbf{5} \quad \Delta = -119, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1 \overset{221}{\epsilon_8} \overset{5,4}{\otimes} \overset{3,3}{\epsilon_7} \otimes \epsilon_7 123215$

$$1 \overset{3,2,2,1}{\mathbf{e}_8} \otimes \overset{5,4}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 123215 \quad \Delta = -128, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221\overset{21}{\epsilon}_8 \otimes \overset{5,4}{\epsilon}_7 \otimes \overset{3,3}{\epsilon}_7 123215 \quad \Delta = -119, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1\mathfrak{e}_7^1 \otimes^{4,5} \mathfrak{e}_8^1 \otimes^{5,5} \mathfrak{e}_7 1$

$$1\overset{1}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_7 \overset{5,5}{\mathbf{1}}_2 \quad \Delta = -115, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\overset{\textcolor{red}{21}}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_7 \overset{5,5}{1} \quad \Delta = -115, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1e_7 \overset{1}{\otimes} \overset{4,5}{e_8} \overset{1}{\otimes} \overset{5,4}{e_7} 12$

$$1_{\mathbf{e}_7}^1 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{5,4} 12\mathbf{3} \quad \Delta = -124, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{2,1}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_7 \overset{5,4}{12} \quad \Delta = -115, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1e_7^1 \otimes e_7^{3,3} \otimes e_8^{4,5} e_8^1 1223151$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^1 1223151\mathbf{2} \quad \Delta = -117, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_8^{4,5} 1223151\mathbf{3} \quad \Delta = -125, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{21}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}_7 \otimes \overset{4,5}{\mathfrak{e}}_8 \overset{1}{1223151} \quad \Delta = -117, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1e_7^1 \otimes e_8^{4,5} \otimes e_7^1$

$$1\overset{\textcolor{red}{21}}{\mathbf{e}_7} \otimes \overset{4,5}{\mathbf{e}_8} \otimes \overset{1}{\mathbf{e}_7} \overset{5,4}{\otimes} \overset{1}{\mathbf{e}_7} \quad \Delta = -115, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $21\epsilon_8^{21} \otimes \epsilon_7^{5,4} \otimes \epsilon_7^{3,3} 123151$

$$21\mathbf{e}_8^{21\ 5,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{123151\textcolor{red}{2}} \quad \Delta = -117, \ n_+ = 1, \ n_- = 28, \ n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $4 \begin{smallmatrix} 4,2 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 21 \\ \mathfrak{e}_8 \end{smallmatrix} \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 2,4 \\ \mathfrak{e}_8 \end{smallmatrix} \otimes 41$

$$4 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{21}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{2,4}{\otimes} 41\textcolor{red}{4} \quad \Delta = -129, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$4^{4,2} \otimes \mathfrak{e}_8^{2,1} \otimes \mathfrak{e}_8^{5,5} \otimes 41^{\mathbf{2},4} \quad \Delta = -101, \quad n_+ = 1, \quad n_- = 28, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 413$

$$21^{413221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 413 \quad \Delta = -109, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21^{13221} \otimes^{5,5} \mathfrak{e}_8 \otimes^{4,2} \mathfrak{e}_8 \otimes 413 \textcolor{red}{2} \quad \Delta = -82, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21 \overset{5}{\mathfrak{e}}_8^{13221} \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{4,2}{\mathfrak{e}}_8 \otimes 413 \quad \Delta = -133, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21^{2,13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 413 \quad \Delta = -81, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21 \overset{2221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{4,2}{\mathfrak{e}_8} \otimes 4141$

$$21 \overset{2,2,1}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{4,2}{4141\mathbf{3}} \quad \Delta = -100, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21 \overset{2221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{4,2}{4141\textcolor{red}{4}} \quad \Delta = -120, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{31513221} \epsilon_8^{5,5} \otimes \epsilon_8^{21} 1222 \quad \Delta = -96, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 21^{221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \epsilon_7 12321$$

$$21^{221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \epsilon_7 12321^2 \quad \Delta = -67, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21^{221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \epsilon_7 12321^7 \quad \Delta = -172, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$21^{221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \epsilon_7 12321^8 \quad \Delta = -200, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$21^{221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \epsilon_7 12321^3 \quad \Delta = -75, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21^{221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \epsilon_7 12321^4 \quad \Delta = -95, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{3221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \epsilon_7 12321 \quad \Delta = -76, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21^{221} \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \epsilon_7 12321^6 \quad \Delta = -145, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 221^{221} \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 4141$$

$$221^{221} \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 4141^4 \quad \Delta = -120, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$221^{221} \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 4141^3 \quad \Delta = -100, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221^{221} \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 4141^2 \quad \Delta = -92, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221^{3221} \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 4141 \quad \Delta = -101, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 221^{3221} \epsilon_8^{5,5} \otimes \epsilon_8 12231512$$

$$221^{3221} \epsilon_8^{5,5} \otimes \epsilon_8 12231512^3 \quad \Delta = -106, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 221^{221} \epsilon_8^{5,5} \otimes \epsilon_8 122315123$$

$$221^{221} \epsilon_8^{5,5} \otimes \epsilon_8 122315123^2 \quad \Delta = -99, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 221^{3221} \epsilon_8^{5,5} \otimes \epsilon_8 1223151$$

$$221^{3221} \epsilon_8^{5,5} \otimes \epsilon_8 1223151^2 \quad \Delta = -97, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221^{3221} \epsilon_8^{5,5} \otimes \epsilon_8 1223151^3 \quad \Delta = -105, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 221^{221} \epsilon_8^{5,5} \otimes \epsilon_8 12231513$$

$$221^{221} \epsilon_8^{5,5} \otimes \epsilon_8 12231513^2 \quad \Delta = -97, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1^{21513221} \epsilon_8^{5,5} \otimes \epsilon_8^{221} 122$$

$$21513221^{21} \epsilon_8^{5,5} \otimes \epsilon_8^{221} 122 \quad \Delta = -88, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{21513221} \epsilon_8^{5,5} \otimes \epsilon_8^{221} 122^3 \quad \Delta = -97, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{321513221} \epsilon_8^{5,5} \otimes \epsilon_8^{221} 122 \quad \Delta = -97, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1^{1513221} \epsilon_8^{5,5} \otimes \epsilon_8^{221} 122$$

$$1^{31513221} \epsilon_8^{5,5} \otimes \epsilon_8^{221} 122 \quad \Delta = -96, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{1513221} \epsilon_8^{5,5} \otimes \epsilon_8^{221} 122^3 \quad \Delta = -97, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{21513221} \epsilon_8^{5,5} \otimes \epsilon_8^{221} 122 \quad \Delta = -88, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{221(12)12231513221(12)12231} \epsilon_8^{5,5} \otimes \epsilon_8^{221} 122 \quad \Delta = -88, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1231414141414141414141413221$$

$$123141414141414141414141413221^{(12)} \quad \Delta = -7, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_9$$

$$\text{Base: } 214141414141414141414141413221$$

$$214141414141414141414141413221^{(12)} \quad \Delta = -26, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_9$$

$$\text{Base: } 1414141414141414141414141413221$$

$$1414141414141414141414141413221^{(12)} \quad \Delta = -26, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_9$$

$$\text{Base: } 1315131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 13151321$$

$$1 \overset{4141316131613161316131}{5} 1 \quad \Delta = -7, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 12314 \quad \Delta = -6, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 1231\bar{5} \quad \Delta = -30, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 131513217 \quad \Delta = -57, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 13151321\mathbf{6} \quad \Delta = -30, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^{21,2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 131513218 \quad \Delta = -85, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1\epsilon_6^{21,2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{131513215} \quad \Delta = -4, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 12314 \quad \Delta = -6, \quad n_+ = 1, \quad n_- = 28, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^{21,2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 12315 \quad \Delta = -30, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1_{\mathfrak{e}_6}^{131} \otimes_{\mathfrak{e}_6}^{2,2} \otimes_{\mathfrak{e}_6}^{2,2} \otimes_{\mathfrak{e}_6}^{2,2} \otimes_{\mathfrak{e}_6}^{2,2} 13151315 \quad \Delta = -11, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \mathbf{e}_6^{131} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 13151316 \quad \Delta = -37, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \overset{5}{\mathbf{e}}_6^{131} \overset{2,2}{\otimes} \mathbf{e}_6^{2,2} \overset{2,2}{\otimes} \mathbf{e}_6^{2,2} \overset{2,2}{\otimes} \mathbf{e}_6^{2,2} \overset{2,2}{\otimes} \mathbf{e}_6^{1315131} \quad \Delta = -11, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{6131}{\epsilon_6} \overset{2,2}{\otimes} \overset{2,2}{\epsilon_6} \overset{2,2}{\otimes} \overset{2,2}{\epsilon_6} \overset{2,2}{\otimes} \overset{2,2}{\epsilon_6} \overset{2,2}{\otimes} \epsilon_6 1315131 \quad \Delta = -37, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{5131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{122} \quad \Delta = -29, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{4131}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} 122 \quad \Delta = -5, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \epsilon_6^{6131} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \epsilon_6^{122} \quad \Delta = -55, \quad n_+ = 1, \quad n_- = 28, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^1 131\textcolor{red}{4} \quad \Delta = -5, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^1 131\mathbf{6} \quad \Delta = -55, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^1 1315 \quad \Delta = -29, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1223151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 12321\mathbf{8} \quad \Delta = -68, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12321\mathbf{e}'_7 \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,3} 1231513221\mathbf{8} \quad \Delta = -68, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$12321\mathbf{e}'_7 \otimes_{3,3} \mathbf{e}_7 \otimes_{3,3} \mathbf{e}_7 1231513221 \textcolor{red}{(12)} \quad \Delta = -183, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$1223151321 \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 12321 \mathbf{6} \quad \Delta = -13, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$12321\mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231513221\mathbf{7} \quad \Delta = -40, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1223151321 \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 12321 \mathbf{7} \quad \Delta = -40, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$12321\mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231513221\mathbf{6} \quad \Delta = -13, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12321\mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 1231\mathbf{5} \quad \Delta = -42, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12321\mathbf{6} \quad \Delta = -68, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1321e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7' 123218 \quad \Delta = -123, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_6$$

[illegible]

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_6 131\mathbf{r} \quad \Delta = -24, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \overset{2,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_6 131\mathbf{2} \quad \Delta = -16, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_6 131\mathbf{6} \quad \Delta = -94, \ n_+ = 1, \ n_- = 28, \ n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{12321\textcolor{red}{2}} \quad \Delta = -68, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{123215} \quad \Delta = -120, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{12321\mathbf{red}} \quad \Delta = -76, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1\overset{1}{\mathfrak{e}}_6 \otimes \overset{3,3}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}_7 1232151$

$$1\mathbf{e}_6^{3,1} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1232151 \quad \Delta = -42, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{21, 3, 3} \otimes \mathbf{e}_7^{3, 3} \otimes \mathbf{e}_7^{3, 3} \otimes \mathbf{e}_7^{1232151} \quad \Delta = -34, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231512\mathbf{3} \quad \Delta = -41, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231512 \quad \Delta = -32, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{21, 3, 3} \otimes \mathbf{e}_7^{3, 3} \otimes \mathbf{e}_7^{3, 3} \otimes \mathbf{e}_7^1 123151 \quad \Delta = -32, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{3,1} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{1,1} \quad \Delta = -40, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $e_7' \overset{4,4}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 12321$

$$\mathbf{e}_7^{4,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{123216} \quad \Delta = -146, \quad n_+ = 1, \quad n_- = 28, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\mathbf{e}_7^{4,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{123217} \quad \Delta = -173, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$\mathbf{e}_7^{4,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{123218} \quad \Delta = -201, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$4 \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} \epsilon_7 \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} \epsilon_7 \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} \epsilon_7 \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} \epsilon'_7 122\mathbf{3} \quad \Lambda = -46, \quad n_+ = 1, \quad n_- = 28, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$14 \begin{smallmatrix} 2,3 \\ \otimes \end{smallmatrix} \mathfrak{e} - \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} \mathfrak{e} - \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} \mathfrak{e}' - \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} \mathfrak{e}' + 122^3, \quad \Lambda = -44, \quad n_+ = 1, \quad n_- = 28, \quad n_0 = 0, \quad \rightarrow \mathbb{E}_6$$

$$221\mathbf{e}'_7 \otimes \mathbf{e}'_7 \otimes \mathbf{e}'_7 \otimes \mathbf{e}'_7 \otimes 41\mathbf{2} \quad \Delta = -59, \quad n_+ = 1, \quad n_- = 28, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$221\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{2,3}{\otimes} 41\mathbf{3} \quad \Delta = -43, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1321e_7' \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 12313$

$$31321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231\mathbf{4} \quad \Delta = -52, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\overset{2}{e}_7' \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 12313 \quad \Delta = -26, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1321e_7' \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 12313 \textcolor{red}{2} \quad \Delta = -25, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$31321\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7' 1231\mathbf{5} \quad \Delta = -76, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$31321e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7' 1231\textcolor{red}{2} \quad \Delta = -24, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$31321e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7' 1231\mathbf{r} \quad \Delta = -32, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}'_7 1^{21}$

$$4 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 \overset{321}{1} \quad \Delta = -46, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$4^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{21} \mathbf{1}_2 \quad \Delta = -37, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1e_7' \otimes^{21,3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,2} 41$$

$$1\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes 41\epsilon_7^{3,2} \quad \Delta = -35, \quad n_+ = 1, \quad n_- = 28, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{21, 3, 3} \otimes \epsilon_7^{3, 3} \otimes \epsilon_7^{3, 3} \otimes \epsilon_7^{3, 2} 41\textcolor{red}{3} \quad \Delta = -43, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{\textcolor{red}{3}21}{e'_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,2}{e_7} \otimes 41 \quad \Delta = -44, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21e_7^{1,3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,2} \otimes 41 \quad \Delta = -35, \quad n_+ = 1, \quad n_- = 28, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,2} 41\textcolor{red}{4} \quad \Delta = -63, \quad n_+ = 1, \quad n_- = 28, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: 2¹²3¹⁵13²18¹23²18¹23²18¹2¹

$$2^{71223151321812321812321812} 3^1 \Delta = -68, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

[illegible]

$$\begin{array}{ccccc} \textcolor{red}{5} & 1 & 2 & 2 & 3 \\ 2 & & & & 1 \end{array} \quad \Delta = -15, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\overset{(12)}{2} \overset{1223151321812321812321812}{3} \overset{1}{1} \quad \Delta = -211, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_8$$

$$2 \overset{61223151321812321812321812}{3} 1 \quad \Delta = -41, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1321e'_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{1}{\otimes} 1232$$

$$\overset{2}{1321}\overset{3,3}{e_7'} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{1}{e_7} 1232 \quad \Delta = -20, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$2^{51321712321812321812321812} 3^1 \quad \Delta = -70, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$2^{21} 3^{13} 5^{32} 7^{17} 11^{23} 13^{21} 17^{18} 19^{23} 23^{18} 29^{12} 31^{12} \quad \Delta = -18, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$2 \overset{41321712321812321812321812}{3} 1 \quad \Delta = -46, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$2^{31321712321812321812321812} 3^1 \quad \Delta = -26, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $2221\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 12231$

$$2221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12231\mathbf{5} \quad \Delta = -87, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$2221\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 12231\mathbf{r} \quad \Delta = -43, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2221\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 12231\textcolor{red}{2} \quad \Delta = -35, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2221\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 12231\textcolor{red}{4} \quad \Delta = -63, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $2221\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 12313$

$$2221\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12313\mathbf{2} \quad \Delta = -44, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } e_7' \overset{3,3}{\otimes} e_7' \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7^{21} 1$$

$$\textcolor{violet}{e}_7^{3,3} \otimes \textcolor{violet}{e}_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes \textcolor{red}{e}_7^{3,3} \quad \Delta = -123, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{1321}{\mathbf{e_7}} \overset{3,3}{\otimes} \mathbf{e_7} \overset{3,3}{\otimes} \mathbf{e_7} 1231513221\mathbf{6} \quad \Delta = -39, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \overset{12321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_6 131$

$$1^{12321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{1315} \quad \Delta = -42, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1 \overset{8}{\mathbf{e}}_7 \overset{12321}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \mathbf{e}_6 131 \quad \Delta = -123, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{612321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6 131 \quad \Delta = -68, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{412321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6 131 \quad \Delta = -18, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{12321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{1314} \quad \Delta = -18, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{712321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6 131 \quad \Delta = -95, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{12321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{131} \mathbf{6} \quad \Delta = -68, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1^{512321} \mathbf{e}_7^{\otimes 3,3} \otimes \mathbf{e}_7^{\otimes 3,3} \otimes \mathbf{e}_7^{\otimes 3,3} \otimes \mathbf{e}_6 131 \quad \Delta = -42, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $e_7' \overset{3,3}{\otimes} e_7 \overset{1}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7'_{12}$

$$\mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{1}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 \mathbf{123} \quad \Delta = -123, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1 \overset{12321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7' 122$

$$1 \overset{6}{\mathbf{e}}_7^{12321} \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7'_{122} \quad \Delta = -87, \, n_+ = 1, \, n_- = 28, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{412321} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7'_{122} \quad \Delta = -37, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{812321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}'_{7122} \quad \Delta = -142, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{512321} \begin{matrix} 3,3 \\ e_7 \end{matrix} \otimes \begin{matrix} 3,3 \\ e_7 \end{matrix} \otimes \begin{matrix} 3,3 \\ e_7 \end{matrix} \otimes e'_7 122 \quad \Delta = -61, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{312321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 122 \quad \Delta = -17, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{12321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 122\mathbf{3} \quad \Delta = -18, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{212321} \overset{3,3}{\otimes} \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes e'_7 122 \quad \Delta = -9, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1 \overset{7}{\mathbf{e}}_7 \overset{12321}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 122 \quad \Delta = -114, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$12321 \overset{21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7'} 122 \quad \Delta = -9, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1 \overset{1321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7' 1231$

$$1 \overset{5}{\mathbf{e}}_7^{1321} \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7' 1231 \quad \Delta = -68, \quad n_+ = 1, \quad n_- = 28, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{1321} e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7' 12315 \quad \Delta = -68, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1321 \overset{21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7'} 1231 \quad \Delta = -16, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{1321} \textcolor{blue}{e}_7^{3,3} \otimes \textcolor{blue}{e}_7^{3,3} \otimes \textcolor{blue}{e}_7^{3,3} \otimes \textcolor{blue}{e}'_{12314} \quad \Delta = -44, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7'^{2} 1231 \quad \Delta = -18, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231 \quad \Delta = -18, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{\mathbf{31321}} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231 \quad \Delta = -24, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{41321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231 \quad \Delta = -44, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{21321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231 \quad \Delta = -16, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1 \overset{1321}{\mathbf{e}_7} \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}_7} \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}_7} \overset{3,3}{\otimes} \mathbf{e}_7' 1231\mathbf{2} \quad \Delta = -16, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{1321} \textcolor{teal}{e}_7^{3,3} \otimes \textcolor{teal}{e}_7^{3,3} \otimes \textcolor{teal}{e}_7^{3,3} \otimes \textcolor{teal}{e}_7' 1231 \textcolor{red}{1} \quad \Delta = -24, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1e_7^{21} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} e_7^1 12321$

$$21\overset{\textcolor{red}{21}}{\mathfrak{e}}_7' \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^1 12321 \quad \Delta = -9, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 123218 \quad \Delta = -142, n_+ = 1, n_- = 28, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7' \otimes_{\mathbf{e}_7}^{21, 3,3} \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^1 12321\mathbf{4} \quad \Delta = -37, n_+ = 1, n_- = 28, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base:	$131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8 122$	
$221\epsilon_8^{3,5} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,5} 131$	$\Delta = -121, n_+ = 1, n_- = 29, n_0 = 0$	$\rightarrow \mathbb{F}_0$
$221\epsilon_8^{3,5} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,5} 131$	$\Delta = -171, n_+ = 1, n_- = 29, n_0 = 0$	$\rightarrow \mathbb{F}_2$
$131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8 122$	$\Delta = -102, n_+ = 1, n_- = 29, n_0 = 0$	$\rightarrow \mathbb{F}_3$
$221\epsilon_8^{3,5} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,5} 131$	$\Delta = -101, n_+ = 1, n_- = 29, n_0 = 0$	$\rightarrow \mathbb{F}_1$
$221\epsilon_8^{3,5} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,5} 131$	$\Delta = -93, n_+ = 1, n_- = 29, n_0 = 0$	$\rightarrow \mathbb{F}_2$
$221\epsilon_8^{3,5} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,5} 131$	$\Delta = -145, n_+ = 1, n_- = 29, n_0 = 0$	$\rightarrow \mathbb{P}^2$

$$\begin{array}{llll} \textbf{Base: } 1\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{3,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_7 1 & & & \\ 1\mathfrak{e}_7 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{3,5}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \mathbf{1} & \Delta = -124, \, n_+ = 1, \, n_- = 29, \, n_0 = 0 & \rightarrow \mathbb{F}_0 \\ 1\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{3,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_7 \mathbf{1} & \Delta = -116, \, n_+ = 1, \, n_- = 29, \, n_0 = 0 & \rightarrow \mathbb{F}_2 \\ 1\mathfrak{e}_7 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{3,5}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \mathbf{1} & \Delta = -116, \, n_+ = 1, \, n_- = 29, \, n_0 = 0 & \rightarrow \mathbb{F}_1 \end{array}$$

$$\begin{aligned} \text{Base: } & 21\epsilon_7^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7 12 \\ & 21\epsilon_7^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7 12 \mathbf{3} \quad \Delta = -95, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_1 \end{aligned}$$

$$\begin{array}{lll} \textbf{Base: } 1\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{3,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 12 & & \\ 1\mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{3,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 12\textcolor{red}{3} & \Delta = -125, n_+ = 1, n_- = 29, n_0 = 0 & \rightarrow \mathbb{F}_3 \\ 21\mathfrak{e}_7 \overset{5,4}{\otimes} \mathfrak{e}_8 \overset{3,5}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 1\textcolor{red}{2} & \Delta = -116, n_+ = 1, n_- = 29, n_0 = 0 & \rightarrow \mathbb{F}_1 \\ 21\mathfrak{e}_7 \overset{5,4}{\otimes} \mathfrak{e}_8 \overset{3,5}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 1\textcolor{red}{3} & \Delta = -124, n_+ = 1, n_- = 29, n_0 = 0 & \rightarrow \mathbb{F}_0 \end{array}$$

$$\begin{aligned} \text{Base: } & 221\epsilon_7 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_7 12 \\ 221\epsilon_7 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_7 12 & \textcolor{red}{3} \quad \Delta = -95, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\ 21\epsilon_7 \overset{5,5}{\otimes} \epsilon_8 \overset{4,5}{\otimes} \epsilon_7 12 & \textcolor{red}{3} \quad \Delta = -95, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_1 \end{aligned}$$

Base: $221\epsilon_7^{4,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7 122$
 $221\epsilon_7^{5,4} \otimes \epsilon_8^{4,5} \otimes \epsilon_7 122$ $\Delta = -95$, $n_+ = 1$, $n_- = 29$, $n_0 = 0 \rightarrow \mathbb{F}_1$

$$\text{Base: } \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{5,3} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_{7123}$$

$$\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{5,3} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_{7123} \text{ (red)} \quad \Delta = -127, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base:	$512321\mathbf{e}_7 \otimes \mathbf{e}_8 12231513221$	
$512321\mathbf{e}_7 \otimes \mathbf{e}_8 12231513221\mathbf{3}$	$\Delta = -24, n_+ = 1, n_- = 29, n_0 = 0$	$\rightarrow \mathbb{F}_1$
$512321\mathbf{e}_7 \otimes \mathbf{e}_8 12231513221\mathbf{2}$	$\Delta = -16, n_+ = 1, n_- = 29, n_0 = 0$	$\rightarrow \mathbb{F}_2$
$512321\mathbf{e}_7 \otimes \mathbf{e}_8 12231513221\mathbf{7}$	$\Delta = -121, n_+ = 1, n_- = 29, n_0 = 0$	$\rightarrow \mathbb{F}_3$
$512321\mathbf{e}_7 \otimes \mathbf{e}_8 12231513221(\mathbf{12})$	$\Delta = -264, n_+ = 1, n_- = 29, n_0 = 0$	$\rightarrow \mathbb{F}_8$
$512321\mathbf{e}_7 \otimes \mathbf{e}_8 12231513221\mathbf{8}$	$\Delta = -149, n_+ = 1, n_- = 29, n_0 = 0$	$\rightarrow \mathbb{F}_4$
$512321\mathbf{e}_7 \otimes \mathbf{e}_8 12231513221\mathbf{5}$	$\Delta = -68, n_+ = 1, n_- = 29, n_0 = 0$	$\rightarrow \mathbb{P}^2$
$512321\mathbf{e}_7 \otimes \mathbf{e}_8 12231513221\mathbf{6}$	$\Delta = -94, n_+ = 1, n_- = 29, n_0 = 0$	$\rightarrow \mathbb{F}_2$
$512321\mathbf{e}_7 \otimes \mathbf{e}_8 12231513221\mathbf{4}$	$\Delta = -44, n_+ = 1, n_- = 29, n_0 = 0$	$\rightarrow \mathbb{F}_0$

Base: 151321 $\mathfrak{c}_7$ $\otimes^{4,5}$ $\mathfrak{c}_8$ 12231513221	
12231513221 $\mathfrak{c}_8$ $\otimes^{4,5}$ $\mathfrak{c}_7$ 123151 $\mathbf{3}$	$\Delta = -22, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_0$
151321 $\mathfrak{c}_7$ $\otimes^{4,5}$ $\mathfrak{c}_8$ 12231513221 $\mathbf{3}$	$\Delta = -22, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_1$
151321 $\mathfrak{c}_7$ $\otimes^{4,5}$ $\mathfrak{c}_8$ 12231513221 $\mathbf{7}$	$\Delta = -119, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_3$
12231513221 $\mathfrak{c}_8$ $\otimes^{4,5}$ $\mathfrak{c}_7$ 123151 $\mathbf{2}$	$\Delta = -14, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_1$
151321 $\mathfrak{c}_7$ $\otimes^{4,5}$ $\mathfrak{c}_8$ 12231513221 $\mathbf{2}$	$\Delta = -14, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_2$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_6^{5,3} \otimes \mathbf{e}_6^{2,2} \mathbf{1} \quad \Delta = -124, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{321} e_7^{4,5} \otimes e_8^{5,5} \otimes e_7^{12} \quad \Delta = -95, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21\overset{\textcolor{red}{21}}{\mathfrak{e}}_7^{4,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_{712} \quad \Delta = -86, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{3,21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 122 \quad \Delta = -95, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7^{21\ 4,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 122\mathbf{3} \quad \Delta = -95, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7^{3,21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_8^{4,5} 12231512 \quad \Delta = -97, \, n_+ = 1, \, n_- = 29, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\overset{21}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{4,5}{\mathfrak{e}_8} 12231512 \quad \Delta = -88, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_8^{4,5} 1223151\mathbf{e}_8^1 \quad \Delta = -88, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\overset{2,1}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 1223151 \quad \Delta = -88, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1e_7^{21\ 4,5} \otimes e_8^{5,5} \otimes e_7^1$

$$21\mathbf{e}_7^{21\ 4,5} \otimes \mathbf{e}_8^{5,5\ 1} \quad \Delta = -86, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1e_7^{21, 4, 5} \otimes e_8^{5, 4} \otimes e_7^{21} 1$

$$21\mathbf{e}_7^{21\ 4,5} \otimes \mathbf{e}_8^{5,4\ 21} \quad \Delta = -86, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_8^{21} \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 1314 \quad \Delta = -121, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_8^{21\ 5,3} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{1312} \quad \Delta = -93, \ n_+ = 1, \ n_- = 29, \ n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1_{\mathbf{e}_8}^{21, 5, 3} \otimes \mathbf{e}_6^{2, 2} \otimes \mathbf{e}_6^{2, 2} \otimes \mathbf{e}_6^{2, 2} \otimes \mathbf{e}_6^{131\mathbf{6}} \quad \Delta = -171, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

Base: $14 \overset{2,4}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{4,2}{\mathfrak{e}_8} \otimes 413$

$$14 \overset{2,4}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{4,2}{\mathfrak{e}_8} 413\textcolor{red}{2} \quad \Delta = -81, \, n_+ = 1, \, n_- = 29, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$14^{2,4} \otimes \mathfrak{e}_8^{21} \otimes \mathfrak{e}_8^{5,5} \otimes 413^{4,2} \quad \Delta = -80, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$13221\overset{21}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 12321 \quad \Delta = -47, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{13221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 12321 \textcolor{red}{2} \quad \Delta = -47, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{213221} \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{12321} \quad \Delta = -47, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{13221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 12321 \mathbf{5} \quad \Delta = -99, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{3,13221} \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{12321} \quad \Delta = -55, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{13221} \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 12321 \textcolor{red}{4} \quad \Delta = -75, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{4}{\text{e}}_8 \overset{13221}{\otimes} \overset{5,4}{\text{e}}_7 \overset{3,3}{\otimes} \text{e}_7 12321 \quad \Delta = -75, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{13221} \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{3,3} 12321 \mathbf{e}_7 \quad \Delta = -180, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1^{13221} \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{3,3} 12321 \mathbf{6} \quad \Delta = -125, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \overset{5,1}{\mathbf{e}}_8 \overset{5,4}{\otimes} \overset{3,3}{\mathbf{e}}_7 \otimes \mathbf{e}_7 12321 \quad \Delta = -99, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{13221} \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{3,3} 12321 \mathbf{7} \quad \Delta = -152, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_5$$

Base: $1 \overset{221}{\epsilon_8} \overset{5,4}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_6 1$

$$1_{\mathbf{e}_8}^{221} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{3,3} \mathbf{1}_2 \quad \Delta = -116, \quad n_+ = 1, \quad n_- = 29, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{221} \mathbf{e}_8 \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{3,3} \mathbf{1}^{\mathbf{3}} \quad \Delta = -124, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \text{ e}_8^{3221} \otimes \text{e}_7^{5,4} \otimes \text{e}_7^{3,3} \otimes \text{e}_6^{3,3} 1 \quad \Delta = -125, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221\overset{\textcolor{red}{21}}{\text{e}_8} \otimes \overset{5,4}{\text{e}_7} \otimes \overset{3,3}{\text{e}_7} \otimes \overset{3,3}{\text{e}_6} 1 \quad \Delta = -116, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $21\mathfrak{e}_8^{21} \otimes \mathfrak{e}_7^{5,4} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_6^{3,3} 1$

$$21\epsilon_8^{21} \otimes \epsilon_7^{5,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} \epsilon_6 \mathbf{1} \mathbf{2} \quad \Delta = -116, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\epsilon_8 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_6 \mathbf{12} \quad \Delta = -118, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21^{13221} \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 4141$

$$21 \overset{2}{\mathbf{e}}_8 \overset{13221}{\otimes} \overset{5,5}{\mathbf{e}}_8 \overset{4,2}{\otimes} 4141 \quad \Delta = -72, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21 \overset{5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{4,2}{4141} \quad \Delta = -124, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21^{13221} \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 4141\mathbf{3} \quad \Delta = -80, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21 \overset{4,1}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{4,2}{4141} \quad \Delta = -100, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 4141\textcolor{red}{4} \quad \Delta = -100, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$21 \overset{13221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,2}{\otimes} 4141\textcolor{red}{2} \quad \Delta = -72, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21^{1513221} \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 41$

$$21^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 41\mathbf{3} \quad \Delta = -104, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21^{31513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{4,2} 41 \quad \Delta = -104, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 41\mathbf{2} \quad \Delta = -96, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21^{21513221} \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 41 \quad \Delta = -96, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 41\textcolor{red}{4} \quad \Delta = -124, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8 122315123$

$$21^{513221} \otimes_{\mathfrak{e}_8} \mathfrak{e}_8^{5,5} 122315123 \quad \Delta = -129, \quad n_+ = 1, \quad n_- = 29, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21^{213221} \otimes \mathfrak{e}_8^{5,5} 122315123 \quad \Delta = -77, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21 \overset{4}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 122315123 \quad \Delta = -105, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21^{13221} \epsilon_8^{5,5} \otimes \epsilon_8 122315123 \mathbf{2} \quad \Delta = -79, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $4 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{1223151}$

$$4^{4,2} \otimes \mathfrak{e}_8^{21} \otimes \mathfrak{e}_8^{5,5} 1223151 \overset{1}{\text{red}} \quad \Delta = -96, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$12321\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 12321\mathbf{5} \quad \Delta = -15, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12321\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 12321\mathbf{7} \quad \Delta = -68, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 122$$

$$1\epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 122\mathbf{3} \quad \Delta = -122, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' \otimes \epsilon_7' 1\mathbf{2} \quad \Delta = -113, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 12321\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 12231$$

$$13221\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 12321\mathbf{8} \quad \Delta = -122, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$13221\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 12321\mathbf{4} \quad \Delta = -17, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$12321\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 12231\mathbf{4} \quad \Delta = -17, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$13221\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 12321\mathbf{7} \quad \Delta = -94, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$13221\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 12321\mathbf{6} \quad \Delta = -67, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$12321\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 12231\mathbf{5} \quad \Delta = -41, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$13221\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 12321\mathbf{5} \quad \Delta = -41, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 13151321\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 12315131$$

$$13151321\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 12315131\mathbf{6} \quad \Delta = -69, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$13151321\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 12315131\mathbf{4} \quad \Delta = -19, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$13151321\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 12315131\mathbf{5} \quad \Delta = -43, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 123151321\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 1231512$$

$$2151321\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 123151321\mathbf{6} \quad \Delta = -62, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$2151321\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 123151321\mathbf{4} \quad \Delta = -12, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$2151321\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 123151321\mathbf{8} \quad \Delta = -117, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2151321\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 123151321\mathbf{5} \quad \Delta = -36, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2151321\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 123151321\mathbf{7} \quad \Delta = -89, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 14 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 1231513221$$

$$14 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 1231513221\mathbf{5} \quad \Delta = -12, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$14 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 1231513221\mathbf{7} \quad \Delta = -65, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$14 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 1231513221\mathbf{8} \quad \Delta = -93, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$14 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 1231513221\mathbf{6} \quad \Delta = -38, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 1231513221(\mathbf{12}) \quad \Delta = -208, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$\text{Base: } 123151321\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 123151$$

$$1 \begin{matrix} 7 \\ 5 \end{matrix} 12315132181232181232181231 \quad \Delta = -89, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \begin{matrix} 4 \\ 5 \end{matrix} 12315132181232181232181231 \quad \Delta = -12, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \begin{matrix} 6 \\ 5 \end{matrix} 12315132181232181232181231 \quad \Delta = -62, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \begin{matrix} 8 \\ 5 \end{matrix} 12315132181232181232181231 \quad \Delta = -117, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \begin{matrix} 5 \\ 5 \end{matrix} 12315132181232181232181231 \quad \Delta = -36, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 123151$$

$$\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 123151\mathbf{3} \quad \Delta = -125, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 123151321\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7' 1232151$$

$$1 \text{ } ^{3,1321} \mathbf{e}_7 \otimes \text{ } ^{3,3} \mathbf{e}_7 \otimes \text{ } ^{3,3} \mathbf{e}_7 \otimes \text{ } ^{3,3} \mathbf{e}_7 12313 \quad \Delta = -31, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1321\overset{21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12313 \quad \Delta = -23, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{12313} \quad \Delta = -25, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{21321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12313 \quad \Delta = -23, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1 \overset{1321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{1}{1232}$

$$1321\overset{21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{1}{\mathbf{e}_7} 1232 \quad \Delta = -17, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{3}{\mathbf{e}}_7 \overset{1321}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{1}{\mathbf{e}}_7 1232 \quad \Delta = -25, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{51321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \overset{1}{1232} \quad \Delta = -69, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 1232 \quad \Delta = -19, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{21321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \overset{1}{1232} \quad \Delta = -17, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1 \overset{41321}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \overset{1}{\mathbf{e}}_7 \overset{1232}{\Delta} = -45, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $e_7' \overset{3,3}{\otimes} e_7 \overset{1}{\otimes} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{21}{\otimes} 1$

$$e_7^{\prime 3,3} \otimes e_7^{\prime 1,3,3} \otimes e_7^{\prime 3,3} \otimes e_7^{\prime 3,3} \otimes e_7^{\prime 3,3} \otimes e_7^{\prime 3,21} \otimes e_7^{\prime 1} \quad \Delta = -122, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1 \overset{221}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \overset{1}{e_7} 12321$

$$1 \overset{3,2,2,1}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \overset{1}{12321} \quad \Delta = -17, \quad n_+ = 1, \quad n_- = 29, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \mathbf{e}_7^{221} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 12321 \mathbf{3} \quad \Delta = -16, \quad n_+ = 1, \quad n_- = 29, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{221}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \overset{1}{e_7} 123214 \quad \Delta = -36, n_+ = 1, n_- = 29, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1_{\mathbf{e}_7}^{221} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 12321 \mathbf{6} \quad \Delta = -86, \quad n_+ = 1, \quad n_- = 29, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{1}{\mathbf{e}_7} 123218 \quad \Delta = -141, \quad n_+ = 1, \quad n_- = 29, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$221\overset{21}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{1}{\epsilon_7} 12321 \quad \Delta = -8, \quad n_+ = 1, \quad n_- = 29, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{221}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \overset{21}{12321} \quad \Delta = -8, \quad n_+ = 1, \quad n_- = 29, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_7}^{221} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^1 123217 \quad \Delta = -113, \quad n_+ = 1, \quad n_- = 29, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1_{\mathfrak{e}_7}^{221} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^1 123212 \quad \Delta = -8, \quad n_+ = 1, \quad n_- = 29, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \mathbf{e}_7^{221} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 12321 \mathbf{5} \quad \Delta = -60, \quad n_+ = 1, \quad n_- = 29, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1 \overset{1321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{1}{1231}$

$$1 \overset{4}{\epsilon}_7 \overset{1321}{\otimes} \overset{3,3}{\epsilon}_7 \overset{3,3}{\otimes} \overset{3,3}{\epsilon}_7 \overset{1}{\otimes} \overset{1}{\epsilon}_7 1231 \quad \Delta = -43, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{1321} \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^1 1231 \quad \Delta = -17, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{5}{\epsilon}_7 \overset{1321}{\otimes} \overset{3,3}{\epsilon}_7 \overset{3,3}{\otimes} \overset{3,3}{\epsilon}_7 \overset{1}{\otimes} \overset{1231}{\epsilon}_7 \quad \Delta = -67, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}$$

$$1^{21321} \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \epsilon_7^1 1231 \quad \Delta = -15, \quad n_+ = 1, \quad n_- = 29, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{31321} \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \epsilon_7^1 1231 \quad \Delta = -23, \quad n_+ = 1, \quad n_- = 29, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1321\overset{21}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{1}{\epsilon_7} 1231 \quad \Delta = -15, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $4 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7^{21} 12$

$$4 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7^{21} \mathbf{123} \quad \Delta = -45, \, n_+ = 1, \, n_- = 29, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $21_{\epsilon_7}^{21} \otimes_{\epsilon_7}^{3,3} \otimes_{\epsilon_7}^{3,3} \otimes_{\epsilon_7}^{3,3} \otimes_{\epsilon_7}^{3,2} 41$

$$21 \overset{3,2}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}_7 \otimes \overset{3,2}{\mathfrak{e}}_7 \otimes 41 \quad \Delta = -43, n_+ = 1, n_- = 29, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,2} 41\mathbf{3} \quad \Delta = -42, \quad n_+ = 1, \quad n_- = 29, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\epsilon_7^{\otimes 21} \otimes \epsilon_7^{\otimes 3,3} \otimes \epsilon_7^{\otimes 3,3} \otimes \epsilon_7^{\otimes 3,3} \otimes \epsilon_7^{\otimes 3,2} \otimes 414 \quad \Delta = -62, \quad n_+ = 1, \quad n_- = 29, \quad n_0 = 0 \quad \rightarrow \mathbb{F}$$

$$21_{\mathbb{F}_2}^{21, 3, 3} \otimes \mathfrak{e}_7^{3, 3} \otimes \mathfrak{e}_7^{3, 3} \otimes \mathfrak{e}_7^{3, 2} \otimes 41_{\mathbb{F}_2} \quad \Delta = -34, \, n_+ = 1, \, n_- = 29, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \overset{12321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{21}{12}$

$1\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8$	12231513221	7	$\Delta = -118, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_3$
$1\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8$	12231513221	2	$\Delta = -13, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_2$
$1\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8$	12231513221	5	$\Delta = -65, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{P}^2$
$1\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8$	12231513221	(12)	$\Delta = -261, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_8$
$12231513221\mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6$	1	3	$\Delta = -21, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_0$
$1\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8$	12231513221	3	$\Delta = -21, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_1$

$$1\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8 12231513221\mathbf{3} \quad \Delta = -21, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $131\mathbf{e}_6 \overset{3,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 12321$

$$12321\mathbf{e}_7 \overset{5,4}{\otimes} \mathbf{e}_8 \overset{3,5}{\otimes} \mathbf{e}_6 131\mathbf{6} \quad \Delta = -98, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$131\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 12321\mathbf{5} \quad \Delta = -72, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$12321\mathbf{e}_7 \overset{5,4}{\otimes} \mathbf{e}_8 \overset{3,5}{\otimes} \mathbf{e}_6 131\mathbf{4} \quad \Delta = -48, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$12321\mathbf{e}_7 \overset{5,4}{\otimes} \mathbf{e}_8 \overset{3,5}{\otimes} \mathbf{e}_6 131\mathbf{5} \quad \Delta = -72, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$12321\mathbf{e}_7 \overset{5,4}{\otimes} \mathbf{e}_8 \overset{3,5}{\otimes} \mathbf{e}_6 131\mathbf{3} \quad \Delta = -28, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$131\epsilon_6^{3,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7 12321\textcolor{red}{4} \quad \Delta = -48, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$131\epsilon_6^{3,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7^{12321\text{red}} \quad \Delta = -28, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$12321\epsilon_7^{\overline{5,4}} \otimes \epsilon_8^{\overline{3,5}} \otimes \epsilon_6 131\overline{2} \quad \Delta = -20, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$131\mathbf{e}_6 \overset{3,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 12321\mathbf{e}_2 \quad \Delta = -20, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$131\mathbf{e}_6 \overset{3,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 12321\mathbf{e}_6 \quad \Delta = -98, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$131\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 12321\mathbf{8} \quad \Delta = -153, \, n_+ = 1, \, n_- = 30, \, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$131\epsilon_6^{3,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7 12321\textcolor{red}{7} \quad \Delta = -125, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

Base: $1e'_7 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7 12321$

$$1\epsilon_7^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7^{123214} \quad \Delta = -68, \, n_+ = 1, \, n_- = 30, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 12321\mathbf{7} \quad \Delta = -145, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{12321\mathbf{5}} \quad \Delta = -92, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7' \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 12321\mathbf{3} \quad \Delta = -48, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{12321\mathbf{2}} \quad \Delta = -40, \, n_+ = 1, \, n_- = 30, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$12321\mathfrak{e}_7^{5,4} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 12 \quad \Delta = -40, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 12321\mathbf{8} \quad \Delta = -173, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$1\mathbf{e}_7^{\prime 5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 12321\mathbf{6} \quad \Delta = -118, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $1e_6 \overset{3,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7 \overset{3,3}{\otimes} e_7' 1$

$$1\mathfrak{e}_6^{3,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7' \mathbf{12} \quad \Delta = -117, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{5,4}{\otimes} \mathbf{e}_8 \overset{3,5}{\otimes} \mathbf{e}_6 1\mathbf{2} \quad \Delta = -117, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}'_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{5,4} \mathbf{e}_8 \otimes^{3,5} \mathbf{e}_6 \mathbf{1} \mathbf{3} \quad \Delta = -125, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $21e_7' \overset{4,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7 12321$

$$21\epsilon_7' \overset{4,5}{\otimes} \epsilon_8 \overset{5,4}{\otimes} \epsilon_7 12321\mathbf{5} \quad \Delta = -92, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\epsilon_7^{\prime 4,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7^{12321\textcolor{red}{4}} \quad \Delta = -68, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\mathbf{e}_7^{4,5} \otimes \mathbf{e}_8 \otimes \mathbf{e}_7^{5,4} 12321\mathbf{8} \quad \Delta = -173, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$21\mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{123217} \quad \Delta = -145, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$21\mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12321\mathbf{3} \quad \Delta = -48, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$12321\mathbf{e}_7 \overset{5,4}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}'_7 12\mathbf{3} \quad \Delta = -49, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\begin{array}{lll}
1\mathbf{e}_7^{21\ 3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8 122315131\mathbf{4} & \Delta = -95, \ n_+ = 1, \ n_- = 30, \ n_0 = 0 & \rightarrow \mathbb{F}_2 \\
1\mathbf{e}_7^{21\ 3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8 122315131\mathbf{3} & \Delta = -75, \ n_+ = 1, \ n_- = 30, \ n_0 = 0 & \rightarrow \mathbb{P}^2 \\
1\mathbf{e}_7^{21\ 3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8 122315131\mathbf{6} & \Delta = -145, \ n_+ = 1, \ n_- = 30, \ n_0 = 0 & \rightarrow \mathbb{F}_4
\end{array}$$

$$1\mathbf{e}_7^{21\ 3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{122315131\mathbf{3}} \quad \Delta = -75, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_7^{21,3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{1223151316} \quad \Delta = -145, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_7^{5,4} 1231$

$$1 \overset{3,21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 1231 \quad \Delta = -75, \quad n_+ = 1, \quad n_- = 30, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 1231\mathbf{3} \quad \Delta = -74, \ n_+ = 1, \ n_- = 30, \ n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{5,4} 1231 \quad \Delta = -66, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_7^{5,4} 1231\textcolor{red}{2} \quad \Delta = -66, \, n_+ = 1, \, n_- = 30, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_7^{5,4} 1231\textcolor{red}{4} \quad \Delta = -94, \, n_+ = 1, \, n_- = 30, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\overset{21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 \overset{2}{1231} \quad \Delta = -68, \, n_+ = 1, \, n_- = 30, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \overset{1}{\epsilon}_8 \otimes \overset{5,3}{\epsilon}_6 \otimes \overset{2,2}{\epsilon}_6 \otimes \overset{2,2}{\epsilon}_6 \otimes \overset{2,2}{\epsilon}_6 \otimes \overset{2,2}{\epsilon}_6 13151$

$$1\epsilon_8^1 \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 13151\textcolor{red}{2} \quad \Delta = -116, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\epsilon_8^1 \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 13151\mathbf{3} \quad \Delta = -124, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\overset{21}{\mathbf{e}}_8 \otimes \overset{5,3}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 13151 \quad \Delta = -116, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1e_8 \otimes^{1,5,4} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e'_7 1232$

$$1\overset{21}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7' 1232 \quad \Delta = -125, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1e_8^{21} \otimes e_7^{5,4} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7' 123$

$$21\overset{21}{\mathfrak{e}}_8 \overset{5,4}{\otimes} \overset{3,3}{\mathfrak{e}}_7 \overset{3,3}{\otimes} \overset{3,3}{\mathfrak{e}}_7 \overset{3,3}{\otimes} \mathfrak{e}'_{7123} \quad \Delta = -123, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $14 \overset{2,4}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{4,2}{\mathfrak{e}_8} \otimes 4141$

$$14^{2,4} \otimes \mathfrak{e}_8^{1,5,5} \otimes \mathfrak{e}_8^{4,2} 4141\textcolor{red}{2} \quad \Delta = -71, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$14^{2,4} \otimes \mathfrak{e}_8^{1,5,5} \otimes \mathfrak{e}_8^{4,2} 4141\textcolor{red}{4} \quad \Delta = -99, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{2,4}{\otimes} 41\textcolor{red}{4} \quad \Delta = -99, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{2,4}{\otimes} 41\mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$14^{2,4} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} \otimes 4141^{4,2} \mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$14^{2,4} \otimes \mathfrak{e}_8^{21} \otimes \mathfrak{e}_8^{5,5} \otimes 4141^{4,2} \quad \Delta = -71, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \overset{2,4}{41} \textcolor{red}{2} \quad \Delta = -71, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 413$

$$1^{321513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 413 \quad \Delta = -84, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 413\textcolor{red}{2} \quad \Delta = -76, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21513221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{4,2}{413} \quad \Delta = -75, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $14 \overset{2,4}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{5,5}{\otimes} \mathfrak{e}_8 122315123$

$$321513221 \mathbf{e}_8 \overset{5,5}{\otimes} \overset{1}{\mathbf{e}_8} \overset{2,4}{\otimes} 41 \mathbf{e}_2 \quad \Delta = -76, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$14^{2,4} \otimes \mathbf{e}_8 \otimes \mathbf{e}_8^{1,5,5} 122315123\mathbf{\bar{2}} \quad \Delta = -78, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$14^{2,4} \otimes \mathbf{e}_8^{21} \otimes \mathbf{e}_8^{5,5} 122315123 \quad \Delta = -76, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321513221 \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes 41 \textcolor{red}{4} \quad \Delta = -104, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$321513221 \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes 41 \mathbf{3}^{2,4} \quad \Delta = -84, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1^{131513221} \epsilon_8^{5,5} \otimes \epsilon_8 1223132$

$$1^{131513221} 5,5 \otimes \mathbf{e}_8 1223132 \quad \Delta = -57, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_2$$

1	$\overset{4}{\text{e}}_8^{131513221}$	$\overset{5,5}{\otimes} \text{e}_8^{1223132}$	$\Delta = -84, n_+ = 1, n_- = 30, n_0 = 0$	$\rightarrow \mathbb{F}_1$
1	$\overset{2}{\text{e}}_8^{131513221}$	$\overset{5,5}{\otimes} \text{e}_8^{1223132}$	$\Delta = -56, n_+ = 1, n_- = 30, n_0 = 0$	$\rightarrow \mathbb{F}_3$
1	$\overset{3}{\text{e}}_8^{131513221}$	$\overset{5,5}{\otimes} \text{e}_8^{1223132}$	$\Delta = -64, n_+ = 1, n_- = 30, n_0 = 0$	$\rightarrow \mathbb{F}_2$
1	$\overset{5}{\text{e}}_8^{131513221}$	$\overset{5,5}{\otimes} \text{e}_8^{1223132}$	$\Delta = -108, n_+ = 1, n_- = 30, n_0 = 0$	$\rightarrow \mathbb{F}_0$
13	$\overset{21}{\text{e}}_8^{131513221}$	$\overset{5,5}{\otimes} \text{e}_8^{1223132}$	$\Delta = -56, n_+ = 1, n_- = 30, n_0 = 0$	$\rightarrow \mathbb{F}_1$
1	$\overset{6}{\text{e}}_8^{131513221}$	$\overset{5,5}{\otimes} \text{e}_8^{1223132}$	$\Delta = -134, n_+ = 1, n_- = 30, n_0 = 0$	$\rightarrow \mathbb{P}^2$

Base: $4 \begin{smallmatrix} 5,3 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8^{313221} 1$

$$\begin{array}{ll} 4 \overset{5,3}{\otimes} \mathfrak{e}_8 \otimes \overset{5,5}{\mathfrak{e}_8} \overset{313221}{\mathfrak{e}_8} \mathbf{12} & \Delta = -83, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_0 \\ 4 \overset{5,3}{\otimes} \mathfrak{e}_8 \otimes \overset{5,5}{\mathfrak{e}_8} \overset{2313221}{\mathfrak{e}_8} \mathbf{1} & \Delta = -84, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_2 \end{array}$$

Base: $1^{1231513221} \epsilon_8^{5,5} \otimes \epsilon_8 122222$

1	$\overset{3}{\text{e}}_8^{1231513221} \otimes \overset{5,5}{\text{e}}_8^{122222}$	$\Delta = -47, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_3$
1	$\overset{8}{\text{e}}_8^{1231513221} \otimes \overset{5,5}{\text{e}}_8^{122222}$	$\Delta = -172, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_2$
1	$\overset{6}{\text{e}}_8^{1231513221} \otimes \overset{5,5}{\text{e}}_8^{122222}$	$\Delta = -117, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_0$
1	$\overset{4}{\text{e}}_8^{1231513221} \otimes \overset{5,5}{\text{e}}_8^{122222}$	$\Delta = -67, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_2$
1231513221	$\overset{21}{\text{e}}_8^{5,5} \otimes \overset{5,5}{\text{e}}_8^{122222}$	$\Delta = -39, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_1$
1	$\overset{2}{\text{e}}_8^{1231513221} \otimes \overset{5,5}{\text{e}}_8^{122222}$	$\Delta = -39, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_4$
1	$\overset{7}{\text{e}}_8^{1231513221} \otimes \overset{5,5}{\text{e}}_8^{122222}$	$\Delta = -144, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{P}^2$
1	$\overset{5}{\text{e}}_8^{1231513221} \otimes \overset{5,5}{\text{e}}_8^{122222}$	$\Delta = -91, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: $1^{22221} 5,5 \otimes \epsilon_8 12231513215$

$$22221\overset{21}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 12231513215 \quad \Delta = -91, \quad n_+ = 1, \quad n_- = 30, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1^{22221} 5,5 \otimes \mathfrak{e}_8 12231513151$

$$\begin{array}{lll}
1^{22221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8 12231513151\mathbf{3} & \Delta = -98, n_+ = 1, n_- = 30, n_0 = 0 & \rightarrow \mathbb{F}_2 \\
1^{22221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8 12231513151\mathbf{2} & \Delta = -90, n_+ = 1, n_- = 30, n_0 = 0 & \rightarrow \mathbb{P}^2 \\
22221 \mathbf{e}_8^{21} \otimes \mathbf{e}_8^{5,5} 12231513151 & \Delta = -90, n_+ = 1, n_- = 30, n_0 = 0 & \rightarrow \mathbb{F}_1
\end{array}$$

Base: $1^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 413$

$$\begin{array}{ll}
1^{31513221} \otimes^{5,5} \mathfrak{e}_8 \otimes^{4,2} \mathfrak{e}_8 \otimes 413 & \Delta = -83, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1^{31413221(12)1223151321(12)12231} & 1 \quad \Delta = -75, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1^{21513221} \otimes^{5,5} \mathfrak{e}_8 \otimes^{4,2} \mathfrak{e}_8 \otimes 413 & \Delta = -75, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1^{1513221} \otimes^{5,5} \mathfrak{e}_8 \otimes^{4,2} \mathfrak{e}_8 \otimes 413^{\text{red}} & \Delta = -76, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_2
\end{array}$$

Base: $414 \overset{4,2}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{1}{\mathfrak{e}_8} 1223151$

$$414 \overset{4,2}{\otimes} \overset{1}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{1}{\mathfrak{e}}_8 1223151 \textcolor{red}{2} \quad \Delta = -95, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $14^{2,4} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} 12231513^1$

$$31 \quad \overset{21413221(12)12231513221(12)12231}{5} \quad 1 \quad \Delta = -75, \, n_+ = 1, \, n_- = 30, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$31^{31413221(12)12231513221(12)12231} \quad 5 \quad 1 \quad \Delta = -83, \quad n_+ = 1, \quad n_- = 30, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$31^{41413221(12)12231513221(12)12231} \quad 5 \quad 1 \quad \Delta = -103, \quad n_+ = 1, \quad n_- = 30, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$14^{2,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} 12231513^1 \textcolor{red}{2} \quad \Delta = -76, n_+ = 1, n_- = 30, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$14^{2,4} \otimes \mathfrak{e}_8^{21} \otimes \mathfrak{e}_8^{5,5} 12231513^1 \quad \Delta = -75, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\mathfrak{e}_6 \overset{3,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \overset{5,5}{\mathfrak{e}_8} 12222$

[illegible]

$$31321e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{2,3} 414 \quad \Delta = -50, n_+ = 1, n_- = 30, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\begin{aligned}
& 321513221\mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes 4141\mathbf{3} \quad \Delta = -83, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 321513221\mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes 4141\mathbf{2} \quad \Delta = -75, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 321513221\mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes 4141\mathbf{4} \quad \Delta = -103, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 321513221\mathfrak{e}_8 \otimes \mathfrak{e}_8 122315123 \\
& 321513221\mathfrak{e}_8 \otimes \mathfrak{e}_8 122315123\mathbf{2} \quad \Delta = -82, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 4 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes 413 \\
& 4 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes 413\mathbf{2} \quad \Delta = -83, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 2313221\mathfrak{e}_8 \otimes \mathfrak{e}_8 12231513151 \\
& 2313221\mathfrak{e}_8 \otimes \mathfrak{e}_8 12231513151\mathbf{2} \quad \Delta = -79, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 2313221\mathfrak{e}_8 \otimes \mathfrak{e}_8 12231513151\mathbf{3} \quad \Delta = -87, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 41414 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 1223151 \\
& 41414 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 1223151\mathbf{2} \quad \Delta = -94, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 1414 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 12231513 \\
& 1414 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 12231513\mathbf{2} \quad \Delta = -75, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \mathbf{3}141413221(12)12231513221(12)12231 \\
& 31 \quad 5 \quad 1 \quad \Delta = -82, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \mathbf{2}141413221(12)12231513221(12)12231 \\
& 31 \quad 5 \quad 1 \quad \Delta = -74, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \mathbf{4}141413221(12)12231513221(12)12231 \\
& 31 \quad 5 \quad 1 \quad \Delta = -102, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 31 \quad 5 \quad 1 \\
& \mathbf{3}21513221(12)12231513221(12)12231 \\
& 1 \quad 5 \quad 13\mathbf{2} \quad \Delta = -80, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \mathbf{2}321513221(12)12231513221(12)12231 \\
& 31 \quad 5 \quad 1 \quad \Delta = -81, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 31 \quad 5 \quad 1 \\
& \mathbf{3}1513221(12)12231513221(12)12231 \\
& 1 \quad 5 \quad 13\mathbf{2} \quad \Delta = -79, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 1\mathfrak{e}_6 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 12222 \\
& 222221\mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_6 1\mathbf{2} \quad \Delta = -88, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 222221\mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_6 1\mathbf{3} \quad \Delta = -96, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 21\mathfrak{e}_6 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 12222 \\
& 222221\mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_6 12\mathbf{3} \quad \Delta = -96, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 1\mathfrak{e}_6 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 12222 \\
& \mathbf{2}1 \mathbf{3} \mathbf{5} \mathbf{5} \mathbf{5} \\
& 1\mathfrak{e}_6 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 12222 \quad \Delta = -87, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \mathbf{3} \mathbf{1} \mathbf{3} \mathbf{5} \mathbf{5} \mathbf{5} \\
& 1\mathfrak{e}_6 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 12222 \quad \Delta = -95, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 1\mathfrak{e}'_7 \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}'_7 1 \\
& 1\mathfrak{e}'_7 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_7 \otimes \mathfrak{e}'_7 1\mathbf{2} \quad \Delta = -116, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 1\mathfrak{e}'_7 \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}'_7 1\mathbf{2} \quad \Delta = -116, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 21\mathfrak{e}'_7 \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_8 12231513221 \\
& 21\mathfrak{e}'_7 \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_8 12231513221\mathbf{5} \quad \Delta = -63, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 21\mathfrak{e}'_7 \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_8 12231513221\mathbf{3} \quad \Delta = -19, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 21\mathfrak{e}'_7 \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_8 12231513221\mathbf{7} \quad \Delta = -116, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_3
\end{aligned}$$

$$1 \overset{1}{\mathfrak{e}}_7 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 12321 \textcolor{red}{5} \quad \Delta = -91, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{5,4} 12321\mathbf{7} \quad \Delta = -144, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$\text{Base: } 1 \overset{1}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{4,5}{e_8} \otimes \overset{5,3}{e_6} 1$$

$$1 \overset{1}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,3}{\mathbf{e}}_6 \mathbf{1}_2 \quad \Delta = -116, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{1,3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6 \mathbf{1} \mathbf{3} \quad \Delta = -124, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\overset{2,1}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,3}{\mathbf{e}}_6 1 \quad \Delta = -116, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_7^{5,4} 12321$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_7^{5,4} 12321 \textcolor{red}{2} \quad \Delta = -39, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_7^{5,4} 123218 \quad \Delta = -172, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$21\overset{21}{\mathbf{e}}_7^{4,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 12321 \quad \Delta = -39, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_7^{5,4} 12321\overline{7} \quad \Delta = -144, \quad n_+ = 1, \quad n_- = 31, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1\overset{21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 12321\mathbf{6} \quad \Delta = -117, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1e_7^{21} \otimes e_8^{4,5} \otimes e_7^{5,4} 12321 \mathbf{3} \quad \Delta = -47, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{3,21}{e_7} \otimes \overset{4,5}{e_8} \otimes \overset{5,4}{e_7} 12321 \quad \Delta = -48, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_7^{5,4} 12321 \textcolor{red}{4} \quad \Delta = -67, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 12321\mathbf{5} \quad \Delta = -91, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_8^{4,5} 1223151321$

$$1 \overset{\textcolor{red}{3}21}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{4,5}{\mathfrak{e}_8} 1223151321 \quad \Delta = -48, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_8^{4,5} 1223151321\mathbf{3} \quad \Delta = -47, \quad n_+ = 1, \quad n_- = 31, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^{21} \otimes e_7^{3,3} \otimes e_8^{4,5} 12231513218 \quad \Delta = -172, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow F_5$$

$$1\epsilon_7^{21} \otimes e_7^{3,3} \otimes e_8^{4,5} 123151321\mathbf{6} \quad \Delta = -117, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_8^{4,5} 1223151321\textcolor{red}{7} \quad \Delta = -144, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_8^{4,5} 1223151321\textcolor{red}{2} \quad \Delta = -39, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_8^{4,5} 1223151321\mathbf{5} \quad \Delta = -91, \quad n_+ = 1, \quad n_- = 31, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\overset{2,1}{\mathfrak{e}_7} \otimes \overset{3,3}{\mathfrak{e}_7} \otimes \overset{4,5}{\mathfrak{e}_8} 1223151321 \quad \Delta = -39, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_8^{4,5} 1223151321\mathbf{4} \quad \Delta = -67, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_8^{4,5} 1222$

$$1 \overset{3,2}{\textcolor{red}{e}}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{4,5}{e}_8 1222 \quad \Delta = -122, \, n_+ = 1, \, n_- = 31, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\overset{21}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{4,5}{e}_8 1222 \quad \Delta = -113, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1 \overset{3,2,1}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{4,5}{e_8} 122$

$$1 \overset{2,3,2}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{4,5}{\epsilon_8} 122 \quad \Delta = -124, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_8 \textcolor{red}{122} \quad \Delta = -124, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_8 \textcolor{red}{1223} \quad \Delta = -131, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_8 \overset{1}{\otimes} \overset{5,3}{\epsilon_6} \overset{2,2}{\otimes} \overset{2,2}{\epsilon_6} \overset{2,2}{\otimes} \overset{2,2}{\epsilon_6} \overset{2,2}{\otimes} \epsilon_6 12$

$$1\epsilon_8^{21} \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \quad \Delta = -113, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow F_1$$

[illegible]

Base: $1 \epsilon_6^{1,2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8^1$

$$1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8^1 \quad \Delta = -113, \quad n_+ = 1, \quad n_- = 31, \quad n_0 = 0 \quad \rightarrow \mathbb{F}$$

$$1\epsilon_6^1 \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{3,5} \otimes \epsilon_8^1 \quad \Delta = -113, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_6^{31} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_8^{3,5} 1 \quad \Delta = -121, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{2321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^1 \mathbf{12} \quad \Delta = -124, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21 \overset{\textcolor{red}{2}}{\mathfrak{e}}_8^{5,4} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} 1223 \quad \Delta = -122, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \mathbf{e}_8^{21} \mathbf{2} \quad \Delta = -122, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 4141\textcolor{red}{4} \quad \Delta = -94, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$21513221 \overset{2,1}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{4,2}{\mathfrak{e}}_8 \quad \Delta = -66, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 4141\textcolor{red}{2} \quad \Delta = -66, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{3,2}{\text{c}}_8 \overset{5,5}{\otimes} \overset{4,2}{\text{c}}_8 \otimes 4141 \quad \Delta = -75, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 4141\mathbf{3} \quad \Delta = -74, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8 122315123 \mathbf{2} \quad \Delta = -73, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21513221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 122315123 \quad \Delta = -71, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{321513221} \otimes \mathfrak{e}_8^{5,5} 122315123 \quad \Delta = -80, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$131513221 \overset{21}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{4,2}{\mathfrak{e}_8} 413 \quad \Delta = -54, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{3131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 413 \quad \Delta = -62, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 413 \quad \Delta = -55, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{2131513221}{}^{5,5}{}^{4,2} \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes 413 \quad \Delta = -54, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{4131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 413 \quad \Delta = -82, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{131513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,2} 413\mathbf{red} \quad \Delta = -55, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{6131513221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{4,2}{\mathfrak{e}_8} \otimes 413 \quad \Delta = -132, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$414 \overset{4,2}{\otimes} \overset{1}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 122315131\textcolor{red}{3} \quad \Delta = -82, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$414 \otimes_{\mathfrak{e}_8}^{4,2} \otimes_{\mathfrak{e}_8}^{1,5,5} 122315131\mathbf{5} \quad \Delta = -126, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$414 \overset{4,2}{\otimes} \overset{1}{\mathbf{e}}_8 \overset{5,5}{\otimes} \mathbf{e}_8 1223151314 \quad \Delta = -102, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$414 \overset{4,2}{\otimes} \overset{1}{\mathbf{e}}_8 \overset{5,5}{\otimes} \mathbf{e}_8 122315131\mathbf{6} \quad \Delta = -152, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$414 \overset{4,2}{\otimes} \overset{1}{\mathbf{e}}_8 \overset{5,5}{\otimes} \overset{2}{\mathbf{e}}_8 122315131 \quad \Delta = -75, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \overset{5,5}{\mathfrak{e}_8} 122315131\textcolor{red}{2} \quad \Delta = -74, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{21}{\mathfrak{e}_8} \overset{2,4}{\otimes} 41 \quad \Delta = -74, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$4^{5,3} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,2,4} 41\mathbf{3} \quad \Delta = -82, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$4^{5,3} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,2,4} 41\textcolor{red}{2} \quad \Delta = -74, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{31231513221} \otimes \mathfrak{e}_8^{5,5} 1223132 \quad \Delta = -36, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{71231513221} \otimes \mathbf{e}_8^{5,5} 1223132 \quad \Delta = -133, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{51231513221} \otimes \mathbf{e}_8^{5,5} 1223132 \quad \Delta = -80, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1^{21513221} \epsilon_8^{5,5} \otimes \epsilon_8^{12231513}$

$1^{21513221} \epsilon_8^{5,5} \otimes \epsilon_8^{12231513} \Delta = -71, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$

$1^{321513221} \epsilon_8^{5,5} \otimes \epsilon_8^{12231513} \Delta = -79, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1$

$21513221 \epsilon_8^{21} \epsilon_8^{5,5} \otimes \epsilon_8^{12231513} \Delta = -70, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: $1^{1513221} \epsilon_8^{5,5} \otimes \epsilon_8^{12231513}$

$1^{31513221(12)12231513221(12)12231} \epsilon_8^5 \otimes \epsilon_8^1 \Delta = -70, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1$

$1^{1513221} \epsilon_8^{5,5} \otimes \epsilon_8^{12231513} \Delta = -71, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$

$1^{31513221} \epsilon_8^{5,5} \otimes \epsilon_8^{12231513} \Delta = -78, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1$

$1^{21513221} \epsilon_8^{5,5} \otimes \epsilon_8^{12231513} \Delta = -70, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: $\epsilon_6^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{22221} \epsilon_8^1$

$\epsilon_6^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{22221} \epsilon_8^1 \Delta = -88, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: $1^{22221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_6^1$

$1^{22221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_6^1 \Delta = -96, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_3$

$22221 \epsilon_8^{21} \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_6^1 \Delta = -88, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$

$1^{22221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_6^1 \Delta = -88, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: $1 \epsilon_6^{3,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \epsilon_8^{122313}$

$1 \epsilon_6^{3,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \epsilon_8^{122313} \Delta = -105, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{P}^2$

$313221 \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_6^{3,5} \epsilon_6^1 \Delta = -104, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_0$

$313221 \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_6^{3,5} \epsilon_6^1 \Delta = -112, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{P}^2$

Base: $1^{22221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} \otimes \epsilon_6^{12}$

$22221 \epsilon_8^{21} \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} \otimes \epsilon_6^{12} \Delta = -87, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$

$1^{22221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} \otimes \epsilon_6^{12} \Delta = -96, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_3$

Base: $31 \epsilon_6^{3,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \epsilon_8^{12231}$

$31 \epsilon_6^{3,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \epsilon_8^{12231} \Delta = -132, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{P}^2$

$31 \epsilon_6^{3,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \epsilon_8^{12231} \Delta = -104, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1$

$31 \epsilon_6^{3,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \epsilon_8^{12231} \Delta = -156, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: $1 \epsilon_6^{1} \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \epsilon_8^{12222}$

$1 \epsilon_6^{31} \epsilon_6^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \epsilon_8^{12222} \Delta = -95, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1$

$1 \epsilon_6^{1} \epsilon_6^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{21} \epsilon_8^{12222} \Delta = -87, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$

$1 \epsilon_6^{21} \epsilon_6^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \epsilon_8^{12222} \Delta = -87, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$

Base: $1 \epsilon_7^{4,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \epsilon_8^{12222}$

$22221 \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_7^{4,5} \epsilon_7^{12} \Delta = -115, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: $1^{21513221} \epsilon_8^{5,5} \otimes \epsilon_8^1 \epsilon_8^{12231512}$

$1^{321513221} \epsilon_8^{5,5} \otimes \epsilon_8^1 \epsilon_8^{12231512} \Delta = -71, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1$

$21513221 \epsilon_8^{21} \epsilon_8^{5,5} \otimes \epsilon_8^1 \epsilon_8^{12231512} \Delta = -62, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: $1^{131513221} \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{4,2} \epsilon_8^1$

$1^{3131513221} \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{4,2} \epsilon_8^1 \Delta = -54, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$

$1^{131513221} \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{4,2} \epsilon_8^1 \Delta = -54, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_0$

$$1^{5,131513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,4,2} \otimes 41 \quad \Delta = -98, \quad n_+ = 1, \quad n_- = 31, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 1223151321$

Base: $1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 12231513221$

Base: $1^{1513221} \epsilon_8^{5,5} \otimes \epsilon_8^1 12231512$

$$\text{Base: } 1^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 1223151$$

$$1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1223151} \quad \Delta = -62, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{31513221} \otimes \epsilon_8^{5,5} 1^{1223151} \quad \Delta = -70, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } \mathfrak{e}_6^{5,4} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{13221} \otimes \mathfrak{e}_8^1$$

$$\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \mathbf{e}_8^{13221} \mathbf{1} \quad \Delta = -97, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \mathbf{e}_8^{413221} 1 \quad \Delta = -125, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \mathbf{e}_8^{13221} 1 \quad \Delta = -149, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,5,3} \otimes \mathfrak{e}_6 1$$

$$1^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_6^{5,3} \mathbf{12} \quad \Delta = -96, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$13221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{1}{\mathfrak{e}}_6 \overset{5,3}{1} \quad \Delta = -96, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{\textcolor{red}{2}13221} \textcolor{blue}{\mathfrak{e}}_8^{5,5} \otimes \textcolor{blue}{\mathfrak{e}}_8^1 \otimes \textcolor{blue}{\mathfrak{e}}_6^{5,3} 1 \quad \Delta = -96, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{413221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_6^{5,3} \quad \Delta = -124, \quad n_+ = 1, \quad n_- = 31, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{5}{\mathbf{e}}_8^{13221} \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_6^{5,3} \quad \Delta = -148, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,5,3} \otimes \mathfrak{e}_6 \mathbf{13} \quad \Delta = -104, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{313221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_6^{5,3} \quad \Delta = -104, \, n_+ = 1, \, n_- = 31, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \overset{2221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{1}{\mathfrak{e}_8} \otimes \overset{5,4}{\mathfrak{e}_7} 1$

$$2221\overset{2,1}{\mathbf{e}}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}'_{7,1} \quad \Delta = -115, \, n_+ = 1, \, n_- = 31, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{2221}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{1}{\mathfrak{e}}_7 \otimes \overset{5,4}{\mathfrak{e}}_7 \mathbf{12} \quad \Delta = -115, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{3221} e_8^{5,4} \otimes e_7^{3,3} \otimes e_7^{3,3} e_7^{12}$

$$1^{3221} e_8^{5,4} \otimes e_7^{3,3} \otimes e_7^{3,3} e_7^{123} \quad \Delta = -131, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1 \overset{221}{e_8} \overset{5,4}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 122$

$$221_{\mathbf{e}_8}^{21, 5, 4} \otimes \mathbf{e}_7^{3, 3} \otimes \mathbf{e}_7^{3, 3} \otimes \mathbf{e}_7^{3, 3} 122 \quad \Delta = -113, \, n_+ = 1, \, n_- = 31, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1_{\mathbf{e}_8}^{221} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 122\mathbf{3} \quad \Delta = -122, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \mathbf{e}_8^{3,2,2,1} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 122 \quad \Delta = -122, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1e_7 \overset{1}{\otimes} \overset{3,3}{e_7} \overset{3,3}{\otimes} \overset{4,5}{e_7} \overset{1}{\otimes} e_8 1223$

$$1\overset{2,1}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{4,5}{\mathbf{e}_8} \overset{1}{1223} \quad \Delta = -122, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1 \mathfrak{e}_7^{21} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_8^{221} 1$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_8^{4,5} \mathbf{e}_8^{221} \mathbf{12} \quad \Delta = -113, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\overset{21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_7 \otimes \overset{221}{\mathbf{e}}_8 1 \quad \Delta = -113, \, n_+ = 1, \, n_- = 31, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{3,21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \overset{2,21}{1} \quad \Delta = -122, \, n_+ = 1, \, n_- = 31, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1_{\mathfrak{e}_7}^{21} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_8^{21} 12$

$$21\overset{2,1}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \overset{21}{12} \quad \Delta = -113, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $21^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8 122315131$

$$21^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8 122315131 \quad \Delta = -70, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8 122315131\mathfrak{e}_8 \quad \Delta = -122, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8 122315131\mathbf{6} \quad \Delta = -148, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$21^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8 1223151314 \quad \Delta = -98, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{122315131} \Delta = -71, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8 122315131 \mathbf{3} \quad \Delta = -78, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$131\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6 131\mathbf{e}_6 \quad \Delta = -67, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1\epsilon_6^1 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1231513221$

$$1\mathbf{e}_6^{1,3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231513221\mathbf{6} \quad \Delta = -32, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231513221\mathbf{7} \quad \Delta = -59, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{1,3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{1231513221} \textcolor{red}{(12)} \quad \Delta = -202, \, n_+ = 1, \, n_- = 31, \, n_0 = 0 \quad \rightarrow \mathbb{F}_8$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231513221\mathbf{5} \quad \Delta = -6, \, n_+ = 1, \, n_- = 31, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231513221\mathbf{8} \quad \Delta = -87, \, n_+ = 1, \, n_- = 31, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $221\epsilon_7' \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 123151321$

$$221\mathbf{e}_7' \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,3} \mathbf{e}_7 123151321\mathbf{7} \quad \Delta = -86, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$221\mathbf{e}_7' \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 123151321\mathbf{8} \quad \Delta = -114, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$221\epsilon_7' \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 123151321\mathbf{5} \quad \Delta = -33, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\mathbf{e}_7' \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,3} \mathbf{e}_7 123151321\mathbf{4} \quad \Delta = -9, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\epsilon_7' \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 123151321\mathbf{6} \quad \Delta = -59, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $131\epsilon_6 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7' 122$

$$221\mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_6 131\mathbf{e}_5 \quad \Delta = -60, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\mathbf{e}_7' \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_6 131\mathbf{e}_6 \quad \Delta = -86, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$221\mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_6 131\mathbf{4} \quad \Delta = -36, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\mathbf{e}_7' \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_6 131\mathbf{e}_2 \quad \Delta = -8, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$221\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_6 131\mathbf{3} \quad \Delta = -16, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$131\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 122\mathbf{e}_7 \quad \Delta = -17, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $221e_7' \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7'122$

$$221\mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 122\mathbf{3} \quad \Delta = -36, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1321\epsilon_7' \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 12315131$

$$1321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12315131\mathbf{5} \quad \Delta = -41, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$13151321\overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes e'_7 12315 \quad \Delta = -41, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1321e_7' \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 123151316 \quad \Delta = -67, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1321e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} e_7 123151314 \quad \Delta = -17, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$13151321 \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7' 1231 \mathbf{4} \quad \Delta = -17, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21\epsilon_6 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7' 1231$

$$21\epsilon_6 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon'_7 1231\mathbf{3} \quad \Delta = -17, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21e_6 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e'_7 1231\mathbf{5} \quad \Delta = -61, \, n_+ = 1, \, n_- = 31, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$21e_6^{3,3} \otimes e_7^{3,3} e_7^{3,3} \otimes e_7^{3,3} \otimes e_7' e_7'^{1231} \quad \Delta = -11, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_6 12\mathbf{3} \quad \Delta = -18, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21e_6 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7' 12314 \quad \Delta = -37, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow F_3$$

$$21\mathbf{e}_6 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 1231\mathbf{2} \quad \Delta = -9, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1e_6^1 \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7' 1231$$

$$1\epsilon_6^{1 \quad 3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7'^{1231}{}^{\textcolor{red}{2}} \quad \Delta = -11, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_7^{3.3} \otimes \mathbf{e}_7^{3.3} \otimes \mathbf{e}_7^{3.3} \otimes \mathbf{e}_7^{3.3} \otimes \mathbf{e}_7' 1231\mathbf{3} \quad \Delta = -17, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{3,1} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231 \quad \Delta = -17, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 1231\mathbf{2} \quad \Delta = -9, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_6^{1,3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{\prime 12315} \quad \Delta = -61, n_+ = 1, n_- = 31, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}'_{12314} \quad \Delta = -37, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^{21} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7'{}^{3,3} 1231 \quad \Delta = -9, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $12321\epsilon_7' \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 1232151$

$$1512321 \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 12321 \mathbf{7} \quad \Delta = -90, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1512321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 12321\mathbf{8} \quad \Delta = -118, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1512321\mathbf{e}_7 \otimes_{\mathbf{e}_7}^{\mathbf{3,3}} \otimes_{\mathbf{e}_7}^{\mathbf{3,3}} \otimes_{\mathbf{e}_7}^{\mathbf{3,3}} \otimes_{\mathbf{e}_7'}^{\mathbf{3,3}} 12321\mathbf{6} \quad \Delta = -63, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1512321 \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7' 12321 \mathbf{5} \quad \Delta = -37, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1512321 \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7' 12321 \mathbf{4} \quad \Delta = -13, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $12321\epsilon_7' \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 1231512$

$$2151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7' 12321\mathbf{8} \quad \Delta = -116, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2151321 \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 12321 \mathbf{5} \quad \Delta = -35, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 12321\mathbf{7} \quad \Delta = -88, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$2151321\mathbf{e}_7 \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,3} \mathbf{e}_7' 12321\mathbf{4} \quad \Delta = -11, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$2151321\mathbf{e}_7 \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7'} 12321\mathbf{6} \quad \Delta = -61, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $12321e_7' \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{1}{123151}$

$$1^{41}232171232181232181232181231^1 \quad \Delta = -11, \quad n_+ = 1, \quad n_- = 31, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{51232171232181232181232181231} 5 1 \quad \Delta = -35, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{61}232171232181232181232181231^1 \quad \Delta = -61, \quad n_+ = 1, \quad n_- = 31, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{71232171232181232181232181231} \quad \Delta = -88, \quad n_+ = 1, \quad n_- = 31, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{81232171232181232181232181231}{5} 1 \quad \Delta = -116, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1e_7' \otimes^{21, 3, 3} e_7 \otimes^{3, 3} e_7 \otimes^{3, 3} e_7 123151321$$

$$1\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 123151321\mathbf{6} \quad \Delta = -59, \quad n_+ = 1, \quad n_- = 31, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

[illegible]

$$167 \otimes 17 \otimes 17 \otimes 17_{1231313219} \quad \Delta = -55, \quad n_+ = 1, \quad n_- = 31, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^1$$

$$16_7^{\otimes 21} \otimes 6_7^{\otimes 3,3} \otimes 6_7^{\otimes 3,3} \otimes 6_7^{\otimes 3,3} 1231513214 \quad \Delta = -9, \quad n_+ = 1, \quad n_- = 31, \quad n_0 = 0 \quad \rightarrow \mathbb{F}$$

$$1\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \text{ 1231515218} \quad \Delta = -114, \quad n_+ = 1, \quad n_- = 31, \quad n_0 = 0 \quad \rightarrow \mathbb{R}$$

Base: $1e_7^{21} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_6^{131}$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{1315} \quad \Delta = -60, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\epsilon_7' \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_6 \text{ 1316} \quad \Delta = -86, \quad n_+ = 1, \quad n_- = 31, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1\epsilon_7^{\otimes 21} \otimes \epsilon_7^{\otimes 3,3} \otimes \epsilon_7^{\otimes 3,3} \otimes \epsilon_7^{\otimes 3,3} \otimes \epsilon_6^{13110} \quad \Sigma = -56, \quad n_+ = 1, \quad n_- = 51, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^1$$

$$21_{\epsilon'}^{21} \otimes_{\epsilon'} \otimes_{\epsilon'} \otimes_{\epsilon'} \otimes_{\epsilon'} \otimes_{\epsilon'} \otimes_{\epsilon'} 13112 \quad \Delta = -8, \quad n_+ = 1, \quad n_- = 31, \quad n_0 = 0 \quad \rightarrow \mathbb{H}$$

$$21_{\mathbb{F}_7} \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_6 131 \quad \Delta = -8, \quad n_+ = 1, \quad n_- = 31, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\bar{e}_7 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_6 131\mathbf{3} \quad \Delta = -10, \quad n_+ = 1, \quad n_- = 31, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_6 131\mathbf{4} \quad \Delta = -36, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \mathbf{e}'_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_6 131 \quad \Delta$$

$$21 \quad 3,3 \quad 3,3 \quad 3,3 \quad 3,3$$

$$1321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{4,5}{\otimes} \mathbf{e}_8 1223151321\mathbf{2} \quad \Delta = -19, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $12321\mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_8 122315131$

$$131513221 \mathbf{e}_8 \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12321 \mathbf{e}_8 \quad \Delta = -28, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12321\mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{4,5} \mathbf{e}_8 122315131\mathbf{r} \quad \Delta = -28, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$131513221 \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 12321 \mathbf{e} \quad \Delta = -153, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$131513221\mathbf{e}_8 \otimes \overset{4,5}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12321\mathbf{f} \quad \Delta = -72, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$131513221 \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7 12321 \textcolor{red}{7} \quad \Delta = -125, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$12321\mathbf{e}_7^{\overset{3,3}{\otimes}} \otimes \mathbf{e}_7^{\overset{4,5}{\otimes}} \otimes \mathbf{e}_8^{\overset{2}{\otimes}} 122315131 \quad \Delta = -21, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$12321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8 122315131\mathbf{5} \quad \Delta = -72, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$12321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8 122315131\mathbf{2} \quad \Delta = -20, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$131513221 \mathbf{e}_8 \otimes \overset{4,5}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12321 \mathbf{e} \quad \Delta = -20, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$131513221\mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12321\mathbf{4} \quad \Delta = -48, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$12321\epsilon_7^{\overset{3,3}{\otimes}} \otimes \epsilon_7^{\overset{4,5}{\otimes}} \epsilon_8^{\overset{4,5}{\otimes}} 122315131\mathbf{6} \quad \Delta = -98, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$131513221\mathbf{e}_8 \overset{4,5}{\otimes} \overset{3,3}{\mathbf{e}_7} \overset{3,3}{\otimes} \mathbf{e}_7 12321\mathbf{6} \quad \Delta = -98, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$12321\mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_8 122315131\textcolor{red}{4} \quad \Delta = -48, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $e_7' \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{5,4}{\otimes} e_8 12231513$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{12231513\textcolor{red}{2}} \quad \Delta = -126, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1e'_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{4,5}{\otimes} e_8 1223151$

$$1513221e_8^{4,5} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7'12 \quad \Delta = -117, \quad n_+ = 1, \quad n_- = 32, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{4,5}{\otimes} \mathbf{e}_8 1223151\mathbf{2} \quad \Delta = -117, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{4,5}{\otimes} \mathbf{e}_8 1223151\mathbf{r} \quad \Delta = -125, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $4 \overset{4,2}{\otimes} e_8 \overset{4,5}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_{712}$

$$4 \overset{4,2}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12\mathbf{3} \quad \Delta = -130, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $221\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8 12231$

$$221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_{812231\mathbf{2}} \quad \Delta = -93, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{12231\mathbf{5}} \quad \Delta = -145, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8 12231\mathbf{e}_8 \quad \Delta = -101, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$13221\mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 122\mathbf{e}_3 \quad \Delta = -102, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8 12231\mathbf{e}_4 \quad \Delta = -121, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1321\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{4,5}{\otimes} \epsilon_8 1222$

$${}^21321\mathbf{e}_7 \otimes {}^{3,3}\mathbf{e}_7 \otimes {}^{3,3}\mathbf{e}_7 \otimes {}^{4,5}\mathbf{e}_8 1222 \quad \Delta = -95, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$2221\mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231\mathbf{e}_2 \quad \Delta = -93, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2221\epsilon_8 \overset{4,5}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 1231\textcolor{red}{5} \quad \Delta = -145, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2221\mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231\mathbf{e}_8 \quad \Delta = -101, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$2221\mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231\mathbf{e}_4 \quad \Delta = -121, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $4 \overset{3,2}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{5,4}{\otimes} \mathfrak{e}_8 122$

$$4 \overset{3,2}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{5,4}{\otimes} \mathbf{e}_8 122\mathbf{3} \quad \Delta = -130, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1 \overset{1}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{4,5}{e_8} \otimes \overset{5,4}{e_7'} 1$

$$1\overset{1}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7' \mathbf{12} \quad \Delta = -115, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{2,1}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7' \quad \Delta = -115, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1e_7^1 \otimes e_8^{4,5} \otimes e_7^{5,4} \otimes e_7^{3,3} \otimes e_7'1$

$$1\overset{2,1}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7' \quad \Delta = -115, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1_{\mathbf{e}_7}^{1,4,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7'^{\mathbf{1}\mathbf{2}} \quad \Delta = -115, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_8^{4,5} 12231513221$

$$\mathbf{1}_{\mathbf{e}_7}^{21, 3, 3} \otimes \mathbf{e}_7^{3, 3} \otimes \mathbf{e}_8^{4, 5} 12231513221\mathbf{2} \quad \Delta = -10, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{21, 3, 3} \otimes \mathbf{e}_7^{3, 3} \otimes \mathbf{e}_8^{4, 5} 12231513221\mathbf{4} \quad \Delta = -38, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7^{21, 3, 3} \otimes \mathbf{e}_7^{4, 5} \otimes \mathbf{e}_8^{12231513221} \mathbf{8} \quad \Delta = -143, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\epsilon_7^{321} \otimes \epsilon_7^{3,3} \otimes \epsilon_8^{4,5} 12231513221 \quad \Delta = -19, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7^{21, 3, 3} \otimes \mathbf{e}_7^{4, 5} \otimes \mathbf{e}_8^{122315132217} \quad \Delta = -115, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_8^{4,5} 12231513221\mathbf{3} \quad \Delta = -18, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7^{21,3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{12231513221} \text{ (12)} \quad \Delta = -258, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_8^{4,5} 12231513221\mathbf{6} \quad \Delta = -88, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_8^{4,5} 12231513221\mathbf{5} \quad \Delta = -62, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_8^{4,5} 12231513221 \quad \Delta = -10, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1\epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8 12231$

$$1\epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8^{122314} \quad \Delta = -121, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{3,2}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 12231 \quad \Delta = -102, \quad n_+ = 1, \quad n_- = 32, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\overset{21}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{4,5}{\epsilon_8} 12231 \quad \Delta = -93, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8^{12231\textcolor{red}{2}} \quad \Delta = -93, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_7^{21, 3, 3} \otimes \mathbf{e}_7^{3, 3} \otimes \mathbf{e}_7^{4, 5} \otimes \mathbf{e}_8^{122315} \quad \Delta = -145, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^{21, 3, 3} \otimes \mathbf{e}_7^{3, 3} \otimes \mathbf{e}_7^{4, 5} \otimes \mathbf{e}_8^{12231\mathbf{3}} \quad \Delta = -101, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_8^1 \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2}$

$$1\epsilon_8^1 \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{131\textcolor{red}{3}} \quad \Delta = -100, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{1}{e}_8 \otimes \overset{5,3}{e}_6 \otimes \overset{2,2}{e}_6 \otimes \overset{2,2}{e}_6 \otimes \overset{2,2}{e}_6 \otimes \overset{2,2}{e}_6 \otimes \overset{2,2}{e}_6 131\textcolor{red}{4} \quad \Delta = -120, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon_8^1 \otimes \epsilon_6^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{1316} \quad \Delta = -170, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1\overset{21}{\mathbf{e}}_8 \otimes \overset{5,3}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 131 \quad \Delta = -92, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_8 \otimes \overset{1}{\mathbf{e}_6} \otimes \overset{5,3}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} \otimes \overset{2,2}{\mathbf{e}_6} 131\mathbf{e}_2 \quad \Delta = -92, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_8^1 \otimes \mathbf{e}_6^{5,3} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 131\mathbf{f}_5 \quad \Delta = -144, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} \otimes 4141$

$$131513221\overset{21}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{4,2}{4141} \quad \Delta = -45, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 4141 \quad \Delta = -46, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 4141\textcolor{red}{2} \quad \Delta = -45, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{2131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 4141 \quad \Delta = -45, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{6131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 4141 \quad \Delta = -123, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{4131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 4141 \quad \Delta = -73, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{131513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,2} 4141\textcolor{red}{4} \quad \Delta = -73, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{131513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,2} 4141\mathbf{3} \quad \Delta = -53, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{5131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 4141 \quad \Delta = -97, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{3131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 4141 \quad \Delta = -53, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{131513221} \epsilon_8^{5,5} \otimes \epsilon_8 122315123$

$$1^{131513221}{}^{5,5} \otimes \mathbf{e}_8 122315123 \mathbf{2} \quad \Delta = -52, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8 122315123 \quad \Delta = -51, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$131513221\mathfrak{e}_8^{21\ 5,5} \otimes \mathfrak{e}_8 122315123 \quad \Delta = -50, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{2131513221} \overset{5,5}{\otimes} \mathbf{e}_8 122315123 \quad \Delta = -50, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{4131513221}{}^{5,5} \mathfrak{e}_8 \otimes \mathfrak{e}_8 122315123 \quad \Delta = -78, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{6131513221} \otimes \mathbf{e}_8^{5,5} 122315123 \quad \Delta = -128, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{3131513221}{}^{5,5} \mathfrak{e}_8 \otimes \mathfrak{e}_8 122315123 \quad \Delta = -58, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{5131513221} \otimes \mathbf{e}_8^{5,5} 122315123 \quad \Delta = -102, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 4 \stackrel{5,3}{\otimes} \mathfrak{e}_8 \stackrel{5,5}{\otimes} \mathfrak{e}_8 \stackrel{21513221}{\otimes} 1$$

$$4^{5,3} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21513221} \mathbf{12} \quad \Delta = -69, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{\textcolor{red}{3}21513221}{\mathfrak{e}_8} 1 \quad \Delta = -78, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{1231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} \otimes 413$

$$1^{81231513221} \otimes^{5,5} \mathfrak{e}_8 \otimes^{4,2} \mathfrak{e}_8 \otimes 413 \quad \Delta = -159, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{1231513221} \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,2}{\otimes} 413\mathbf{2} \quad \Delta = -27, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{61231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{4,2} 413 \quad \Delta = -104, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{71231513221} \otimes^{5,5} \mathbf{e}_8 \otimes^{4,2} \mathbf{e}_8 \otimes 413 \quad \Delta = -131, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{21231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{4,2} 413 \quad \Delta = -26, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1231513221 \overset{21}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{4,2}{\mathfrak{e}}_8 \otimes 413 \quad \Delta = -26, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{51231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{4,2} 413 \quad \Delta = -78, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{41231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{4,2} 413 \quad \Delta = -54, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{31231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{4,2} 413 \quad \Delta = -34, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \overset{5,5}{\mathfrak{e}_8} 1223151321$

$$414 \overset{4,2}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \overset{5,5}{\mathbf{e}_8} 1223151321\textcolor{red}{4} \quad \Delta = -74, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$414 \otimes_{\mathfrak{e}_8}^{4,2} \otimes_{\mathfrak{e}_8}^{1,5,5} 12231513216 \quad \Delta = -124, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$414 \otimes_{\mathfrak{e}_8}^{4,2} \mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{1,5,5} 1223151321\mathbf{3} \quad \Delta = -54, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$414 \otimes_{\mathfrak{e}_8}^{4,2} \mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{1,5,5} 12231513212 \quad \Delta = -46, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$414 \otimes_{\mathfrak{e}_8}^{4,2} \mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{1,5,5} 12231513217 \quad \Delta = -151, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} 12231513218 \quad \Delta = -179, \quad n_+ = 1, \quad n_- = 32, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1^{12231513221} \otimes_{\mathfrak{g}_8} 5,5 \otimes_{\mathfrak{g}_8} 1223132$

$$1^{(12)}12231513221^{5,5} \otimes \epsilon_8 1223132 \quad \Delta = -247, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1^{712231513221} \mathfrak{e}_8 \otimes \mathfrak{e}_8 1223132 \quad \Delta = -104, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{412231513221} \mathfrak{e}_8 \otimes \mathfrak{e}_8 1223132 \quad \Delta = -27, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{8122351513221} \mathfrak{e}_8 \otimes \mathfrak{e}_8^{1223132} \quad \Delta = -27, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{P}^3$$

$$1 \quad \textcolor{red}{3}12231513221 \quad \textcolor{blue}{5,5} \quad \textcolor{red}{\epsilon_8} \otimes \textcolor{red}{\epsilon_8}1223132 \quad \Delta = -7, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{612231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1223132} \quad \Delta = -77, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{5,5} \text{e}_8 \otimes \text{e}_8 1223132 \quad \Delta = -51, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{313221} \epsilon_8^{5,5} \otimes \epsilon_8^{12231513221} \Delta = -76, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 1223151^1$

$$1^{6131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{11223151} \quad \Delta = -119, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{5131513221} \otimes 1^{5,5} \otimes 1^{1223151} \quad \Delta = -93, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{3131513221} \otimes 1^{5,5} \otimes 1^{1223151} \quad \Delta = -49, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{131513221} \mathfrak{e}_8^{5,5} \otimes 1^{1223151} \mathfrak{e}_8 \quad \Delta = -49, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{4131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{11} 1223151 \quad \Delta = -69, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{131513221} \epsilon_8^{5,5} \otimes \epsilon_8^{11223151} \quad \Delta = -42, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{11} 1223151 \mathbf{2} \quad \Delta = -41, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{2131513221} \otimes 1^{5,5} \otimes 1^{1223151} \quad \Delta = -41, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$131513221\epsilon_8^{21\ 5,5\ 1} \otimes \epsilon_8^{1\ 1} 1223151 \quad \Delta = -41, \ n_+ = 1, \ n_- = 32, \ n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{131513221} \otimes 1^{5,5} \otimes 1^{21} \otimes 1^{1223151} \quad \Delta = -41, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $e_6 \overset{5,3}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{1513221}{\otimes} 1$

$$\mathbf{e}_6^{5,3} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{151513221} \otimes \mathbf{1} \quad \Delta = -127, \quad n_+ = 1, \quad n_- = 32, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $e'_7 \overset{5,5}{\otimes} e_8 \overset{1}{\otimes} \overset{5,5}{e_8} \overset{13221}{e_8} 1$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \mathbf{e}_8^{13221} \quad \Delta = -147, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \mathbf{e}_8^{13221} \quad \Delta = -95, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \mathbf{e}_8^{413221} \quad \Delta = -123, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1 \overset{13221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{1}{\mathfrak{e}_8} \otimes \overset{5,4}{\mathfrak{e}_7'} 1$

$$1^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_7^{5,4} \textcolor{red}{1} \quad \Delta = -95, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{413221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,5,4} \otimes \mathfrak{e}'_7 \quad \Delta = -123, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$13221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{1}{\mathfrak{e}}_7 \overset{5,4}{\mathfrak{e}}_1 \quad \Delta = -95, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{213221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_7^{5,4} 1 \quad \Delta = -95, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_7^{5,4} \quad \Delta = -103, \quad n_+ = 1, \quad n_- = 32, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{5,13221}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{1}{\mathfrak{e}}_8 \overset{5,4}{\otimes} \mathfrak{e}'_7 1 \quad \Delta = -147, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \overset{2221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{5,5}{\otimes} \mathfrak{e}_7 1$

$$1^{2221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8 \otimes \mathbf{e}_7 \mathbf{1}^2 \quad \Delta = -114, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$2221\overset{21}{\mathfrak{e}}_8^{5,5} \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_7^{1\ 5,5} \quad \Delta = -114, \ n_+ = 1, \ n_- = 32, \ n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \overset{2221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{5,4}{\otimes} \mathfrak{e}_7 12$

$$2221\overset{21}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_7 \overset{5,4}{12} \quad \Delta = -114, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{2221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_7^{5,4} \mathbf{123} \quad \Delta = -123, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \overset{221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{5,4}{\otimes} \mathfrak{e}_7 123$

$$1^{221} \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_7^{123} \Delta = -125, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\overset{21}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_7 \overset{5,4}{123} \quad \Delta = -123, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{3221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,5,4} \otimes \mathfrak{e}_7^{123} \quad \Delta = -132, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1\epsilon_7^1 \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 1222$

$$1\mathbf{e}_7^{1,4,5} \otimes \mathbf{e}_8^{1,5,5} \otimes \mathbf{e}_8^{21} 1222 \quad \Delta = -114, \quad n_+ = 1, \quad n_- = 32, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1222} \quad \Delta = -114, \quad n_+ = 1, \quad n_- = 32, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21 \overset{4}{1} 3 2 2 1 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_6 1 \quad \Delta = -96, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21^{13221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_6 \mathbf{12} \quad \Delta = -68, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21^{\textcolor{red}{1}3221^{5,5}5,4} \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_6 1 \quad \Delta = -68, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $21^{513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 1$

$$21^{513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \mathbf{1} \mathbf{3} \quad \Delta = -127, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21^{513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \mathbf{12} \quad \Delta = -119, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21^{13221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} \otimes \epsilon_6 12$

$$21^{213221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 12 \quad \Delta = -67, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 12\mathbf{3} \quad \Delta = -76, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21^{413221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_{612} \quad \Delta = -95, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $21^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131$

$$21^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \mathfrak{e}_6 131\mathbf{3} \quad \Delta = -74, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 1314 \quad \Delta = -94, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21 \overset{2221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,3}{\mathfrak{e}_6} 131\textcolor{red}{2} \quad \Delta = -66, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131 \mathbf{6} \quad \Delta = -144, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

Base: $21^{221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6^{1315}$

$$21 \overset{3,2,2,1}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,3}{\mathfrak{e}_6} 1315 \quad \Delta = -127, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1\epsilon_6^{1,3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{21} 12231$

$$1_{\mathfrak{e}_6}^{1,3,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 122314 \quad \Delta = -95, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\overset{21}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \overset{21}{12231} \quad \Delta = -67, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{\textcolor{red}{31}}{\mathfrak{e}_6} \otimes \overset{3,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \overset{21}{12231} \quad \Delta = -75, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_6^{1,3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{21} 12231\bar{5} \quad \Delta = -119, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} 12231\textcolor{red}{2} \quad \Delta = -67, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $21^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 1$

$$21 \overset{2221}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \mathfrak{e}'_7 \mathbf{12} \quad \Delta = -86, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_7 12$

$$21 \overset{2221}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,4}{\mathfrak{e}}_8 \otimes \mathfrak{e}'_7 12\textcolor{red}{3} \quad \Delta = -95, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_7^{1,4,5} \otimes \epsilon_8^{5,5} \epsilon_8^{21} 1222$

$$1\overset{\textcolor{red}{21}}{\epsilon}_7' \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} 21_{1222} \quad \Delta = -86, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{12231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231$

$$1^{612231513221} \otimes \epsilon_8^{5,5} 21^{12231} \quad \Delta = -68, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{812231513221} \otimes \mathfrak{e}_8^{5,5} 21^{21} 12231 \quad \Delta = -123, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{12231513221} \otimes \epsilon_8^{5,5} \epsilon_8^{21} 12231\bar{5} \quad \Delta = -42, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{12231513221} \otimes_{\mathfrak{e}_8}^{5,5} \mathfrak{e}_8^{21} 122314 \quad \Delta = -18, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{5,12231513221} \otimes_{\mathfrak{e}_8}^{5,5} 21^{12231} \quad \Delta = -42, \quad n_+ = 1, \quad n_- = 32, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{712231513221} \otimes_{\mathfrak{e}_8}^{5,5} 1^{21} 12231 \quad \Delta = -95, \quad n_+ = 1, \quad n_- = 32, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{412231513221} \otimes_{\mathfrak{e}_8}^{5,5} 1^{2231} \quad \Delta = -18, \quad n_+ = 1, \quad n_- = 32, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{(12)}_{\mathfrak{e}_8} 12231513221 \otimes_{\mathfrak{e}_8}^{5,5} 21_{12231} \quad \Delta = -238, \quad n_+ = 1, \quad n_- = 32, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$221\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 131513217 \quad \Delta = -27, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$221\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 13151321\mathbf{6} \quad \Delta = 0, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1321\epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 1315131$$

$$1321\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 13151316 \quad \Delta = -8, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $12321\epsilon_6^{\begin{smallmatrix} 2,2 \\ \otimes \end{smallmatrix}} \epsilon_6^{\begin{smallmatrix} 2,2 \\ \otimes \end{smallmatrix}} \epsilon_6^{\begin{smallmatrix} 2,2 \\ \otimes \end{smallmatrix}} \epsilon_6^{\begin{smallmatrix} 2,2 \\ \otimes \end{smallmatrix}} \epsilon_6^{\begin{smallmatrix} 2,2 \\ \otimes \end{smallmatrix}}$

$$215131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 12321\textcolor{red}{6} \quad \Delta = -2, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$215131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 123218 \quad \Delta = -57, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$215131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 123217 \quad \Delta = -29, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_2$$

[illegible]

$$1 \overset{71}{23221613161316131613161316131} 5 1 \quad \Delta = -29, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{61232161316131613161316131}{5} 1 \quad \Delta = -2, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{8}{1} 2 3 2 1 6 1 3 1 6 1 3 1 6 1 3 1 6 1 3 1 6 1 3 1 \quad \Delta = -57, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $3131\epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 1315131$

$$3131\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 1315131\mathbf{6} \quad \Delta = -15, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

[illegible]

$$221\mathbf{e}_6^{\overset{2,2}{\otimes}}\mathbf{e}_6^{\overset{2,2}{\otimes}}\mathbf{e}_6^{\overset{2,2}{\otimes}}\mathbf{e}_6^{\overset{2,2}{\otimes}}\mathbf{e}_6^{\overset{2,2}{\otimes}}\mathbf{e}_6^{\overset{2,2}{\otimes}}\mathbf{e}_6^{\overset{2,2}{\otimes}}1231\mathbf{5} \quad \Delta = 0, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1_{\epsilon_6}^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2}$ 13151321

$$1\epsilon_6^{2,1} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 131513216 \quad \Delta = 0, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow F_3$$

$$1\epsilon_6^{21} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 131513218 \quad \Delta = -55, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1\epsilon_6^{21,2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 131513217 \quad \Delta = -27, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_4$$

[illegible]

$$1\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \quad \Delta = 0, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1^{131} \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 1315131$$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 13151316 \quad \Delta = -7, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \overset{6131}{\epsilon_6} \otimes \overset{2,2}{\epsilon_6} \otimes \overset{2,2}{\epsilon_6} \otimes \overset{2,2}{\epsilon_6} \otimes \overset{2,2}{\epsilon_6} \otimes \overset{2,2}{\epsilon_6} \otimes \overset{2,2}{\epsilon_6} 1315131 \quad \Delta = -7, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_2$$

[illegible]

$$1 \epsilon_6^{131} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 122 \quad \Delta = -25, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $\epsilon_6^{21} \otimes_{\epsilon_6}^{2,2} \epsilon_6^{2,2} \otimes_{\epsilon_6}^{2,2} \epsilon_6^{2,2} \otimes_{\epsilon_6}^{2,2} \epsilon_6^{2,2} \otimes_{\epsilon_6}^{2,2} \epsilon_6^1$

$$1\epsilon_6^{21,2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^1 131\mathbf{6} \quad \Delta = -25, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $123151321e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3}1231513221$

$$123151321 \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231513221 \text{ (12)} \quad \Delta = -154, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$123151321\mathbf{e}_7 \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,3} \mathbf{e}_7 1231513221\mathbf{7} \quad \Delta = -11, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1223151321 \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 123151321 \mathbf{e}_8 \quad \Delta = -39, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$123151321\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7 12315132218 \quad \Delta = -39, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1223151321 \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 123151321 \mathbf{7} \quad \Delta = -11, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $131\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1231513221$

$$131e_6^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} 12315132217 \quad \Delta = -38, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$131\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1231513221(12) \quad \Delta = -181, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$131\mathbf{e}_6 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231513221\mathbf{8} \quad \Delta = -66, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_4$$

$21\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 12231$	$\Delta = -8, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{P}^2$
$21\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 12231$	$\Delta = -16, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_2$
$13221\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 123$	$\Delta = -17, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$
$21\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 12231$	$\Delta = -60, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_4$
$21\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 12231$	$\Delta = -36, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$

$2221\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_6 1315$	$\Delta = -59, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_2$
$2221\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_6 1316$	$\Delta = -85, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_1$
$2221\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_6 1312$	$\Delta = -7, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_5$
$2221\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_6 1313$	$\Delta = -15, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_4$
$2221\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_6 1314$	$\Delta = -35, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$

$1\text{e}_6^{1,3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} 12231$	$\Delta = -8, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{P}^2$
$1\text{e}_6^{1,3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} 12231$	$\Delta = -16, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_2$
$1\text{e}_6^{1,3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} 12231$	$\Delta = -36, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$
$1\text{e}_6^{3,1,3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} 12231$	$\Delta = -16, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$
$1\text{e}_6^{2,1,3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} 12231$	$\Delta = -8, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_4$
$1\text{e}_6^{1,3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} 12231$	$\Delta = -60, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_5$

$$2221e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7' 122\mathbf{3} \quad \Delta = -35, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\begin{array}{ll} 21\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1222 & \Delta = -26, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_4 \\ 1\mathbf{e}_7^{321} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1222 & \Delta = -35, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3 \end{array}$$

$$\begin{array}{ll}
31321\epsilon_7^{\textcolor{teal}{3},3} \otimes \epsilon_7^{\textcolor{teal}{3},3} \otimes \epsilon_7^{\textcolor{teal}{3},3} \otimes \epsilon_7^{\textcolor{teal}{3},3} 12315131\textcolor{red}{4} & \Delta = -24, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2 \\
31321\epsilon_7^{\textcolor{teal}{3},3} \otimes \epsilon_7^{\textcolor{teal}{3},3} \otimes \epsilon_7^{\textcolor{teal}{3},3} \otimes \epsilon_7^{\textcolor{teal}{3},3} 12315131\textcolor{red}{3} & \Delta = -4, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2 \\
31321\epsilon_7^{\textcolor{teal}{3},3} \otimes \epsilon_7^{\textcolor{teal}{3},3} \otimes \epsilon_7^{\textcolor{teal}{3},3} \otimes \epsilon_7^{\textcolor{teal}{3},3} 12315131\textcolor{red}{5} & \Delta = -48, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \\
31321\epsilon_7^{\textcolor{teal}{3},3} \otimes \epsilon_7^{\textcolor{teal}{3},3} \otimes \epsilon_7^{\textcolor{teal}{3},3} \otimes \epsilon_7^{\textcolor{teal}{3},3} 12315131\textcolor{red}{6} & \Delta = -74, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4
\end{array}$$

$$\begin{array}{llll}
14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231512\mathbf{3} & \Delta = -17, n_+ = 1, n_- = 32, n_0 = 0 & \rightarrow \mathbb{F}_2 \\
2151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{2,3}{\otimes} \mathbf{e}_7 41\mathbf{4} & \Delta = -36, n_+ = 1, n_- = 32, n_0 = 0 & \rightarrow \mathbb{F}_2 \\
2151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{2,3}{\otimes} \mathbf{e}_7 41\mathbf{3} & \Delta = -16, n_+ = 1, n_- = 32, n_0 = 0 & \rightarrow \mathbb{F}_3 \\
2151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{2,3}{\otimes} \mathbf{e}_7 41\mathbf{2} & \Delta = -8, n_+ = 1, n_- = 32, n_0 = 0 & \rightarrow \mathbb{F}_4
\end{array}$$

[illegible]

[illegible]

$$1 \overset{221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 123151321\mathbf{5} \quad \Delta = -32, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 1231513218 \quad \Delta = -113, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$\text{Base: } 1 \overset{221}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_6 131$$

$$1 \overset{221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_6} 131\mathbf{5} \quad \Delta = -59, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \overset{221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_6} 1314 \quad \Delta = -35, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7^{221} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{131} \mathbf{3} \quad \Delta = -15, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{221} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{3,3} 131\mathbf{e}_7 \quad \Delta = -7, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{3,2,2,1}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_6} 131 \quad \Delta = -16, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7^{221} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^{3,3} 131\mathbf{6} \quad \Delta = -85, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$221\overset{21}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_6} 131 \quad \Delta = -7, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $1 \overset{221}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes e_7' 122$

$$1^{3221} e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7' 122 \quad \Delta = -35, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7^{221} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 122\mathbf{3} \quad \Delta = -35, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221e_7^{21} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7'{}^{3,3}{}_{122} \quad \Delta = -26, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1 e_7' \overset{21}{\otimes} \overset{3,3}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{221}{e_7} 1$$

$$1 \overset{3,21}{\epsilon}'_7 \otimes \overset{3,3}{\epsilon}_7 \otimes \overset{3,3}{\epsilon}_7 \otimes \overset{3,3}{\epsilon}_7 \otimes \overset{3,3}{\epsilon}_7 \otimes \overset{221}{\epsilon}'_7 1 \quad \Delta = -35, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1_{\mathbb{C}}^{21} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,221} 1 \quad \Delta = -35, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21_{\epsilon_7}^{21} \otimes_{\epsilon_7}^{3,3} \otimes_{\epsilon_7}^{3,3} \otimes_{\epsilon_7}^{3,3} \otimes_{\epsilon_7}^{3,3} 22_1^{21} \quad \Delta = -26, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{221} \quad \Delta = -26, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1 \overset{12321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 1232151$

$$1^{812321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{1232151} \quad \Delta = -117, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{7}{\mathbf{e}}_7^{12321} \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \mathbf{e}_7^{1232151} \quad \Delta = -89, \quad n_+ = 1, \quad n_- = 32, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \stackrel{612321}{\mathbf{e}_7} \otimes \stackrel{3,3}{\mathbf{e}_7} \otimes \stackrel{3,3}{\mathbf{e}_7} \otimes \stackrel{3,3}{\mathbf{e}_7} 1232151 \quad \Delta = -62, \, n_+ = 1, \, n_- = 32, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{5}{\mathbf{e}}_7^{12321} \overset{3,3}{\otimes} \mathbf{e}_7^{3,3} \overset{3,3}{\otimes} \mathbf{e}_7^{3,3} \overset{3,3}{\otimes} \mathbf{e}_7^{1232151} \quad \Delta = -36, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{412321}{\mathbf{e}_7} \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1232151 \quad \Delta = -12, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1 \overset{12321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 1231512$

$$1 \overset{6}{\mathbf{e}}_7^{12321} \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231512 \quad \Delta = -60, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{812321} \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{1231512} \quad \Delta = -115, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{712321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{1231512} \quad \Delta = -87, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{41}{\mathbf{e}}_7^{2321} \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231512 \quad \Delta = -10, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{5}{\mathbf{e}}_7^{12321} \overset{3,3}{\otimes} \mathbf{e}_7^{3,3} \overset{3,3}{\otimes} \mathbf{e}_7^{3,3} \overset{3,3}{\otimes} \mathbf{e}_7^{1231512} \quad \Delta = -34, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \overset{1321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 12315131$

$$1^{1321} \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 12315131\mathbf{6} \quad \Delta = -66, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{41321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{12315131} \quad \Delta = -16, n_+ = 1, n_- = 32, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12315131\mathbf{4} \quad \Delta = -16, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{\mathbf{5}1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12315131 \quad \Delta = -40, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{1321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 12315131\mathbf{5} \quad \Delta = -40, n_+ = 1, n_- = 32, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{12321} e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} e_7^{123151}$

$$\begin{aligned}
& 15131513221\mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes 4141\mathbf{4} \quad \Delta = -96, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 1414 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 12231513151\mathbf{2} \quad \Delta = -68, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& 15131513221\mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes 4141\mathbf{2} \quad \Delta = -68, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1414 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 12231513151\mathbf{3} \quad \Delta = -76, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 15131513221\mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes 4141\mathbf{3} \quad \Delta = -76, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 321513221\mathfrak{e}_8 \otimes \mathfrak{e}_8 12231513151 \\
& 15131513221\mathfrak{e}_8 \otimes \mathfrak{e}_8 122315123\mathbf{2} \quad \Delta = -75, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 321513221\mathfrak{e}_8 \otimes \mathfrak{e}_8 12231513151\mathbf{3} \quad \Delta = -81, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 321513221\mathfrak{e}_8 \otimes \mathfrak{e}_8 12231513151\mathbf{2} \quad \Delta = -73, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 31 \quad 5 \quad 1 \\
& 1 \quad 5 \quad 13\mathbf{2} \quad \Delta = -74, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 31 \quad 5 \quad 1 \\
& 31 \quad 5 \quad 1 \quad \Delta = -80, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1 \quad 5 \quad 13\mathbf{2} \quad \Delta = -73, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 31 \quad 5 \quad 1 \quad \Delta = -72, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } \mathfrak{e}_6 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes 413 \\
& \mathfrak{e}_6 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes 413\mathbf{2} \quad \Delta = -76, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 314 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_6 1 \\
& 1\mathfrak{e}_6 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes 413\mathbf{2} \quad \Delta = -76, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 314 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_6 1\mathbf{3} \quad \Delta = -83, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 314 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_6 1\mathbf{2} \quad \Delta = -75, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 314 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_6 12 \\
& 314 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_6 12\mathbf{3} \quad \Delta = -83, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 21\mathfrak{e}_6 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes 413\mathbf{2} \quad \Delta = -75, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 131\mathfrak{e}_6 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 1223132 \\
& 2313221\mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_6 131\mathbf{5} \quad \Delta = -107, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& 2313221\mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_6 131\mathbf{3} \quad \Delta = -63, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 2313221\mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_6 131\mathbf{4} \quad \Delta = -83, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 2313221\mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_6 131\mathbf{2} \quad \Delta = -55, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 2313221\mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_6 131\mathbf{6} \quad \Delta = -133, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{P}^2 \\
& \text{Base: } 1\mathfrak{e}_6 \otimes \mathfrak{e}_6 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 12222 \\
& 22221\mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_6 \otimes \mathfrak{e}_6 1\mathbf{2} \quad \Delta = -115, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 22221\mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_6 \otimes \mathfrak{e}_6 1\mathbf{3} \quad \Delta = -123, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_0 \\
& \text{Base: } 1\mathfrak{e}_6 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes 413 \\
& 1\mathfrak{e}_6 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes 413 \quad \Delta = -74, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1\mathfrak{e}_6 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes 413\mathbf{2} \quad \Delta = -75, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1\mathfrak{e}_6 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes 413 \quad \Delta = -82, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 1\mathfrak{e}_7' \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 1223132
\end{aligned}$$

$$2313221 \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}'_7 \mathbf{12} \quad \Delta = -75, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21\mathfrak{e}'_7 \overset{4,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 1223132$

$$2313221 \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}'_{712} \mathbf{3} \quad \Delta = -84, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1\overset{1}{e}_7' \otimes \overset{4,5}{e}_8 \otimes \overset{5,5}{e}_8 1223132$

$$1\overset{21}{\mathfrak{e}}_7' \otimes \overset{4,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 1223132 \quad \Delta = -75, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21\mathfrak{e}_7 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 122222$

$$222221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_7\mathbf{123} \quad \Delta = -94, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $221\epsilon_7^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 12222$

$$222221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 122\mathbf{3} \quad \Delta = -94, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1\epsilon_7^{1\ 5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 122222$

$$1\overset{21}{\mathbf{e}}_7 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 122222 \quad \Delta = -85, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} 122222$

$$21\overset{21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 122222 \quad \Delta = -85, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{3,21}{\mathbf{e}_7} \otimes \overset{4,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} 122222 \quad \Delta = -94, \quad n_+ = 1, \quad n_- = 33, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $12321\mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12321$

$$12321\mathbf{e}_7 \otimes^{5,4} \mathbf{e}_8 \otimes^{4,5} \mathbf{e}_7 12321\mathbf{5} \quad \Delta = -44, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$12321\mathbf{e}_7 \otimes^{5,4} \mathbf{e}_8 \otimes^{4,5} \mathbf{e}_7 12321\mathbf{6} \quad \Delta = -70, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$12321\mathbf{e}_7 \otimes^{5,4} \mathbf{e}_8 \otimes^{4,5} \mathbf{e}_7 12321\mathbf{7} \quad \Delta = -97, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$12321\mathbf{e}_7 \overset{5,4}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 12321\mathbf{8} \quad \Delta = -125, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12321\overset{5,4}{\mathbf{e}_7} \otimes \overset{4,5}{\mathbf{e}_8} \otimes \mathbf{e}_7 12321\mathbf{3} \quad \Delta = 0, \, n_+ = 1, \, n_- = 33, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$12321\overset{5,4}{\mathbf{e}_7} \otimes \overset{4,5}{\mathbf{e}_8} \otimes \mathbf{e}_7 12321\mathbf{4} \quad \Delta = -20, \, n_+ = 1, \, n_- = 33, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1e_7 \overset{3,3}{\otimes} e_7 \overset{4,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7 123$

$$321\mathbf{e}_7 \otimes^{5,4} \mathbf{e}_8 \otimes^{4,5} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \mathbf{1} \mathbf{2} \quad \Delta = -123, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8^{5,4} 123\textcolor{red}{2} \quad \Delta = -125, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21e_7 \overset{3,3}{\otimes} e_7 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7 1$

$$21\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7 \textcolor{red}{12} \quad \Delta = -114, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1e_7^{5,5} \otimes e_8^{4,5} \otimes e_7^{3,3} \otimes e_7^{123} \quad \Delta = -123, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $e_7^{5,5} \otimes e_8^{4,5} \otimes e_7^{3,3} \otimes e_7^{123}$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{123\text{red}} \quad \Delta = -125, \, n_+ = 1, \, n_- = 33, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{4,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 1$

$$321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{4,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 \mathbf{12} \quad \Delta = -123, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{123\textcolor{red}{2}} \quad \Delta = -125, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1321\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{4,5}{\otimes} \epsilon_8 12231513221$

$$1321e_7^{3,3} \otimes e_7^{4,5} \otimes e_8 122315132218 \quad \Delta = -123, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{4,5}{\otimes} \mathbf{e}_8 12231513221\mathbf{7} \quad \Delta = -95, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1321\epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8 12231513221\mathbf{6} \quad \Delta = -68, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8 12231513221\mathbf{5} \quad \Delta = -42, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$12231513221\mathbf{e}_8 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 1231\mathbf{5} \quad \Delta = -42, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{P}^2$$

[illegible]

$$1 \overset{5}{\mathbf{e}}_8 \overset{13221}{\otimes} \overset{5,5}{\mathbf{e}}_8 \overset{5,3}{\otimes} \mathbf{e}_6 1315 \quad \Delta = -150, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \overset{4,1}{\mathbf{e}}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,3}{\otimes} \mathbf{e}_6 1315 \quad \Delta = -126, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1 \, \epsilon_8^{2221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6 1$$

$$2221\overset{2,1}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,3}{\mathfrak{e}}_6 \otimes \overset{2,2}{\mathfrak{e}}_6 1 \quad \Delta = -115, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{2,2,1}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,3}{\mathfrak{e}}_6 \otimes \overset{2,2}{\mathfrak{e}}_6 \mathbf{1} \quad \Delta = -123, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{2,2,2,1}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,3}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 \mathbf{1} \quad \Delta = -115, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \epsilon_8^{221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} \otimes \epsilon_6^{2,2} \otimes \epsilon_6 13$

$$1 \overset{3,2,2}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,3}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 13 \quad \Delta = -132, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1\epsilon_6^{1,3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{1,4,2} \otimes 41$

$$1_{\mathbf{e}_6} \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes 414 \quad \Delta = -94, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\epsilon_6^{21} \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes 41^{1,4,2} \quad \Delta = -66, \quad n_+ = 1, \quad n_- = 33, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_6}^{\mathbf{31}} \otimes \mathfrak{e}_8^{3,5} \otimes \mathfrak{e}_8^{5,5} \otimes 41^1 \quad \Delta = -74, \quad n_+ = 1, \quad n_- = 33, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1_{\mathfrak{e}_6}^{1,3,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21,4,2} \otimes 41 \quad \Delta = -66, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathfrak{e}_6}^1 \otimes \mathfrak{e}_8^{3,5} \otimes \mathfrak{e}_8^{5,5} \otimes 41_3^1 \quad \Delta = -74, \, n_+ = 1, \, n_- = 33, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1_{\mathfrak{e}_6}^{1,3,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,4,2} 41\mathbf{2} \quad \Delta = -66, \quad n_+ = 1, \quad n_- = 33, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $\mathfrak{e}_7' \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{2,4}{\otimes} 41$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes 41_{\text{red}}^{2,4} \quad \Delta = -122, \, n_+ = 1, \, n_- = 33, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\mathfrak{e}_7' \otimes^{5,5} \mathfrak{e}_8 \otimes^1 \mathfrak{e}_8 \otimes^{5,5} \mathfrak{e}_8 \otimes^{2,4} 41\mathbf{2} \quad \Delta = -94, \quad n_+ = 1, \quad n_- = 33, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 1$

$$1^{2313221} \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}'_7 1 \quad \Delta = -75, \, n_+ = 1, \, n_- = 33, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$313221\mathbf{e}_8^{21} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_{71}^{5,5} \quad \Delta = -74, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{313221} \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \epsilon'_7 \mathbf{12} \quad \Delta = -74, \quad n_+ = 1, \quad n_- = 33, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1e'_7 \overset{4,5}{\otimes} e_8 \overset{1}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{4,2}{\otimes} 41$$

$$1\epsilon_7' \otimes^{4,5} \epsilon_8 \otimes^1 \epsilon_8 \otimes^{5,5} 41\bar{2} \quad \Delta = -94, \quad n_+ = 1, \quad n_- = 33, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$14^{4,2} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}'_{-12}{}^{4,5} \quad \Delta = -94, \quad n_+ = 1, \quad n_- = 33, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \otimes_{\mathbb{F}_2}^{\text{4,5}} \otimes_{\mathbb{F}_2}^{\text{1}} \otimes_{\mathbb{F}_2}^{\text{5,5}} \otimes_{\mathbb{F}_2}^{\text{4,2}} 414 \quad \wedge = -122, \quad n_+ = 1, \quad n_- = 33, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\ell' \begin{array}{c} 4,5 \\ \otimes \end{array} \begin{array}{c} 1 \\ \otimes \end{array} \begin{array}{c} 5,5 \\ \otimes \end{array} \begin{array}{c} 4,2 \\ \otimes \end{array} 41\mathbf{3} \quad \Lambda = -102 \quad n_+ = 1 \quad n_- = 33 \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{313221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7' 12$

$$313221\overset{21}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,4}{\epsilon_7} 12 \quad \Delta = -74, \quad n_+ = 1, \quad n_- = 33, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \otimes_{\mathbb{F}_8} \begin{smallmatrix} 313221 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 5,4 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 123 \\ \otimes \end{smallmatrix} \Lambda = -83, n_1 = 1, n_2 = 33, n_3 = 0 \rightarrow \mathbb{F}_2$$

$$1^{2313221} \overset{5,5}{\circlearrowleft} \overset{5,4}{\circlearrowright} c_{12} \wedge = -75 n_+ - 1 n_- - 33 n_0 = 0 \rightarrow E_0$$

Base: $1 \overset{1}{e}' \otimes \overset{4,5}{e}_0 \otimes \overset{5,5}{e}_0 \otimes \overset{1}{e}_0 122313$

$$1 \overset{21}{\curvearrowright} \overset{4,5}{\otimes} \overset{5,5}{\otimes} \overset{1}{\otimes} 123313 \quad \wedge = 74 \quad m = 1 \quad m = 33 \quad m = 0 \quad \in \mathbb{E}$$

$$e_7 \otimes e_8 \otimes e_{12} \otimes e_{15} \quad \Delta = -14, \quad n_+ = 1, \quad n_- = 33, \quad n_0 = 0 \quad \rightarrow \mathbb{R}^2$$

$$1\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 122313\mathbf{2} \quad \Delta = -75, \quad n_+ = 1, \quad n_- = 33, \quad n_0 = 0 \quad \rightarrow \mathbb{F}$$

$$1e_7 \otimes e_8 \otimes e_8 122515 \quad \Delta$$

Base: $1\epsilon_7 \otimes \epsilon_8 \otimes \epsilon_8 122313$

$$313221\mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_7 \mathbf{1} \mathbf{2} \quad \Delta = -102, \, n_+ = 1, \, n_- = 33, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{4,1}{\mathbf{e}}_8 \overset{5,5}{\otimes} \overset{1}{\mathbf{e}}_8 \overset{5,4}{\otimes} \mathbf{e}_7 12 \quad \Delta = -122, \, n_+ = 1, \, n_- = 33, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1e_7^1 \otimes e_8^{4,5} \otimes e_8^1 \otimes e_8^{5,5} \otimes e_8^1 12231$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{1,5,5} \otimes \mathbf{e}_8^1 12231\mathbf{4} \quad \Delta = -122, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\overset{1}{e}_7 \otimes \overset{4,5}{e}_8 \otimes \overset{1}{e}_8 \overset{5,5}{e}_8 \overset{21}{12231} \quad \Delta = -94, \ n_+ = 1, \ n_- = 33, \ n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 12231\mathbf{2} \quad \Delta = -94, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{1,5,5} \otimes \mathbf{e}_8^1 12231\mathbf{5} \quad \Delta = -146, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{2,1}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_8 \overset{5,5}{\otimes} \overset{1}{\mathbf{e}}_8 12231 \quad \Delta = -94, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8^{12231\mathbf{3}} \quad \Delta = -102, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \overset{221}{\mathfrak{e}}_8 \otimes \overset{5,4}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}_7 12321$

$$1_{\mathbf{e}_8}^{221} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 123215 \quad \Delta = -118, \quad n_+ = 1, \quad n_- = 33, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{3,2,2,1}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 12321 \quad \Delta = -75, \, n_+ = 1, \, n_- = 33, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{221} \mathbf{e}_8 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 123216 \quad \Delta = -144, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{221} \mathbf{e}_8 \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 123218 \quad \Delta = -199, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$1^{221} \mathbf{e}_8 \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 123217 \quad \Delta = -171, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1 \overset{221}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 12321 \mathbf{3} \quad \Delta = -74, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{221} \mathbf{e}_8 \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12321 \textcolor{red}{2} \quad \Delta = -66, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,4}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}_7 \otimes \overset{3,3}{\mathfrak{e}}_7 12321 \quad \Delta = -66, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{221}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 12321 \textcolor{red}{4} \quad \Delta = -94, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21\epsilon_8^{21\ 5,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \epsilon_7 12321$

$$21\overset{21}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 123218 \quad \Delta = -199, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$21\mathbf{e}_8^{21} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12321\mathbf{3} \quad \Delta = -74, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\mathbf{e}_8 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 12321\mathbf{6} \quad \Delta = -144, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$21\mathfrak{e}_8^{21\ 5,4} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} 12321\mathbf{2} \quad \Delta = -66, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\mathbf{e}_8^{21} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12321\mathbf{7} \quad \Delta = -171, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$21\mathfrak{e}_8^{21\ 5,4} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} 12321\textcolor{red}{4} \quad \Delta = -94, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21^{1513221} \epsilon_8^{5,5} \otimes \epsilon_8 12231513221$

$$21^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8 12231513221\mathfrak{f} \quad \Delta = -65, \, n_+ = 1, \, n_- = 33, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21^{21513221} \otimes \mathfrak{e}_8^{5,5} 12231513221 \quad \Delta = -13, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8 12231513221 \text{ (12)} \quad \Delta = -261, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$21^{1513221}{}^{5,5} \mathfrak{e}_8 \otimes \mathfrak{e}_8 12231513221 \mathbf{3} \quad \Delta = -21, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21^{1513221}{}^{5,5} \mathfrak{e}_8 \otimes \mathfrak{e}_8 12231513221 \mathbf{7} \quad \Delta = -118, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21^{1513221}{}^{5,5} \otimes \mathbf{e}_8 12231513221 \textcolor{red}{2} \quad \Delta = -13, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8 12231513221 \mathbf{8} \quad \Delta = -146, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$21^{1513221}{}^{5,5} \otimes \mathfrak{e}_8 12231513221\textcolor{red}{6} \quad \Delta = -91, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21^{31513221} \otimes^{5,5} \mathfrak{e}_8 12231513221 \quad \Delta = -21, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21^{1513221} \overset{5,5}{\mathfrak{e}_8} \otimes \mathfrak{e}_8 12231513221\textcolor{red}{4} \quad \Delta = -41, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $21^{13221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} \otimes \epsilon_6^{131}$

$$21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131\textcolor{red}{2} \quad \Delta = -46, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21 \overset{5,13}{\mathbf{e}}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,3}{\otimes} \mathbf{e}_6 131 \quad \Delta = -98, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131\mathbf{3} \quad \Delta = -54, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 1316 \quad \Delta = -124, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$21^{413221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131 \quad \Delta = -74, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21^{213221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131 \quad \Delta = -46, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131 \textcolor{red}{4} \quad \Delta = -74, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $21 \overset{221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,3}{\mathfrak{e}_8} \overset{2,2}{\otimes} \mathfrak{e}_6 \otimes \mathfrak{e}_6 1$

$$21 \overset{221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,3}{\mathfrak{e}_8} \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \mathbf{13} \quad \Delta = -123, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21 \overset{3221}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,3}{\mathbf{e}}_6 \otimes \overset{2,2}{\mathbf{e}}_6 1 \quad \Delta = -124, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21 \overset{221}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,3}{\mathfrak{e}}_6 \otimes \overset{2,2}{\mathfrak{e}}_6 1\textcolor{red}{2} \quad \Delta = -115, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21 \begin{smallmatrix} 13221 \\ \mathbf{e}_8 \end{smallmatrix} \otimes \begin{smallmatrix} 5,5 \\ \mathbf{e}_8 \end{smallmatrix} \otimes \begin{smallmatrix} 5,5 \\ \mathbf{e}_7' \end{smallmatrix} 1$

$$21^{413221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7' 1 \quad \Delta = -94, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21^{513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 1 \quad \Delta = -118, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21^{\textcolor{red}{1}3221}{}^{5,5}{}_{\mathfrak{e}_8} \otimes {}^{5,5}{}_{\mathfrak{e}_8} \otimes \mathfrak{e}'_7 1 \quad \Delta = -66, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7' \mathbf{12} \quad \Delta = -66, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21^{513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_7 1$

$$21^{513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7' \mathbf{12} \quad \Delta = -118, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21^{13221} \text{e}_8^{5,5} \otimes \text{e}_8^{5,4} \otimes \text{e}'_7 12$

$$21 \overset{4}{\epsilon}_8^{13221} \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,4}{\epsilon}'_{12} \quad \Delta = -94, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21_{\epsilon_8} \otimes_{\epsilon_8} \epsilon'_{12} \quad \Delta = -66, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21^{13221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7' 123 \quad \Delta = -75, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_7^1 \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} 21_{12231}$

$$1\epsilon_7'^1 \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} 12231 \textcolor{red}{2} \quad \Delta = -66, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} 12231 \quad \Delta = -66, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{1,4,5} \otimes \epsilon_8^{5,5,21} 122314 \quad \Delta = -94, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\epsilon_7^{1,4,5} \otimes \epsilon_8^{5,5,21} 12231\mathbf{5} \quad \Delta = -118, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21^{2221} \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_7 12$

$$21 \overset{2221}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \mathfrak{e}_{712\mathbf{3}} \quad \Delta = -94, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $21^{2221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7 122$

$$21 \overset{2221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,4}{\mathfrak{e}_7} 122\mathbf{3} \quad \Delta = -94, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_7^{1,5,5} \otimes \epsilon_8^{5,5,21} 1222$

$$1\overset{21}{e}_7 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \overset{21}{1222} \quad \Delta = -85, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \epsilon_8^{21} 1222$

$$1_{\mathfrak{e}_7}^{321} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_8^{5,5} 1222 \quad \Delta = -94, \quad n_+ = 1, \quad n_- = 33, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{21} \otimes \mathbf{e}_8^{1222} \quad \Delta = -85, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $221 \overset{221}{\epsilon}_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_7 12$

$$221 \overset{221}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \mathfrak{e}_7 12\mathbf{3} \quad \Delta = -94, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221 \overset{3}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_7 12 \quad \Delta = -94, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $221 \overset{221}{e_8} \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7 122$

$$1^{131} \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} 131513218 \quad \Delta = -34, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1^{131} \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \epsilon_6^{13151321} \Delta = -6, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1^{131} \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2}$$

$$1 \epsilon_6^{6131} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 1231 \quad \Delta = -5, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

[illegible]

$$1 \mathbf{e}_6^{131} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{1313} \quad \Delta = -12, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{131} \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^1$

$$1^{6131} \otimes_{\mathbf{e}_6}^{2,2} \otimes_{\mathbf{e}_6}^{2,2} \otimes_{\mathbf{e}_6}^{2,2} \otimes_{\mathbf{e}_6}^{2,2} \otimes_{\mathbf{e}_6}^{2,2} \otimes_{\mathbf{e}_6}^{2,2} \otimes_{\mathbf{e}_6}^1 131 \quad \Delta = -4, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1223151321\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3}1231513221$

$$1223151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231513221\mathbf{8} \quad \Delta = -10, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1223151321 \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1231513221 \textcolor{red}{(12)} \quad \Delta = -125, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1321\epsilon_7' \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 \otimes^{3,3} \epsilon_7 1231513221$

$$1321\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231513221\mathbf{7} \quad \Delta = -37, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1321\epsilon_7' \otimes_{\epsilon_7}^{3,3} \otimes_{\epsilon_7}^{3,3} \otimes_{\epsilon_7}^{3,3} \epsilon_7 1231513221 \text{ (12)} \quad \Delta = -180, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$1321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 1231513221\mathbf{6} \quad \Delta = -10, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} 12315132218 \quad \Delta = -65, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1321e_7' \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7'1231$

$$1321\mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}'_7 1231\mathbf{5} \quad \Delta = -39, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321e_7' \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7' 12314 \quad \Delta = -15, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $12321\epsilon_7' \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 123151321$

$$123151321\mathbf{e}_7^{\overset{3,3}{\otimes}}\mathbf{e}_7^{\overset{3,3}{\otimes}}\mathbf{e}_7^{\overset{3,3}{\otimes}}\mathbf{e}_7'12321\mathbf{6} \quad \Delta = -12, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$123151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7'12321\mathbf{7} \quad \Delta = -39, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$12321\mathbf{e}_7' \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,3} \mathbf{e}_7 123151321\mathbf{7} \quad \Delta = -39, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$12321\epsilon_7' \otimes_{\epsilon_7}^{3,3} \otimes_{\epsilon_7}^{3,3} \otimes_{\epsilon_7}^{3,3} \epsilon_7 1231513218 \quad \Delta = -67, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$123151321\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7' 123218 \quad \Delta = -67, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$12321\mathbf{e}_7' \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 123151321\mathbf{6} \quad \Delta = -12, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $131\epsilon_6 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7'12321$

$$131e_6^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7' 123218 \quad \Delta = -94, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$131\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7' 12321\mathbf{6} \quad \Delta = -39, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$12321\mathbf{e}_7' \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_6} \mathbf{1316} \quad \Delta = -39, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$12321\mathbf{e}_7' \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}_6 131\mathbf{5} \quad \Delta = -13, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 12321\mathbf{5} \quad \Delta = -13, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$131\overset{3,3}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7' 12321\overline{7} \quad \Delta = -66, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

Base: $221\epsilon_7' \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7'12321$

$$221\epsilon_7^{',3,3} \otimes \epsilon_7^{',3,3} \otimes \epsilon_7^{',3,3} \otimes \epsilon_7^{',3,3} \otimes \epsilon_7^{',3,3} 12321\mathbf{6} \quad \Delta = -58, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$221\overset{3,3}{\epsilon_7'} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7'} 12321\mathbf{8} \quad \Delta = -113, \quad n_+ = 1, \quad n_- = 33, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$221\mathbf{e}_7' \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7' 12321\mathbf{5} \quad \Delta = -32, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\mathbf{e}'_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}'_7 12321\mathbf{7} \quad \Delta = -85, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$221e_7' \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7'123214 \quad \Delta = -8, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1e_7' \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7'12321$$

$$1e_7' \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7'123218 \quad \Delta = -113, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1e_7' \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7'123215 \quad \Delta = -32, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1e_7' \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7'123217 \quad \Delta = -85, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1e_7' \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7'123214 \quad \Delta = -8, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1e_7' \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7'123216 \quad \Delta = -58, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } e_7 \otimes e_7' \otimes e_7 \otimes e_7 \otimes e_7'12$$

$$e_7 \otimes e_7' \otimes e_7 \otimes e_7 \otimes e_7'123 \quad \Delta = -122, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 2221e_7 \otimes e_7 \otimes e_7 \otimes e_7'1231513221$$

$$2221e_7 \otimes e_7 \otimes e_7 \otimes e_7'12315132218 \quad \Delta = -84, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$2221e_7 \otimes e_7 \otimes e_7 \otimes e_7'12315132215 \quad \Delta = -3, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2221e_7 \otimes e_7 \otimes e_7 \otimes e_7'12315132216 \quad \Delta = -29, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2221e_7 \otimes e_7 \otimes e_7 \otimes e_7'12315132217 \quad \Delta = -56, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$2221e_7 \otimes e_7 \otimes e_7 \otimes e_7'1231513221(12) \quad \Delta = -199, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$\text{Base: } 13221e_7 \otimes e_7 \otimes e_7 \otimes e_7'123151321$$

$$13221e_7 \otimes e_7 \otimes e_7 \otimes e_7'1231513215 \quad \Delta = -12, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$123151321e_7 \otimes e_7 \otimes e_7 \otimes e_7'122315 \quad \Delta = -12, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$13221e_7 \otimes e_7 \otimes e_7 \otimes e_7'1231513216 \quad \Delta = -38, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$13221e_7 \otimes e_7 \otimes e_7 \otimes e_7'1231513218 \quad \Delta = -93, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$13221e_7 \otimes e_7 \otimes e_7 \otimes e_7'1231513217 \quad \Delta = -65, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 131e_6 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7'12231$$

$$13221e_7 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_6'1314 \quad \Delta = -15, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$13221e_7 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_6'1315 \quad \Delta = -39, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131e_6 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7'122315 \quad \Delta = -39, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$13221e_7 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_6'1316 \quad \Delta = -65, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$131e_6 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7'122314 \quad \Delta = -15, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 221e_7' \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7'12231$$

$$13221e_7 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7'1223 \quad \Delta = -15, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221e_7' \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7'122314 \quad \Delta = -34, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221e_7' \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7'122312 \quad \Delta = -6, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221e_7' \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7'122313 \quad \Delta = -14, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221e_7' \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7'122315 \quad \Delta = -58, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1321e_7' \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7'1222$$

$$2221e_7 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7'12313 \quad \Delta = -14, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1321e_7' \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7'1222 \quad \Delta = -8, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$2221e_7 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7'12312 \quad \Delta = -6, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$2221e_7 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7'12315 \quad \Delta = -58, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{12321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{123151316} \quad \Delta = -39, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{812321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{12315131} \quad \Delta = -94, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \overset{1321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 123151321$

$$1 \overset{5}{\mathbf{e}}_7^{1321} \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7^{123151321} \quad \Delta = -12, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{1321} \overset{3,3}{\otimes} \overset{3,3}{\otimes} \overset{3,3}{\otimes} \overset{3,3}{\otimes} \mathbf{e}_7 123151321\mathbf{7} \quad \Delta = -65, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{1321} \textcolor{teal}{e}_7^{3,3} \otimes \textcolor{teal}{e}_7^{3,3} \otimes \textcolor{teal}{e}_7^{3,3} \otimes \textcolor{teal}{e}_7^{3,3} 123151321\textcolor{red}{6} \quad \Delta = -38, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{1321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 123151321\mathbf{8} \quad \Delta = -93, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1^{1321} \textcolor{blue}{e_7} \otimes^{3,3} \textcolor{blue}{e_7} \otimes^{3,3} \textcolor{blue}{e_7} \otimes^{3,3} \textcolor{blue}{e_7} 123151321\textcolor{red}{5} \quad \Delta = -12, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \overset{12321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_6 12$

$$1^{612321} \otimes_{\mathfrak{e}_7}^{3,3} \otimes_{\mathfrak{e}_7}^{3,3} \otimes_{\mathfrak{e}_7}^{3,3} \otimes_{\mathfrak{e}_7}^{3,3} \otimes_{\mathfrak{e}_6}^{3,3} 12 \quad \Delta = -59, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{812321}{\mathbf{e}_7} \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_6 12 \quad \Delta = -114, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{512321} \otimes_{\mathfrak{e}_7}^{3,3} \otimes_{\mathfrak{e}_7}^{3,3} \otimes_{\mathfrak{e}_7}^{3,3} \otimes_{\mathfrak{e}_7}^{3,3} \otimes_{\mathfrak{e}_6} 12 \quad \Delta = -33, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{412321} \otimes_{\mathfrak{e}_7}^{3,3} \otimes_{\mathfrak{e}_7}^{3,3} \otimes_{\mathfrak{e}_7}^{3,3} \otimes_{\mathfrak{e}_7}^{3,3} \otimes_{\mathfrak{e}_6} 12 \quad \Delta = -9, \quad n_+ = 1, \quad n_- = 33, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1 \overset{7}{\mathbf{e}}_7 \overset{12}{\otimes} \overset{23}{\mathbf{e}}_7 \overset{32}{\otimes} \overset{3}{\mathbf{e}}_7 \overset{3}{\otimes} \overset{3}{\mathbf{e}}_7 \overset{3}{\otimes} \overset{3}{\mathbf{e}}_7 \overset{3}{\otimes} \overset{3}{\mathbf{e}}_6 12 \quad \Delta = -86, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1 \overset{1321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_6 131$

$$1^{1321} \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{1314} \quad \Delta = -15, \quad n_+ = 1, \quad n_- = 33, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{1321} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_6 \mathbf{1316} \quad \Delta = -65, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1^{41321} \otimes_{\mathbb{F}_3} e_7 \otimes_{\mathbb{F}_3} e_7 \otimes_{\mathbb{F}_3} e_7 \otimes_{\mathbb{F}_3} e_7 \otimes_{\mathbb{F}_3} e_6 131 \quad \Delta = -15, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{51321} \overset{3,3}{\otimes} \overset{3,3}{\otimes} \overset{3,3}{\otimes} \overset{3,3}{\otimes} \epsilon_7^{131} \quad \Delta = -39, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{1321} \epsilon_7^{\otimes 3,3} \otimes \epsilon_7^{\otimes 3,3} \otimes \epsilon_7^{\otimes 3,3} \otimes \epsilon_6^{1315} \Delta = -39, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1 \overset{1}{e}_6 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{1}{e}_7 12321$$

$$1\epsilon_6^1 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^1 12321\textcolor{red}{4} \quad \Delta = -9, \quad n_+ = 1, \quad n_- = 33, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 12321\mathbf{6} \quad \Delta = -59, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{1,3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 123217 \quad \Delta = -86, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1e_6^{1,3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^1 123218 \quad \Delta = -114, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 12321\mathbf{5} \quad \Delta = -33, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \overset{1321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7' 122$

$$1^{1321} \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}'_{7122} \Delta = -15, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{51321} \otimes_{\mathbb{F}_7} \epsilon_7^{3,3} \otimes_{\mathbb{F}_7} \epsilon_7^{3,3} \otimes_{\mathbb{F}_7} \epsilon_7^{3,3} \otimes_{\mathbb{F}_7} \epsilon_7^{3,3} \otimes_{\mathbb{F}_7} \epsilon_7'^{122} \quad \Delta = -58, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}'_{122} \quad \Delta = -8, \, n_+ = 1, \, n_- = 33, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{21321} e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7'_{122} \quad \Delta = -6, \quad n_+ = 1, \quad n_- = 33, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1^{31321} \overset{3,3}{\otimes} \overset{3,3}{\otimes} \overset{3,3}{\otimes} \overset{3,3}{\otimes} \overset{3,3}{\otimes} e'_{122} \quad \Delta = -14, n_+ = 1, n_- = 33, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{41321} \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}'_{7122} \quad \Delta = -34, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1321e_7^{21} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7'122 \quad \Delta = -6, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^1 1231$$

$$1\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes 12314 \quad \Delta = -34, \quad n_+ = 1, \quad n_- = 33, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\overset{21}{e_7}\overset{3,3}{e_7}\overset{3,3}{e_7}\overset{3,3}{e_7}\overset{3,3}{e_7}\overset{1}{e_7}1231 \quad \Delta = -6, n_+ = 1, n_- = 33, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\bar{c}_7 \otimes \bar{e}_7 \otimes \bar{e}_7 \otimes \bar{e}_7 \otimes \bar{e}_7 \otimes \bar{e}_7 1231 \quad \Delta = -6, \quad n_+ = 1, \quad n_- = 33, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\epsilon_6^{31, 2, 2} \otimes \epsilon_6^{2, 2} \otimes \epsilon_6^{2, 2} \otimes \epsilon_6^{2, 2} \otimes \epsilon_6^{2, 2} \otimes \epsilon_6^{3, 5} \otimes \epsilon_8^1 \quad \Delta = -120, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $41414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513221$

$$41414 \overset{4,2}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 12231513221\mathbf{6} \quad \Delta = -94, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$41414 \overset{4,2}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 12231513221\mathbf{8} \quad \Delta = -149, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$41414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513221\mathbf{3} \quad \Delta = -24, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$41414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513221 \textcolor{red}{(12)} \quad \Delta = -264, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$41414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513221\mathbf{5} \quad \Delta = -68, \, n_+ = 1, \, n_- = 34, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$41414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513221\textcolor{red}{2} \quad \Delta = -16, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$41414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513221\textcolor{red}{7} \quad \Delta = -121, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$41414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513221\textcolor{red}{4} \quad \Delta = -44, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513151$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513151\textcolor{red}{2} \quad \Delta = -71, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513151\mathbf{3} \quad \Delta = -79, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $\mathfrak{e}_6^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{2,4} 4141$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{2,4} 4141\mathbf{3} \quad \Delta = -74, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\mathfrak{e}_6^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{2,4} 4141\mathbf{2} \quad \Delta = -66, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $\epsilon_6^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{122315123}$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{122315123\mathbf{2}} \quad \Delta = -73, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $\epsilon_6^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{12231513}$

$$\mathfrak{e}_6^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{12231513\textcolor{red}{2}} \quad \Delta = -71, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_6 1$

$$1\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{2,4} 4141\mathbf{2} \quad \Delta = -66, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_6 \mathbf{12} \quad \Delta = -66, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{2,4} 4141\mathbf{3} \quad \Delta = -74, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_6 \mathbf{13} \quad \Delta = -74, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{2,4} \otimes 4141\mathbf{4} \quad \Delta = -94, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1\epsilon_6^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 122315123$

$$321513221 \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_6 \mathbf{1}^{\mathbf{red}} \quad \Delta = -71, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$321513221 \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_6 \mathbf{13} \quad \Delta = -79, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8 122315123\mathbf{2} \quad \Delta = -73, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\mathfrak{e}_6^{4,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{12231513}$

$$31^{3161231513221(12)}5^{12231513221(12)}1^{12231} \quad \Delta = -78, \quad n_+ = 1, \quad n_- = 34, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{122315132} \quad \Delta = -71, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$31^{2161231513221(12)}5^{12231513221(12)}1 \quad \Delta = -70, \quad n_+ = 1, \quad n_- = 34, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,3}{\otimes} \mathfrak{e}_6 12$

$$21\epsilon_6^{5,3} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{2,4} 4141\textcolor{red}{2} \quad \Delta = -65, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,3}{\otimes} \mathfrak{e}_6 12\mathbf{3} \quad \Delta = -74, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\mathbf{e}_6^{5,3} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{2,4} 4141\mathbf{3} \quad \Delta = -73, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_2$$

$13221\text{e}_8 \overset{4,5}{\otimes} \text{e}_7 \overset{3,3}{\otimes} \text{e}_7 \overset{3,3}{\otimes} \text{e}_7 12321$	$\Delta = -46, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_3$
$13221\text{e}_8 \overset{4,5}{\otimes} \text{e}_7 \overset{3,3}{\otimes} \text{e}_7 \overset{3,3}{\otimes} \text{e}_7 12321$	$\Delta = -151, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_2$
$13221\text{e}_8 \overset{4,5}{\otimes} \text{e}_7 \overset{3,3}{\otimes} \text{e}_7 \overset{3,3}{\otimes} \text{e}_7 12321$	$\Delta = -179, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_3$
$12321\text{e}_7 \overset{3,3}{\otimes} \text{e}_7 \overset{3,3}{\otimes} \text{e}_7 \overset{4,5}{\otimes} \text{e}_8 12231$	$\Delta = -46, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{P}^2$
$13221\text{e}_8 \overset{4,5}{\otimes} \text{e}_7 \overset{3,3}{\otimes} \text{e}_7 \overset{3,3}{\otimes} \text{e}_7 12321$	$\Delta = -98, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_0$
$13221\text{e}_8 \overset{4,5}{\otimes} \text{e}_7 \overset{3,3}{\otimes} \text{e}_7 \overset{3,3}{\otimes} \text{e}_7 12321$	$\Delta = -74, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_1$
$12321\text{e}_7 \overset{3,3}{\otimes} \text{e}_7 \overset{3,3}{\otimes} \text{e}_7 \overset{4,5}{\otimes} \text{e}_8 12231$	$\Delta = -74, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_3$
$13221\text{e}_8 \overset{4,5}{\otimes} \text{e}_7 \overset{3,3}{\otimes} \text{e}_7 \overset{3,3}{\otimes} \text{e}_7 12321$	$\Delta = -54, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_2$
$12321\text{e}_7 \overset{3,3}{\otimes} \text{e}_7 \overset{3,3}{\otimes} \text{e}_7 \overset{4,5}{\otimes} \text{e}_8 12231$	$\Delta = -54, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_2$

$$21513221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}'_{712}{}^{4,5} \quad \Delta = -89, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon_7' \otimes_{4,5}^1 \epsilon_8 \otimes_{5,5}^1 \epsilon_8 1223151\textcolor{red}{3} \quad \Delta = -97, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\epsilon_7^{4,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} 1223151\textcolor{red}{2} \quad \Delta = -89, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes 41\mathbf{e}_8^{2,4} \quad \Delta = -93, \, n_+ = 1, \, n_- = 34, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes 41\mathbf{e}_8^{2,4} \quad \Delta = -73, \, n_+ = 1, \, n_- = 34, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21e_7^{5,4} \otimes e_8^{5,5} \otimes e_8^1 \otimes 41e_8^{2,4} \quad \Delta = -65, \, n_+ = 1, \, n_- = 34, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{1}{e}_7' \otimes \overset{4,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{1}{e}_8 \otimes \overset{4,2}{41}\textcolor{red}{4} \quad \Delta = -93, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{21}{\epsilon}_7^2 \otimes \overset{4,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{1}{\epsilon}_8 \otimes \overset{4,2}{41} \quad \Delta = -65, \quad n_+ = 1, \quad n_- = 34, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$16 \otimes 8 \otimes 8 \otimes 11 = -66, n_+ = 1, n_- = 31, n_0 = 0 \rightarrow \mathbb{E}_7$$

Base: $1\bar{e}_7 \otimes \bar{e}_8 \otimes \bar{e}_8 \otimes 41$
 $\quad \quad \quad 5,5 \quad 1 \quad 5,5 \quad 4,2$

$$1\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes 412 \quad \Delta = -93, \, n_+ = 1, \, n_- = 34, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes 41\mathbf{3} \quad \Delta = -101, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes 4\mathbf{1}_4 \quad \Delta = -121, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$14 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_7 \mathbf{1} \quad \Delta = -93, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \quad e_8 \quad \otimes \quad e_8 \quad \otimes \quad e_7 12$

$$313221 \mathbf{e}_8^{\overset{21}{\circ} \otimes \overset{5,5}{\circ}} \otimes \mathbf{e}_8^{\overset{5,5}{\circ}} \otimes \mathbf{e}_{712} \quad \Delta = -73, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{2313221} \otimes_{5,5} \mathfrak{e}_8 \otimes_{5,5} \mathfrak{e}_8 \otimes_{5,5} \mathfrak{e}_7 12 \quad \Delta = -74, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{3,1,3,2,2,1}{\mathbf{e}_8} \otimes \overset{3,3}{\mathbf{e}_8} \otimes \overset{3,3}{\mathbf{e}_7} \mathbf{123} \quad \Delta = -82, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 21\epsilon_7^{4,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} \otimes 4$$

$$14^{4,2} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_7^{4,5} 12\mathbf{3} \quad \Delta = -102, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_8^{1,5,5} \otimes \mathfrak{e}_8^{4,2} 41\textcolor{red}{4} \quad \Delta = -121, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes 41\mathbf{e}_8^{4,2} \quad \Delta = -93, \, n_+ = 1, \, n_- = 34, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\epsilon_7^{4,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes 41\mathbf{3}^{4,2} \quad \Delta = -101, \, n_+ = 1, \, n_- = 34, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1 \begin{smallmatrix} 313221 \\ \mathbf{e}_8 \end{smallmatrix} \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 5,4 \\ \mathbf{e}_8 \end{smallmatrix} \begin{smallmatrix} 5,4 \\ \otimes \end{smallmatrix} \mathbf{e}_7 12$

$$313221\overset{21}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 122 \quad \Delta = -73, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{313221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 122\mathbf{3} \quad \Delta = -82, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{2313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_{7122} \quad \Delta = -74, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 123$

$$1 \overset{2,2,2,1}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,4}{\mathfrak{e}}_8 \overset{2}{\otimes} \mathfrak{e}_{71231} \quad \Delta = -67, \, n_+ = 1, \, n_- = 34, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$22221\overset{21}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 1231 \quad \Delta = -65, n_+ = 1, n_- = 34, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

[illegible]

$1\overset{3,2}{e}'_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,2}{e}_7 \otimes 41$	$\Delta = -14, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_4$
$1\overset{21}{e}'_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,2}{e}_7 \otimes 41\textcolor{red}{3}$	$\Delta = -13, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_3$
$1\overset{21}{e}'_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,2}{e}_7 \otimes 41\textcolor{red}{2}$	$\Delta = -5, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_2$
$21\overset{21}{e}'_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,2}{e}_7 \otimes 41$	$\Delta = -5, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_5$
$1\overset{21}{e}'_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,2}{e}_7 \otimes 41\textcolor{red}{4}$	$\Delta = -33, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_4$

$e_7^{4,4} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{12321}$	$\Delta = -66, n_+ = 1, n_- = 34, n_0 = 0$	$\rightarrow \mathbb{F}_0$
$e_7^{4,4} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{12321}$	$\Delta = -118, n_+ = 1, n_- = 34, n_0 = 0$	$\rightarrow \mathbb{F}_3$
$e_7^{4,4} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{12321}$	$\Delta = -74, n_+ = 1, n_- = 34, n_0 = 0$	$\rightarrow \mathbb{P}^2$
$e_7^{4,4} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{12321}$	$\Delta = -144, n_+ = 1, n_- = 34, n_0 = 0$	$\rightarrow \mathbb{F}_4$
$e_7^{4,4} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{12321}$	$\Delta = -199, n_+ = 1, n_- = 34, n_0 = 0$	$\rightarrow \mathbb{F}_6$
$e_7^{4,4} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{12321}$	$\Delta = -171, n_+ = 1, n_- = 34, n_0 = 0$	$\rightarrow \mathbb{F}_5$

Base: $1321\epsilon_7' \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{1}{\otimes} 1232$

Base: $2221e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 12231$

Base: $2221\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 12313$

$$\text{Base: } e_7 \overset{3,3}{\otimes} e_7' \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7^{21}$$

$$\text{Base: } 1 \overset{221}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7' 12321$$

$$1\mathbf{e}_7^{221} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 123218 \quad \Delta = -112, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1 \overset{221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7'} 12321 \mathbf{4} \quad \Delta = -7, n_+ = 1, n_- = 34, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \overset{221}{\epsilon_7} \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 12231$

623

$$\begin{aligned}
& 1\epsilon'_7 \otimes \epsilon_8 \otimes \epsilon_8^{5,5} 122315123 \quad \Delta = -71, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 321513221\epsilon_8 \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,5} 12 \quad \Delta = -69, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1\epsilon'_7 \otimes \epsilon_8 \otimes \epsilon_8^{5,5} 12231513 \\
& 1\epsilon'_7 \otimes \epsilon_8 \otimes \epsilon_8^{5,5} 12231513 \quad \Delta = -69, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 31^{21712231513221(12)12231513221(12)12231} \quad \Delta = -68, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1414 \otimes \epsilon_8^{2,4} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,4} 12 \\
& 21\epsilon'_7 \otimes \epsilon_8 \otimes \epsilon_8^{5,4} \otimes \epsilon_7^{2,4} 41412 \quad \Delta = -64, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 21\epsilon'_7 \otimes \epsilon_8 \otimes \epsilon_8^{5,4} \otimes \epsilon_7^{2,4} 41413 \quad \Delta = -72, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1414 \otimes \epsilon_8^{2,4} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,4} 123 \quad \Delta = -73, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 21\epsilon'_7 \otimes \epsilon_8 \otimes \epsilon_8^{5,4} \otimes \epsilon_7^{2,4} 41414 \quad \Delta = -92, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& \text{Base: } 21\epsilon'_7 \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} 122315123 \\
& 321513221\epsilon_8 \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{4,5} 123 \quad \Delta = -78, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 21\epsilon'_7 \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} 122315123 \quad \Delta = -71, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 21\epsilon'_7 \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} 12231513 \\
& 31^{32171231513221(12)12231513221(12)12231} \quad \Delta = -77, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_1 \\
& 21\epsilon'_7 \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} 122315132 \quad \Delta = -69, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1\epsilon'_7 \otimes \epsilon_8^{1,4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{4,2} 4141 \\
& 1\epsilon'_7 \otimes \epsilon_8^{1,4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{4,2} 41412 \quad \Delta = -64, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1\epsilon'_7 \otimes \epsilon_8^{1,4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{4,2} 41413 \quad \Delta = -72, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 1\epsilon'_7 \otimes \epsilon_8^{21,4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{4,2} 4141 \quad \Delta = -64, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 1\epsilon'_7 \otimes \epsilon_8^{1,4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{4,2} 41414 \quad \Delta = -92, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& \text{Base: } 1\epsilon'_7 \otimes \epsilon_8^{1,4,5} \otimes \epsilon_8^{5,5} 122315123 \\
& 1\epsilon'_7 \otimes \epsilon_8^{1,4,5} \otimes \epsilon_8^{5,5} 122315123 \quad \Delta = -71, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1\epsilon'_7 \otimes \epsilon_8^{21,4,5} \otimes \epsilon_8^{5,5} 122315123 \quad \Delta = -69, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 1\epsilon'_7 \otimes \epsilon_8^{1,4,5} \otimes \epsilon_8^{5,5} 12231513 \\
& 1\epsilon'_7 \otimes \epsilon_8^{1,4,5} \otimes \epsilon_8^{5,5} 122315132 \quad \Delta = -69, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 1\epsilon'_7 \otimes \epsilon_8^{21,4,5} \otimes \epsilon_8^{5,5} 12231513 \quad \Delta = -68, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 314 \otimes \epsilon_8^{2,4} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,5} 12 \\
& 314 \otimes \epsilon_8^{2,4} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,5} 123 \quad \Delta = -81, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 21\epsilon'_7 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{2,4} 4132 \quad \Delta = -73, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 314 \otimes \epsilon_8^{2,4} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,4} 122 \\
& 314 \otimes \epsilon_8^{2,4} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,4} 1223 \quad \Delta = -81, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_3 \\
& 221\epsilon'_7 \otimes \epsilon_8^{5,4} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{2,4} 4132 \quad \Delta = -73, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& \text{Base: } 12321\epsilon_7 \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} 122222 \\
& 222221\epsilon_8 \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{4,5} 123212 \quad \Delta = -38, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_4 \\
& 222221\epsilon_8 \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{4,5} 123214 \quad \Delta = -66, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_2 \\
& 222221\epsilon_8 \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{4,5} 123218 \quad \Delta = -171, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_2
\end{aligned}$$

$$4 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7^{21} \mathbf{12} \mathbf{3} \quad \Delta = -15, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21 \overset{21}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,2}{\otimes} 41$

$$21_{\mathbf{e}_7}^{21,3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,2} 414 \quad \Delta = -32, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\overset{21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,2}{\mathbf{e}}_7 \otimes 41\textcolor{red}{2} \quad \Delta = -4, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21 \overset{3,2}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,2}{\mathbf{e}}_7 \otimes 41 \quad \Delta = -13, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21_{\mathbf{e}_7}^{21, 3, 3} \otimes \mathbf{e}_7^{3, 3} \otimes \mathbf{e}_7^{3, 3} \otimes \mathbf{e}_7^{3, 3} \otimes \mathbf{e}_7^{3, 2} 41_{\mathbf{e}_7} \quad \Delta = -12, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{12321} e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} e_7^{21} 12$

$$1 \overset{5}{\mathbf{e}}_7^{12321} \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{21}{\mathbf{e}}_7 12 \quad \Delta = -30, n_+ = 1, n_- = 35, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{41}{\mathbf{e}}_7 \overset{2321}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{21}{\otimes} \mathbf{e}_7 12 \quad \Delta = -6, n_+ = 1, n_- = 35, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1 \overset{612321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{21}{\mathbf{e}_7} 12 \quad \Delta = -56, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{712321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \mathbf{e}_7^{21} 12 \quad \Delta = -83, n_+ = 1, n_- = 35, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{812321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \mathbf{e}_7^{21} 12 \quad \Delta = -111, n_+ = 1, n_- = 35, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$T = 36 \quad (454 \text{ bases})$$

Base: $\epsilon_8 \overset{3,5}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 13151$

$$\mathbf{e}_8^{3,5} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{13151\textcolor{red}{3}} \quad \Delta = -122, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_8^{3,5} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{131512} \quad \Delta = -114, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \overset{2321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{4,5}{\otimes} e_8 1$

$$1^{2321} \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8 \mathbf{12} \quad \Delta = -123, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $\epsilon_6^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{12231513151}$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{12231513151\mathbf{3}} \quad \Delta = -72, \, n_+ = 1, \, n_- = 36, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{122315131512} \quad \Delta = -64, \, n_+ = 1, \, n_- = 36, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1\epsilon_6 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231513215$

$$51231513221 \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_6 \mathbf{1} \mathbf{3} \quad \Delta = -73, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$51231513221 \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_6 \mathbf{1} \mathbf{2} \quad \Delta = -65, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_6 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231513151$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8 12231513151\mathbf{3} \quad \Delta = -72, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$15131513221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_6 \mathbf{1.3} \quad \Delta = -72, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$15131513221 \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_6 \mathbf{1} \mathbf{2} \quad \Delta = -64, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8 12231513151\mathbf{2} \quad \Delta = -64, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $21\mathfrak{e}_6 \overset{3,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513215$

$$51231513221\mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6\mathbf{12}\mathbf{3} \quad \Delta = -73, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $21\epsilon_6^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 12231513151$

$$15131513221\epsilon_8^{5,5} \otimes \epsilon_8^{3,5} \otimes \epsilon_6^{12} \mathbf{3} \quad \Delta = -72, \quad n_+ = 1, \quad n_- = 36, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8 12231513151\mathbf{2} \quad \Delta = -63, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8 12231513151\mathbf{3} \quad \Delta = -71, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{3,5}{\otimes} \mathfrak{e}_6 131$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{3,5}{\otimes} \mathfrak{e}_6 131\mathbf{6} \quad \Delta = -125, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$4 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_6^{1314} \quad \Delta = -75, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$4 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_6^{1312} \quad \Delta = -47, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$4 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_6^{1313} \quad \Delta = -55, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 5131\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8^{122315131}$$

$$5131\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8^{1223151314} \quad \Delta = -99, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$5131\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8^{1223151315} \quad \Delta = -123, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$5131\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8^{1223151316} \quad \Delta = -149, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$5131\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8^{1223151313} \quad \Delta = -79, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$5131\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8^{1223151312} \quad \Delta = -71, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$5131\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8^{122315131^2} \quad \Delta = -72, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1\epsilon_6 \otimes \epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8^{12231512}$$

$$1\epsilon_6 \otimes \epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8^{122315123} \quad \Delta = -98, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21513221\epsilon_8 \otimes \epsilon_8 \otimes \epsilon_6 \otimes \epsilon_6^{13} \quad \Delta = -97, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21513221\epsilon_8 \otimes \epsilon_8 \otimes \epsilon_6 \otimes \epsilon_6^{12} \quad \Delta = -89, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\epsilon_6 \otimes \epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8^{1223151}$$

$$1\epsilon_6 \otimes \epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8^{1223151^2} \quad \Delta = -89, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{3161316131513221(12)12231513221(12)12231} \quad \Delta = -97, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_6 \otimes \epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8^{1223151^3} \quad \Delta = -97, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{2161316131513221(12)12231513221(12)12231} \quad \Delta = -89, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8^{12231513215}$$

$$1\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8^{12231513215} \quad \Delta = -72, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8^{12231513215} \quad \Delta = -64, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8^{12231513151}$$

$$1\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8^{12231513151} \quad \Delta = -71, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8^{12231513151^3} \quad \Delta = -71, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8^{12231513151^2} \quad \Delta = -63, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8^{12231513151} \quad \Delta = -63, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 4 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_7^{12}$$

$$4 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_7^{12} \quad \Delta = -67, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 4 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_7^{12}$$

$$4 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_7^{123} \quad \Delta = -76, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 4 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_7^{12}$$

$$4 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_7^{12} \quad \Delta = -67, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1414 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_7^{12}$$

$$1414 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_7^{123} \quad \Delta = -72, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\epsilon_7 \otimes \epsilon_8 \otimes \epsilon_8 \otimes 4141^3 \quad \Delta = -71, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\epsilon_7 \otimes \epsilon_8 \otimes \epsilon_8 \otimes 4141^2 \quad \Delta = -63, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\epsilon_7 \otimes \epsilon_8 \otimes \epsilon_8 \otimes 4141^4 \quad \Delta = -91, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\begin{array}{ll} 21\mathfrak{e}_7 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8^{5,5} 122315123\mathbf{2} & \Delta = -70, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 321513221\mathfrak{e}_8 \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7^{5,5} 12\mathbf{3} & \Delta = -77, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_1 \end{array}$$

Base: $21e_7 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 12231513^1$

$$21\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{12231513\textcolor{red}{2}} \quad \Delta = -68, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$31 \quad \begin{smallmatrix} 321812231513221(12)12231513221(12)12231 \\ 5 \end{smallmatrix} \quad 1 \quad \Delta = -76, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 122$

$$1414 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 122\mathbf{3} \quad \Delta = -72, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221e_7^{5,4} \otimes e_8^{5,5} \otimes e_8^{2,4} 4141\mathbf{3} \quad \Delta = -71, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{2,4} 4141\mathbf{4} \quad \Delta = -91, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$221\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{2,4} 4141\mathbf{e}_2 \quad \Delta = -63, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $221\epsilon_7 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 122315123$

$$221\mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8 122315123\mathbf{2} \quad \Delta = -70, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$321513221 \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{122} \mathbf{3} \quad \Delta = -77, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $221\epsilon_7^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{12231513}$

$$31 \quad \overset{322181231513221(12)12231513221(12)12231}{5} \quad 1 \quad \Delta = -76, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$221\epsilon_7^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{1,1} 12231513\textcolor{red}{2} \quad \Delta = -68, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $12321\epsilon_7 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 1223132$

$$2313221 \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 12321 \mathbf{5} \quad \Delta = -79, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$2313221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 12321\mathbf{4} \quad \Delta = -55, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$2313221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 12321\mathbf{e}_7 \quad \Delta = -27, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$2313221\mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_7^{5,5} 12321\mathfrak{e}_7^{4,5} \quad \Delta = -105, \quad n_+ = 1, \quad n_- = 36, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$2313221\mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_7^{5,5} 12321\mathfrak{e}_8^{4,5} \quad \Delta = -160, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$2313221 \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_7 12321 \mathbf{7} \quad \Delta = -132, \quad n_+ = 1, \quad n_- = 36, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$2313221 \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 12321 \mathbf{3} \quad \Delta = -35, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 1231$

$$1321\mathbf{e}_7 \otimes \overset{5,4}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{2,4}{\mathbf{e}_8} \otimes 413\mathbf{e}_2 \quad \Delta = -53, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \overset{2}{\mathfrak{e}_7} 1231 \quad \Delta = -54, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 1231 \mathbf{3} \quad \Delta = -60, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 1231 \textcolor{red}{2} \quad \Delta = -52, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 12314 \quad \Delta = -80, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $14 \overset{2,4}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7 12315$

$$51321\mathbf{e}_7 \overset{5,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{2,4}{\otimes} 41\mathbf{4} \quad \Delta = -124, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$51321\mathbf{e}_7 \overset{5,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{2,4}{\otimes} 41\mathbf{3} \quad \Delta = -104, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$51321\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes 41\mathbf{e}_8 \quad \Delta = -96, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1e_7' \overset{3,3}{\otimes} e_7 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 12222$

$$22221e_8 \overset{5,5}{\otimes} e_8 \overset{4,5}{\otimes} e_7 \overset{3,3}{\otimes} e'_7 \textcolor{red}{12} \quad \Delta = -114, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1e_7^1 \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes 4141^{4,2}$

$$1 \overset{2321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{4,5}{\otimes} e_8 1 \quad \Delta = -123, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow F_0$$

$$1 \overset{321}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_7 \otimes \overset{1}{\mathbf{e}}_8 1 \textcolor{red}{2} \quad \Delta = -121, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1_{e_8}^{21} \otimes^{5,4} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 122$

$$21\overset{21}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 122 \quad \Delta = -112, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1 \overset{21}{e_7} \overset{3,3}{\otimes} \overset{3,3}{e_7} \overset{3,3}{\otimes} \overset{3,3}{e_7} \overset{4,5}{\otimes} \overset{21}{e_8} 1$$

$$21\overset{21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_7 \otimes \overset{21}{\mathbf{e}}_8 1 \quad \Delta = -112, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{21, 3, 3} \otimes \epsilon_7^{3, 3} \otimes \epsilon_7^{3, 3} \otimes \epsilon_7^{4, 5} \otimes \epsilon_8^{21} \textcolor{red}{12} \quad \Delta = -112, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow F_0$$

Base: $1^{12231513221} \epsilon_8^{5,5} \otimes \epsilon_8 12231513215$

$$1^{(12)}_{12231513221} \otimes_{\mathfrak{e}_8}^{5,5} 12231513215 \quad \Delta = -235, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1^{512231513221} \otimes \mathbf{e}_8^{5,5} 12231513215 \quad \Delta = -39, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{612231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{12231513215} \quad \Delta = -65, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{812231513221} \otimes \mathfrak{e}_8^{5,5} 12231513215 \quad \Delta = -120, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{412231513221} \otimes \mathfrak{e}_8^{5,5} 12231513215 \quad \Delta = -15, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{712231513221} \otimes \mathfrak{e}_8^{5,5} 12231513215 \quad \Delta = -92, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1^{12231513221} \epsilon_8^{5,5} \otimes \epsilon_8 12231513151$

$$1^{(12)12231513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{12231513151} \quad \Delta = -234, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1^{612231513221} \otimes_{\mathfrak{e}_8} \mathfrak{e}_8^{5,5} 12231513151 \quad \Delta = -64, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{812231513221} \otimes \mathfrak{e}_8^{5,5} 12231513151 \quad \Delta = -119, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{712231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{12231513151} \quad \Delta = -91, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{512231513221} \otimes \mathfrak{e}_8^{5,5} 12231513151 \quad \Delta = -38, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{412231513221} \otimes \mathfrak{e}_8^{5,5} 12231513151 \quad \Delta = -14, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } e_6^{5,5} \otimes e_8^{5,5} \otimes e_8^{1231513221} 1$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{51231513221} \mathbf{1} \quad \Delta = -65, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{21231513221} 1 \quad \Delta = -13, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{81231513221} 1 \quad \Delta = -146, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{41231513221} 1 \quad \Delta = -41, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{61231513221} \mathbf{1} \quad \Delta = -91, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{71231513221} 1 \quad \Delta = -118, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\mathfrak{e}_6^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{31231513221} 1 \quad \Delta = -21, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1231513221} \mathbf{12} \quad \Delta = -13, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $\epsilon_6^{5,4} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} 12231513221$

$$\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} 122315132218 \quad \Delta = -146, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} 12231513221\mathbf{2} \quad \Delta = -13, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} 12231513221\mathbf{5} \quad \Delta = -65, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} 12231513221 \text{ (12)} \quad \Delta = -261, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} 12231513221\mathbf{3} \quad \Delta = -21, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} 12231513221\textcolor{red}{4} \quad \Delta = -41, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} 122315132217 \quad \Delta = -118, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1 \quad {}^{1231513221} \mathfrak{e}_8 \quad {}^{5,5} \otimes \mathfrak{e}_8 \quad {}^{5,4} \otimes \mathfrak{e}_6 1$$

$$1^{31231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,4} \otimes_{\mathfrak{e}_6} 1 \quad \Delta = -21, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131 \quad \Delta = -20, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{5131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6^{131} \quad \Delta = -71, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{131513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6^{1315} \quad \Delta = -71, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131 \mathbf{3} \quad \Delta = -27, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \overset{1}{e}_6 \otimes \overset{3,5}{e}_8 \otimes \overset{5,5}{e}_8 \overset{1}{1} 223151321$

$$1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 12231513214 \quad \Delta = -40, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1_{\mathbf{e}_6}^{\mathbf{31}} \otimes \mathbf{e}_8^{\mathbf{3,5}} \otimes \mathbf{e}_8^{\mathbf{5,5}} 1223151321 \quad \Delta = -20, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1_{\mathbf{e}_6}^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 1223151321\mathbf{6} \quad \Delta = -90, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \epsilon_{21}^{21} 1223151321 \quad \Delta = -12, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \overset{1}{1223151321}\mathbf{8} \quad \Delta = -145, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\overset{21}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \overset{1}{1223151321} \quad \Delta = -12, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 1223151321\mathbf{2} \quad \Delta = -12, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 12231513217 \quad \Delta = -117, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \overset{1}{1223151321}\mathbf{5} \quad \Delta = -64, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1_{\mathbf{e}_6}^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 1223151321\mathbf{3} \quad \Delta = -20, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $\mathfrak{e}_7' \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \overset{5,5}{\mathfrak{e}_8} 1223151321$

$$\mathbf{e}_7' \overset{5,5}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 1223151321\mathbf{3} \quad \Delta = -48, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$e_7^{5,5} \otimes e_8^1 \otimes e_8^{5,5} 12231513217 \quad \Delta = -145, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_7' \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \overset{5,5}{1223151321} \overset{5,5}{\textcolor{red}{2}} \quad \Delta = -40, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$e_7^{5,5} \otimes e_8^1 \otimes e_8^{5,5} 12231513214 \quad \Delta = -68, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} 1223151321\mathbf{8} \quad \Delta = -173, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} 1223151321\mathbf{6} \quad \Delta = -118, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $e_7' \otimes^{5,4} e_8 \otimes^{1,5,5} e_8 \otimes^{3,5} e_6 1$

$$\mathbf{e}_7' \otimes^{5,4} \mathbf{e}_8 \otimes^1 \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{3,5} \mathbf{e}_6 \mathbf{13} \quad \Delta = -125, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1^{131513221} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}'_7 1$

$$1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 \quad \Delta = -40, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{5131513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7^{5,5} \quad \Delta = -91, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{6131513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7'1 \quad \Delta = -117, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{2131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7' 1 \quad \Delta = -39, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$131513221\mathbf{e}_8^{21} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}'_{71}{}^{5,5} \quad \Delta = -39, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{3131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 1 \quad \Delta = -47, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{4131513221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}'_7 1 \quad \Delta = -67, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{131513221} \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \mathbf{e}'_7 \mathbf{12} \quad \Delta = -39, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_7' \otimes^{4,5} \epsilon_8 \otimes^{5,5} \epsilon_8 1223151321$

$$1\mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} 123151321\mathbf{8} \quad \Delta = -173, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1e_7^{4,5} \otimes e_8^1 \otimes e_{81223151321}^{5,5} \quad \Delta = -92, \quad n_+ = 1, \quad n_- = 36, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} 1223151321\mathbf{7} \quad \Delta = -145, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1e_7^{4,5} \otimes e_8^1 \otimes e_{12231513214}^{5,5} \quad \Delta = -68, \quad n_+ = 1, \quad n_- = 36, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{c}_7^{4,5} \otimes \mathbf{c}_8^1 \otimes \mathbf{c}_8^{5,5} 1223151321\mathbf{3} \quad \Delta = -48, n_+ = 1, n_- = 36, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1^{221} e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} e_7^{1232151}$

$$\mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 1231\mathbf{5} \quad \Delta = -143, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \overset{12321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{1}{e_7} 1232$

$$1 \overset{7}{\mathbf{e}}_7 \overset{12321}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{1}{\otimes} \mathbf{e}_7 1232 \quad \Delta = -65, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{512321} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^1 1232 \quad \Delta = -12, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{612321} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{3,3} \otimes \mathfrak{e}_7^{1232} \quad \Delta = -38, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{8}{\mathbf{e}}_7^{12321} \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{1}{\otimes} \overset{1232}{\mathbf{e}}_7 \quad \Delta = -93, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1^{1321} \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \otimes \text{e}_7^{3,3} \text{e}_7^1 12321$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 12321 \mathbf{6} \quad \Delta = -36, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 12321 \mathbf{7} \quad \Delta = -63, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{5}{\mathbf{e}}_7 \overset{1321}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}}_7 \overset{1}{\otimes} \mathbf{e}_7 12321 \quad \Delta = -10, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 12321 \mathbf{5} \quad \Delta = -10, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{1321} \mathbf{e}_7^{\otimes 3,3} \otimes \mathbf{e}_7^{\otimes 3,3} \otimes \mathbf{e}_7^{\otimes 3,3} \otimes \mathbf{e}_7^{\otimes 3,3} \mathbf{e}_7^1 12321 \mathbf{8} \quad \Delta = -91, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $21\overset{21}{\text{e}_7} \overset{3,3}{\otimes} \text{e}_7 \overset{3,3}{\otimes} \text{e}_7 \overset{3,3}{\otimes} \text{e}_7 \overset{3,3}{\otimes} \text{e}_7 1232151$

$$21\overset{21}{\mathbf{e}}_7\overset{3,3}{\otimes}\overset{3,3}{\mathbf{e}}_7\overset{3,3}{\otimes}\overset{3,3}{\mathbf{e}}_7\overset{3,3}{\otimes}\overset{3,3}{\mathbf{e}}_71232151\mathbf{3} \quad \Delta = -9, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21 \overset{3,2,1}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 1232151 \quad \Delta = -10, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\overset{21}{\mathbf{e}}_7\overset{3,3}{\otimes}\overset{3,3}{\mathbf{e}}_7\overset{3,3}{\otimes}\overset{3,3}{\mathbf{e}}_7\overset{3,3}{\otimes}\overset{3,3}{\mathbf{e}}_71232151\textcolor{red}{2} \quad \Delta = -1, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21\epsilon_7^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1231512$

$$21\overset{21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 1231512\mathbf{3} \quad \Delta = -8, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21 \overset{3,2,1}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 1231512 \quad \Delta = -8, \quad n_+ = 1, \quad n_- = 36, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $21\overset{21}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{1}{123151}$

$$21 \overset{3,21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{1}{\mathbf{e}_7} 123151 \quad \Delta = -8, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21_{\mathbf{e}_7}^{21\ 3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 123151_{\mathbf{e}_7} \quad \Delta = -7, n_+ = 1, n_- = 36, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$T = 37 \quad (446 \text{ bases})$$

Base: $\mathfrak{e}_8^{3,5} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2}$

$$\epsilon_8^{3,5} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \text{12\color{red}} \quad \Delta = -120, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_3$$

[illegible]

$$\epsilon_8^{3,5} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^1 \epsilon_6^{13} \quad \Delta = -119, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } e_6^{5,5} \otimes e_8^{5,5} \otimes e_8^{4,5} \otimes e_6 1$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_6^{13} \quad \Delta = -70, n_+ = 1, n_- = 37, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_6^{1,2} \quad \Delta = -62, n_+ = 1, n_- = 37, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\mathfrak{e}_6 \overset{4,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_6 1$

$$1\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_6 1\mathbf{e}_2 \quad \Delta = -62, n_+ = 1, n_- = 37, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_6 1\mathbf{3} \quad \Delta = -70, n_+ = 1, n_- = 37, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $e_6^{5,5} \otimes e_8^{5,5} \otimes e_8^{3,5} \otimes e_6^{12}$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6^{12\text{red}} \quad \Delta = -70, \, n_+ = 1, \, n_- = 37, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $21\mathfrak{e}_6 \overset{3,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_6 1$

$$21\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_6 \mathbf{1} \mathbf{2} \quad \Delta = -61, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\begin{array}{ll}
314 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 12321\mathbf{6} & \Delta = -103, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_4 \\
314 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 12321\mathbf{3} & \Delta = -33, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{P}^2 \\
314 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 12321\mathbf{5} & \Delta = -77, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_3 \\
314 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 12321\mathbf{8} & \Delta = -158, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_6
\end{array}$$

$$1414 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 1231\mathbf{5} \quad \Delta = -95, n_+ = 1, n_- = 37, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1321\mathfrak{e}_7^{5,4} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{2,4} 4141\mathbf{4} \quad \Delta = -71, n_+ = 1, n_- = 37, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1414 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 1231\mathbf{2} \quad \Delta = -43, n_+ = 1, n_- = 37, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1414 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 1231\mathbf{3} \quad \Delta = -51, n_+ = 1, n_- = 37, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1321\epsilon_7 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 122315123$

$$321513221\epsilon_8^{5,5} \otimes \epsilon_8^{4,5} \otimes \epsilon_7^{12314} \quad \Delta = -76, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1321\mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8 122315123\mathbf{2} \quad \Delta = -50, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\overset{2}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 122315123 \quad \Delta = -50, n_+ = 1, n_- = 37, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$51321\mathbf{e}_7 \overset{4,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{1}{1223151}\mathbf{2} \quad \Delta = -91, \, n_+ = 1, \, n_- = 37, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\overset{2}{1321}\mathfrak{e}_7 \overset{4,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{12231513} \quad \Delta = -49, n_+ = 1, n_- = 37, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$31 \quad \overset{5}{132181231513221(12)} \quad \overset{1}{12231513221(12)12231} \quad \Delta = -99, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$31^{3132181231513221(12)12231513221(12)12231} 5 1 \quad \Delta = -55, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $\mathfrak{e}_6 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{5,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{2,4}{\otimes} 41$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{2,4} 41\mathbf{4} \quad \Delta = -123, n_+ = 1, n_- = 37, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$313221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}'_7 \mathbf{12} \quad \Delta = -102, \, n_+ = 1, \, n_- = 37, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $21\mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \overset{4,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12222$

[illegible]

$$1 \overset{3,21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \overset{1}{122315131} \quad \Delta = -47, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$2221\overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} 12315131\textcolor{red}{4} \quad \Delta = -6, n_+ = 1, n_- = 37, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $13221\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 1231512$

$$2151321\textcolor{teal}{e}_7 \overset{3,3}{\otimes} \textcolor{teal}{e}_7 \overset{3,3}{\otimes} \textcolor{teal}{e}_7 \overset{3,3}{\otimes} \textcolor{teal}{e}_7 \overset{3,3}{\otimes} \textcolor{teal}{e}_7 12231\textcolor{red}{4} \quad \Delta = -7, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{41322181232181232181232181232181231}{5} 1 \quad \Delta = -7, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $21\epsilon_6 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 1222$

Base: $1e_6^1 \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} e_7 1222$

Base: $13221 \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \epsilon_7 1232151$

$$1512321e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{122315} \quad \Delta = -33, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$4 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{2,3}{\otimes} 41\mathbf{4} \quad \Delta = -13, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$14 \overset{3,2}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{2,3}{\otimes} 41\mathbf{4} \quad \Delta = -11, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^{221} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 12315131\mathbf{4} \quad \Delta = -6, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{221} \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 123151315 \quad \Delta = -30, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_6} 12\mathbf{3} \quad \Delta = -7, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1 \epsilon_6^1 \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \epsilon_7^{221} 1$

$$1\overset{3,1}{\mathbf{e}}_6 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{2,2,1}{\mathbf{e}}_7 1 \quad \Delta = -6, n_+ = 1, n_- = 37, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$4 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{512321}{\otimes} \mathbf{e}_7^* 1 \quad \Delta = -11, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$4 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{712321}{\otimes} \mathbf{e}_7 1 \quad \Delta = -64, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1 \overset{612321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,2}{\mathbf{e}_7} \otimes 41 \quad \Delta = -35, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{512321}{\mathbf{e}_7} \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}_7} \overset{3,3}{\otimes} \overset{3,3}{\mathbf{e}_7} \overset{3,3}{\otimes} \overset{3,2}{\mathbf{e}_7} \otimes 41 \quad \Delta = -9, n_+ = 1, n_- = 37, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$T = 38 \quad (472 \text{ bases})$$

672

$1\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8$	1223151321	$\mathbf{8}$	$\Delta = -173, n_+ = 1, n_- = 38, n_0 = 0$	$\rightarrow \mathbb{F}_5$
$1\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8$	1223151321	$\mathbf{6}$	$\Delta = -118, n_+ = 1, n_- = 38, n_0 = 0$	$\rightarrow \mathbb{F}_3$
$1\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8$	1223151321	$\mathbf{2}$	$\Delta = -40, n_+ = 1, n_- = 38, n_0 = 0$	$\rightarrow \mathbb{F}_1$
$1231513221\mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6$	1223151321	$\mathbf{12}$	$\Delta = -40, n_+ = 1, n_- = 38, n_0 = 0$	$\rightarrow \mathbb{F}_1$
$1\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8$	1223151321	$\mathbf{5}$	$\Delta = -92, n_+ = 1, n_- = 38, n_0 = 0$	$\rightarrow \mathbb{F}_2$
$1231513221\mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6^{2,2} \otimes \mathbf{e}_6$	1223151321	$\mathbf{13}$	$\Delta = -48, n_+ = 1, n_- = 38, n_0 = 0$	$\rightarrow \mathbb{F}_0$
$1\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8$	1223151321	$\mathbf{4}$	$\Delta = -68, n_+ = 1, n_- = 38, n_0 = 0$	$\rightarrow \mathbb{P}^2$

$$1\overset{\textcolor{red}{31}}{\mathfrak{e}_6} \otimes \overset{3,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,3}{\mathfrak{e}_6} 131 \quad \Delta = -47, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_6^{5,3} 131\mathbf{6} \quad \Delta = -117, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1_{\mathfrak{e}_6}^{1,3,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6^{1313} \quad \Delta = -47, \, n_+ = 1, \, n_- = 38, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{21} \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_6^{5,3} 131 \quad \Delta = -39, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7'^{12} \quad \Delta = -60, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7' \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_6 \mathbf{13} \quad \Delta = -68, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_7' \mathbf{12} \quad \Delta = -60, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7' \otimes^{5,5} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{3,5} \mathbf{e}_6 12\mathbf{3} \quad \Delta = -68, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1e_6^1 \otimes e_8^{3,5} \otimes e_8^{5,5} \otimes e_7'^{5,5} 1$

$$1_{\mathfrak{e}_6} \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}'_{71} \quad \Delta = -61, \quad n_+ = 1, \quad n_- = 38, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } \epsilon_6 \overset{5,5}{\otimes} \epsilon_6 \overset{5,5}{\otimes} \epsilon_6 \overset{4,5}{\otimes} \epsilon_7^{12}$$

$$\mathfrak{e}_6 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_7^{123} \quad \Delta = -69, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\mathfrak{e}'_7 \otimes_{4,5} \mathfrak{e}_8 \otimes_{5,5} \mathfrak{e}_8 \otimes_{5,4} \mathfrak{e}_6 \mathbf{13} \quad \Delta = -68, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\overset{0,4}{\epsilon}_7 \otimes \overset{0,0}{\epsilon}_8 \otimes \overset{4,0}{\epsilon}_8 \otimes \overset{5,0}{\epsilon}_6 \mathbf{12} \quad \Delta = -60, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\epsilon_7^{5,4} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{3,5} \otimes \epsilon_6^{123} \quad \Delta = -68, \, n_+ = 1, \, n_- = 38, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_6^1 \otimes^{3,5} \epsilon_8 \otimes^{5,5} \epsilon_8 \otimes^{5,4} \epsilon_7' 12$

$$1\overset{3,1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7'_{12} \quad \Delta = -67, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathbf{e}_6}^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{5,4} 12\mathbf{3} \quad \Delta = -68, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\overset{2,1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7' 12 \quad \Delta = -59, \, n_+ = 1, \, n_- = 38, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $e_6 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{4,5}{\otimes} e_7' 1$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7'^1 \mathbf{12} \quad \Delta = -60, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1e_7' \overset{1}{\otimes} \overset{4,5}{e_8} \overset{5,5}{\otimes} \overset{5,4}{e_8} \otimes e_6 1$$

$$1\overset{1}{\mathbf{e}}_7' \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_6 \mathbf{12} \quad \Delta = -60, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{1}{e}_7' \otimes \overset{4,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,4}{e}_6 \mathbf{13} \quad \Delta = -68, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\overset{\textcolor{red}{21}}{\mathbf{e}}_7' \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_6 1 \quad \Delta = -60, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_7' \otimes^{1,4,5} \epsilon_8 \otimes^{5,5} \epsilon_8 \otimes^{5,3} \epsilon_6 12$

$$1\overset{1}{e}_7' \otimes \overset{4,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,3}{e}_6 12\textcolor{red}{3} \quad \Delta = -68, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\overset{21}{e}'_7 \otimes \overset{4,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,3}{e}_6 12 \quad \Delta = -59, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_6 \overset{1}{\otimes} \overset{3,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,4}{\epsilon_8} \overset{1}{\otimes} \epsilon_7' 1$

$$1_{\mathfrak{e}_6}^{\mathbf{2}_1} \otimes \mathfrak{e}_8^{3,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7^{5,4} \otimes \mathfrak{e}_7^1 \quad \Delta = -59, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,4} \epsilon_7^1 \mathbf{12} \quad \Delta = -59, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{\textcolor{red}{3}1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 \overset{1}{1} \quad \Delta = -67, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21e_7 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 12231513215$

$$51231513221 \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_7 12 \mathbf{3} \quad \Delta = -71, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $21\epsilon_7 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231513151$

$$21\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8 12231513151\mathbf{2} \quad \Delta = -61, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$15131513221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_7 12\mathbf{3} \quad \Delta = -70, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513151\mathbf{3} \quad \Delta = -69, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $221\epsilon_7^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 12231513215$

$$51231513221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_7 122\mathbf{3} \quad \Delta = -71, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $221e_7^{4,5} \otimes e_8^{5,5} \otimes e_8 12231513151$

$$15131513221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 122\mathbf{3} \quad \Delta = -70, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$221\mathbf{c}_7^{4,5} \otimes \mathbf{c}_8^{5,5} \otimes \mathbf{c}_8 1231513151\mathbf{2} \quad \Delta = -61, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\epsilon_7^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 12231513151\mathbf{3} \quad \Delta = -69, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 12321$

$$1414 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 123217 \quad \Delta = -121, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1414 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 12321 \textcolor{red}{2} \quad \Delta = -16, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1414 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 123218 \quad \Delta = -149, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1414 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 12321\mathbf{6} \quad \Delta = -94, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1414 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 12321\mathbf{3} \quad \Delta = -24, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$12321\mathbf{e}_7 \overset{5,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{2,4}{\otimes} 4141\mathbf{e}_8 \quad \Delta = -24, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1414 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 12321\mathbf{5} \quad \Delta = -68, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$12321\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes 4141\mathbf{e}_8 \quad \Delta = -44, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_8 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 123151\mathbf{r} \quad \Delta = -123, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \overset{1}{e}_8 \otimes \overset{5,4}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 123215$

$$1\mathbf{e}_8^{21} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 123215 \quad \Delta = -117, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\epsilon_8^{21} \otimes \epsilon_7^{5,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 12321$

$$1e_8^{21, 5, 4} \otimes e_7^{3, 3} \otimes e_7^{3, 3} \otimes e_7^{3, 3} 12321\textcolor{red}{2} \quad \Delta = -65, \, n_+ = 1, \, n_- = 38, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\overset{21}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 12321 \quad \Delta = -65, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_8^{21, 5, 4} \otimes \epsilon_7^{3, 3} \otimes \epsilon_7^{3, 3} \otimes \epsilon_7^{3, 3} \otimes \epsilon_7^{123214} \quad \Delta = -93, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1e_8^{21, 5, 4} \otimes e_7^{3, 3} \otimes e_7^{3, 3} \otimes e_7^{3, 3} \otimes e_7^{123218} \quad \Delta = -198, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1\mathbf{e}_8^{21, 5, 4} \otimes \mathbf{e}_7^{3, 3} \otimes \mathbf{e}_7^{3, 3} \otimes \mathbf{e}_7^{3, 3} 12321\mathbf{6} \quad \Delta = -143, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1e_8^{21, 5, 4} \otimes e_7^{3, 3} \otimes e_7^{3, 3} \otimes e_7^{3, 3} \otimes e_7^{3, 3} 123217 \quad \Delta = -170, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1e_8^{21, 5, 4} \otimes e_7^{3, 3} \otimes e_7^{3, 3} \otimes e_7^{3, 3} 12321\mathbf{3} \quad \Delta = -73, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $313221\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} 122313$

$$313221\mathbf{e}_8 \overset{5,5}{\otimes} \overset{1}{\mathbf{e}_8} \overset{5,5}{\otimes} \mathbf{e}_8 122313\mathbf{e}_8 \quad \Delta = -90, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1^{313221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8 122222$

$$1^{2313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 122222 \quad \Delta = -73, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$313221\overset{21}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} 122222 \quad \Delta = -72, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \overset{22221}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \otimes \epsilon_8 1223132$

$$22221\overset{21}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} 1223132 \quad \Delta = -73, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $22221\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes 41^{4,2}$

$$22221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 41\mathbf{3} \quad \Delta = -100, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$22221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} \otimes 41\mathfrak{f}_4^{4,2} \quad \Delta = -120, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$22221\mathbf{e}_8 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes 41\mathbf{e}_8^{4,2} \quad \Delta = -92, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1^{12231513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} \otimes \epsilon_6^{131}$

$$1^{(12)}_{12231513221} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,3} \otimes_{\mathbf{e}_6} 131 \quad \Delta = -210, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{5,12231513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} \otimes \epsilon_6 131 \quad \Delta = -14, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{812231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131 \quad \Delta = -95, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{12231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131\mathbf{5} \quad \Delta = -14, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{712231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131 \quad \Delta = -67, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{612231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,3} \otimes_{\mathfrak{e}_6} 131 \quad \Delta = -40, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{12231513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6^{1316} \quad \Delta = -40, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$\text{Base: } 1^{12231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 1$$

$$1^{812231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_{71}^{5,5} \quad \Delta = -115, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{712231513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}'_{71} \quad \Delta = -87, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{412231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_{71} \quad \Delta = -10, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{(12)12231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}'_7} \Delta = -230, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{512231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \mathfrak{e}'_{71} \quad \Delta = -34, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{612231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7' 1 \quad \Delta = -60, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{12231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_7 12$

$$4 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231\textcolor{red}{4} \quad \Delta = -129, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1 \overset{2221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{1}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{4,2}{\mathfrak{e}_8} \otimes 41$

$$1^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 41\textcolor{red}{2} \quad \Delta = -92, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} \otimes 41^4 \Delta = -120, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{2,2,1}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{1}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{4,2}{\mathfrak{e}}_8 \text{ 41} \color{red}{\mathbf{3}} \quad \Delta = -100, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$2221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{1}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{4,2}{41} \quad \Delta = -92, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $414 \begin{smallmatrix} 4,2 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 1 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 221 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 1$

$$414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{3221}{\mathfrak{e}_8} 1 \quad \Delta = -129, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{1513221} \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} 1222$

$$1^{31513221} \otimes^{5,5} \mathfrak{e}_8 \otimes^{5,5} \mathfrak{e}_8 \otimes^{5,5} \mathfrak{e}_8 1222 \quad \Delta = -124, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{21513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,5} \otimes \mathfrak{e}_8^{1222} \quad \Delta = -116, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{31513221} \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} 122$

$$1^{31513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} 122\mathbf{3} \quad \Delta = -133, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} 122 \quad \Delta = -125, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \overset{1}{\mathfrak{e}}_8 \overset{5,5}{\otimes} 1 \overset{5,5}{\otimes} 1 \overset{1}{\mathfrak{e}}_8 122315132$

$$1\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{1}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{1}{\mathfrak{e}}_8 122315132 \quad \Delta = -125, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1\epsilon_8^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 12231513$

$$21\overset{2,1}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{1}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{1}{\mathfrak{e}}_8 12231513 \quad \Delta = -124, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \begin{smallmatrix} 13221 \\ \text{e}_8 \end{smallmatrix} \otimes \begin{smallmatrix} 5,5 \\ \text{e}_8 \end{smallmatrix} \otimes \begin{smallmatrix} 1 \\ \text{e}_8 \end{smallmatrix} \otimes \begin{smallmatrix} 5,5 \\ \text{e}_8 \end{smallmatrix} \otimes \begin{smallmatrix} 1 \\ \text{e}_8 \end{smallmatrix} 12231$

$$1^{213221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,5,5} \otimes \mathfrak{e}_8^{1,12231} \quad \Delta = -73, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$13221\overset{21}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{1}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{1}{\mathfrak{e}_8} 12231 \quad \Delta = -73, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{413221} \epsilon_8^{5,5} \otimes \epsilon_8^{1,5} \otimes \epsilon_8^{1,1} 12231 \quad \Delta = -101, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{5,1}3^{2,2}1^{5,5} \otimes \mathfrak{e}_8^{1,5,5} \otimes \mathfrak{e}_8^{1,5,5} 12231 \quad \Delta = -125, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,5,5} \otimes \mathfrak{e}_8^{1,1} 12231 \quad \Delta = -81, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1 \overset{221}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{1}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{1}{\epsilon_8} 1223151$

$$1^{3221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,5,5} \otimes \mathfrak{e}_8^{1,1223151} \quad \Delta = -125, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{221}{\mathfrak{e}_8} \otimes \overset{3,3}{\mathfrak{e}_8} \otimes \overset{1}{\mathfrak{e}_8} \overset{3,3}{1223151} \Delta = -116, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{221}{\text{e}_8} \overset{5}{\otimes} \overset{1}{\text{e}_8} \overset{5}{\otimes} \overset{1}{\text{e}_8} 1223151\mathbf{3} \quad \Delta = -124, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\bar{\mathbf{e}}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 1223151 \quad \Delta = -116, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \quad \text{e}_8 \quad \otimes \quad \text{e}_8 \quad \otimes \quad \text{e}_8 12$

$$1^{210} \otimes_{\mathfrak{e}_8} \otimes_{\mathfrak{e}_8} \otimes_{\mathfrak{e}_8} 12 \quad \Delta = -116, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $21 \overset{13221}{e_8} \otimes \overset{33}{e_8} \otimes \overset{33}{e_8} 122222$

$$21_{\substack{13221 \\ 412221}} \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 122222 \quad \Delta = -64, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21_{\overline{5}13221} \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 122222 \quad \Delta = -92, \, n_+ = 1, \, n_- = 38, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21 \quad \mathfrak{e}_8 \quad \otimes \quad \mathfrak{e}_8 \otimes \mathfrak{e}_8 122222 \quad \Delta = -116, \quad n_+ = 1, \quad n_- = 38, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \quad \mathfrak{e}_8 \quad \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 12231$
 $\quad \quad \quad \textcolor{red}{2}1 \quad 5.5 \quad \quad 5.5 \quad 21$

$$\begin{array}{c} 22221 \\ 22221 \end{array} \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \begin{array}{c} 12231 \\ 5,5 \quad 5,5 \quad 21 \end{array} \quad \Delta = -64, \quad n_+ = 1, \quad n_- = 38, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 | 22315 \rangle \quad \Delta = -116, \quad n_+ = 1, \quad n_- = 38, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

[illegible]

$$1e_6^{1,3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} 122315 \quad \Delta = -30, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $14 \overset{2,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 1232151$

$$1512321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{2,3}{\otimes} 41\mathbf{4} \quad \Delta = -8, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $14 \overset{2,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 1231512$

$$2151321\textcolor{teal}{e}_7 \overset{3,3}{\otimes} \textcolor{teal}{e}_7 \overset{3,3}{\otimes} \textcolor{teal}{e}_7 \overset{3,3}{\otimes} \textcolor{teal}{e}_7 \overset{3,3}{\otimes} \textcolor{teal}{e}_7 \overset{2,3}{\otimes} 41\textcolor{red}{4} \quad \Delta = -6, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $31321e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 12315131$

$$31321\overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} 12315131\textcolor{red}{5} \quad \Delta = -18, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$31321\overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} 12315131\textcolor{red}{6} \quad \Delta = -44, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $14 \overset{2,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{1}{123151}$

$$1^{41} 41321812321812321812321812311^1 \quad \Delta = -6, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 2¹³15¹32¹81²23²181²23²181²23²181²23²181²

[illegible]

$$2^{613151321812321812321812321812321812} 3^1 \Delta = -38, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1 \overset{221}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} 123151321$

$$1\overset{221}{\mathbf{e}}_7\overset{3,3}{\otimes}\overset{3,3}{\mathbf{e}}_7\overset{3,3}{\otimes}\overset{3,3}{\mathbf{e}}_7\overset{3,3}{\otimes}\overset{3,3}{\mathbf{e}}_7\overset{3,3}{\otimes}\overset{3,3}{\mathbf{e}}_7123151321\mathbf{8} \quad \Delta = -83, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1 \epsilon_7^{221} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{123151321} \mathbf{5} \quad \Delta = -2, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \epsilon_7^{221} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1231513217 \quad \Delta = -55, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \overset{221}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} 1231513216 \quad \Delta = -28, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{221} e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_6^{131}$

$$1\overset{221}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \mathbf{e}_6 131\mathbf{5} \quad \Delta = -29, n_+ = 1, n_- = 38, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\epsilon_7^{221,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{131} \mathbf{6} \quad \Delta = -55, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1\epsilon_7^{221,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{1314} \quad \Delta = -5, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{221} \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} e_7 \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} e_7 \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} e_7 \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} e_7 \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} e_7' 122$

$$1 \overset{3,221}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}_7' 122 \quad \Delta = -5, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{221}_{\mathbf{e}'} \otimes \mathbf{e}'_{7,3,3} \otimes \mathbf{e}'_{7,3,3} \otimes \mathbf{e}'_{7,3,3} \otimes \mathbf{e}'_{7,3,3} \otimes \mathbf{e}'_{7,3,3} \otimes \mathbf{e}'_{7,122\mathbf{3}} \quad \Delta = -5, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1 \overset{21}{e_7'} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{221}{e_7} 1$$

$$1\epsilon_7^{21} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} {}^{\textcolor{red}{3}}e_7^{221} 1 \quad \Delta = -5, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{321}{e}_7' \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{221}{e}_7' 1 \quad \Delta = -5, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1 \overset{12321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 1232151$

$$1^{512321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{1232151} \quad \Delta = -6, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{612321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1232151 \quad \Delta = -32, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{7}{e}_7 \overset{12321}{\otimes} \overset{3,3}{e}_7 \overset{3,3}{\otimes} \overset{3,3}{e}_7 \overset{3,3}{\otimes} \overset{3,3}{e}_7 \overset{3,3}{\otimes} e_7 1232151 \quad \Delta = -59, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \quad \overset{812321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}_7 1232151 \quad \Delta = -87, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1 \overset{12321}{e_7} \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 1231512$

$$1 \quad \overset{812321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}_7 1231512 \quad \Delta = -85, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \quad \overset{612321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}_7 1231512 \quad \Delta = -30, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{512321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231512 \quad \Delta = -4, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{7}{e}_7 \overset{12321}{\otimes} \overset{3,3}{e}_7 \overset{3,3}{\otimes} \overset{3,3}{e}_7 \overset{3,3}{\otimes} \overset{3,3}{e}_7 \overset{3,3}{\otimes} e_7 1231512 \quad \Delta = -57, n_+ = 1, n_- = 38, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^1 \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_6^{5,3} 131\bar{5} \quad \Delta = -90, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\overset{21}{\mathbf{e}}_7' \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,3}{\mathbf{e}}_6 131 \quad \Delta = -38, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\overset{1}{e}_7' \otimes \overset{4,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,3}{e}_6 131\textcolor{red}{3} \quad \Delta = -46, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1e_7' \otimes_{4,5} e_8 \otimes_{5,5} e_8 \otimes_{5,3} e_6 1316 \quad \Delta = -116, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1e_7' \otimes e_8^{1,4,5} \otimes e_8^{5,5} \otimes e_6^{5,3} 131 \text{red} \quad \Delta = -66, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_7' \otimes \epsilon_8^{1,4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_6^{5,3} 131 \mathbf{2} \quad \Delta = -38, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1e_7' \overset{1}{\otimes} \overset{4,5}{e_8} \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7' 1$$

$$1\overset{1}{e}'_7 \otimes \overset{4,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}'_7 \mathbf{1} \quad \Delta = -58, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{\textcolor{red}{2}1}{\textcolor{red}{e}}_7' \otimes \textcolor{red}{e}_8 \otimes \textcolor{red}{e}_8 \otimes \textcolor{red}{e}_7' 1 \quad \Delta = -58, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1e_7' \overset{1}{\otimes} \overset{4,5}{e_8} \overset{5,5}{\otimes} \overset{5,4}{e_8} \otimes e_7' 12$

$$1\epsilon_7^{1,4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7'{}_{123} \quad \Delta = -67, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,4} 12 \quad \Delta = -58, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\epsilon_7' \overset{1}{\otimes} \overset{4,5}{\epsilon_8} \overset{5,5}{\otimes} \epsilon_8 \overset{5,4}{\otimes} \overset{1}{\epsilon_7'} 1$$

$$1\overset{\textcolor{red}{2}1}{\textcolor{red}{e}}_7^{4,5} \otimes \textcolor{red}{e}_8^{5,5} \otimes \textcolor{red}{e}_8^{5,4} \otimes \overset{1}{\textcolor{red}{e}}_7^1 \quad \Delta = -58, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } \mathfrak{e}_6^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_{712}$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{123} \quad \Delta = -68, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\mathfrak{e}_6 \overset{4,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_7 12$

$$21\epsilon_7^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{4,5}} \otimes \epsilon_6 \mathbf{12} \quad \Delta = -59, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7 12\mathbf{3} \quad \Delta = -68, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_6 \mathbf{13} \quad \Delta = -67, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21\mathfrak{e}_6 \overset{3,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_{712}$

$$21\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6\mathbf{123} \quad \Delta = -67, \, n_+ = 1, \, n_- = 39, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_{712\mathbf{3}} \quad \Delta = -67, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_6 \overset{1}{\otimes} \overset{3,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \otimes \epsilon_7 12$

$$1_{\mathfrak{e}_6}^{21} \otimes_{\mathfrak{e}_8}^{3,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_7}^{5,5} 12 \quad \Delta = -58, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1_{\mathfrak{e}_6}^{\textcolor{red}{3}1\ 3,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7^{5,5} 12 \quad \Delta = -66, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathbf{e}_6}^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{5,5} 12\mathbf{3} \quad \Delta = -67, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $e_6^{5,5} \otimes e_8^{5,5} \otimes e_8^{4,5} \otimes e_7^{122}$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7 122\mathbf{\bar{3}} \quad \Delta = -68, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\mathfrak{e}_6 \overset{4,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 122$

$$221\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_6\mathbf{1}\mathbf{3} \quad \Delta = -67, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_6\mathbf{1} \quad \Delta = -59, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{1223} \quad \Delta = -68, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $21\epsilon_6 \overset{3,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,4}{\otimes} \epsilon_7 122$

$$21\epsilon_6^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_{7122\mathbf{3}} \quad \Delta = -67, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6\mathbf{12}\mathbf{3} \quad \Delta = -67, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,4} 122$

$$1\overset{2,1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 122 \quad \Delta = -58, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{5,4} 122\mathbf{3} \quad \Delta = -67, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^{3,1} \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,4} 122 \quad \Delta = -66, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_7 12321$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_7 123218 \quad \Delta = -152, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_7 12321\mathbf{3} \quad \Delta = -27, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$4 \overset{5,3}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 12321\mathbf{2} \quad \Delta = -19, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_7 123217 \quad \Delta = -124, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$4 \overset{5,3}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 12321\mathbf{5} \quad \Delta = -71, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$4 \overset{5,3}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 12321\textcolor{red}{4} \quad \Delta = -47, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$4 \overset{5,3}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 123216 \quad \Delta = -97, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $51321e_7 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 1223151321$

$$51321\mathbf{e}_7 \otimes_{\mathbf{e}_8}^{4,5} \mathbf{e}_8 \otimes_{\mathbf{e}_8}^{5,5} 1223151321\mathbf{8} \quad \Delta = -175, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$51321\mathbf{e}_7 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} 1223151321\mathbf{7} \quad \Delta = -147, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$51321\epsilon_7^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 1223151321\mathbf{6} \quad \Delta = -120, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$51321\mathbf{e}_7 \otimes_{4,5} \mathbf{e}_8 \otimes_{5,5} \mathbf{e}_8 1223151321\mathbf{2} \quad \Delta = -42, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$51321\mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8 1223151321\textcolor{red}{4} \quad \Delta = -70, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$51321\mathfrak{e}_7^{4,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8 1223151321\mathbf{3} \quad \Delta = -50, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1321\epsilon_7^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 12231513215$

$$51231513221\mathbf{e}_8 \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_7}^{4,5} 1231\mathbf{5} \quad \Delta = -94, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$51231513221 \mathbf{e}_8 \otimes_{5,5} \mathbf{e}_8 \otimes_{4,5} \mathbf{e}_7 1231 \mathbf{red} \quad \Delta = -50, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$51231513221 \mathbf{e}_8 \otimes_{5,5} \mathbf{e}_8 \otimes_{4,5} \mathbf{e}_7 1231 \mathbf{2} \quad \Delta = -42, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$51231513221\mathfrak{e}_8 \otimes_{5,5} \mathfrak{e}_8 \otimes_{4,5} \mathfrak{e}_7 1231\mathbf{4} \quad \Delta = -70, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1321\overset{2}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 12231513215 \quad \Delta = -44, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1321\epsilon_7^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 12231513151$

$$1321\overset{2}{\mathfrak{e}}_7 \otimes \overset{4,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 12231513151 \quad \Delta = -43, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321c_7 \otimes c_8 \otimes c_8 12231513151\mathbf{3} \quad \Delta = -49, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$15131513221\mathbf{e}_8 \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_7}^{4,5} 1231\mathbf{3} \quad \Delta = -49, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$15131513221\mathbf{e}_8 \otimes_{\mathbf{e}_8}^{\mathbf{5},5} \otimes_{\mathbf{e}_7}^{\mathbf{4},5} 1231\mathbf{5} \quad \Delta = -93, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$15131513221\mathbf{e}_8 \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{4,5}{\mathbf{e}_7}1231\mathbf{2} \quad \Delta = -41, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1321\mathbf{e}_7 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} 12231513151\mathbf{2} \quad \Delta = -41, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$15131513221\mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{4,5} \mathbf{e}_7 1231\mathbf{4} \quad \Delta = -69, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $e_6 \overset{3,3}{\otimes} e_7 \overset{5,4}{\otimes} e_8 \overset{5,5}{\otimes} e_8 122315131$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1223151316} \quad \Delta = -147, \, n_+ = 1, \, n_- = 39, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{122315131\mathbf{5}} \quad \Delta = -121, \, n_+ = 1, \, n_- = 39, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{122315131\mathbf{2}} \quad \Delta = -69, \, n_+ = 1, \, n_- = 39, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{122315131} \quad \Delta = -70, \, n_+ = 1, \, n_- = 39, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{122315131\mathbf{3}} \quad \Delta = -77, \, n_+ = 1, \, n_- = 39, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1e_7' \otimes^{3,3} e_7 \otimes^{4,5} e_8 \otimes^{5,5} e_8 12231512$

$$1 \overset{321}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,3}{\mathbf{e}}_6 12 \quad \Delta = -67, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\mathfrak{e}_6^1 \otimes \mathfrak{e}_8^{3,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7^{5,4} 1^{21}$

$$1_{\mathbf{e}_6} \overset{1}{\otimes} \overset{3,5}{\mathbf{e}_8} \overset{5,5}{\otimes} \overset{5,4}{\mathbf{e}_8} \overset{5,4}{\otimes} \overset{3,21}{\mathbf{e}_7} 1 \quad \Delta = -67, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1_{\mathbf{e}_6}^1 \otimes_{\mathbf{e}_8}^{3,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_7}^{5,4} 1_{\mathbf{e}_7}^{21} \quad \Delta = -58, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1_{\mathfrak{e}_6}^{\mathbf{21}, 3,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes 1_{\mathfrak{e}_7}^{21} \quad \Delta = -58, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1_{\mathbf{e}_6}^{\mathbf{3}_1 \mathbf{3}_5} \otimes \mathbf{e}_8^{\mathbf{5}_5} \otimes \mathbf{e}_8^{\mathbf{5}_4} \otimes \mathbf{e}_7^{\mathbf{2}_1} 1 \quad \Delta = -66, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \overset{1}{e}_8 \otimes \overset{5,4}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes e_6 1$

$$1\mathbf{e}_8^{21,5,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_6^1 \quad \Delta = -114, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_8 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_6 1\mathbf{e}_2 \quad \Delta = -114, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_8 \otimes \overset{1}{\mathbf{e}_7} \otimes \overset{5,4}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_6} 1\mathbf{3} \quad \Delta = -122, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1 \overset{313221}{\epsilon_8} \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 1223132$

$$313221\overset{21}{\mathfrak{c}_8} \otimes \overset{5,5}{\mathfrak{c}_8} \otimes \overset{5,5}{\mathfrak{c}_8} 1223132 \quad \Delta = -61, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{2313221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \mathfrak{e}_8 1223132 \quad \Delta = -62, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $313221\epsilon_8 \overset{5,5}{\otimes} \overset{1}{\epsilon_8} \overset{5,5}{\otimes} \epsilon_8 \overset{4,2}{\otimes} 41$

$$14 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \overset{5,5}{\mathfrak{e}_8} 122313\textcolor{red}{2} \quad \Delta = -81, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$313221\epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{1}} \otimes \epsilon_8^{\overline{5,5}} \otimes 41\overline{3} \quad \Delta = -88, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$313221\mathfrak{e}_8 \overset{5,5}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{4,2}{\mathfrak{e}_8} \otimes 41\mathbf{4} \quad \Delta = -108, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$313221\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 41\textcolor{red}{2} \quad \Delta = -80, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $14 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{5,5}{\otimes} \mathfrak{e}_8 122222$

$$222221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \overset{1}{\mathbf{e}_8} \overset{2,4}{\otimes} 41\mathbf{3} \quad \Delta = -71, \, n_+ = 1, \, n_- = 39, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$14 \overset{2,4}{\otimes} \overset{21}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} 122222 \quad \Delta = -63, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$222221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \overset{2,4}{41\mathbf{2}} \quad \Delta = -63, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$222221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{1,2,4} 41\textcolor{red}{4} \quad \Delta = -91, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 413$

$$22221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{4,2}{413} \quad \Delta = -71, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 413\textcolor{red}{2} \quad \Delta = -72, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{5,5}{\otimes} \mathfrak{e}_8 12231$

$$414 \overset{4,2}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \overset{5,5}{\mathbf{e}_8} 12231\textcolor{red}{4} \quad \Delta = -128, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \overset{5,5}{\mathfrak{e}_8} 12231\textcolor{red}{2} \quad \Delta = -100, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \overset{5,5}{\mathfrak{e}_8} 12231\mathbf{5} \quad \Delta = -152, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $22221\epsilon_8 \overset{5,5}{\otimes} \overset{1}{\epsilon_8} \overset{5,5}{\otimes} \epsilon_8 12231512$

$$22221\mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} 12231512\mathbf{3} \quad \Delta = -96, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $22221\epsilon_8 \overset{5,5}{\otimes} \overset{1}{\epsilon_8} \overset{5,5}{\otimes} \overset{1}{\epsilon_8} 1223151$

$$22221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \overset{5,5}{\mathbf{e}_8} 1223151\mathbf{1} \quad \Delta = -95, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$22221\mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} 1223151\mathbf{2} \quad \Delta = -87, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1e_7 \overset{4,5}{\otimes} e_8 \overset{1}{\otimes} e_8 \overset{5,5}{\otimes} e_7 1$$

$$\begin{array}{ll} 21 \textcolor{red}{\mathfrak{e}}_8^{3221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1 \ 5,5} 12231512 & \Delta = -96, \ n_+ = 1, \ n_- = 39, \ n_0 = 0 \rightarrow \mathbb{P}^2 \\ 21 \mathfrak{e}_8^{221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1 \ 5,5} 12231512 \textcolor{red}{3} & \Delta = -96, \ n_+ = 1, \ n_- = 39, \ n_0 = 0 \rightarrow \mathbb{P}^2 \end{array}$$

$$\begin{array}{lll}
21 \overset{3221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{1}{\mathfrak{e}_8} \overset{5,5}{1223151} & \Delta = -96, \, n_+ = 1, \, n_- = 39, \, n_0 = 0 & \rightarrow \mathbb{P}^2 \\
21 \overset{221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \overset{1}{1223151} \mathbf{3} & \Delta = -95, \, n_+ = 1, \, n_- = 39, \, n_0 = 0 & \rightarrow \mathbb{P}^2 \\
21 \overset{221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \overset{1}{1223151} \mathbf{2} & \Delta = -87, \, n_+ = 1, \, n_- = 39, \, n_0 = 0 & \rightarrow \mathbb{F}_0
\end{array}$$

$$\begin{array}{ll} 21^{413221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231 & \Delta = -72, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 21^{213221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231 & \Delta = -44, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_3 \end{array}$$

$$\begin{array}{ll} 221 \textcolor{red}{\mathfrak{e}}_8^{3221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes 413 & \Delta = -80, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_1 \\ 221 \mathfrak{e}_8^{221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes 413 \textcolor{red}{\mathfrak{e}}_8^{4,2} & \Delta = -72, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_2 \end{array}$$

$221 \overset{3}{\mathbf{e}}_8^{221} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1,4,2} 41$	$\Delta = -72, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_1$
$221 \mathbf{e}_8^{221} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1,4,2} 41\mathbf{3}$	$\Delta = -71, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_0$
$221 \mathbf{e}_8^{221} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1,4,2} 41\mathbf{4}$	$\Delta = -91, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{P}^2$
$221 \mathbf{e}_8^{221} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1,4,2} 41\mathbf{2}$	$\Delta = -63, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_1$
$221 \mathbf{e}_8^{221} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{21,4,2} 41$	$\Delta = -63, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_2$

$$122315131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 131513221(12) \quad \Delta = -36, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$12321\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 131513221(12) \quad \Delta = -64, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$14 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 \overset{2,2}{\otimes} \mathfrak{e}_6 131513221 \text{ (12)} \quad \Delta = -89, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$14 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 123218 \quad \Delta = -2, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1223151321 \mathbf{e}_7^{\overset{3,3}{\otimes}} \mathbf{e}_7^{\overset{3,3}{\otimes}} \mathbf{e}_7^{\overset{3,3}{\otimes}} \mathbf{e}_7 1231513221 \textcolor{red}{(12)} \quad \Delta = -95, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1321e'_{\tau} \overset{3,3}{\otimes} e_{\tau} \overset{3,3}{\otimes} e_{\tau} \overset{3,3}{\otimes} e_{\tau} \overset{3,3}{\otimes} e_{\tau} 1231513221 \text{ (12)} \quad \Delta = -150, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$1321e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} 12315132217 \quad \Delta = -7, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1321\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7' 1231\mathbf{5} \quad \Delta = -9, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$123151321\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7' 123218 \quad \Delta = -37, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$12321\overset{3,3}{e_7'} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} 123151321\textcolor{red}{7} \quad \Delta = -9, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$12321\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1231513218 \quad \Delta = -37, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_5$$

Base: $131e_6 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7' 12321$

$$131\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 123217 \quad \Delta = -36, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$12321e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_6^{1316} \quad \Delta = -9, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\mathbf{e}_7' \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7' 12321\mathbf{7} \quad \Delta = -55, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$221\mathbf{e}'_{7\textcolor{red}{1}} \overset{3,3}{\otimes} \mathbf{e}'_{7\textcolor{red}{2}} \overset{3,3}{\otimes} \mathbf{e}'_{7\textcolor{red}{3}} \overset{3,3}{\otimes} \mathbf{e}'_{7\textcolor{red}{4}} \overset{3,3}{\otimes} \mathbf{e}'_{7\textcolor{red}{5}} 12321\mathbf{6} \quad \Delta = -28, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1e_7^{21} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} 12321$$

$$1\epsilon_{7'}^{21} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7'{}^{3,3} {}_{123217} \quad \Delta = -55, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1\epsilon'_{7^{21}} \otimes \epsilon_{7^{3,3}} \otimes \epsilon_{7^{3,3}} \otimes \epsilon_{7^{3,3}} \otimes \epsilon_{7^{3,3}} \otimes \epsilon'_{7^{3,3}} 123218 \quad \Delta = -83, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$2221\overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} 1231513221\overline{7} \quad \Delta = -26, n_+ = 1, n_- = 39, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $13221\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \epsilon_7 123151321$

$$13221e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} 1231513218 \quad \Delta = -63, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_5$$

Base: $1321e_7' \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 1222$

$$2221e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7' 12315 \quad \Delta = -28, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$13221\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_6^{3,3} 1315 \quad \Delta = -9, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$13221e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_6^{3,3} 1316 \quad \Delta = -35, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\overset{3,3}{e'_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} 12231\textcolor{red}{4} \quad \Delta = -4, \, n_+ = 1, \, n_- = 39, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\overset{21}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} 12231$$

$$16' \otimes c_7 \oplus c_7 \otimes c_7 \oplus c_7 \otimes c_7 \oplus c_7 \otimes c_{12} = -1; n_+ = +1; n_- = -30; n_0 = 0 \rightarrow \mathbb{R}_\pm$$

$$16' \otimes c_7 \oplus c_7 \otimes c_7 \oplus c_7 \otimes c_7 \oplus c_7 \otimes c_{12} = -28; n_+ = -1; n_- = -39; n_0 = 0 \rightarrow \mathbb{R}$$

$$\text{Base: } 21\epsilon_7^{21, 3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{21} 12$$

$$21\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{21} 12 \quad \Delta = -4, n_+ = 1, n_- = 39, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$T = 40 \quad (349 \text{ bases})$$

$$\text{Base: } 321\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8 1$$

$$321\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8 12 \quad \Delta = -121, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_8^{4,5} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{4,5} 123 \quad \Delta = -123, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\epsilon_7^{1, 3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8 12$$

$$1\epsilon_7^{21, 3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8 12 \quad \Delta = -112, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 314^{2,4} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 1223132$$

$$2313221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{2,4} 413 \quad \Delta = -61, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1414^{2,4} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 122222$$

$$222221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{2,4} 41413 \quad \Delta = -70, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$222221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{2,4} 41414 \quad \Delta = -90, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$222221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{2,4} 41412 \quad \Delta = -62, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 222221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 122315123$$

$$222221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 1223151232 \quad \Delta = -69, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 222221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{1, 5,5} 12231513$$

$$222221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{1, 5,5} 122315132 \quad \Delta = -67, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 131\epsilon_6^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7 12$$

$$21\epsilon_7^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{3,5} \otimes \epsilon_6 1315 \quad \Delta = -89, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21\epsilon_7^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{3,5} \otimes \epsilon_6 1314 \quad \Delta = -65, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\epsilon_6^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7 123 \quad \Delta = -46, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\epsilon_7^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{3,5} \otimes \epsilon_6 1312 \quad \Delta = -37, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\epsilon_7^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{3,5} \otimes \epsilon_6 1313 \quad \Delta = -45, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\epsilon_7^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{3,5} \otimes \epsilon_6 1316 \quad \Delta = -115, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 1\epsilon_7^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7 12$$

$$1\epsilon_7^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7 123 \quad \Delta = -66, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\epsilon_7^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{1,2} \quad \Delta = -57, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 21\epsilon_7^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7 12$$

$$21\epsilon_7^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7 123 \quad \Delta = -66, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\epsilon_7^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,5} \otimes \epsilon_7^{1,2} \quad \Delta = -66, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\epsilon_7^{1, 4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7 12$$

$$1\epsilon_7^{1, 4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7 123 \quad \Delta = -66, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^{21, 4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7 12 \quad \Delta = -57, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } \epsilon_6^{2,2} \otimes \epsilon_6^{5,3} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,5} \otimes \epsilon_7 12$$

$$\epsilon_6^{2,2} \otimes \epsilon_6^{5,3} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,5} \otimes \epsilon_7 123 \quad \Delta = -124, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_3$$

$15131513221\epsilon_8 \otimes_{\epsilon_8}^{\begin{smallmatrix} 5,5 \\ 4,5 \end{smallmatrix}} \epsilon_7 12321$	$\Delta = -14, n_+ = 1, n_- = 40, n_0 = 0$	$\rightarrow \mathbb{F}_4$
$15131513221\epsilon_8 \otimes_{\epsilon_8}^{\begin{smallmatrix} 5,5 \\ 4,5 \end{smallmatrix}} \epsilon_7 12321$	$\Delta = -147, n_+ = 1, n_- = 40, n_0 = 0$	$\rightarrow \mathbb{F}_2$
$15131513221\epsilon_8 \otimes_{\epsilon_8}^{\begin{smallmatrix} 5,5 \\ 4,5 \end{smallmatrix}} \epsilon_7 12321$	$\Delta = -119, n_+ = 1, n_- = 40, n_0 = 0$	$\rightarrow \mathbb{P}^2$
$15131513221\epsilon_8 \otimes_{\epsilon_8}^{\begin{smallmatrix} 5,5 \\ 4,5 \end{smallmatrix}} \epsilon_7 12321$	$\Delta = -66, n_+ = 1, n_- = 40, n_0 = 0$	$\rightarrow \mathbb{F}_1$

Base: $e_6 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{4,5}{\otimes} e_7 1231$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{1231} \quad \Delta = -41, \, n_+ = 1, \, n_- = 40, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{12314} \quad \Delta = -67, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{12312} \quad \Delta = -39, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{1231\mathbf{3}} \quad \Delta = -47, \, n_+ = 1, \, n_- = 40, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $\epsilon_6 \overset{3,3}{\otimes} \epsilon_7 \overset{5,4}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 1223151321$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1223151321\mathbf{3}} \quad \Delta = -49, \, n_+ = 1, \, n_- = 40, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1223151321\mathbf{2}} \quad \Delta = -41, \, n_+ = 1, \, n_- = 40, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{12231513218} \quad \Delta = -174, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{12231513216} \quad \Delta = -119, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{12231513214} \quad \Delta = -69, \, n_+ = 1, \, n_- = 40, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{12231513217} \quad \Delta = -146, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1\mathfrak{e}_6 \overset{4,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 1231$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 1231\mathbf{4} \quad \Delta = -67, \, n_+ = 1, \, n_- = 40, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{1231} \quad \Delta = -41, \quad n_+ = 1, \quad n_- = 40, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\mathbf{e}_7 \overset{5,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_6 \mathbf{13} \quad \Delta = -47, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{12313} \quad \Delta = -47, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\mathbf{e}_7 \otimes_{5,4} \mathbf{e}_8 \otimes_{5,5} \mathbf{e}_8 \otimes_{4,5} \mathbf{e}_6 12 \quad \Delta = -39, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{12312} \quad \Delta = -39, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{12315} \quad \Delta = -91, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $21\epsilon_6 \overset{3,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,4}{\otimes} \epsilon_7 1231$

$$21\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{12312} \quad \Delta = -38, \quad n_+ = 1, \quad n_- = 40, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\mathbf{e}_6 \overset{3,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \overset{\textcolor{red}{2}}{\mathbf{e}_7} 1231 \quad \Delta = -40, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\mathfrak{e}_6^{3,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7^{12315} \quad \Delta = -90, \quad n_+ = 1, \quad n_- = 40, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1321\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6 123 \quad \Delta = -47, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{12314} \quad \Delta = -66, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{1231\mathbf{3}} \quad \Delta = -46, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \overset{1}{e}_6 \otimes \overset{3,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,4}{e}_7 1231$

$$1\overset{2,1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 1231 \quad \Delta = -38, \quad n_+ = 1, \quad n_- = 40, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 1231\textcolor{red}{2} \quad \Delta = -38, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,4} 1231\mathbf{3} \quad \Delta = -46, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{5,4} 1231\mathbf{5} \quad \Delta = -90, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 \overset{2}{1231} \quad \Delta = -40, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\overset{3,1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 1231 \quad \Delta = -46, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{5,4} 1231\mathbf{e}_4 \quad \Delta = -66, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$21\overset{21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,3}{\mathbf{e}}_6 131$	$\Delta = -37, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_3$
$1\overset{21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,3}{\mathbf{e}}_6 131\mathbf{2}$	$\Delta = -37, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{P}^2$
$1\overset{21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,3}{\mathbf{e}}_6 131\mathbf{5}$	$\Delta = -89, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_4$
$\mathbf{3}21\overset{21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,3}{\mathbf{e}}_6 131$	$\Delta = -46, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_2$
$1\overset{21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,3}{\mathbf{e}}_6 131\mathbf{4}$	$\Delta = -65, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_3$
$1\overset{21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,3}{\mathbf{e}}_6 131\mathbf{3}$	$\Delta = -45, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_2$
$1\overset{21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,3}{\mathbf{e}}_6 131\mathbf{6}$	$\Delta = -115, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_5$

$$\begin{array}{ll}
1\overset{21}{\textcolor{red}{\textbf{e}}}_7^{\otimes 4,5} \otimes \overset{5,5}{\textbf{e}}_8^{\otimes 5,5} \otimes \overset{5,5}{\textbf{e}}_8^{\otimes 5,5} \otimes \overset{5,5}{\textcolor{red}{\textbf{e}}}_7^{\otimes 1,2} & \Delta = -57, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_2 \\
21\overset{21}{\textcolor{red}{\textbf{e}}}_7^{\otimes 4,5} \otimes \overset{5,5}{\textbf{e}}_8^{\otimes 5,5} \otimes \overset{5,5}{\textbf{e}}_8^{\otimes 5,5} \otimes \overset{5,5}{\textbf{e}}_7^{\otimes 1} & \Delta = -57, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_3 \\
3\overset{21}{\textcolor{red}{\textbf{e}}}_7^{\otimes 4,5} \otimes \overset{5,5}{\textbf{e}}_8^{\otimes 5,5} \otimes \overset{5,5}{\textbf{e}}_8^{\otimes 5,5} \otimes \overset{5,5}{\textbf{e}}_7^{\otimes 1} & \Delta = -66, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_2
\end{array}$$

$$\begin{array}{ll}
1\mathbf{e}_7^{21,4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7'12\mathbf{r} & \Delta = -66, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_3 \\
21\mathbf{e}_7^{21,4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7'12 & \Delta = -57, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1\mathbf{e}_7^{321,4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7'12 & \Delta = -66, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_2
\end{array}$$

$$\begin{array}{lll}
1\mathbf{e}'_7{}^1{}_{4,5} \otimes \mathbf{e}_8{}^{5,5} \otimes \mathbf{e}_8{}^{5,4} \otimes \mathbf{e}'_7{}^{321} 1 & \Delta = -66, \, n_+ = 1, \, n_- = 40, \, n_0 = 0 & \rightarrow \mathbb{F}_3 \\
1\mathbf{e}'_7{}^1{}_{4,5} \otimes \mathbf{e}_8{}^{5,5} \otimes \mathbf{e}_8{}^{5,4} \otimes \mathbf{e}'_7{}^{21} 1 & \Delta = -57, \, n_+ = 1, \, n_- = 40, \, n_0 = 0 & \rightarrow \mathbb{F}_0 \\
\mathbf{e}'_7{}^{21}{}_{4,5} \otimes \mathbf{e}_8{}^{5,5} \otimes \mathbf{e}_8{}^{5,4} \otimes \mathbf{e}'_7{}^{21} 1 & \Delta = -57, \, n_+ = 1, \, n_- = 40, \, n_0 = 0 & \rightarrow \mathbb{F}_3
\end{array}$$

$$\begin{array}{ll}
1\epsilon_8^{21} \otimes \epsilon_7^{5,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} & \Delta = -112, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_1 \\
1\epsilon_8^1 \otimes \epsilon_7^{5,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} & \Delta = -121, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_3
\end{array}$$

$$\begin{array}{ll}
1\text{e}_7' \otimes_{\text{e}_7} \text{e}_7 \otimes_{\text{e}_7} \text{e}_7 \otimes_{\text{e}_7} \text{e}_7 \otimes_{\text{e}_7} \text{e}_8 & \Delta = -112, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_0 \\
\text{e}_7' \otimes_{\text{e}_7} \text{e}_7 \otimes_{\text{e}_7} \text{e}_7 \otimes_{\text{e}_7} \text{e}_7 \otimes_{\text{e}_7} \text{e}_8 & \Delta = -112, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_1
\end{array}$$

$$\begin{array}{lll}
14 \begin{smallmatrix} 4,2 \\ \otimes \end{smallmatrix} \mathbf{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathbf{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathbf{e}_8 \begin{smallmatrix} 2,4 \\ \otimes \end{smallmatrix} 414 & \Delta = -99, \, n_+ = 1, \, n_- = 40, \, n_0 = 0 & \rightarrow \mathbb{P}^2 \\
14 \begin{smallmatrix} 4,2 \\ \otimes \end{smallmatrix} \mathbf{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathbf{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathbf{e}_8 \begin{smallmatrix} 2,4 \\ \otimes \end{smallmatrix} 413 & \Delta = -79, \, n_+ = 1, \, n_- = 40, \, n_0 = 0 & \rightarrow \mathbb{F}_0 \\
14 \begin{smallmatrix} 4,2 \\ \otimes \end{smallmatrix} \mathbf{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathbf{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathbf{e}_8 \begin{smallmatrix} 2,4 \\ \otimes \end{smallmatrix} 412 & \Delta = -71, \, n_+ = 1, \, n_- = 40, \, n_0 = 0 & \rightarrow \mathbb{F}_1
\end{array}$$

$$\begin{array}{llll}
2313221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes 41\textcolor{red}{4} & \Delta = -80, \, n_+ = 1, \, n_- = 40, \, n_0 = 0 & \rightarrow \mathbb{P}^2 \\
2313221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes 41\textcolor{red}{2} & \Delta = -52, \, n_+ = 1, \, n_- = 40, \, n_0 = 0 & \rightarrow \mathbb{F}_1 \\
14 \otimes \epsilon_8^{2,4} \otimes \textcolor{red}{2}1^{5,5} \otimes \epsilon_8^{5,5} \otimes 1223132 & \Delta = -52, \, n_+ = 1, \, n_- = 40, \, n_0 = 0 & \rightarrow \mathbb{F}_2 \\
2313221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes 41\textcolor{red}{3} & \Delta = -60, \, n_+ = 1, \, n_- = 40, \, n_0 = 0 & \rightarrow \mathbb{F}_0
\end{array}$$

$$\begin{array}{l} 1 \text{ } ^{2313221} \text{ } ^{5,5} \otimes \text{ } ^{5,5} \otimes \text{ } ^{4,2} \text{ } ^{413} \quad \Delta = -60, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_2 \\ 1 \text{ } ^{313221} \text{ } ^{5,5} \otimes \text{ } ^{5,5} \otimes \text{ } ^{4,2} \text{ } ^{413} \text{ } ^{\text{red}} \quad \Delta = -60, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_2 \end{array}$$

$$21^{213221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes 41^{4,2} \quad \Delta = -43, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{21} 5^{13} 2^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 2^1 1^{22} 2^2$

$$21513221 \overset{21}{\epsilon}_8 \overset{5,5}{\otimes} \overset{5,5}{\epsilon}_8 \overset{21}{\epsilon}_8 1222 \quad \Delta = -58, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{321513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 1222 \quad \Delta = -67, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21 \overset{221}{\epsilon_8} \overset{5,5}{\otimes} \overset{1}{\epsilon_8} \overset{5,5}{\otimes} \epsilon_8 122315131$

$$21 \mathfrak{e}_8^{221\ 5,5\ 1\ 5,5} \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 122315131\mathbf{2} \quad \Delta = -66, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21 \overset{221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{1}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} 122315131\mathbf{3} \quad \Delta = -74, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21^{221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} 1223151316 \quad \Delta = -144, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21 \overset{221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{1}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} 122315131\textcolor{red}{4} \quad \Delta = -94, \, n_+ = 1, \, n_- = 40, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21^{221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} {}^{122315131} \Delta = -67, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21 \overset{3,2,2,1}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{1}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} 122315131 \quad \Delta = -75, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 1222$

$$1^{31513221} \otimes^{5,5} \mathfrak{e}_8 \otimes^{5,5} \mathfrak{e}_8^{21} 1222 \quad \Delta = -66, \, n_+ = 1, \, n_- = 40, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{21513221} \otimes^{5,5} \mathfrak{e}_8 \otimes^{5,5} \mathfrak{e}_8^{21} 1222 \quad \Delta = -58, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\begin{array}{ccccc} 2221(12)12321513221(12)12231513221(12)12231 & & & & \\ 1 & & 5 & & 1 \end{array} \quad \Delta = -58, \quad n_+ = 1, \quad n_- = 40, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $221^{221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 4141$

$$221^{221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 4141\mathbf{3} \quad \Delta = -70, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221 \text{ } \overset{3}{\text{e}}_8 \otimes \text{e}_8 \otimes \text{e}_8 \otimes 11110 \quad \Delta = -70, n_+ = 1, n_- = 10, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221 \text{ } \overset{5,5}{\text{e}}_8 \otimes \overset{5,5}{\text{e}}_8 \otimes \overset{4,2}{\text{e}}_8 \otimes 4141 \quad \Delta = -71, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221 \overset{221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4141\textcolor{red}{4} \quad \Delta = -90, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$221 \overset{221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4141\textcolor{red}{2} \quad \Delta = -62, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $221^{221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8 122315123$

$$221 \overset{3}{\mathbf{e}}_8^{221} \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 122315123 \quad \Delta = -76, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$221 \overset{221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{5,5}{\otimes} \mathfrak{e}_8 122315123\mathbf{2} \quad \Delta = -69, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $221^{221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}_8^1 12231513$

$$221 \overset{3}{\epsilon}_8^{221} \overset{5,5}{\otimes} \overset{5,5}{\epsilon}_8 \overset{5,5}{\otimes} \overset{1}{\epsilon}_8 12231513 \quad \Delta = -75, \quad n_+ = 1, \quad n_- = 40, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$221^{221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{122315132} \quad \Delta = -67, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{221} 122$

$$21513221 \overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \overset{221}{122} \quad \Delta = -58, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{321513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{221} 122 \quad \Delta = -67, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{221} 122\mathbf{3} \quad \Delta = -67, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{221} 122$

$$1^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 122\mathbf{3} \quad \Delta = -67, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\begin{array}{ccccc} 1 & & 5 & & 1 \\ 221(12) & 12231513221(12) & 12231513221(12) & 12231 & \\ \Delta = -58, n_+ = 1, n_- = 40, n_0 = 0 & \rightarrow \mathbb{F}_2 \end{array}$$

$$1 \overset{21513221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{221}{\otimes} 122 \quad \Delta = -58, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{31513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{221} 122 \quad \Delta = -66, n_+ = 1, n_- = 40, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $122315131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2}$ 131512

$$215131\mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} \otimes \mathfrak{e}_6^{2,2} 131513221(12) \quad \Delta = -84, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \stackrel{5}{e}_7 \stackrel{13}{e}_7 \stackrel{21}{e}_7 \stackrel{3,3}{\otimes} e_7 \stackrel{3,3}{\otimes} e_7 \stackrel{3,3}{\otimes} e_7 \stackrel{3,3}{\otimes} e_7 \stackrel{3,3}{\otimes} e_7 \stackrel{21}{e}_7 \Delta = -27, n_+ = 1, n_- = 40, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_6^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} 12231513221\mathbf{6} \quad \Delta = -90, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,4} 12321\bar{5} \quad \Delta = -63, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 12321\mathbf{2} \quad \Delta = -11, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{2,1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 12321 \quad \Delta = -11, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 123218 \quad \Delta = -144, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1\epsilon_6^{1,3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7^{123216} \quad \Delta = -89, \quad n_+ = 1, \quad n_- = 41, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1e_6^{1,3,5} \otimes e_8^{5,5} \otimes e_8^{5,4} \otimes e_7^{123217} \quad \Delta = -116, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,4} 123214 \quad \Delta = -39, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{31} \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,4} 12321 \quad \Delta = -19, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $e_7' \overset{3,3}{\otimes} e_7 \overset{5,4}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{3,5}{\otimes} e_6 1$

$$\mathbf{e}'_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_6 \mathbf{1}^{\mathbf{3}} \quad \Delta = -124, \, n_+ = 1, \, n_- = 41, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1e'_7 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7 1231$

$$1321\mathbf{e}_7 \overset{5,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}'_{712} \quad \Delta = -37, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}'_7 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 1231\mathbf{3} \quad \Delta = -45, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7' \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,4}{\otimes} \epsilon_7 12315 \quad \Delta = -89, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\epsilon_7' \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,4}{\otimes} \epsilon_7 \overset{2}{1231} \quad \Delta = -39, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7' \otimes_{\mathbb{F}_8}^{\mathbb{F}_8} \epsilon_8 \otimes_{\mathbb{F}_8}^{\mathbb{F}_8} \epsilon_8 \otimes_{\mathbb{F}_7}^{\mathbb{F}_7} 1231 = 33, n_+ = 1, n_- = 11, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\epsilon_7' \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_7 | 231 \rangle \Delta = -51, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1e'_7 \overset{3,3}{\otimes} e_7 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 1223151321$

$$1e_7' \otimes^{3,3} e_7 \otimes^{4,5} e_8 \otimes^{5,5} e_8 1223151321\mathbf{3} \quad \Delta = -47, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}'_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{4,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 1223151321\mathbf{5} \quad \Delta = -91, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1e_7' \overset{3,3}{\otimes} e_7 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 1223151321\mathbf{6} \quad \Delta = -117, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}'_7 \otimes \mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 12231513214 \quad \Delta = -67, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\epsilon_7' \otimes \epsilon_7 \quad \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} \quad \begin{smallmatrix} 4,5 \\ \otimes \end{smallmatrix} \quad \epsilon_8 \otimes \epsilon_8 \quad 12231513211 \quad \Delta = -39, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$12315|322|\overset{5,5}{\epsilon_8} \otimes \overset{4,5}{\epsilon_9} \otimes \overset{3,3}{\epsilon_7} \otimes \epsilon'_7 | 1? \quad \Lambda = -39, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1251515221\bar{e}_8 \otimes \bar{e}_8 \otimes \bar{e}_7 \otimes \bar{e}_7 12 \quad \Delta = -59, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{R}_1$$

$$1c'_{7'} \otimes c_{7'} \otimes c_{8'} \otimes c_{8'} | 223151321 \rangle \quad \Delta = -172, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow F_5$$

Base: $21e_7' \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7 1231$

$$21e_7' \otimes_{e_8}^{4,5} \otimes_{e_8}^{5,5} \otimes_{e_7}^{5,4} 12315 \quad \Delta = -89, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21e_7' \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7 \overset{2}{1231} \quad \Delta = -39, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321e_7 \otimes e_8 \otimes e_8 \otimes e_7' 123 \quad \Delta = -46, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\epsilon_7' \begin{smallmatrix} 4,5 \\ \otimes \end{smallmatrix} \epsilon_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \epsilon_8 \begin{smallmatrix} 5,4 \\ \otimes \end{smallmatrix} \epsilon_7 12314 \quad \Delta = -65, \quad n_+ = 1, \quad n_- = 41, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21_{\ell'} \otimes_{\mathbb{C}} \varepsilon_8 \otimes_{\mathbb{C}} \varepsilon_8 \otimes_{\mathbb{C}} \varepsilon_7 1231 \mathbf{4} \quad \Delta = -55, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\bar{6}' \otimes \bar{e}_8 \otimes \bar{e}_8 \otimes \bar{e}_7 1231\bar{9} \quad \Delta = -49, \quad n_+ = 1, \quad n_- = 41, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1e_7^1 \otimes e_8^{4,5} \otimes e_8^{5,5} \otimes e_7^{5,4} 1231$$

$$1\epsilon_7^1 \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,4} 1231\mathbf{3} \quad \Delta = -45, \quad n_+ = 1, \quad n_- = 41, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$16 \otimes 8 \otimes 8 \otimes 8 \otimes 1231 \quad \Delta = -49, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow E_7$$

$$1\bar{e}_7 \otimes e_8 \otimes e_8 \otimes e_7 1251 \quad \Delta = -51, \quad n_+ = 1, \quad n_- = 41, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_7 1231\mathbf{2} \quad \Delta = -3I, \quad n_+ = 1, \quad n_- = 41, \quad n_0 = 0 \quad \rightarrow \mathbb{P}$$

$$1\epsilon_7^1 \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,4} 12314 \quad \Delta = -65, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8^{5,5} 1223151315$

Base: $21\epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8^{5,5} \epsilon_8 122315131$

$$21\epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8^{5,5} 1223151314 \quad \Delta = -94, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131513221\mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_7 \overset{3,3}{\otimes} \mathfrak{e}_7 \mathbf{123} \quad \Delta = -75, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21e_7 \overset{3,3}{\otimes} e_7 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 122315131\textcolor{red}{3} \quad \Delta = -74, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_7 \overset{1}{\otimes} \overset{5,5}{\mathbf{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathbf{e}_8} \overset{5,5}{\otimes} \mathbf{e}_{7123} \quad \Delta = -65, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_7^1 \otimes^{5,5} \epsilon_8 \otimes^{5,5} \epsilon_8 \otimes^{5,4} \epsilon_7 122$

$$1\mathbf{e}_7^{1,5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \mathbf{e}_7 122\mathbf{3} \quad \Delta = -65, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{\textcolor{red}{2}}{e_7} \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7 1 \quad \Delta$$

$$1\mathbf{e}_7 \overset{1}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 122315131\mathbf{2} \quad \Delta = -66, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\overset{1}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{4,5}{e}_8 \otimes \overset{5,5}{e}_8 122315131 \overset{2}{\quad} \Delta = -67, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\overset{1}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{4,5}{e}_8 \otimes \overset{5,5}{e}_8 122315131\textcolor{red}{5} \quad \Delta = -118, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\overset{1}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{4,5}{e}_8 \otimes \overset{5,5}{e}_8 122315131\mathbf{3} \quad \Delta = -74, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1 \overset{3,21}{\mathbf{e}_7} \otimes \overset{4,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_7} 12 \quad \Delta = -65, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{5,5} \otimes \mathbf{e}_7^{12} \quad \Delta = -56, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\overset{21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 122\mathbf{3} \quad \Delta = -65, \, n_+ = 1, \, n_- = 41, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{5,4} 122 \quad \Delta = -56, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\overset{2,1}{e_7} \otimes \overset{4,5}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,5}{e_7} \overset{1}{1} \quad \Delta = -56, \quad n_+ = 1, \quad n_- = 41, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{321}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_7 1 \quad \Delta = -65, \, n_+ = 1, \, n_- = 41, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \overset{21}{\mathfrak{e}_7} \otimes \overset{4,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,4}{\mathfrak{e}_8} \otimes \overset{21}{\mathfrak{e}_7} 1$

$$1 \overset{3,21}{\mathbf{e}_7} \otimes \overset{4,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,4}{\mathbf{e}_8} \overset{21}{\mathbf{e}_7} 1 \quad \Delta = -65, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\overset{21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 \overset{21}{1} \quad \Delta = -56, \, n_+ = 1, \, n_- = 41, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1e_8^1 \otimes e_7^{5,4} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} 122$

$$1e_8^{21} \otimes e_7^{5,4} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \quad \Delta = -111, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_8 \overset{1}{\otimes} \mathbf{e}_7 \overset{5,4}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 122\mathbf{2} \quad \Delta = -120, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1_{e_7}^{21} \otimes_{e_7}^{3,3} \otimes_{e_7}^{3,3} \otimes_{e_7}^{3,3} \otimes_{e_7}^{3,3} \otimes_{e_7}^{4,5} 1_{e_8}$

$$1 \overset{3,21}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{4,5}{\mathbf{e}_7} \otimes \overset{1}{\mathbf{e}_8} 1 \quad \Delta = -120, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\overset{21}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{3,3}{e}_7 \otimes \overset{4,5}{e}_7 \otimes \overset{1}{e}_8 \quad \Delta = -111, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{21, 3, 3} \otimes \epsilon_7^{3, 3} \otimes \epsilon_7^{3, 3} \otimes \epsilon_7^{3, 3} \otimes \epsilon_7^{4, 5} \otimes \epsilon_8^1 \mathbf{12} \quad \Delta = -111, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $14 \overset{2,4}{\otimes} \overset{1}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{4,2}{\otimes} 413$

$$314 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{2,4}{\otimes} 41\mathbf{3} \quad \Delta = -58, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$14^{2,4} \otimes \mathfrak{e}_8^{1,5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 413\mathbf{2} \quad \Delta = -51, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$314 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \overset{2,4}{412} \quad \Delta = -50, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$14^{2,4} \otimes \mathfrak{e}_8^{21} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes 413^{4,2} \quad \Delta = -50, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$314 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \overset{2,4}{414} \quad \Delta = -78, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{313221} \text{e}_8 \otimes^{5,5} \text{e}_8 \otimes^{5,5} \text{e}_8 \otimes^{4,2} 4141$

$$1^{313221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,2} 4141\mathbf{4} \quad \Delta = -78, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{313221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,2} 4141\mathbf{3} \quad \Delta = -58, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{2313221} \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,2}{\otimes} 4141 \quad \Delta = -51, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$313221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{4,2}{4141} \quad \Delta = -50, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{313221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 4141\textcolor{red}{2} \quad \Delta = -50, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{21513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 1223132$

$$1^{321513221} \otimes^{5,5} \mathfrak{e}_8 \otimes^{5,5} \mathfrak{e}_8 \otimes \mathfrak{e}_8 1223132 \quad \Delta = -56, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21513221\overset{21}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 1223132 \quad \Delta = -47, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $21513221\epsilon_8 \otimes^{5,5} \epsilon_8 \otimes^1 \epsilon_8 \otimes^{5,5} \epsilon_8 \otimes^{4,2} 41$

$$21513221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,2}{\otimes} 41\mathbf{4} \quad \Delta = -94, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21513221\mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,2}{\otimes} 41\mathbf{2} \quad \Delta = -66, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21513221\mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,2}{\otimes} 41\mathbf{3} \quad \Delta = -74, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$14^{4,2} \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,5,5} 122315123 \quad \Delta = -75, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1^{313221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^{122315123}$

$$1^{2313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 122315123 \quad \Delta = -56, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$313221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 122315123 \quad \Delta = -55, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{122315123\mathbf{2}} \quad \Delta = -57, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{13} 15^{13} 22^{21} \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 122222$

$$1^{4131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{122222} \quad \Delta = -65, \quad n_+ = 1, \quad n_- = 41, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{6131513221} \otimes^{5,5} \mathfrak{e}_8 \otimes^{5,5} \mathfrak{e}_8 122222 \quad \Delta = -115, n_+ = 1, n_- = 41, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

[illegible]

[illegible]

$$\begin{array}{ll}
1\text{c}_7^1 \otimes \text{c}_8^{4,5} \otimes \text{c}_8^{5,5} \otimes \text{c}_7^{5,4} 12321\text{2} & \Delta = -10, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1\text{c}_7^{21} \otimes \text{c}_8^{4,5} \otimes \text{c}_8^{5,5} \otimes \text{c}_7^{5,4} 12321 & \Delta = -10, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_3 \\
1\text{c}_7^1 \otimes \text{c}_8^{4,5} \otimes \text{c}_8^{5,5} \otimes \text{c}_7^{5,4} 12321\text{4} & \Delta = -38, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_2 \\
1\text{c}_7^1 \otimes \text{c}_8^{4,5} \otimes \text{c}_8^{5,5} \otimes \text{c}_7^{5,4} 12321\text{3} & \Delta = -18, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{P}^2 \\
1\text{c}_7^1 \otimes \text{c}_8^{4,5} \otimes \text{c}_8^{5,5} \otimes \text{c}_7^{5,4} 12321\text{7} & \Delta = -115, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_5
\end{array}$$

Base: $1321e_7 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7 12$

$$21\mathbf{e}_7 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 1231\mathbf{2} \quad \Delta = -36, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$21\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7 12314 \quad \Delta = -64, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\overset{2}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_7 12 \quad \Delta = -38, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{1231\mathbf{3}} \quad \Delta = -44, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\overset{5,5}{\mathbf{e}_7} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{4,5}{\mathbf{e}_8} \otimes \mathbf{e}_7 1231\mathbf{5} \quad \Delta = -88, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1321\mathbf{e}_7 \overset{4,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_7 123 \quad \Delta = -45, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $221\epsilon_7 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,4}{\otimes} \epsilon_7 1231$

$$221\mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 1231\mathbf{4} \quad \Delta = -64, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\overset{4,5}{\mathbf{e}}_7 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_8 \otimes \overset{2}{\mathbf{e}}_7 1231 \quad \Delta = -38, \, n_+ = 1, \, n_- = 42, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221\mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{1231\mathbf{3}} \quad \Delta = -44, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221e_7^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,4} \otimes e_7^{12315} \quad \Delta = -88, \quad n_+ = 1, \quad n_- = 42, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$221e_7^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,4} \otimes e_7^{12312} \quad \Delta = -36, \quad n_+ = 1, \quad n_- = 42, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\epsilon_7^{\overline{5,4}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{4,5}} \otimes \epsilon_7^{122\overline{3}} \quad \Delta = -45, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1e_6 \overset{3,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7 \overset{3,3}{\otimes} e_7 1$

$$1\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{5,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{3,5}{\otimes} \mathbf{e}_6 \mathbf{1} \mathbf{3} \quad \Delta = -123, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7 \mathbf{12} \quad \Delta = -115, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6 1\mathbf{2} \quad \Delta = -115, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $21e_7 \overset{3,3}{\otimes} e_7 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 1223151321$

$$21\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{4,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 1223151321\mathbf{4} \quad \Delta = -66, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21e_7 \overset{3,3}{\otimes} e_7 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 1223151321\mathbf{2} \quad \Delta = -38, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1231513221 \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \mathbf{123} \quad \Delta = -47, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{4,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 1223151321\mathbf{8} \quad \Delta = -171, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$21\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{4,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 1223151321\mathbf{5} \quad \Delta = -90, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1223151321\mathbf{3}} \quad \Delta = -46, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{4,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 1223151321\mathbf{6} \quad \Delta = -116, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8 12231513217 \quad \Delta = -143, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1 \overset{1}{e_7} \otimes \overset{5,5}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,4}{e_7} 1231$

$$1\overset{1}{e_7}\overset{5,5}{\otimes}\overset{5,5}{e_8}\overset{5,4}{\otimes}\overset{2}{e_7}1231 \quad \Delta = -38, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{1,5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7^{1231\mathbf{3}} \quad \Delta = -44, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{1,5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7^{12315} \quad \Delta = -88, \quad n_+ = 1, \quad n_- = 42, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\epsilon_7^{1,5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7^{12314} \quad \Delta = -64, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\overset{21}{\mathbf{e}}_7 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 1231 \quad \Delta = -36, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^{1,5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7^{12312} \quad \Delta = -36, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$14 \overset{2,4}{\otimes} \mathbf{c}_8 \overset{1}{\otimes} \mathbf{c}_8 \overset{5,5}{\otimes} \mathbf{c}_8 122315123\mathbf{2} \quad \Delta = -48, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$321513221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes 41\mathbf{3}^{2,4} \quad \Delta = -54, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$14 \overset{2,4}{\otimes} \overset{21}{\mathfrak{e}_8} \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 122315123 \quad \Delta = -46, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321513221 \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes 41\bar{2}^{2,4} \quad \Delta = -46, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$321513221 \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes 414^{2,4} \quad \Delta = -74, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 1223132$

$$1^{4131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 1223132 \quad \Delta = -54, \, n_+ = 1, \, n_- = 42, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{61315153221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \mathfrak{e}_8 1223132 \quad \Delta = -104, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{2131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 1223132 \quad \Delta = -26, \quad n_+ = 1, \quad n_- = 42, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$131513221\mathbf{e}_8^{21} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 1223132 \quad \Delta = -26, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{3131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \mathfrak{e}_8 1223132 \quad \Delta = -34, \quad n_+ = 1, \quad n_- = 42, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8} 1223132 \quad \Delta = -27, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{5131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 1223132 \quad \Delta = -78, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: 131513221 $\epsilon_8^{5,5}$ $\otimes$ ϵ_8^1 $\otimes$ $\epsilon_8^{5,5}$ $\otimes$ $\epsilon_8^{4,2}$ 41

$$14 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \overset{5,5}{\mathfrak{e}_8} 122315131\textcolor{red}{2} \quad \Delta = -45, \, n_+ = 1, \, n_- = 42, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$14 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \mathfrak{e}_8 12315131\mathbf{5} \quad \Delta = -97, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$131513221\epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes 41\mathbf{3} \quad \Delta = -53, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$14 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{1}{\otimes} \overset{5,5}{\otimes} \mathfrak{e}_8 12315131\mathbf{3} \quad \Delta = -53, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$14 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \mathfrak{e}_8 122315131\mathbf{6} \quad \Delta = -123, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131513221\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes 41^{4,2} \quad \Delta = -46, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$131513221\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes 414^{4,2} \quad \Delta = -73, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \overset{5,5}{\mathfrak{e}_8} 122315131\textcolor{red}{4} \quad \Delta = -73, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$131513221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,2}{\otimes} 41\mathbf{2} \quad \Delta = -45, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\text{Base: } 4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8^{313221} 1$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{2313221}{\mathfrak{e}_8} 1 \quad \Delta = -54, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{313221}{\otimes} \mathbf{1}^{\mathbf{red}} \quad \Delta = -53, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1^{1231513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{122222}$

$$1^{81231513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{122222} \quad \Delta = -142, \quad n_+ = 1, \quad n_- = 42, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{41231513221}{\otimes_8} \overset{5,5}{\otimes_8} \overset{5,5}{\otimes_8} 122222 \quad \Delta = -37, \quad n_+ = 1, \quad n_- = 42, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{31231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8} 122222 \quad \Delta = -17, \quad n_+ = 1, \quad n_- = 42, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1231513221 \overset{21}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} 122222 \quad \Delta = -9, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{21231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \mathfrak{e}_8 122222 \quad \Delta = -9, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1^{61231513221} \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8^{122222} \quad \Delta = -87, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{51231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{122222} \quad \Delta = -61, \quad n_+ = 1, \quad n_- = 42, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{71231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 122222 \quad \Delta = -114, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } 313221\epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{1}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 1223151321$$

$$313221\epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{1}{\otimes} \epsilon_8 \overset{5,5}{1223151321} \mathbf{8} \quad \Delta = -159, \quad n_+ = 1, \quad n_- = 42, \quad n_0 = 0 \quad \rightarrow \mathbb{F}$$

$$313221\epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 12231513217 \quad \Delta = -131, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$313221\epsilon_8 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{1,5} 12231513216 \quad \Delta = -104, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 12231513214 \quad \Delta = -37, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1^{13221} \otimes_{\mathfrak{e}_8}^{5,5} 1^{5,5} \otimes_{\mathfrak{e}_8} 1223151321$

$$1^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} 12231513214 \quad \Delta = -46, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{313221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,5} \otimes \mathfrak{e}_8^{1223151321} \quad \Delta = -26, \, n_+ = 1, \, n_- = 42, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} 1223151321 \mathbf{3} \quad \Delta = -26, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} 1223151321 \mathbf{6} \quad \Delta = -96, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} 1223151321 \mathbf{7} \quad \Delta = -123, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} 1223151321 \mathbf{2} \quad \Delta = -18, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{213221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,5} \otimes \mathfrak{e}_8^{1223151321} \quad \Delta = -18, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{413221} \otimes_{\mathfrak{e}_8}^{5,5} 1^{5,5} \otimes_{\mathfrak{e}_8} 1^{5,5} \otimes_{\mathfrak{e}_8} 1223151321 \quad \Delta = -46, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} 1223151321 \mathbf{8} \quad \Delta = -151, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$13221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{1}{\mathfrak{e}}_8 \overset{5,5}{1223151321} \quad \Delta = -18, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{13221} \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} 12231513215 \quad \Delta = -70, \quad n_+ = 1, \quad n_- = 42, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} 1223151321 \quad \Delta = -70, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \overset{2221}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \overset{1}{\otimes} \overset{5,5}{\epsilon_8} 12231513221$

$$1 \overset{2221}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{1}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} 12231513221\mathbf{7} \quad \Delta = -114, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{2221}{\mathbf{e}}_8 \overset{5,5}{\otimes} \overset{1}{\mathbf{e}}_8 \overset{5,5}{\otimes} \mathbf{e}_8 12231513221 \mathbf{3} \quad \Delta = -17, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{2221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} 12231513221 \mathbf{5} \quad \Delta = -61, \quad n_+ = 1, \quad n_- = 42, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$2221\overset{21}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{1}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} 12231513221 \quad \Delta = -9, \quad n_+ = 1, \quad n_- = 42, \quad n_0 = 0 \quad \rightarrow \mathbb{F}$$

$$1^{2221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} 12231513221 \mathbf{6} \quad \Delta = -87, \quad n_+ = 1, \quad n_- = 42, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{2221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} 12231513221 \mathbf{8} \quad \Delta = -142, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{2221} \mathfrak{e}_8^{\otimes 5.5} \otimes \mathfrak{e}_8^{\otimes 1} \otimes \mathfrak{e}_8^{\otimes 5.5} 122315132214 \quad \Delta = -37, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{2221} \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} 12231513221 \mathbf{2} \quad \Delta = -9, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1_{\mathfrak{e}_8}^{2221} \otimes_{\mathfrak{e}_8}^{5,5} 1_{\mathfrak{e}_8} \otimes_{\mathfrak{e}_8}^{5,5} 12231513221 \text{ (12)} \quad \Delta = -257, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_7$$

Base: $1^{15} 1^3 2^2 1^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 1^1 4,2$ 41

$$1^{1513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^{21} \epsilon_8^{4,2} \otimes 41 \quad \Delta = -37, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{1513221} \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes 41 \quad \Delta = -57, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{1513221} \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes 41 \quad \Delta = -45, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1_{\text{e}_8} \otimes \text{e}_8 \otimes \text{e}_8 \otimes \text{e}_8 \otimes \text{e}_8 \quad \Delta = -40, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_7$$

$$1_{1413221(12)1231513221(12)12231513221(12)12231} \quad \Delta = -37, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{21513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes 41^{4,2} \quad \Delta = -37, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,4,2} 41\mathbf{red} \quad \Delta = -37, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,4,2} 41\textcolor{red}{4} \quad \Delta = -65, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{31513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,4,2} \otimes 41 \quad \Delta = -45, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $e_6 \overset{5,3}{\otimes} e_8 \overset{1}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{13221}{\otimes} 1$

$$\mathbf{e}_6^{5,3} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \mathbf{e}_8^{13221} \quad \Delta = -147, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\epsilon_6^{\otimes 5} \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes 1 \quad \Delta = -141, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\epsilon_6^{5,3} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{413221} \otimes 1 \quad \Delta = -123, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\mathfrak{e}_6^{5,3} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{13221} \otimes \mathfrak{e}_8^1 \quad \Delta = -95, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } e_7' \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{1}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{221}{\otimes} 1$$

$$e'_7 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{1}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{3221}{\otimes} 1 \quad \Delta = -123, n_+ = 1, n_- = 42, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1 \epsilon_8^{221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7^1$$

$$21^{221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} 12231513221\mathbf{7} \quad \Delta = -114, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $e_7' \otimes^{5,4} e_8 \otimes^{1,5,5} e_8 \otimes^{5,5} e_8^{221} 12$

Base: $1^{1231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{221} 122$

Base: $12315131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 131513221$

Base: $13151321 \epsilon_7^{\otimes 3,3} \otimes \epsilon_7^{\otimes 3,3} \otimes \epsilon_7^{\otimes 3,3} \otimes \epsilon_7^{\otimes 3,3} 123151321$

$$1^{1321} e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^1 123218 \quad \Delta = -61, n_+ = 1, n_- = 42, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$T = 43 \quad (376 \text{ bases})$$

Base: $e_8^{4,5} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{1231513}$

$$e_8^{4,5} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} 1231513 \textcolor{red}{2} \quad \Delta = -123, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $512321e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{4,5}{\otimes} e_8 1$

$$512321\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_{812} \quad \Delta = -116, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $151321e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{4,5}{\otimes} e_8 1$

$$1e_8 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7 123151 \textcolor{red}{2} \quad \Delta = -114, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_8 \otimes \overset{4,5}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} 123151\mathbf{3} \quad \Delta = -122, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$151321e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{4,5} \otimes e_8^{12} \quad \Delta = -114, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $12321\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{4,5}{\otimes} \epsilon_8 12$

$$21e_8 \overset{4,5}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 123214 \quad \Delta = -92, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21e_8 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7 123216 \quad \Delta = -142, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21e_8 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7 12321 \textcolor{red}{2} \quad \Delta = -64, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21e_8 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7 123218 \quad \Delta = -197, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21e_8 \overset{4,5}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 12321\textcolor{red}{3} \quad \Delta = -72, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21e_8 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7 \otimes e_7 123217 \quad \Delta = -169, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,2}{\otimes} 4141$

$$1414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{2,4}{\otimes} 4141\mathbf{3} \quad \Delta = -48, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{2,4}{\otimes} 4141\textcolor{red}{4} \quad \Delta = -68, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1414 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{2,4}{\otimes} 4141\textcolor{red}{2} \quad \Delta = -40, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $1414 \overset{2,4}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 122315123$

$$321513221 \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{2,4} 4141\mathbf{4} \quad \Delta = -73, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$321513221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{2,4} 4141\mathbf{2} \quad \Delta = -45, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 122315123\mathbf{2} \quad \Delta = -47, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321513221\epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{2,4}{\otimes} 4141\mathbf{3} \quad \Delta = -53, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $321513221\epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 122315123$

$$321513221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 122315123\mathbf{2} \quad \Delta = -52, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{2,4}{\otimes} 413$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{2,4}{\otimes} 413\mathbf{2} \quad \Delta = -53, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $2313221\epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231513151$

$$2313221\mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513151\mathbf{3} \quad \Delta = -57, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2313221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513151\mathbf{2} \quad \Delta = -49, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513 \overset{1}{}$

$$31 \quad \begin{smallmatrix} 4141413221(12)12231513221(12)12231513221(12)12231 \\ 5 \end{smallmatrix} \quad 1 \quad \Delta = -72, \quad n_+ = 1, \quad n_- = 43, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$31^{2141413221(12)12231513221(12)12231513221(12)12231} 5 1 \quad \Delta = -44, \quad n_+ = 1, \quad n_- = 43, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

[illegible]

$$21\mathbf{e}_8^{21} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_7^1 \mathbf{12} \quad \Delta = -113, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21^{513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513217 \quad \Delta = -146, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21^{513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 123151321\mathbf{8} \quad \Delta = -174, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$21^{513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513214 \quad \Delta = -69, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21^{513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8 1223151321 \textcolor{red}{2} \quad \Delta = -41, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21 \quad \overset{513221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{5,5}{\otimes} \mathfrak{e}_8 1223151321\mathbf{6} \quad \Delta = -119, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21^{513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1223151321} \mathbf{3} \quad \Delta = -49, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21^{413221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513215 \quad \Delta = -69, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21 \overset{5}{\mathfrak{e}}_8^{13221} \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513215 \quad \Delta = -93, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21^{213221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513215 \quad \Delta = -41, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21^{213221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 12231513151 \quad \Delta = -40, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21^{5,13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513151 \quad \Delta = -92, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21^{413221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513151 \quad \Delta = -68, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21 \overset{13221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{5,5}{\otimes} \mathfrak{e}_8 12231513151\textcolor{red}{2} \quad \Delta = -40, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21 \begin{smallmatrix} 13221 \\ \mathfrak{e}_8 \end{smallmatrix} \otimes \begin{smallmatrix} 5,5 \\ \mathfrak{e}_8 \end{smallmatrix} \otimes \begin{smallmatrix} 5,5 \\ \mathfrak{e}_8 \end{smallmatrix} 12231513151\mathbf{3} \quad \Delta = -48, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21 \overset{2221}{\mathbf{e}}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_6 \mathbf{1} \mathbf{2} \quad \Delta = -58, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21 \text{ } ^{2221} \text{ } \mathfrak{e}_8 \otimes \text{ } ^{5,5} \text{ } \mathfrak{e}_8 \otimes \text{ } ^{5,5} \text{ } \mathfrak{e}_8 \otimes \text{ } ^{5,4} \text{ } \mathfrak{e}_6 \mathbf{1} \mathbf{3} \quad \Delta = -66, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21 \text{ } ^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \text{ } 12 \textcolor{red}{3} \quad \Delta = -66, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1_{\mathfrak{e}_6}^{3,1} \otimes \mathfrak{e}_8^{3,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 1222 \quad \Delta = -65, \, n_+ = 1, \, n_- = 43, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{21}{\epsilon}_6 \otimes \overset{3,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \overset{21}{1222} \quad \Delta = -57, \quad n_+ = 1, \quad n_- = 43, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{81231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21}{}_{12231} \quad \Delta = -122, \, n_+ = 1, \, n_- = 43, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{51231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231 \quad \Delta = -41, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{61231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231 \quad \Delta = -67, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{71231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231 \quad \Delta = -94, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{1231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 122314 \quad \Delta = -17, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{41231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231 \quad \Delta = -17, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{1231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231\mathbf{5} \quad \Delta = -41, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{812231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{21} 1222 \quad \Delta = -113, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{612231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{21} 1222 \quad \Delta = -58, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{412231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} \otimes \mathfrak{e}_8^{1222} \quad \Delta = -8, \, n_+ = 1, \, n_- = 43, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{512231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{21} 1222 \quad \Delta = -32, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{(12)}_{12231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{21} 1222 \quad \Delta = -228, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{712231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 21^{1222} \quad \Delta = -85, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $e_7 \overset{5,5}{\otimes} e_8 \overset{1}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{221}{\otimes} 12$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \mathbf{e}_8^{3221} 12 \quad \Delta = -122, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $21^{221} \text{e}_8^{5,5} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^1 \otimes \text{e}_7^{5,4} 1$

$$21 \mathbf{e}_8^{221, 5, 5} \otimes \mathbf{e}_8^{5, 5} \otimes \mathbf{e}_8^{1, 5, 4} \otimes \mathbf{e}_7^{1, 2} \quad \Delta = -113, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21 \overset{3,2,2,1}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{1}{\mathfrak{e}_8} \otimes \overset{5,4}{\mathfrak{e}_7} 1 \quad \Delta = -122, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $e_6 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8^{221} 122$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{221} \mathbf{122} \mathbf{3} \quad \Delta = -67, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $221^{221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1$

$$221 \overset{221}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_6 \mathbf{12} \quad \Delta = -58, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221 \overset{221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,4}{\mathfrak{e}_8} \overset{5,4}{\otimes} \mathfrak{e}_6 \mathbf{13} \quad \Delta = -66, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221 \overset{3,2,2,1}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,4}{\mathfrak{e}}_6 1 \quad \Delta = -67, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $221^{221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_{612}$

$$221 \overset{221}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,3}{\mathfrak{e}}_8 \overset{5,3}{\otimes} \mathfrak{e}_6 12\mathbf{3} \quad \Delta = -66, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221 \overset{3,2,1}{\mathbf{e}}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,3}{\otimes} \mathbf{e}_6 12 \quad \Delta = -66, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \overset{1}{\mathfrak{e}_6} \otimes \overset{3,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \overset{221}{\mathfrak{e}_8} 122$

$$1_{\mathfrak{e}_6}^{21} \otimes_{\mathfrak{e}_8}^{3,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 122^{221} \quad \Delta = -57, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1_{\mathfrak{e}_6}^{\mathbf{3}_1} \otimes \mathfrak{e}_8^{3,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 1_{22}^{221} \quad \Delta = -65, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{1}{\mathbf{e}_6} \otimes \overset{3,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \overset{221}{\mathbf{e}_8} 122\mathbf{3} \quad \Delta = -66, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1^{12231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}_8^{221} 122$$

$$1^{\overline{612231513221}} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \mathfrak{e}_8^{221} 122 \quad \Delta = -58, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{712231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{221} 122 \quad \Delta = -85, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{(12)} 12231513221 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{221}{\otimes} 122 \quad \Delta = -228, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{412231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \mathfrak{e}_8^{221} 122 \quad \Delta = -8, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{812231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{221} 122 \quad \Delta = -113, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow F_0$$

$$1^{512231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{221} 122 \quad \Delta = -32, n_+ = 1, n_- = 43, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $122315131\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 131513221$

$$122315131\mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 \overset{2,2}{\otimes} \mathbf{e}_6 131513221(12) \quad \Delta = -6, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_0$$

[illegible]

$$12321\epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} \otimes \epsilon_6^{2,2} 131513221 \text{ (12)} \quad \Delta = -34, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_8$$

[illegible]

$$14 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 \overset{2,2}{\otimes} \epsilon_6 131513221 \text{ (12)} \quad \Delta = -59, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_8$$

Base: $123151321\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 123151321$

$$123151321\mathbf{e}_7 \otimes_{3,3} \mathbf{e}_7 \otimes_{3,3} \mathbf{e}_7 \otimes_{3,3} \mathbf{e}_7 \otimes_{3,3} 123151321\mathbf{e}_7 \quad \Delta = -8, \quad n_+ = 1, \quad n_- = 43, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: 13151321 $\epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7 \otimes \epsilon_7$ 1231513221

$$13151321\mathbf{e}_7^{\otimes 3.3} \otimes \mathbf{e}_7^{\otimes 3.3} \otimes \mathbf{e}_7^{\otimes 3.3} \otimes \mathbf{e}_7^{\otimes 3.3} 1231513221(12) \quad \Delta = -122, n_+ = 1, n_- = 43, n_0 = 0 \rightarrow \mathbb{F}_8$$

[illegible]

$$1\epsilon_7^{21, 4, 5} \otimes \epsilon_8^{5, 5} \otimes \epsilon_8^{5, 5} 122222 \quad \Delta = -56, \, n_+ = 1, \, n_- = 44, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1321\epsilon_7^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \epsilon_7 12321$

$$12321\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7 1231\mathbf{4} \quad \Delta = -17, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\mathbf{e}_7 \otimes_{4,5} \mathbf{e}_8 \otimes_{5,5} \mathbf{e}_8 \otimes_{5,4} \mathbf{e}_7 12321\mathbf{6} \quad \Delta = -67, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1321\mathbf{e}_7 \overset{4,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 12321\mathbf{7} \quad \Delta = -94, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1321\mathbf{e}_7 \overset{4,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 12321\mathbf{8} \quad \Delta = -122, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$12321\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7 1231\mathbf{5} \quad \Delta = -41, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1321e_7^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,4} \otimes e_7^{123215} \quad \Delta = -41, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1321\mathbf{e}_7 \overset{4,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 12321\mathbf{4} \quad \Delta = -17, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } e_7 \overset{3,3}{\otimes} e_7 \overset{5,4}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{4,5}{\otimes} e_7 123$$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{123\textcolor{red}{2}} \quad \Delta = -124, \, n_+ = 1, \, n_- = 44, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1e_7 \overset{3,3}{\otimes} e_7 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7 1$

$$1\mathbf{e}_7 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1\mathbf{e}_2 \quad \Delta = -113, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{12} \quad \Delta = -113, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1e_7 \overset{3,3}{\otimes} e_7 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7 12$

$$21\mathbf{e}_7 \otimes^{5,4} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{4,5} \mathbf{e}_7 \otimes^{3,3} \mathbf{e}_7 \mathbf{1}_2 \quad \Delta = -113, \, n_+ = 1, \, n_- = 44, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1e_7^{3,3} \otimes e_7^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,4} \otimes e_7^{12,3} \quad \Delta = -122, \quad n_+ = 1, \quad n_- = 44, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1 \overset{1}{e_7} \otimes \overset{4,5}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,4}{e_7} \otimes \overset{3,3}{e_7} 1$

$$1\overset{21}{e_7} \otimes \overset{4,5}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,4}{e_8} \otimes \overset{3,3}{e_7} \otimes e_7 1 \quad \Delta = -113, \, n_+ = 1, \, n_- = 44, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^1 \otimes \epsilon_8^{4.5} \otimes \epsilon_8^{5.5} \otimes \epsilon_7^{5.4} \otimes \epsilon_7^{3.3} 1\textcolor{red}{2} \quad \Delta = -113, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{13} 15^{13} 22^{15,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes 4^{4,2} 14^{14} 1$

$$1^{5131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{4,2} 4141 \quad \Delta = -67, \quad n_+ = 1, \quad n_- = 44, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{4131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{4,2} 4141 \quad \Delta = -43, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{131513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,2} 4141\mathbf{4} \quad \Delta = -43, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{6131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 4141 \quad \Delta = -93, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{2131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 4141 \quad \Delta = -15, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$131513221\overset{21}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{4,2}{4141} \quad \Delta = -15, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{131513221} \text{c}_8^{5,5} \otimes \text{c}_8^{5,5} \otimes \text{c}_8^{4,2} 4141\textcolor{red}{2} \quad \Delta = -15, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{3131513221} \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,2}{\otimes} 4141 \quad \Delta = -23, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{131513221} \text{c}_8^{5,5} \otimes \text{c}_8^{5,5} \otimes \text{c}_8^{4,2} 4141\textcolor{red}{3} \quad \Delta = -23, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 4141 \quad \Delta = -16, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1^{131513221} \otimes_8^{5,5} \otimes_8^{5,5} 122315123$

$$1^{6131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8} 122315123 \quad \Delta = -98, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{5131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8} 122315123 \quad \Delta = -72, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$131513221 \overset{21}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \otimes \mathfrak{e}_8 122315123 \quad \Delta = -20, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{21} 3^{15} 15^{13} 22^{11} 5^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 122315123 \quad \Delta = -20, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{13151513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{122315123\textcolor{red}{2}} \quad \Delta = -22, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{4131513221} \mathfrak{c}_8^{5,5} \otimes \mathfrak{c}_8^{5,5} \otimes \mathfrak{c}_8^{5,5} 122315123 \quad \Delta = -48, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{3131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 122315123 \quad \Delta = -28, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$14 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \mathfrak{e}_8 12231513221\textcolor{red}{4} \quad \Delta = -16, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12231513221\mathbf{e}_8 \overset{5,5}{\otimes} \overset{1}{\mathbf{e}_8} \overset{5,5}{\otimes} \overset{4,2}{\mathbf{e}_8} \otimes 41\mathbf{4} \quad \Delta = -16, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $14 \overset{2,4}{\otimes} \overset{1}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}}_8 12231513215$

$$51231513221 \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \overset{1}{\mathbf{e}_8} \overset{2,4}{\otimes} 41\mathbf{4} \quad \Delta = -68, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$51231513221 \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{1,2,4} 41\mathbf{3} \quad \Delta = -48, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$14 \overset{2,4}{\otimes} \overset{21}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513215 \quad \Delta = -40, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$51231513221 \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \overset{2,4}{41\mathbf{red}} \quad \Delta = -40, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $14 \overset{2,4}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} 12231513151$

$$15131513221\mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{2,4}{\otimes} 41\textcolor{red}{2} \quad \Delta = -39, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$14 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513151\mathbf{3} \quad \Delta = -47, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$15131513221\mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{1,2,4} 41\mathbf{3} \quad \Delta = -47, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$15131513221\mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \overset{2,4}{41\textcolor{red}} \quad \Delta = -67, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$14 \overset{2,4}{\otimes} \overset{21}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513151 \quad \Delta = -39, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \overset{2,4}{\otimes} \overset{1}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513151\textcolor{red}{2} \quad \Delta = -39, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} {}^{1513221}\mathfrak{e}_8 1$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \textcolor{red}{1513221} \mathfrak{e}_8 1 \quad \Delta = -47, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{1513221}{\mathfrak{e}_8} \mathbf{12} \quad \Delta = -39, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{21513221}{\otimes} 1 \quad \Delta = -39, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1231513221\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} 1223151^1$

$$1 \quad \overset{41231513221(12)12231513221(12)12231513221(12)12231}{5} \quad 1 \quad \Delta = -40, \quad n_+ = 1, \quad n_- = 44, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$${}^6 1231513221(12)12231513221(12)12231513221(12)12231$$

$$1 \quad 5 \quad 1 \quad \Delta = -90, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\begin{array}{ccccc} \text{51231513221(12)12231513221(12)12231513221(12)12231} & & & & \\ 1 & & 5 & & 1 \end{array} \quad \Delta = -64, \quad n_+ = 1, \quad n_- = 44, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \quad 81231513221(12)12231513221(12)12231513221(12)12231 \quad \Delta = -145, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \quad 71231513221(12)12231513221(12)12231513221(12)12231 \quad \Delta = -117, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1231513221 \mathbf{e}_8 \overset{5,5}{\otimes} \overset{1}{\mathbf{e}_8} \overset{5,5}{\otimes} \mathbf{e}_8 1223151 \mathbf{3} \quad \Delta = -20, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1231513221 \mathbf{e}_8 \overset{5,5}{\otimes} \overset{1}{\mathbf{e}_8} \overset{5,5}{\otimes} \overset{1}{\mathbf{e}_8} 1223151 \mathbf{2} \quad \Delta = -12, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\begin{array}{ccccc} \textcolor{red}{1}231513221(12)12231513221(12)12231513221(12)12231 & & & & \\ 1 & & 5 & & 1 \end{array} \quad \Delta = -20, \, n_+ = 1, \, n_- = 44, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\begin{array}{ccccc} 21231513221(12)12231513221(12)12231513221(12)12231 & & & & \\ 1 & & 5 & & 1 \end{array} \quad \Delta = -12, \ n_+ = 1, \ n_- = 44, \ n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1^{13} 15^{13} 22^1 \otimes^{5,5} \mathfrak{e}_8 \otimes^{5,5} \mathfrak{e}_8 1223^1 1513$

$$1^{6131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{12231513} \quad \Delta = -97, \, n_+ = 1, \, n_- = 44, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{3131513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{12231513} \quad \Delta = -27, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{131513221} \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \mathfrak{e}_8 12231513 \quad \Delta = -20, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{12231513\textcolor{red}{2}} \quad \Delta = -20, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{2131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{12231513} \quad \Delta = -19, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$131513221\overset{21}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} 12231513 \quad \Delta = -19, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{4131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{12231513} \quad \Delta = -47, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{5131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{12231513} \quad \Delta = -71, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } \mathfrak{e}_6^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{313221} 1$$

[illegible]

Base: $1^{313221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 12231513221$

$$1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 12231513221\mathbf{6} \quad \Delta = -46, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 12231513221\mathbf{5} \quad \Delta = -20, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{313221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 12231513221 \text{ (12)} \quad \Delta = -216, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 12231513221\textcolor{red}{7} \quad \Delta = -73, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{313221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 122315132218 \quad \Delta = -101, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{131513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 1223151^1$

$$1^{\overline{31}131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^1 1223151 \quad \Delta = -19, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{11223151} \Delta = -11, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{51} 131513221^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1223151} \quad \Delta = -63, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 1223151 \quad \Delta = -12, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}_8^{21} 1^{1223151} \quad \Delta = -11, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131513221\mathbf{c}_8^{21} \otimes \mathbf{c}_8^{5,5} \otimes \mathbf{c}_8^{5,5} \otimes \mathbf{c}_8^1 1223151 \quad \Delta = -11, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{61315153221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{11} 1223151 \quad \Delta = -89, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 1223151\mathbf{3} \quad \Delta = -19, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{2131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{11} 1223151 \quad \Delta = -11, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{4131513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes 1^{1223151} \quad \Delta = -39, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $e_7 \overset{5,5}{\otimes} e_8 \overset{1}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{13221}{\otimes} 1$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{13221} \otimes \mathbf{e}_8^1 \quad \Delta = -145, \, n_+ = 1, \, n_- = 44, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \mathbf{e}_8^{213221} \mathbf{1} \quad \Delta = -93, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \mathbf{e}_8^{413221} \mathbf{1} \quad \Delta = -121, \, n_+ = 1, \, n_- = 44, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{13221} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^1 \otimes e_7^{5,4} 1$

$$1^{313221} \otimes^{5,5} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^1 \mathbf{e}_8 \otimes^{5,4} \mathbf{e}_7 1 \quad \Delta = -101, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_7^{5,4} \text{red} \quad \Delta = -93, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$13221_{\mathfrak{e}_8}^{21} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_7}^1 \otimes_{\mathfrak{e}_7}^{5,4} \quad \Delta = -93, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{213221}{\mathbf{e}}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \overset{5,4}{\mathbf{e}}_7 1 \quad \Delta = -93, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \overset{4,1}{\mathbf{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathbf{e}}_8 \overset{1}{\otimes} \overset{5,4}{\mathbf{e}}_7 1 \quad \Delta = -121, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{5,1}{\mathbf{e}}_8 \overset{13,2,2,1}{\otimes} \overset{5,5}{\mathbf{e}}_8 \overset{5,5}{\otimes} \overset{1}{\mathbf{e}}_8 \overset{5,4}{\otimes} \mathbf{e}_7 1 \quad \Delta = -145, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21^{513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^{5,5} 12231513221$

$$21^{513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513221\mathbf{5} \quad \Delta = -64, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21^{513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{12231513221} \mathbf{8} \quad \Delta = -145, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21^{513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513221\mathbf{2} \quad \Delta = -12, n_+ = 1, n_- = 44, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21^{513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513221\mathbf{4} \quad \Delta = -40, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21^{513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513221\mathbf{7} \quad \Delta = -117, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21^{513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513221\mathbf{3} \quad \Delta = -20, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21 \overset{513221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} 12231513221(12) \quad \Delta = -260, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$21 \overset{513221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \otimes \mathfrak{e}_8 12231513221\mathbf{6} \quad \Delta = -90, n_+ = 1, n_- = 44, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $e_6 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8^{13221} 12$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{2^{13}2^{21}} \mathbf{1}_2 \quad \Delta = -38, \, n_+ = 1, \, n_- = 44, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

[illegible]

$T = 45$ (**269 bases**)

Base: $c_8 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7' 123$
 $c_8 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7' 123 \mathbf{2} \quad \Delta = -122, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $21c_7' \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_8 1$
 $1c_8 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7' 123 \mathbf{3} \quad \Delta = -120, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_0$
 $21c_7' \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_8 1 \mathbf{2} \quad \Delta = -111, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $1c_7' \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_8 1$
 $1c_7' \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_8 1 \quad \Delta = -111, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1c_7' \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_7 \otimes c_8 1 \mathbf{2} \quad \Delta = -111, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $1414 \otimes c_8 \otimes c_8 \otimes c_8 12231513215$
 $51231513221c_8 \otimes c_8 \otimes c_8 \otimes c_8 4141 \mathbf{2} \quad \Delta = -39, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_3$
 $51231513221c_8 \otimes c_8 \otimes c_8 \otimes c_8 4141 \mathbf{4} \quad \Delta = -67, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_1$
 $51231513221c_8 \otimes c_8 \otimes c_8 \otimes c_8 4141 \mathbf{3} \quad \Delta = -47, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $321513221c_8 \otimes c_8 \otimes c_8 12231513215$
 $51231513221c_8 \otimes c_8 \otimes c_8 122315123 \mathbf{2} \quad \Delta = -46, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$
Base: $1414 \otimes c_8 \otimes c_8 \otimes c_8 12231513151$
 $15131513221c_8 \otimes c_8 \otimes c_8 \otimes c_8 4141 \mathbf{4} \quad \Delta = -66, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_1$
 $1414 \otimes c_8 \otimes c_8 \otimes c_8 12231513151 \mathbf{2} \quad \Delta = -38, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{P}^2$
 $1414 \otimes c_8 \otimes c_8 \otimes c_8 12231513151 \mathbf{3} \quad \Delta = -46, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$
 $15131513221c_8 \otimes c_8 \otimes c_8 \otimes c_8 4141 \mathbf{3} \quad \Delta = -46, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$

$131513221\mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8$	$1223151321\mathbf{7}$	$\Delta = -96, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_3$
$131513221\mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8$	$1223151321\mathbf{8}$	$\Delta = -124, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_4$
$131513221\mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8$	$1223151321\mathbf{6}$	$\Delta = -69, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$
$1231513221\mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8$	$122315131\mathbf{6}$	$\Delta = -69, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$
$131513221\mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8$	$1223151321\mathbf{5}$	$\Delta = -43, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{P}^2$

Base: $1^{12231513221} \otimes_8^{5,5} \otimes_8^{5,5} \otimes_8^{4,2} 413$

$$1^{(12)} \overset{12231513221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{4,2}{\otimes} 413 \quad \Delta = -215, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{712231513221} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{4,2} 413 \quad \Delta = -72, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{612231513221} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{4,2} 413 \quad \Delta = -45, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{512231513221} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{4,2} 413 \quad \Delta = -19, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{812231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 413 \quad \Delta = -100, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $12231513221\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} 12231512$

$$21513221\mathbf{e_8} \otimes \mathbf{e_8} \otimes \mathbf{e_8}^{5,5} \otimes \mathbf{e_8}^{5,5} 12231513221\mathbf{4} \quad \Delta = -11, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21513221\mathbf{e_8} \otimes \mathbf{e_8} \otimes \mathbf{e_8}^{5,5 \ 1 \ 5,5} 12231513221\mathbf{8} \quad \Delta = -116, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21513221 \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8^{5,5} 12231513221 \mathbf{7} \quad \Delta = -88, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21513221 \mathbf{e}_8 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1,5,5} 12231513221 \mathbf{e}_8 \quad \Delta = -35, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21513221 \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} 12231513221 \textcolor{red}{(12)} \quad \Delta = -231, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$21513221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} 12231513221\mathfrak{f} \quad \Delta = -61, n_+ = 1, n_- = 45, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1^{21513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513215$

$$1^{321513221} \otimes^{5,5} \mathfrak{e}_8 \otimes^{5,5} \mathfrak{e}_8 12231513215 \quad \Delta = -44, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21513221 \overset{21}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} 12231513215 \quad \Delta = -35, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{21513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513151$

$$1^{321513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 12231513151 \quad \Delta = -43, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{12231513151\textcolor{red}{2}} \quad \Delta = -34, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21513221 \overset{21}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} 12231513151 \quad \Delta = -34, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513151\mathbf{3} \quad \Delta = -42, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $12231513221\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} 1223151^1$

$$1 \quad 612231513221(12)12231513221(12)12231513221(12)12231 \quad 5 \quad 1 \quad \Delta = -61, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \quad 812231513221(12)12231513221(12)12231513221(12)12231 \quad 5 \quad 1 \quad \Delta = -116, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \quad \overset{5}{12231513221(12)12231513221(12)12231513221(12)12231} \quad 1 \quad \Delta = -35, n_+ = 1, n_- = 45, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1 \quad 412231513221(12)12231513221(12)12231513221(12)12231 \quad 5 \quad 1 \quad \Delta = -11, n_+ = 1, n_- = 45, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\begin{array}{c} 712231513221(12)12231513221(12)12231513221(12)12231 \\ 1 \qquad \qquad \qquad 5 \qquad \qquad \qquad 1 \end{array} \quad \Delta = -88, \quad n_+ = 1, \quad n_- = 45, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{(12)12231513221(12)12231513221(12)12231513221(12)12231} \Delta = -231, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_6$$

Base: $1^{1513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{12231513215}$

$$1^{31513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 12231513215 \quad \Delta = -43, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513215 \quad \Delta = -35, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \quad 5 \quad 1 \quad \Delta = -35, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{1513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{12231513151}$

$$1\mathbf{e}_7 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,2} 41\mathbf{e}_2 \quad \Delta = -92, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,2} 41\mathbf{3} \quad \Delta = -100, n_+ = 1, n_- = 45, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$14^{4,2} \otimes \mathbf{e}_8 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{1,4,5} \mathbf{12} \quad \Delta = -92, n_+ = 1, n_- = 45, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1513221e_8 \otimes^{5,5} e_8 \otimes^1 e_8 \otimes^{5,5} e_8 \otimes^{5,4} e_71$

$$1513221\mathbf{e}_8 \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^1 \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_7}^{5,4} \mathbf{12} \quad \Delta = -116, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 1223151\mathbf{2} \quad \Delta = -116, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_7 \otimes_{5,4} \mathbf{e}_8 \otimes_{5,5} \mathbf{e}_8 \otimes_1 \mathbf{e}_8 \otimes_{5,5} 1223151\mathbf{3} \quad \Delta = -124, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}_7 12$

$$22221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_7 12 \quad \Delta = -55, n_+ = 1, n_- = 45, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{22221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{12} \mathbf{3} \quad \Delta = -64, n_+ = 1, n_- = 45, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1 \begin{smallmatrix} 22221 \\ e_8 \end{smallmatrix} \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 5,5 \\ e_8 \end{smallmatrix} \begin{smallmatrix} 5,4 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 5,4 \\ e_7 \end{smallmatrix} 122$

$$22221\overset{21}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 122 \quad \Delta = -55, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{22221}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,4}{\epsilon_7} 122\mathbf{3} \quad \Delta = -64, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_7^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^1 12222$

$$1\overset{\textcolor{red}{2}}{\textcolor{red}{1}}\textcolor{red}{7}^{5,5} \otimes \textcolor{red}{8}^{5,5} \otimes \textcolor{red}{8}^{5,5} \otimes \textcolor{red}{8}^{5,5} 12222 \quad \Delta = -55, n_+ = 1, n_- = 45, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^{1,5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{21} 12222 \quad \Delta = -55, n_+ = 1, n_- = 45, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^1 12222$

$$1 \overset{\textcolor{red}{3}21}{\mathfrak{e}_7} \otimes \overset{4,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \overset{1}{12222} \quad \Delta = -64, n_+ = 1, n_- = 45, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\overset{21}{e}_7^{\otimes 4,5} \otimes e_8^{\otimes 5,5} \otimes e_8^{\otimes 5,5} \otimes e_8^{\otimes 1} 12222 \quad \Delta = -55, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\overset{21}{\epsilon_7} \otimes \overset{4,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \overset{21}{12222} \quad \Delta = -55, n_+ = 1, n_- = 45, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 122315131$

$$1^{6131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^1 122315131 \quad \Delta = -68, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{5131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 1^{122315131} \quad \Delta = -42, n_+ = 1, n_- = 45, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{413151513221} \mathfrak{c}_8^{5,5} \otimes \mathfrak{c}_8^{5,5} \otimes \mathfrak{c}_8^1 122315131 \quad \Delta = -18, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{1231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}_8^1 12231512$

$$1^{61231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 1^{12231512} \quad \Delta = -61, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{81231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 1^{2231512} \quad \Delta = -116, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{51231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 12231512 \quad \Delta = -35, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{71231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 12231512 \quad \Delta = -88, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{41231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 12231512 \quad \Delta = -11, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{1231513221} \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes 41$

$$1^{\overline{5}12231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^1 \otimes 41^{4,2} \quad \Delta = -11, \, n_+ = 1, \, n_- = 45, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{(12)} \mathbf{e}_8^{12231513221} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{4,2} 41 \quad \Delta = -207, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{712231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^1 \otimes_{\mathfrak{e}_8}^{4,2} 41 \quad \Delta = -64, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{\textcolor{red}{8}12231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^1 \otimes_{\mathfrak{e}_8}^{4,2} 41 \quad \Delta = -92, \, n_+ = 1, \, n_- = 45, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{612231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^1 \otimes_{\mathfrak{e}_8}^{4,2} 41 \quad \Delta = -37, \quad n_+ = 1, \quad n_- = 45, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1^{1231513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 1223151^1$$

$$1^{81231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1223151} \quad \Delta = -116, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{P}^2$$

[illegible]

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 123218 \quad \Delta = -54, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $21\overset{21}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7} \otimes \overset{3,3}{e_7}$ 1231513221

$$21\epsilon_7^{21,3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{12315132218} \quad \Delta = -24, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\overset{21}{e_7}\overset{3,3}{\otimes}\overset{3,3}{e_7}\overset{3,3}{\otimes}\overset{3,3}{e_7}\overset{3,3}{\otimes}\overset{3,3}{e_7}\overset{3,3}{\otimes}\overset{3,3}{e_7}\overset{3,3}{\otimes}\overset{3,3}{e_7}1231513221(12) \quad \Delta = -139, n_+ = 1, n_- = 45, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$T = 46 \quad (\mathbf{286 \text{ bases}})$$

Base: $\epsilon_8^{4,5} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \epsilon_7^{321}$

$$\mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{2,321} \otimes \mathbf{e}_7^1 \quad \Delta = -121, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $221e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{4,5}{\otimes} e_8 1$

$$1\epsilon_8 \overset{4,5}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{3,3}{\otimes} \epsilon_7 122\mathbf{\bar{3}} \quad \Delta = -119, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$221\mathbf{e}_7^{\overline{3,3}} \otimes \mathbf{e}_7^{\overline{3,3}} \otimes \mathbf{e}_7^{\overline{3,3}} \otimes \mathbf{e}_7^{\overline{3,3}} \otimes \mathbf{e}_7^{\overline{3,3}} \otimes \mathbf{e}_7^{\overline{4,5}} \otimes \mathbf{e}_8^{\text{red}} \quad \Delta = -110, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1e_7^{21, 3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{4,5} \otimes e_8$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{12} \quad \Delta = -110, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\overset{21}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{3,3}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 1 \quad \Delta = -110, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \epsilon_7^{3,21} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8 \quad \Delta = -119, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513151$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513151\mathbf{3} \quad \Delta = -49, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513151\textcolor{red}{2} \quad \Delta = -41, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $e_6 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{2,4}{\otimes} 4141$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{2,4} \otimes 4141\textcolor{red}{4} \quad \Delta = -64, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{2,4} 4141\textcolor{red}{2} \quad \Delta = -36, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{2,4} 4141\mathbf{3} \quad \Delta = -44, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $\mathfrak{e}_6 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 122315123$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{122315123\mathbf{red}} \quad \Delta = -43, \, n_+ = 1, \, n_- = 46, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $\epsilon_6^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 12231513$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{12231513\text{red}} \quad \Delta = -41, \quad n_+ = 1, \quad n_- = 46, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_6 1$

$$1\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{2,4} 4141\mathbf{3} \quad \Delta = -44, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1414 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_6 \mathbf{12} \quad \Delta = -36, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{2,4} 4141\mathbf{2} \quad \Delta = -36, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_6 \mathbf{13} \quad \Delta = -44, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6 \overset{5,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{2,4}{\otimes} 4141\mathbf{4} \quad \Delta = -64, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_6 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 122315123$

$$321513221 \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_6 \mathbf{1} \mathbf{2} \quad \Delta = -41, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$321513221 \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_6 \mathbf{13} \quad \Delta = -49, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{122315123\textcolor{red}{2}} \quad \Delta = -43, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_6 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231513^1$

$$31^{2161231513221(12)12231513221(12)12231513221(12)12231} \quad 5 \quad 1 \quad \Delta = -40, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{c}'_7 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{2,4}{\otimes} 413\mathbf{red} \quad \Delta = -44, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}'_7 12$

$$314 \begin{smallmatrix} 2,4 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,4 \\ \otimes \end{smallmatrix} \mathfrak{e}'_7 12\mathbf{3} \quad \Delta = -52, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\epsilon_7^{5,4} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{2,4} 413\textcolor{red}{2} \quad \Delta = -44, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\overset{1}{\epsilon}_7' \overset{4,5}{\otimes} \overset{5,5}{\epsilon}_8 \overset{5,5}{\otimes} \overset{5,5}{\epsilon}_8 \overset{4,2}{\otimes} 413$$

$$1\mathbf{e}_7^{21, 4, 5} \otimes \mathbf{e}_8^{5, 5} \otimes \mathbf{e}_8^{5, 5} \otimes \mathbf{e}_8^{4, 2} 413 \quad \Delta = -43, \, n_+ = 1, \, n_- = 46, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,2} 413\mathbf{2} \quad \Delta = -44, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21\epsilon_7 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 1223132$

$$2313221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_7 12\mathbf{3} \quad \Delta = -53, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $221\epsilon_7 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 1223132$

$$2313221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 122\mathbf{3} \quad \Delta = -53, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1321\epsilon_7 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 122222$

$$222221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_7 1231\textcolor{red}{4} \quad \Delta = -63, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$222221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_7 1231\mathbf{3} \quad \Delta = -43, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$222221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_7 1231\mathbf{2} \quad \Delta = -35, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$222221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_7 1231\mathbf{5} \quad \Delta = -87, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1321\overset{2}{e_7} \otimes_{4,5} e_8 \otimes_{5,5} e_8 \otimes_{5,5} e_8 122222 \quad \Delta = -37, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_7^1 \otimes^{5,5} \epsilon_8 \otimes^{5,5} \epsilon_8 \otimes^{5,5} \epsilon_8 1223132$

$$1\overset{21}{\mathbf{e}}_7 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 1223132 \quad \Delta = -44, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1_{\mathfrak{e}_7}^{21} \otimes_{\mathfrak{e}_8}^{4,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 1223132$

$$1 \overset{3,2}{\epsilon}_7 \otimes \overset{4,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 1223132 \quad \Delta = -53, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\overset{21}{\epsilon}_7 \otimes \overset{4,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 1223132 \quad \Delta = -44, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} {}^{1231513221}\mathfrak{e}_8 1$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{7}{1} \overset{1231513221}{\mathfrak{e}_8} 1 \quad \Delta = -95, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{8}{123} \overset{15}{13221} \mathfrak{e}_8 1 \quad \Delta = -123, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{61231513221}{\otimes} \mathfrak{e}_8 1 \quad \Delta = -68, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{41231513221}{\mathfrak{e}_8} 1 \quad \Delta = -18, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \textcolor{red}{5}_{1231513221} \mathfrak{e}_8 1 \quad \Delta = -42, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1231513221 \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} 1223151321$

$$1231513221\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} 12231513217 \quad \Delta = -68, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1231513221\mathfrak{e}_8 \otimes_{5,5} \mathfrak{e}_8 \otimes_1 \mathfrak{e}_8 \otimes_{5,5} 1223151321\mathfrak{f} \quad \Delta = -15, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1231513221 \mathbf{e_8} \otimes \mathbf{e_8}^{5,5} \otimes \mathbf{e_8}^{1,5,5} 1223151321 \mathbf{8} \quad \Delta = -96, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1231513221 \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{5,5}{\otimes} \mathfrak{e}_8 1223151321 \mathbf{6} \quad \Delta = -41, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1^{12231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 4141$

$$1^{612231513221} \mathfrak{c}_8^{5,5} \otimes \mathfrak{c}_8^{5,5} \otimes \mathfrak{c}_8^{4,2} \otimes 4141 \quad \Delta = -36, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{(12)}_{\mathbf{e}_8} 12231513221 \otimes^{5,5}_{\mathbf{e}_8} \otimes^{5,5}_{\mathbf{e}_8} \otimes^{4,2}_{\mathbf{e}_8} 4141 \quad \Delta = -206, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{712231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 4141 \quad \Delta = -63, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{812231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^1 12231513 \quad \Delta = -95, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow F_0$$

$$\text{Base: } \epsilon_6^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^{21513221} 1$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{321513221} \mathbf{1} \quad \Delta = -41, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{21513221} \mathbf{1}_2 \quad \Delta = -32, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $\epsilon_6 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8^{1513221} 1$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes^{1513221} \mathbf{e}_8^{12} \quad \Delta = -32, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1513221} 1 \quad \Delta = -32, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1513221} \mathbf{1} \quad \Delta = -40, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $\epsilon_6 \overset{5,3}{\otimes} \epsilon_8 \overset{1}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 1223151321$

$$\mathbf{e}_6^{5,3} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 1223151321\mathbf{7} \quad \Delta = -145, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_6^{5,3} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513214 \quad \Delta = -68, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\mathbf{e}_6^{5,3} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513218 \quad \Delta = -173, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_6^{5,3} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 1223151321\mathbf{3} \quad \Delta = -48, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_6^{5,3} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 1223151321\mathbf{2} \quad \Delta = -40, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_6^{5,3} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513216 \quad \Delta = -118, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \mathfrak{e}_6 1$

$$1^{321513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,4} \otimes_{\mathfrak{e}_6} 1 \quad \Delta = -41, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{21513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_6 \mathbf{1} \mathbf{3} \quad \Delta = -40, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21513221^{21} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1 \quad \Delta = -32, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \mathfrak{e}_6 \mathbf{1} \textcolor{red}{2} \quad \Delta = -32, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \mathfrak{e}_6 1$

$$1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1 \quad \Delta = -32, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 \mathbf{13} \quad \Delta = -40, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{31513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1 \quad \Delta = -40, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\begin{array}{ccccc} 161231513221(12)12231513221(12)12231513221(12)12231 & & & & \\ 1 & & 5 & & 1 \end{array} \quad \Delta = -32, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 12 \quad \Delta = -32, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{21513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} \otimes \epsilon_6 12$

$$21513221 \overset{21}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,3}{\mathfrak{e}_8} \otimes \mathfrak{e}_6 12 \quad \Delta = -31, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{321513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 12 \quad \Delta = -40, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \mathbf{123} \quad \Delta = -40, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_{612}$

$$1^{31513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_{612} \quad \Delta = -39, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 12\mathbf{3} \quad \Delta = -40, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\begin{array}{ccccc} 216131513221(12)12231513221(12)12231513221(12)12231 & & & & \\ 1 & & 5 & & 1 \end{array} \quad \Delta = -31, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{21513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_6}^{5,3} 12 \quad \Delta = -31, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $14 \overset{2,4}{\otimes} \overset{1}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,3}{\otimes} \mathfrak{e}_6 131$

$$14^{2,4} \otimes \mathbf{e}_8^{1,5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_6^{5,3} 131\mathbf{2} \quad \Delta = -15, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$14 \overset{2,4}{\otimes} \overset{21}{\mathbf{e}}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,3}{\otimes} \mathbf{e}_6 131 \quad \Delta = -15, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

[illegible]

Base: $1\epsilon_6^1 \otimes^{3,5} \epsilon_8 \otimes^{5,5} \epsilon_8 \otimes^{5,5} \epsilon_8^1 12231512$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \mathbf{e}_{12231512}^{21} \quad \Delta = -31, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\overset{31}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \overset{1}{12231512} \quad \Delta = -39, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{21}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \overset{1}{12231512} \quad \Delta = -31, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 12231512\mathbf{3} \quad \Delta = -40, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^1 1223151^1$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \overset{21}{\mathbf{e}}_8 1223151 \quad \Delta = -31, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\overset{1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \overset{1}{\otimes} 1223151\overset{1}{\mathbf{e}}_8 \quad \Delta = -31, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\overset{21}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \overset{1}{\mathbf{e}}_8 1223151 \quad \Delta = -31, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1_{\mathfrak{e}_6}^{\mathbf{31}} \otimes \mathfrak{e}_8^{\mathbf{3,5}} \otimes \mathfrak{e}_8^{\mathbf{5,5}} \otimes \mathfrak{e}_8^{\mathbf{5,5}} \otimes \mathfrak{e}_8^{\mathbf{1}} 1223151 \quad \Delta = -39, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathbf{e}_6} \otimes_{\mathbf{e}_8}^{1, 3, 5} \otimes_{\mathbf{e}_8}^{5, 5} \otimes_{\mathbf{e}_8}^{5, 5} 1_{\mathbf{e}_8} 1223151\mathbf{13} \quad \Delta = -39, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $e_7' \overset{5,4}{\otimes} e_8 \overset{1}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 122315131$

$$\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 122315131\mathbf{6} \quad \Delta = -145, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$e_7' \otimes_{5,4} e_8 \otimes_1 e_8 \otimes_{5,5} e_8 \otimes_{5,5} e_8 122315131^{\textcolor{red}{2}} \quad \Delta = -68, \, n_+ = 1, \, n_- = 46, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\mathbf{e}_7' \overset{5,4}{\otimes} \overset{1}{\mathbf{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathbf{e}_8} \otimes \mathbf{e}_8 122315131\mathbf{3} \quad \Delta = -75, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\mathbf{e}_7' \overset{5,4}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 122315131\mathbf{2} \quad \Delta = -67, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$e_7^{5,4} \otimes e_8^1 \otimes e_8^{5,5} \otimes e_8^{5,5} 122315131\mathbf{5} \quad \Delta = -119, n_+ = 1, n_- = 46, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $14 \overset{2,4}{\otimes} \overset{1}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} e'_7 1$

$$1\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes 41\mathbf{2}^{2,4} \quad \Delta = -35, \quad n_+ = 1, \quad n_- = 46, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$14 \overset{2,4}{\otimes} \overset{\textcolor{red}{2}1}{\mathfrak{e}_8} \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}'_7 1 \quad \Delta = -35, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes 41\mathbf{3}^{2,4} \quad \Delta = -43, \quad n_+ = 1, \quad n_- = 46, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon_7' \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{1}{\otimes} \overset{2,4}{414} \quad \Delta = -63, \quad n_+ = 1, \quad n_- = 46, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$14 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}'_7 \mathbf{12} \quad \Delta = -35, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $14 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}'_{712}$

$$21e_7^{5,4} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^1 \otimes 41\mathbf{3} \quad \Delta = -43, \, n_+ = 1, \, n_- = 46, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{2,4} \quad \Delta = -35, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$14 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}'_{123} \quad \Delta = -44, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\epsilon_7^{5,4} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes 41_{\text{red}}^{2,4} \quad \Delta = -63, \quad n_+ = 1, \quad n_- = 46, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$14 \overset{2,4}{\otimes} \overset{21}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,4}{\mathfrak{e}}_8 \overset{5,4}{\otimes} \mathfrak{e}'_7 12 \quad \Delta = -35, n_+ = 1, n_- = 46, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\overset{1}{e}_7 \otimes \overset{4,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{1}{e}_8 \otimes \overset{4,2}{41}$

$$1\epsilon_7^1 \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes 41\epsilon_8^1 \otimes 41\epsilon_8^{4,2} \quad \Delta = -63, \quad n_+ = 1, \quad n_- = 46, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

[illegible]

[illegible]

$$1\mathbf{e}_7^{1,4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 122315123\mathbf{2} \quad \Delta = -41, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 122315123 \quad \Delta = -39, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\overset{1}{e}_7' \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 12231\overset{1}{5}13$$

$$1\epsilon_7^{21, 4, 5} \otimes \epsilon_8^{5, 5} \otimes \epsilon_8^{5, 5} \otimes \epsilon_8^{12231513} \quad \Delta = -38, \, n_+ = 1, \, n_- = 47, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\overset{1}{\mathbf{e}}_7^{4,5} \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_8 12231513\mathbf{2} \quad \Delta = -39, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_{712}$

$$314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_7 12\mathbf{3} \quad \Delta = -51, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\mathfrak{e}_7^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{2,4} 413\mathbf{2} \quad \Delta = -43, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 122$

$$221\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{2,4} 413\mathbf{e}_2 \quad \Delta = -43, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 122\mathbf{3} \quad \Delta = -51, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $12321\epsilon_7 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12222$

$$222221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_7^{12321\mathbf{3}} \quad \Delta = -16, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$222221\mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_7 12321\mathbf{6} \quad \Delta = -86, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$222221\mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{4,5} \mathbf{e}_7 12321\mathbf{2} \quad \Delta = -8, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$222221\epsilon_8 \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{4,5}{\epsilon_7} 123214 \quad \Delta = -36, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$222221 \textcolor{blue}{e}_8 \otimes \textcolor{blue}{e}_8 \otimes \textcolor{blue}{e}_8 \otimes \textcolor{blue}{e}_7 12321 \textcolor{red}{e} \quad \Delta = -141, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$222221\epsilon_8 \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{4,5}{\epsilon_7} 123217 \quad \Delta = -113, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$222221\overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{4,5}{\epsilon_8} \otimes \epsilon_7 12321\mathbf{5} \quad \Delta = -60, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1321\epsilon_7^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8 1223132$

$$2313221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 1231\mathbf{4} \quad \Delta = -52, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2313221\mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_7 1231\mathbf{3} \quad \Delta = -32, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$2313221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,5} \otimes \epsilon_7^{12312} \quad \Delta = -24, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1321\overset{2}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 1223132 \quad \Delta = -26, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$2313221\mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_7 1231\mathfrak{f} \quad \Delta = -76, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1e_7 \overset{1}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} \overset{4,2}{e_8} \otimes 413$

$$1\overset{21}{\epsilon_7} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{4,2}{\epsilon_8} \quad \Delta = -42, \quad n_+ = 1, \quad n_- = 47, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 413\textcolor{red}{2} \quad \Delta = -43, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1_{\mathfrak{e}_7}^{21, 4,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 413$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 413\textcolor{red}{2} \quad \Delta = -43, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\overset{2,1}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{4,2}{\mathbf{e}}_8 \otimes 413 \quad \Delta = -42, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{3,21}{\mathbf{e}_7} \otimes \overset{4,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{4,2}{\mathbf{e}_8} \otimes 413 \quad \Delta = -51, \, n_+ = 1, \, n_- = 47, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} {}^{12231513221}\mathfrak{e}_8 1$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{\textcolor{red}{5}}{1} \overset{\textcolor{red}{12}}{2} \overset{\textcolor{red}{23}}{3} \overset{\textcolor{red}{15}}{1} \overset{\textcolor{red}{13}}{2} \overset{\textcolor{red}{22}}{1} 1 \quad \Delta = -13, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{612231513221}{\otimes} 1 \quad \Delta = -39, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{812231513221}{\otimes} 1 \quad \Delta = -94, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{7}{1} \overset{12}{2} \overset{23}{3} \overset{15}{1} \overset{13}{2} \overset{22}{1} \mathfrak{e}_8 1 \quad \Delta = -66, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{(12)}{12231513221} \mathfrak{e}_8 1 \quad \Delta = -209, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 1223151316 \quad \Delta = -88, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{1,3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1,2} 122315131 \quad \Delta = -11, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\overset{3,1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \overset{1}{122315131} \quad \Delta = -18, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 122315131\mathbf{3} \quad \Delta = -18, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $e_7' \otimes^{5,4} e_8 \otimes^{1,5,5} e_8 \otimes^{5,5} e_8 1223151321$

$$\mathbf{e}_7' \overset{5,4}{\otimes} \overset{1}{\mathbf{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathbf{e}_8} \overset{5,5}{\otimes} \mathbf{e}_8 12231513214 \quad \Delta = -67, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513218 \quad \Delta = -172, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_7' \overset{5,4}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 12231513217 \quad \Delta = -144, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 1223151321\mathbf{3} \quad \Delta = -47, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_7' \overset{5,4}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 1223151321\mathbf{2} \quad \Delta = -39, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 1223151321\mathbf{6} \quad \Delta = -117, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1^{21513221} \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_7' 1$

$$1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7' \mathbf{12} \quad \Delta = -30, \quad n_+ = 1, \quad n_- = 47, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{321513221} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}'_7} 1 \quad \Delta = -39, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21513221^{21} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}'_7 1 \quad \Delta = -30, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}'_7 1$

$$1 \stackrel{21513221}{\epsilon_8} \otimes^{5,5} \epsilon_8 \otimes^{5,5} \epsilon_8 \otimes^{5,5} \epsilon'_7 1 \quad \Delta = -30, \quad n_+ = 1, \quad n_- = 47, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{1712231513221(12)12231513221(12)12231513221(12)12231} \quad 5 \quad 1 \quad \Delta = -30, \quad n_+ = 1, \quad n_- = 47, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{31513221} \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,5} \otimes_{e'_7} \quad \Delta = -38, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{1513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_7'} 1^2 \quad \Delta = -30, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{21513221} e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,4} \otimes e_7' 12$

$$1^{21513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \mathbf{e}'_{7123} \quad \Delta = -39, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{321513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,4} \otimes \mathfrak{e}'_{712} \quad \Delta = -39, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21513221 \overset{21}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7' 12 \quad \Delta = -30, \quad n_+ = 1, \quad n_- = 47, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1^{1513221} e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,4} \otimes e_7' 12$

$$1^{2171231513221(12)12231513221(12)12231513221(12)12231} \quad \Delta = -30, \quad n_+ = 1, \quad n_- = 47, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{1513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}'_7 12 \mathbf{3} \quad \Delta = -39, \quad n_+ = 1, \quad n_- = 47, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{31513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,4} \otimes_{\mathfrak{e}'_{712}} \Delta = -38, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{21513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,4} \otimes_{\mathfrak{e}'_{712}} \Delta = -30, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1\overset{1}{\epsilon}_7' \otimes \overset{4,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes 1$$

$$1e_6^{1,4,5} \otimes e_8^{5,5} \otimes e_9^{5,5} \otimes e_{10}^{5,5}{}^{21}{}^{12231512} \quad \Lambda = -30 \quad n_+ = 1 \quad n_- = 47 \quad n_0 = 0 \rightarrow E_6$$

$$16^1_1 \otimes 8 \otimes 8 \otimes 8 \xrightarrow{22311612} \Sigma = 30, n_+ = 1, n_- = 17, n_0 = 0 \rightarrow \mathbb{R}_+ \oplus \mathbb{R}_- \oplus \mathbb{R}_0$$

$$16^{\overline{21}} \otimes 8 \otimes 8 \otimes 8 \otimes 8 \otimes 12315129 \quad \Delta = -33, n_+ = 1, n_- = 41, n_0 = 0 \rightarrow \mathbb{R}$$

$$B = \begin{pmatrix} 1 & 4,5 & 5,5 & 5,5 & 1 \\ 1 & 1 & 1 & 1 & 1 \\ 1 & 1 & 1 & 1 & 1 \\ 1 & 1 & 1 & 1 & 1 \\ 1 & 1 & 1 & 1 & 1 \end{pmatrix}$$

Base: $1\epsilon_7 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 1223151$

$$1e_7 \otimes e_8 \otimes e_8 \otimes e_8 \quad 12231513 \quad \Delta = -38, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}$$

$$1\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 1223151 \quad \Delta = -30, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_2$$

1

4,5

5,5

5,5

1

1

$$1\mathbf{e}_7^{\textcolor{red}{21}} \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \textcolor{red}{1223151} \quad \Delta = -30, \, n_+ = 1, \, n_- = 47, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathfrak{e}_7' \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8^{1223151} \quad \Delta = -30, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\begin{array}{llll}
1 \text{ } \overset{22221}{\text{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{e}_8} \overset{5,4}{\otimes} \text{e}_7 12321 \text{ } \textcolor{red}{5} & \Delta = -60, n_+ = 1, n_- = 47, n_0 = 0 & \rightarrow \mathbb{F}_3 \\
1 \text{ } \overset{22221}{\text{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{e}_8} \overset{5,4}{\otimes} \text{e}_7 12321 \text{ } \textcolor{red}{8} & \Delta = -141, n_+ = 1, n_- = 47, n_0 = 0 & \rightarrow \mathbb{F}_6 \\
1 \text{ } \overset{22221}{\text{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{e}_8} \overset{5,4}{\otimes} \text{e}_7 12321 \text{ } \textcolor{red}{4} & \Delta = -36, n_+ = 1, n_- = 47, n_0 = 0 & \rightarrow \mathbb{F}_2 \\
1 \text{ } \overset{22221}{\text{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{e}_8} \overset{5,4}{\otimes} \text{e}_7 12321 \text{ } \textcolor{red}{6} & \Delta = -86, n_+ = 1, n_- = 47, n_0 = 0 & \rightarrow \mathbb{F}_4
\end{array}$$

$$1\overset{21}{\mathbf{e}}_7 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_8 \otimes \overset{4,2}{41} \quad \Delta = -34, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes 4\mathbf{1}^{2,2} \quad \Delta = -34, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7^{1,5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1,4,2} 41\mathbf{3} \quad \Delta = -42, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\overset{21}{\epsilon_7} \otimes \overset{4,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{21}{\epsilon_8} \otimes \overset{4,2}{41} \quad \Delta = -34, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\overset{21}{\mathbf{e}}_7^{\textcolor{red}{4},5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{\textcolor{blue}{1},4,2} \otimes 41 \quad \Delta = -34, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes 4\mathbf{1}^{4,2} \quad \Delta = -34, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1 \overset{221}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{1}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \epsilon_8 12222$

$$1 \mathbf{e}_8^{3221} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12222 \quad \Delta = -121, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2221\overset{21}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_8 \overset{5,5}{1222} \quad \Delta = -112, \, n_+ = 1, \, n_- = 47, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{81231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 1223151321 \quad \Delta = -67, \, n_+ = 1, \, n_- = 47, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{71231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 1223151321 \quad \Delta = -39, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 12231513221\mathbf{6} \quad \Delta = -11, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{131513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 122315132218 \quad \Delta = -66, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 12231513221 \mathbf{7} \quad \Delta = -38, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\overset{21}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_8 1222 \quad \Delta = -112, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{221} \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 2^{21} \quad \Delta = -112, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1 \overset{3221}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \overset{3221}{\mathbf{e}}_8 \quad \Delta = -130, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{1}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \overset{21}{\mathfrak{e}}_8 \quad \Delta = -112, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21 \overset{13221}{\textbf{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\textbf{e}}_8 \overset{5,5}{\otimes} \overset{5,4}{\textbf{e}}_8 \overset{5,4}{\otimes} \textbf{c}_7 1231 \textcolor{red}{4} \quad \Delta = -43, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 1231 \mathbf{2} \quad \Delta = -15, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 1231\mathbf{5} \quad \Delta = -67, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 1231 \mathbf{3} \quad \Delta = -23, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21^{13221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{2,1231} \quad \Delta = -17, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{2221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{12321} \mathbf{6} \quad \Delta = -86, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$21^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 123218 \quad \Delta = -141, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$21 \overset{2221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,4}{\mathfrak{e}_7} 123214 \quad \Delta = -36, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21 \overset{2221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,4}{\mathfrak{e}_7} 12321 \mathbf{2} \quad \Delta = -8, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21 \overset{2221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,4}{\mathfrak{e}_7} 12321\mathbf{5} \quad \Delta = -60, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21 \overset{2221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,4}{\mathfrak{e}_7} 12321\textcolor{red}{3} \quad \Delta = -16, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21 \overset{2221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,4}{\mathfrak{e}_7} 123217 \quad \Delta = -113, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$e_7' \otimes e_7 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8^{12} \quad \Delta = -122, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21 \overset{3}{\mathfrak{e}}_8^{221} \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{1}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 1222 \quad \Delta = -121, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21 \overset{3221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{1}{\mathfrak{e}_8} \overset{5,5}{122\mathbf{3}} \quad \Delta = -130, \quad n_+ = 1, \quad n_- = 47, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\overset{21}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{21}{\epsilon}_8 1223 \quad \Delta = -121, \ n_+ = 1, \ n_- = 47, \ n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \overset{221}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{1}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{221}{\epsilon_8} 12$

$$221_{\epsilon_8}^{21} \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_8}^1 \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_8}^{5,5} 221_{12} \quad \Delta = -112, \quad n_+ = 1, \quad n_- = 47, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1 \overset{221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{1}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \overset{221}{\mathfrak{e}_8} 12 \quad \Delta = -121, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $221^{221} \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 12321$

$$221 \overset{3,221}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 12321 \quad \Delta = -17, \quad n_+ = 1, \quad n_- = 47, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$221 \overset{221}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,4}{\mathbf{e}_7} 12321 \mathbf{3} \quad \Delta = -16, \quad n_+ = 1, \quad n_- = 47, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221 \overset{221}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 123217 \quad \Delta = -113, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$221 \overset{221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,4}{\mathfrak{e}_7} 123214 \quad \Delta = -36, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221 \overset{221}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,4}{\mathfrak{e}}_7 12321 \mathbf{6} \quad \Delta = -86, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$221^{221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12321^2 \quad \Delta = -8, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$221 \overset{221}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,4}{\mathfrak{e}}_8 \otimes \mathfrak{e}_7 123218 \quad \Delta = -141, n_+ = 1, n_- = 47, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$1^{1321} \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7' 123218 \quad \Delta = -32, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_6$$

Base: $1^{12321} e_7^{\otimes 6} \otimes e_7^{\otimes 2}$

$$1 \quad \overset{812321}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \overset{3,3}{\mathbf{e}_7} \otimes \mathbf{e}_7 1222 \quad \Delta = -51, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1_{\mathbf{e}_7}^{221} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^1 123218 \quad \Delta = -51, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_4$$

[illegible]

$$1^{812321} \otimes_{7^{3,3}} \otimes_{7^{3,3}} \otimes_{7^{3,3}} \otimes_{7^{3,3}} \otimes_{7^{3,3}} \otimes_{7^{3,3}} \otimes_{7^{21}} 12 \quad \Delta = -51, n_+ = 1, n_- = 47, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } e_8 \overset{4,5}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 123151$$

$$e_8^{4,5} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{123151\textcolor{red}{2}} \quad \Delta = -113, n_+ = 1, n_- = 48, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1e_8 \overset{4,5}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 12321 \textcolor{red}{2} \quad \Delta = -63, n_+ = 1, n_- = 48, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1e_8 \otimes_{e_7}^{4,5} e_7 \otimes_{e_7}^{3,3} e_7 \otimes_{e_7}^{3,3} e_7 \otimes_{e_7}^{3,3} e_7 \otimes_{e_7}^{3,3} e_7 \otimes_{e_7}^{3,3} e_7 123215 \quad \Delta = -115, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1e_8 \otimes e_7^{4,5} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} 123218 \quad \Delta = -196, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1e_8 \otimes_{e_7}^{4,5} e_7 \otimes_{e_7}^{3,3} e_7 \otimes_{e_7}^{3,3} e_7 \otimes_{e_7}^{3,3} e_7 \otimes_{e_7}^{3,3} e_7 \otimes_{e_7}^{3,3} e_7 123214 \quad \Delta = -91, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $\epsilon_6 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231513151$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{12231513151\mathbf{3}} \quad \Delta = -42, n_+ = 1, n_- = 48, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_6^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5}$ 12231513215

$$51231513221 \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_6 \mathbf{1} \mathbf{2} \quad \Delta = -35, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$51231513221\epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 4,5} \otimes \epsilon_6^{\otimes 1,3} \quad \Delta = -43, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_6 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231513151$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8 12231513151\mathbf{3} \quad \Delta = -42, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$15131513221\epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{4,5}{\otimes} \epsilon_6 \mathbf{13} \quad \Delta = -42, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{122315131512} \quad \Delta = -34, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$15131513221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_6 \mathbf{12} \quad \Delta = -34, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $21\epsilon_6 \overset{3,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231513215$

$$51231513221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{3,5} \otimes \mathfrak{e}_6\mathbf{123} \quad \Delta = -43, \, n_+ = 1, \, n_- = 48, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{(12)}\mathbf{c}_8^{12231513221} \otimes_{\mathbf{c}_8}^{5,5} \otimes_{\mathbf{c}_8}^{5,5} \mathbf{c}_8^{12231513151} \quad \Delta = -204, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $e_6 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8^{1231513221} 1$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{41231513221} \mathbf{1} \quad \Delta = -11, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,1231513221} \mathbf{1} \quad \Delta = -35, n_+ = 1, n_- = 48, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{71231513221} \mathbf{1} \quad \Delta = -88, n_+ = 1, n_- = 48, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{81231513221} \mathbf{1} \quad \Delta = -116, n_+ = 1, n_- = 48, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{61231513221} \mathbf{1} \quad \Delta = -61, n_+ = 1, n_- = 48, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1^{1231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \mathfrak{e}_6 1$

$$1 \overset{41}{\text{e}}_8^{1231513221} \overset{5,5}{\otimes} \text{e}_8 \overset{5,5}{\otimes} \text{e}_8 \overset{5,4}{\otimes} \text{e}_6 1 \quad \Delta = -11, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{71231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1 \quad \Delta = -88, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \overset{8}{\text{e}}_8^{1231513221} \overset{5,5}{\otimes} \text{e}_8 \overset{5,5}{\otimes} \text{e}_8 \overset{5,4}{\otimes} \text{e}_6 1 \quad \Delta = -116, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \overset{5,1}{\text{e}}_8 \overset{2,3}{\text{e}}_8 \overset{1,5}{\text{e}}_8 \overset{2,2}{\text{e}}_8 \overset{1,5}{\text{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\text{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\text{e}}_8 \overset{5,4}{\otimes} \overset{5,4}{\text{e}}_6 1 \quad \Delta = -35, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{6}{\text{e}}_8^{1231513221} \overset{5,5}{\otimes} \text{e}_8 \overset{5,5}{\otimes} \text{e}_8 \overset{5,4}{\otimes} \text{e}_6 1 \quad \Delta = -61, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{1231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_6}^{5,3} 12$

$$1^{61231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,3} \otimes_{\mathfrak{e}_6} 12 \quad \Delta = -60, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{81231513221} \mathfrak{e}_8 \otimes^{5,5} \mathfrak{e}_8 \otimes^{5,5} \mathfrak{e}_8 \otimes^{5,3} \mathfrak{e}_6 12 \quad \Delta = -115, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{71231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6^{12} \quad \Delta = -87, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{\overline{51231513221}} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 12 \quad \Delta = -34, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{41231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 12 \quad \Delta = -10, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1^{131513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} \epsilon_6^{131}$

$$1^{131513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \mathbf{e}_6 1314 \quad \Delta = -17, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{4131513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6 131 \quad \Delta = -17, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{131513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \mathbf{e}_6^{1316} \quad \Delta = -67, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1^{131513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} 131\mathbf{5} \quad \Delta = -41, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{5131513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6 131 \quad \Delta = -41, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{6131513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6 131 \quad \Delta = -67, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^1 1223151321$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 12231513216 \quad \Delta = -60, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 1223151321\mathbf{5} \quad \Delta = -34, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 1223151321\textcolor{red}{4} \quad \Delta = -10, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 1223151321\textcolor{red}{7} \quad \Delta = -87, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 12231513218 \quad \Delta = -115, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $\epsilon_7' \overset{5,4}{\otimes} \epsilon_8 \overset{1}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231513221$

$$\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 122315132218 \quad \Delta = -143, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 122315132214 \quad \Delta = -38, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513221 \text{ (12)} \quad \Delta = -258, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513221\mathbf{2} \quad \Delta = -10, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$e_7^{5,4} \otimes e_8^1 \otimes e_8^{5,5} \otimes e_8^{5,5} 12231513221\mathbf{3} \quad \Delta = -18, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_7' \overset{5,4}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 12231513221\mathbf{5} \quad \Delta = -62, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513221\mathbf{7} \quad \Delta = -115, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 1$

$$1^{2131513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7^{5,5} \quad \Delta = -9, \, n_+ = 1, \, n_- = 48, \, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1^{4131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 1 \quad \Delta = -37, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{6}{\text{e}}_8 \overset{13}{\text{e}}_8 \overset{15}{\text{e}}_8 \overset{13}{\text{e}}_8 \overset{22}{\text{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\text{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\text{e}}_8 \overset{5,5}{\otimes} \text{e}'_7 1 \quad \Delta = -87, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{131513221} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}'_1} \Delta = -10, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{131513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}'_7 \mathbf{1} \mathbf{2} \quad \Delta = -9, n_+ = 1, n_- = 48, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{5131513221} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}'_7} 1 \quad \Delta = -61, \, n_+ = 1, \, n_- = 48, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{3131513221} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}'_7} 1 \quad \Delta = -17, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$131513221\mathbf{e}_8^{21} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}'_{71} \quad \Delta = -9, \, n_+ = 1, \, n_- = 48, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1^{13} 15^{13} 22^{15,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_7^{5,4} e'_7 12$$

$$1^{131513221} \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}'_{712} \quad \Delta = -10, \, n_+ = 1, \, n_- = 48, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{2131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,4} \epsilon'_{712} \quad \Delta = -9, \quad n_+ = 1, \quad n_- = 48, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1^{513151513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,4} \otimes_{\mathfrak{e}'_{12}} \Delta = -61, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{131513221} \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,4}{\otimes} \epsilon'_7 12\mathbf{3} \quad \Delta = -18, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{3131513221} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,4} \otimes_{\mathbf{e}'_{12}} \Delta = -17, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{6131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,4} \otimes_{\mathfrak{e}'_{12}} \Delta = -87, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$131513221\epsilon_8^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7'^{5,4} 12 \quad \Delta = -9, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{4131513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_{12}{}^{5,4} \quad \Delta = -37, \quad n_+ = 1, \quad n_- = 48, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_7' \otimes^{4,5} \epsilon_8 \otimes^{5,5} \epsilon_8 \otimes^{5,5} \epsilon_8^1 122315131$

$$1\epsilon_7' \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 122315131\mathbf{3} \quad \Delta = -17, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1c'_7 \otimes c_8 \otimes c_8 \otimes c_8 \text{122315131} \quad \Delta = -9, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\bar{e}_7' \otimes e_8 \otimes e_8 \otimes e_8^{122315131} \quad \Delta = -9, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow F_{23}$$
$$1\bar{e}_7' \otimes e_8 \otimes e_8 \otimes e_8^{122315131} \quad \Delta = -9, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow F_2$$

$$1\bar{\mathbf{e}}_7' \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8^{122315131} \quad \Delta = -9, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{4.5} \otimes \mathbf{e}_8^{5.5} \otimes \mathbf{e}_8^{5.5} \otimes \mathbf{e}_8^1 122315131\mathbf{5} \quad \Delta = -61, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 122315131^2 \quad \Delta = -10, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 1223151314 \quad \Delta = -37, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 122315131\mathbf{6} \quad \Delta = -87, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $\epsilon_7^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 1223151321$

$$\mathbf{e}_7 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 1223151321\mathbf{6} \quad \Delta = -116, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\epsilon_7 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \text{1223151321} \color{red}{\mathbf{3}} = -116, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513218 \quad \Delta = -171, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513217 \quad \Delta = -143, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 1223151321\mathbf{2} \quad \Delta = -38, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 1223151321\mathbf{4} \quad \Delta = -66, n_+ = 1, n_- = 48, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } e_7^{\overline{5,4}} \otimes e_8^{\overline{1}} \otimes e_8^{\overline{5,5}} \otimes e_8^{\overline{5,5}} \otimes e_8^{\overline{3,5}} \otimes e_6^{\overline{1}}$$

$$\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6^{1,3} \quad \Delta = -123, \, n_+ = 1, \, n_- = 48, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1321\epsilon_7 \otimes^{5,4} \epsilon_8 \otimes^{5,5} \epsilon_8 \otimes^{5,5} \epsilon_8 \otimes^{1,2,4} 41\textcolor{red}{2} \quad \Delta = -14, n_+ = 1, n_- = 48, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$14 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 1231 \textcolor{red}{2} \quad \Delta = -14, n_+ = 1, n_- = 48, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$14 \overset{2,4}{\text{e}}_8 \overset{21}{\text{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\text{e}}_8 \overset{5,4}{\otimes} \text{e}_7 1231 \quad \Delta = -14, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_7 \overset{5,4}{\otimes} \mathbf{e}_7 \overset{2}{\otimes} \mathbf{e}_7 \quad \Delta = -16, \quad n_+ = 1, \quad n_- = 48, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$14 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_7 1231\mathbf{3} \quad \Delta = -22, n_+ = 1, n_- = 48, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } e_7' \overset{3,3}{\otimes} e_7 \overset{5,4}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8^{13221} 1$$

$$\epsilon'_7 \overset{3,3}{\otimes} \epsilon_7 \overset{5,4}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8^{513221} = 1, \quad \Delta = -145, \quad n_{-1} = 1, \quad n_{-2} = 48, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$e'_7 \otimes e_7 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 \quad \Delta = -121, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\mathbf{e}'_7 \otimes_{3,3} \mathbf{e}_7 \otimes_{5,4} \mathbf{e}_8 \otimes_{5,5} \mathbf{e}_8 \otimes_{5,5} \mathbf{e}_8 \otimes_{13221} \mathbf{e}_8 \otimes 1 \quad \Delta = -93, \quad n_+ = 1, \quad n_- = 48, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1 \overset{2,2,1}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,4}{e_8} \otimes \overset{3,3}{e_7} \otimes e_7 1$

$$1^{2221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7^{3,3} \otimes \epsilon_7 \quad \Delta = -112, \quad n_+ = 1, \quad n_- = 48, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$2221 \overset{21}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,4}{\epsilon_7} \otimes \overset{3,3}{\epsilon_7} \quad \Delta = -112, \quad n_+ = 1, \quad n_- = 48, \quad n_0 = 0 \quad \rightarrow \mathbb{F}$$

Base: $1_{e_7} \overset{1}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{1}{\otimes} 12231512$

$$1\overset{1}{\epsilon_7}\otimes\overset{5,5}{\epsilon_8}\otimes\overset{5,5}{\epsilon_8}\otimes\overset{5,5}{\epsilon_8}\overset{21}{\epsilon_8}12231512 \quad \Lambda = -29 \quad n_+ = 1 \quad n_- = 48 \quad n_0 = 0 \quad \rightarrow \mathbb{E}_9$$

$$1_{\mathbb{F}_7}^{\mathbf{21}} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 12231512 \quad \Lambda = -29, \quad n_1 = 1, \quad n_2 = 48, \quad n_3 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231512\mathbf{3} \quad \Delta = -38, \quad n_+ = 1, \quad n_- = 48, \quad n_0 = 0 \quad \rightarrow \mathbb{E}_0$$

Base: $1_{\epsilon_7}^{1 \ 5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 | 223 | 1_5^1$

$$1\overline{5}7 \otimes_{\mathbb{F}_2} \mathfrak{e}_9 \otimes_{\mathbb{F}_2} \mathfrak{e}_9 \otimes_{\mathbb{F}_2} \mathfrak{e}_9 \otimes_{\mathbb{F}_2} \mathfrak{e}_9 12231\overline{5}1\mathbf{3} \quad \Lambda = -37 \quad n_+ = 1 \quad n_- = 48 \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathbb{Z}_7}^1 \otimes_{\mathbb{Z}_8}^{5,5} \otimes_{\mathbb{Z}_8}^{5,5} \otimes_{\mathbb{Z}_8}^{5,5} 21_{\mathbb{Z}_8}^1 | 223151^1 \quad \Delta = -29, \quad n_+ = 1, \quad n_- = 48, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\mathbb{F}_7}^{\mathbf{21}} \otimes_{\mathbb{F}_8}^{5,5} \otimes_{\mathbb{F}_8}^{5,5} \otimes_{\mathbb{F}_8}^{5,5} \otimes_{\mathbb{F}_8}^1 1_{\mathbb{F}_2}^1 223151 \quad \Delta = -29, \quad n_+ = 1, \quad n_- = 48, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1_{\mathfrak{e}_7}^{1, 5, 5} \otimes \mathfrak{e}_8^{5, 5} \otimes \mathfrak{e}_8^{5, 5} \otimes \mathfrak{e}_8^1 | 223151 \rangle \quad \Delta = -29, \quad n_+ = 1, \quad n_- = 48, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1 \overset{21}{\epsilon_7} \otimes \overset{4,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \overset{1}{1} 2231512$

$$21_{\overline{6}}^{21} \otimes e_9^{4,5} \otimes e_9^{5,5} \otimes e_9^{5,5} \otimes e_8^1 | 2231512 \rangle \quad \Lambda = -29 \quad n_+ = 1 \quad n_- = 48 \quad n_0 = 0 \quad \rightarrow \mathbb{R}_+$$

$$1_{\mathbb{F}_7}^{\otimes 21} \otimes \mathfrak{e}_8^{\otimes 4,5} \otimes \mathfrak{e}_8^{\otimes 5,5} \otimes \mathfrak{e}_8^{\otimes 5,5} \otimes \mathfrak{e}_8^{\otimes 21} 12231512 \quad \Lambda = -29 \quad n_+ = 1 \quad n_- = 48 \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1_{\mathfrak{e}_7}^{\mathbf{321}} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes 1_{\mathfrak{e}_8} \quad 12231512 \quad \Delta = -38, \quad n_+ = 1, \quad n_- = 48, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 12231512\mathbf{3} \quad \Delta = -38, \quad n_+ = 1, \quad n_- = 48, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1_{\mathfrak{e}_7}^{21} \otimes_{\mathfrak{e}_8}^{4,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 1_{\mathfrak{e}_8} \mid 223151$

$$21_{\overline{6}}^{\text{red}} \otimes_{\mathfrak{g}_9} 4,5 \otimes_{\mathfrak{g}_9} 5,5 \otimes_{\mathfrak{g}_9} 5,5 \otimes_{\mathfrak{g}_9} 1 \otimes_{\mathfrak{g}_9} 12231151 \quad \Lambda = -29 \quad n_+ = 1 \quad n_- = 48 \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1_{\mathbb{F}_7}^{21} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 1223151^1? \quad \Lambda = -29, \quad n_{-1} = 1, \quad n_{-2} = 48, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_7$$

$$1_{\mathbb{C}}^{\otimes 21} \otimes \mathfrak{e}_8^{\otimes 4,5} \otimes \mathfrak{e}_8^{\otimes 5,5} \otimes \mathfrak{e}_8^{\otimes 5,5} \otimes \mathfrak{e}_8^{\otimes 21} \otimes 1_{\mathbb{C}}^{\otimes 1} \quad \Lambda = -29 \quad n_+ = 1 \quad n_- = 48 \quad n_0 = 0 \quad \rightarrow \mathbb{F}_9$$

$$1^{321} 4,5 \quad 5,5 \quad 5,5 \quad 1 \quad 1 \quad 1223 \quad 15 \quad \Lambda = -38, \quad n_1 = 1, \quad n_2 = 48, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1_{\overline{7}}^{21} \otimes e_8^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^1 | 223151 \rangle \quad \Lambda = -37, \quad n_+ = 1, \quad n_- = 48, \quad n_0 = 0 \quad \rightarrow E_6$$

Base: $1 \overset{13221}{\otimes} \overset{5,5}{\otimes} \overset{5,5}{\otimes} \overset{1}{\otimes} \overset{5,5}{\otimes} 1222$

$$1 \otimes_{\mathbb{C}} \otimes_{\mathbb{C}} \otimes_{\mathbb{C}} \otimes_{\mathbb{C}} \otimes_{\mathbb{C}} \otimes_{\mathbb{C}} 1222 \quad \wedge \quad -144 \quad n_+ = 1 \quad n_- = 48 \quad n_0 = 0 \quad \rightarrow \mathbb{R}$$

$$13221 \overset{21}{\otimes} \overset{5,5}{\otimes} \overset{5,5}{\otimes} \overset{1}{\otimes} \overset{5,5}{\otimes} 1222 \quad \Lambda = -92 \quad n_+ = 1 \quad n_- = 48 \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1^{213221} \overset{5,5}{\otimes} \overset{5,5}{\otimes} \overset{1}{\otimes} \overset{5,5}{\otimes} \overset{1}{\otimes} \overset{5,5}{\otimes} \overset{1}{\otimes} \overset{5,5}{\otimes} 1222 \quad \wedge = -92, \quad n_1 = 1, \quad n_2 = 48, \quad n_0 = 0 \quad \rightarrow \mathbb{E}_1$$

$$1^{4132221} \overset{5,5}{\otimes} \overset{5,5}{\otimes} \overset{1}{\otimes} \overset{5,5}{\otimes} \epsilon_8 1222 \quad \Delta = -120, \quad n_+ = 1, \quad n_- = 48, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{313221} \overset{5,5}{\otimes} \overset{5,5}{\otimes} \overset{1}{\otimes} \overset{5,5}{\otimes} 1222 \quad \Delta = -100, \quad n_+ = 1, \quad n_- = 48, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1 \overset{2221}{\otimes_8} \overset{5,5}{\otimes_8} \overset{5,5}{\otimes_8} \overset{1}{\otimes_8} \overset{5,5}{\otimes_8} 12231$

Base: $1 \epsilon_8^{3221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{1,5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{12231}$

Base: $1 \overset{221}{\epsilon_8} \overset{5,5}{\otimes} \overset{1}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \otimes \epsilon_8 122313$

Base: $4 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{221}{\otimes} \mathfrak{e}_8 1$

$$4 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{3221}{\otimes} 1 \quad \Delta = -129, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 4 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{5,5}{\otimes} \mathfrak{e}_8 122$$

$$4 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 122\mathbf{red} \quad \Delta = -129, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1^{1231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes 1^{12231513221}$

$$1^{1231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 1^{12231513221} \mathbf{8} \quad \Delta = -38, \quad n_+ = 1, \quad n_- = 48, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{81231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 12231513221 \quad \Delta = -38, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{71231513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 12231513221 \quad \Delta = -10, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{1231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 1^{1231513221} (12) \quad \Delta = -153, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1^{1231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 122315132217 \quad \Delta = -10, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \overset{221}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{1}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{1}{\epsilon_8} 12231$

$$1^{221} \mathfrak{e}_8 \otimes 5,5^1 \mathfrak{e}_8 \otimes 5,5^1 \mathfrak{e}_8 \otimes 5,5^1 \mathfrak{e}_8 122314 \quad \Delta = -120, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{3221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{1}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{1}{\mathfrak{e}_8} 12231 \quad \Delta = -101, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{221} \mathfrak{e}_8 \otimes^{5,5} \mathfrak{e}_8 \otimes^1 \mathfrak{e}_8 \otimes^{5,5} \mathfrak{e}_8 \otimes^{5,5} \mathfrak{e}_8 \otimes^1 \mathfrak{e}_8 12231\mathbf{5} \quad \Delta = -144, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\overset{21}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_8 12231 \quad \Delta = -92, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{221} \mathfrak{e}_8 \otimes 5,5^1 \mathfrak{e}_8 \otimes 5,5^1 \mathfrak{e}_8 \otimes 5,5^1 \mathfrak{e}_8 12231 \mathbf{red} \quad \Delta = -100, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 1^{2231} \mathfrak{e}_8^1 \quad \Delta = -92, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1_{\mathfrak{e}_8}^{221} \otimes_{\mathfrak{e}_8}^{5,5} 1_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 1_{\mathfrak{e}_8}^{21} 12231 \quad \Delta = -92, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21\epsilon_8^{21, 5, 5} \otimes \epsilon_8^{1, 5, 5} \otimes \epsilon_8^{5, 5} \epsilon_8 122313$

$$21_{\mathfrak{e}_8}^{21} \otimes_{\mathfrak{e}_8}^{5,5} 1_{\mathfrak{e}_8} \otimes_{\mathfrak{e}_8}^{5,5} 5_{\mathfrak{e}_8}^{5,5} 1223132 \quad \Delta = -101, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21\epsilon_8^{21\ 5,5\ 1\ 5,5\ 5,5\ 1} \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 12231$

$$21\mathbf{e}_8^{21} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1,122315} \quad \Delta = -144, \quad n_+ = 1, \quad n_- = 48, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\epsilon_8^{\overline{21}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{1}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{21}} \quad \Delta = -92, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21_{\mathbf{e}_8}^{21} \otimes_{\mathbf{e}_8}^{5,5} 1_{\mathbf{e}_8} \otimes_{\mathbf{e}_8}^{5,5} 1_{\mathbf{e}_8} \otimes_{\mathbf{e}_8}^{5,5} 1_{\mathbf{e}_8} 122314 \quad \Delta = -120, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\mathbf{e}_8^{21} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1,5,5} \otimes \mathbf{e}_8^{5,5,1} 12231\mathbf{2} \quad \Delta = -92, \quad n_+ = 1, \quad n_- = 48, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\mathfrak{e}_8^{21} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,5,5} \otimes \mathfrak{e}_8^{5,5,1} 12231\mathbf{3} \quad \Delta = -100, n_+ = 1, n_- = 48, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$51231513221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{3,5}{\otimes} \mathbf{e}_6 131\mathbf{5} \quad \Delta = -65, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$15131513221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{3,5}{\otimes} \mathbf{e}_6 131\mathbf{3} \quad \Delta = -20, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$131\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513151\mathbf{2} \quad \Delta = -12, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$131\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8 12231513151\mathbf{3} \quad \Delta = -20, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$15131513221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{3,5}{\otimes} \mathbf{e}_6 131\mathbf{4} \quad \Delta = -40, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{5,3} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1223151321\mathbf{3}} \quad \Delta = -47, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{5,3} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{12231513217} \quad \Delta = -144, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{5,3} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{12231513216} \quad \Delta = -117, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } \mathfrak{e}_6^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{3,5} \otimes \mathfrak{e}_6^1$$

$$\mathfrak{e}_6^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{3,5} \otimes \mathfrak{e}_6^{1,2} \quad \Delta = -31, \quad n_+ = 1, \quad n_- = 49, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1_{\mathfrak{e}_6}^1 \otimes_{\mathfrak{e}_8}^{3,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_6}^{5,4} 1_{\mathfrak{e}_6}^{\text{red}} \quad \Delta = -31, \quad n_+ = 1, \quad n_- = 49, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_6^{5,4} \mathbf{1}^{\mathbf{red}} \quad \Delta = -39, n_+ = 1, n_- = 49, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1 \overset{1}{e_6} \overset{3,5}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,3}{\otimes} e_6 12$

$$1\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_{10}12 = -38, n_+ = 1, n_- = 19, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \overset{1}{e_2} \overset{3,5}{\otimes} \overset{5,5}{e_2} \overset{5,5}{\otimes} \overset{5,3}{e_2} \overset{1}{\otimes} 1$

$$1\epsilon_6^1 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_6^1 \quad \Delta = -50, \quad n_+ = 1, \quad n_- = 49, \quad n_0 = 0 \quad \rightarrow \mathbb{R}^4$$

Base: $1\epsilon_7 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 1231515215$

Base: $1\epsilon'_7 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 12231513151$
 $\phantom{\text{Base:}} $
 $\phantom{\text{Base:}} $

$$1\mathbf{c}'_7 \otimes_{5,5} \mathbf{c}_8 \otimes_{5,5} \mathbf{c}_8 \otimes_{5,5} \mathbf{c}_8 12231513151\mathbf{2} \quad \Delta = -32, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21e_7' \otimes^{4,5} e_8 \otimes^{5,5} e_8 \otimes^{5,5} e_8 12231513215$

$$1^{71231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_7}^{5,5} 1 \quad \Delta = -86, \quad n_+ = 1, \quad n_- = 49, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{\overline{5}1231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 1 \quad \Delta = -33, n_+ = 1, n_- = 49, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \overset{6}{\text{e}}_{1231513221} \overset{5,5}{\otimes} \text{e}_8 \overset{5,5}{\otimes} \text{e}_8 \overset{5,5}{\otimes} \text{e}'_7 1 \quad \Delta = -59, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{41231513221} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}'_7 \quad \Delta = -9, n_+ = 1, n_- = 49, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{81231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 \quad \Delta = -114, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1^{1231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_7 12$

$$1^{71231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_{712} \quad \Delta = -86, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{\overline{61231513221}} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,4} \otimes \mathfrak{e}'_{712} \quad \Delta = -59, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{41231513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}'_{712} \quad \Delta = -9, n_+ = 1, n_- = 49, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{51231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,4} \otimes_{\mathfrak{e}'_{12}} \Delta = -33, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{81231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7^{5,4}{}_{12} \quad \Delta = -114, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1\overset{1}{e}_7' \otimes \overset{4,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \overset{1}{e}_8 1223151321$

$$1\mathbf{e}_7' \overset{1}{\otimes} \overset{4,5}{\mathbf{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathbf{e}_8} \overset{1}{\otimes} \mathbf{e}_8 1223151321\mathbf{7} \quad \Delta = -86, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^1 \otimes \epsilon_8^{4.5} \otimes \epsilon_8^{5.5} \otimes \epsilon_8^{5.5} \otimes \epsilon_8^1 12231513211\mathbf{6} \quad \Delta = -59, n_+ = 1, n_- = 49, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\bar{c}'_7 \otimes \bar{c}_8 \otimes \bar{c}_8 \otimes \bar{c}_8 1223151321\bar{4} \quad \Delta = -9, n_+ = 1, n_- = 49, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\bar{c}_7 \otimes e_8 \otimes e_8 \otimes e_8 | 2231513214 \rangle \quad \Delta = -9, \quad n_+ = 1, \quad n_- = 49, \quad n_0 = 0 \quad \rightarrow \mathbb{P}_1$$

$$1\mathbf{e}_7' \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 1223151321\mathbf{9} \quad \Delta = -53, n_+ = 1, n_- = 49, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $\epsilon_7 \overset{5,5}{\otimes} \epsilon_8 \overset{1}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} 12231513221$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513221 (12) \quad \Delta = -257, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 122315132218 \quad \Delta = -142, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513221\mathbf{3} \quad \Delta = -17, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 122315132217 \quad \Delta = -114, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513221\mathbf{2} \quad \Delta = -9, \, n_+ = 1, \, n_- = 49, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 122315132214 \quad \Delta = -37, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_7 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 122315132215 \quad \Delta = -61, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1e_7 \otimes^{4,5} e_8 \otimes^1 e_8 \otimes^{5,5} e_8 \otimes^{5,5} e_8 12231513221$

$$1e_7^{4,5} \otimes e_8^1 \otimes e_8^{5,5} \otimes e_8^{5,5} 122315132214 \quad \Delta = -37, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7 \overset{4,5}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 12231513221\mathbf{2} \quad \Delta = -9, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513221\mathbf{8} \quad \Delta = -142, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513221\mathbf{3} \quad \Delta = -17, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1e_7^{4,5} \otimes e_8^1 \otimes e_8^{5,5} \otimes e_8^{5,5} 12231513221 (12) \quad \Delta = -257, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow F_7$$

$$12231513221\mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_7 \mathbf{12} \quad \Delta = -9, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513221\mathbf{7} \quad \Delta = -114, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{\overline{4,5}} \otimes \epsilon_8^{\overline{1}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} 12231513221\overline{5} \quad \Delta = -61, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^{\overline{4,5}} \otimes \epsilon_8^{\overline{1}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} 122315132216 \quad \Delta = -87, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1^{131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \mathfrak{e}_7 12$

$$131513221\mathbf{e}_8^{21} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{5,5} 12 \quad \Delta = -8, \, n_+ = 1, \, n_- = 49, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{2131513221} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_7} \mathbf{e}_{712} \quad \Delta = -8, \quad n_+ = 1, \quad n_- = 49, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1^{131513221} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_7^{5,5} 12\mathbf{3} \quad \Delta = -17, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_3$$

[illegible]

$$1 \stackrel{7}{e_7} \stackrel{12}{e_7} \stackrel{32}{e_7} \stackrel{3,3}{\otimes} \stackrel{3,3}{e_7} \stackrel{3,3}{\otimes} \stackrel{3,3}{e_7} \stackrel{3,3}{\otimes} \stackrel{3,3}{e_7} \stackrel{3,3}{\otimes} \stackrel{3,3}{e_7} \stackrel{3,3}{\otimes} \stackrel{3,2}{e_7} \otimes 41 \quad \Delta = -2, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1^{12321} e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} e_7^{12321}$

$$1^{812321} \otimes_{\mathbb{F}_2} 1^{3,3} \otimes_{\mathbb{F}_2} 1^{3,3} \otimes_{\mathbb{F}_2} 1^{3,3} \otimes_{\mathbb{F}_2} 1^{3,3} \otimes_{\mathbb{F}_2} 1^{3,3} \otimes_{\mathbb{F}_2} 1^{12321} \quad \Delta = -4, n_+ = 1, n_- = 49, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$T = 50 \quad (\mathbf{230 \text{ bases}})$$

Base: $e_8 \overset{4,5}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e'_7 12$

$$e_8^{4.5} \otimes e_7^{3.3} \otimes e_7^{3.3} \otimes e_7^{3.3} \otimes e_7^{3.3} \otimes e_7^{3.3} \otimes e_7^{3.3} \otimes e_7'^{12.3} \quad \Delta = -119, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } e_6^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{3,5} \otimes e_6^{131}$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6^{1315} \quad \Delta = -62, n_+ = 1, n_- = 50, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6^{131\mathbf{R}} \quad \Delta = -18, n_+ = 1, n_- = 50, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6^{131\text{red}} \quad \Delta = -10, n_+ = 1, n_- = 50, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6^{1314} \quad \Delta = -38, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $131e_6 \overset{3,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_61$

$$1\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6^{131\mathbf{3}} \quad \Delta = -18, n_+ = 1, n_- = 50, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$131e_6^{3,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,4} \otimes e_6^{13} \quad \Delta = -18, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6 131\mathbf{5} \quad \Delta = -62, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_6\mathbf{1}\mathbf{2} \quad \Delta = -10, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6^{1312} \quad \Delta = -10, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6^{1314} \quad \Delta = -38, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6^{131\text{red}} \quad \Delta = -88, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $21\epsilon_6 \overset{3,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,3}{\otimes} \epsilon_6 131$

$$21\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6 131\mathbf{e}_6 \quad \Delta = -9, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6^{1316} \quad \Delta = -87, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$21\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6 131\mathbf{5} \quad \Delta = -61, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6^{1314} \quad \Delta = -37, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6 131\mathbf{3} \quad \Delta = -17, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\epsilon_6^{5,3} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{3,5} \otimes \epsilon_6^{12\text{red}} \quad \Delta = -18, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $e_6^{2,2} \otimes e_6^{5,3} \otimes e_8^{5,5} \otimes e_8^{5,5} 12231513221$

$$\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{5,3} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 122315132214 \quad \Delta = -38, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{5,3} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{122315132217} \quad \Delta = -115, n_+ = 1, n_- = 50, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{5,3} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{122315132212} \quad \Delta = -10, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{5,3} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513221(12) \quad \Delta = -258, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{5,3} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{122315132218} \quad \Delta = -143, n_+ = 1, n_- = 50, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{5,3} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{122315132216} \quad \Delta = -88, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_6^{2,2} \otimes \mathbf{e}_6^{5,3} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{12231513221\mathbf{3}} \quad \Delta = -18, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\mathbf{c}_6^{2,2} \otimes \mathbf{c}_6^{5,3} \otimes \mathbf{c}_8^{5,5} \otimes \mathbf{c}_8^{5,5} \otimes \mathbf{c}_8^{122315132215} \quad \Delta = -62, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \overset{1}{e_6} \overset{3,5}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,3}{\otimes} \overset{5,3}{e_8} \overset{5,3}{\otimes} e_6 131$

$$1\epsilon_6^{21} \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_6^{5,3} 131 \quad \Delta = -9, n_+ = 1, n_- = 50, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\overset{1}{\mathbf{e}_6} \otimes \overset{3,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,3}{\mathbf{e}_6} 131\mathbf{2} \quad \Delta = -9, n_+ = 1, n_- = 50, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_6^{1,3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6^{1316} \quad \Delta = -87, n_+ = 1, n_- = 50, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_6^{5,3} 131\mathbf{5} \quad \Delta = -61, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_6^{5,3} 1314 \quad \Delta = -37, \quad n_+ = 1, \quad n_- = 50, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\mathbf{1}_{\mathbf{e}_6}^{31} \otimes \mathbf{e}_8^{3.5} \otimes \mathbf{e}_8^{5.5} \otimes \mathbf{e}_8^{5.5} \otimes \mathbf{e}_8^{5.3} \mathbf{1}_{31} \quad \Delta = -17, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{1,3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6^{1313} \quad \Delta = -17, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $e_6 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7'1$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}'_{712} \quad \Delta = -30, n_+ = 1, n_- = 50, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\mathbf{e}_6 \overset{4,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}'_7 1$$

$$1e_7' \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,5} \otimes_{e_8}^{4,5} e_6 \textcolor{red}{13} \quad \Delta = -38, n_+ = 1, n_- = 50, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6 \otimes_{4.5} \mathbf{e}_8 \otimes_{5.5} \mathbf{e}_8 \otimes_{5.5} \mathbf{e}_8 \otimes_{5.5} \mathbf{e}'_7 \quad \Delta = -30, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_6^{1,2} \quad \Delta = -30, n_+ = 1, n_- = 50, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $21\mathfrak{e}_6 \overset{3,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}'_7 1$

$$1\epsilon_7' \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{3,5}{\otimes} \epsilon_6 12\mathbf{3} \quad \Delta = -38, \, n_+ = 1, \, n_- = 50, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\mathbf{e}_6 \overset{3,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}'_7 \mathbf{1} \mathbf{red} \quad \Delta = -29, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1e_6^1 \otimes e_8^{3,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_7'1$

$$1_{\mathfrak{e}_6}^{\mathbf{21}} \otimes \mathfrak{e}_8^{3,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7^{\prime 1} \quad \Delta = -29, \, n_+ = 1, \, n_- = 50, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_7' 1 \quad \Delta = -37, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7'^{5,5} \quad \Delta = -29, \, n_+ = 1, \, n_- = 50, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $e_6 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{4,5}{\otimes} e_{712}'$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7'^{123} \quad \Delta = -39, n_+ = 1, n_- = 50, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\mathbf{e}_6 \overset{4,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}'_7 12$$

$$1\mathbf{e}_6 \overset{4,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}'_{123} \quad \Delta = -39, \quad n_+ = 1, \quad n_- = 50, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21e_7' \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_6 \mathbf{1} \mathbf{3} \quad \Delta = -38, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21e'_7 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_6 \mathbf{1} \quad \Delta = -30, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $21\mathbf{e}_6 \overset{3,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}'_7 12$

$$21\epsilon_6^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon'_{712} \mathbf{3} \quad \Delta = -38, \quad n_+ = 1, \quad n_- = 50, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21e_7' \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_6 12\mathbf{3} \quad \Delta = -38, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1e_6 \overset{1}{\otimes} e_8 \overset{3,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7' 12$

$$1_{\epsilon_6} \otimes \overset{31}{\epsilon_8} \otimes \overset{3,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,4}{\epsilon'_8} \quad \Delta = -37, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1e_6^{\textcolor{red}{21}} \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_7'_{12} \quad \Delta = -51, n_+ = 1, n_- = 50, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}'_{123} \quad \Delta = -38, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $e_6^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{4,5} \otimes e_7^{1,1}$

$$\text{Base: } \mathfrak{e}_6^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_{71}^1 \quad \Delta = -30, \quad n_+ = 1, \quad n_- = 50, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$\mathbf{Base}: 1e_7' \overset{1}{\otimes} e_8 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_6 1$$

Base: $\mathfrak{t}_7 \otimes \mathfrak{t}_8 \otimes \mathfrak{t}_8 \otimes \mathfrak{t}_8 \otimes \mathfrak{t}_{61}$
 $1\mathfrak{e}'_7 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_6 1\mathbf{3} \quad \Delta = -38, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_3$

$$1e_7^{21} \otimes e_8^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,4} \otimes e_6 1 \quad \Delta = -30, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1e_7^1 \otimes e_8^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_6^{5,4} \quad \Delta = -30, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1\epsilon_7' \overset{1}{\otimes} \overset{4,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,3}{\epsilon_8} \otimes \epsilon_{612}$$

$$1e_7^{21} \otimes e_8^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,3} \otimes e_6^{12} \quad \Delta = -29, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\epsilon_7^1 \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_6^{5,3} 12\mathbf{3} \quad \Delta = -38, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1 \overset{1}{e}_6 \otimes \overset{3,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,4}{e}_8 \otimes \overset{1}{e}_7' 1$

$$1\overset{31}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_7' 1 \quad \Delta = -37, n_+ = 1, n_- = 50, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{1,3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{1,2} \quad \Delta = -29, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\overset{21}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_7^1 \quad \Delta = -29, \, n_+ = 1, \, n_- = 50, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $21\epsilon_7 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231513215$

$$51231513221 \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_7 12\mathbf{3} \quad \Delta = -41, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21\epsilon_7 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231513151$

$$21\mathfrak{e}_7 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513151\mathbf{3} \quad \Delta = -39, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\mathbf{e}_7 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 12231513151\mathbf{2} \quad \Delta = -31, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$15131513221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_7 \mathbf{123} \quad \Delta = -40, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $221\epsilon_7^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513215$

$$51231513221\mathbf{e}_8 \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{4,5}{\mathbf{e}_7}122\mathbf{3} \quad \Delta = -41, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $221e_7 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 12231513151$

$$15131513221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 122\mathbf{3} \quad \Delta = -40, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513151\mathbf{2} \quad \Delta = -31, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221\mathbf{e}_7 \otimes_{\mathbf{e}_8}^{4,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \mathbf{e}_8 12231513151\mathbf{3} \quad \Delta = -39, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 12321$

$$12321\mathfrak{e}_7^{5,4} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{2,4} \otimes 4141\textcolor{red}{4} \quad \Delta = -14, n_+ = 1, n_- = 50, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 12321\mathbf{6} \quad \Delta = -64, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 123215 \quad \Delta = -38, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 123214 \quad \Delta = -14, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 123218 \quad \Delta = -119, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 12321\textcolor{red}{7} \quad \Delta = -91, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_5$$

Base: $12321\epsilon_7 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 122315123$

$$321513221 \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 12321 \mathbf{4} \quad \Delta = -19, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$321513221\epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{4,5}{\otimes} \epsilon_7 12321\textcolor{red}{5} \quad \Delta = -43, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321513221 \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{4,5}{\otimes} \epsilon_7 12321 \mathbf{6} \quad \Delta = -69, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$321513221 \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 12321 \mathbf{7} \quad \Delta = -96, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$321513221e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{4,5}{\otimes} e_7 123218 \quad \Delta = -124, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_7 1231$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_7 1231\textcolor{red}{2} \quad \Delta = -16, \, n_+ = 1, \, n_- = 50, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_7 12314 \quad \Delta = -44, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$4 \overset{5,3}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 1231\mathbf{5} \quad \Delta = -68, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$4 \overset{5,3}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 \overset{2}{1231} \quad \Delta = -18, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_7 1231\mathbf{red} \quad \Delta = -24, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$14 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{5,5}{\otimes} \mathfrak{e}_8 12231\mathbf{5} \quad \Delta = -123, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1513221\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231$

$$1513221\mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231\mathbf{2} \quad \Delta = -95, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1513221\mathfrak{e}_8 \overset{5,5}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \otimes \mathfrak{e}_8 12231\mathbf{3} \quad \Delta = -103, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$13221\mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 1223151\mathbf{3} \quad \Delta = -103, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2221\mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231512\mathbf{3} \quad \Delta = -95, n_+ = 1, n_- = 50, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$2221\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^1 1223151\mathbf{3} \quad \Delta = -94, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1^{12231513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} \epsilon_6^{131}$

$$1^{(12)12231513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6^{131} \quad \Delta = -180, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{812231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131 \quad \Delta = -65, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1^{12231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}'_7 1$$

$$1^{812231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}'_7} \quad \Delta = -85, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{(12)12231513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,1} \quad \Delta = -200, n_+ = 1, n_- = 50, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{12231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_7 12$

$$1^{712231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_{712} \quad \Delta = -57, \, n_+ = 1, \, n_- = 50, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{812231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,4} \mathfrak{e}'_{712} \quad \Delta = -85, \, n_+ = 1, \, n_- = 50, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1\epsilon_7^1 \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^1 12231513221$

$$1\epsilon_7' \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 122315132216 \quad \Delta = -30, \quad n_+ = 1, \quad n_- = 50, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\epsilon'_{-} \overset{1}{\otimes} \overset{4,5}{\epsilon_{8}} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_{8}} \overset{1}{\otimes} \overset{5,5}{\epsilon_{8}} 122315132218 \quad \Delta = -85, \quad n_{+} = 1, \quad n_{-} = 50, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21c_7' \overset{5,4}{\otimes} c_8 \overset{5,5}{\otimes} c_8 \overset{5,5}{\otimes} c_8 \overset{3,5}{\otimes} c_6 1314 \quad \Delta = -36, n_+ = 1, n_- = 51, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}'_7 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}'_7 \mathbf{123} \quad \Delta = -37, n_+ = 1, n_- = 51, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $21e_7' \otimes^{4,5} e_8 \otimes^{5,5} e_8 \otimes^{5,5} e_8 \otimes^{5,4} e_7' 12$

$$21\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{12\mathbf{3}} \quad \Delta = -37, n_+ = 1, n_- = 51, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\epsilon_7' \overset{1}{\otimes} \overset{4,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,3}{\otimes} \epsilon_6 131$$

$$1\epsilon_7' \otimes_{4,5} \epsilon_8 \otimes_{5,5} \epsilon_8 \otimes_{5,5} \epsilon_8 \otimes_{5,3} \epsilon_6^{1314} \quad \Delta = -36, n_+ = 1, n_- = 51, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6^{131\mathbf{red}} \quad \Delta = -8, \, n_+ = 1, \, n_- = 51, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6^{131\mathbf{R}} \quad \Delta = -16, n_+ = 1, n_- = 51, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} \otimes \epsilon_6^{131} \quad \Delta = -8, \, n_+ = 1, \, n_- = 51, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6^{131\mathbf{5}} \quad \Delta = -60, n_+ = 1, n_- = 51, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^{1,4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6^{1316} \quad \Delta = -86, n_+ = 1, n_- = 51, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$\text{Base: } 1 \overset{1}{e}_7' \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7' 1$$

$$1\epsilon_7' \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7' \mathbf{12} \quad \Delta = -28, n_+ = 1, n_- = 51, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1e_7' \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_7' \quad \Delta = -28, n_+ = 1, n_- = 51, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1e_7' \overset{1}{\otimes} \overset{4,5}{e_8} \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7' 12$$

$$1\epsilon_7' \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_7' 12 \quad \Delta = -28, n_+ = 1, n_- = 51, n_0 = 0 \quad \rightarrow \mathbb{F}$$

$$1\epsilon'_7 \otimes_8 \epsilon_8 \otimes_8 \epsilon_8 \otimes_8 \epsilon_{712} = -20, n_+ = 1, n_- = 51, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1 \overset{1}{\epsilon_7'} \otimes \overset{4,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,4}{\epsilon_8} \otimes \overset{1}{\epsilon_7'} 1$$

$$1\epsilon_{7'}^{21} \otimes \epsilon_{9,5} \otimes \epsilon_{9,5} \otimes \epsilon_{9,5} \otimes \epsilon_{9,5} \otimes \epsilon_{7'}^1 \quad \Lambda = -28 \quad n_+ = 1 \quad n_- = 51 \quad n_0 = 0 \quad \rightarrow \mathbb{R}$$

$$\text{Base: } e_6 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_{712}$$

Base: $\mathfrak{e}_6 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_{712}$
 $\mathfrak{e}_6 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_{712} \mathbf{23} \quad \Delta = -38, \quad n_+ = 1, \quad n_- = 51, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$

Base: $1e_6 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7 12$

$$1_{\epsilon_6} \otimes_{4,5} \epsilon_8 \otimes_{5,5} \epsilon_8 \otimes_{5,5} \epsilon_8 \otimes_{5,5} \epsilon_{712} \quad \Delta = -38, \quad n_+ = 1, \quad n_- = 51, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21e_7 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{4,5}{\otimes} e_6 \mathbf{1} \textcolor{red}{2} \quad \Delta = -29, n_+ = 1, n_- = 51, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\mathbf{e}_7 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_6 \mathbf{13} \quad \Delta = -37, n_+ = 1, n_- = 51, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $21\mathfrak{e}_6 \overset{3,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_{712}$

$$21\mathbf{e}_6 \overset{3,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_7 12\mathbf{3} \quad \Delta = -37, n_+ = 1, n_- = 51, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21e_7^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{3,5} \otimes e_6^{12\text{red}} \quad \Delta = -37, n_+ = 1, n_- = 51, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1 \overset{1}{\epsilon}_6 \otimes \overset{3,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \epsilon_{712}$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{123} \quad \Delta = -37, n_+ = 1, n_- = 51, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\mathbf{1}_{\mathbf{e}_6}^{31} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{5,5} \otimes \mathbf{e}_7^{12} \quad \Delta = -36, n_+ = 1, n_- = 51, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1_{\mathfrak{e}_6}^{\mathbf{21}} \otimes \mathfrak{e}_8^{3,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7^{12} \quad \Delta = -28, n_+ = 1, n_- = 51, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $e_6 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{4,5}{\otimes} e_7 122$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{1223} \quad \Delta = -38, n_+ = 1, n_- = 51, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_6 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,4}{\otimes} \epsilon_7 122$

[illegible]

[illegible]

$$\begin{array}{llll}
21\epsilon_6^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7 1231\mathbf{2} & \Delta = -8, n_+ = 1, n_- = 52, n_0 = 0 & \rightarrow \mathbb{P}^2 \\
21\epsilon_6^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7 1231\mathbf{3} & \Delta = -16, n_+ = 1, n_- = 52, n_0 = 0 & \rightarrow \mathbb{F}_2 \\
21\epsilon_6^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7 1231\mathbf{4} & \Delta = -36, n_+ = 1, n_- = 52, n_0 = 0 & \rightarrow \mathbb{F}_3 \\
21\epsilon_6^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7 1231\mathbf{5} & \Delta = -60, n_+ = 1, n_- = 52, n_0 = 0 & \rightarrow \mathbb{F}_4
\end{array}$$

Base: $1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7^{1231}$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{12315} \quad \Delta = -60, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{1231} \quad \Delta = -10, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{c}_6^1 \otimes \mathbf{c}_8^{3,5} \otimes \mathbf{c}_8^{5,5} \otimes \mathbf{c}_8^{5,5} \otimes \mathbf{c}_8^{5,4} \otimes \mathbf{c}_7^{12314} \quad \Delta = -36, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7^{1231} \mathbf{3} \quad \Delta = -16, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\overset{3,1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 1231 \quad \Delta = -16, n_+ = 1, n_- = 52, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^{21} \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,4} 1231 \quad \Delta = -8, \quad n_+ = 1, \quad n_- = 52, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\epsilon_6^{1,3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7^{12312} \quad \Delta = -8, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $e_7' \overset{3,3}{\otimes} e_7 \overset{5,4}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 1223151321$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1223151321\mathbf{3}} \quad \Delta = -46, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\epsilon_7' \overset{3,3}{\otimes} \epsilon_7 \overset{5,4}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 1223151321\mathbf{8} \quad \Delta = -171, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1223151321\textcolor{red}{7}} \quad \Delta = -143, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\mathbf{e}_7^{\textcolor{teal}{3},\textcolor{teal}{3}} \otimes \mathbf{e}_7 \otimes \mathbf{e}_8^{\textcolor{teal}{5},\textcolor{teal}{4}} \otimes \mathbf{e}_8^{\textcolor{teal}{5},\textcolor{teal}{5}} \otimes \mathbf{e}_8^{\textcolor{teal}{5},\textcolor{teal}{5}} \otimes \mathbf{e}_8 \textcolor{teal}{1} \textcolor{teal}{2} \textcolor{teal}{2} \textcolor{teal}{3} \textcolor{teal}{1} \textcolor{teal}{5} \textcolor{teal}{1} \textcolor{teal}{3} \textcolor{teal}{2} \textcolor{teal}{1} \textcolor{red}{4} \quad \Delta = -66, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1223151321\mathbf{2}} \quad \Delta = -38, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\epsilon_7' \overset{3,3}{\otimes} \epsilon_7 \overset{5,4}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 1223151321\mathbf{6} \quad \Delta = -116, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 122315131$

$$1\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 122315131\mathbf{5} \quad \Delta = -117, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{122315131} \quad \Delta = -66, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\epsilon_7^{3,3} \otimes \epsilon_7^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{122315131\textcolor{red}{3}} \quad \Delta = -73, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{122315131\mathbf{6}} \quad \Delta = -143, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 122315131\mathbf{4} \quad \Delta = -93, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 122315131\mathbf{2} \quad \Delta = -65, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$131513221 \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,5} \otimes \epsilon_7^{3,3} \otimes \epsilon_7 \mathbf{1} \quad \Delta = -65, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1\epsilon_7^1 \otimes^{5,5} \epsilon_8 \otimes^{5,5} \epsilon_8 \otimes^{5,5} \epsilon_8 \otimes^{5,3} \epsilon_6 131$

$$1\epsilon_7^{1,5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_6^{5,3} 131\mathbf{2} \quad \Delta = -7, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_7^{1,5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6^{131\mathbf{6}} \quad \Delta = -85, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1\epsilon_7^{1,5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} \otimes \epsilon_6^{131} \mathbf{3} \quad \Delta = -15, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1e_7^{1,5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,3} \otimes e_6^{1315} \quad \Delta = -59, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\overset{21}{\mathbf{e}}_7 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,3}{\mathbf{e}}_6 131 \quad \Delta = -7, n_+ = 1, n_- = 52, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^{1,5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6^{1314} \quad \Delta = -35, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1e_7^{1\ 5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_7'1$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^1 \mathbf{e}_{12}^{5,5} \quad \Delta = -27, n_+ = 1, n_- = 52, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{5,5} \quad \Delta = -27, n_+ = 1, n_- = 52, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $1e_7^1 \otimes^{5,5} e_8 \otimes^{5,5} e_8 \otimes^{5,5} e_8 \otimes^{5,4} e_7' 12$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}'_{12}\mathbf{23} \quad \Delta = -36, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\overset{21}{e}_7 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,4}{e}'_7 12 \quad \Delta = -27, n_+ = 1, n_- = 52, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1 \overset{1}{\epsilon}_7' \overset{4,5}{\otimes} \overset{5,5}{\epsilon}_8 \overset{5,5}{\otimes} \overset{5,5}{\epsilon}_8 \overset{5,5}{\otimes} \overset{5,5}{\epsilon}_8 \overset{1}{\epsilon}_7 1$$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^1 \mathbf{1}^{\text{red}} \quad \Delta = -27, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^1 \quad \Delta = -27, n_+ = 1, n_- = 52, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} \epsilon_6 131$

$$1\mathbf{e}_7^{21,4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6^{1316} \quad \Delta = -85, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1\mathbf{e}_7^{21,4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6^{1314} \quad \Delta = -35, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7^{21,4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6^{131\mathbf{3}} \quad \Delta = -15, n_+ = 1, n_- = 52, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{21,4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6^{131\mathbf{5}} \quad \Delta = -59, n_+ = 1, n_- = 52, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\overset{321}{\mathbf{e}}_7\overset{4,5}{\otimes}\overset{5,5}{\mathbf{e}}_8\overset{5,5}{\otimes}\overset{5,5}{\mathbf{e}}_8\overset{5,3}{\otimes}\mathbf{e}_6131 \quad \Delta = -16, n_+ = 1, n_- = 52, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7^{21,4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6 131\mathbf{2} \quad \Delta = -7, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\overset{21}{\epsilon}_7 \otimes \overset{4,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,3}{\epsilon}_8 \otimes \epsilon_6 131 \quad \Delta = -7, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7' 1$

$$21\overset{21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_7' \quad \Delta = -27, \, n_+ = 1, \, n_- = 52, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\epsilon_7^{21,4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,5} 1\textcolor{red}{2} \quad \Delta = -27, n_+ = 1, n_- = 52, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \mathbf{e}_7^{321} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{5,5} \quad \Delta = -36, n_+ = 1, n_- = 52, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1_{\mathbf{e}_7}^{21} \otimes_{\mathbf{e}_8}^{4,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,4} \mathbf{e}_7'_{12}$

$$1_{\mathbf{e}_7}^{21, 4, 5} \otimes \mathbf{e}_8^{5, 5} \otimes \mathbf{e}_8^{5, 5} \otimes \mathbf{e}_8^{5, 4} \otimes \mathbf{e}_7'_{123} \quad \Delta = -36, \, n_+ = 1, \, n_- = 52, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\overset{21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 12 \quad \Delta = -27, n_+ = 1, n_- = 52, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1_{\mathfrak{e}_7}^{3,21} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_7{}_{12} \quad \Delta = -36, n_+ = 1, n_- = 52, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1 \overset{1}{e}_7' \overset{4,5}{\otimes} \overset{5,5}{e}_8 \overset{5,5}{\otimes} \overset{5,5}{e}_8 \overset{5,4}{\otimes} \overset{21}{e}_7 1$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{21} \quad \Delta = -27, \, n_+ = 1, \, n_- = 52, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^{\overline{1}} \otimes \mathbf{e}_8^{\overline{4,5}} \otimes \mathbf{e}_8^{\overline{5,5}} \otimes \mathbf{e}_8^{\overline{5,5}} \otimes \mathbf{e}_7^{\overline{5,4}} \otimes \mathbf{e}_7^{\overline{21}} \quad \Delta = -27, \quad n_+ = 1, \quad n_- = 52, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{321} 1 \quad \Delta = -36, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $14 \overset{2,4}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} 1223132$

$$14 \overset{2,4}{\otimes} \overset{21}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 1223132 \quad \Delta = -22, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2313221 \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{2,4} 41\mathbf{2} \quad \Delta = -22, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$2313221 \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{2,4} 41\mathbf{4} \quad \Delta = -50, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2313221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{2,4} 41\textcolor{red}{3} \quad \Delta = -30, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1 \overset{313221}{e_8} \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{4,2}{\otimes} 413$

$$313221^{21}_{\mathfrak{e}_8} \otimes^{5,5}_{\mathfrak{e}_8} \otimes^{5,5}_{\mathfrak{e}_8} \otimes^{5,5}_{\mathfrak{e}_8} \otimes^{4,2}_{413} \quad \Delta = -29, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 413\mathbf{2} \quad \Delta = -30, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{2313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 413 \quad \Delta = -30, n_+ = 1, n_- = 52, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} \otimes 4141$

$$22221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{4,2}{4141} \quad \Delta = -32, n_+ = 1, n_- = 52, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{22221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 4141\textcolor{red}{2} \quad \Delta = -32, n_+ = 1, n_- = 52, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} \otimes 4141\mathbf{4} \quad \Delta = -60, n_+ = 1, n_- = 52, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1 \overset{22221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{4,2}{\mathfrak{e}_8} \otimes 4141\mathbf{3} \quad \Delta = -40, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{1231513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \mathbf{e}_7^{12321} \mathbf{7} \quad \Delta = -38, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1^{61231513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{12321} \quad \Delta = -11, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1 \overset{8}{\text{e}}_{1231513221} \overset{5,5}{\otimes} \text{e}_8 \overset{5,5}{\otimes} \text{e}_8 \overset{5,4}{\otimes} \text{e}_7 12321 \quad \Delta = -66, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{1231513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \mathbf{e}_7^{12321} \mathbf{8} \quad \Delta = -66, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1^{1231513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \mathbf{e}_7^{12321} \mathbf{6} \quad \Delta = -11, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{71231513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{12321} \quad \Delta = -38, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1 \overset{12231513221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 1231$$

$$1^{(12)}_{\mathbf{e}_8}{}^{12231513221}{}^{5,5} \otimes \mathbf{e}_8{}^{5,5} \otimes \mathbf{e}_8{}^{5,4} \otimes \mathbf{e}_7{}^{1231} \quad \Delta = -179, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{712231513221} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,4}{\otimes} \mathfrak{c}_7 1231 \quad \Delta = -36, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{812231513221} \mathfrak{c}_8^{5,5} \otimes \mathfrak{c}_8^{5,5} \otimes \mathfrak{c}_8^{5,4} \otimes \mathfrak{c}_7^{1231} \quad \Delta = -64, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{612231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7^{1231} \quad \Delta = -9, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1_{\mathfrak{e}_8}^{21, 5,5} \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8^{1, 5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 1$

$$1\mathbf{e}_8^{21} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6 \mathbf{1} \mathbf{2} \quad \Delta = -114, \, n_+ = 1, \, n_- = 52, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$21\overset{21}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,3}{\mathbf{e}}_6 1 \quad \Delta = -114, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\epsilon_8^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} \otimes \epsilon_6 13 \quad \Delta = -122, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes 41^{4,2}$

$$1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes 41\mathbf{3} \quad \Delta = -29, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{313221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,4,2} \otimes 414 \quad \Delta = -49, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{2313221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^1 \otimes_{\mathfrak{e}_8}^{4,2} 41 \quad \Delta = -22, n_+ = 1, n_- = 52, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$313221^{21} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes 41^{4,2} \quad \Delta = -21, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} \otimes 41 \quad \Delta = -21, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes 412^{4,2} \quad \Delta = -21, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1^{22221} \textcircled{\times} \text{e}_8^{5,5} \textcircled{\times} \text{e}_8^{5,5} \textcircled{\times} \text{e}_8^{5,5} 1^{12231512}$

$$22221\overset{21}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \overset{1}{\mathbf{e}}_8 12231512 \quad \Delta = -28, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{22221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{21} 12231512 \quad \Delta = -28, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 12231512\mathbf{3} \quad \Delta = -37, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1 \overset{221}{\epsilon_8} \overset{5,5}{\otimes} \overset{1}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,5}{\otimes} \epsilon_8 1223151321$

$$1_{\mathfrak{e}_8}^{221} \otimes_{\mathfrak{e}_8}^{5,5} 1_{\mathfrak{e}_8} \otimes_{\mathfrak{e}_8}^{5,5} 5_{\mathfrak{e}_8}^{5,5} 1223151321\mathbf{5} \quad \Delta = -89, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{3221} \overset{5,5}{\epsilon_8} \otimes \overset{1}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} 1223151321 \quad \Delta = -46, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_8^{221} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 1223151321\mathbf{3} \quad \Delta = -45, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1 \epsilon_8^{221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513216 \quad \Delta = -115, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513217 \quad \Delta = -142, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1 \overset{221}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{1}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} 12231513214 \quad \Delta = -65, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \mathbf{e}_8^{221} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513218 \quad \Delta = -170, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{221} \epsilon_8^{\bar{5},5} \otimes \epsilon_8^{\bar{1}} \otimes \epsilon_8^{\bar{5},5} \otimes \epsilon_8^{\bar{5},5} 1223151321\textcolor{red}{2} \quad \Delta = -37, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\overset{21}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 1223151321 \quad \Delta = -37, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1 \overset{22221}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,5}{e_8} \overset{1}{e_8} \overset{1}{1223151}$

$$1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 1223151 \mathbf{2} \quad \Delta = -28, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$22221\overset{21}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \overset{1}{\epsilon}_8 1223151 \quad \Delta = -28, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}_8^{21} 1223151 \quad \Delta = -28, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{22221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 1223151\mathbf{3} \quad \Delta = -36, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $21\epsilon_8^{21\ 5,5\ 1\ 5,5\ 5,5} \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 1223151321$

$$21_{\mathfrak{e}_8}^{21, 5,5} \otimes \mathfrak{e}_8^{1, 5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1223151321\mathbf{2}} \quad \Delta = -37, n_+ = 1, n_- = 52, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21\mathfrak{e}_8^{21} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 1223151321\mathbf{3} \quad \Delta = -45, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21\epsilon_8^{21, 5, 5} \otimes \epsilon_8^{1, 5, 5} \otimes \epsilon_8^{5, 5} \otimes \epsilon_8^{5, 5} 12231513216 \quad \Delta = -115, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\mathfrak{e}_8^{21} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513218 \quad \Delta = -170, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21^{21} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513214 \quad \Delta = -65, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\mathfrak{e}_8^{21} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 1223151321\mathbf{5} \quad \Delta = -89, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21_{\epsilon_8}^{21, 5, 5} \otimes \epsilon_8^{1, 5, 5} \otimes \epsilon_8^{5, 5} \otimes \epsilon_8^{5, 5} 12231513217 \quad \Delta = -142, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $21^{13221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 413$

$$21 \overset{13221}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{4,2}{\mathbf{e}_8} \otimes 413 \mathbf{red} \quad \Delta = -22, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{413221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{4,2} 413 \quad \Delta = -49, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{5,13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 413 \quad \Delta = -73, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21^{213221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 413 \quad \Delta = -21, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $21 \overset{2221}{\epsilon_8} \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{4,2}{\otimes} 4141$

$$21^{2221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,2} 4141\mathbf{4} \quad \Delta = -60, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 4141\mathbf{3} \quad \Delta = -40, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21 \overset{2221}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{4,2}{\mathbf{e}_8} \otimes 4141\mathbf{2} \quad \Delta = -32, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21 \overset{2221}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} 122315123$

$$21^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{122315123} \Delta = -39, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21^{2221} \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513^1$

$$21^{2221}_{\mathfrak{e}_8} \otimes^{5,5}_{\mathfrak{e}_8} \otimes^{5,5}_{\mathfrak{e}_8} \otimes^{5,5}_{\mathfrak{e}_8} 12231513^1_{\mathfrak{e}_8} \Delta = -37, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}_8^1 \otimes 41^{4,2}$

$$21^{13221} \otimes^{5,5} \mathfrak{e}_8 \otimes^{5,5} \mathfrak{e}_8 \otimes^{5,5} \mathfrak{e}_8 \otimes^1 \mathfrak{e}_8 \otimes^{4,2} 41\mathbf{3} \quad \Delta = -21, \quad n_+ = 1, \quad n_- = 52, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21_{\mathfrak{e}_8}^{13221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{21} \otimes_{\mathfrak{e}_8}^{4,2} 41 \quad \Delta = -13, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{13221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes 41^2 \quad \Delta = -13, n_+ = 1, n_- = 52, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$21 \overset{5,1}{\mathbf{e}}_8^{13221} \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_8 \otimes \overset{4,2}{\mathbf{e}}_8 \otimes 41 \quad \Delta = -65, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21^{13221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes 414^{4,2} \quad \Delta = -41, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21^{413221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^1 \otimes_{\mathfrak{e}_8}^{4,2} 41 \quad \Delta = -41, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{213221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^1 \otimes_{\mathfrak{e}_8}^{4,2} 41 \quad \Delta = -13, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1^{21} 5^{13} 2^{21} \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 2^{21}$

$$1^{321513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 1222 \quad \Delta = -37, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21513221 \overset{21}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \overset{21}{1222} \quad \Delta = -28, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{1513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^{21} 1222$

$$1^{31513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 1222 \quad \Delta = -36, \quad n_+ = 1, \quad n_- = 52, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 1222 \quad \Delta = -28, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\begin{array}{ccccccc} 2221(12)12231513221(12)12231513221(12)12231513221(12)12231 & & & & & & \\ 1 & & & 5 & & & 1 \end{array} \quad \Delta = -28, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^{221} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7'{}^{123218} \quad \Delta = -22, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_6$$

[illegible]

$$1^{1321} e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} 1231513221 (12) \quad \Delta = -89, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_8$$

Base: $1^{12321} e_7^{\otimes 3,3} \otimes e_7^{\otimes 3,3} \otimes e_7^{\otimes 3,3} \otimes e_7^{\otimes 3,3} \otimes e_7^{\otimes 3,3} \otimes e_7^{\otimes 3,3} \otimes e_6^{131}$

$$1^{812321} \begin{matrix} 3,3 \\ e_7 \end{matrix} \otimes \begin{matrix} 3,3 \\ e_7 \end{matrix} \otimes \begin{matrix} 3,3 \\ e_7 \end{matrix} \otimes \begin{matrix} 3,3 \\ e_7 \end{matrix} \otimes \begin{matrix} 3,3 \\ e_7 \end{matrix} \otimes \begin{matrix} 3,3 \\ e_7 \end{matrix} \otimes \begin{matrix} 3,3 \\ e_6 \end{matrix} 131 \quad \Delta = -3, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_3$$

[illegible]

[illegible]

$$\text{Base: } 1e_7^{21} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^1 12321$$

$$1\text{e}'_{7^{21}} \otimes_{7^{3,3}} \text{e}_{7^{3,3}} \otimes_{7^{3,3}} \text{e}_{7^{3,3}} \otimes_{7^{3,3}} \text{e}_{7^{3,3}} \otimes_{7^{3,3}} \text{e}_{7^{3,3}} \otimes_{7^{3,3}} \text{e}_{7^1} 123218 \quad \Delta = -22, n_+ = 1, n_- = 52, n_0 = 0 \rightarrow \mathbb{F}_4$$

[illegible]

$$21e_7^{21,3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7'_{123218} \quad \Delta = -22, n_+ = 1, n_- = 52, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$T = 53 \quad (240 \text{ bases})$$

[illegible]

$$e_8^{4.5} \otimes e_7^{3.3} \otimes e_7^{3.3} \otimes e_7^{3.3} \otimes e_7^{3.3} \otimes e_7^{3.3} \otimes e_7^{3.3} \otimes e_7^{123218} \quad \Delta = -195, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow F_6$$

$$e_8^{4,5} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{123217} \quad \Delta = -167, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$e_8^{4,5} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{123216} \quad \Delta = -140, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$e_8^{4,5} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{12321\textcolor{red}{2}} \quad \Delta = -62, n_+ = 1, n_- = 53, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$e_8^{4,5} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{12321\mathbf{3}} \quad \Delta = -70, n_+ = 1, n_- = 53, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$e_8^{4,5} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{123215} \quad \Delta = -114, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,2}{\otimes} 413$

$$314 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{2,4}{\otimes} 413\mathbf{2} \quad \Delta = -29, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1414 \overset{2,4}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 1223132$

$$2313221 \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{2,4} 4141\mathbf{3} \quad \Delta = -29, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$2313221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{2,4} 4141\textcolor{red}{4} \quad \Delta = -49, n_+ = 1, n_- = 53, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$2313221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{2,4} 4141\mathbf{2} \quad \Delta = -21, n_+ = 1, n_- = 53, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $2313221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 122315123$

$$2313221\epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 122315123\mathbf{2} \quad \Delta = -28, n_+ = 1, n_- = 53, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } 2313221 \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{12231513}$$

$$2313221\epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 122315132 \overset{1}{\Delta} = -26, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21e_7 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_{712}$

$$21e_7 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7 12\mathbf{3} \quad \Delta = -35, \quad n_+ = 1, \quad n_- = 53, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $221e_7 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_{712}$

$$221e_7^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_7^{12\textcolor{red}{3}} \quad \Delta = -35, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{122\mathbf{3}} \quad \Delta = -35, n_+ = 1, n_- = 53, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $221e_7 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7 122$

$$221\mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{122\mathbf{3}} \quad \Delta = -35, n_+ = 1, n_- = 53, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7' \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 1231\mathbf{4} \quad \Delta = -35, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 1231\mathbf{5} \quad \Delta = -59, n_+ = 1, n_- = 53, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 1231\mathbf{3} \quad \Delta = -15, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{1231} \quad \Delta = -9, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{12312} \quad \Delta = -7, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1321e_7 \otimes^{5,4} e_8 \otimes^{5,5} e_8 \otimes^{5,5} e_8 \otimes^{5,5} e_7' 12 \quad \Delta = -7, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow F_4$$

Base: $21e_7' \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7 1231$

$$21\mathbf{e}'_7 \overset{4,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 1231\mathbf{3} \quad \Delta = -15, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21e_7^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,4} \otimes e_7^{1231} \quad \Delta = -9, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21e_7^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,4} e_7^{12315} \quad \Delta = -59, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21e_7^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,4} \otimes e_7^{12314} \quad \Delta = -35, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21e_7^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,4} \otimes e_7^{12312} \quad \Delta = -7, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1321e_7^{5,4} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{4,5} \otimes e_7'^{123} \quad \Delta = -16, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1 \overset{1}{e}_7' \otimes \overset{4,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,4}{e}_7 1231$$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{5,4} 1231\mathbf{3} \quad \Delta = -15, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{4.5} \otimes \mathbf{e}_8^{5.5} \otimes \mathbf{e}_8^{5.5} \otimes \mathbf{e}_7^{5.4} 1231 \quad \Delta = -7, \, n_+ = 1, \, n_- = 53, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1c_7' \otimes_{\mathfrak{e}_8}^{1, 4, 5} c_8 \otimes_{\mathfrak{e}_8}^{5, 5} c_8 \otimes_{\mathfrak{e}_8}^{5, 5} c_8 \otimes_{\mathfrak{e}_7}^{5, 4} 12315 \quad \Delta = -59, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\epsilon'_7 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_7^{1231} \quad \Delta = -9, \quad n_+ = 1, \quad n_- = 53, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\epsilon_7' \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_7 1231 \quad \Delta = -7, n_+ = 1, n_- = 53, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\bar{6}_7^1 \otimes 8_8 \otimes 8_8 \otimes 8_8 \otimes 8_7 1231_2 \quad \Delta = -1, n_+ = 1, n_- = 53, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$\text{Base: } e_7 \overset{3,3}{\otimes} e_7 \overset{5,4}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{3,5}{\otimes} e_6 1$$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6^{1,3} \quad \Delta = -122, \quad n_+ = 1, \quad n_- = 53, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1e_7 \overset{3,3}{\otimes} e_7 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 1223151321$

$$1e_7^{3,3} \otimes e_7^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{1223151321} \mathbf{3} \quad \Delta = -45, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1e_7^{\overline{3,3}} \otimes e_7^{\overline{4,5}} \otimes e_8^{\overline{5,5}} \otimes e_8^{\overline{5,5}} \otimes e_8^{12231513214} \quad \Delta = -65, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\epsilon_7^{3.3} \otimes \epsilon_7^{4.5} \otimes \epsilon_8^{5.5} \otimes \epsilon_8^{5.5} 12231513216 \quad \Delta = -115, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1e_7^{3,3} \otimes e_7^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{12231513215} \quad \Delta = -89, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8 1223151321\mathbf{2} \quad \Delta = -37, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513218 \quad \Delta = -170, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1231513221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,5} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{1,2} \quad \Delta = -37, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 1223151321\mathbf{7} \quad \Delta = -142, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1e_7 \overset{1}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} e_7 12$

$$1\mathbf{e}_7^{1,5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{123} \quad \Delta = -35, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,5} \quad \Delta = -26, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1\epsilon_7 \overset{1}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,4}{\epsilon_8} \otimes \epsilon_7 122$

$$1\epsilon_7^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,4} 122\textcolor{red}{3} \quad \Delta = -35, \, n_+ = 1, \, n_- = 53, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,4} 122 \quad \Delta = -26, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1 \overset{1}{e_7} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{1}{e_7} 1$

$$1\overset{21}{e}_7 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{1}{e}_7 1 \quad \Delta = -26, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1_{e_7}^{21} \otimes_{e_8}^{4,5} \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,5} \otimes_{e_7}^{5,5} 12$

$$1 \overset{3,21}{\mathbf{e}_7} \otimes \overset{4,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_7} 12 \quad \Delta = -35, n_+ = 1, n_- = 53, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^{21,4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{12,3} \quad \Delta = -35, n_+ = 1, n_- = 53, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\overset{21}{\epsilon}_7 \otimes \overset{4,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_7 12 \quad \Delta = -26, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1e_7^{21} \otimes e_8^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_7^{5,4} 122$

$$1^{321} \mathbf{e}_7 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{5,4} 122 \quad \Delta = -35, n_+ = 1, n_- = 53, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\overset{\textcolor{red}{21}}{\mathfrak{e}_7} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7^{5,4} 122 \quad \Delta = -26, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^{21\ 4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{122\mathbf{3}} \quad \Delta = -35, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1 \overset{21}{e_7} \otimes \overset{4,5}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{1}{e_7} 1$

$$1^{321} \mathbf{e}_7 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^1 \quad \Delta = -35, n_+ = 1, n_- = 53, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^1 \mathbf{12} \quad \Delta = -26, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\overset{21}{e}_7 \otimes \overset{4,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{1}{e}_7 1 \quad \Delta = -26, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1 \overset{21}{\mathfrak{e}_7} \otimes \overset{4,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,4}{\mathfrak{e}_8} \otimes \overset{21}{\mathfrak{e}_7} 1$$

$$1 \overset{321}{\mathbf{e}_7} \otimes \overset{4,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,4}{\mathbf{e}_8} \overset{21}{\mathbf{e}_7} 1 \quad \Delta = -35, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\overset{21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_8 \otimes \overset{21}{\mathbf{e}}_7 \quad \Delta = -26, n_+ = 1, n_- = 53, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $14 \overset{2,4}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{4,2}{\otimes} 413$

$$14 \overset{2,4}{\otimes} \overset{1}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}}_8 \overset{4,2}{\otimes} 413 \textcolor{red}{2} \quad \Delta = -21, n_+ = 1, n_- = 53, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$314 \begin{smallmatrix} 4,2 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 1 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 2,4 \\ 413 \end{smallmatrix} \quad \Delta = -28, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$314^{4,2} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes 414^{2,4} \quad \Delta = -48, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$314 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \overset{2,4}{412} \quad \Delta = -20, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$14 \overset{2,4}{\otimes} \overset{\textcolor{red}{2}_1}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{4,2}{\mathfrak{e}_8} \otimes 413 \quad \Delta = -20, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \overset{313221}{e_8} \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{4,2}{\otimes} 4141$

$$1 \overset{2313221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{4,2}{\otimes} \mathfrak{e}_8 \otimes 4141 \quad \Delta = -21, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} \otimes 4141\mathbf{3} \quad \Delta = -28, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{313221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 41412 \quad \Delta = -20, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$313221 \overset{21}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{4,2}{4141} \quad \Delta = -20, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,2} 4141\mathbf{4} \quad \Delta = -48, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 1223132$

$$21513221 \overset{21}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} 1223132 \quad \Delta = -17, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{321513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 1223132 \quad \Delta = -26, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{313221} \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 122315123$

$$313221\overset{21}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} 122315123 \quad \Delta = -25, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{2313221} \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 122315123 \quad \Delta = -26, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{313221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 122315123\mathbf{2} \quad \Delta = -27, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{131513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 122222$

$$1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{122222} \quad \Delta = -15, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$131513221\overset{21}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} 122222 \quad \Delta = -7, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{2131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 122222 \quad \Delta = -7, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1 \overset{6131513221}{\text{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{e}_8} 122222 \quad \Delta = -85, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{4131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 122222 \quad \Delta = -35, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{131513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 122222 \quad \Delta = -8, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1 \overset{5}{\text{e}} \overset{13}{\text{e}} \overset{15}{\text{e}} \overset{13}{\text{e}} \overset{22}{\text{e}} \overset{1}{\text{e}} \overset{5,5}{\otimes} \overset{5,5}{\text{e}} \overset{5,5}{\otimes} \overset{5,5}{\text{e}} \overset{5,5}{\otimes} \overset{5,5}{\text{e}} \overset{12}{\text{e}} \overset{22}{\text{e}} \overset{22}{\text{e}} \overset{22}{\text{e}} \quad \Delta = -59, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8^{22221} 1$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{22221}{\otimes} \mathfrak{e}_8 \mathbf{12} \quad \Delta = -35, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $13221\epsilon_8 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 1223151321$

$$13221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \overset{5,5}{\mathbf{e}_8} \overset{5,5}{\otimes} \mathbf{e}_8 1223151321\mathbf{6} \quad \Delta = -95, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$13221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 1223151321\mathbf{5} \quad \Delta = -69, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$13221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513217 \quad \Delta = -122, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1231513221 \mathbf{e}_8 \otimes_{5,5} \mathbf{e}_8 \otimes_{5,5} \mathbf{e}_8 \otimes_1 \mathbf{e}_8 \otimes_{5,5} 12231 \mathbf{2} \quad \Delta = -17, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$13221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \overset{5,5}{\mathbf{e}_8} \overset{5,5}{\otimes} \mathbf{e}_8 1223151321\mathbf{2} \quad \Delta = -17, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1231513221 \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} 122314 \quad \Delta = -45, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$13221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 1223151321\mathbf{4} \quad \Delta = -45, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1231513221 \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} 12231 \mathbf{r} \quad \Delta = -25, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$13221\mathfrak{e}_8 \otimes_{5,5} \mathfrak{e}_8 \otimes_1 \mathfrak{e}_8 \otimes_{5,5} \mathfrak{e}_8 \otimes_{5,5} \mathfrak{e}_8 1223151321\mathbf{3} \quad \Delta = -25, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1231513221 \mathbf{c_8} \overset{5,5}{\otimes} \mathbf{c_8} \overset{5,5}{\otimes} \mathbf{c_8} \overset{1}{\otimes} \mathbf{c_8} \overset{5,5}{\otimes} \mathbf{c_8} 12231 \mathbf{5} \quad \Delta = -69, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$13221\mathfrak{c}_8 \otimes \mathfrak{c}_8^{5,5} \otimes \mathfrak{c}_8^{1,5,5} \otimes \mathfrak{c}_8^{5,5} 1223151321\mathfrak{c}_8 \quad \Delta = -150, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $2221\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513221$

$$2221\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8 12231513221 \text{ (12)} \quad \Delta = -256, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_7$$

$$2221\epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{1}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231513221\mathbf{8} \quad \Delta = -141, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$2221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513221\mathbf{3} \quad \Delta = -16, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$2221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513221\mathbf{2} \quad \Delta = -8, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$2221\epsilon_8 \otimes^{5,5} \epsilon_8 \otimes^1 \epsilon_8 \otimes^{5,5} \epsilon_8 \otimes^{5,5} \epsilon_8 122315132216 \quad \Delta = -86, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$2221\epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{1} \ 5,5} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{12231513221\overline{5}} \quad \Delta = -60, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$2221\mathfrak{e}_8 \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{1}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} 12231513221\mathbf{4} \quad \Delta = -36, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$2221\overset{5,5}{\epsilon_8} \otimes \overset{1}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} 12231513221\textcolor{red}{7} \quad \Delta = -113, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{1513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8 1223132$

$$1^{21513221} \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \epsilon_8 1223132 \quad \Delta = -17, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\begin{array}{ccccc} 2313221(12)12231513221(12)12231513221(12)12231513221(12)12231 & & & & \\ 1 & & 5 & & 1 \end{array} \quad \Delta = -17, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{31513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 1223132 \quad \Delta = -25, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{313221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^{12231513}$

$$1^{313221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{122315132} \quad \Delta = -25, \quad n_+ = 1, \quad n_- = 53, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{23} \text{e}_8^{\overset{1}{\underset{1}{\text{13}}}\overset{5,5}{\underset{5,5}{\underset{5,5}{\underset{5,5}{\text{12}}}}} \otimes \text{e}_8^{\overset{1}{\underset{1}{\text{13}}}\overset{5,5}{\underset{5,5}{\underset{5,5}{\underset{5,5}{\text{12}}}}} \otimes \text{e}_8^{\overset{1}{\underset{1}{\text{13}}}\overset{5,5}{\underset{5,5}{\underset{5,5}{\underset{5,5}{\text{12}}}}} \otimes \text{e}_8^{\overset{1}{\underset{1}{\text{13}}}\overset{5,5}{\underset{5,5}{\underset{5,5}{\underset{5,5}{\text{12}}}}} \quad \Delta = -25, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$313221\overset{21}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} 12231513 \quad \Delta = -24, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } e_7' \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{1}{\otimes} \overset{5,5}{e_8} 122$$

$$\epsilon'_{-} \overset{5,5}{\otimes} \epsilon_{\infty} \overset{5,5}{\otimes} \epsilon_{\infty} \overset{5,5}{\otimes} \epsilon_{\infty} \overset{1}{\otimes} \epsilon_{\infty} \overset{5,5}{\otimes} \epsilon_{\infty} 122^3 \quad \Lambda = -122, n_{+} = 1, n_{-} = 53, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $221 \epsilon_8 \otimes \epsilon_8^{5,5} \oplus \epsilon_8 \otimes \epsilon_8^{5,5} \oplus \epsilon_8 \otimes \epsilon_8^{5,5} \oplus \epsilon_8 \otimes \epsilon_8^{5,4} \oplus \epsilon_{-1}$

$$1^{221} \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 1} \otimes \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,5} 12231513221\textcolor{red}{4} \quad \Delta = -36, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_1$$

[illegible]

Base: $1^{313221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 1^{1223151}$

$$1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 1223151\mathbf{3} \quad \Delta = -24, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$313221\overset{21}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \overset{1}{1223151} \quad \Delta = -16, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}_8^{21} 1^{1223151} \quad \Delta = -16, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 1223151^1 \mathbf{2} \quad \Delta = -16, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{2313221} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{1}{\mathfrak{e}_8} 1223151 \quad \Delta = -17, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $21\epsilon_8^{21, 5, 5} \otimes \epsilon_8^{1, 5, 5} \otimes \epsilon_8^{5, 5}$ $\epsilon_8 12231513221$

$$21\epsilon_8^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 122315132218 \quad \Delta = -141, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21_{\mathbf{e}_8}^{21} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^1 \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} 12231513221(12) \quad \Delta = -256, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_7$$

$$21^{21} \epsilon_8^{5,5} \otimes \epsilon_8^{1,5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{12231513221} \Delta = -8, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21^{21}_{\mathfrak{e}_8} \otimes 5^{5,5}_{\mathfrak{e}_8} \otimes 1^1_{\mathfrak{e}_8} \otimes 5^{5,5}_{\mathfrak{e}_8} \otimes 5^{5,5}_{\mathfrak{e}_8} 12231513221\mathbf{5} \quad \Delta = -60, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21\epsilon_8^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 122315132217 \quad \Delta = -113, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{21} \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8^{122315132216} \quad \Delta = -86, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\epsilon_8^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 122315132214 \quad \Delta = -36, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21\epsilon_8^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513221\mathbf{3} \quad \Delta = -16, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21^{13221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} \otimes 4141$

$$21 \overset{5}{\epsilon}_8 \overset{13221}{\otimes} \overset{5,5}{\epsilon}_8 \overset{5,5}{\otimes} \overset{5,5}{\epsilon}_8 \overset{5,5}{\otimes} \overset{4,2}{\epsilon}_8 \overset{4141}{\otimes} \Delta = -64, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{213221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{4,2} 4141 \quad \Delta = -12, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$21 \overset{13221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4141\textcolor{red}{4} \quad \Delta = -40, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21 \overset{13221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{4,2}{\otimes} 4141\mathbf{2} \quad \Delta = -12, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21 \overset{4,1}{\text{e}_8} \overset{1,3,2,2,1}{\otimes} \overset{5,5}{\text{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{e}_8} \overset{5,5}{\otimes} \overset{4,2}{\text{e}_8} \otimes 4141 \quad \Delta = -40, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21 \overset{13221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{4,2}{4141\mathbf{3}} \quad \Delta = -20, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 122315123$

$$21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 122315123 \mathbf{2} \quad \Delta = -19, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21 \overset{4}{\text{e}}_8 \overset{13221}{\otimes} \overset{5,5}{\text{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\text{e}}_8 \overset{5,5}{\otimes} \text{e}_8 122315123 \quad \Delta = -45, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 122315123 \quad \Delta = -69, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21^{213221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 122315123 \quad \Delta = -17, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $21^{13221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513^1$

$$21 \overset{5}{\mathbf{e}}_8 \overset{13221}{\otimes} \overset{5,5}{\mathbf{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathbf{e}}_8 \overset{5,5}{\otimes} \overset{1}{\mathbf{e}}_8 12231513 \quad \Delta = -68, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21 \overset{13221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{1}{\otimes} 12231513 \textcolor{red}{2} \quad \Delta = -17, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21 \overset{4}{\text{e}}_8 \overset{13221}{\otimes} \overset{5,5}{\text{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\text{e}}_8 \overset{5,5}{\otimes} \overset{1}{\text{e}}_8 12231513 \quad \Delta = -44, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{213221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{12231513} \quad \Delta = -16, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}_8^{21} 12231$$

$$21513221 \overset{21}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{21}{\otimes} \epsilon_8 12231 \quad \Delta = -8, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{321513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231 \quad \Delta = -17, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231 \mathbf{2} \quad \Delta = -8, \, n_+ = 1, \, n_- = 53, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{21513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{21} 122314 \quad \Delta = -36, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231\mathbf{5} \quad \Delta = -60, \quad n_+ = 1, \quad n_- = 53, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1^{131513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^{21} 1222$

$$131513221\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \overset{21}{1222} \quad \Delta = -7, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{2131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 21^{222} \quad \Delta = -7, \, n_+ = 1, \, n_- = 53, \, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 1222 \quad \Delta = -8, n_+ = 1, n_- = 53, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{4131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}_8^{21} 1222 \quad \Delta = -35, \, n_+ = 1, \, n_- = 53, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{6131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}_8^{21} 1222 \quad \Delta = -85, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{5131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{21} 1222 \quad \Delta = -59, \quad n_+ = 1, \quad n_- = 53, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{3131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 1222 \quad \Delta = -15, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1^{1513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^{21} 12231$

$$1^{1513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^{21} 122315 \quad \Delta = -60, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{1513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 21^{122314} \quad \Delta = -36, \quad n_+ = 1, \quad n_- = 53, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231 \mathbf{2} \quad \Delta = -8, \quad n_+ = 1, \quad n_- = 53, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\begin{array}{ccccccc} 1 & 13221(12)12231513221(12)12231513221(12)12231513221(12)12231 & & & & & 1 \\ & & 5 & & & & \end{array} \quad \Delta = -8, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{21513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 1^{21} 12231 \quad \Delta = -8, \quad n_+ = 1, \quad n_- = 53, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1^{31513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231 \quad \Delta = -16, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8^{221} 122$

$$4^{5,3} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{221} 122\mathbf{\bar{3}} \quad \Delta = -44, \, n_+ = 1, \, n_- = 53, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1^{13} 15^{13} 22^1 5,5 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 122$

$$1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{221} 122\mathbf{3} \quad \Delta = -16, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$131513221\mathbf{e}_8^{21} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 122 \quad \Delta = -7, \, n_+ = 1, \, n_- = 53, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{2131513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^{221} 122 \quad \Delta = -7, \quad n_+ = 1, \quad n_- = 53, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1^{4131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}_8^{221} 122 \quad \Delta = -35, n_+ = 1, n_- = 53, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{3131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{221} 122 \quad \Delta = -15, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{6131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}_8^{221} 122 \quad \Delta = -85, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{131513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \mathbf{e}_8^{221} 122 \quad \Delta = -8, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{5131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{221} 122 \quad \Delta = -59, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 12321e_7' \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 12231$$

$$13221e_7^{\overline{3,3}} \otimes e_7^{\overline{3,3}} \otimes e_7^{\overline{3,3}} \otimes e_7^{\overline{3,3}} \otimes e_7^{\overline{3,3}} \otimes e_7^{\overline{3,3}} \otimes e_7^{\overline{3,3}} \otimes e'_7 12321\textcolor{red}{8} \quad \Delta = -2, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

[illegible]

$$14 \overset{2,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231513221(12) \quad \Delta = -88, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_8$$

[illegible]

$$4 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231513221 \text{ (12)} \quad \Delta = -90, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_8$$

[illegible]

[illegible]

[illegible]

$$2 \quad \begin{array}{c} 812321712321812321812321812321812321812321812321812321812 \\ 3 \end{array} \quad 1 \quad \Delta = -4, \quad n_+ = 1, \quad n_- = 53, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1^{12321} e_7^{\otimes 3,3} \otimes e_7^{\otimes 3,3} \otimes e_7^{\otimes 3,3} \otimes e_7^{\otimes 3,3} \otimes e_7^{\otimes 3,3} \otimes e_7^{\otimes 3,3}$

$$1^{12321} e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} 1231513221 \text{ (12)} \quad \Delta = -62, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_8$$

[illegible]

$$1^{812321} \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 3,3 \\ \otimes \end{smallmatrix} 1^{231} \quad \Delta = -2, n_+ = 1, n_- = 53, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

[illegible]

[illegible]

[illegible]

$$1^{812321} \begin{smallmatrix} 3,3 \\ \mathbf{e}_7 \end{smallmatrix} \otimes \begin{smallmatrix} 3,3 \\ \mathbf{e}_7 \end{smallmatrix} \otimes \begin{smallmatrix} 3,3 \\ \mathbf{e}_7 \end{smallmatrix} \otimes \begin{smallmatrix} 3,3 \\ \mathbf{e}_7 \end{smallmatrix} \otimes \begin{smallmatrix} 3,3 \\ \mathbf{e}_7 \end{smallmatrix} \otimes \begin{smallmatrix} 3,3 \\ \mathbf{e}_7 \end{smallmatrix} \otimes \begin{smallmatrix} 3,3 \\ \mathbf{e}_7 \end{smallmatrix} 1222 \quad \Delta = -21, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_3$$

[illegible]

$$1^{221} e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^1 123218 \quad \Delta = -21, n_+ = 1, n_- = 53, n_0 = 0 \rightarrow \mathbb{F}_4$$

[illegible]

[illegible]

$$T = 54 \quad (182 \text{ bases})$$

Base: $1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,2}{\otimes} 413$

$$314 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{2,4}{\otimes} 4141\textcolor{red}{4} \quad \Delta = -47, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$314 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{2,4}{\otimes} 4141\textcolor{red}{2} \quad \Delta = -19, n_+ = 1, n_- = 54, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$314 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{2,4}{\otimes} 4141\mathbf{3} \quad \Delta = -27, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,2}{\otimes} 413 \textcolor{red}{2} \quad \Delta = -20, n_+ = 1, n_- = 54, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 122315123$

$$314 \otimes_{\mathfrak{e}_8}^{2,4} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 1223151232 \quad \Delta = -26, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321513221 \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{2,4} 4132 \quad \Delta = -25, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $22221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513151$

$$222221e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 12231513151\mathbf{3} \quad \Delta = -38, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$222221e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 122315131512 \quad \Delta = -30, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513 \overset{1}{}$

$$314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513 \overset{1}{2} \quad \Delta = -24, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$31^{231413221(12)12231513221(12)12231513221(12)12231513221(12)12231} 5 1 \quad \Delta = -24, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $131\epsilon_6 \overset{3,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,4}{\otimes} \epsilon_7 12321$

$$131\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{12321\mathbf{6}} \quad \Delta = -38, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$131\mathbf{e}_6 \otimes_{\mathbf{e}_8}^{\mathbf{3},5} \otimes_{\mathbf{e}_8}^{\mathbf{5},5} \otimes_{\mathbf{e}_8}^{\mathbf{5},5} \otimes_{\mathbf{e}_7}^{\mathbf{5},4} 12321\mathbf{7} \quad \Delta = -65, n_+ = 1, n_- = 54, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$12321\mathbf{e}_7^{\overline{5,4}} \otimes \mathbf{e}_8^{\overline{5,5}} \otimes \mathbf{e}_8^{\overline{5,5}} \otimes \mathbf{e}_8^{\overline{3,5}} \otimes \mathbf{e}_6 131\mathbf{f} \quad \Delta = -12, n_+ = 1, n_- = 54, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$131\mathbf{e}_6 \overset{3,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 12321\mathbf{f} \quad \Delta = -12, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$131e_6^{\otimes 3,5} \otimes e_8^{\otimes 5,5} \otimes e_8^{\otimes 5,5} \otimes e_8^{\otimes 5,4} \otimes e_7^{123218} \quad \Delta = -93, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$12321\mathbf{e}_7 \overset{5,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{3,5}{\otimes} \mathbf{e}_6 131\mathbf{6} \quad \Delta = -38, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } 1e'_7 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7 12321$$

$$1\mathbf{e}'_7 \otimes^{5,5} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{5,4} \mathbf{e}_7 12321\mathbf{6} \quad \Delta = -58, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1e'_{7} \otimes^{5,5} e_8 \otimes^{5,5} e_8 \otimes^{5,5} e_8 \otimes^{5,4} e_7 123218 \quad \Delta = -113, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1\mathbf{e}'_7 \otimes^{5,5} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{5,4} \mathbf{e}_7 123217 \quad \Delta = -85, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1\mathbf{e}_7' \otimes_{5,5} \mathbf{e}_8 \otimes_{5,5} \mathbf{e}_8 \otimes_{5,5} \mathbf{e}_8 \otimes_{5,4} \mathbf{e}_7 12321\mathbf{4} \quad \Delta = -8, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21e_7' \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7 12321$

$$21\mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{12321\mathbf{6}} \quad \Delta = -58, n_+ = 1, n_- = 54, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$21e_7^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,4} \otimes e_7^{123217} \quad \Delta = -85, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$21\mathbf{e}_7' \overset{4,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 12321\mathbf{8} \quad \Delta = -113, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$21\mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 12321\mathbf{4} \quad \Delta = -8, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 12321\mathbf{5} \quad \Delta = -32, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\overset{1}{e}_7' \otimes \overset{4,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,4}{e}_8 \otimes e_7 12321$$

$$1\epsilon'_7 \overset{1}{\otimes} \overset{4,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,4}{\otimes} \epsilon_7 12321 \overset{5}{\epsilon} \quad \Delta = -32, \quad n_{-1} = 1, \quad n_{-2} = 54, \quad n_0 = 0 \quad \rightarrow \mathbb{R}_2$$

$$16' \otimes 4_5 \otimes 5_5 \otimes 5_5 \otimes 5_4 \otimes 5_{-123216} = -58, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{R}$$

$$16^1 \otimes 8 \otimes 8 \otimes 8 \otimes 8 \otimes 8 \quad 729210 \quad \Delta = 98, n_+ = 1, n_- = 54, n_0 = 0 \quad \rightarrow \mathbb{H}_4$$

$$16^1_{\frac{1}{2}} \otimes 4,5 \otimes 5,5 \otimes 5,5 \otimes 5,4 \otimes 8 \quad 123217 \quad \Lambda = 85, m_+ = 1, m_- = 54, m_0 = 0 \quad \rightarrow \mathbb{R}$$

$$17 \otimes 18 \otimes 18 \otimes 18 \otimes 17125211 \quad \Delta = -89, \quad n_+ = 1, \quad n_- = 94, \quad n_0 = 0 \quad \rightarrow \mathbb{F}$$

$$1\bar{e}_7 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_7 123214 \quad \Delta = -8, \quad n_+ = 1, \quad n_- = 54, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1\mathfrak{e}_7 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_7 \textcolor{red}{123218} \quad \Delta = -113, n_+ = 1, n_- = 54, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

Base: $1321\mathfrak{e}_7 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_7 12$
 $\begin{array}{ccccc} 5,5 & 5,5 & 5,5 & 4,5 & \end{array}$

$$21\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_7 1231\mathbf{3} \quad \Delta = -14, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\begin{array}{ccccccc} 1321\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_7 12 & \Delta = -8, & n_+ = 1, & n_- = 54, & n_0 = 0 & \rightarrow \mathbb{F}_4 \\ \begin{array}{ccccc} 5,5 & 5,5 & 5,5 & 4,5 & \end{array} & & & & & \end{array}$$

$$21\mathfrak{e}_7 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_7 \text{12314} \quad \Delta = -34, \quad n_+ = 1, \quad n_- = 54, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_7 \mathbf{12312} \quad \Delta = -6, \, n_+ = 1, \, n_- = 54, \, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$21\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_7 \text{12315} \quad \Delta = -58, \quad n_+ = 1, \quad n_- = 54, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1321\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_7 12\mathbf{3} \quad \Delta = -15, n_+ = 1, n_- = 54, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $221\epsilon_7 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_7 1231$

$$221\epsilon_7 \overset{\oplus}{\otimes} \epsilon_8 \overset{\oplus}{\otimes} \epsilon_8 \overset{\oplus}{\otimes} \epsilon_8 \overset{\oplus}{\otimes} \epsilon_7 1231 \quad \Delta = -8, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\mathfrak{e}_7 \underset{4\ 5}{\otimes} \mathfrak{e}_8 \underset{5\ 5}{\otimes} \mathfrak{e}_8 \underset{5\ 5}{\otimes} \mathfrak{e}_8 \underset{5\ 4}{\otimes} \mathfrak{e}_7 12314 \quad \Delta = -34, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\mathfrak{e}_7 \underset{4.5}{\otimes} \mathfrak{e}_8 \underset{5.5}{\otimes} \mathfrak{e}_8 \underset{5.5}{\otimes} \mathfrak{e}_8 \underset{5.4}{\otimes} \mathfrak{e}_7 1231\mathbf{5} \quad \Delta = -58, \, n_+ = 1, \, n_- = 54, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$221\mathbf{e}_7 \underset{4.5}{\otimes} \mathbf{e}_8 \underset{5.5}{\otimes} \mathbf{e}_8 \underset{5.5}{\otimes} \mathbf{e}_8 \underset{5.4}{\otimes} \mathbf{e}_7 1231\mathbf{2} \quad \Delta = -6, n_+ = 1, n_- = 54, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$221\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_7 1231\mathbf{3} \quad \Delta = -14, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1321\mathbf{e_7} \otimes \mathbf{e_8} \otimes \mathbf{e_8} \otimes \mathbf{e_8} \otimes \mathbf{e_7} 122\mathbf{3} \quad \Delta = -15, n_+ = 1, n_- = 54, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_7^{\overset{2,3}{\circ}} \otimes \epsilon_7^{\overset{4,3}{\circ}} \otimes \epsilon_8^{\overset{5,3}{\circ}} \otimes \epsilon_8^{\overset{5,3}{\circ}} \otimes \epsilon_8 12231513221$

$$1\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{4,3}{\otimes} \mathbf{e}_8 \overset{3,3}{\otimes} \mathbf{e}_8 \overset{3,3}{\otimes} \mathbf{e}_8 12231513221\mathbf{5} \quad \Delta = -60, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_7 \otimes_{3,3} \mathbf{e}_7 \otimes_{4,5} \mathbf{e}_8 \otimes_{3,5} \mathbf{e}_8 \otimes_{3,5} \mathbf{e}_8 12231513221\mathbf{3} \quad \Delta = -16, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\epsilon_7 \overset{3,3}{\otimes} \epsilon_7 \overset{4,3}{\otimes} \epsilon_8 \overset{3,3}{\otimes} \epsilon_8 \overset{3,3}{\otimes} \epsilon_8 122315132214 \quad \Delta = -36, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$12231513221 \underset{3\ 3}{\epsilon_8} \underset{4\ 5}{\otimes} \underset{5\ 5}{\epsilon_8} \underset{5\ 5}{\otimes} \underset{5\ 5}{\epsilon_8} \otimes \epsilon_7 \otimes \epsilon_7 \textcolor{red}{12} \quad \Delta = -8, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1\mathbf{e}_7 \overset{\otimes 3}{\otimes} \mathbf{e}_7 \overset{\otimes 4}{\otimes} \mathbf{e}_8 \overset{\otimes 5}{\otimes} \mathbf{e}_8 \overset{\otimes 5}{\otimes} \mathbf{e}_8 12231513221\mathbf{2} \quad \Delta = -8, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathfrak{e}_7 \overset{33}{\otimes} \mathfrak{e}_7 \overset{45}{\otimes} \mathfrak{e}_8 \overset{55}{\otimes} \mathfrak{e}_8 \overset{55}{\otimes} \mathfrak{e}_8 122315132217 \quad \Delta = -113, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7 \overset{3.3}{\otimes} \mathbf{e}_7 \overset{4.5}{\otimes} \mathbf{e}_8 \overset{5.5}{\otimes} \mathbf{e}_8 \overset{5.5}{\otimes} \mathbf{e}_8 122315132218 \quad \Delta = -141, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\epsilon_7 \underset{3.3}{\otimes} \epsilon_7 \underset{4.5}{\otimes} \epsilon_8 \underset{5.5}{\otimes} \epsilon_8 \underset{5.5}{\otimes} \epsilon_8 12231513221 \textcolor{red}{(12)} \quad \Delta = -256, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$1^{5131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 1223132 \quad \Delta = -48, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8^{313221} 1$

$$4 \begin{smallmatrix} 5,3 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8^{2313221} 1 \quad \Delta = -24, \, n_+ = 1, \, n_- = 54, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{313221}{\otimes} \mathfrak{e}_8 \mathbf{1}_2 \quad \Delta = -23, n_+ = 1, n_- = 54, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1^{1231513221} \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 122222$

$$1^{81231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 122222 \quad \Delta = -112, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{71231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{122222} \quad \Delta = -84, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{\overline{5}1231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 122222 \quad \Delta = -31, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{41231513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{122222} \quad \Delta = -7, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{61231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 122222 \quad \Delta = -57, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $13221\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513221$

$$13221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,5,5} \otimes \mathfrak{e}_8^{5,5} 12231513221\mathbf{4} \quad \Delta = -16, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$13221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,5,5} \otimes \mathfrak{e}_8^{5,5} 12231513221\mathbf{7} \quad \Delta = -93, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$12231513221 \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} 122314 \quad \Delta = -16, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$13221\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 122315132218 \quad \Delta = -121, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$13221\epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{1}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} 12231513221\mathbf{6} \quad \Delta = -66, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$12231513221 \mathbf{e}_8 \otimes \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 12231 \mathbf{5} \quad \Delta = -40, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$13221\epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{1}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} 12231513221 \text{ (red)} \quad \Delta = -236, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow F_7$$

$$13221\mathfrak{e}_8 \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,5,5} \otimes \mathfrak{e}_8^{5,5} 12231513221\mathfrak{f} \quad \Delta = -40, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1^{22221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513215$

$$22221\overset{21}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} 12231513215 \quad \Delta = -31, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{22221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513151$

$$1^{22221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 122315131512 \quad \Delta = -30, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$22221\overset{21}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} 12231513151 \quad \Delta = -30, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{22221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513151\mathbf{3} \quad \Delta = -38, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{1513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 413$

$$\begin{array}{ccccccc} 31413221(12)12231513221(12)12231513221(12)12231513221(12)12231 & & & & & & \\ 1 & & & & 5 & & 1 \end{array} \quad \Delta = -15, \, n_+ = 1, \, n_- = 54, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{21513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{4,2} 413 \quad \Delta = -15, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{1513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,2} 413\mathbf{2} \quad \Delta = -16, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{31513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{4,2} 413 \quad \Delta = -23, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $14 \overset{2,4}{\otimes} \overset{1}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{1}{\otimes} 12231513$

$$31^{1413221(12)12231513221(12)12231513221(12)12231513221(12)12231} 5^1 \Delta = -23, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$31^{41413221(12)12231513221(12)12231513221(12)12231513221(12)12231} \quad 5 \quad 1 \quad \Delta = -43, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$14 \overset{2,4}{\otimes} \overset{21}{\mathbf{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathbf{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathbf{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathbf{e}}_8 \overset{1}{12231513} \quad \Delta = -15, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$31 \quad 21413221(12)12231513221(12)12231513221(12)12231513221(12)12231 \quad 5 \quad 1 \quad \Delta = -15, n_+ = 1, n_- = 54, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$14 \overset{2,4}{\otimes} \overset{1}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}}_8 \overset{1}{122315132} \quad \Delta = -16, \quad n_+ = 1, \quad n_- = 54, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $221\epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{1}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_7 1$

$$221e_8 \otimes e_8^{5,5} \otimes e_8^{1,5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_7^{1,2} \quad \Delta = -112, \quad n_+ = 1, \quad n_- = 54, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

[illegible]

$$2313221\epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231513151\textcolor{red}{2} \quad \Delta = -19, n_+ = 1, n_- = 55, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: 1414^{2,4} ⊗ e₈ ⊗ e₈^{5,5} ⊗ e₈^{5,5} ⊗ e₈^{5,5} 12231¹513

$$31^{2141413221(12)12231513221(12)12231513221(12)12231513221(12)12231} 5 1 \quad \Delta = -14, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 1231513 \overset{1}{\textcolor{red}} \Delta = -15, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$31 \quad \begin{smallmatrix} 4141413221(12)12231513221(12)12231513221(12)12231513221(12)12231 \\ 5 \end{smallmatrix} \quad 1 \quad \Delta = -42, n_+ = 1, n_- = 55, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$31 \quad \overset{3}{1}41413221(12)12231513221(12)12231513221(12)12231513221(12)12231 \quad 5 \quad 1 \quad \Delta = -22, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $31^{321513221(12)12231513221(12)12231513221(12)12231513221(12)12231}$ 5 1

$$31 \quad \begin{array}{c} 2321513221(12)12231513221(12)12231513221(12)12231513221(12)12231 \\ 5 \\ 1 \end{array} \quad \Delta = -21, \quad n_+ = 1, \quad n_- = 55, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1 \quad 321513221(12)12231513221(12)12231513221(12)12231513221(12)12231 \quad 5 \quad 132 \quad \Delta = -20, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: 31³¹⁵¹³²²¹⁽¹²⁾¹²²³¹⁵¹³²²¹⁽¹²⁾¹²²³¹⁵¹³²²¹⁽¹²⁾¹²²³¹⁵¹³²²¹⁽¹²⁾¹²²³¹51

$$1 \quad 31513221(12)12231513221(12)12231513221(12)12231513221(12)12231 \quad 5 \quad 132 \quad \Delta = -19, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_6 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 122222$

$$222221\mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_6 \mathbf{13} \quad \Delta = -36, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$222221\epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_6 \textcolor{red}{12} \quad \Delta = -28, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $21\epsilon_6 \overset{3,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 122222$

$$222221\mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{3,5}{\otimes} \mathfrak{e}_6 12\mathbf{3} \quad \Delta = -36, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 122222$

$$1\overset{31}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 122222 \quad \Delta = -35, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^{21} \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 122222 \quad \Delta = -27, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $12321\epsilon_7 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_7 12$

$$21\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{123215} \quad \Delta = -31, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21e_7^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{4,5} \otimes e_7^{12321\textcolor{red}{4}} \quad \Delta = -7, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\mathbf{e}_7^{\overline{5,5}} \otimes \mathbf{e}_8^{\overline{5,5}} \otimes \mathbf{e}_8^{\overline{5,5}} \otimes \mathbf{e}_8^{\overline{4,5}} \otimes \mathbf{e}_7^{12321\overline{7}} \quad \Delta = -84, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21\overset{5,5}{\mathbf{e}}_7 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \mathbf{e}_7 12321\mathbf{6} \quad \Delta = -57, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21\overset{5,5}{\mathbf{e}}_7 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{4,5}{\mathbf{e}}_7 12321\mathbf{8} \quad \Delta = -112, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $221\epsilon_7^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7 12321$

$$221\overset{4,5}{\mathbf{e}_7} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,4}{\mathbf{e}_8} \otimes \mathbf{e}_7 12321\mathbf{7} \quad \Delta = -84, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$221\overset{4,5}{\epsilon_7} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,4}{\epsilon_8} \otimes \epsilon_7 123214 \quad \Delta = -7, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221\overset{4,5}{e_7} \otimes \overset{5,5}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,4}{e_7} 12321\mathbf{6} \quad \Delta = -57, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$221\overline{e_7} \otimes \overline{e_8} \otimes \overline{e_8} \otimes \overline{e_8} \otimes \overline{e_7} 12321\overline{5} \quad \Delta = -31, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_7 12321\mathbf{8} \quad \Delta = -112, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_6$$

Base: $1321\epsilon_7 \overset{4,6}{\otimes} \epsilon_8 \overset{3,6}{\otimes} \epsilon_8 \overset{3,6}{\otimes} \epsilon_8 \overset{3,4}{\otimes} \epsilon_7 1231$

$$1321\overline{e_7} \otimes \overline{e_8} \otimes \overline{e_8} \otimes \overline{e_8} \otimes \overline{e_7} 12314 \quad \Delta = -14, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1321\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_7 1231\mathbf{5} \quad \Delta = -38, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } e_7 \overset{3,3}{\otimes} e_7 \overset{3,4}{\otimes} e_8 \overset{3,3}{\otimes} e_8 \overset{3,3}{\otimes} e_8 \overset{4,3}{\otimes} e_{712}$$

$$\mathfrak{e}_7 \otimes \mathfrak{e}_7 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_7 \mathbf{123} \quad \Delta = -121, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\overset{1}{e}_7 \otimes \overset{3,3}{e}_8 \otimes \overset{3,3}{e}_8 \otimes \overset{3,3}{e}_8 \otimes \overset{3,4}{e}_7 12321$

$$\begin{array}{ll} 1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \mathbf{123} & \Delta = -36, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 22221 \mathfrak{e}_8^{21,5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 \mathbf{12} & \Delta = -27, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F} \end{array}$$

$$1\overset{21}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_8 12222 \quad \Delta = -27, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\overset{3,1}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \overset{1}{\mathbf{e}}_8 12222 \quad \Delta = -35, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1_{\mathbf{e}_6} \otimes_{\mathbf{e}_8}^{1, 3, 5} \otimes_{\mathbf{e}_8}^{5, 5} \otimes_{\mathbf{e}_8}^{5, 5} \otimes_{\mathbf{e}_8}^{5, 5} \otimes_{\mathbf{e}_8}^{21} 12222 \quad \Delta = -27, n_+ = 1, n_- = 55, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{321513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^1 12231512 \quad \Delta = -11, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21513221 \overset{21}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{1}{\epsilon_8} 12231512 \quad \Delta = -2, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{\overline{5}131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^1 \otimes_{41}^{4,2} \quad \Delta = -38, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{41} 131513221^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes 41^{4,2} \quad \Delta = -14, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{131513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{4,2} 414 \quad \Delta = -14, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{61} 13^{15} 15^{13} 22^{11} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^1 \otimes_{\mathfrak{e}_8}^{4,2} 41 \quad \Delta = -64, \quad n_+ = 1, \quad n_- = 55, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1^{313221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \mathbf{e}_8^1 1223151321\mathbf{7} \quad \Delta = -72, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{313221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 1223151321 \mathbf{5} \quad \Delta = -19, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{313221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 12231513218 \quad \Delta = -100, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{313221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 1223151321 \mathbf{6} \quad \Delta = -45, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 12231513221\mathbf{5} \quad \Delta = -2, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{22221} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^1 122315132216 \quad \Delta = -28, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}$$

$$1^{22221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^1 122315132218 \quad \Delta = -83, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{22221} \textcolor{blue}{e}_8^{5,5} \otimes \textcolor{blue}{e}_8^{5,5} \otimes \textcolor{blue}{e}_8^{5,5} \otimes \textcolor{blue}{e}_8^1 12231513221\textcolor{red}{7} \quad \Delta = -55, n_+ = 1, n_- = 55, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{22221} \overset{5,5}{\otimes} \overset{5,5}{\otimes} \overset{5,5}{\otimes} \overset{1}{\otimes} 12231513221 \text{ (12)} \quad \Delta = -198, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1^{15} \mathbf{e}_8^{13221} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \mathbf{12231512} \quad \Delta = -2, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{1513221} \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,5} \otimes_{e_8}^1 12231512 \mathbf{3} \quad \Delta = -11, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1 \quad 21513221(12)12231513221(12)12231513221(12)12231513221(12)12231 \quad 5 \quad 1 \quad \Delta = -2, \quad n_+ = 1, \quad n_- = 55, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1 \xrightarrow{\mathbf{31513221}} \epsilon_{\infty} \otimes_{\epsilon_{\infty}}^{5,5} \otimes_{\epsilon_{\infty}}^{5,5} \otimes_{\epsilon_{\infty}}^{5,5} \otimes_{\epsilon_{\infty}}^1 12231512 \quad \Delta = -10, \quad n_{+} = 1, \quad n_{-} = 55, \quad n_0 = 0 \quad \rightarrow \mathbb{R}_2$$

[illegible]

$$1^{15}13221(12)12231513221(12)12231513221(12)12231513221(12)12231 \quad \Lambda - -2 \quad n_1 = 1 \quad n_2 = 55 \quad n_3 = 0 \quad \rightarrow \mathbb{R}_0$$

$$1^{21} 513221^{5,5} \otimes \epsilon_{\infty}^{5,5} \otimes \epsilon_{\infty}^{5,5} \otimes \epsilon_{\infty}^1 \otimes \epsilon_{\infty}^1 12231^{1,5} \quad \Lambda = -2 \quad n_+ = 1 \quad n_- = 55 \quad n_0 = 0 \quad \rightarrow \mathbb{R}_+$$

[illegible]

$$\varepsilon_7 \otimes \varepsilon_8^{5,4} \otimes \varepsilon_8^{1,5} \otimes \varepsilon_8^{5,5} \otimes \varepsilon_8^{5,5} \otimes \varepsilon_8^{413221} \otimes \varepsilon_8^{5,5} \quad \Lambda = -120, \quad n_1 = 1, \quad n_2 = 55, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\mathbf{e}_7 \overset{5,4}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5}{\otimes} \mathbf{e}_8 \overset{13221}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \Delta = -144, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513215$

$$21 \overset{413221}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}_8} \otimes \mathfrak{e}_8 12231513215 \quad \Delta = -39, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513151$

$$21^{213221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513151 \quad \Delta = -10, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513151\mathbf{3} \quad \Delta = -18, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 21 \overset{2221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,4}{\mathfrak{e}_6} 1$$

$$21^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 \mathbf{13} \quad \Delta = -36, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21 \overset{2221}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,3}{\mathfrak{e}_6} 12\mathbf{3} \quad \Delta = -36, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\overset{31}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \overset{21}{1222} \quad \Delta = -35, \, n_+ = 1, \, n_- = 55, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1^{1231513221} \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 12231^{21}$

$$1^{61231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{21} 12231 \quad \Delta = -37, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{51231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231 \quad \Delta = -11, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{12231513221} \otimes_8^{5,5} \otimes_8^{5,5} \otimes_8^{5,5} \otimes_8^{21} 1222$

$$1^{612231513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \mathbf{e}_8^{21} 1222 \quad \Delta = -28, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{812231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{21} 1222 \quad \Delta = -83, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\text{Base: } e_6^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{221} 122$$

Base: $221^{221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1$

$$221 \overset{221}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,4}{\mathfrak{e}}_6 \mathbf{13} \quad \Delta = -36, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\begin{array}{ll} 221 \overset{3}{\mathbf{e}}_8^{221} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_6^{5,3} 12 & \Delta = -36, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3 \\ 221 \mathbf{e}_8^{221} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_6^{5,3} 12 \overset{3}{\mathbf{e}}_8 & \Delta = -36, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3 \end{array}$$

Base: $1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{221} 122$

$$1\overset{21}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{221}{\mathbf{e}}_8 122 \quad \Delta = -27, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{221} \mathbf{1223} \quad \Delta = -36, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\overset{31}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \overset{221}{122} \quad \Delta = -35, \, n_+ = 1, \, n_- = 55, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1^{12231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{221} 122$$

$$1^{\overline{5}12231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{221} 122 \quad \Delta = -2, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{812231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{221} 122 \quad \Delta = -83, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{612231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 122 \quad \Delta = -28, n_+ = 1, n_- = 55, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1^{712231513221} \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8^{221} 122 \quad \Delta = -55, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{(12)} 12231513221 \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 221 122 \quad \Delta = -198, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_3$$

[illegible]

$$13151321\mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 \overset{3,3}{\otimes} \mathbf{e}_7 1231513221 \textcolor{red}{(12)} \quad \Delta = -62, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_8$$

[illegible]

$$21\epsilon_6^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1231513221(12) \quad \Delta = -82, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_8$$

[illegible]

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{3,3} 1231513221 \text{ (12)} \quad \Delta = -82, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow \mathbb{F}_8$$

[illegible]

$$4 \begin{matrix} 3,3 \\ \otimes \end{matrix} e_7 \begin{matrix} 3,3 \\ \otimes \end{matrix} e_7 \begin{matrix} 3,3 \\ \otimes \end{matrix} e_7 \begin{matrix} 3,3 \\ \otimes \end{matrix} e_7 \begin{matrix} 3,3 \\ \otimes \end{matrix} e_7 \begin{matrix} 3,3 \\ \otimes \end{matrix} e_7 \begin{matrix} 3,3 \\ \otimes \end{matrix} e_7 \begin{matrix} 3,3 \\ \otimes \end{matrix} e_7 \begin{matrix} 8^{12321} \\ \otimes \end{matrix} e_7^{} 1 \quad \Delta = -2, n_+ = 1, n_- = 55, n_0 = 0 \rightarrow F_6$$

[illegible]

$$1_{\mathbf{e}_7}^{812321} \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,3} \otimes_{\mathbf{e}_7}^{3,2} 41 \quad \Delta = 0, n_+ = 1, n_- = 55, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$T = 56 \quad (146 \text{ bases})$$

Base: $4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{2,4}{\otimes} 4141$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{2,4}{\otimes} 4141\mathbf{4} \quad \Delta = -41, n_+ = 1, n_- = 56, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{2,4}{\otimes} 4141\mathbf{2} \quad \Delta = -13, n_+ = 1, n_- = 56, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{2,4}{\otimes} 4141\mathbf{3} \quad \Delta = -21, n_+ = 1, n_- = 56, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 122315123$

$$4 \overset{5,3}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 122315123\mathbf{2} \quad \Delta = -20, n_+ = 1, n_- = 56, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513215$

$$51231513221 \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{2,4} 413\textcolor{red}{2} \quad \Delta = -19, n_+ = 1, n_- = 56, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513151$

$$314 \overset{2,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 12231513151\mathbf{2} \quad \Delta = -17, n_+ = 1, n_- = 56, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513151\mathbf{3} \quad \Delta = -25, n_+ = 1, n_- = 56, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$15131513221 \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{2,4} 4132 \quad \Delta = -18, n_+ = 1, n_- = 56, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513^1$

[illegible]

[illegible]

[illegible]

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 12231513151\mathbf{2} \quad \Delta = -11, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } e_6^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{2,4} 4141$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{2,4} 4141\mathbf{4} \quad \Delta = -34, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $\epsilon_6 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 122315123$

Base: $e_6^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{12231513}$

Base: $1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_6 1$

$$1\mathbf{e}_6 \otimes^{5,4} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{2,4} 4141\mathbf{e}_2 \quad \Delta = -6, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{2,4} 4141\mathbf{4} \quad \Delta = -34, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_6^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 122315123$

$$321513221 \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,5} \otimes \epsilon_6 \mathbf{1}^{\mathbf{3}} \quad \Delta = -19, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\epsilon_6^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 12231513$$

$$1\mathbf{e}_6 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \overset{4,5}{122315132} \overset{5,5}{\Delta} = -11, \overset{5,5}{n_+} = 1, \overset{5,5}{n_-} = 58, \overset{1}{n_0} = 0 \rightarrow \mathbb{F}_2$$

Base: $1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,3}{\otimes} \mathfrak{e}_6 12$

$$1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,3}{\otimes} \mathfrak{e}_6 12\mathbf{3} \quad \Delta = -14, n_+ = 1, n_- = 58, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21\epsilon_6^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{2,4} 41414 \quad \Delta = -33, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\epsilon_6^{3,5} \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{3,5} 122315123\mathbf{2} \quad \Delta = -12, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21\epsilon_6^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 12231513$

$$31 \quad 5 \quad 1 \quad \Delta = -18, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,3}{\otimes} \mathfrak{e}_6 1315 \quad \Delta = -45, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$314 \otimes_{\mathfrak{e}_8}^{2,4} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,3} \mathfrak{e}_6 1316 \quad \Delta = -71, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_5$$

Base: $1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 4141$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,2} \otimes 4141\mathbf{2} \quad \Delta = -5, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,2} 4141\mathbf{3} \quad \Delta = -13, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 122315123$

$$1\mathbf{e}_6^{21} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 122315123 \quad \Delta = -10, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1 \overset{1}{e_6} \overset{3,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 12231513$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{12231513\mathbf{red}} \quad \Delta = -10, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}'_7 1$

$$314 \otimes_{\mathbf{e}_8}^{2,4} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \epsilon'_{-12} \quad \Delta = -13, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$314 \otimes_{\mathbf{e}_8}^{2,4} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,4} \mathbf{e}'_{7123} \quad \Delta = -22, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1e_7^1 \otimes e_8^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{4,2} 413$

$$1\overset{1}{\epsilon}\overset{4,5}{\epsilon}\otimes\overset{5,5}{\epsilon}\otimes\overset{5,5}{\epsilon}\otimes\overset{5,5}{\epsilon}\otimes\overset{4,2}{\epsilon}\otimes\overset{4,13}{\epsilon}\quad\Delta=-18,\ n_+=1,\ n_-=58,\ n_0=0\quad\rightarrow\mathbb{E}_4$$

Base: $21\ell_7 \otimes \ell_8 \otimes \ell_8 \otimes \ell_8 \otimes \ell_8 \otimes \ell_8 1223132$

Base: $221\epsilon_7 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 1223132$

Base: 1321 $\epsilon_7^{\text{4,5}}$ $\otimes$ $\epsilon_8^{\text{5,5}}$ $\otimes$ $\epsilon_8^{\text{5,5}}$ $\otimes$ $\epsilon_8^{\text{5,5}}$ ϵ_8 122222

$$1321e_7^2 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 122222 \quad \Delta = -7, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$222221\mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{4,5} \mathbf{e}_7 1231\mathbf{2} \quad \Delta = -5, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$\text{Base: } 1e_7 \overset{1}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} e_8 1223132$$

Base: $1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{1223132}$

$$12321e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} 1231513221(12) \quad \Delta = -33, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_8$$

[illegible]

$$13221e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} 1231513221(12) \quad \Delta = -59, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_8$$

Base: $31321e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 \otimes^{3,3} e_7 1231513221$

$$31321e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} 1231513221 \text{ (12)} \quad \Delta = -67, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_8$$

Base: 2¹²²³¹⁵¹³²¹⁸¹²³²¹⁸¹²³²¹⁸¹²³²¹⁸¹²³²¹⁸¹²³²¹⁸¹²³²¹⁸¹²³²¹⁸¹²3¹

$$2^{(12)1223151321812321812321812321812321812321812321812321812321812321812} 3^1 \quad \Delta = -61, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_8$$

[illegible]

$$1^{1321} e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} 1231513221(12) \quad \Delta = -59, n_+ = 1, n_- = 58, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$T = 59 \quad (188 \text{ bases})$$

Base: 15131513221 $\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5}$ 12231513215

$$51231513221 \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513151 \mathbf{2} \quad \Delta = -7, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$51231513221\mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{\mathfrak{e}_8} \mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{\mathfrak{e}_8} \mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{\mathfrak{e}_8} 12231513151\mathbf{3} \quad \Delta = -15, n_+ = 1, n_- = 59, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: 15131513221 $\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5}$ 12231513151

$$15131513221\mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{\mathfrak{5},5} \mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{\mathfrak{5},5} \mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{\mathfrak{5},5} 12231513151\mathbf{3} \quad \Delta = -14, n_+ = 1, n_- = 59, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$15131513221\mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{\mathfrak{e}_8} \mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{\mathfrak{e}_8} \mathfrak{e}_8 \otimes_{\mathfrak{e}_8}^{\mathfrak{e}_8} 12231513151\mathfrak{e}_8 \quad \Delta = -6, n_+ = 1, n_- = 59, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $4 \overset{5,3}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{4,5}{\otimes} e_6 1$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_6 \mathbf{13} \quad \Delta = -17, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_{612} \quad \Delta = -9, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{3,5}{\otimes} \mathfrak{e}_6 12$

$$4 \begin{smallmatrix} 5,3 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 3,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_{612\mathbf{3}} \quad \Delta = -17, n_+ = 1, n_- = 59, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,3}{\otimes} \mathfrak{e}_6 131$$

$$1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,3}{\otimes} \mathfrak{e}_6 1315 \quad \Delta = -36, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,3}{\otimes} \mathfrak{e}_6 1316 \quad \Delta = -62, n_+ = 1, n_- = 59, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$131e_6^{\overline{5,3}} \otimes e_8^{\overline{5,5}} \otimes e_8^{\overline{5,5}} \otimes e_8^{\overline{5,5}} \otimes e_8^{\overline{2,4}} \otimes 4141\overline{4} \quad \Delta = -12, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,3}{\otimes} \mathfrak{e}_6 1314 \quad \Delta = -12, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $131\epsilon_6 \overset{3,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 122315123$

$$321513221 \textcolor{blue}{e}_8 \otimes \textcolor{blue}{e}_8 \otimes \textcolor{blue}{e}_8 \otimes \textcolor{blue}{e}_8 \otimes \textcolor{blue}{e}_6 131 \textcolor{red}{5} \quad \Delta = -41, n_+ = 1, n_- = 59, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$321513221 \textcolor{violet}{e}_8 \otimes \textcolor{violet}{e}_8 \otimes \textcolor{violet}{e}_8 \otimes \textcolor{violet}{e}_8 \otimes \textcolor{violet}{e}_6 131 \textcolor{red}{4} \quad \Delta = -17, n_+ = 1, n_- = 59, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$321513221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{3,5} \otimes \epsilon_6 1316 \quad \Delta = -67, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $131\epsilon_6 \overset{3,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231513^1$

$$31 \quad \begin{array}{c} 51316131513221(12)12231513221(12)12231513221(12)12231513221(12)12231 \\ 5 \end{array} \quad 1 \quad \Delta = -40, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$31 \quad \begin{array}{c} 41316131513221(12)12231513221(12)12231513221(12)12231513221(12)12231 \\ 5 \\ 1 \end{array} \quad \Delta = -16, n_+ = 1, n_- = 59, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$31 \quad \begin{matrix} 61316131513221(12)12231513221(12)12231513221(12)12231513221(12)12231 \\ 5 \\ 1 \end{matrix} \quad \Delta = -66, \quad n_+ = 1, \quad n_- = 59, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$\text{Base: } 4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{3,5}{\otimes} \overset{1}{\mathfrak{e}_6} 1$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{3,5}{\otimes} \mathfrak{e}_6 \overset{1}{\mathbf{1}} \quad \Delta = -16, \, n_+ = 1, \, n_- = 59, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{3,5}{\otimes} \mathfrak{e}_6 \overset{1}{\textcolor{red}{12}} \quad \Delta = -8, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221\mathfrak{e}_7^{\bar{5},4} \otimes \mathfrak{e}_8^{\bar{5},5} \otimes \mathfrak{e}_8^{\bar{5},5} \otimes \mathfrak{e}_8^{\bar{5},5} \otimes \mathfrak{e}_8^{\bar{5},5} \otimes \mathfrak{e}_8^{\bar{2},4} 413\mathfrak{e}_7 \quad \Delta = -13, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 122\mathbf{3} \quad \Delta = -21, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $12321\epsilon_7^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12222$

$$222221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 12321\mathbf{5} \quad \Delta = -30, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$222221\mathbf{e}_8 \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{4,5} \mathbf{e}_7 12321\mathbf{e}_8 \quad \Delta = -111, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$222221\mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_7 12321\textcolor{red}{4} \quad \Delta = -6, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$222221 \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{4,5} \mathbf{e}_7 12321 \mathbf{6} \quad \Delta = -56, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$222221\epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{4,5}} \otimes \epsilon_7^{12321\overline{7}} \quad \Delta = -83, n_+ = 1, n_- = 59, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

Base: $1321\epsilon_7^{\begin{smallmatrix} 4,5 \\ \end{smallmatrix}} \otimes \epsilon_8^{\begin{smallmatrix} 5,5 \\ \end{smallmatrix}} \otimes \epsilon_8^{\begin{smallmatrix} 5,5 \\ \end{smallmatrix}} \otimes \epsilon_8^{\begin{smallmatrix} 5,5 \\ \end{smallmatrix}} \otimes \epsilon_8 1223132$

$$2313221\mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_7 12314 \quad \Delta = -22, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$2313221\mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_7 1231\mathbf{3} \quad \Delta = -2, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$2313221\mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_7 1231\mathfrak{5} \quad \Delta = -46, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_7^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 413$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,2} 413 \quad \Delta = -12, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^{1,5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,2} 413\mathbf{2} \quad \Delta = -13, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 413$

$$1_{\mathbf{e}_7}^{\mathbf{3},21} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,2} \otimes 413 \quad \Delta = -21, \, n_+ = 1, \, n_- = 59, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,2} 413\mathbf{2} \quad \Delta = -13, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21e_7^{21,4,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{4,2} 413 \quad \Delta = -12, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $3221\epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{1}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231$

$$3221\epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{1}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231\mathbf{2} \quad \Delta = -100, \quad n_+ = 1, \quad n_- = 59, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$3221\overset{5,5}{\mathfrak{e}}_8 \otimes \overset{1}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 12231\textcolor{red}{4} \quad \Delta = -128, n_+ = 1, n_- = 59, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$3221\text{e}_8 \otimes \text{e}_8^{5,5} \otimes \text{e}_8^1 \otimes \text{e}_8^{5,5} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^{5,5} 12231\text{e}_8 \quad \Delta = -108, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$3221\overset{5,5}{\mathfrak{e}}_8 \otimes \overset{1}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 12231\overset{5,5}{\mathfrak{e}}_8 \quad \Delta = -152, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $221\epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{1}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 122313$

$$221\epsilon_8^{5,5} \otimes \epsilon_8^{1,5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 122313\textcolor{red}{2} \quad \Delta = -100, \, n_+ = 1, \, n_- = 59, \, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$\text{Base: } 4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} 12231513221 \mathfrak{e}_8 1$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{612231513221}{\otimes} \mathfrak{e}_8 1 \quad \Delta = -9, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$4 \otimes_{\mathfrak{e}_8}^{5,3} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{(12)2231513221} \mathbb{1} \quad \Delta = -179, n_+ = 1, n_- = 59, n_0 = 0 \quad \rightarrow \mathbb{F}_8$$

$$4 \otimes_{\mathfrak{e}_8}^{5,3} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 8^{12231513221} \otimes_{\mathfrak{e}_8} 1 \quad \Delta = -64, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$4 \overset{5,3}{\otimes} \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \overset{712231513221}{\mathfrak{e}_8} 1 \quad \Delta = -36, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{1231513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513215$

$$1^{51231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 12231513215 \quad \Delta = -8, \quad n_+ = 1, \quad n_- = 59, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$${}^6\text{1}231513221 \quad {}^{5,5}\otimes {}^\epsilon\otimes {}^{5,5}\otimes {}^\epsilon\otimes {}^{5,5}\otimes {}^\epsilon \quad {}^{12231513215} \quad \Delta = -34, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\overline{8}1231513221 \begin{smallmatrix} \otimes \epsilon_8 \\ \otimes \epsilon_8 \\ \otimes \epsilon_8 \end{smallmatrix} \begin{smallmatrix} 5,5 \\ 5,5 \\ 5,5 \end{smallmatrix} \begin{smallmatrix} \otimes \epsilon_8 \\ \otimes \epsilon_8 \\ \otimes \epsilon_8 \end{smallmatrix} 12231513215 \quad \Delta = -89, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{71231513221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513215 \quad \Delta = -61, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow F_1$$

Base: $1^{1231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 12231513151$

$$1^{61231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} [2231513151] \quad \Delta = -33, \quad n_+ = 1, \quad n_- = 59, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 1231 \mathbf{3} \quad \Delta = -1, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \overset{22221}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,4}{e_7} 12321$

$$1^{22221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{12321} \mathbf{8} \quad \Delta = -111, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$1^{22221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{12321} \mathbf{5} \quad \Delta = -30, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{22221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7^{12321} \mathbf{4} \quad \Delta = -6, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{22221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7^{12321} \mathbf{6} \quad \Delta = -56, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{22221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7^{12321} \mathbf{7} \quad \Delta = -83, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$\text{Base: } 1 \overset{1}{\epsilon}_7 \overset{5,5}{\otimes} \overset{5,5}{\epsilon}_8 \overset{5,5}{\otimes} \overset{5,5}{\epsilon}_8 \overset{5,5}{\otimes} \overset{5,5}{\epsilon}_8 \overset{1}{\otimes} \overset{4,2}{\epsilon}_8 \otimes 41$$

$$1\overset{1}{e}_7 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{1}{e}_8 \otimes \overset{4,2}{41} \quad \Delta = -32, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{e}_7^{1,5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{1,4,2} 41\mathbf{3} \quad \Delta = -12, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1\overset{21}{e}_7 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{1}{e}_8 \otimes \overset{4,2}{41} \quad \Delta = -4, n_+ = 1, n_- = 59, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{4,2} 41\mathbf{e}_2 \quad \Delta = -4, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1_{\mathbf{e}_7} \otimes_{\mathbf{e}_8}^{1,5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{21,4,2} 4\mathbf{1} \quad \Delta = -4, n_+ = 1, n_- = 59, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

Base: $1 \overset{21}{\epsilon}_7 \otimes \overset{4,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{1}{\epsilon}_8 \otimes \overset{4,2}{41}$

$$1\mathbf{e}_7^{21, 4, 5} \otimes \mathbf{e}_8^{5, 5} \otimes \mathbf{e}_8^{5, 5} \otimes \mathbf{e}_8^{5, 5} \otimes \mathbf{e}_8^1 \otimes 4\mathbf{1}^{4, 2} \quad \Delta = -12, n_+ = 1, n_- = 59, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

$$21\overset{21}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_8 \otimes \overset{4,2}{41} \quad \Delta = -4, n_+ = 1, n_- = 59, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^{21, 4, 5} \otimes \mathbf{e}_8^{5, 5} \otimes \mathbf{e}_8^{5, 5} \otimes \mathbf{e}_8^{5, 5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{4, 2} 41\mathbf{2} \quad \Delta = -4, n_+ = 1, n_- = 59, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$1\epsilon_7^{21, 4, 5} \otimes \epsilon_8^{5, 5} \otimes \epsilon_8^{5, 5} \otimes \epsilon_8^{5, 5} \otimes \epsilon_8^{21, 4, 2} \otimes 41 \quad \Delta = -4, \, n_+ = 1, \, n_- = 59, \, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{321} e_7^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^1 \otimes e_8^{4,2} 41 \quad \Delta = -13, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_7^{21, 4, 5} \otimes \epsilon_8^{5, 5} \otimes \epsilon_8^{5, 5} \otimes \epsilon_8^{5, 5} \otimes \epsilon_8^1 \otimes 41\epsilon_8^{4, 2} \quad \Delta = -32, n_+ = 1, n_- = 59, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

Base: $1_{\epsilon_8}^{21} \otimes_{\epsilon_8}^{5,5} 1_{\epsilon_8}^{5,5} \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_8}^{5,5} 1_{\epsilon_8}^{5,5} 122313$

$$1\epsilon_8^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 122313\mathbf{2} \quad \Delta = -100, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\overset{21}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{1}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 12313 \quad \Delta = -99, n_+ = 1, n_- = 59, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1^{13221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^1 \otimes \epsilon_8^{5,5} 122$

$$1^{413221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} 122 \quad \Delta = -119, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{313221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} 122 \quad \Delta = -99, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$13221\overset{21}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{1}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 122 \quad \Delta = -91, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$1^{\overline{5}13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} 122 \quad \Delta = -143, \quad n_+ = 1, \quad n_- = 59, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{213221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} 122 \quad \Delta = -91, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{13221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} 122\mathbf{3} \quad \Delta = -100, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1^{1231513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^1 1223151321$$

$$1^{71231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^1 1223151321 \quad \Delta = -9, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{81231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^1 1223151321 \quad \Delta = -37, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1^{131513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^1 12231513221$

$$1^{131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^1 122315132218 \quad \Delta = -36, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{131513221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 122315132217 \quad \Delta = -8, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^1 12231513221 \text{ (12)} \quad \Delta = -151, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$\text{Base: } 1 \overset{21}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{1}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{1}{\epsilon_8} 12231$$

$$1_{\mathfrak{e}_8}^{21} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231 \quad \Delta = -91, n_+ = 1, n_- = 59, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$51231513221\mathbf{e}_8 \otimes_{\mathbf{e}_8}^{5,5} \mathbf{e}_8 \otimes_{\mathbf{e}_8}^{5,5} \mathbf{e}_8 \otimes_{\mathbf{e}_8}^{5,5} \mathbf{e}_8 \otimes_{\mathbf{e}_6}^{3,5} 131\mathbf{5} \quad \Delta = -35, n_+ = 1, n_- = 61, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $131\epsilon_6 \overset{3,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231513151$

$$15131513221\mathbf{e}_8 \otimes_{\mathbf{e}_8}^{5,5} \mathbf{e}_8 \otimes_{\mathbf{e}_8}^{5,5} \mathbf{e}_8 \otimes_{\mathbf{e}_8}^{5,5} \mathbf{e}_8 \otimes_{\mathbf{e}_6}^{3,5} 131\mathbf{5} \quad \Delta = -34, n_+ = 1, n_- = 61, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } \epsilon_6 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{3,5}{\otimes} \epsilon_6 1$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6^{1,3} \quad \Delta = -9, n_+ = 1, n_- = 61, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1_{\mathfrak{e}_6}^{\mathbf{21}} \otimes_{\mathfrak{e}_8}^{3,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,4} 1_{\mathfrak{e}_6} \quad \Delta = -1, \, n_+ = 1, \, n_- = 61, \, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1_{\mathfrak{e}_6}^{\mathbf{31}} \otimes_{\mathfrak{e}_8}^{3,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,4} \otimes_{\mathfrak{e}_6} 1 \quad \Delta = -9, n_+ = 1, n_- = 61, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} \otimes \epsilon_6^{12}$

$$1\overset{21}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,3}{\mathbf{e}}_6 12 \quad \Delta = 0, n_+ = 1, n_- = 61, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$\text{Base: } 1 \overset{1}{\epsilon}_6 \otimes \overset{3,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,3}{\epsilon}_8 \otimes \overset{1}{\epsilon}_6 1$$

$$1\overset{21}{\mathbf{e}}_6 \otimes \overset{3,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,3}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_6 1 \quad \Delta = 0, n_+ = 1, n_- = 61, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$51231513221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon'_{712} \quad \Delta = -3, \quad n_+ = 1, \quad n_- = 61, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$15131513221 \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_{-12}^{\prime} \quad \Delta = -2, n_+ = 1, n_- = 61, n_0 = 0 \rightarrow \mathbb{F}_A$$

$$1\mathbf{e}'_7 \otimes_{\mathbf{e}_8}^{5,5} \mathbf{e}_8 \otimes_{\mathbf{e}_8}^{5,5} \mathbf{e}_8 \otimes_{\mathbf{e}_8}^{5,5} \mathbf{e}_8 \otimes_{\mathbf{e}_8}^{5,5} 12231513151\mathbf{3} \quad \Delta = -10, n_+ = 1, n_- = 61, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$51231513221 \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,5} \otimes \epsilon_{712}^{\prime 3} \quad \Delta = -12, \quad n_+ = 1, \quad n_- = 61, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$21c' \overset{4,5}{\otimes} c_0 \overset{5,5}{\otimes} c_0 \overset{5,5}{\otimes} c_0 \overset{5,5}{\otimes} c_0 12231513151 \textcolor{red}{3} \quad \Lambda = -10 \quad n_+ = 1 \quad n_- = 61 \quad n_0 = 0 \quad \rightarrow \mathbb{R}$$

$$21\overset{4,5}{e'_7} \otimes \overset{5,5}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,5}{e_8} [223]15131512 \quad \Delta = -2, \quad n_+ = 1, \quad n_- = 61, \quad n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1^{21} 4,5 \quad 5,5 \quad 5,5 \quad 5,5 \quad 12221512215 \quad 4 = 2 \quad 3 = 1 \quad 3 = 61 \quad 3 = 0 \quad \in \mathbb{N}$$

Base: $1\epsilon'_7 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8$ 12231513151

$\begin{matrix} \textcolor{red}{2}1 & 4.5 & 5.5 & 5.5 & 5.5 \end{matrix}$

[illegible]

[illegible]

Base: $1\epsilon_8^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5}$ 12231512

$$21\epsilon_8^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5}$$
 12231512 $\Delta = -85, n_+ = 1, n_- = 61, n_0 = 0 \rightarrow \mathbb{F}_0$

$$1\epsilon_8^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5}$$
 12231512**3** $\Delta = -94, n_+ = 1, n_- = 61, n_0 = 0 \rightarrow \mathbb{P}^2$

Base: $1\epsilon_8^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5}$ 122315**1**

$$21\epsilon_8^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5}$$
 122315**1** $\Delta = -85, n_+ = 1, n_- = 61, n_0 = 0 \rightarrow \mathbb{F}_0$

$$1\epsilon_8^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5}$$
 122315**1****2** $\Delta = -85, n_+ = 1, n_- = 61, n_0 = 0 \rightarrow \mathbb{F}_0$

$$1\epsilon_8^{21} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5}$$
 122315**1****3** $\Delta = -93, n_+ = 1, n_- = 61, n_0 = 0 \rightarrow \mathbb{P}^2$

Base: $1\epsilon_8^{22221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1$ 12222

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7'^{1,2} \quad \Delta = 0, n_+ = 1, n_- = 62, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\mathbf{c}_7^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_6^{4,5} \mathbf{1} \mathbf{2} \quad \Delta = 0, n_+ = 1, n_- = 62, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7' \mathbf{1} \mathbf{2} \quad \Delta = 0, n_+ = 1, n_- = 62, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_7' \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{4,5}{\otimes} \epsilon_6 \mathbf{13} \quad \Delta = -8, n_+ = 1, n_- = 62, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 21e_6 \overset{3,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e'_7 1$$

$$1\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6^{123} \quad \Delta = -8, n_+ = 1, n_- = 62, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1 \overset{1}{\mathfrak{e}}_6 \otimes \overset{3,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \mathfrak{e}'_7 1$$

$$1_{\mathbf{e}_6}^{\mathbf{31}} \otimes_{\mathbf{e}_8}^{\mathbf{3,5}} \otimes_{\mathbf{e}_8}^{\mathbf{5,5}} \otimes_{\mathbf{e}_8}^{\mathbf{5,5}} \otimes_{\mathbf{e}_8}^{\mathbf{5,5}} \otimes_{\mathbf{e}_8}^{\mathbf{5,5}} \otimes_{\mathbf{e}_7'}^{\mathbf{5,5}} 1 \quad \Delta = -7, n_+ = 1, n_- = 62, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } e_6 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{4,5}{\otimes} e_7' 12$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7'^{12\mathbf{3}} \quad \Delta = -9, n_+ = 1, n_- = 62, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_6 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,4}{\otimes} \epsilon_7' 12$

$$21\mathbf{e}'_7 \overset{5,4}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_6 \mathbf{13} \quad \Delta = -8, n_+ = 1, n_- = 62, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}'_7 \mathbf{123} \quad \Delta = -9, n_+ = 1, n_- = 62, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\epsilon_7^{5,4} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,5} \otimes \epsilon_6^{1,2} \quad \Delta = 0, n_+ = 1, n_- = 62, n_0 = 0 \rightarrow \mathbb{F}_5$$

Base: $21\epsilon_6 \overset{3,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,4}{\otimes} \epsilon_7' 12$

$$21e_6^{3,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,4} \otimes e_7' 12\textcolor{red}{3} \quad \Delta = -8, n_+ = 1, n_- = 62, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21e_7^{5,4} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_6^{3,5} 12\textcolor{red}{3} \quad \Delta = -8, n_+ = 1, n_- = 62, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7' 12$

$$1\mathbf{e}_6^{1,3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7'123 \quad \Delta = -8, n_+ = 1, n_- = 62, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\epsilon_6^{31} \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{5,4} 12 \quad \Delta = -7, n_+ = 1, n_- = 62, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } \mathfrak{e}_6^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_7'^1 1$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_7^{1,2} \quad \Delta = 0, \, n_+ = 1, \, n_- = 62, \, n_0 = 0 \quad \rightarrow \mathbb{F}_0$$

Base: $1e_7^1 \otimes_{4,5} e_8 \otimes_{5,5} e_8 \otimes_{5,5} e_8 \otimes_{5,5} e_8 \otimes_{5,4} e_6 1$

$$1\mathbf{e}_7^1 \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_6^{\mathbf{13}} \quad \Delta = -8, \ n_+ = 1, \ n_- = 62, \ n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$1e_7^{21} \otimes e_8^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,4} \otimes e_6^1 \quad \Delta = 0, n_+ = 1, n_- = 62, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1e_7^1 \otimes e_8^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_6^{5,4} \mathbf{12} \quad \Delta = 0, n_+ = 1, n_- = 62, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_7^1 \otimes_{4,5} \epsilon_8 \otimes_{5,5} \epsilon_8 \otimes_{5,5} \epsilon_8 \otimes_{5,5} \epsilon_8 \otimes_{5,3} \epsilon_6 12$

$$1\epsilon_7^{\prime 1} \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_6^{5,3} 123 \quad \Delta = -8, n_+ = 1, n_- = 62, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1e_6^{1,3,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,4} \otimes e_7^1$

$$1\mathbf{e}_6^{31} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_7^{1,1} \quad \Delta = -7, n_+ = 1, n_- = 62, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $21\epsilon_7 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231513215$

$$51231513221 \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_7 12 \mathbf{3} \quad \Delta = -11, n_+ = 1, n_- = 62, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $21\epsilon_7 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231513151$

$$15131513221\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_7 12\mathbf{3} \quad \Delta = -10, n_+ = 1, n_- = 62, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

$$221\epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} \otimes \epsilon_7^{3,3} 1231513221(12) \quad \Delta = -50, n_+ = 1, n_- = 62, n_0 = 0 \rightarrow \mathbb{F}_8$$

[illegible]

[illegible]

$$T = 63 \quad (129 \text{ bases})$$

Base: $314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 122222$

$$222221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{2,4} \otimes 413\textcolor{red}{2} \quad \Delta = -12, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 131\epsilon_6 \overset{3,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,3}{\otimes} \epsilon_6 131$$

$$131\epsilon_6^{\overline{5,3}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{3,5}} \otimes \epsilon_6 131\overline{5} \quad \Delta = -10, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$131\mathbf{e}_6^{\overline{5,3}} \otimes \mathbf{e}_8^{\overline{5,5}} \otimes \mathbf{e}_8^{\overline{5,5}} \otimes \mathbf{e}_8^{\overline{5,5}} \otimes \mathbf{e}_8^{\overline{3,5}} \otimes \mathbf{e}_6 131\mathbf{e}_6 \quad \Delta = -36, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $131e_6 \overset{3,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7'$

$$1\mathbf{e}'_7 \otimes^{5,5} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{5,5} \mathbf{e}_8 \otimes^{3,5} \mathbf{e}_6 131\mathbf{6} \quad \Delta = -56, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1e_7^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{3,5} \otimes e_6^{1314} \quad \Delta = -6, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1e_7^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{3,5} \otimes e_6^{1315} \quad \Delta = -30, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $131e_6 \overset{3,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7'12$

$$21e_7^{5,4} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{3,5} \otimes e_6^{1315} \quad \Delta = -30, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21\mathfrak{e}_7^{5,4} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{3,5} \otimes \mathfrak{e}_6^{1316} \quad \Delta = -56, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21e_7' \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_{61314} \quad \Delta = -6, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 21e'_7 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e'_7 1$$

$$1e'_{7} \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{4,5}{\otimes} e'_{712\textcolor{red}{3}} \quad \Delta = -7, \, n_+ = 1, \, n_- = 63, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\text{Base: } 21e_7' \otimes^{4,5} e_8 \otimes^{5,5} e_8 \otimes^{5,5} e_8 \otimes^{5,5} e_8 \otimes^{5,4} e_7' 12$$

$$21e_7^{5,4} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{4,5} \otimes e_7^{12} \textcolor{red}{3} \quad \Delta = -7, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1e_7' \overset{1}{\otimes} \overset{4,5}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,3}{\otimes} e_6 131$$

$$1\epsilon_7' \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_6 \text{1315} \quad \Delta = -30, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\epsilon_7' \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_6 1316 \quad \Delta = -56, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1\mathbf{e}_7' \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_6 \overset{1}{\overset{4,5}{\overset{5,5}{\overset{5,5}{\overset{5,5}{\overset{5,3}}{131\mathbf{4}}}}} \quad \Delta = -6, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\epsilon_7' \otimes_{4,5} \epsilon_8 \otimes_{5,5} \epsilon_8 \otimes_{5,5} \epsilon_8 \otimes_{5,5} \epsilon_8 \otimes_{5,4} \epsilon_7' 12$$

$$1\mathbf{e}'_7 \overset{1}{\otimes} \overset{4,5}{\mathbf{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathbf{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathbf{e}}_8 \overset{5,4}{\otimes} \mathbf{e}'_7 \mathbf{123} \quad \Delta = -7, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } e_6 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7 12$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{12\mathbf{3}} \quad \Delta = -8, \, n_+ = 1, \, n_- = 63, \, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1e_6 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7 12$

$$21e_7 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{4,5}{\otimes} e_6 \mathbf{13} \quad \Delta = -7, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_6^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{12\mathbf{3}} \quad \Delta = -8, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $21e_6 \overset{3,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7 12$

$$21\epsilon_7^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{3,5} \otimes \epsilon_6^{12} \mathbf{3} \quad \Delta = -7, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\mathfrak{e}_6^{3,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7^{123} \quad \Delta = -7, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1e_6 \overset{1}{\otimes} e_8 \overset{3,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7 12$

$$1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{4,2} 414 \quad \Delta = -31, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21^{13221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 1223132$

$$21 \overset{5}{\mathfrak{e}}_{13221} \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 1223132 \quad \Delta = -45, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$21^{2221}_{\mathfrak{e}_8} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{4,2} 413\textcolor{red}{2} \quad \Delta = -12, n_+ = 1, n_- = 63, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$1^{313221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 122314 \quad \Delta = -20, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}_8^1 \otimes 41^{4,2}$

$$21^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{4,2} 41\mathbf{R} \quad \Delta = -11, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$21^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{4,2} 41\mathbf{4} \quad \Delta = -31, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21^{413221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{21} 12231 \quad \Delta = -12, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 221 \overset{221}{\epsilon}_8 \overset{5,5}{\otimes} \overset{5,5}{\epsilon}_8 \overset{5,5}{\otimes} \overset{5,5}{\epsilon}_8 \overset{5,5}{\otimes} \overset{4,2}{\epsilon}_8 \otimes 413$$

$$221 \overset{3}{\mathfrak{e}}_8^{221} \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,2}{\otimes} 413 \quad \Delta = -20, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221 \overset{3}{\mathbf{e}}_8^{221} \overset{5,5}{\otimes} \overset{5,5}{\mathbf{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathbf{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathbf{e}}_8 \overset{1}{\otimes} \overset{4,2}{\mathbf{e}}_8 \otimes 41 \quad \Delta = -12, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221 \overset{221}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{1}{\mathfrak{e}}_8 \otimes \overset{4,2}{41\mathbf{3}} \quad \Delta = -11, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$221 \text{e}_8^{221} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^1 \otimes \text{e}_8^{4,2} 41\text{f} \quad \Delta = -31, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1321e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} 1231513221 \text{ (12)} \quad \Delta = -30, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$2221e_7^{\overset{3,3}{\otimes}} \otimes e_7^{\overset{3,3}{\otimes}} \otimes e_7^{\overset{3,3}{\otimes}} \otimes e_7^{\overset{3,3}{\otimes}} \otimes e_7^{\overset{3,3}{\otimes}} \otimes e_7^{\overset{3,3}{\otimes}} \otimes e_7^{\overset{3,3}{\otimes}} \otimes e_7^{\overset{3,3}{\otimes}} 1231513221 \textcolor{red}{(12)} \quad \Delta = -49, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$1\overline{e}_7^{21} \otimes \overline{e}_7^{3,3} \otimes \overline{e}_7^{3,3} \otimes \overline{e}_7^{3,3} \otimes \overline{e}_7^{3,3} \otimes \overline{e}_7^{3,3} \otimes \overline{e}_7^{3,3} \otimes \overline{e}_7^{3,3} 1231513221 \text{ (12)} \quad \Delta = -49, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$21\overset{21}{e_7}\overset{3,3}{\otimes}\overset{3,3}{e_7}\overset{3,3}{\otimes}\overset{3,3}{e_7}\overset{3,3}{\otimes}\overset{3,3}{e_7}\overset{3,3}{\otimes}\overset{3,3}{e_7}\overset{3,3}{\otimes}\overset{3,3}{e_7}\overset{3,3}{\otimes}\overset{3,3}{e_7}\overset{3,3}{\otimes}\overset{3,3}{e_7}1231513221(12) \quad \Delta = -49, n_+ = 1, n_- = 63, n_0 = 0 \rightarrow \mathbb{F}_8$$

Base: $314 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 1223132$

$$15131513221 \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 12321 \mathbf{7} \quad \Delta = -59, n_+ = 1, n_- = 64, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$15131513221 \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{4,5}{\otimes} \mathbf{e}_7 12321 \mathbf{6} \quad \Delta = -32, n_+ = 1, n_- = 64, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $\mathfrak{e}_6^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,5} \mathfrak{e}_7^{1231}$

$$\begin{aligned} & \epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_{12314} \quad \Delta = -1, n_+ = 1, n_- = 64, n_0 = 0 \quad \rightarrow \mathbb{R}_+ \\ & \epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_{712315} \quad \Lambda = -31, n_+ = 1, n_- = 64, n_0 = 0 \quad \rightarrow \mathbb{R}_+ \end{aligned}$$

Base: $1\epsilon_6 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_7 1231$
 $\begin{matrix} & 4,5 & 5,5 & 5,5 & 5,5 & 5,4 \\ 1 & \frown & \frown & \frown & \frown & \frown \\ & 1231 & 1231 & 1231 & 1231 & 1231 \end{matrix}$

$$1\mathbf{e}_6 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_7 1231\mathbf{5} \quad \Delta = -31, \, n_+ = 1, \, n_- = 64, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$21\mathfrak{e}_6 \underset{3.5}{\otimes} \mathfrak{e}_8 \underset{5.5}{\otimes} \mathfrak{e}_8 \underset{5.5}{\otimes} \mathfrak{e}_8 \underset{5.5}{\otimes} \mathfrak{e}_8 \underset{5.4}{\otimes} \mathfrak{e}_7 12314 \quad \Delta = -6, n_+ = 1, n_- = 64, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1\epsilon_6 \overset{1}{\otimes} \overset{3,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,4}{\otimes} \epsilon_7 1231$$

$$1\mathbf{e}_6 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_7 1231\mathbf{5} \quad \Delta = -30, n_+ = 1, n_- = 64, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 1223151321\mathbf{3}$$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{12231513216} \quad \Delta = -114, n_+ = 1, n_- = 64, n_0 = 0 \quad \rightarrow \mathbb{F}$$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513218 \quad \Delta = -169, n_+ = 1, n_- = 64, n_0 = 0 \rightarrow \mathbb{F}_5$$

Base: $1\epsilon_7^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_6^{5,3} 131$

$$1\bar{c}_7 \otimes c_8 \oplus c_8 \otimes c_8 \oplus c_8 \otimes c_8 \oplus c_{6131} \quad \Delta = -55, n_+ = 1, n_- = 64, n_0 = 0 \rightarrow \mathbb{F}_{15}$$

$$\text{Base: } 1 \otimes \overset{1}{\otimes} \overset{5,5}{\otimes} \overset{5,5}{\otimes} \overset{5,5}{\otimes} \overset{5,5}{\otimes} \overset{5,4}{\otimes} \overset{1,12}{\otimes}$$

$$1\mathbf{e}_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_7 \mathbf{123} \quad \Delta = -6, n_+ = 1, n_- = 64, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\begin{array}{ccccccccc} \mathbf{1}_{\overline{7}} & \otimes & \mathbf{e}_8 & \otimes & \mathbf{e}_8 & \otimes & \mathbf{e}_8 & \otimes & \mathbf{e}_8 & \otimes & \mathbf{e}_6 & \mathbf{1315} & \Delta = -29, n_+ = 1, n_- = 64, n_0 = 0 \rightarrow \mathbb{F}_4 \\ \begin{array}{ccccccccc} 21 & 20 & 15 & 10 & 5 & 5 & 5 & 5 & 3 \end{array} & & & & & & & & & & & \end{array}$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_6^{1316} \quad \Delta = -55, n_+ = 1, n_- = 64, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1_{\mathbf{e}_7}{}^{321} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7'1 \quad \Delta = -6, \, n_+ = 1, \, n_- = 64, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7'^{5,4} \mathbf{123} \quad \Delta = -6, n_+ = 1, n_- = 64, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_7^{1,4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{1231\mathbf{5}} \quad \Delta = -29, n_+ = 1, n_- = 65, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $e_7 \overset{3,3}{\otimes} e_7 \overset{5,4}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 12231513221$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{12231513221} \mathbf{2} \quad \Delta = -7, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513221\mathbf{4} \quad \Delta = -35, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \mathbf{12231513221} \mathbf{3} \quad \Delta = -15, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{122315132218} \quad \Delta = -140, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{122315132217} \quad \Delta = -112, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} 12231513221\mathbf{5} \quad \Delta = -59, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\mathbf{e}_7^{3,3} \otimes \mathbf{e}_7^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \mathbf{12231513221} \textcolor{red}{(12)} \quad \Delta = -255, n_+ = 1, n_- = 65, n_0 = 0 \quad \rightarrow \mathbb{F}_8$$

Base: $1\epsilon_7 \overset{1}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_7} 12$

$$1\mathbf{e}_7^{1,5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{123} \quad \Delta = -5, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1e_7^1 \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,4} \otimes e_7 122$

$$1\mathbf{e}_7^{1,5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{5,4} 122\mathbf{3} \quad \Delta = -5, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7^{12}$

$$1 \overset{3,21}{\mathbf{e}_7} \otimes \overset{4,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_7} 12 \quad \Delta = -5, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{123} \quad \Delta = -5, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1_{e_7}^{21} \otimes_{e_8}^{4,5} \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,4} e_7 122$

$$1 \overset{3,21}{\mathbf{e}_7} \otimes \overset{4,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,4}{\mathbf{e}_7} 122 \quad \Delta = -5, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{5,4} 122\mathbf{3} \quad \Delta = -5, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1 \overset{21}{\epsilon}_7 \otimes \overset{4,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{1}{\epsilon}_7 1$$

$$1 \overset{3,21}{\mathbf{e}_7} \otimes \overset{4,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{1}{\mathbf{e}_7} 1 \quad \Delta = -5, \, n_+ = 1, \, n_- = 65, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1 \epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \epsilon_7^{21} 1$$

$$1 \overset{321}{\mathbf{e}}_7 \otimes \overset{4,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,4}{\mathbf{e}}_7 \overset{21}{1} \quad \Delta = -5, \, n_+ = 1, \, n_- = 65, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $1e_8 \overset{5,5}{\otimes} e_8 \overset{1}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7 123$

$$1\mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_7 123\mathbf{2} \quad \Delta = -122, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$321e_7^{5,4} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^1 \otimes e_8^{5,5} \otimes e_8^{12} \quad \Delta = -120, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $21e_8 \overset{5,5}{\otimes} e_8 \overset{1}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7 1$

$$21\mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{1}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_7 \mathbf{1} \text{red} \quad \Delta = -111, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1\epsilon_7^1 \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} 12$

$$1\mathbf{e}_7^{21} \otimes \mathbf{e}_8^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 \otimes \mathbf{e}_8^{5,5} 12 \quad \Delta = -111, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $14 \overset{2,4}{\otimes} \overset{1}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{e}}_8 \overset{5,5}{\otimes} \overset{4,2}{\mathfrak{e}}_8 \otimes 413$

$$314 \overset{4,2}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{1}{\otimes} \overset{2,4}{414} \quad \Delta = -18, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1 \overset{313221}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{4,2}{\epsilon_8} \otimes 4141$

$$1^{313221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,2} 41414 \Delta = -18, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1^{131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 122222$

$$1 \quad \overset{6}{\text{e}} \overset{13}{\text{e}} \overset{15}{\text{e}} \overset{13}{\text{e}} \overset{12}{\text{e}} \overset{21}{\text{e}} \quad \overset{5,5}{\otimes} \overset{5,5}{\text{e}} \overset{5,5}{\otimes} \overset{5,5}{\text{e}} \overset{5,5}{\otimes} \overset{5,5}{\text{e}} \overset{5,5}{\otimes} \overset{5,5}{\text{e}} \overset{12}{\text{e}} \overset{22}{\text{e}} \overset{22}{\text{e}} \quad \Delta = -55, n_+ = 1, n_- = 65, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

[illegible]

$$1^{4131513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 122222 \quad \Delta = -5, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1^{15} 13 22 1^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{21} 12231$

$$1^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}_8^{21} 122314 \quad \Delta = -6, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{1513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 122315 \quad \Delta = -30, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8^{221} 122$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{221}{\otimes} \mathfrak{e}_8 \textcolor{red}{122} \quad \Delta = -14, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$\text{Base: } 1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}_8^{221} 122$$

$$1^{6131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \mathbb{1}^{221} \quad \Delta = -55, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{5131513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{221} \quad \Delta = -29, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{4131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}_8^{221} 122 \quad \Delta = -5, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_4$$

[illegible]

$$4 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 1231513221(12) \quad \Delta = -30, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_8$$

[illegible]

$$14 \overset{2,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 \overset{3,3}{\otimes} e_7 1231513221(12) \quad \Delta = -28, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_8$$

[illegible]

$$1^{12321} \begin{matrix} 3,3 \\ e_7 \end{matrix} \otimes \begin{matrix} 3,3 \\ e_7 \end{matrix} \otimes \begin{matrix} 3,3 \\ e_7 \end{matrix} \otimes \begin{matrix} 3,3 \\ e_7 \end{matrix} \otimes \begin{matrix} 3,3 \\ e_7 \end{matrix} \otimes \begin{matrix} 3,3 \\ e_7 \end{matrix} \otimes \begin{matrix} 3,3 \\ e_7 \end{matrix} \otimes \begin{matrix} 3,3 \\ e_7 \end{matrix} \otimes \begin{matrix} 3,3 \\ e_7 \end{matrix} 1231513221(12) \quad \Delta = -2, n_+ = 1, n_- = 65, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$T = 66 \quad (71 \text{ bases})$$

Base: $1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,2}{\otimes} 413$

$$314^{4,2} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{2,4} 4141\textcolor{red}{4} \quad \Delta = -17, n_+ = 1, n_- = 66, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $222221\epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231513151$

$$222221\epsilon_8^{\bar{5},5} \otimes \epsilon_8^{\bar{5},5} \otimes \epsilon_8^{\bar{5},5} \otimes \epsilon_8^{\bar{5},5} 12231513151\textcolor{red}{3} \quad \Delta = -8, n_+ = 1, n_- = 66, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$222221\epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231513151\textcolor{red}{2} \quad \Delta = 0, n_+ = 1, n_- = 66, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $131\epsilon_6 \overset{3,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,4}{\otimes} \epsilon_7 12321$

$$131\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{5,4} 123218 \quad \Delta = -63, n_+ = 1, n_- = 66, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$131\mathbf{e}_6^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{123217} \quad \Delta = -35, n_+ = 1, n_- = 66, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$12321\epsilon_7^{\overline{5,4}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_6^{\overline{3,5}} 131\overline{6} \quad \Delta = -8, n_+ = 1, n_- = 66, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$131\mathbf{e}_6^{\overset{3,5}{\otimes}} \otimes \mathbf{e}_8^{\overset{5,5}{\otimes}} \otimes \mathbf{e}_8^{\overset{5,5}{\otimes}} \otimes \mathbf{e}_8^{\overset{5,5}{\otimes}} \otimes \mathbf{e}_8^{\overset{5,4}{\otimes}} \otimes \mathbf{e}_7^{123216} \quad \Delta = -8, n_+ = 1, n_- = 66, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1e_7' \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7 12321$

$$1\mathbf{e}_7' \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 123217 \quad \Delta = -55, n_+ = 1, n_- = 66, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1\mathbf{e}_7' \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_7 12321\mathbf{5} \quad \Delta = -2, n_+ = 1, n_- = 66, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}'_7 \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,4}{\mathbf{e}_7} 12321\mathbf{6} \quad \Delta = -28, n_+ = 1, n_- = 66, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{123218} \quad \Delta = -83, n_+ = 1, n_- = 66, n_0 = 0 \rightarrow \mathbb{F}_6$$

Base: $21e_7' \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7 12321$

$$21e_7' \otimes_{e_8}^{4,5} \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,5} \otimes_{e_7}^{5,4} 123217 \quad \Delta = -55, n_+ = 1, n_- = 66, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$21\mathbf{e}_7^{4,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{123215} \quad \Delta = -2, n_+ = 1, n_- = 66, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21e_7^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,4} \otimes e_7^{123218} \quad \Delta = -83, n_+ = 1, n_- = 66, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$21e_7^{4,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,4} \otimes e_7^{123216} \quad \Delta = -28, n_+ = 1, n_- = 66, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$\text{Base: } 1e_7' \overset{1}{\otimes} \overset{4,5}{e_8} \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7 12321$$

$$1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 12231513221(12) \quad \Delta = -168, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_6$$

Base: $21^{13221} \text{e}_8^{5,5} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^{5,5} \text{e}_8 12231513215$

$$21^{413221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513215 \quad \Delta = -9, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21 \overset{5}{\mathfrak{c}}_8 \overset{13221}{\otimes} \overset{5,5}{\mathfrak{c}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{c}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{c}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathfrak{c}}_8 12231513215 \quad \Delta = -33, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21^{13221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \mathfrak{e}_8 12231513151$

$$21^{413221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513151 \quad \Delta = -8, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21 \overset{5}{\mathbf{c}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathbf{c}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathbf{c}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathbf{c}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathbf{c}}_8 12231513151 \quad \Delta = -32, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $21^{2221}_{\epsilon_8} \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_8}^{5,4} \epsilon_6 1$

$$21^{2221}_{\mathfrak{e}_8} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,4} \otimes_{\mathfrak{e}_6} \mathbf{1} \quad \Delta = -6, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $21 \overset{2221}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,3}{\epsilon}_6 12$

$$21^{2221}_{\mathfrak{e}_8} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6^{12\text{red}} \quad \Delta = -6, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1e_6^1 \otimes e_8^{3,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} e_8^{21} 1222$

$$1\overset{31}{e}_6 \otimes \overset{3,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{5,5}{e}_8 \otimes \overset{21}{e}_8 1222 \quad \Delta = -5, \quad n_+ = 1, \quad n_- = 67, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

Base: $1^{1231513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^{21} 12231$

$$1^{71231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 21^{12231} \quad \Delta = -34, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{61231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \mathfrak{e}_8^{21} 12231 \quad \Delta = -7, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{81231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{21} 12231 \quad \Delta = -62, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_1$$

Base: $1^{12231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 21^{21} 1222$

$$1^{712231513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{21}{}_{1222} \quad \Delta = -25, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{812231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{21} 1222 \quad \Delta = -53, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{(12)12231513221} \begin{smallmatrix} 5,5 \\ \mathbf{e}_8 \end{smallmatrix} \otimes \begin{smallmatrix} 5,5 \\ \mathbf{e}_8 \end{smallmatrix} \otimes \begin{smallmatrix} 5,5 \\ \mathbf{e}_8 \end{smallmatrix} \otimes \begin{smallmatrix} 5,5 \\ \mathbf{e}_8 \end{smallmatrix} \otimes \begin{smallmatrix} 21 \\ \mathbf{e}_8 \end{smallmatrix} 1222 \quad \Delta = -168, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } e_6^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{221} 122$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{221} \mathbf{122}^3 \quad \Delta = -7, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $221^{221}_{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_{61}$

$$221 \overset{3}{\mathbf{e}}_8^{221} \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,4}{\otimes} \mathbf{e}_6 1 \quad \Delta = -7, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$221 \epsilon_8^{221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_6^{13} \quad \Delta = -6, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $221^{221}_{\mathfrak{e}_8} \otimes^{5,5}_{\mathfrak{e}_8} \otimes^{5,5}_{\mathfrak{e}_8} \otimes^{5,5}_{\mathfrak{e}_8} \otimes^{5,5}_{\mathfrak{e}_8} \otimes^{5,3}_{\mathfrak{e}_8} \otimes_{\mathfrak{e}_6} 12$

$$221 \epsilon_8^{2,1} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_6^{12,3} \quad \Delta = -6, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$221 \overset{3}{e}_8 \overset{221}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,3}{\otimes} e_{612} \quad \Delta = -6, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1_{\epsilon_6} \overset{1}{\otimes} \overset{3,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{221}{\otimes} 122$

$$1e_6^1 \otimes e_8^{3,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} 221 \quad \Delta = -6, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1_{\mathfrak{e}_6}^{31} \otimes \mathfrak{e}_8^{3,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{221} \otimes \mathfrak{e}_8^{122} \quad \Delta = -5, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1^{12231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 221^{122}$

$$1^{712231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{221} 122 \quad \Delta = -25, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{812231513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^{221}{}_{122} \quad \Delta = -53, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$(12) 1^{12231513221} \begin{smallmatrix} 5,5 \\ \epsilon_8 \end{smallmatrix} \otimes \begin{smallmatrix} 5,5 \\ \epsilon_8 \end{smallmatrix} \otimes \begin{smallmatrix} 5,5 \\ \epsilon_8 \end{smallmatrix} \otimes \begin{smallmatrix} 5,5 \\ \epsilon_8 \end{smallmatrix} \otimes \begin{smallmatrix} 221 \\ \epsilon_8 \end{smallmatrix} 122 \quad \Delta = -168, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_2$$

[illegible]

$$13151321e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} \otimes e_7^{3,3} 1231513221 \text{ (12)} \quad \Delta = -2, n_+ = 1, n_- = 67, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$1^{6131513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{12231513} \quad \Delta = -37, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \overset{22221}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,3}{\otimes} \epsilon_6 131$

$$1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 131\mathbf{5} \quad \Delta = -28, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{22221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \mathbf{e}_6 \mathbf{1316} \quad \Delta = -54, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6 1314 \quad \Delta = -4, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1 \overset{22221}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,4}{\epsilon_8} \otimes \epsilon_7' 12$

$$1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}'_{7123} \quad \Delta = -5, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 1^{12231512}$

$$1^{5131513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 12231512 \quad \Delta = -3, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{6131513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 12231512 \quad \Delta = -29, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1^{1231513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^1 \otimes 41^{4,2}$$

$$1^{61} 231513221^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{4,2} 41 \quad \Delta = -6, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{81231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{1,4,2} \otimes 41 \quad \Delta = -61, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{71231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^1 \otimes \mathfrak{e}_8^{4,2} \otimes 41 \quad \Delta = -33, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{313221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 1^{12231513221}$

$$1^{313221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 122315132217 \quad \Delta = -13, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1^{313221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 12231513221 \mathbf{8} \quad \Delta = -41, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{313221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 12231513221 (12) \quad \Delta = -156, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow F_6$$

$$\text{Base: } 1^{131513221} \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 1^{1223151}$$

$$1^{6131513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 1223151^1 \quad \Delta = -29, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{5131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^1 1^{1223151} \quad \Delta = -3, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } e_6^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} e_8^{13221} 12$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{413221} \otimes \mathbf{e}_8^{12} \quad \Delta = -6, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\epsilon_6^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} {}^{\textcolor{red}{5}}_{13221} \epsilon_8^{12} \quad \Delta = -30, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $21^{13221} \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,4} \otimes \epsilon_6^{\otimes 1}$

$$21^{5,13221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,4} \otimes_{\mathfrak{e}_6} 1 \quad \Delta = -30, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21^{413221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_6^1 \quad \Delta = -6, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $21^{13221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} \otimes \epsilon_6 12$

$$21 \overset{5}{\epsilon}_8^{13221} \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,5}{\epsilon}_8 \otimes \overset{5,3}{\epsilon}_6^{12} \quad \Delta = -29, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21 \overset{4}{\mathbf{e}}_8 \overset{13}{\otimes} \overset{22}{\mathbf{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathbf{e}}_8 \overset{5,5}{\otimes} \overset{5,5}{\mathbf{e}}_8 \overset{5,5}{\otimes} \overset{5,3}{\mathbf{e}}_6 12 \quad \Delta = -5, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $21^{2221}_{\mathfrak{e}_8} \otimes^{5,5}_{\mathfrak{e}_8} \otimes^{5,5}_{\mathfrak{e}_8} \otimes^{5,5}_{\mathfrak{e}_8} \otimes^{5,5}_{\mathfrak{e}_8} \otimes^{5,3}_{\mathfrak{e}_8} \otimes_{\mathfrak{e}_6} 131$

$$21 \overset{2221}{\epsilon}_8 \overset{5,5}{\otimes} \overset{5,5}{\epsilon}_8 \overset{5,5}{\otimes} \overset{5,5}{\epsilon}_8 \overset{5,5}{\otimes} \overset{5,5}{\epsilon}_8 \overset{5,5}{\otimes} \overset{5,3}{\epsilon}_8 \overset{5,3}{\otimes} \epsilon_6 131 \textcolor{red}{5} \quad \Delta = -28, n_+ = 1, n_- = 68, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$21^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6^{1314} \quad \Delta = -4, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21 \overset{2221}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,5}{\mathfrak{e}}_8 \otimes \overset{5,3}{\mathfrak{e}}_6 131\mathbf{6} \quad \Delta = -54, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$\text{Base: } 1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^{21} 12231$$

$$1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{21} 122315 \quad \Delta = -29, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{21} 122314 \quad \Delta = -5, n_+ = 1, n_- = 68, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21^{2221} \text{e}_8 \otimes^{5,5} \text{e}_8 \otimes^{5,5} \text{e}_8 \otimes^{5,5} \text{e}_8 \otimes^{5,4} \text{e}_7' 12$

[illegible]

$$314 \otimes_8^{2,4} \otimes_8^{5,5} \otimes_8^{5,5} \otimes_8^{5,5} \otimes_8^{5,5} \otimes_8^{5,3} \epsilon_6 1316 \quad \Delta = -41, n_+ = 1, n_- = 70, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$\text{Base: } 1 \overset{1}{e}_6 \overset{3,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{4,2}{\otimes} 4141$$

Base: 1321 ϵ_7 $\overset{4,5}{\otimes}$ ϵ_8 $\overset{5,5}{\otimes}$ ϵ_8 $\overset{5,5}{\otimes}$ ϵ_8 $\overset{5,5}{\otimes}$ ϵ_8 $\overset{5,5}{\otimes}$ ϵ_8 122222

$$222221\epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{4,5}} \otimes \epsilon_7^{12314} \quad \Delta = -3, n_+ = 1, n_- = 70, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $21\epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{1}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 122313$

Base: $4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{1231513221}{\mathfrak{e}_8} 1$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{71231513221}{\mathfrak{e}_8} 1 \quad \Delta = -35, n_+ = 1, n_- = 70, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{61231513221}{\mathfrak{e}_8} 1 \quad \Delta = -8, n_+ = 1, n_- = 70, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{12}3^{15}1^{13}2^{21} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{4,2} 4141$

$$1^{812231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{4,2} 4141 \quad \Delta = -31, n_+ = 1, n_- = 70, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{(12)2231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{4,2} 4141 \quad \Delta = -146, n_+ = 1, n_- = 70, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1^{12231513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 122315123$

$$1^{712231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 1^{22315123} \quad \Delta = -8, n_+ = 1, n_- = 70, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{(12)}\epsilon_8^{12231513221} \otimes_{5,5} \epsilon_8^{5,5} \otimes_{5,5} \epsilon_8^{5,5} \otimes_{5,5} \epsilon_8^{5,5} \otimes_{5,5} \epsilon_8^{122315123} \quad \Delta = -151, n_+ = 1, n_- = 70, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{131513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513215$

$$1^{6131513221} \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,5} 1^{2231513215} \quad \Delta = -32, n_+ = 1, n_- = 70, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{131513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513151$

$$1^{6131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 1^{2231513151} \quad \Delta = -31, n_+ = 1, n_- = 70, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 1^{12231513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^{12231513}$$

$$(12) \quad 1^{12231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 1^{12231513} \quad \Delta = -150, n_+ = 1, n_- = 70, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{712231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{1} 12231513 \quad \Delta = -7, n_+ = 1, n_- = 70, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $14 \overset{2,4}{\otimes} \overset{1}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,3}{\otimes} e_6 131$

$$14 \overset{2,4}{\otimes} \overset{1}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,3}{\otimes} \epsilon_6 131\bar{5} \quad \Delta = -7, n_+ = 1, n_- = 70, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $14 \overset{2,4}{\otimes} e_8 \overset{1}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7' 1$

$$\text{Base: } 14 \overset{2,4}{\otimes} \overset{1}{e_8} \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7' 12$$

$$21e_7^{5,4} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^1 \otimes 414^{2,4} \quad \Delta = -3, n_+ = 1, n_- = 70, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21^{2221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7 1231 \mathbf{5} \quad \Delta = -27, n_+ = 1, n_- = 70, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_7^{1,5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{21} 12231\mathbf{4} \quad \Delta = -3, n_+ = 1, n_- = 70, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1\epsilon_7^{21} \otimes \epsilon_8^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{21}12231$

$$1\epsilon_7^{21, 4, 5} \otimes \epsilon_8^{5, 5} \otimes \epsilon_8^{5, 5} \otimes \epsilon_8^{5, 5} \otimes \epsilon_8^{5, 5} \otimes \epsilon_8^{21} 122314 \quad \Delta = -3, n_+ = 1, n_- = 70, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$1\mathbf{\overset{21}{e}}_7 \otimes \mathbf{\overset{4,5}{e}}_8 \otimes \mathbf{\overset{5,5}{e}}_8 \otimes \mathbf{\overset{5,5}{e}}_8 \otimes \mathbf{\overset{5,5}{e}}_8 \otimes \mathbf{\overset{5,5}{e}}_8 \otimes \mathbf{\overset{21}{e}}_8 12231\mathbf{\overset{5}{e}} \quad \Delta = -27, n_+ = 1, n_- = 70, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $221 \overset{221}{\epsilon}_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,4}{\otimes} \epsilon_7 1231$

$$221 \text{e}_8^{221} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^{5,4} \otimes \text{e}_7 12315 \quad \Delta = -27, n_+ = 1, n_- = 70, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$221 \text{e}_8^{221} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^{5,4} \otimes \text{e}_7^{12314} \quad \Delta = -3, n_+ = 1, n_- = 70, n_0 = 0 \rightarrow \mathbb{F}_3$$

[illegible]

$$31321e_7^{\overset{3,3}{\otimes}} \otimes e_7^{\overset{3,3}{\otimes}} \otimes e_7^{\overset{3,3}{\otimes}} \otimes e_7^{\overset{3,3}{\otimes}} \otimes e_7^{\overset{3,3}{\otimes}} \otimes e_7^{\overset{3,3}{\otimes}} \otimes e_7^{\overset{3,3}{\otimes}} \otimes e_7^{\overset{3,3}{\otimes}} \otimes e_7^{\overset{3,3}{\otimes}} 1231513221(12) \quad \Delta = -7, n_+ = 1, n_- = 70, n_0 = 0 \rightarrow \mathbb{F}_8$$

Base: 2¹²²³¹⁵¹³²¹⁸¹²³²¹⁸¹²³²¹⁸¹²³²¹⁸¹²³²¹⁸¹²³²¹⁸¹²³²¹⁸¹²³²¹⁸¹²³²¹⁸¹²³²¹⁸¹²3¹

[illegible]

Base: $1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,3}{\otimes} \mathfrak{e}_6 131$

$$1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,3}{\otimes} \mathfrak{e}_6 1316 \quad \Delta = -32, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,3}{\otimes} \mathfrak{e}_6 131\textcolor{red}{5} \quad \Delta = -6, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $131\epsilon_6^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5}$ 122315123

$$321513221 \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{3,5}{\otimes} \mathbf{e}_6 131 \mathbf{5} \quad \Delta = -11, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$321513221 \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{3,5} \otimes \epsilon_6 1316 \quad \Delta = -37, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $131\epsilon_6^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 12231513$

$$31 \xrightarrow{\mathbb{F}_3} \mathbb{F}_3 \quad \Delta = -10, \quad n_+ = 1, \quad n_- = 71, \quad n_0 = 0$$

$$\begin{array}{ccccc} 31 & 61316131513221(12)12231513221(12)12231513221(12)12231513221(12)12231513221(12)12231 & 5 & 1 & \Delta = -36, n_+ = 1, n_- = 71, n_0 = 0 \\ \rightarrow \mathbb{F}_2 & & & & \end{array}$$

Base: $1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_7' 1$

$$1e_7' \otimes_{5.5} e_8 \otimes_{5.5} e_8 \otimes_{5.5} e_8 \otimes_{5.5} e_8 \otimes_{5.5} e_8 \otimes_{2.4} 41414 \quad \Delta = -2, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}'_7 12$

$$21e_7' \otimes_{e_8}^{5,4} \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,5} \otimes_{e_8}^{2,4} 41414 \quad \Delta = -2, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1e_7^{1,4,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{4,2} 4141$

$$1\mathbf{e}_7' \otimes_{4.5} \mathbf{e}_8 \otimes_{5.5} \mathbf{e}_8 \otimes_{5.5} \mathbf{e}_8 \otimes_{5.5} \mathbf{e}_8 \otimes_{5.5} \mathbf{e}_8 \otimes_{4.2} 41414 \quad \Delta = -2, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $12321\epsilon_7^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5}$ 122222

$$222221\mathfrak{e}_8^{\overline{5,5}} \otimes \mathfrak{e}_8^{\overline{5,5}} \otimes \mathfrak{e}_8^{\overline{5,5}} \otimes \mathfrak{e}_8^{\overline{5,5}} \otimes \mathfrak{e}_7^{\overline{4,5}} 123218 \quad \Delta = -81, \, n_+ = 1, \, n_- = 71, \, n_0 = 0 \quad \rightarrow \mathbb{F}_1$$

$$222221\epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_7 123217 \quad \Delta = -53, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$222221e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{4,5}{\otimes} e_7 123215 \quad \Delta = 0, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$222221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_7 12321\mathbf{6} \quad \Delta = -26, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1321\epsilon_7 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 1223132$

$$2313221\epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{4,5}{\otimes} \epsilon_7 1231\bar{5} \quad \Delta = -16, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 21\epsilon_8 \overset{5,5}{\otimes} \overset{1}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{5,5}{\otimes} \overset{5,5}{\epsilon_8} \overset{4,2}{\otimes} 41$$

$$21\epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes 41\textcolor{red}{2} \quad \Delta = -89, n_+ = 1, n_- = 71, n_0 = 0 \quad \rightarrow F_0$$

$$21\mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes 41\mathbf{e}_8 \quad \Delta = -97, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21e_8 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 \otimes 41_{\text{red}} \quad \Delta = -117, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$\text{Base: } 4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \overset{12231513221}{\mathfrak{e}_8} 1$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{812231513221}{\otimes} \mathfrak{e}_8 1 \quad \Delta = -34, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$4 \begin{smallmatrix} 5,3 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} (12)12231513221 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 1 \quad \Delta = -149, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_8$$

$$4 \begin{smallmatrix} 5,3 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 \begin{smallmatrix} 7,12231513221 \\ \otimes \end{smallmatrix} \mathfrak{e}_8 1 \quad \Delta = -6, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1^{1231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 12231513215$$

$$1^{81231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 12231513215 \quad \Delta = -59, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{71231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513215 \quad \Delta = -31, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{61231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 12231513215 \quad \Delta = -4, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1^{1231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513151$$

$$1^{71231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 12231513151 \quad \Delta = -30, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1^{81231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 12231513151 \quad \Delta = -58, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$1^{61231513221} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513151 \quad \Delta = -3, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $e_6 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{131513221}{\otimes} e_8 1$

$$\epsilon_6^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} {}^{\textcolor{red}{5}}\textcolor{blue}{1}\textcolor{teal}{3}\textcolor{violet}{1}\textcolor{brown}{5}\textcolor{darkgreen}{1}\textcolor{lightblue}{3}\textcolor{darkred}{2}\textcolor{black}{2}\textcolor{gray}{1}_1 \quad \Delta = -3, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{6131513221} \otimes \mathbf{e}_8^1 \quad \Delta = -29, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1^{131513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_6 1$

$$1 \quad \overset{5,5}{\text{e}_8} \otimes \overset{5,5}{\text{e}_8} \otimes \overset{5,5}{\text{e}_8} \otimes \overset{5,5}{\text{e}_8} \otimes \overset{5,4}{\text{e}_6} 1 \quad \Delta = -3, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{6131513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_6}^{5,4} 1 \quad \Delta = -29, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{131513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} \epsilon_6 12$

$$1^{6131513221} e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_6^{5,3} 12 \quad \Delta = -28, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1^{5131513221} \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_6}^{5,3} 12 \quad \Delta = -2, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1^{21513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} \epsilon_6^{131}$

$$1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \mathfrak{e}_6^{1316} \quad \Delta = -28, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1^{21513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,3} \otimes \mathfrak{e}_6^{1315} \quad \Delta = -2, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1^{1513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} \otimes \epsilon_6^{131}$

$$1^{1513221} \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,5} \otimes_{e_8}^{5,5} \otimes_{e_6}^{5,3} 1316 \quad \Delta = -28, n_+ = 1, n_- = 71, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1^{1513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_6^{5,3} 131\bar{5} \quad \Delta = -2, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1\epsilon_6^1 \otimes \epsilon_8^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 122315131$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^1 122315131\mathbf{6} \quad \Delta = -28, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$1\text{e}_6^1 \otimes \text{e}_8^{3,5} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^1 122315131\text{red} \quad \Delta = -2, n_+ = 1, n_- = 71, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $14 \overset{2,4}{\otimes} \overset{1}{e_8} \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_7 12$

$$\begin{array}{ll}
1\overset{1}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \overset{1}{1223151}\textcolor{red}{2} & \Delta = -84, n_+ = 1, n_- = 72, n_0 = 0 \rightarrow \mathbb{F}_0 \\
\textcolor{red}{2}1\overset{1}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \overset{1}{1223151} & \Delta = -84, n_+ = 1, n_- = 72, n_0 = 0 \rightarrow \mathbb{F}_0 \\
1\overset{1}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{1}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \overset{1}{1223151}\textcolor{red}{3} & \Delta = -92, n_+ = 1, n_- = 72, n_0 = 0 \rightarrow \mathbb{P}^2
\end{array}$$

Base: $1^{1231513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 1^{12231513221}$

$$1^{1231513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^1 12231513221 \text{ (red)} \quad \Delta = -93, n_+ = 1, n_- = 72, n_0 = 0 \rightarrow \mathbb{F}_6$$

Base: $21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7 12321$

$$21^{13221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{5,4} 12321 \mathbf{8} \quad \Delta = -61, n_+ = 1, n_- = 72, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,4} \otimes \mathfrak{e}_7^{12321} \mathbf{6} \quad \Delta = -6, n_+ = 1, n_- = 72, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21^{13221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{5,4} 12321 \mathbf{7} \quad \Delta = -33, n_+ = 1, n_- = 72, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$T = 73 \quad (57 \text{ bases})$$

Base: $131\epsilon_6^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5}$ 12231513215

$$51231513221 \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{3,5} 1316 \quad \Delta = -31, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$51231513221e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{3,5} \otimes e_61315 \quad \Delta = -5, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $131e_6 \overset{3,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 12231513151$

$$15131513221e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{3,5}{\otimes} e_6 1316 \quad \Delta = -30, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$15131513221e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{3,5} \otimes e_6^{1315} \quad \Delta = -4, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $314 \overset{2,4}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7 12321$

$$314 \otimes_{\mathfrak{e}_8}^{2,4} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_7}^{5,4} 123218 \quad \Delta = -68, n_+ = 1, n_- = 73, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$314 \otimes_{\mathfrak{e}_8}^{2,4} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_7}^{5,4} 123217 \quad \Delta = -40, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$314 \otimes_{\mathfrak{e}_8}^{2,4} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_7}^{5,4} 123216 \quad \Delta = -13, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 1231$

$$1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 12315 \quad \Delta = -5, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $1321\epsilon_7^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 122315123$

$$321513221 \epsilon_8^{\overset{5,5}{\otimes}} \epsilon_8^{\overset{5,5}{\otimes}} \epsilon_8^{\overset{5,5}{\otimes}} \epsilon_8^{\overset{5,5}{\otimes}} \epsilon_8^{\overset{4,5}{\otimes}} \epsilon_7 12315 \quad \Delta = -10, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } 1321\epsilon_7 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{1}{12231513}$$

$$31 \xrightarrow{\mathbb{F}_3} \mathbb{F}_3 \quad \Delta = -9, n_+ = 1, n_- = 73, n_0 = 0$$

Base: $1\epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{1}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 1223151315$

$$5131513221e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^1 \otimes e_8^{5,5} \rightarrow \mathbb{F}_0 \quad \Delta = -115, n_+ = 1, n_- = 73, n_0 = 0$$

Base: $21\epsilon_8 \overset{5,5}{\otimes} \overset{1}{\epsilon_8} \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 122315131$

$$21e_8 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 122315131\bar{3} \quad \Delta = -71, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow F_0$$

$$21\epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{1}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} 1223151314 \quad \Delta = -91, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21e_8 \overset{5,5}{\otimes} e_8 \overset{1}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 122315131\textcolor{red}{2} \quad \Delta = -63, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow \mathbb{F}_1$$

$$21e_8 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 \text{ }^{5,5} \text{ }^1 \text{ }^{5,5} \text{ }^{5,5} \text{ }^{5,5} \text{ }^{5,5} \text{ }^{5,5} \text{ }^{5,5} \Delta = -141, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21e_8 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8 \otimes e_8^{122315131} \quad \Delta = -64, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow \mathbb{F}_0$$

$$\text{Base: } e_6^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{12231513221} \otimes 1$$

$$\begin{array}{ll} 1 \overset{5,5}{\mathbf{e}_7} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \overset{1}{1223151315} & \Delta = 0, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow \mathbb{P}^2 \\ 1 \overset{5,5}{\mathbf{e}_7} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \otimes \overset{5,5}{\mathbf{e}_8} \overset{1}{1223151316} & \Delta = -26, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow \mathbb{F}_2 \end{array}$$

$$\begin{array}{ll} \textbf{1e}_7^{21\ 4,5} \otimes \textbf{e}_8^{5,5} \otimes \textbf{e}_8^{5,5} \otimes \textbf{e}_8^{5,5} \otimes \textbf{e}_8^{5,5} \otimes \textbf{e}_8^{5,5} \textbf{1223151315} & \Delta = 0, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow \mathbb{P}^2 \\ \textbf{1e}_7^{21\ 4,5} \otimes \textbf{e}_8^{5,5} \otimes \textbf{e}_8^{5,5} \otimes \textbf{e}_8^{5,5} \otimes \textbf{e}_8^{5,5} \otimes \textbf{e}_8^{5,5} \textbf{1223151316} & \Delta = -26, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow \mathbb{F}_2 \end{array}$$

[illegible]

$$1^{(12)}\mathfrak{e}_8^{12231513221} \otimes^{5,5} \mathfrak{e}_8^{5,5} \otimes^{5,5} \mathfrak{e}_8^{5,5} \otimes^1 \mathfrak{e}_8^{12231513221} \quad \Delta = -64, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$221 \overset{3}{\text{e}}_8^{221} \overset{5,5}{\otimes} \text{e}_8 \overset{5,5}{\otimes} \text{e}_8 \overset{5,5}{\otimes} \text{e}_8 \overset{5,5}{\otimes} \text{e}_8 \overset{5,5}{\otimes} \text{e}_8 122222 \quad \Delta = -3, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{221} 122\mathbf{3} \quad \Delta = -3, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{221} 122\mathbf{3} \quad \Delta = -3, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$221 \overset{3221}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{5,5}{\mathbf{e}}_8 \otimes \overset{221}{\mathbf{e}}_8 122 \quad \Delta = -3, n_+ = 1, n_- = 73, n_0 = 0 \rightarrow \mathbb{F}_4$$

Base: $e_6^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{3,5} \otimes e_6^{131}$

$$\epsilon_6^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{3,5} \otimes \epsilon_6^{1315} \quad \Delta = -2, \, n_+ = 1, \, n_- = 74, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$\mathbf{e}_6^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_6^{1316} \quad \Delta = -28, n_+ = 1, n_- = 74, n_0 = 0 \quad \rightarrow \mathbb{F}_5$$

$$1\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_6^{3,5} 131\mathbf{6} \quad \Delta = -28, n_+ = 1, n_- = 74, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$1\mathbf{e}_6^{5,4} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_6^{3,5} 1315 \quad \Delta = -2, n_+ = 1, n_- = 74, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21\epsilon_6^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,3} 131\mathbf{6} \quad \Delta = -27, n_+ = 1, n_- = 74, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$21e_6^{3,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,3} \otimes e_6^{131\text{red}} \quad \Delta = -1, n_+ = 1, n_- = 74, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_6^{1,3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} 131\mathbf{5} \quad \Delta = -1, n_+ = 1, n_- = 74, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\mathbf{e}_6^1 \otimes \mathbf{e}_8^{3,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,3} \otimes \mathbf{e}_6^{1316} \quad \Delta = -27, n_+ = 1, n_- = 74, n_0 = 0 \rightarrow \mathbb{F}_5$$

$$1^{22221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 122314 \quad \Delta = -2, n_+ = 1, n_- = 74, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21^{2221} \text{e}_8^{5,5} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^{5,5} \otimes \text{e}_8^{21} 12231$

$$21^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 12231\bar{5} \quad \Delta = -26, n_+ = 1, n_- = 74, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$

$$21^{2221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{21} 122314 \quad \Delta = -2, n_+ = 1, n_- = 74, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $21^{13221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 221^{122}$

$$21 \overset{5}{\mathfrak{e}}_8^{13221} \overset{5,5}{\otimes} \mathfrak{e}_8^{5,5} \overset{5,5}{\otimes} \mathfrak{e}_8^{5,5} \overset{5,5}{\otimes} \mathfrak{e}_8^{5,5} \overset{5,5}{\otimes} \mathfrak{e}_8^{5,5} \overset{221}{\otimes} \mathfrak{e}_8^{122} \quad \Delta = -26, n_+ = 1, n_- = 74, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$21^{413221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{221} 122 \quad \Delta = -2, n_+ = 1, n_- = 74, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$T = 75 \quad (50 \text{ bases})$$

Base: $131e_6^{3,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,3} 131$

$$131\epsilon_6^{\overset{5,3}{\circ}} \otimes \epsilon_8^{\overset{5,5}{\circ}} \otimes \epsilon_8^{\overset{5,5}{\circ}} \otimes \epsilon_8^{\overset{5,5}{\circ}} \otimes \epsilon_8^{\overset{5,5}{\circ}} \otimes \epsilon_8^{\overset{3,5}{\circ}} 131\epsilon_6 \quad \Delta = -6, n_+ = 1, n_- = 75, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $131\epsilon_6 \overset{3,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_7' 1$

$$1e_7^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{3,5} \otimes e_6^{1315} \quad \Delta = 0, n_+ = 1, n_- = 75, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$1\epsilon_7^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_6^{3,5} 131\mathbf{6} \quad \Delta = -26, n_+ = 1, n_- = 75, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $131\epsilon_6 \overset{3,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,4}{\otimes} \epsilon_7' 12$

$$21e_7^{5,4} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{3,5} \otimes e_6^{1315} \quad \Delta = 0, n_+ = 1, n_- = 75, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$21e_7^{5,4} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{3,5} \otimes e_6^{1316} \quad \Delta = -26, n_+ = 1, n_- = 75, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1e_7' \otimes_{4,5} e_8 \otimes_{5,5} e_8 \otimes_{5,5} e_8 \otimes_{5,5} e_8 \otimes_{5,5} e_8 \otimes_{5,3} e_6 131$

$$1\mathbf{e}'_7 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_8 \otimes \mathbf{e}_6 \mathbf{1315} \quad \Delta = 0, \, n_+ = 1, \, n_- = 75, \, n_0 = 0 \quad \rightarrow \mathbb{F}_4$$

$$1\epsilon_7' \otimes_{\epsilon_8}^{1, 4.5} \otimes_{\epsilon_8}^{5.5} \otimes_{\epsilon_8}^{5.5} \otimes_{\epsilon_8}^{5.5} \otimes_{\epsilon_8}^{5.5} \otimes_{\epsilon_8}^{5.5} \otimes_{\epsilon_6}^{5.3} 1316 \quad \Delta = -26, n_+ = 1, n_- = 75, n_0 = 0 \rightarrow \mathbb{F}_5$$

Base: $4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_7 12321$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_7 123218 \quad \Delta = -62, n_+ = 1, n_- = 75, n_0 = 0 \rightarrow \mathbb{F}_6$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_7 123216 \quad \Delta = -7, n_+ = 1, n_- = 75, n_0 = 0 \rightarrow \mathbb{F}_4$$

$$4 \overset{5,3}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{4,5}{\otimes} \mathfrak{e}_7 123217 \quad \Delta = -34, n_+ = 1, n_- = 75, n_0 = 0 \rightarrow \mathbb{F}_5$$

Base: $1321\epsilon_7^{\text{4,5}} \otimes \epsilon_8^{\text{5,5}} \otimes \epsilon_8^{\text{5,5}} \otimes \epsilon_8^{\text{5,5}} \otimes \epsilon_8^{\text{5,5}}$ 12231513215

$$51231513221 \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,5} \otimes \epsilon_7^{12315} \quad \Delta = -4, n_+ = 1, n_- = 75, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1321e_7 \overset{4,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 12231513151$

$$15131513221e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{5,5} \otimes e_8^{4,5} \otimes e_7^{12315} \quad \Delta = -3, n_+ = 1, n_- = 75, n_0 = 0 \rightarrow \mathbb{F}_3$$

$$\text{Base: } e_7' \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{1}{\otimes} e_8 \overset{5,5}{\otimes} e_8 1$$

$$e_7' \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{1}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \textcolor{red}{12} \quad \Delta = -111, n_+ = 1, n_- = 75, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $1e_8 \overset{5,5}{\otimes} e_8 \overset{1}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7' 1$

$$1\epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{1}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_7'^{\overline{5,4}} \quad \Delta = -111, n_+ = 1, n_- = 75, n_0 = 0 \quad \rightarrow \mathbb{P}^2$$

$$1\epsilon_7' \otimes \epsilon_8^{5,4} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{12} \quad \Delta = -111, n_+ = 1, n_- = 75, n_0 = 0 \rightarrow \mathbb{F}_0$$

Base: $21\epsilon_8 \overset{5,5}{\otimes} \overset{1}{\epsilon_8} \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231513221$

$$21\epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 122315132216 \quad \Delta = -84, n_+ = 1, n_- = 75, n_0 = 0 \rightarrow \mathbb{P}^2$$

$$21\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513221\mathbf{3} \quad \Delta = -14, n_+ = 1, n_- = 75, n_0 = 0 \rightarrow \mathbb{F}_2$$

$$T = 77 \quad (\mathbf{21 \text{ bases}})$$

936

[illegible]

$$T = 83 \quad (\mathbf{23 \text{ bases}})$$
[illegible]
$$1414 \otimes_{\mathbf{e}_8}^{2,4} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,5} \otimes_{\mathbf{e}_8}^{5,3} \mathbf{e}_6 1316 \quad \Delta = -2, n_+ = 1, n_- = 83, n_0 = 0 \rightarrow \mathbb{F}_5$$

Base: $131\epsilon_6^{3,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 122315123$

$$321513221 \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,5} \otimes \epsilon_6^{\otimes 3,5} 1316 \quad \Delta = -7, n_+ = 1, n_- = 83, n_0 = 0 \rightarrow \mathbb{F}_3$$
[illegible]
$$\begin{array}{l} \text{61316131513221(12)12231513221(12)12231513221(12)12231513221(12)12231513221(12)12231513221(12)12231} \\ 31 \qquad \qquad \qquad 5 \qquad \qquad \qquad 1 \quad \Delta = -6, n_+ = 1, n_- = \\ 83, n_0 = 0 \quad \rightarrow \mathbb{F}_3 \end{array}$$

Base: $12321\epsilon_7 \overset{4,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12222$

$$222221\mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{4,5} \otimes \mathfrak{e}_7^{123217} \quad \Delta = -23, n_+ = 1, n_- = 83, n_0 = 0 \rightarrow \mathbb{F}_3$$
$$222221\mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_8 \otimes \mathfrak{e}_7 123218 \quad \Delta = -51, n_+ = 1, n_- = 83, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1\epsilon_8 \overset{5,5}{\otimes} \overset{1}{\epsilon_8} \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231512$

$$21513221\epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \quad \Delta = -83, n_+ = 1, n_- = 83, n_0 = 0 \rightarrow \mathbb{F}_0$$
$$1\epsilon_8^{\overline{5,5}} \otimes \epsilon_8^1 \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{\overline{5,5}} \otimes \epsilon_8^{12231512\overline{3}} \quad \Delta = -92, n_+ = 1, n_- = 83, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $1\epsilon_8 \overset{5,5}{\otimes} \overset{1}{\epsilon_8} \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{1}{1223151}$

$$\begin{array}{ccc} 1 & 5 & 1 \\ 21(12)12231513221(12)12231513221(12)12231513221(12)12231513221(12)12231513221(12)12231513221(12)12231 & & \\ 83, n_0 = 0 & \rightarrow & \mathbb{F}_0 \end{array} \quad \Delta = -83, n_+ = 1, n_- =$$
$$1\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 1223151\textcolor{red}{2} \quad \Delta = -83, n_+ = 1, n_- = 83, n_0 = 0 \rightarrow \mathbb{F}_0$$
$$1\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^1 1223151\mathbf{3} \quad \Delta = -91, n_+ = 1, n_- = 83, n_0 = 0 \rightarrow \mathbb{P}^2$$

Base: $4 \overset{5,3}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8$

$$4 \begin{matrix} 5,3 \\ \otimes \end{matrix} \begin{matrix} 5,5 \\ \otimes \end{matrix} \begin{matrix} 5,5 \\ \otimes \end{matrix} \begin{matrix} 5,5 \\ \otimes \end{matrix} \begin{matrix} 5,5 \\ \otimes \end{matrix} \begin{matrix} 5,5 \\ \otimes \end{matrix} \begin{matrix} 5,5 \\ \otimes \end{matrix} \begin{matrix} 8^{12231513221} \\ \otimes \end{matrix} \begin{matrix} 1 \\ \text{\tiny $\mathfrak{e}_8$} \end{matrix} \quad \Delta = -4, n_+ = 1, n_- = 83, n_0 = 0 \rightarrow \mathbb{F}_4$$
$$4 \otimes_{\mathfrak{e}_8}^{5,3} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} (12231513221) \quad \Delta = -119, n_+ = 1, n_- = 83, n_0 = 0 \rightarrow \mathbb{F}_8$$
$$\text{Base: } 1^{1231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513215$$
$$1^{71231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 12231513215 \quad \Delta = -1, n_+ = 1, n_- = 83, n_0 = 0 \rightarrow \mathbb{F}_3$$
$$1^{81231513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513215 \quad \Delta = -29, n_+ = 1, n_- = 83, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1^{1231513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513151$

$$1^{71231513221} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} 12231513151 \quad \Delta = 0, n_+ = 1, n_- = 83, n_0 = 0 \rightarrow \mathbb{F}_3$$
$$1^{81231513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513151 \quad \Delta = -28, n_+ = 1, n_- = 83, n_0 = 0 \rightarrow \mathbb{F}_2$$

Base: $1 \overset{22221}{e_8} \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,5}{\otimes} e_8 \overset{5,4}{\otimes} e_7 12321$

$$1 \overset{2,2,2,1}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,5}{\epsilon_8} \otimes \overset{5,4}{\epsilon_7} 123217 \quad \Delta = -23, n_+ = 1, n_- = 83, n_0 = 0 \rightarrow \mathbb{F}_5$$
$$1 \overset{222221}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,4}{\otimes} \overset{123218}{e_7} \quad \Delta = -51, n_+ = 1, n_- = 83, n_0 = 0 \rightarrow \mathbb{F}_6$$

Base: $1^{131513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \epsilon_8^1 12231513221$

$$1^{13151513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \mathbf{e}_8^1 1223151513221 (12) \quad \Delta = -91, n_+ = 1, n_- = 83, n_0 = 0 \rightarrow \mathbb{F}_6$$

Base: $21^{2221} \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_7}^{5,4} 12321$

$$21 \overset{2221}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,5}{e_8} \otimes \overset{5,4}{e_7} 123217 \quad \Delta = -23, n_+ = 1, n_- = 83, n_0 = 0 \quad \rightarrow F_5$$
$$21 \overset{2221}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} \overset{5,5}{e_8} \overset{5,5}{\otimes} \overset{5,4}{e_7} 123218 \quad \Delta = -51, n_+ = 1, n_- = 83, n_0 = 0 \rightarrow F_6$$

Base: $221^{221} \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,5} \otimes \epsilon_7^{\otimes 5,4} 12321$

$$221 \mathfrak{e}_8^{2,1} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_7^{12321} \quad \Delta = -23, n_+ = 1, n_- = 83, n_0 = 0 \rightarrow \mathbb{F}_5$$
$$221 \text{e}_8^{\overline{221}} \otimes \text{e}_8^{\overline{5,5}} \otimes \text{e}_8^{\overline{5,5}} \otimes \text{e}_8^{\overline{5,5}} \otimes \text{e}_8^{\overline{5,5}} \otimes \text{e}_8^{\overline{5,5}} \otimes \text{e}_7^{\overline{5,4}} 123218 \quad \Delta = -51, n_+ = 1, n_- = 83, n_0 = 0 \rightarrow \mathbb{F}_6$$

[illegible]

$$T = 86 \quad (25 \text{ bases})$$
[illegible]
$$1414 \otimes_{\mathfrak{e}_8}^{2,4} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_8}^{5,5} \otimes_{\mathfrak{e}_7}^{5,4} 12321\mathbf{8} \quad \Delta = -29, n_+ = 1, n_- = 86, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$
$$1414 \overset{2,4}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,4}{\otimes} \mathfrak{e}_7 123217 \quad \Delta = -1, n_+ = 1, n_- = 86, n_0 = 0 \rightarrow \mathbb{F}_5$$

Base: $12321\epsilon_7^{4,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 122315123$

$$321513221 \textcolor{teal}{e}_8 \otimes \textcolor{teal}{e}_8 \otimes \textcolor{teal}{e}_8 \otimes \textcolor{teal}{e}_8 \otimes \textcolor{teal}{e}_8 \otimes \textcolor{teal}{e}_8 \otimes \textcolor{teal}{e}_8 \otimes \textcolor{teal}{e}_7 12321 \textcolor{red}{7} \quad \Delta = -6, n_+ = 1, n_- = 86, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$
$$321513221 \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{5,5}{\mathfrak{e}_8} \otimes \overset{4,5}{\mathfrak{e}_7} 12321 \textcolor{red}{8} \quad \Delta = -34, n_+ = 1, n_- = 86, n_0 = 0 \quad \rightarrow \mathbb{F}_2$$
[illegible]
$$31 \quad \begin{array}{c} 71232181231513221(12)12231513221(12)12231513221(12)12231513221(12)12231513221(12)12231513221(12)12231 \\ 5 \\ 1 \end{array} \quad \Delta = -5, \quad n_+ = 1, \quad n_- = 86, \quad n_0 = 0 \quad \rightarrow \mathbb{F}_3$$
$$31 \quad \begin{array}{c} \text{81232181231513221(12)12231513221(12)12231513221(12)12231513221(12)12231513221(12)12231} \\ 5 \end{array} \quad 1 \quad \Delta = -33, n_+ = 1, n_- = 86, n_0 = 0 \rightarrow \mathbb{F}_2$$
$$\text{Base: } \epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_7'^{4,5} 1$$
$$\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{4,5} \otimes \epsilon_7'^{12} \quad \Delta = -110, n_+ = 1, n_- = 86, n_0 = 0 \rightarrow F_0$$

Base: $1\epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{1}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 \overset{5,5}{\otimes} \epsilon_8 12231513221$

$$1\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513221 \text{ (12)} \quad \Delta = -253, n_+ = 1, n_- = 86, n_0 = 0 \rightarrow \mathbb{F}_7$$
$$1\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 122315132218 \quad \Delta = -138, n_+ = 1, n_- = 86, n_0 = 0 \rightarrow \mathbb{F}_3$$
$$1\epsilon_8 \otimes^{\overline{5},5} \epsilon_8 \otimes^{\overline{1}} \epsilon_8 \otimes^{\overline{5},5} \epsilon_8 \otimes^{\overline{5},5} \epsilon_8 \otimes^{\overline{5},5} \epsilon_8 \otimes^{\overline{5},5} \epsilon_8 \otimes^{\overline{5},5} \epsilon_8 12231513221\textcolor{red}{3} \quad \Delta = -13, n_+ = 1, n_- = 86, n_0 = 0 \rightarrow \mathbb{F}_2$$
$$1\epsilon_8 \otimes^{\overline{5},5} \epsilon_8 \otimes^{\overline{1}} \epsilon_8 \otimes^{\overline{5},5} \epsilon_8 \otimes^{\overline{5},5} \epsilon_8 \otimes^{\overline{5},5} \epsilon_8 \otimes^{\overline{5},5} \epsilon_8 \otimes^{\overline{5},5} \epsilon_8 12231513221\color{red}{5} \quad \Delta = -57, n_+ = 1, n_- = 86, n_0 = 0 \rightarrow \mathbb{F}_0$$
[illegible]
$$1\epsilon_8^{5,5} \otimes \epsilon_8^1 \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} 12231513221\mathbf{2} \quad \Delta = -5, n_+ = 1, n_- = 86, n_0 = 0 \rightarrow \mathbb{F}_3$$
$$1\mathbf{e}_8 \otimes^{\substack{5,5 \\ 1}} \mathbf{e}_8 \otimes^{\substack{5,5 \\ 1}} \mathbf{e}_8 \otimes^{\substack{5,5 \\ 1}} \mathbf{e}_8 \otimes^{\substack{5,5 \\ 1}} \mathbf{e}_8 \otimes^{\substack{5,5 \\ 1}} \mathbf{e}_8 \otimes^{\substack{5,5 \\ 1}} \mathbf{e}_8 \otimes^{\substack{5,5 \\ 1}} \mathbf{e}_8 12231513221 \mathbf{7} \quad \Delta = -110, n_+ = 1, n_- = 86, n_0 = 0 \rightarrow \mathbb{F}_2$$
$$12231513221 \mathfrak{c}_8^{5,5} \otimes \mathfrak{c}_8^{5,5} \otimes \mathfrak{c}_8^{5,5} \otimes \mathfrak{c}_8^{5,5} \otimes \mathfrak{c}_8^{5,5} \otimes \mathfrak{c}_8^1 \otimes \mathfrak{c}_8^{5,5} \mathbf{1} \quad \Delta = -5, n_+ = 1, n_- = 86, n_0 = 0 \rightarrow \mathbb{F}_0$$
[illegible][illegible]
$$1^{(12)}12231513221 \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 5,5 \\ \otimes \end{smallmatrix} \begin{smallmatrix} 5,3 \\ \otimes \end{smallmatrix} 131 \quad \Delta = -90, n_+ = 1, n_- = 86, n_0 = 0 \rightarrow \mathbb{F}_0$$
$$\text{Base: } 1^{12231513221} \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,5} \otimes \epsilon_7' 1$$
$$1^{(12)}_{12231513221} \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}_8 \overset{5,5}{\otimes} \mathfrak{e}'_7 1 \quad \Delta = -110, n_+ = 1, n_- = 86, n_0 = 0 \rightarrow \mathbb{F}_0$$
[illegible]
$$1\epsilon_7' \otimes_{\epsilon_8}^{1, 4,5} \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_8}^{5,5} \otimes_{\epsilon_8}^1 12231513221(12) \quad \Delta = -110, n_+ = 1, n_- = 86, n_0 = 0 \rightarrow \mathbb{F}_6$$
$$\text{Base: } 1^{1231513221} \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,5} \otimes \epsilon_8^{\otimes 5,5} \otimes \epsilon_7^{12}$$
$$1^{81231513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_7^{12} \quad \Delta = -23, n_+ = 1, n_- = 86, n_0 = 0 \quad \rightarrow \mathbb{F}_3$$

Base: $1^{1231513221} \otimes_8^{5,5} \otimes_8^{5,5} \otimes_8^{5,5} \otimes_8^{5,5} \otimes_8^{5,5} \otimes_8^{5,4} \otimes_7 e_7 122$

$$1^{81231513221} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \otimes \epsilon_7^{122} \quad \Delta = -23, n_+ = 1, n_- = 86, n_0 = 0 \rightarrow \mathbb{F}_3$$

Base: $1^{21513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \epsilon_7 12321$

$$1^{21513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \otimes \mathbf{e}_7^{12321} \mathbf{8} \quad \Delta = -25, n_+ = 1, n_- = 86, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

Base: $1^{1513221} \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,5} \otimes \epsilon_8^{5,4} \epsilon_7 12321$

$$1^{1513221} \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,5} \otimes \mathbf{e}_8^{5,4} \mathbf{e}_7^{123218} \quad \Delta = -25, n_+ = 1, n_- = 86, n_0 = 0 \quad \rightarrow \mathbb{F}_6$$

$$\begin{array}{l}
1 \overset{8}{\text{c}_8} \overset{1231513221}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} 122315123 \quad \Delta = -5, n_+ = 1, n_- = 93, n_0 = 0 \rightarrow \mathbb{F}_3 \\
\text{Base: } 1 \overset{1231513221}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{1}{\text{c}_8} 12231513 \\
1 \overset{8}{\text{c}_8} \overset{1231513221}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{1}{\text{c}_8} 12231513 \quad \Delta = -4, n_+ = 1, n_- = 93, n_0 = 0 \rightarrow \mathbb{F}_3 \\
\text{Base: } 1 \overset{12231513221}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{1}{\text{c}_8} \overset{4,2}{\otimes} 41 \\
1 \overset{(12)}{\text{c}_8} \overset{12231513221}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{5,5}{\otimes} \overset{5,5}{\text{c}_8} \overset{1}{\text{c}_8} \overset{4,2}{\otimes} 41 \quad \Delta = -87, n_+ = 1, n_- = 93, n_0 = 0 \rightarrow \mathbb{F}_3
\end{array}$$

Base: $\epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8$ 12231512
 $\Delta = -91, n_+ = 1, n_- = 94, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: $\epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8$ 12231512 $\Delta = -82, n_+ = 1, n_- = 94, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: $\epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8$ 12231513 $\Delta = -90, n_+ = 1, n_- = 94, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: $4 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8$ 1231513221 1
 $\Delta = -3, n_+ = 1, n_- = 94, n_0 = 0 \rightarrow \mathbb{F}_5$

Base: $1 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8$ 1231513221 4141
 $\Delta = -86, n_+ = 1, n_- = 94, n_0 = 0 \rightarrow \mathbb{F}_1$

Base: $1 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8$ 1231513221 12231512 $\Delta = -82, n_+ = 1, n_- = 94, n_0 = 0 \rightarrow \mathbb{F}_0$

Base: $1 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8 \otimes \epsilon_8$ 1231513221 1223151 $\Delta = -82, n_+ = 1, n_- = 94, n_0 = 0 \rightarrow \mathbb{F}_0$

[illegible]

$$T = 103 \quad (4 \text{ bases})$$

[illegible]

$$T = 104 \quad (\mathbf{3 \text{ bases}})$$

Base: $1 \overset{12231513221}{\mathbf{e}_8} \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 1223132$
 $1 \overset{(12)12231513221}{\mathbf{e}_8} \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 1223132 \quad \Delta = -67, n_+ = 1, n_- = 104, n_0 = 0 \rightarrow \mathbb{F}_1$
Base: $1 \overset{313221}{\mathbf{e}_8} \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 12231513221$
 $1 \overset{313221}{\mathbf{e}_8} \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 12231513221 \overset{(12)}{\quad} \Delta = -66, n_+ = 1, n_- = 104, n_0 = 0 \rightarrow \mathbb{F}_6$
Base: $1 \overset{12231513221}{\mathbf{e}_8} \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 12231$
 $1 \overset{(12)12231513221}{\mathbf{e}_8} \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 \overset{5,5}{\otimes} \mathbf{e}_8 12231 \quad \Delta = -58, n_+ = 1, n_- = 104, n_0 = 0 \rightarrow \mathbb{F}_1$

$$T = 105 \quad (\mathbf{2 \text{ bases}})$$

$$\begin{array}{l}
\text{Base: } 1 \begin{array}{cccccccccccc} 12231513221 \\ \mathfrak{e}_8 \end{array} \begin{array}{cccccccccccc} 5,5 & 5,5 & 5,5 & 5,5 & 5,5 & 5,5 & 5,5 & 5,5 & 4,2 \\ \otimes & \otimes & \otimes & \otimes & \otimes & \otimes & \otimes & \otimes & \otimes \end{array} 413 \\
(12) \begin{array}{cccccccccccc} 12231513221 \\ \mathfrak{e}_8 \end{array} \begin{array}{cccccccccccc} 5,5 & 5,5 & 5,5 & 5,5 & 5,5 & 5,5 & 5,5 & 5,5 & 4,2 \\ \otimes & \otimes & \otimes & \otimes & \otimes & \otimes & \otimes & \otimes & \otimes \end{array} 413 \quad \Delta = -65, n_+ = 1, n_- = 105, n_0 = 0 \rightarrow \mathbb{F}_1 \\
\text{Base: } 1 \begin{array}{cccccccccccc} 12231513221 \\ \mathfrak{e}_8 \end{array} \begin{array}{cccccccccccc} 5,5 & 5,5 & 5,5 & 5,5 & 5,5 & 5,5 & 5,5 & 5,5 & 1 & 4,2 \\ \otimes & \otimes & \otimes & \otimes & \otimes & \otimes & \otimes & \otimes & \otimes & \otimes \end{array} 41 \\
(12) \begin{array}{cccccccccccc} 12231513221 \\ \mathfrak{e}_8 \end{array} \begin{array}{cccccccccccc} 5,5 & 5,5 & 5,5 & 5,5 & 5,5 & 5,5 & 5,5 & 5,5 & 1 & 4,2 \\ \otimes & \otimes & \otimes & \otimes & \otimes & \otimes & \otimes & \otimes & \otimes & \otimes \end{array} 41 \quad \Delta = -57, n_+ = 1, n_- = 105, n_0 = 0 \rightarrow \mathbb{F}_1
\end{array}$$

$$T = 106 \quad (\mathbf{5 \text{ bases}})$$

[illegible]

$$\begin{aligned}
\text{Base: } & 4 \overset{5,3}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{12231513221}{\otimes} \mathfrak{c}_8 1 \\
& 4 \overset{5,3}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{(12)12231513221}{\otimes} \mathfrak{c}_8 1 \quad \Delta = -59, n_+ = 1, n_- = 107, n_0 = 0 \rightarrow \mathbb{F}_8 \\
\text{Base: } & 1 \overset{131513221}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{1}{\otimes} \mathfrak{c}_8 12231513221 \\
& 1 \overset{131513221}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{5,5}{\otimes} \mathfrak{c}_8 \overset{1}{\otimes} \mathfrak{c}_8 12231513221 (12) \quad \Delta = -31, n_+ = 1, n_- = 107, n_0 = 0 \rightarrow \mathbb{F}_6
\end{aligned}$$

[illegible]

[illegible]

[illegible]

$$\begin{array}{l} \text{Base: } 1^{12231513221} \begin{array}{c} 5,5 \\ \otimes \end{array} \mathfrak{e}_8 \otimes \begin{array}{c} 5,5 \\ \otimes \end{array} \mathfrak{e}_8 \otimes \begin{array}{c} 5,5 \\ \otimes \end{array} \mathfrak{e}_8 \otimes \begin{array}{c} 5,5 \\ \otimes \end{array} \mathfrak{e}_8 \otimes \begin{array}{c} 5,5 \\ \otimes \end{array} \mathfrak{e}_8 \otimes \begin{array}{c} 5,5 \\ \otimes \end{array} \mathfrak{e}_8 \otimes \begin{array}{c} 5,5 \\ \otimes \end{array} \mathfrak{e}_8 \otimes \mathfrak{e}_7 12 \\ 1^{(12)2231513221} \begin{array}{c} 5,5 \\ \otimes \end{array} \mathfrak{e}_8 \otimes \begin{array}{c} 5,5 \\ \otimes \end{array} \mathfrak{e}_8 \otimes \begin{array}{c} 5,5 \\ \otimes \end{array} \mathfrak{e}_8 \otimes \begin{array}{c} 5,5 \\ \otimes \end{array} \mathfrak{e}_8 \otimes \begin{array}{c} 5,5 \\ \otimes \end{array} \mathfrak{e}_8 \otimes \begin{array}{c} 5,5 \\ \otimes \end{array} \mathfrak{e}_8 \otimes \begin{array}{c} 5,5 \\ \otimes \end{array} \mathfrak{e}_8 \otimes \mathfrak{e}_7 12 \quad \Delta = -49, n_+ = 1, n_- = 111, n_0 = 0 \rightarrow \mathbb{F}_2 \end{array}$$

$T = 130$ (2 bases)

Base: $1^{12231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 122315123$

$1^{(12)12231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 122315123 \quad \Delta = -1, n_+ = 1, n_- = 130, n_0 = 0 \rightarrow \mathbb{F}_3$

Base: $1^{12231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513^1$

$1^{(12)12231513221} \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} \otimes \mathfrak{e}_8^{5,5} 12231513^1 \quad \Delta = 0, n_+ = 1, n_- = 130, n_0 = 0 \rightarrow \mathbb{F}_3$