EP 2 409 689 A1 (11)

EUROPEAN PATENT APPLICATION (12)

(43) Date of publication: 25.01.2012 Bulletin 2012/04

(21) Application number: 11174408.2

(22) Date of filing: 18.07.2011

(51) Int Cl.:

A61K 9/20 (2006.01) A61P 7/02 (2006.01)

A61K 9/50 (2006.01)

A61K 31/4365 (2006.01) A61P 9/00 (2006.01)

(84) Designated Contracting States:

AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR **Designated Extension States:**

BA ME

(30) Priority: 29.09.2010 TR 201007926 17.08.2010 TR 201006802

19.07.2010 TR 201005900

(71) Applicant: Sanovel Ilac Sanayi ve Ticaret A.S. 34398 Istanbul (TR)

(72) Inventors:

• Cifter, Ümit 34398 Istanbul (TR)

 Türkyilmaz, Ali 34398 Istanbul (TR)

• Öner, Levent 34398 Istanbul (TR)

(74) Representative: Sevinç, Erkan

Istanbul Patent & Trademark Consultancy Ltd.

Patent

Plaza-33, Büyükdere cad. No: 33/16, Sisli

34381 Istanbul (TR)

(54)**Prasugrel tablet formulations**

A solid pharmaceutical tablet formulation, comprising prasugrel, or a pharmaceutically acceptable salt thereof and pullulan as a filling agent.

EP 2 409 689 A1

Description

5

10

15

20

25

50

55

Field of Invention

[0001] The present invention relates to formulations of prasugrel or a pharmaceutically acceptable salt of prasugrel. The present invention particularly relates to stable tablet formulations of prasugrel with desired levels of solubility and dissolution rate.

Background of Invention

[0002] Prasugrel hydrochloride is a member of the thienopyridine class and inhibits the activation and aggregation of platelets by means of P2Y12 and ADP receptors. Its chemical designation is 2-acetoxy-5-(α -cyclopropylcarbonyl-2-fluorobenzyl)-4,5,6,7-tetrahydrothieno [3,2-c]pyridine hydrochloride, with the chemical structure illustrated below in Formula 1.

H₃C

Formula 1

³⁰ **[0003]** Prasugrel hydrochloride is a white solid. Prasugrel hydrochloride is well soluble at pH 2, weakly soluble at pH 3 to 4, and is substantially insoluble at pH 6 to 7.5.

[0004] Prasugrel hydrochloride is marketed under the trademark Effient® in 5 or 10 mg dosages. It is initially administered in a dosage amount of 60 mg, as a loading dose. It is used in preventing or treating thrombosis and cardiovascular diseases.

35 [0005] Searching the patent literature reveals various patents in relation to prasugrel.

[0006] Patent application EP1298132, for instance, discloses a prasugrel hydrochloride salt, a method for obtaining this salt, and its use for thrombosis and embolism.

[0007] Patent application EP1728794 discloses a prasugrel maleate salt, a method for obtaining this salt, and its use for thrombosis and embolism.

[0008] Patent application WO2006135605 discloses a formulation containing prasugrel hydrochloride, packaged in an air and moisture impervious gas-inerted blister pack.

[0009] Stability-related problems do occur in a plurality of active agents, including prasugrel, under the influence of ambient and physical conditions. Prasugrel is an active agent that is highly-susceptible to air and humidity. When prasugrel is exposed to air and humidity, it degrades structurally and develops behavioral changes. As a result of this fact, two main problems emerge. The first problem is that the stability of prasugrel products developed is not of desired level and the shelf life thereof is shortened. The second problem is that prasugrel is reactive against the excipients employed in developing formulations containing prasugrel. This fact causes impurities to occur in formulation and leads to incorporation of undesired components into the formulation.

[0010] Due to the abovementioned drawbacks, a novelty is required in the art of prasugrel hydrochloride formulations used for preventing and treating thrombosis and cardiovascular diseases.

Object and Brief Description of Invention

[0011] The present invention provides a prasugrel formulation, eliminating all aforesaid problems and brining additional advantages to the relevant prior art.

[0012] Accordingly, the main object of the present invention is to obtain a formulation of prasugrel, which is stable and has desired levels of solubility and dissolution rate.

[0013] Another object of the present invention is to develop a multi-coating, providing the stability of prasugrel-con-

taining formulation and not affecting the solubility and dissolution rates thereof.

- [0014] A further object of the present invention is to obtain a stable prasugrel formulation with high bioavailability.
- [0015] Another object of the present invention is to provide a high dissolution rate for such stable prasugrel formulations with high bioavailability.
- [0016] A further object of the present invention is to avoid any aggregation of ingredients of the composition and to provide a desired level of flowability during production, thanks to convenient excipients used while the formulation is obtained
 - [0017] A solid pharmaceutical tablet formulation has been developed to carry out all objects, referred to above and to emerge from the following detailed description.
- [0018] According to a preferred embodiment of the present invention, said novelty comprises prasugrel, or a pharmaceutically acceptable salt thereof and pullulan as a filling agent.
 - **[0019]** According to a preferred embodiment of the present invention, the weight ratio of prasugrel to pullulan is between 0.20 to 50, preferably 0.25 to 10, and more preferably 0.25 to 4.
 - **[0020]** According to a preferred embodiment of the present invention, prasugrel or a pharmaceutically acceptable salt thereof is used in a granular form.
 - **[0021]** According to another preferred embodiment of the present invention, said granules of prasugrel, or of a pharmaceutically acceptable salt thereof, further comprise at least one coating layer which contains pullulan.
 - [0022] Another preferred embodiment according to the present invention further comprises at least one or a proper mixture of binders, lubricants, and glidants.
 - **[0023]** According to a preferred embodiment of the present invention, said binder is at least one or a mixture of polyvinylpyrrolidone (povidone), hydroxypropyl methylcellulose, hydroxypropyl cellulose, carboxymethyl cellulose, methyl cellulose, and other cellulose derivatives, and gelatin, with polyvinylpyrrolidone being preferred.
 - [0024] According to a preferred embodiment of the present invention, said glidants comprise at least one or a mixture of colloidal silicone dioxide, talk, aluminum silicate, magnesium silicate, with colloidal silicone dioxide being preferred.
 - **[0025]** According to a preferred embodiment of the present invention, suitable disintegrants include at least one or a mixture of sodium starch glycolate, croscarmellose sodium, crospovidone, sodium alginate, gums, starch, and magnesium aluminum silicate, with croscarmellose sodium being preferred.
 - **[0026]** According to a preferred embodiment of the present invention, suitable lubricants include at least one or a mixture of sodium stearyl fumarate, magnesium stearate, polyethylene glycol, stearic acid, metal stearates, boric acid, sodium chloride benzoate and acetate, sodium or magnesium lauryl sulfate, with magnesium stearate being preferred.
 - **[0027]** A preferred embodiment according to the present invention comprises at least one coating layer. The coating layer comprises at least one or a mixture of polyvinyl alcohol, methacrylic acid derivatives, hydroxypropyl methylcellulose, and carboxymethyl cellulose.
 - [0028] A further preferred embodiment according to the present invention provides a method for preparing a solid pharmaceutical formulation, this method comprising the steps of
 - a. coating the particles of the active agent with pullulan in a fluidized bed system,
 - b. mixing the pullulan-coated active agent particles with a filler, binder, disintegrant, and lubricant-glidants,
 - c. compressing the mixture into tablets, and
 - d. film-coating the tablets compressed.
 - [0029] In a further preferred embodiment according to the present invention, said pharmaceutical formulation comprises the following ingredients:
- 45 a. core

20

25

30

35

40

50

- a. prasugrel or a pharmaceutically acceptable salt or polymorph thereof at 1 to 20% by weight,
- b. pullulan at 0.1 to 4% by weight,
- c. microcrystalline cellulose at 5.0 to 90% by weight,
- d. polyvinylpyrrolidone at 0.25 to 5% by weight,
- e. croscarmellose sodium at 0.2 to 10% by weight,
- f. colloidal silicone dioxide at 0.1 to 5% by weight,
- g. magnesium stearate at 0.1 to 10% by weight;
- 55 b. coating
 - a. polyvinyl alcohol at 0.5 to 5% by weight, or
 - b. hydroxypropyl methylcellulose at 0.5 to 5% by weight, or a properly-proportioned mixture thereof.

Detailed Description of Invention

Example

5 [0030]

Unit Formula	Amount in tablet (%)- Example 1	Amount in tablet (%)- Example 2	Amount in tablet (%)- Example 3
Core tablet			
prasugrel	5	5	5
pullulan	-	1.25	3.5
microcrystalline cellulose	80.5	79.25	77
polyvinylpyrrolidone	4	4	4
croscarmellose sodium	4	4	4
colloidal silicone dioxide	0.5	0.5	0.5
magnesium stearate	1	1	1
Film coating			
Opadry AMB -OY-B 28920 white	5	5	5
Prasugrel/pullulan	-	4	1.42

[0031] The formulation according to the present invention is prepared as follows. The active agent particles are coated with pullulan in a fluidized bed system. Then, pullulan-coated active agent particles are mixed with pullulan, microcrystalline cellulose, polyvinylpyrrolidone, croscarmellose sodium, colloidal silicone dioxide, and magnesium stearate. The mixture is compressed into tablets. Finally, the tablets compressed are coated with a film comprising Opadry AMB -OY-B 28920 white or Opadry II 85 F28751 white, or a properly-proportioned mixture thereof. Opadry AMB -OY-B 28920 white comprises polyvinyl alcohol, whereas Opadry II 85 F28751 white comprises hydroxypropyl methylcellulose. Said tablets are packaged into alu-alu blister.

[0032] The term granule, as used herein, means a powder, particle, or a pellet form of prasugrel or of a pharmaceutically acceptable salt of prasugrel.

Stability Test Results

40 [0033]

Samples	Remaining 4 weeks at 55 C° and % 85 relative humidity
Amount of active ingredient of Example 1	% 89
Amount of active ingredient of Example 2	% 92
Amount of active ingredient of Example 3	% 96

[0034] With the invention, it has been surprisingly found that stable prasugrel formulations can be obtained which show good solubility and dissolution rates, and thus high bioavailability.

[0035] The formulation obtained is used in preventing or treating thrombosis, embolism and cardiovascular diseases.

[0036] It is further possible to use the following additional excipients in the formulation.

[0037] Suitable coating agents include, but are not restricted to, hydroxypropyl methylcellulose, polyethylene glycol, polyvinylpyrrolidone, polyvinylpyrrolidone-vinyl acetate copolymer (PVP-VA), pullulan like polymers, and all kinds of Opadry, as well as pigments, dyes, titanium dioxide and iron oxide, talk.

[0038] Suitable colorants include, but are not restricted to, at least one or a mixture of food, drug, and cosmetic (FD&C) dyes (FD&C blue, FD&C green, FD&C red, FD&C yellow, FD&C lake), ponceau, indigo drug & cosmetic (D&C) blue, indigotine FD&C blue, carmoisine indigotine (indigo Carmine); iron oxides (e.g. iron oxide red, yellow, black), quinoline

4

10

15

20

25

30

*3*5

45

50

55

yellow, flame red, brilliant red (carmine), carmoisine, sunset yellow.

[0039] Suitable preservatives include, but are not restricted to, at least one or a mixture of methylparaben and propylparaben and salts thereof (e.g. sodium or potassium salts), sodium benzoate, citric acid, benzoic acid, butylated hydroxytoluene and butylated hydroxyanisole, etc..

[0040] The protection scope of the present invention is set forth in the annexed claims and cannot be restricted to the illustrative disclosures given above, under the detailed description. Any alternative embodiments to be produced by persons skilled in the art according to the basic principles, which are under the protection scope as set forth in the claims, shall be an infringement of the present invention.

5

10

Claims

1. A solid pharmaceutical tablet formulation, comprising prasugrel, or a pharmaceutically acceptable salt thereof and pullulan as a filling agent.

15

2. The solid pharmaceutical tablet formulation according to Claim 1, wherein the weight ratio of prasugrel to pullulan is between 0.20 to 50, preferably 0.25 to 10, and more preferably 0.25 to 4.

20

3. The solid pharmaceutical tablet formulation according to any of the preceding claims, wherein prasugrel, or a pharmaceutically acceptable salt thereof, is in a granular form.

4. The solid pharmaceutical tablet formulation according to any of the preceding claims, wherein the granules of prasugrel, or of a pharmaceutically acceptable salt thereof, further comprise at least one coating layer which contains pullulan.

25

5. The solid pharmaceutical tablet formulation according to any of the preceding claims, further comprising at least one or a mixture of binders, lubricants, and glidants.

30

6. The solid pharmaceutical tablet formulation according to any of the preceding claims, wherein said binder contains at least one or a mixture of polyvinylpyrrolidone (povidone), hydroxypropyl methylcellulose, hydroxypropyl cellulose, carboxymethyl cellulose, methyl cellulose, ethyl cellulose, and gelatin, with polyvinylpyrrolidone being preferred.

35

7. The solid pharmaceutical tablet formulation according to any of the preceding claims, wherein said glidant comprises at least one or a mixture of colloidal silicone dioxide, talk, aluminum silicate, and magnesium silicate, with colloidal silicone dioxide being preferred.

8. The solid pharmaceutical tablet formulation according to any of the preceding claims, wherein suitable disintegrants include at least one or a mixture of sodium starch glycolate, croscarmellose sodium, crospovidone, sodium alginate, gums, starch, and magnesium aluminum silicate, with croscarmellose sodium being preferred.

40

9. The solid pharmaceutical tablet formulation according to any of the preceding claims, wherein said lubricant comprises at least one or a mixture of sodium stearyl fumarate, magnesium stearate, polyethylene glycol, stearic acid, metal stearates, boric acid, sodium or magnesium lauryl sulfate, with magnesium stearate being preferred.

45

10. The solid pharmaceutical tablet formulation according to any of the preceding claims, comprising at least one coating layer.

11. The solid pharmaceutical tablet formulation according to any of the preceding claims, wherein said coating layer comprises at least one or a mixture of polyvinyl alcohol, methacrylic acid, hydroxypropyl methylcellulose, and carboxymethyl cellulose.

50

12. The solid pharmaceutical tablet formulation according to any of the preceding claims wherein said tablets are into the alu-alu blister.

55

13. The solid pharmaceutical tablet formulation according to any of the preceding claims, consisting of the following ingredients only:

a. core

b. pullulan at 0.2 to 4% by weight,

a. prasugrel, or a pharmaceutically acceptable salt or polymorph thereof, at 1 to 20% by weight,

c. microcrystalline cellulose at 5.0 to 90% by weight, d. polyvinylpyrrolidone at 0.25 to 5% by weight, 5 e. croscarmellose sodium at 0.2 to 10% by weight, f. colloidal silicone dioxide at 0.1 to 5% by weight, g. magnesium stearate at 0.1 to 10% by weight; b. coating 10 a. polyvinyl alcohol at 0.5 to 5% by weight, or b. hydroxypropyl methylcellulose at 0.5 to 5% by weight, or a properly-proportioned mixture thereof. 14. A method for preparing a solid pharmaceutical tablet formulation according to any of the preceding claims, comprising 15 the steps of a. coating the particles of the active agent with pullulan in a fluidized bed system, b. mixing the pullulan-coated active agent particles with a filler, binder, disintegrant, and lubricant-glidants, c. compressing the mixture into tablets, and 20 d. film-coating the tablets compressed. 15. The solid pharmaceutical tablet formulation according to any of the preceding claims for preventing or treating thrombosis, embolism, and cardiovascular diseases in mammalians, but particularly in humans. 25 30 35 40 45 50 55



EUROPEAN SEARCH REPORT

Application Number EP 11 17 4408

Category	Citation of document with in of relevant passa	dication, where appropriate, ages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
X	LTD) 2 September 20 * abstract *	(DAIICHI SEIYAKU CO	1,5-9,15	INV. A61K9/20 A61K31/4365 A61P7/02 A61P9/00 ADD. A61K9/50
X	ET AL) 26 November * page 1, paragraph	s 1,3,12,13 * 17 - page 3, paragraph	4-15	
X	[JP]; UBE INDUSTRIE 16 September 2009 (* page 3, paragraph	2009-09-16)	1-15	TECHNICAL FIELDS SEARCHED (IPC) A61K
Y	US 2009/281136 A1 (AL) 12 November 200 * page 1, paragraph * page 2, paragraph * page 4, paragraph * page 6, paragraph * examples *	14-16 * 22-24 * s 56-59,63 *	1-15	
	The present search report has be	peen drawn up for all claims Date of completion of the search		- Forestin co
	The Hague	3 November 2011	van	de Wetering, P
X : part Y : part docu A : tech O : non	ATEGORY OF CITED DOCUMENTS icularly relevant if taken alone could relevant if combined with another to the same category inclogical background written disclosure recitate document	L : document cited fo	ument, but publis e n the application or other reasons	hed on, or



EUROPEAN SEARCH REPORT

Application Number EP 11 17 4408

	DOCUMENTS CONSIDERED	TO BE RELEVANT		
Category	Citation of document with indication of relevant passages	n, where appropriate,	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
Υ	W0 2008/073759 A2 (LILL'MATTHEW JOHN [US]; OREN 19 June 2008 (2008-06-19 * page 5 * * page 5 * * examples * * examples *	PETER LLOYD [US])	1-15	TECHNICAL FIELDS SEARCHED (IPC)
	The present search report has been dra	awn up for all claims		
	Place of search	Date of completion of the search		Examiner
	The Hague	3 November 2011	van	de Wetering, P
X : parti Y : parti docu A : tech O : non	ATEGORY OF CITED DOCUMENTS icularly relevant if taken alone icularly relevant if combined with another iment of the same category nological background written disclosure mediate document	T: theory or principle E: earlier patent door after the filling date D: dooument oited in L: dooument oited fo a: member of the saidooument	ument, but publis the application rother reasons	shed on, or

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 11 17 4408

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

03-11-2011

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
JP 2003246735 A	02-09-2003	JP 4029974 B2	09-01-2008
US 2009291138 A1	26-11-2009	CA 2671975 A1 CN 101594863 A EP 2100606 A1 WO 2008069262 A1 KR 20090090323 A TW 200831141 A	12-06-2008 02-12-2009 16-09-2009 12-06-2008 25-08-2009 01-08-2008
EP 2100607 A1	16-09-2009	CA 2672154 A1 CN 101600431 A WO 2008072532 A1 KR 20090100338 A TW 200831138 A US 2010280064 A1	19-06-2008 09-12-2009 19-06-2008 23-09-2009 01-08-2008 04-11-2010
US 2009281136 A1	12-11-2009	NONE	
WO 2008073759 A2	19-06-2008	AU 2007333302 A1 CA 2671775 A1 CN 101568339 A EA 200970552 A1 EP 2101767 A2 JP 2010512182 A	19-06-2008 19-06-2008 28-10-2009 30-10-2009 23-09-2009 22-04-2010

FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- EP 1298132 A [0006]
- EP 1728794 A [0007]

• WO 2006135605 A [0008]