

SOP-06 Fitness-for-Service Decision Matrix

1. Applicability

Applies when measured thickness is below minimum allowable thickness.

2. Retirement thickness

Vessel V-210 retirement thickness is 4.2 mm. Remaining life shall be estimated as (current thickness minus retirement thickness) divided by corrosion rate.

3. Decision

Remaining life	Decision
> 5 years	Continue; standard monitoring
2 - 5 years	Continue with increased monitoring; plan repair at next turnaround
< 2 years	Engineering Manager approval required; consider derating or shutdown

SYNTHETIC DEMO DOCUMENT - fictional company, invented data. Not for operational use.