US Patent & Trademark Office Patent Public Search | Text View

United States Patent

Kind Code

Bate of Patent

August 19, 2025

Inventor(s)

Kusuyama; Takafumi et al.

Capacitor array

Abstract

The capacitor array that includes: a capacitor layer including a plurality of capacitor portions divided by a plurality of through-portions and arranged in a plane, and the capacitor portions each have a first main surface and a second main surface that are opposite to each other in a thickness direction. The plurality of through-portions include a first through-portion extending in a first direction perpendicular to the thickness direction, and a second through-portion extending in a second direction perpendicular to the thickness direction and intersecting the first direction. In a sectional view, each of the first through-portion and the second through-portion independently has a taper having a width decreasing from one of the first main surface and the second main surface to the other main surface. The first through-portion has a taper angle that is different from a taper angle of the second through-portion.

Inventors: Kusuyama; Takafumi (Nagaokakyo, JP), Kikuchi; Hiroshi (Nagaokakyo, JP),

Yoshikawa; Masanori (Nagaokakyo, JP)

Applicant: Murata Manufacturing Co., Ltd. (Nagaokakyo, JP)

Family ID: 1000008763800

Assignee: MURATA MANUFACTURING CO., LTD. (Nagaokakyo, JP)

Appl. No.: 18/069334

Filed: December 21, 2022

Prior Publication Data

Document IdentifierUS 20230120573 A1

Publication Date
Apr. 20, 2023

Foreign Application Priority Data

JP 2021-100336 Jun. 16, 2021

Related U.S. Application Data

continuation parent-doc WO PCT/JP2022/011855 20220316 PENDING child-doc US 18069334

Publication Classification

Int. Cl.: H01G9/26 (20060101); H01G9/048 (20060101); H01G9/07 (20060101)

U.S. Cl.:

CPC **H01G9/26** (20130101); **H01G9/048** (20130101); **H01G9/07** (20130101);

Field of Classification Search

CPC: H01G (9/26); H01G (9/048); H01G (9/07)

USPC: 361/500; 361/523

References Cited

U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
2004/0125543	12/2003	Hirano	361/523	H05K 1/186
2008/0232027	12/2007	Ozawa	361/311	H01G 9/14
2013/0249075	12/2012	Tateiwa	257/734	H01L 24/82
2019/0228915	12/2018	Furukawa	N/A	H01G 9/048
2019/0362904	12/2018	Furukawa	N/A	H01G 9/04
2020/0312576	12/2019	Furukawa	N/A	N/A

FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
H02301118	12/1989	JP	N/A
2002299159	12/2001	JP	N/A
2006173441	12/2005	JP	N/A
2010171304	12/2009	JP	N/A
2010183047	12/2009	JP	N/A
2020167361	12/2019	JP	N/A

OTHER PUBLICATIONS

International Search Report in PCT/JP2022/011855, mailed Jun. 7, 2022, 3 pages. cited by applicant

Primary Examiner: Ramaswamy; Arun

Attorney, Agent or Firm: ArentFox Schiff LLP

Background/Summary

CROSS REFERENCE TO RELATED APPLICATIONS (1) The present application is a continuation of International application No. PCT/JP2022/011855, filed Mar. 16, 2022, which claims priority to Japanese Patent Application No. 2021-100336, filed Jun. 16, 2021, the entire contents of each of which are incorporated herein by reference.

FIELD OF THE INVENTION

(1) The present invention relates to a capacitor array.

BACKGROUND OF THE INVENTION

- (2) A capacitor array or an array of capacitor portions has been studied in these years to be used as a substrate on which electronic components are mounted.
- (3) Patent Document 1 discloses a method for manufacturing a substrate with built-in components, as a method for manufacturing a capacitor array. The method includes, forming, in advance before forming a solid electrolytic capacitor on a chemically treated aluminum foil sheet, a separation groove in one surface of chemically treated aluminum foil through dry machining with, for example, a laser machine or a die set, forming a protective insulating material on the same surface as a sheet reinforcement and then forming a solid electrolytic capacitor, polishing the chemically treated aluminum foil from the back surface until the bottom of the groove is exposed, and forming the solid electrolytic capacitor and a wiring pattern electrically separated from each other on the chemically treated aluminum foil sheet. Patent Document 1: Japanese Unexamined Patent Application Publication No. 2010-171304

SUMMARY OF THE INVENTION

- (4) As described in FIG. **1**(*b*) in Patent Document 1, the method for manufacturing a substrate with built-in components described in Patent Document 1 includes formation of a non-through separation groove in the chemically treated aluminum foil. However, when a laser machine is used to form the separation groove in the chemically treated aluminum foil, the laser machine may fail to restrict the separation groove to the depth with which the separation groove does not extend through the chemically treated aluminum foil.
- (5) The method for manufacturing a substrate with built-in components described in Patent Document 1 includes, as illustrated in FIG. **1**(*c*) in Patent Document 1, formation of a protective insulating material in the separation groove after the separation groove is formed in the chemically treated aluminum foil. The method for manufacturing a substrate with built-in components in Patent Document 1 describes that the protective insulating material prevents separation or dropping of the chemically treated aluminum foil. However, the protective insulating material formed with the method for manufacturing a substrate with built-in components described in Patent Document 1 is insufficient to hold the chemically treated aluminum foil without separation or dropping. Thus, the chemically treated aluminum foil may be separated or dropped in a downstream process to lower the handleability, or the chemically treated aluminum foil may have low processability due to constraints such as a failure in processing with a strong force.
- (6) The present invention is made in view of the above problem, and aims to provide a capacitor array having high handleability and processability during manufacture.
- (7) The present invention provides a capacitor array that includes a capacitor layer including a plurality of capacitor portions divided by a plurality of through-portions and arranged in a plane. The capacitor portions each include a first electrode, a second electrode, and a dielectric layer between the first electrode and the second electrode, and each of the capacitor portions having a first main surface and a second main surface that are opposite to each other in a thickness direction thereof. The plurality of through-portions include a first through-portion extending in a first direction perpendicular to the thickness direction, and a second through-portion extending in a second direction perpendicular to the thickness direction and intersecting the first direction. In a sectional view taken in the thickness direction, the first through-portion has a first taper that has a first width decreasing from one of the first main surface of the capacitor portion and the second

main surface of the capacitor portion to another one of the first main surface and the second main surface, and the second through-portion has a second taper that has a second width decreasing from one of the first main surface of the capacitor portion and the second main surface of the capacitor portion to another one of the first main surface and the second main surface. The first taper has a first taper angle that is different from a second taper angle of the second taper.

(8) According to the present invention, a capacitor array having high handleability and processability during manufacture can be provided.

Description

BRIEF DESCRIPTION OF THE DRAWINGS

- (1) FIG. **1** is a schematic perspective view of an example of a capacitor array according to the present invention.
- (2) FIG. **2** is a schematic sectional view of an example of a cross section of the capacitor array including a cross section taken along line segment a**1**-a**2** in FIG. **1**.
- (3) FIG. **3** is a schematic sectional view of an example of a cross section of the capacitor array including a cross section taken along line segment b**1**-b**2** in FIG. **1**.
- (4) FIG. **4** is a schematic sectional view of a process of fabricating a capacitor sheet included, as an example, in a method for manufacturing a capacitor array according to the present invention, at a position corresponding to the cross section illustrated in FIG. **2**.
- (5) FIG. **5** is a schematic sectional view of the process of fabricating the capacitor sheet included, as an example, in the method for manufacturing the capacitor array according to the present invention, at a position corresponding to the cross section illustrated in FIG. **3**.
- (6) FIG. **6** is a schematic sectional view of a process of forming a first through-portion through-hole included, as an example, in the method for manufacturing the capacitor array according to the present invention, performed in the state illustrated in FIG. **4** in cross section.
- (7) FIG. **7** is a schematic sectional view of a process of forming a first insulating portion included, as an example, in the method for manufacturing the capacitor array according to the present invention, performed in the state illustrated in FIG. **6** in cross section.
- (8) FIG. **8** is a schematic sectional view of the process of forming the first insulating portion included, as an example, in the method for manufacturing the capacitor array according to the present invention, performed in the state illustrated in FIG. **5** in cross section.
- (9) FIG. **9** is a schematic sectional view of a process of forming a second through-portion through-hole included, as an example, in the method for manufacturing the capacitor array according to the present invention, performed in the state illustrated in FIG. **8** in cross section.
- (10) FIG. **10** is a schematic sectional view of a process of forming a second insulating portion included, as an example, in the method for manufacturing the capacitor array according to the present invention, performed in the state illustrated in FIG. **7** in cross section.
- (11) FIG. **11** is a schematic sectional view of the process of forming the second insulating portion included, as an example, in the method for manufacturing the capacitor array according to the present invention, performed in the state illustrated in FIG. **9** in cross section.
- (12) FIG. **12** is a schematic sectional view of an example of a cross section of the capacitor array including a cross section taken along line segment A**1**-A**2** in FIG. **1**.
- (13) FIG. **13** is a schematic sectional view of an example of a cross section of the capacitor array including a cross section taken along line segment B**1**-B**2** in FIG. **1**.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

(14) A capacitor array according to the present invention will be described below. The present invention is not limited to the structure described below, and may be changed as appropriate within the scope not departing from the gist of the present invention. One or more combinations of any

two or more preferable components described below are also included in the present invention.

- (15) A capacitor array according to the present invention includes a capacitor layer including multiple capacitor portions divided by multiple through-portions and arranged in a plane.
- (16) FIG. **1** is a schematic perspective view of an example of a capacitor array according to the present invention.
- (17) A capacitor array **1** illustrated in FIG. **1** includes a capacitor layer **10**.
- (18) The capacitor layer **10** includes multiple capacitor portions **30**.
- (19) The multiple capacitor portions **30** are divided by multiple through-portions **15** and arranged in a plane.
- (20) The number of the capacitor portions **30** is not limited in particular provided there are two or more capacitor portions **30**.
- (21) The multiple capacitor portions **30** may be arranged linearly or in a plane. The multiple capacitor portions **30** may be arranged regularly or irregularly. All the multiple capacitor portions **30** may have, for example, the same size and two-dimensional shape or all or some of the multiple capacitor portions **30** may have, for example, different sizes and two-dimensional shapes.
- (22) The capacitor layer **10** may include the two or more different capacitor portions **30** with different areas.
- (23) The capacitor layer **10** may include the capacitor portions **30** with a two-dimensional shape other than a rectangle. Herein, rectangles include regular squares and rectangles. The capacitor layer **10** may include the capacitor portions **30** with a two-dimensional shape of, for example, a polygon such as, a triangle, a pentagon, a hexagon, and a quadrangle other than a rectangle. The capacitor layer **10** may further include the capacitor portions **30** with a two-dimensional shape of, for example, a shape having a curve, a circle, and an ellipse. In this case, the capacitor layer **10** may include the two or more different capacitor portions **30** with different two-dimensional shapes. In addition to the capacitor portions **30** with a two-dimensional shape other than a rectangle, the capacitor layer **10** may include or exclude the capacitor portions **30** with a two-dimensional shape of a rectangle.
- (24) In the capacitor array according to the present invention, each of the capacitor portions includes a first electrode, a second electrode, and a dielectric layer disposed between the first electrode and the second electrode, and has a first main surface and a second main surface opposite to each other in the thickness direction.
- (25) In the capacitor array according to the present invention, the first electrode may be an anode plate including a porous layer on at least one main surface, the dielectric layer may be disposed over the surface of the porous layer, and the second electrode may be a cathode layer disposed over the surface of the dielectric layer. In this case, the capacitor portion constitutes an electrolytic capacitor. An example of the capacitor array according to the present invention where each capacitor portion constitutes an electrolytic capacitor will be described below.
- (26) FIG. **2** is a schematic sectional view of an example of a cross section of the capacitor array including a cross section taken along line segment a**1**-a**2** in FIG. **1**. Line segment a**1**-a**2** in FIG. **2** corresponds to line segment a**1**-a**2** in FIG. **1**.
- (27) FIG. **3** is a schematic sectional view of an example of a cross section of the capacitor array including a cross section taken along line segment b**1**-b**2** in FIG. **1**. Line segment b**1**-b**2** in FIG. **3** corresponds to line segment b**1**-b**2** in FIG. **1**.
- (28) As illustrated in FIG. **2** and FIG. **3**, each of the capacitor portions **30** includes an anode plate (first electrode) **31**, dielectric layers **35**, and cathode layers (second electrodes) **36**.
- (29) The anode plate **31** includes a core **32** and porous layers **34**.
- (30) The core **32** is preferably formed from a metal, or more preferably, a valve metal.
- (31) Examples of valve metals include pure metals such as aluminum, tantalum, niobium, titanium, and zirconium, and alloys containing at least one of these pure metals. Among these, aluminum or an aluminum alloy is particularly preferable.

- (32) At least one main surface of the core **32** receives the corresponding porous layer **34**. In other words, the porous layer **34** may be disposed simply over one main surface of the core **32**, or may be disposed over each of the main surfaces of the core **32**, as illustrated in FIG. **2** and FIG. **3**. Thus, the anode plate **31** includes the porous layer **34** on at least one main surface.
- (33) The porous layer **34** is preferably an etching layer formed by etching the surface of the anode plate **31**.
- (34) The anode plate **31** preferably has a flat plate shape, or more preferably a foil shape. Herein, "plate shape" includes a "foil shape".
- (35) Each dielectric layer **35** is disposed over the surface of the corresponding porous layer **34**.
- (36) Each dielectric layer **35** is preferably formed from an oxide film of the valve metal described above. For example, when the anode plate **31** that is aluminum foil undergoes anodic oxidation (also referred to as a chemical conversion treatment) in a solution containing, for example, ammonium adipate, an oxide film forming the dielectric layer **35** is formed. The dielectric layer **35** is disposed over the surface of the corresponding porous layer **34**, and thus the dielectric layer **35** has pores (recesses).
- (37) Each cathode layer **36** is disposed over the surface of the corresponding dielectric layer **35**.
- (38) As illustrated in FIG. **2** and FIG. **3**, each cathode layer **36** preferably includes a solid electrolytic layer **36**A disposed over the surface of the dielectric layer **35**, and a conductor layer **36**B disposed over the surface of the solid electrolytic layer **36**A.
- (39) Examples of the material of the solid electrolytic layer **36**A include electroconductive polymers such as polypyrrole, polythiophenes, and polyaniline. Among these, polythiophenes are preferable, and poly(3,4-ethylenedioxythiophene) (PEDOT) is particularly preferable. The electroconductive polymers may contain a dopant such as polystyrene sulfonate (PSS).
- (40) The solid electrolytic layer **36**A preferably includes an internal layer that fills the pores (recesses) in the dielectric layer **35**, and an external layer covering the surface of the dielectric layer **35**.
- (41) The conductor layer **36**B preferably includes at least one of a conductive resin layer and a metal layer. In other words, the conductor layer **36**B may include the conductive resin layer alone, the metal layer alone, or both the conductive resin layer and the metal layer.
- (42) Examples of the conductive resin layer include a conductive adhesive layer containing at least one conductive filler selected from the group consisting of a silver filler, a copper filler, a nickel filler, and a carbon filler.
- (43) Examples of the metal layer include a metal-plated film and metal foil. The metal layer is preferably formed from at least one metal selected from the group consisting of nickel, copper, silver, and an alloy containing at least one of these metals as a main component.
- (44) Herein, the main component refers to the element having the maximum rate in weight.
- (45) The conductor layer **36**B may include, for example, a carbon layer disposed over the surface of the solid electrolytic layer **36**A, and a copper layer disposed over the surface of the carbon layer.
- (46) The carbon layer is formed in a predetermined region by, for example, applying carbon paste on the surface of the solid electrolytic layer **36**A through, for example, sponge transfer, screen printing, dispenser application, or inkjet printing.
- (47) The copper layer is formed in a predetermined region by applying copper paste on the surface of the carbon layer through, for example, sponge transfer, screen printing, spray coating, dispenser application, or inkjet printing.
- (48) As described above, the capacitor portion **30** illustrated in FIG. **2** and FIG. **3** includes the anode plate **31** having main surfaces at least one of which is composed of the porous layer **34**, the dielectric layer **35** disposed over the surface of the corresponding porous layer **34**, and the cathode layer **36** disposed over the surface of the corresponding dielectric layer **35**. Thus, the capacitor portion **30** constitutes an electrolytic capacitor. When each cathode layer **36** includes the solid electrolytic layer **36**A, the capacitor portion **30** constitutes a solid electrolytic capacitor.

- (49) The capacitor portion **30** illustrated in FIG. **2** and FIG. **3** has a first main surface **30***a* and a second main surface **30***b* opposite to each other in a thickness direction T.
- (50) In the capacitor array according to the present invention, the multiple through-portions include a first through-portion extending in the first direction perpendicular to the thickness direction and a second through-portion extending in the second direction perpendicular to the thickness direction and intersecting the first direction.
- (51) As illustrated in FIG. **1**, the multiple through-portions **15** include a first through-portion **15**A extending in a first direction U and a second through-portion **15**B extending in a second direction V.
- (52) The first direction U is perpendicular to the thickness direction T.
- (53) The second direction V is perpendicular to the thickness direction T and intersects the first direction U.
- (54) As illustrated in FIG. **1** and other drawings, the first direction U and the second direction V may be perpendicular to each other, or intersect each other at an angle different from 90°.
- (55) Herein, the through-portions indicate portions that extend through the capacitor portions in the thickness direction. Each through-portion has a state where a filler fills the through-portion through-hole that extends through the capacitor portion in the thickness direction, and a state where no filler fills the through-portion through-hole that extends through the capacitor portion in the thickness direction.
- (56) In the capacitor array according to the present invention, in a sectional view taken in the thickness direction, each of the first through-portion and the second through-portion independently has a taper that has a width decreasing from one of the first main surface of the capacitor portion and the second main surface of the capacitor portion to the other one of the first main surface and the second main surface.
- (57) As illustrated in FIG. **2**, in a sectional view taken in the thickness direction T, more specifically, in a sectional view taken in the thickness direction T and the second direction V, the first through-portion **15**A has a taper that has a width (herein, a dimension in the second direction V) decreasing from one of the first main surface **30***a* of the capacitor portion **30** and the second main surface **30***b*.
- (58) As illustrated in FIG. **2**, the first through-portion **15**A may have the width decreasing from the first main surface **30***a* of the capacitor portion **30** to the second main surface **30***b* of the capacitor portion **30**, or from the second main surface **30***b* to the first main surface **30***a*.
- (59) The first through-portion **15**A may have a symmetrical cross section, as illustrated in FIG. **2**, or asymmetrical cross section taken in the thickness direction T as long as its width decreases from one of the first main surface **30***a* of the capacitor portion **30** and the second main surface **30***b* of the capacitor portion **30** to the other main surface.
- (60) As illustrated in FIG. **3**, in a cross section taken in the thickness direction T, more specifically, in a cross section taken in the thickness direction T and the first direction U, the second throughportion **15**B has a taper that has a width (herein, a dimension in the first direction U) decreasing from one of the first main surface **30***a* of the capacitor portion **30** and the second main surface **30***b* of the capacitor portion **30** to the other one of the first main surface **30***a* and the second main surface **30***b*.
- (61) As illustrated in FIG. **3**, the second through-portion **15**B may have the width decreasing from the first main surface **30**a of the capacitor portion **30** to the second main surface **30**b of the capacitor portion **30**, or from the second main surface **30**b to the first main surface **30**a.
- (62) The second through-portion **15**B may have a symmetrical cross section, as illustrated in FIG. **3**, or asymmetrical cross section taken in the thickness direction T as long as its width decreases from one of the first main surface **30***a* of the capacitor portion **30** and the second main surface **30***b* of the capacitor portion **30** to the other main surface.

- (63) Each of the first through-portion **15**A and the second through-portion **15**B may independently have a taper that has a width decreasing from one of the first main surface **30***a* of the capacitor portion **30** and the second main surface **30***b* of the capacitor portion **30** to the other one of the first main surface **30***a* and the second main surface **30***b*. More specifically, the first through-portion **15**A and the second through-portion **15**B may have any of the aspects (1) to (4) described below.
- (64) (1) Each of the first through-portion **15**A and the second through-portion **15**B has the width decreasing from the first main surface **30***a* of the capacitor portion **30** to the second main surface **30***b* of the capacitor portion **30**.
- (65) (2) Each of the first through-portion **15**A and the second through-portion **15**B has the width decreasing from the second main surface **30***b* of the capacitor portion **30** to the first main surface **30***a* of the capacitor portion **30**.
- (66) (3) The first through-portion **15**A has the width decreasing from the first main surface **30***a* of the capacitor portion **30** to the second main surface **30***b* of the capacitor portion **30**, whereas the second through-portion **15**B has the width decreasing from the second main surface **30***b* to the first main surface **30***a*.
- (67) (4) The first through-portion **15**A has the width decreasing from the second main surface **30***b* of the capacitor portion **30** to the first main surface **30***a* of the capacitor portion **30**, whereas the second through-portion **15**B has the width decreasing from the first main surface **30***a* to the second main surface **30***b*.
- (68) In the capacitor array according to the present invention, preferably, each of the first through-portion and the second through-portion has the width decreasing from the first main surface of the capacitor portion to the second main surface of the capacitor portion.
- (69) As illustrated in FIG. **2** and FIG. **3**, preferably, each of the first through-portion **15**A and the second through-portion **15**B has the width decreasing from the first main surface **30***a* of the capacitor portion **30** to the second main surface **30***b* of the capacitor portion **30**. This aspect corresponds to the aspect (1) described above.
- (70) In the capacitor array according to the present invention, the first through-portion has a taper angle that is different from a taper angle of the second through-portion.
- (71) As illustrated in FIG. 2 and FIG. 3, the first through-portion 15A has a taper angle θ 1 that is different from a taper angle θ 2 of the second through-portion 15B.
- (72) Herein, in a sectional view taken in the thickness direction, the taper angle of the throughportion indicates an angle formed by two opposing sides forming the outline of the throughportion.
- (73) In the capacitor array according to the present invention, when each of the first throughportion and the second through-portion has the width decreasing from the first main surface of the capacitor portion to the second main surface of the capacitor portion, preferably, the taper angle of the second through-portion is smaller than the taper angle of the first through-portion.
- (74) As illustrated in FIG. **2** and FIG. **3**, when each of the first through-portion **15**A and the second through-portion **15**B has the width decreasing from the first main surface **30**a of the capacitor portion **30** to the second main surface **30**b of the capacitor portion **30**, preferably, the taper angle **92** of the second through-portion **15**B is smaller than the taper angle **91** of the first through-portion **15**A. In this case, an inclination angle of the end surface on the side closer to the second through-portion **15**B of the capacitor portion **30** with respect to the thickness direction T is smaller, and thus, the active region of the capacitor portion **30** is greater on the side closer to the second through-portion **15**B.
- (75) In the capacitor array according to the present invention, when each of the first through-portion and the second through-portion has the width decreasing from the first main surface of the capacitor portion to the second main surface of the capacitor portion, preferably, the second through-portion has the width smaller than the width of the first through-portion in a plane coplanar with the first main surface of the capacitor portion.

- (76) As illustrated in FIG. **2** and FIG. **3**, when each of the first through-portion **15**A and the second through-portion **15**B has the width decreasing from the first main surface **30***a* of the capacitor portion **30** to the second main surface **30***b* of the capacitor portion **30**, preferably, the second through-portion **15**B has a width W**2** smaller than a width W**1** of the first through-portion **15**A in a plane coplanar with the first main surface **30***a* of the capacitor portion **30**. In this case, the capacitor layer **10** can reduce the region where the capacitor portions **30** are not located, that is, the region where at least the second through-portion **15**B is located in the region where the first through-portion **15**A and the second through-portion **15**B are located. Thus, the capacitor layer **10** can ensure a large region where the capacitor portions **30** are located.
- (77) The taper shape, the taper angle, and the width of each of the first through-portion and the second through-portion are identified through observation of the cross section taken in the thickness direction as illustrated in FIG. 2 and FIG. 3 with a scanning electron microscope (SEM). (78) As illustrated in FIG. 2 and FIG. 3, preferably, the capacitor layer 10 also includes an insulating layer 24 disposed over the surface of each dielectric layer 35 that is not receiving the cathode layer 36 and that is closer to at least one of the first main surface 30a of the capacitor portion 30 and the second main surface 30b of the capacitor portion 30. In this case, the capacitor layer 10 ensures insulation between the anode plate 31 and the cathode layers 36, and prevents short circuits between the anode plate 31 and the cathode layers 36.
- (79) The insulating layer **24** may be disposed over the surface of the dielectric layer **35** closer to the first main surface **30***a* of the capacitor portion **30**, over the surface of the dielectric layer **35** closer to the second main surface **30***b* of the capacitor portion **30**, or over the surface of the dielectric layer **35** closer to each of the first main surface **30***a* and the second main surface **30***b* of the capacitor portion **30**, as illustrated in FIG. **2** and FIG. **3**.
- (80) Examples of the material of the insulating layer **24** include a resin material such as epoxy, phenol, or polyimide, and a composite material containing a resin material such as epoxy, phenol, or polyimide and an inorganic filler such as silica or alumina.
- (81) In the capacitor array according to the present invention, preferably, the capacitor layer further includes a first insulating portion disposed over at least one of the first main surface of the capacitor portion and the second main surface of the capacitor portion, and the first insulating portion extends through the first through-portion and does not extend through the second through-portion.
- (82) As illustrated in FIG. **2** and FIG. **3**, preferably, the capacitor layer **10** further includes a first insulating portion **25**A disposed over at least one of the first main surface **30***a* of the capacitor portion **30** and the second main surface **30***b* of the capacitor portion **30**.
- (83) The first insulating portion **25**A may be disposed over the first main surface **30***a* of the capacitor portion **30**, the second main surface **30***b* of the capacitor portion **30**, or each of the first main surface **30***a* and the second main surface **30***b* of the capacitor portion **30** as illustrated in FIG. **2** and FIG. **3**.
- (84) As illustrated in FIG. 2, preferably, the first insulating portion 25A extends through the first through-portion 15A.
- (85) As illustrated in FIG. 3, preferably, the first insulating portion 25A does not extend through the second through-portion 15B.
- (86) In the capacitor array according to the present invention, preferably, the capacitor layer further includes a second insulating portion disposed over the surface of the first insulating portion, and the second insulating portion extends through the second through-portion and does not extend through the first through-portion.
- (87) As illustrated in FIG. **2** and FIG. **3**, preferably, the capacitor layer **10** further includes a second insulating portion **25**B disposed over the surface of the first insulating portion **25**A.
- (88) As illustrated in FIG. **2**, preferably, the second insulating portion **25**B does not extend through the first through-portion **15**A.

- (89) As illustrated in FIG. **3**, preferably, the second insulating portion **25**B extends through the second through-portion **15**B.
- (90) From the above, preferably, as illustrated in FIG. **2**, the first insulating portion **25**A extends through the first through-portion **15**A, and the second insulating portion **25**B does not extend through the first through-portion **15**A.
- (91) In addition, preferably, as illustrated in FIG. **3**, the second insulating portion **25**B extends through the second through-portion **15**B, and the first insulating portion **25**A does not extend through the second through-portion **15**B. More specifically, preferably, as illustrated in FIG. **3**, the first insulating portion **25**A is separated by the second insulating portion **25**B at a position overlapping the second through-portion **15**B in the thickness direction T.
- (92) Examples of the material of the first insulating portion **25**A and the second insulating portion **25**B include a resin material such as epoxy, phenol, or polyimide, and a composite material containing a resin material such as epoxy, phenol, or polyimide and an inorganic filler such as silica or alumina.
- (93) The material of the first insulating portion **25**A and the material of the second insulating portion **25**B may be the same or different from each other.
- (94) The capacitor layer **10** may further include an insulating portion **25** including the above-described first insulating portion **25**A and the above-described second insulating portion **25**B, the insulating portion **25** being disposed over at least one of the first main surface **30***a* of the capacitor portion **30** and the second main surface **30***b* of the capacitor portion **30**.
- (95) Effects of the capacitor array according to the present invention characteristic in that the taper angle of the first through-portion and the taper angle of the second through-portion are different from each other are described below with reference to an example of a method for manufacturing the capacitor array 1 having cross sections illustrated in FIG. 2 and FIG. 3.
- (96) < Process of Fabricating Capacitor Sheet>
- (97) FIG. **4** is a schematic sectional view of a process of fabricating a capacitor sheet included, as an example, in a method for manufacturing a capacitor array according to the present invention, at a position corresponding to the cross section illustrated in FIG. **2**. FIG. **5** is a schematic sectional view of the process of fabricating the capacitor sheet included, as an example, in the method for manufacturing the capacitor array according to the present invention, at a position corresponding to the cross section illustrated in FIG. **3**.
- (98) First, the anode plate **31** having the main surfaces at least one of which is composed of the porous layer **34** is prepared.
- (99) Then, the anode plate **31** undergoes anodic oxidation to form the dielectric layers **35** over the surfaces of the porous layers **34**.
- (100) Alternatively, chemically treated foil may be prepared as the anode plate **31** with the dielectric layers **35** disposed over the surfaces of the porous layers **34**.
- (101) Subsequently, to divide the active region of each capacitor portion, an insulating resin is applied to the surfaces of the dielectric layers **35** through, for example, screen printing or dispenser application to form the insulating layers **24** in a predetermined region.
- (102) Subsequently, the solid electrolytic layers **36**A are disposed over the surfaces of the dielectric layers **35** in a region where the insulating layer **24** is not disposed. For example, the solid electrolytic layers **36**A are formed by a method of forming a polymerized film such as poly(3,4-ethylenedioxythiophene) over the surface of the dielectric layer **35** with a treatment liquid containing a monomer such as 3,4-ethylenedioxythiophene, or a method of coating the surfaces of the dielectric layers **35** with a polymer dispersion such as poly(3,4-ethylenedioxythiophene) and drying the surface. Preferably, external layers that cover the surfaces of the dielectric layers **35** are formed after forming an internal layer that fills the pores (recesses) in the dielectric layers **35**, as the solid electrolytic layers **36**A.
- (103) In addition, the conductor layer **36**B is disposed over the surface of the solid electrolytic

- layer **36**A. For example, as the conductor layer **36**B, a carbon layer and a copper layer are successively disposed over the solid electrolytic layer **36**A. In this case, for example, the carbon layer is formed in a predetermined region by applying carbon paste to the surface of the solid electrolytic layer **36**A through, for example, sponge transfer, screen printing, dispenser application, or inkjet printing. Thereafter, the copper layer is formed in a predetermined region by applying copper paste to the surface of the carbon layer through, for example, sponge transfer, screen printing, spray coating, dispenser application, or inkjet printing.
- (104) Thus, each cathode layer **36** including the solid electrolytic layer **36**A and the conductor layer **36**B is disposed over the surface of the dielectric layer **35**.
- (105) In the above manner, a capacitor sheet **130** as illustrated in FIG. **4** and FIG. **5** including the anode plate **31**, the dielectric layers **35** disposed over the surfaces of the porous layers **34** of the anode plate **31**, and the cathode layers **36** disposed over the surfaces of the dielectric layers **35** is fabricated.
- (106) As illustrated in FIG. **4** and FIG. **5**, the capacitor sheet **130** includes a first main surface **130***a* and a second main surface **130***b* opposite to each other in the thickness direction T.
- (107) < Process of Forming First Through-Portion Through-Hole>
- (108) FIG. **6** is a schematic sectional view of a process of forming a first through-portion through-hole included, as an example, in the method for manufacturing the capacitor array according to the present invention, performed in the state illustrated in FIG. **4** in cross section.
- (109) Laser processing is performed on a portion of the capacitor sheet **130** having a cross section illustrated in FIG. **4** from over the first main surface **130***a*. Thus, as illustrated in FIG. **6**, a first through-portion through-hole **115**A extending through the capacitor sheet **130** in the thickness direction T is formed in the first direction U at a position not overlapping the cathode layers **36** in the thickness direction T.
- (110) As illustrated in FIG. **6**, in a sectional view taken in the thickness direction T, more specifically, in a sectional view taken in the thickness direction T and the second direction V, the first through-portion through-hole **115**A thus formed has a taper that has the width decreasing from the first main surface **130***a* of the capacitor sheet **130** to the second main surface **130***b* of the capacitor sheet **130**.
- (111) Alternatively, the first through-portion through-hole may be formed by performing laser processing on a portion of the capacitor sheet **130** having the cross section illustrated in FIG. **4** from over the second main surface **130***b*. In this case, in a sectional view taken in the thickness direction T, more specifically, in a sectional view taken in the thickness direction T and the second direction V, the first through-portion through-hole thus formed has a taper that has the width decreasing from the second main surface **130***b* of the capacitor sheet **130** to the first main surface **130***a* of the capacitor sheet **130**.
- (112) As described above, when the first through-portion through-hole **115**A extending in the first direction U is formed in the capacitor sheet **130**, the capacitor sheet **130** is cut in the first direction U. At this time, the first through-portion through-hole **115**A is formed in the first direction U so that the capacitor sheet **130** is not continuously cut from one end to the other end in the first direction U. Thus, the capacitor sheet **130** is prevented from being entirely separated into multiple discrete pieces. This structure thus improves handleability in the downstream process.
- (113) The present process is not performed on the portion of the capacitor sheet **130** having the cross section illustrated in FIG. **5**.
- (114) < Process of Forming First Insulating Portion>
- (115) FIG. **7** is a schematic sectional view of a process of forming a first insulating portion included, as an example, in the method for manufacturing the capacitor array according to the present invention, performed in the state illustrated in FIG. **6** in cross section. FIG. **8** is a schematic sectional view of the process of forming the first insulating portion included, as an example, in the method for manufacturing the capacitor array according to the present invention, performed in the

state illustrated in FIG. 5 in cross section.

- (116) An insulating material is disposed by press working on a portion having the cross section illustrated in FIG. **6** in the capacitor sheet **130** having the cross sections illustrated in FIG. **5** and FIG. **6**. Thus, as illustrated in FIG. **7**, the first insulating portion **25**A is formed through the first through-portion through-hole **115**A while being formed over the first main surface **130***a* of the capacitor sheet **130** and the second main surface **130***b* of the capacitor sheet **130**. Concurrently, as illustrated in FIG. **8**, the first insulating portion **25**A is formed over the first main surface **130***a* and the second main surface **130***b* of the capacitor sheet **130** at a portion of the capacitor sheet **130** having the cross section illustrated in FIG. **5**. In the above manner, the capacitor sheet **130** is fastened by the first insulating portion **25**A while being partially separated by the first throughportion through-hole **115**A.
- (117) The first insulating portion **25**A thus formed is disposed over the first main surface **130***a* of the capacitor sheet **130** and the second main surface **130***b* of the capacitor sheet **130** as illustrated in FIG. **7** and FIG. **8**, and extends through the first through-portion through-hole **115**A as illustrated in FIG. **7**.
- (118) Thus, as illustrated in FIG. 7, the first through-portion **15**A is formed while the first insulating portion **25**A is disposed through the first through-portion through-hole **115**A. The first through-portion **15**A thus formed has a shape conforming to the shape of the first through-portion through-hole **115**A. In other words, as illustrated in FIG. **7**, in a sectional view taken in the thickness direction T, the first through-portion **15**A has a taper that has the width decreasing from the first main surface **130***a* of the capacitor sheet **130** to the second main surface **130***b* of the capacitor sheet **130**. As described above, the first through-portion through-hole **115**A is formed in the first direction U. Thus, the first through-portion **15**A is formed in the first direction U (refer to FIG. **1**).
- (119) The first insulating portion **25**A may be formed through the first through-portion through-hole **115**A while being formed over one of the first main surface **130***a* of the capacitor sheet **130** and the second main surface **130***b* of the capacitor sheet **130**.
- (120) As described above, when the first insulating portion **25**A is to be formed, the capacitor sheet **130** is not entirely separated into multiple discrete pieces although having the first through-portion through-hole **115**A. This structure prevents, when the first insulating portion **25**A is to be formed, portions of the capacitor sheet **130** separated by the first through-portion through-hole **115**A from being moved and brought into contact with each other by the flow of materials (for example, a resin material) of the first insulating portion **25**A. Thus, a capacitor array obtained later can prevent short circuits between the capacitor portions.
- (121) When the first insulating portion **25**A is to be formed by press working at a high pressure, the above movement or contact can be prevented. Thus, a large processing margin can be ensured to form the first insulating portion **25**A, and the processability improves. When the first insulating portion **25**A can be formed by press working at a high pressure, the adhesiveness between the first insulating portion **25**A and the capacitor sheet **130** can be improved, or voids in the first insulating portion **25**A can be reduced, and thus can improve the reliability of the capacitor array obtained later.
- (122) < Process of Forming Second Through-Portion Through-Hole>
- (123) FIG. **9** is a schematic sectional view of a process of forming a second through-portion through-hole included, as an example, in the method for manufacturing the capacitor array according to the present invention, performed in the state illustrated in FIG. **8** in cross section. (124) As illustrated in FIG. **9**, a second through-portion through-hole **115**B that extends through the capacitor sheet **130** and the first insulating portion **25**A in the thickness direction T is formed in the second direction V at a portion not overlapping the cathode layer **36** in the thickness direction T. The second through-portion through-hole **115**B is formed by performing laser processing on a portion of the capacitor sheet **130** provided with the first insulating portion **25**A and having the

- cross section illustrated in FIG. 8 from over the first main surface 130a.
- (125) As illustrated in FIG. **9**, in a sectional view taken in the thickness direction T, more specifically, in a sectional view taken in the thickness direction T and the first direction U, the second through-portion through-hole **115**B thus formed has a taper that has the width decreasing from the first main surface **130***a* of the capacitor sheet **130** to the second main surface **130***b* of the capacitor sheet **130**.
- (126) The second through-portion through-hole may be formed by performing laser processing on the portion of the capacitor sheet **130** provided with the first insulating portion **25**A and having the cross section illustrated in FIG. **8** from over the second main surface **130***b*. In this case, in a sectional view taken in the thickness direction T, more specifically, in a sectional view taken in the thickness direction T and the first direction U, the second through-portion through-hole thus formed has a taper that has the width decreasing from the second main surface **130***b* of the capacitor sheet **130** to the first main surface **130***a* of the capacitor sheet **130**.
- (127) As described above, when the second through-portion through-hole **115**B extending in the second direction V is formed in the capacitor sheet **130** provided with the first insulating portion **25**A, the capacitor sheet **130** and the first insulating portion **25**A are collectively cut in the second direction V. At this time, the second through-portion through-hole **115**B is formed in the second direction V so that the capacitor sheet **130** provided with the first insulating portion **25**A is not continuously cut from one end to the other end in the second direction V. Thus, the capacitor sheet **130** provided with the first insulating portion **25**A is prevented from being entirely separated into multiple discrete pieces. This structure thus improves handleability in the downstream process. (128) The present processing is not performed on the portion of the capacitor sheet **130** having a cross section illustrated in FIG. **7**.
- (129) < Process of Forming Second Insulating Portion>
- (130) FIG. **10** is a schematic sectional view of a process of forming a second insulating portion included, as an example, in the method for manufacturing the capacitor array according to the present invention, performed in the state illustrated in FIG. **7** in cross section. FIG. **11** is a schematic sectional view of the process of forming the second insulating portion included, as an example, in the method for manufacturing the capacitor array according to the present invention, performed in the state illustrated in FIG. **9** in cross section.
- (131) An insulating material is disposed by press working on the capacitor sheet **130** having the cross section illustrated in FIG. **7** and FIG. **9**. Thus, at the portion having the cross section illustrated in FIG. **7**, as illustrated in FIG. **10**, the second insulating portion **25**B is disposed over the surface of the first insulating portion **25**A. Concurrently, at the portion having the cross section illustrated in FIG. **9**, as illustrated in FIG. **11**, the second insulating portion **25**B is disposed over the surface of the first insulating portion **25**A, and formed through the second through-portion through-hole **115**B.
- (132) The second insulating portion **25**B thus formed is disposed over the surface of the first insulating portion **25**A as illustrated in FIG. **10** and FIG. **11**, extends through the second throughportion through-hole **115**B as illustrated in FIG. **11**, and does not extend through the first throughportion **15**A as illustrated in FIG. **10**.
- (133) Thus, as illustrated in FIG. **11**, the second through-portion **15**B is formed while the second insulating portion **25**B is disposed through the second through-portion through-hole **115**B. The shape of the second through-portion **15**B thus formed conforms to the shape of the second through-portion through-hole **115**B. In other words, as illustrated in FIG. **11**, in a sectional view taken in the thickness direction T, the second through-portion **15**B has a taper that has the width decreasing from the first main surface **30***a* of the capacitor portion **30** to the second main surface **30***b* of the capacitor portion **30**. As described above, the second through-portion through-hole **115**B is formed in the second direction V, and thus, the second through-portion **15**B is formed in the second direction V (refer to FIG. **1**).

multiple capacitor portions **30** divided by the first through-portion **15**A and the second throughportion **15**B and arranged in a plane is fabricated, and the multiple capacitor portions **30** are integrated by the first insulating portion 25A and the second insulating portion 25B. Thus, the capacitor array **1** having the cross section illustrated in FIG. **2** and FIG. **3** is manufactured. (135) In the method for manufacturing the capacitor array $\mathbf{1}$, the cutting process of dividing the capacitor sheet **130** into the multiple capacitor portions **30** through laser processing includes <a process of forming the first through-portion through-hole> including cutting of the capacitor sheet **130** in the first direction U, <a process of forming the second through-portion through-hole> including cutting of the capacitor sheet **130** in the second direction V, and <a process of forming the first insulating portion between these processes. Thus, the capacitor sheet **130** is prevented from being entirely separated into multiple discrete pieces during manufacture, and thus the handleability improves. Furthermore, in <the process of forming the first insulating portion>, press working can be performed at a high pressure to form the first insulating portion 25A. Thus, the processability improves, and the reliability of the capacitor array **1** also improves. (136) In the method for manufacturing the capacitor array **1**, when <the process of forming the first through-portion through-hole and <the process of forming the second through-portion throughhole > are separately performed while < the process of forming the first insulating portion > is performed in between, the thickness of a target in which the first through-portion through-hole **115**A is formed in <the process of forming the first through-portion through-hole>, that is, the thickness of the capacitor sheet 130, and the thickness of a target in which the second throughportion through-hole **115**B is formed in <the process of forming the second through-portion through-hole>, that is, the thickness of the capacitor sheet 130 provided with the first insulating portion **25**A differ from each other. Thus, as illustrated in FIG. **6** and FIG. **9**, the taper angle of the first through-portion through-hole **115**A formed in <the process of forming the first through-portion through-hole, and the taper angle of the second through-portion through-hole **115**B formed in <the process of forming the second through-portion through-hole> differ from each other. (137) In other words, in the method for manufacturing the capacitor array **1**, when <the process of forming the first through-portion through-hole> and <the process of forming the second throughportion through-hole> are performed separately with <the process of forming the first insulating portion> performed in between, the manufactured capacitor array 1 has a characteristic in that the taper angle $\theta 1$ of the first through-portion 15A and the taper angle $\theta 2$ of the second through-portion **15**B differ from each other as illustrated in FIG. **2** and FIG. **3**.

(134) As described above, as illustrated in FIG. **10** and FIG. **11**, the capacitor layer **10** including the

- (138) From the above, the capacitor array **1** having a characteristic in that the taper angle θ **1** of the first through-portion **15**A and the taper angle θ **2** of the second through-portion **15**B differ from each other has high handleability and processability during manufacture.
- (139) An example of an extended structure of the anode plate and the cathode layer in each capacitor portion in the capacitor array according to the present invention is described below.
- (140) Preferably, the capacitor array **1** illustrated in FIG. **1** further includes through-hole conductors **60**, more specifically, a first through-hole conductor **62** and a second through-hole conductor **64**.
- (141) Preferably, the through-hole conductors **60**, more specifically, the first through-hole conductor **62** and the second through-hole conductor **64** extend through the capacitor portion **30** in the thickness direction T of the capacitor layer **10**.
- (142) The anode plate **31** and the cathode layers **36** of the capacitor portion **30** are led out using the first through-hole conductor **62** and the second through-hole conductor **64**, respectively.
- (143) First, an example of a lead-out structure of the anode plate **31** of the capacitor portion **30** is described below.
- (144) FIG. **12** is a schematic sectional view of an example of a cross section of the capacitor array including a cross section taken along line segment A**1**-A**2** in FIG. **1**. Line segment A**1**-A**2** in FIG.

- **12** corresponds to line segment A1-A2 in FIG. 1.
- (145) As illustrated in FIG. **12**, the first through-hole conductor **62** preferably extends through the capacitor portion **30** in the thickness direction T of the capacitor layer **10**. More specifically, preferably, the first through-hole conductor **62** is disposed on at least an inner wall surface of a first through-hole **63** extending through the capacitor portion **30** in the thickness direction T.
- (146) Preferably, the first through-hole conductor **62** is electrically connected to the end surface of the anode plate **31** opposing the inner wall surface of the first through-hole **63** in a plane direction perpendicular to the thickness direction T.
- (147) The plane direction is a direction including the first direction U and the second direction V that are perpendicular to the thickness direction T.
- (148) Preferably, the core **32** and the porous layers **34** are exposed at the end surface of the anode plate **31** electrically connected to the first through-hole conductor **62**. In this case, in addition to the core **32**, the porous layers **34** are also electrically connected to the first through-hole conductor **62**. (149) For example, the first through-hole conductor **62** is formed in the following manner. First, drill processing, laser processing, or other processing is performed on a portion where the first through-hole conductor **62** is to be formed to form the first through-hole **63**. Then, the inner wall surface of the first through-hole **63** is metalized with a low-resistant metal such as copper, gold, or silver to form the first through-hole conductor **62**. Metalizing the inner wall surface of the first through-hole **63** through, for example, electroless copper plating or electrolytic copper plating to form the first through-hole conductor **62** facilitates the processing. To form the first through-hole conductor **62**, for example, a metal or a composite material containing a metal and a resin may fill the first through-hole **63** instead of metalizing the inner wall surface of the first through-hole **63**. (150) As illustrated in FIG. 12, preferably, the capacitor array 1 further includes an anode connection layer 68 disposed between the first through-hole conductor 62 and the end surface of the anode plate **31**. In the example illustrated in FIG. **12**, the anode connection layer **68** is in contact with both the first through-hole conductor **62** and the end surface of the anode plate **31**. (151) The anode connection layer **68** disposed between the first through-hole conductor **62** and the end surface of the anode plate **31** serves as a barrier layer to the anode plate **31**, more specifically, a barrier layer to the core **32** and the porous layers **34**. Using the anode connection layer **68** reduces dissolution of the anode plate **31** in treatment with a chemical solution used to form, for example, a conductive portion 20, described later, reduces the chemical solution intruding into the capacitor portions **30**, and thus reliability of the capacitor array **1** is more likely to improve.
- (152) As illustrated in FIG. **12**, preferably, the first through-hole conductor **62** and the end surface of the anode plate **31** are electrically connected to each other with the anode connection layer **68** interposed therebetween.
- (153) As illustrated in FIG. **12**, the anode connection layer **68** may include, in order from the side closer to the end surface of the anode plate **31**, a first anode connection layer **68**A and a second anode connection layer **68**B.
- (154) In the anode connection layer **68**, for example, the first anode connection layer **68**A may be a layer containing zinc as a main component, and the second anode connection layer **68**B may be a layer containing nickel or copper as a main component. In this case, the first anode connection layer **68**A is formed over the end surface of the anode plate **31** through, for example, zinc replacement deposition in zincate treatment. Thereafter, the second anode connection layer **68**B is disposed over the surface of the first anode connection layer **68**A through, for example, electroless nickel plating or electroless copper plating. The first anode connection layer **68**A may be lost while the second anode connection layer **68**B is formed. In this case, the anode connection layer **68** may be formed from simply the second anode connection layer **68**B.
- (155) Preferably, the anode connection layer **68** includes a layer containing nickel as a main component. This structure reduces damages on, for example, metal (such as aluminum) forming the anode plate **31**, and thus barrier characteristics of the anode connection layer **68** to the anode plate

- **31** are more likely to improve.
- (156) As illustrated in FIG. **12**, preferably, the anode connection layer **68** has a greater dimension than the anode plate **31** in the thickness direction T. In this case, the entirety of the end surface of the anode plate **31** is covered with the anode connection layer **68**. Thus, barrier characteristics of the anode connection layer **68** to the anode plate **31** are more likely to improve.
- (157) Preferably, the dimension of the anode connection layer **68** in the thickness direction T is greater than 100% and smaller than or equal to 200% of the dimension of the anode plate **31**.
- (158) In the thickness direction T, the anode connection layer **68** may have a dimension the same as or smaller than the dimension of the anode plate **31**.
- (159) The anode connection layer **68** between the first through-hole conductor **62** and the end surface of the anode plate **31** may be eliminated. In this case, the first through-hole conductor **62** may be directly connected to the end surface of the anode plate **31**.
- (160) As illustrated in FIG. 1 and FIG. 12, when viewed in the thickness direction T, preferably, the first through-hole conductor 62 is electrically connected to the end surface of the anode plate 31 throughout the periphery of the first through-hole 63. As illustrated in FIG. 12, when the anode connection layer 68 is disposed between the first through-hole conductor 62 and the end surface of the anode plate 31, the first through-hole conductor 62 is preferably connected to the anode connection layer 68 throughout the periphery of the first through-hole 63 when viewed in the thickness direction T. In this case, the contact area between the first through-hole conductor 62 and the anode connection layer 68 increases, and thus the connection resistance between the first through-hole conductor 62 and the anode connection resistance between the first through-hole conductor 62 and the anode plate 31 is more likely to decrease, and the equivalent series resistance (ESR) of the capacitor portions 30 is more likely to decrease. Moreover, the adhesiveness between the first through-hole conductor 62 and the anode connection layer 68 is more likely to improve. This structure is less likely to cause failures such as detachment between the first through-hole conductor 62 and the anode connection layer 68 due to thermal stress.
- (161) As illustrated in FIG. **12**, preferably, the capacitor array **1** also includes the conductive portion **20** electrically connected to the first through-hole conductor **62**. In the example illustrated in FIG. **12**, the conductive portion **20** is disposed on the surface of the first through-hole conductor **62**. The conductive portion **20** can function as a connection terminal of the capacitor array **1** (capacitor portion **30**).
- (162) Examples of the material of the conductive portion **20** include low-resistant metals such as silver, gold, and copper. In this case, the conductive portion **20** is formed by, for example, plating the surface of the first through-hole conductor **62**.
- (163) To improve adhesiveness between the conductive portion **20** and another component, more specifically, adhesiveness between the conductive portion **20** and the first through-hole conductor **62**, a composite material containing a resin and at least one conductive filler selected from the group consisting of a silver filler, a copper filler, a nickel filler, and a carbon filler may be used as the material of the conductive portion **20**.
- (164) As illustrated in FIG. 1 and FIG. 12, preferably, the capacitor array 1 also includes a first resin-filling portion 29A formed by filling the first through-hole 63 with a resin material. In the example illustrated in FIG. 1 and FIG. 12, the first resin-filling portion 29A is disposed in a space defined by the first through-hole conductor 62 on the inner wall surface of the first through-hole 63. When the space in the first through-hole 63 is occupied by forming the first resin-filling portion 29A, occurrences of delamination of the first through-hole conductor 62 are reduced.
- (165) Preferably, the coefficient of thermal expansion of the first resin-filling portion **29**A is higher than the coefficient of thermal expansion of the first through-hole conductor **62**. More specifically, preferably, the coefficient of thermal expansion of the resin material that fills the first through-hole **63** is higher than the coefficient of thermal expansion of the material (for example, copper) of the

- first through-hole conductor **62**. In this case, when the first resin-filling portion **29**A, more specifically, the resin material that fills the first through-hole **63** expands in a high-temperature environment, the first through-hole conductor **62** is pressed against the inner wall surface of the first through-hole **63** from inside of the first through-hole **63** to the outside. This structure fully reduces occurrences of delamination of the first through-hole conductor **62**.
- (166) The coefficient of thermal expansion of the first resin-filling portion **29**A may be the same as, or lower than the coefficient of thermal expansion of the first through-hole conductor **62**. More specifically, the coefficient of thermal expansion of the resin material that fills the first through-hole **63** may be the same as or lower than the coefficient of thermal expansion of the material of the first through-hole conductor **62**.
- (167) The capacitor array **1** may eliminate the first resin-filling portion **29**A. In this case, the first through-hole conductor **62** is preferably disposed throughout the inside of the first through-hole **63** in addition to over the inner wall surface of the first through-hole **63**.
- (168) Subsequently, an example of a lead-out structure of the cathode layer **36** of the capacitor portion **30** is described below.
- (169) FIG. **13** is a schematic sectional view of an example of a cross section of the capacitor array including a cross section taken along line segment B**1**-B**2** in FIG. **1**. Line segment B**1**-B**2** in FIG. **13** corresponds to line segment B**1**-B**2** in FIG. **1**.
- (170) As illustrated in FIG. 13, preferably, the second through-hole conductor 64 extends through the capacitor portion 30 in the thickness direction T of the capacitor layer 10. More specifically, preferably, the second through-hole conductor 64 is disposed on at least the inner wall surface of a second through-hole 65 extending through, in the thickness direction T, the capacitor portion 30 in which the first through-hole conductor 62 is provided illustrated in, for example, FIG. 12. (171) As illustrated in FIG. 13, preferably, the second through-hole conductor 64 is electrically connected to the cathode layer 36. In the example illustrated in FIG. 13, a conductive portion 40 is disposed over the surface of the second through-hole conductor 64 to function as a connection terminal of the capacitor array 1 (capacitor portion 30). In the example illustrated in FIG. 13, via conductors 42 extend through the insulating portions 25 in the thickness direction T to be connected to the conductive portions 40 and the cathode layers 36. In the example illustrated in FIG. 13, the second through-hole conductor 64 is thus electrically connected to the cathode layers 36 through the conductive portion 40 and the via conductors 42. In this case, the capacitor array 1 can be reduced in size.
- (172) For example, the second through-hole conductor **64** is formed in the following manner. First, drill processing, laser processing, or other processing is performed on a portion where the second through-hole conductor **64** is to be formed to form a through-hole. Subsequently, the material (for example, a resin material) of the second insulating portion 25B fills the formed through-hole to form an insulating layer. Then, drill processing, laser processing, or other processing is performed on the formed insulating layer to form the second through-hole 65. In this case, the diameter of the second through-hole **65** is made smaller than the diameter of the insulating layer, and the material of the second insulating portion **25**B is located between the through-hole formed in advance and the second through-hole **65**. Thereafter, the inner wall surface of the second through-hole **65** is metalized with a low-resistant metal such as copper, gold, or silver to form the second through-hole conductor **64**. Metalizing the inner wall surface of the second through-hole **65** through, for example, electroless copper plating or electrolytic copper plating to form the second through-hole conductor **64** facilitates the processing. To form the second through-hole conductor **64**, for example, a metal or a composite material containing a metal and a resin may fill the second through-hole **65** instead of metalizing the inner wall surface of the second through-hole **65**. (173) Examples of the material of the conductive portions **40** include low-resistant metals such as silver, gold, and copper. In this case, the conductive portions **40** are formed by, for example, plating the surfaces of the second through-hole conductor **64**.

- (174) To improve adhesiveness between the conductive portions **40** and another component, more specifically, adhesiveness between the conductive portions **40** and the second through-hole conductor **64**, a composite material containing a resin and at least one conductive filler selected from the group consisting of a silver filler, a copper filler, a nickel filler, and a carbon filler may be used as the material of the conductive portions **40**.
- (175) Examples of the material of the via conductors **42** include the materials the same as those of the conductive portions **40**.
- (176) For example, the via conductors **42** are formed by plating the inner wall surfaces of the through-holes extending through the insulating portions **25** in the thickness direction T, or by filling the through-holes with conductive paste and then performing thermal treatment on the paste. (177) As illustrated in FIG. **1** and FIG. **13**, preferably, the capacitor array **1** further includes a second resin-filling portion **29**B formed by filling the second through-hole **65** with a resin material. In the examples illustrated in FIG. **1** and FIG. **13**, the second resin-filling portion **29**B is disposed in a space defined by the second through-hole conductor **64** on the inner wall surface of the second through-hole **65**. When the space in the second through-hole **65** is occupied by forming the second resin-filling portion **29**B, occurrences of delamination of the second through-hole conductor **64** are reduced.
- (178) Preferably, the coefficient of thermal expansion of the second resin-filling portion **29**B is higher than the coefficient of thermal expansion of the second through-hole conductor **64**. More specifically, preferably, the coefficient of thermal expansion of the resin material that fills the second through-hole **65** is higher than the coefficient of thermal expansion of the material (for example, copper) of the second through-hole conductor **64**. In this case, when the second resinfilling portion **29**B, more specifically, the resin material that fills the second through-hole **65** expands in a high-temperature environment, the second through-hole conductor **64** is pressed against the inner wall surface of the second through-hole **65** from the inner side of the second through-hole **65** to the outside. This structure thus fully reduces occurrences of delamination of the second through-hole conductor **64**.
- (179) The coefficient of thermal expansion of the second resin-filling portion **29**B may be the same as or lower than the coefficient of thermal expansion of the second through-hole conductor **64**. More specifically, the coefficient of thermal expansion of the resin material that fills the second through-hole **65** may be the same as or lower than the coefficient of thermal expansion of the material of the second through-hole conductor **64**.

(180) The capacitor array **1** may eliminate the second resin-filling portion **29**B. In this case,

- preferably, the second through-hole conductor **64** is disposed throughout the inside of the second through-hole **65** in addition to over the inner wall surface of the second through-hole **65**. (181) As illustrated in FIG. **13**, preferably, the second insulating portion **25**B extends between the anode plate **31** and the second through-hole conductor **64**. In the example illustrated in FIG. **13**, the second insulating portion **25**B is in contact with both the anode plate **31** and the second through-hole conductor **64**. The second insulating portion **25**B extending between the anode plate **31** and the second through-hole conductor **64** ensures insulation between the anode plate **31** and the cathode layers **36**, and prevents short circuits between the anode plate **31** and the cathode layers **36**.
- (182) When the second insulating portion **25**B extends between the anode plate **31** and the second through-hole conductor **64**, as illustrated in FIG. **13**, the core **32** and the porous layers **34** are preferably exposed at the end surface of the anode plate **31** that is in contact with the second insulating portion **25**B. In this case, adhesiveness between the second insulating portion **25**B and the porous layers **34** improves as the contact area between the second insulating portion **25**B and the porous layers **34** increases. This structure is less likely to cause failures such as detachment between the second insulating portion **25**B and the porous layers **34**.
- (183) When the core 32 and the porous layers 34 are exposed at the end surface of the anode plate

- **31** that is in contact with the second insulating portion **25**B, preferably, the insulating layers **24** extending into the porous layers **34** as a result of the material of the insulating layers **24** intruding through the voids in the porous layers **34** are disposed around the second through-hole conductor **64**. This structure fully ensures insulation between the anode plate **31** and the second through-hole conductor **64**, and thus insulation between the anode plate **31** and the cathode layers **36**, and thus fully prevents short circuits between the anode plate **31** and the cathode layers **36**.
- (184) When the core **32** and the porous layers **34** are exposed at the end surface of the anode plate **31** that is in contact with the second insulating portion **25**B, preferably, the material of the second insulating portion **25**B intrudes through the voids in the porous layers **34**. This structure reduces occurrences of delamination attributable to the voids in the porous layers **34** while improving the mechanical strength of the porous layers **34**.
- (185) Preferably, the coefficient of thermal expansion of the second insulating portion **25**B is higher than the coefficient of thermal expansion of the second through-hole conductor **64**. More specifically, the coefficient of thermal expansion of the material of the second insulating portion **25**B is preferably higher than the coefficient of thermal expansion of the material (for example, copper) of the second through-hole conductor **64**. In this case, when the second insulating portion **25**B, more specifically, the material of the second insulating portion **25**B expands in a high-temperature environment, the porous layers **34** and the second through-hole conductor **64** are pressed down, and thus occurrences of delamination are fully reduced.
- (186) The coefficient of thermal expansion of the second insulating portion **25**B may be the same as or lower than the coefficient of thermal expansion of the second through-hole conductor **64**. More specifically, the coefficient of thermal expansion of the material of the second insulating portion **25**B may be the same as or lower than the coefficient of thermal expansion of the material of the second through-hole conductor **64**.
- (187) In the capacitor array according to the present invention, the capacitor portions are not limited to electrolytic capacitors including the above-described solid electrolytic capacitors. In the capacitor array according to the present invention, each capacitor portion may constitute, for example, a thin film capacitor such as a trench capacitor having a metal-insulator-metal (MIM) structure, or a ceramic capacitor.
- (188) A capacitor array according to the present invention is used as, for example, a composite electronic component. Such a composite electronic component includes, for example, a capacitor array according to the present invention, an external electrode disposed on the outer side of the capacitor array according to the present invention and electrically connected to a first electrode (for example, an anode plate) and a second electrode (for example, a cathode layer), and an electronic component electrically connected to the external electrode.
- (189) In the composite electronic component, the electronic component electrically connected to the external electrode may be a passive element, an active element, each of a passive element and an active element, or a composite of a passive element and an active element.
- (190) Examples of a passive element include an inductor.
- (191) Examples of an active element include a memory, a graphical processing unit (GPU), a central processing unit (CPU), a micro processing unit (MPU), and a power management IC (PMIC).
- (192) When the capacitor array according to the present invention is used as a composite electronic component, as described above, the capacitor array according to the present invention is used as, for example, a substrate on which electronic components are mounted. Thus, when the capacitor array according to the present invention is formed into a sheet as a whole and an electronic component mounted on the capacitor array according to the present invention is formed into a sheet, the capacitor array according to the present invention and the electronic component can be electrically connected to each other in the thickness direction through the through-hole conductor that extends through the electronic component in the thickness direction. Thus, the passive element

- and the active element serving as electronic components can be formed as an integrated module. (193) For example, when the capacitor array according to the present invention is electrically connected between a voltage regulator including a semiconductor active element and a load to which a converted direct current is supplied, a switching regulator can be formed.
- (194) In the composite electronic component, after a circuit layer is formed over one main surface of a capacitor matrix sheet on which multiple capacitor arrays according to the present invention are laid out, the circuit layer may be electrically connected to a passive element or an active element serving as an electronic component.
- (195) Alternatively, the capacitor array according to the present invention may be located in a cavity portion preset in a substrate, and embedded with a resin, and a circuit layer may be disposed on the resin. A passive element or an active element serving as another electronic component may be mounted in another cavity portion in the same substrate.
- (196) Alternatively, the capacitor array according to the present invention may be mounted on a flat carrier such as a wafer or glass, an external layer portion may be formed from a resin, a circuit layer may then be formed, and the circuit layer may be electrically connected to a passive element or an active element serving as an electronic component.

REFERENCE SIGNS LIST

(197) **1** capacitor array **10** capacitor layer **15** through-portion **15**A first through-portion **15**B second through-portion **20**, **40** conductive portion **24** insulating layer **25** insulating portion **25**A first insulating portion **25**B second insulating portion **29**A first resin-filling portion **29**B second resinfilling portion **30** capacitor portion **30** a first main surface of capacitor portion **30** b second main surface of capacitor portion **31** anode plate (first electrode) **32** core **34** porous layer **35** dielectric layer **36** cathode layer (second electrode) **36**A solid electrolytic layer **36**B conductor layer **42** via conductor **60** through-hole conductor **62** first through-hole conductor **63** first through-hole **64** second through-hole conductor **65** second through-hole **68** anode connection layer **68**B second anode connection layer **115**A first through-portion through-hole **115**B second through-portion through-hole **130** capacitor sheet **130** a first main surface of capacitor sheet **130** b second main surface of capacitor sheet **130** first through-portion **92** taper angle of second through-portion T thickness direction U first direction V second direction W**1** width of first through-portion W**2** width of second through-portion

Claims

1. A capacitor array comprising: a capacitor layer including a plurality of capacitor portions divided by a plurality of through-portions and arranged in a plane, wherein the capacitor portions each include a first electrode, a second electrode, and a dielectric layer between the first electrode and the second electrode, and each of the capacitor portions having a first main surface and a second main surface that are opposite to each other in a thickness direction thereof, wherein the plurality of through-portions include a first through-portion extending in a first direction perpendicular to the thickness direction, and a second through-portion extending in a second direction perpendicular to the thickness direction and intersecting the first direction, wherein, in a sectional view taken in the thickness direction, the first through-portion has a first taper that has a first width decreasing from one of the first main surface of the capacitor portion and the second main surface of the capacitor portion to another one of the first main surface and the second main surface, and the second through-portion has a second taper that has a second width decreasing from one of the first main surface of the capacitor portion and the second main surface of the capacitor portion to another one of the first main surface and the second main surface, wherein the first taper has a first taper angle that is different from a second taper angle of the second taper, wherein the capacitor layer further includes a first insulating portion over at least one of the first main surface of the capacitor portion and the second main surface of the capacitor portion, and wherein the first insulating portion

extends through the first through-portion and does not extend through the second through-portion.

- 2. The capacitor array according to claim 1, wherein the first electrode is an anode plate having main surfaces at least one of which is a porous layer, wherein the dielectric layer is over a surface of the porous layer, and wherein the second electrode is a cathode layer over a surface of the dielectric layer.
- 3. The capacitor array according to claim 1, wherein the first through-portion has a first width decreasing from the first main surface of the capacitor portion to the second main surface of the capacitor portion, and the second through-portion has a second width decreasing from the first main surface of the capacitor portion to the second main surface of the capacitor portion.
- 4. The capacitor array according to claim 3, wherein the second taper angle of the second throughportion is smaller than the first taper angle of the first through-portion.
- 5. The capacitor array according to claim 4, wherein the second width is smaller than the first width in a plane coplanar with the first main surface of the capacitor portion.
- 6. The capacitor array according to claim 3, wherein the second width is smaller than the first width in a plane coplanar with the first main surface of the capacitor portion.
- 7. The capacitor array according to claim 1, wherein the capacitor layer further includes a second insulating portion over a surface of the first insulating portion, and wherein the second insulating portion extends through the second through-portion and does not extend through the first throughportion.
- 8. The capacitor array according to claim 1, further comprising an insulating layer over a surface of the dielectric layer that is not covered by the first electrode layer or the second electrode layer and that is closer to at least one of the first main surface or the second main surface of the capacitor portion.
- 9. The capacitor array according to claim 1, further comprising a first through-hole conductor on at least an inner wall surface of a first through-hole extending through the capacitor portion in the thickness direction and electrically connected to the first electrode.
- 10. A capacitor array comprising; a capacitor layer including a plurality of capacitor portions divided by a plurality of through-portions and arranged in a plane, wherein the capacitor portions each include a first electrode, a second electrode, and a dielectric layer between the first electrode and the second electrode, and each of the capacitor portions having a first main surface and a second main surface that are opposite to each other in a thickness direction thereof, wherein the plurality of through-portions include a first through-portion extending in a first direction perpendicular to the thickness direction, and a second through-portion extending in a second direction perpendicular to the thickness direction and intersecting the first direction, wherein, in a sectional view taken in the thickness direction, the first through-portion has a first taper that has a first width decreasing from one of the first main surface of the capacitor portion and the second main surface of the capacitor portion to another one of the first main surface and the second main surface, and the second through-portion has a second taper that has a second width decreasing from one of the first main surface of the capacitor portion and the second main surface of the capacitor portion to another one of the first main surface and the second main surface, wherein the first taper has a first taper angle that is different from a second taper angle of the second taper; a first throughhole conductor on at least an inner wall surface of a first through-hole extending through the capacitor portion in the thickness direction and electrically connected to the first electrode; and a second through-hole conductor on at least an inner wall surface of a second through-hole extending through the capacitor portion in the thickness direction and electrically connected to the second electrode.
- 11. The capacitor array according to claim 10, wherein the capacitor layer further includes an insulating portion over at least one of the first main surface of the capacitor portion and the second main surface of the capacitor portion, and wherein the insulating portion extends through the first through-portion and through the second through-portion.