C4AQ-M, Miniaturized DC-Link, Radial, 2 or 4 Leads, 500 – 1,200 VDC (Automotive Grade)



Overview

The C4AQ-M capacitor is a miniaturized polypropylene metallized film capacitor with a rectangular, plastic box-type design, filled with resin, and uses 2 or 4 tinned wires.


Automotive grade devices meet the demanding Automotive Electronics Council's AEC-Q200 qualification requirements.

Applications

Typical applications include DC filtering, DC link, power electronics, energy storage, renewable energy grid interface, motor drives, and automotive applications.

Benefits

- · Miniaturized Sizes
- Maximum Temperature: 125°C (passive)
- Self-healing
- · Low loss
- Low ESL
- · Low profile dimensions available
- High ripple current
- · High dV/dt
- · High capacitance density
- · High contact reliability
- · Suitable for high frequency applications
- · Automotive Grades (AEC-Q200)




Part Number System

C4	Α	Q	Q	Е	W	5270	M	3	С	J
Series	Туре	Application	Rated Voltage (VDC)	Case	Terminals Code	Capacitance Code (pF)	Release	Lead Diameter (mm)	Size Code	Tolerance
C4 = MKP Power Capacitors	A = Box, wire terminals	Q = DC Link Automotive Grade	L = 500 J = 700 I = 800 O = 900 N = 1000 Q = 1,100 P = 1,200	B, E = Box plastic case L = Low Profile box, plastic case	U = 2 pins W = 4 pins	Digits two – four indicate the first three digits of the capacitance value. First digit indicates the number of zeros to be added.	M = Standard Miniature Version	1 = 0.8 2 = 1.0 3 = 1.2	See dimensions table below for valid case sizes	J = 5% K = 10%




Series Selection





Dimensions - Millimeters



Size	Code		S	S	1		Т		Н		L	L	L		F
Digit 6	Digit 14	Nominal	Tolerance												
В	W	27.5	±0.4	-	-	11.0	+0.3/-0.7	20.0	+0.2/-0.7	31.5	+0.5/-0.7	6	+0/-2	0.8	±0.05
В	Х	27.5	±0.4	-	-	13.0	+0.3/-0.7	25.0	+0.2/-0.7	31.5	+0.5/-0.7	6	+0/-2	0.8	±0.05
В	Υ	27.5	±0.4	-	-	14.0	+0.3/-0.7	28.0	+0.2/-0.7	31.5	+0.5/-0.7	6	+0/-2	0.8	±0.05
В	8	27.5	±0.4	-	-	16.0	+0.3/-0.7	30.0	+0.2/-0.7	32.0	+0.5/-0.7	6	+0/-2	0.8	±0.05
В	E	27.5	±0.4	-	-	18.0	+0.6/-0.7	33.0	+0.2/-0.7	32.0	+0.5/-0.7	6	+0/-2	0.8	±0.05
В	1	27.5	±0.4	-	-	19.0	+0.3/-0.7	29.0	+0.2/-0.7	31.5	+0.5/-0.7	6	+0/-2	0.8	±0.05
В	2	27.5	±0.4	-	-	22.0	+0.3/-0.7	37.0	+0.2/-0.7	31.5	+0.5/-0.7	6	+0/-2	0.8	±0.05
В	F	37.5	±0.4	10.2	±0.4	20.0	+0.4/-0.7	40.0	+0.2/-0.7	42.0	+0.6/-0.7	6	+0/-2	1.2	±0.05
В	J	37.5	±0.4	10.2	±0.4	28.0	+0.4/-0.7	37.0	+0.2/-0.7	42.0	+0.6/-0.7	6	+0/-2	1.2	±0.05
В	Н	37.5	±0.4	10.2	±0.4	24.0	+0.4/-0.7	44.0	+0.2/-0.7	41.5	+0.6/-0.7	6	+0/-2	1.2	±0.05
В	L	37.5	±0.4	20.3	±0.4	30.0	+0.4/-0.7	45.0	+0.2/-0.7	42.0	+0.6/-0.7	6	+0/-2	1.2	±0.05
В	6	37.5	±0.4	20.3	±0.4	35.0	+0.4/-0.7	46.0	+0.2/-0.7	42.0	+0.6/-0.7	6	+0/-2	1.2	±0.05
В	0	37.5	±0.4	20.3	±0.4	35.0	+0.4/-0.7	50.0	+0.2/-0.7	42.0	+0.6/-0.7	6	+0/-2	1.2	±0.05
E	С	37.5	±0.4	20.3	±0.4	38.0	+0.5/-0.7	57.0	+0.3/-0.7	42.0	+0.6/-0.7	6	+0/-2	1.2	±0.05
В	М	52.5	±0.4	20.3	±0.4	30.0	+0.5/-0.7	45.0	+0.3/-0.7	57.5	+0.8/-0.7	6	+0/-2	1.2	±0.05
В	N	52.5	±0.4	20.3	±0.4	35.0	+0.5/-0.7	50.0	+0.3/-0.7	57.5	+0.8/-0.7	6	+0/-2	1.2	±0.05
E	Α	52.5	±0.4	20.3	±0.4	45.0	+0.5/-0.7	56.0	+0.3/-0.7	57.5	+0.8/-0.7	6	+0/-2	1.2	±0.05
E	В	52.5	±0.4	20.3	±0.4	45.0	+0.5/-0.7	65.0	+0.3/-0.7	57.5	+0.8/-0.7	6	+0/-2	1.2	±0.05
L	1	27.5	±0.4	-	-	21.0	+0.3/-0.7	12.5	+0.2/-0.7	32.0	+0.5/-0.7	6	+0/-2	0.8	±0.05
L	2	27.5	±0.4	-	-	24.0	+0.3/-0.7	15.0	+0.2/-0.7	32.0	+0.5/-0.7	6	+0/-2	0.8	±0.05
L	9	27.5	±0.4	-	-	31.0	+0.3/-0.7	19.0	+0.2/-0.7	32.0	+0.5/-0.7	6	+0/-2	0.8	±0.05
L	4	37.5	±0.4	10.2	±0.4	24.0	+0.4/-0.7	15.0	+0.2/-0.7	41.5	+0.6/-0.7	6	+0/-2	1.2	±0.05
L	3	37.5	±0.4	10.2	±0.4	24.0	+0.4/-0.7	19.0	+0.2/-0.7	41.5	+0.6/-0.7	6	+0/-2	1.2	±0.05
L	6	37.5	±0.4	20.3	±0.4	35.0	+0.4/-0.7	24.0	+0.2/-0.7	42.0	+0.6/-0.7	6	+0/-2	1.2	±0.05
L	8	37.5	±0.4	20.3	±0.4	43.0	+0.4/-0.7	25.0	+0.2/-0.7	42.0	+0.6/-0.7	6	+0/-2	1.2	±0.05



Qualification

Reference Standards	IEC 61071, EN 61071, VDE0560
Climatic Category	55/105/56 according to IEC 60068-1

Automotive grade products meet or exceed the requirements outlined by the Automotive Electronics Council. Details regarding test methods and conditions are referenced in document AEC-Q200, Stress Test Qualification for Passive Components. For additional information regarding the Automotive Electronics Council and AEC-Q200, visit the AEC website at www.aecouncil.com.

General Technical Data

Dielectric	Polypropylene metallized film, non-inductive type, self-healing property
Application	DC filtering, DC link
Special Features	AEC-Q200 qualified
Climatic Category	55/105/56 IEC 60068-1
Temperature Range	-55°C to +105°C
Endurance Test - IEC 61071	500 hours + 500 hours at 1.3 x V _{NDC} at 85°C
Standard	IEC 61071, EN 61071, VDE0560, AEC-Q200
Protection	Solvent resistant plastic case UL 94 V-0 compliant Thermosetting resin sealing UL 94 V-0 compliant
Installation	Any position
Leads	Tinned wires, standard lead wire length 6 (+0/-2) mm
Packaging	Packed in cardboard trays with protection for the terminals
RoHS Compliance	Compliant with Directive 2002/95/EC and Directive 2011/65/EU of the European Parliament and the Council of the EU on 8 June 2011, including the Commission Delegated Directive (EU) 2015/863 that amended Annex II to Directive 2011/65/EU.



Electrical Characteristics

Rated Capacitance Range	1.1 – 210 μF
Rated Voltage (V _{NDC}) Range	500 to 1,200 VDC
Capacitance Tolerance	$\pm 5\%$ (J) or $\pm 10\%$ (K) measured at T = $\pm 25^{\circ}$ C $\pm 5^{\circ}$ C
Dissipation Factor PP Typical (tgδ0)	≤ 0.0002 at 10 kHz with T = 25°C ±5°C
Surge Voltage	$1.5 * V_{NDC}$ for maximum 10 times in a lifetime at 25° C $\pm 5^{\circ}$ C
Overveltage (IEC 61071)	1.15 * V _{NDC} for maximum 30 minutes, once per day
Overvoltage (IEC 61071)	1.3 * V _{NDC} for maximum 1 minute, once per day
Peak Non-Repetitive Current	1.5 * I _{PKR} for maximum 1,000 times in a lifetime
Insulation Resistance	IR x C \geq 30.000 seconds at 100 VDC 1 minute at T = +25°C \pm 5°C
Capacitance Deviation in Operation	±2.0% maximum on capacitance value measured at T = +25°C ±5°C
Temperature Storage	-40 to +80°C
Storage time	≤ 36 months from the date marked on the label glued to the package
Permissible Relative Humidity - Storage	Annual average ≤ 70%, 85% on 30 days/year randomly distributed throughout year. Dewing not admissible.

Life Expectancy

	120,000 hours at V_{NDC} at hot spot temperature T_{HS} = +70°C
	60,000 hours at V_{NDC} at hot spot temperature T_{HS} = +85°C
Life Expectancy	40,000 hours at V_{OP105} at hot spot temperature T_{HS} = +105°C
	500 hours at 0.6 x V_{OP85} at hot spot temperature T_{HS} = +115°C
	200 hours at 0.5 x V_{OP85} at hot spot temperature T_{HS} = +125°C
Capacitance Drop at End of Life	-5% (typical)
Failure Pata IFC 61700	≤ 280 FIT at V _{NDC} at hot spot temperature T _{HS} = +85°C
Failure Rate IEC 61709	\leq 130 FIT at V _{0P70} at hot spot temperature T _{HS} = +70°C





Test Method

Test Voltage Between Terminals	$1.5 * V_{NDC}$ for 10 seconds or $1.65 * V_{NDC}$ for 2 seconds, at T = $+25 ° C \pm 5 ° C$
Test Voltage Between Terminals and Case	3.2 k VAC 50 Hz for 2 seconds
Damp Heat	IEC 60068-2-78
Change of Temperature	IEC 60068-2-14
Biased Humidity Test 40°C/93% R.H. at V _{NDC} - 1,000 hours	$ \Delta C/C_0 \le 5\%$ $ \Delta DF/DF_0 \le 200\%$ (at 10 kHz) $ R \ge 50\%$ of initial limit
Biased Humidity Test 60°C/95% R.H. at V _{NDC} - 1,000 hours	$ \Delta C/C_0 \le 5\%$ $ \Delta DF/DF_0 \le 200\%$ (at 10 kHz) IR ≥ 100 MΩ

Operative Voltage Derating

	Symbol	Symbol Voltage (VDC)									
Operating Voltage at 70°C (T _{HS})	V _{0P70}	600	800	960	1100	1,200	1,320	1,440			
Rated Voltage at 85°C (T _{HS})	V_{NDC}	500	700	800	900	1,000	1,100	1,200			
Operating Voltage at 105°C (T _{HS})	V _{0P105}	350	490	560	650	700	770	850			








 T_{AMB} is the maximum ambient temperature surrounding the capacitor or hottest contact point (e.g. tracks), whichever is higher, in the worst operation conditions in °C.



Typical Waveforms








The applied peak-to-peak ripple voltage shall not exceed 0.2 x $V_{\rm NDC}$. The peak voltage shall not exceed the rated voltage $V_{\rm NDC}$.



Life Expectancy/Failure Quota Graphs




Notes:

 $T_{HS} = T_{AMB} + \Delta T$

 $\Delta T = ESR * I_{rms}^{2} * Rth$

 I_{rms} should be limited to values granting $\Delta T \le 30$ °C

Confidence Level = 90%



Notes

Failure rate λ (FIT) data based on IEC 61709 standard



Environmental Compliance

As a leading global supplier of electronic components and an environmentally conscious company, KEMET continually aspires to improve the environmental effects of our manufacturing processes and our finished electronic components.

In Europe (RoHS Directive) and in some other geographical areas such as China (China RoHS), legislation has been enacted to prevent or otherwise limit the use of certain hazardous materials, including lead (Pb), in electronic equipment. KEMET monitors legislation globally to ensure compliance and endeavors to adjust our manufacturing processes and/or electronic components as may be required by applicable law.

For military, medical, automotive, and some commercial applications, the use of lead (Pb) in the termination is necessary and/or required by design. KEMET is committed to communicating RoHS compliance to our customers. Information related to RoHS compliance will be provided in data sheets and using specific identifiers on the packaging labels.

All KEMET power film capacitors are RoHS compliant.

Materials & Environment

The selection of raw materials that KEMET uses for the production of its electronic components is the result of extensive experience. KEMET directs specific attention toward environmental protection. KEMET selects its suppliers according to ISO 9001 standards and performs statistical analyses on raw materials before acceptance for use in manufacturing our electronic components. All materials are, to the best of KEMET's knowledge, non-toxic and free from cadmium; mercury; chrome and compounds; polychlorine triphenyl (PCB); bromide and chlorinedioxins bromurate clorurate; CFC and HCFC; and asbestos.

Dissipation Factor

Dissipation factor is a complex function involved with capacitor inefficiency. The $tg\delta$ may vary up and down with increased temperature. For more information, refer to Performance Characteristics.

Sealing

Hermetically Sealed Capacitors

As the temperature increases, the pressure inside the capacitor increases. If the internal pressure is high enough, it can cause a breach in the capacitor. Such a breach can result in leakage, impregnation, filling fluid, or moisture susceptibility.

Barometric Pressure

The altitude at which hermetically sealed capacitors are operated controls the capacitor's voltage rating. As the barometric pressure decreases, the susceptibility to terminal arc-over increases. Non-hermetic capacitors can be affected by internal stresses due to pressure changes. These effects can be in the form of capacitance changes, dielectric arc-over, and/or low insulation resistance. Altitude can also affect heat transfer. Heat that is generated in an operation cannot be dissipated properly, and high Rl² losses and eventual failure can result.



Table 1 - Ratings & Part Number Reference

Cap Value (µF)	VDC	Т		nension (mm)		S 1	dV/dt V/μs	lpkr Apk	ESL nH	ESR 70°C at 10 kHz mΩ	Irms* 70°C at 10 kHz Arms	Rth (HS/Amb)	Packaging Quantity	PART NUMBER
		-					•	•		= 500 VDC; V _{OP105}		,		
5.6	500	11	20	31.5	27.5	V OP70 €	65	364	17	12.7	6.8	44	256	C4AQLBU4560M1WK
10	500	13	25	31.5	27.5	/	65	650	22	7.8	9.6	36	234	C4AQLBU5100M1XK
12.5	500	14	28	31.5	27.5	/	65	813	24	6.7	11.0	33	96	C4AQLBU5125M1YK
14	500	16	30	32	27.5	1	65	910	25	6.2	12.0	29	88	C4AQLBU5125M11K
16	500	19	29	31.5	27.5	/	65	1040	25	5.6	12.9	29	72	C4AQLBU5160M11K
18	500	18	33	32	27.5	1	65	1170	27	5.3	13.7	27	80	C4AQLBU5180M1EK
25	500	22	37	31.5	27.5	/	65	1625	28	4.4	16.0	23	64	C4AQLBU5180M1EK
40	500	20	40	42	37.5	10.2	30	1200	12	3.4	19.6	20	58	C4AQLBW5400M3FK
50	500	28	37	42	37.5	10.2	30	1500	10	2.8	22.8	18	36	C4AQLBW5500M3JK
54	500	24	44	41.5	37.5	10.2	30	1620	13	2.6	24.2	17	44	C4AQLBW5540M3HK
70	500	30	45	42	37.5	20.3	30	2100	13	2.1	29.1	15	36	C4AQLBW5700M3LK
80	500	35	46	42	37.5	20.3	30	2400	13	1.8	32.4	14	30	C4AQLBW5800M36K
90	500	35	50	42	37.5	20.3	30	2700	13	1.7	35.1	13	30	C4AQLBW5900M30K
110	500	38	57	42	37.5	20.3	30	3300	17	1.4	40.8	11	24	C4AQLEW6110M3CK
100	500	30	45	57.5	52.5	20.3	15	1500	13	2.9	27.4	12	27	C4AOLBW6100M3MK
130	500	35	50	57.5	52.5	20.3	15	1950	15	2.3	33.3	10	23	C4AQLBW6130M3NK
180	500	45	56	57.5	52.5	20.3	15	2700	17	1.7	42.6	8	18	C4AQLEW6180M3AK
210	500	45	65	57.5	52.5	20.3	15	3150	19	1.6	47.7	7	18	C4AQLEW6210M3BK
210	000		- 00	07.0	02.0					= 700 VDC; V _{OP105}				o miqualioniosit
3.3	700	11	20	31.5	27.5	/	65	215	17	17.0	5.9	44	256	C4AOJBU4330M1WJ
5.6	700	13	25	31.5	27.5	/	65	364	22	10.7	8.2	36	234	C4AQJBU4560M1XJ
7	700	14	28	31.5	27.5	/	65	455	24	9.0	9.5	33	96	C4AQJBU4700M1YJ
8.8	700	16	30	32	27.5	/	65	572	25	7.5	10.9	29	88	C4AQJBU4880M18J
10	700	19	29	31.5	27.5	/	65	650	25	6.8	11.7	29	72	C4AQJBU5100M11J
11	700	18	33	32	27.5	/	65	715	27	6.4	12.4	27	80	C4AQJBU5110M1EJ
15	700	22	37	31.5	27.5	/	65	975	28	5.3	14.6	23	64	C4AQJBU5150M12J
25	700	20	40	42	37.5	10.2	30	750	12	4.3	17.4	20	58	C4AQJBW5250M3FJ
30	700	28	37	42	37.5	10.2	30	900	10	3.6	19.9	18	36	C4AQJBW5300M3JJ
33	700	24	44	41.5	37.5	10.2	30	990	13	3.3	21.3	17	44	C4AQJBW5330M3HJ
40	700	30	45	42	37.5	20.3	30	1200	13	2.8	24.9	15	36	C4AQJBW5400M3LJ
45	700	35	46	42	37.5	20.3	30	1350	13	2.5	27.6	14	30	C4AQJBW5450M36J
50	700	35	50	42	37.5	20.3	30	1500	13	2.3	29.9	13	30	C4AQJBW5500M3OJ
66	700	38	57	42	37.5	20.3	30	1980	17	1.8	36.2	11	24	C4AQJEW5660M3CJ
55	700	30	45	57.5	52.5	20.3	15	825	13	4.1	23.0	12	27	C4AQJBW5550M3MJ
75	700	35	50	57.5	52.5	20.3	15	1125	15	3.1	28.7	10	23	C4AQJBW5750M3NJ
110	700	45	56	57.5	52.5	20.3	15	1650	17	2.2	37.9	8	18	C4AQJEW6110M3AJ
130	700	45	65	57.5	52.5	20.3	15	1950	19	1.9	42.9	7	18	C4AQJEW6130M3BJ
		Т	Н	L	S	S 1	V/µs	Apk	nH	mΩ	Arms	(°C/W)		
Cap Value (µF)	VDC	Dimensions (mm)					dV/dt	lpkr	ESL	ESR 70°C at 10 kHz	Irms* 70°C at 10 kHz	Rth (HS/Amb)	Packaging Quantity	PART NUMBER

^(*) I_{rms} value that leads to a ΔT of $\approx 30^{\circ}$ C in the hot spot > T_{HS} = T_{AMB} + ΔT = 70° C + 30° C = 100° C. Attention: Hot spot at 100° C reduced the life time!



Table 1 - Ratings & Part Number Reference cont.

Cap Value (µF)	VDC	Т		nension (mm)		S 1	dV/dt V/μs	lpkr Apk	ESL nH	ESR 70°C at 10 kHz mΩ	Irms* 70°C at 10 kHz Arms	Rth (HS/Amb)	Packaging Quantity	PART NUMBER
		•					•	•		= 800 VDC; V _{0P105}		,		
2.7	000	11	-00	01.5	27.5	V _{OP70} €	65	176			5.7	44	256	0.4.4.0.1011.4.0.7.0.4.1.W.1
4	800	13	20	31.5		/			17 22	18.3	7.5			C4AQIBU4270M1WJ
5	800	14	25	31.5	27.5	/	65 65	260	24	12.9	8.7	36	234 96	C4AQIBU4400M1XJ
6.5	800 800	16	28 30	31.5 32	27.5 27.5	/	65	325 423	25	10.7 8.7	10.1	33 29	96 88	C4AQIBU4500M1YJ C4AQIBU4650M18J
8	800	19	29	31.5	27.5	/	65	520	25		11.2		72	·
8.5	800	18	33	31.5	27.5	1	65	553	27	7.3 7.1	11.8	29 27	80	C4AQIBU4800M11J C4AQIBU4850M1EJ
12	800	22	37	31.5	27.5	/	65	780	28	5.7	14.1	23	64	C4AQIBU4850M1EJ
15	800	20	40	42	37.5	10.2	30	450	12	6.2	14.5	20	58	C4AQIBW5150M3FJ
22	800	28	37	42	37.5	10.2	30	660	10	4.3	18.2	18	36	C4AQIBW5150M3FJ
24	800	24	44	41.5	37.5	10.2	30	720	13	4.0	19.5	17	44	C4AQIBW5240M3HJ
30	800	30	45	41.3	37.5	20.3	30	900	13	3.2	23.2	15	36	C4AQIBW5300M3LJ
35	800	35	46	42	37.5	20.3	30	1050	13	2.8	26.1	14	30	C4AQIBW5350M36J
40	800	35	50	42	37.5	20.3	30	1200	13	2.5	28.7	13	30	C4AQIBW5400M30J
52	800	38	57	42	37.5	20.3	30	1560	17	2.0	34.5	11	24	C4AQIEW5520M3CJ
45	800	30	45	57.5	52.5	20.3	15	675	13	4.4	22.3	12	27	C4AOIBW5450M3MJ
60	800	35	50	57.5	52.5	20.3	15	900	15	3.3	27.5	10	23	C4AQIBW5600M3NJ
85	800	45	56	57.5	52.5	20.3	15	1275	17	2.5	35.8	8	18	C4AQIEW5850M3AJ
100	800	45	65	57.5	52.5	20.3	15	1500	19	2.2	40.6	7	18	C4AQIEW6100M3BJ
100	000	10	- 00	07.0	02.0					= 900 VDC; V _{OP10}			10	O I/IQIEWOTOOMOBO
2	900	11	20	31.5	27.5	/ OP70 C	70	140	17	21.9	5.2	44	256	C4AQOBU4200M1WJ
3.5	900	13	25	31.5	27.5	1	70	245	22	13.2	7.4	36	234	C4AQOBU4350M1XJ
4.4	900	14	28	31.5	27.5	/	70	308	24	10.9	8.6	33	96	C4AQOBU4440M1YJ
5.2	900	16	30	32	27.5	1	70	364	25	9.5	9.7	29	88	C4AQOBU4520M18J
6.3	900	19	29	31.5	27.5	/	70	441	25	8.1	10.6	29	72	C4AQ0BU4630M11J
7	900	18	33	32	27.5	/	70	490	27	7.6	11.4	27	80	C4AQOBU4700M1EJ
10	900	22	37	31.5	27.5	/	70	700	28	6.0	13.8	23	64	C4AQOBU5100M12J
14	900	20	40	42	37.5	10.2	35	490	12	6.0	14.8	20	58	C4AQOBW5140M3FJ
18	900	28	37	42	37.5	10.2	35	630	10	4.7	17.5	18	36	C4AQOBW5180M3JJ
20	900	24	44	41.5	37.5	10.2	35	700	13	4.3	18.9	17	44	C4AOOBW5200M3HJ
25	900	30	45	42	37.5	20.3	35	875	13	3.5	22.4	15	36	C4AQOBW5250M3LJ
28	900	35	46	42	37.5	20.3	35	980	13	3.1	24.8	14	30	C4AQOBW5280M36J
33	900	35	50	42	37.5	20.3	35	1155	13	2.7	27.6	13	30	C4AQOBW5330M3OJ
40	900	38	57	42	37.5	20.3	35	1400	17	2.3	32.4	11	24	C4AQ0EW5400M3CJ
36	900	30	45	57.5	52.5	20.3	15	540	13	4.8	21.2	12	27	C4AQOBW5360M3MJ
45	900	35	50	57.5	52.5	20.3	15	675	15	3.9	25.4	10	23	C4AQOBW5450M3NJ
65	900	45	56	57.5	52.5	20.3	15	975	17	2.8	33.5	8	18	C4AQ0EW5650M3AJ
80	900	45	65	57.5	52.5	20.3	15	1200	19	2.4	38.7	7	18	C4AQ0EW5800M3BJ
		Т	Н	L	S	S 1	V/µs	Apk	nH	mΩ	Arms	(°C/W)		
Cap Value (µF)	VDC	Dimensions (mm)				dV/dt	lpkr	ESL	ESR 70°C at 10 kHz	Irms* 70°C at 10 kHz	Rth (HS/Amb)	Packaging Quantity	PART NUMBER	

^(*) I_{rms} value that leads to a ΔT of $\approx 30^{\circ}$ C in the hot spot > T_{HS} = T_{AMB} + ΔT = 70° C + 30° C = 100° C. Attention: Hot spot at 100° C reduced the life time!



Table 1 - Ratings & Part Number Reference cont.

Cap Value (µF)	VDC	Т	Din	nensi (mm)		S1	dV/dt V/μs	lpkr Apk	ESL nH	ESR 70°C at 10 kHz mΩ	Irms* 70°C at 10 kHz Arms	Rth (HS/Amb)	Packaging Quantity	PART NUMBER
			П	L	3		•	•				,		
						V _{OP70} at				= 1,000 VDC; V _{OP1}			r	
1.7	1,000	11	20	31.5	27.5	/	75	128	17	23.3	5.1	44	256	C4AQNBU4170M1WJ
2.7	1,000	13	25	31.5	27.5	/	75	203	22	15.3	6.9	36	234	C4AQNBU4270M1XJ
3.3	1,000	14	28	31.5	27.5	/	75	248	24	12.9	7.9	33	96	C4AQNBU4330M1YJ
4	1,000	16	30	32	27.5	/	75	300	25	11.0	9.0	29	88	C4AQNBU4400M18J
5	1,000	19	29	31.5	27.5	/	75	375	25	9.1	10.1	29	72	C4AQNBU4500M11J
5.5	1,000	18	33	32	27.5	/	75	413	27	8.5	10.8	27	80	C4AQNBU4550M1EJ
8	1,000	22	37	31.5	27.5	/	75	600	28	6.6	13.2	23	64	C4AQNBU4800M12J
12	1,000	20	40	42	37.5	10.2	37	444	12	6.3	14.4	20	58	C4AQNBW5120M3FJ
14	1,000	28	37	42	37.5	10.2	37	518	10	5.4	16.3	18 17	36 44	C4AQNBW5140M3JJ
15	1,000		44	41.5	37.5	10.2	37	555	13	5.1	17.3			C4AQNBW5150M3HJ
20	1,000	30	45	42	37.5	20.3	37	740	13	3.9	21.2	15	36	C4AQNBW5200M3LJ
22	1,000	35 35	46 50	42 42	37.5	20.3	37 37	814 925	13	3.6	23.3	14	30 30	C4AQNBW5220M36J
25	1,000				37.5	20.3	37		13	3.2	25.5	13	24	C4AQNBW5250M30J
33	1,000 1.000	38	57 45	42 57.5	37.5 52.5	20.3	17	1221 510	17 13	2.5 5.2	31.1 20.4	11 12	24	C4AQNEW5330M3CJ
	1,000	35	50		52.5		17	680	15	4.0	25.2	10	23	C4AQNBW5300M3MJ
40 55	,	45	56	57.5 57.5	52.5	20.3	17	935	17	3.0	32.5	8	18	C4AQNBW5400M3NJ
65	1,000 1.000	45	65	57.5	52.5	20.3	17	1105	17	2.6	37.0	7	18	C4AQNEW5550M3AJ C4AQNEW5650M3BJ
05	1,000	40	03	37.3	32.3								10	C4AQNEW3030W3BJ
						V _{OP70} at				= 1,100 VDC; V _{OP1}				
1.4	1,100	11	20	31.5	27.5	/	80	112	17	25.9	4.8	44	256	C4AQQBU4140M1WJ
2.2	1,100	13	25	31.5	27.5	/	80	176	22	17.1	6.5	36	234	C4AQQBU4220M1XJ
2.7	1,100	14	28	31.5	27.5	/	80	216	24	14.3	7.5	33	96	C4AQQBU4270M1YJ
3.3	1,100	16	30	32	27.5	/	80	264	25	12.0	8.6	29	88	C4AQQBU4330M18J
4	1,100	19	29	31.5	27.5	/	80	320	25	10.2	9.5	29	72	C4AQQBU4400M11J
4.4	1,100	18	33	32	27.5	/	80	352	27	9.5	10.2	27	80	C4AQQBU4440M1EJ
6.6	1,100	22	37	31.5	27.5	/	80	528	28	7.1	12.6	23	64	C4AQQBU4660M12J
9	1,100	20	40	42	37.5	10.2	40	360	12	7.6	13.1	20	58	C4AQQBW4900M3FJ
12	1,100	28	37	42	37.5	10.2	40	480	10	5.7	15.8	18	36	C4AQQBW5120M3JJ
13	1,100	30	44 45	41.5	37.5	10.2	40 40	520	13	5.4	16.9 19.9	17 15	44	C4AQQBW5130M3HJ
16	1,100	35	45	42 42	37.5	20.3	40	640 720	13 13	4.4 3.9	22.1	14	36 30	C4AQQBW5160M3LJ
18 20	1,100 1,100	35	50	42	37.5 37.5	20.3	40	800	13	3.9	22.1	13	30	C4AQQBW5180M36J C4AQQBW5200M30J
27	1,100	38	57	42	37.5	20.3	40	1080	17	2.8	24.0	11	24	C4AQQEW5270M3CJ
24	1,100	38	45	57.5	52.5	20.3	20	480	13	5.9	19.2	12	27	C4AQQBW5240M3MJ
30	1,100	35	50	57.5	52.5	20.3	20	600	15	5.9 4.8	23.0	10	23	
45	1,100	45	56	57.5	52.5	20.3	20	900	17	3.3	31.0	8	23 18	C4AQQBW5300M3NJ C4AQQEW5450M3AJ
55	1,100	45	65	57.5	52.5	20.3	20	1100	17	2.8	35.8	7	18	C4AQQEW5550M3BJ
	1,100	T	H	1 37.3 L	\$2.5 S	S1	V/us	Apk	nH	mΩ	Arms	(°C/W)	10	O-AQQLW000W0D0
Cap Value (µF)	VDC	Dimensions (mm)					dV/dt	lpkr	ESL	ESR 70°C at 10 kHz	Irms* 70°C at 10 kHz	Rth (HS/Amb)	Packaging Quantity	PART NUMBER

^(*) I_{rms} value that leads to a ΔT of $\approx 30^{\circ}$ C in the hot spot > T_{HS} = T_{AMB} + ΔT = 70° C + 30° C = 100° C. Attention: Hot spot at 100° C reduced the life time!



Table 1 - Ratings & Part Number Reference cont.

Cap Value (µF)	VDC			nensi (mm)			dV/dt	lpkr	ESL	ESR 70°C at 10 kHz	Irms* 70°C at 10 kHz	Rth (HS/Amb)	Packaging Quantity	PART NUMBER
(μι)		T	Н	L	S	S1	V/µs	Apk	nH	mΩ	Arms	(°C/W)		
						V _{OP70} at	70°C = 1,4	40 VDC; V	_{IDC} at 85°C	= 1,200 VDC; V _{OP1}	₀₅ at 105°C = 850	VDC		
1.1	1,200	11	20	31.5	27.5	/	90	99	17	29.1	4.5	44	256	C4AQPBU4110M1WJ
1.8	1,200	13	25	31.5	27.5	/	90	162	22	18.5	6.3	36	234	C4AQPBU4180M1XJ
2.2	1,200	14	28	31.5	27.5	/	90	198	24	15.5	7.2	33	96	C4AQPBU4220M1YJ
2.7	1,200	16	30	32	27.5	/	90	243	25	13.0	8.3	29	88	C4AQPBU4270M18J
3.3	1,200	19	29	31.5	27.5	/	90	297	25	10.9	9.2	29	72	C4AQPBU4330M11J
3.7	1,200	18	33	32	27.5	/	90	333	27	10.0	9.9	27	80	C4AQPBU4370M1EJ
5	1,200	22	37	31.5	27.5	/	90	450	28	8.0	11.9	23	64	C4AQPBU4500M12J
8	1,200	20	40	42	37.5	10.2	45	360	12	7.7	13.1	20	58	C4AQPBW4800M3FJ
10	1,200	28	37	42	37.5	10.2	45	450	10	6.2	15.2	18	36	C4AQPBW5100M3JJ
11	1,200	24	44	41.5	37.5	10.2	45	495	13	5.6	16.4	17	44	C4AQPBW5110M3HJ
13	1,200	30	45	42	37.5	20.3	45	585	13	4.8	19.0	15	36	C4AQPBW5130M3LJ
15	1,200	35	46	42	37.5	20.3	45	675	13	4.2	21.4	14	30	C4AQPBW5150M36J
17	1,200	35	50	42	37.5	20.3	45	765	13	3.8	23.4	13	30	C4AQPBW5170M30J
22	1,200	38	57	42	37.5	20.3	45	990	17	3.0	28.4	11	24	C4AQPEW5220M3CJ
20	1,200	30	45	57.5	52.5	20.3	23	460	13	6.3	18.5	12	27	C4AQPBW5200M3MJ
25	1,200	35	50	57.5	52.5	20.3	23	575	15	5.1	22.2	10	23	C4AQPBW5250M3NJ
36	1,200	45	56	57.5	52.5	20.3	23	828	17	3.7	29.3	8	18	C4AQPEW5360M3AJ
45	1,200	45	65	57.5	52.5	20.3	23	1035	19	3.0	34.3	7	18	C4AQPEW5450M3BJ
		Т	Н	L	S	S 1	V/µs	Apk	nH	mΩ	Arms	(°C/W)		
Cap Value (µF)	VDC		Dime	nsions	(mm)		dV/dt	lpkr	ESL	ESR 70°C at 10 kHz	Irms* 70°C at 10 kHz	Rth (HS/Amb)	Packaging Quantity	PART NUMBER

^(*) I_{rms} value that leads to a ΔT of $\approx 30^{\circ}$ C in the hot spot > T_{HS} = T_{AMB} + ΔT = 70° C + 30° C = 100° C. Attention: Hot spot at 100° C reduced the life time!



Table 2 - Ratings & Part Number Reference for Low Profile Design

Cap Value (µF)	VDC	Dimensions (mm)				dV/dt	lpkr	ESL	ESR 70°C at 10 kHz	Irms* 70°C at 10 kHz	Rth (HS/Amb)	Packaging Quantity	PART NUMBER	
(P1)		Т	Н	L	S	S1	V/µs	Apk	nH	mΩ	Arms	(°C/W)		
	V _{OP70} at 70°C = 600 VDC; V _{NDC} at 85°C = 500 VDC; V _{OP105} at 105°C = 350 VDC													
5.6	500	21	12.5	32	27.5	/	65	364	11	12.4	6.8	46	192	C4AQLLU4560M11K
8	500	24	15	32	27.5	/	65	520	13	9.1	8.6	39	168	C4AQLLU4800M12K
15	500	31	19	32	27.5	/	65	975	16	5.5	12.6	30	80	C4AQLLU5150M19K
12	500	24	15	41.5	37.5	10.2	30	360	7	10.7	8.6	33	132	C4AQLLW5120M34K
16	500	24	19	41.5	37.5	10.2	30	480	8	8.1	10.5	29	88	C4AQLLW5160M33K
36	500	35	24	42	37.5	20.3	30	1080	9	3.7	17.8	23	60	C4AQLLW5360M36K
45	500	43	25	42	37.5	20.3	30	1350	9	3.0	21.4	19	48	C4AQLLW5450M38K
						V _{0P70} a	at 70°C = 8	00 VDC; V _N	_{IDC} at 85°C	= 700 VDC; V _{OP105}	at 105°C = 490 V	DC		
3.3	700	21	12.5	32	27.5	/	65	215	11	16.8	5.8	46	192	C4AQJLU4330M11J
5	700	24	15	32	27.5	/	65	325	13	11.5	7.7	39	168	C4AQJLU4500M12J
10	700	31	19	32	27.5	/	65	650	16	6.4	11.7	30	80	C4AQJLU5100M19J
7.5	700	24	15	41.5	37.5	10.2	30	225	7	13.8	7.6	33	132	C4AQJLW4750M34J
10	700	24	19	41.5	37.5	10.2	30	300	8	10.4	9.3	29	88	C4AQJLW5100M33J
22	700	35	24	42	37.5	20.3	30	660	9	4.8	15.5	23	60	C4AQJLW5220M36J
30	700	43	25	42	37.5	20.3	30	900	9	3.6	19.5	19	48	C4AQJLW5300M38J
				•		V _{0P70} a	at 70°C = 9	60 VDC; V _N	_{IDC} at 85°C	= 800 VDC; V _{OP105}	at 105°C = 560 V	DC		
2.7	800	21	12.5	32	27.5	/	65	176	11	18.0	5.6	46	192	C4AQILU4270M11J
3.8	800	24	15	32	27.5	/	65	247	13	13.2	7.1	39	168	C4AQILU4380M12J
7.5	800	31	19	32	27.5	1	65	488	16	7.3	10.9	30	80	C4AQILU4750M19J
6	800	24	15	41.5	37.5	10.2	30	180	7	15.1	7.2	33	132	C4AQILW4600M34J
8	800	24	19	41.5	37.5	10.2	30	240	8	11.4	8.9	29	88	C4AQILW4800M33J
16	800	35	24	42	37.5	20.3	30	480	9	5.8	14.2	23	60	C4AQILW5160M36J
22	800	43	25	42	37.5	20.3	30	660	9	4.3	17.9	19	48	C4AQILW5220M38J
						V _{0P70} a	t 70°C = 1,1	00 VDC; V	_{NDC} at 85°C	= 900 VDC; V _{OP10}	₅ at 105°C = 650	VDC		
2	900	21	12.5	32	27.5	/	70	140	11	21.6	5.1	46	192	C4AQOLU4200M11J
3	900	24	15	32	27.5	/	70	210	13	14.8	6.7	39	168	C4AQOLU4300M12J
6	900	31	19	32	27.5	/	70	420	16	8.1	10.4	30	80	C4AQOLU4600M19J
4.5	900	24	15	41.5	37.5	10.2	35	158	7	18.0	6.6	33	132	C4AQOLW4450M34J
6.5	900	24	19	41.5	37.5	10.2	35	228	8	12.5	8.5	29	88	C4AQOLW4650M33J
13	900	35	24	42	37.5	20.3	35	455	9	6.3	13.5	23	60	C4AQOLW5130M36J
18	900	43	25	42	37.5	20.3	35	630	9	4.6	17.2	19	48	C4AQOLW5180M38J
		T	Н	L	S	S 1	V/µs	Apk	nH	mΩ	Arms	(°C/W)		
Cap Value (µF)	VDC	Dimensions (mm)				dV/dt	lpkr	ESL	ESR 70°C at 10 kHz	Irms* 70°C at 10 kHz	Rth (HS/Amb)	Packaging Quantity	PART NUMBER	

^(*) I_{rms} value that leads to a ΔT of $\approx 30^{\circ}$ C in the hot spot > T_{HS} = T_{AMB} + ΔT = 70° C + 30° C = 100° C. Attention: Hot spot at 100° C reduced the life time!



Table 2 - Ratings & Part Number Reference for Low Profile Design cont.

Cap Value (µF)	VDC	Dimensions (mm)					dV/dt	lpkr	ESL	ESR 70°C at 10 kHz	Irms* 70°C at 10 kHz	Rth (HS/Amb)	Packaging Quantity	PART NUMBER
(рі)		Т	Н	L	S	S1	V/µs	Apk	nH	mΩ	Arms	(°C/W)		
	V_{0P70} at 70°C = 1,200 VDC; V_{NDC} at 85°C = 1,000 VDC; V_{0P105} at 105°C = 700 VDC													
1.7	1000	21	12.5	32	27.5	/	75	127.5	11	23.0	5.0	46	192	C4AQNLU4170M11J
2.5	1000	24	15	32	27.5	/	75	187.5	13	16.1	6.5	39	168	C4AQNLU4250M12J
4.8	1000	31	19	32	27.5	/	75	360	16	9.0	9.8	30	80	C4AQNLU4480M19J
3.8	1000	24	15	41.5	37.5	10.2	37	140.6	7	19.3	6.4	33	132	C4AQNLW4380M34J
5	1000	24	19	41.5	37.5	10.2	37	185	8	14.7	7.8	29	88	C4AQNLW4500M33J
10	1000	35	24	42	37.5	20.3	37	370	9	7.4	12.5	23	60	C4AQNLW5100M36J
15	1000	43	25	42	37.5	20.3	37	555	9	5.0	16.5	19	48	C4AQNLW5150M38J
	V _{OP70} at 70°C = 1,320 VDC; V _{NDC} at 85°C = 1,100 VDC; V _{OP105} at 105°C = 770 VDC													
1.4	1100	21	12.5	32	27.5	/	80	112	11	25.6	4.7	46	192	C4AQQLU4140M11J
2.1	1100	24	15	32	27.5	/	80	168	13	17.5	6.2	39	168	C4AQQLU4210M12J
4	1100	31	19	32	27.5	/	80	320	16	9.8	9.4	30	80	C4AQQLU4400M19J
3	1100	24	15	41.5	37.5	10.2	40	120	7	22.3	6.0	33	132	C4AQQLW4300M34J
4.4	1100	24	19	41.5	37.5	10.2	40	176	8	15.2	7.7	29	88	C4AQQLW4440M33J
8.5	1100	35	24	42	37.5	20.3	40	340	9	8.0	12.1	23	60	C4AQQLW4850M36J
12	1100	43	25	42	37.5	20.3	40	480	9	5.7	15.5	19	48	C4AQQLW5120M38J
						V _{OP70} at	70°C = 1,4	40 VDC; V _N	_{IDC} at 85°C	= 1,200 VDC; V _{OP1}	₀₅ at 105°C = 850	VDC		
1.1	1200	21	12.5	32	27.5	/	90	99	11	28.9	4.4	46	192	C4AQPLU4110M11J
1.7	1200	24	15	32	27.5	/	90	153	13	19.1	5.9	39	168	C4AQPLU4170M12J
3.3	1200	31	19	32	27.5	/	90	297	16	10.5	9.1	30	80	C4AQPLU4330M19J
2.5	1200	24	15	41.5	37.5	10.2	45	113	7	23.9	5.7	33	132	C4AQPLW4250M34J
3.5	1200	24	19	41.5	37.5	10.2	45	158	8	17.1	7.2	29	88	C4AQPLW4350M33J
7.2	1200	35	24	42	37.5	20.3	45	324	9	8.4	11.7	23	60	C4AQPLW4720M36J
10	1200	43	25	42	37.5	20.3	45	450	9	6.1	14.9	19	48	C4AQPLW5100M38J
		Т	Н	L	S	S 1	V/µs	Apk	nH	mΩ	Arms	(°C/W)		
Cap Value (µF)	VDC	Dimensions (mm)					dV/dt	lpkr	ESL	ESR 70°C at 10 kHz	Irms* 70°C at 10 kHz	Rth (HS/Amb)	Packaging Quantity	PART NUMBER

^(*) I_{rms} value that leads to a ΔT of ≈ 30 °C in the hot spot > T_{HS} = T_{AMB} + ΔT = 70°C + 30°C = 100°C. Attention: Hot spot at 100°C reduced the life time!



Soldering Process


The implementation of the RoHS directive has resulted in the selection of SnAuCu (SAC) alloys, or SnCu alloys, as the primary solder material. This has increased the liquidus temperature from 183° C for a SnPb eutectic alloy to $217 - 221^{\circ}$ C for new alloys. As a result, the heat stress to the components, even in wave soldering, has increased considerably due to higher pre-heat and wave temperatures. Polypropylene capacitors are especially sensitive to heat (the melting point of polypropylene is $160 - 170^{\circ}$ C). Wave soldering can be destructive, especially for mechanically small polypropylene capacitors (with lead spacing of 5 - 15 mm), and great care must be taken during soldering. The recommended solder profiles from KEMET should be used. Contact KEMET with any questions. In general, the wave soldering curve from IEC Publication 61760-1 Edition 2 serves as a solid guideline for successful soldering. See Figure 1.

Reflow soldering is not recommended for through-hole film capacitors. Exposing capacitors to a soldering profile in excess of the recommended limits may result in degradation or permanent damage to the capacitors.

Do not place the polypropylene capacitor through an adhesive curing oven to cure resin for surface mount components. Insert through-hole parts after curing the surface mount parts. Contact KEMET to discuss the actual temperature profile in the oven, if through-hole components must pass through the adhesive curing process. A maximum two soldering cycles is recommended. Allow time for the capacitor surface temperature to return to normal before the second soldering cycle.


Manual Soldering Recommendations

Following is the recommendation for manual soldering with a soldering iron.



The soldering iron tip temperature should be set at 350°C (+10°C maximum) with the soldering duration not to exceed more than 3 seconds.

Wave Soldering Recommendations





Soldering Process cont.


Wave Soldering Recommendations cont.

1. The tables indicates the maximum set-up temperature of the soldering process

Dielectric Film		n Preheat erature	Maximum Peak Soldering Temperature			
Material	Capacitor Pitch ≤ 15 mm	Capacitor Pitch > 15 mm	Capacitor Pitch ≤ 15 mm	Capacitor Pitch > 15 mm		
Polyester	130°C	130°C	270°C	270°C		
Polypropylene	110°C	130°C	260°C	270°C		
Paper	130°C	140°C	270°C	270°C		
Polyphenylene Sulphide	150°C	160°C	270°C	270°C		

2. The maximum temperature measured inside the capacitor: set the temperature so that inside the element the maximum temperature is below the limit.

Dielectric Film Material	Maximum Temperature Measured Inside the Element				
Polyester	160°C				
Polypropylene	110°C				
Paper	160°C				
Polyphenylene Sulphide	160°C				



Temperature monitored inside the capacitor.

Selective Soldering Recommendations

Selective dip soldering is a variation of reflow soldering. In this method, the printed circuit board with through-hole components to be soldered is pre-heated and transported over the solder bath, as in normal flow soldering, without touching the solder. When the board is over the bath, it is stopped. Pre-designed solder pots are lifted from the bath with molten solder, only at the places of the selected components, and pressed against the lower surface of the board to solder the components.

The temperature profile for selective soldering is similar to the double wave flow soldering outlined in this document. However, instead of two baths, there is only one with a time from 3 – 10 seconds. In selective soldering, the risk of overheating is greater than in double wave flow soldering, and great care must be taken so that the parts do not overheat.



Mounting

Resistance to Vibration and Mechanical Shock

AEC-Q200 Mechanical Stress Tests:


Mechanical Shock	MIL-SDT-202 Method 213	Test condition C Peak value 100 g, duration 6 ms, half-sine-wave (see MIL-HDBK for details)
Vibration	MIL-SDT-202 Method 204	5 g for 20 minutes, 12 cycles each of 3 orientations Use 8"X5" PCB, .031" thick. 7 secure points on one 8" side and 2 secure points at corners of opposite sides. Parts mounted within 2" from any secure point. Test from 10 – 2,000 Hz.

The capacitors are designed for PCB mounting.

The stand-off pipes must be in good contact with the printed circuit board.

The capacitor body has to be properly fixed (e.g. clamped or glued).


Construction






Construction cont.


Low Profile Version:



Winding Scheme:



Marking



Manufacturing Date Code (IEC-60062)										
Year	Code	Year	Code	Year	Code	Month	Code	Month	Code	
2010	Α	2017	J	2024	S	January	1	July	7	
2011	В	2018	K	2025	Т	February	2	August	8	
2012	С	2019	L	2026	U	March	3	September	9	
2013	D	2020	М	2027	V	April	4	October	0	
2014	Е	2021	N	2028	W	May	5	November	N	
2015	F	2022	Р	2029	Х	June	6	December	D	
2016	Н	2023	R	2030	Α			•		



KEMET Electronics Corporation Sales Offices

For a complete list of our global sales offices, please visit www.kemet.com/sales.

Disclaimer

All product specifications, statements, information and data (collectively, the "Information") in this datasheet are subject to change. The customer is responsible for checking and verifying the extent to which the Information contained in this publication is applicable to an order at the time the order is placed. All Information given herein is believed to be accurate and reliable, but it is presented without guarantee, warranty, or responsibility of any kind, expressed or implied.

Statements of suitability for certain applications are based on KEMET Electronics Corporation's ("KEMET") knowledge of typical operating conditions for such applications, but are not intended to constitute – and KEMET specifically disclaims – any warranty concerning suitability for a specific customer application or use. The Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by KEMET with reference to the use of KEMET's products is given gratis, and KEMET assumes no obligation or liability for the advice given or results obtained.

Although KEMET designs and manufactures its products to the most stringent quality and safety standards, given the current state of the art, isolated component failures may still occur. Accordingly, customer applications which require a high degree of reliability or safety should employ suitable designs or other safeguards (such as installation of protective circuitry or redundancies) in order to ensure that the failure of an electrical component does not result in a risk of personal injury or property damage.

Although all product-related warnings, cautions and notes must be observed, the customer should not assume that all safety measures are indicted or that other measures may not be required.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

KEMET:

C4AQJEW5660M3CJ C4AQPEW5220M3CJ C4AQIBU4270M1WJ C4AQIBU4400M1XJ C4AQIBU4500M1YJ C4AQIBU4650M18J C4AQPBW5170M3OJ C4AQQBW5100M3FJ C4AQQBW5120M3JJ C4AQQBW5130M3HJ C4AQQBW5160M3LJ C4AQQBW5180M36J C4AQOBW5200M3HJ C4AQOLW5180M38J C4AQPBW5100M3JJ C4AQPBW5110M3HJ C4AQPBW5130M3LJ C4AQPBW5150M36J C4AQIBW5220M3JJ C4AQIBW5240M3HJ C4AQILW5220M38J C4AQJBW5250M3FJ C4AQJLW5220M36J C4AQLBU5250M12K C4AQQLU4210M12J C4AQQLU4400M19J C4AQQLW4300M34J C4AQQLW4440M33J C4AQQLW4850M36J C4AQQLW5120M38J C4AQQBW5240M3MJ C4AQQBW5300M3NJ C4AQQEW5270M3CJ C4AQQEW5450M3AJ C4AQQEW5550M3BJ C4AQQLU4140M11J C4AQQBU4270M1YJ C4AQQBU4330M18J C4AQQBU4400M11J C4AQQBU4440M1EJ C4AQQBU4660M12J C4AQQBW5200M3OJ C4AQPLW4250M34J C4AQPLW4350M33J C4AQPLW4720M36J C4AQPLW5100M38J C4AQQBU4140M1WJ C4AQQBU4220M1XJ C4AQPBW5250M3NJ C4AQPEW5360M3AJ C4AQPEW5450M3BJ C4AQPLU4110M11J C4AQPLU4170M12J C4AQPLU4330M19J C4AQPBU4270M18J C4AQPBU4330M11J C4AQPBU4370M1EJ C4AQPBU4500M12J C4AQPBW4800M3FJ C4AQPBW5200M3MJ C4AQOLW4450M34J C4AQOLW4650M33J C4AQOLW5130M36J C4AQPBU4110M1WJ C4AQPBU4180M1XJ C4AQPBU4220M1YJ C4AQOEW5400M3CJ C4AQOEW5650M3AJ C4AQOEW5800M3BJ C4AQOLU4200M11J C4AQOLU4300M12J C4AQOLU4600M19J C4AQOBW5180M3JJ C4AQOBW5250M3LJ C4AQOBW5280M36J C4AQOBW5330M3OJ C4AQOBW5360M3MJ C4AQOBW5450M3NJ C4AQOBU4440M1YJ C4AQOBU4520M18J C4AQOBU4630M11J C4AQOBU4700M1EJ C4AQOBU5100M12J C4AQOBW5140M3FJ C4AQNLW4380M34J C4AQNLW4500M33J C4AQNLW5100M36J C4AQNLW5150M38J C4AQOBU4200M1WJ C4AQOBU4350M1XJ C4AQNEW5330M3CJ C4AQNEW5550M3AJ C4AQNEW5650M3BJ C4AQNLU4170M11J C4AQNLU4250M12J C4AQNLU4480M19J C4AQNBW5150M3HJ C4AQNBW5200M3LJ C4AQNBW5220M36J C4AQNBW5250M3OJ