CBE544 - HW 5

Submit on CANVAS

In this homework you will learn how to run DFT calculations using Quantum ESPRESSO and the Atomic Simulation Environment (ASE) on the computer cluster Anvil. Please follow the guidelines provided on the course website: https://github.com/UPennCBE544/CBE5440-2024

Before you start with the homework assignment make sure that you go through the material in the "Getting Started" section including:

- "Logging Into the Computing Clusters"
- "Basic UNIX"
- "Python Tutorial"

Next walk yourself through the ASE Tutorial which consists of three sections:

- "Introduction to ASE"
- "Getting Started with DFT"

If you get stuck on any of the theory, refer back to the Density Functional Theory - A Practical Introduction

Please complete the following tasks once you are familiar with the basics:

- 1. (30%) Determine the lattice constant a_{DFT} for IrO₂ by using DFT calculations as outlined in the "Getting Started with DFT Calculations" section.
 - a. Plot the DFT calculated total energies as a function of the guessed lattice constants. Obtain the calculated lattice constant, a_{DFT} , which gives rise to the minimum total energy.
 - b. Compare calculated (a_{DFT}) with the experimentally measured lattice constant (a_{EXP}) . Provide reference used for comparison.
- 2. (20%) Check the convergence of the bulk total energy as a function of number of k-points.
 - a. Provide a convergence plot (total energy vs. k-point).
 - b. At what k-point has the total energy converged? Why? Provide the rationale behind your choice.
- 3. (50%) Construct a (001) or (110) surface of IrO₂.
 - a. Calculate the total energy of the (001) or (110) surface of IrO₂ by performing a geometry optimization calculation.
 - b. Adsorb ONE O-molecule onto one of the surface metal sites. There are many possible sites and bond lengths to start with, but in this part only choose one site and use a bond length of 2.5Å. Calculate the total energy of the system. You may use the built-in ASE structural relaxation to find the lowest total energy.
 - c. Calculate the adsorption energy of O. Is this a physisorption or chemisorption? Provide reference for justification if needed.

$$E_{ads} = E_{IrO_2+O} - E_O - E_{IrO_2}$$

with $E_0 = -458.663 \text{ eV}$