


Thickness: **1.0MM** Finished Outer Copper: **1OZ** Inner Copper: **1OZ** Inner layer Residual copper ratio: **70%**

	Layer	Material	Thickness (mm)	Thickness after lamination(mm)
	L1-CU	Outer Base Copper 0.5OZ	0.0175	0.0175 (Plating to 1OZ)
	PP	7628 RC46% DK:4.74	0.1960	0.1855
	L2-CU	Inner Copper 1OZ	0.0350	0.5 (Core with Cu)
	CORE	Core DK:4.6	0.4300	
	L3-CU	Inner Copper 1OZ	0.0350	
	PP	7628 RC46% DK:4.74	0.1960	0.1855
	L4-CU	Outer Base Copper 0.5OZ	0.0175	0.0175 (Plating to 1OZ)