


Secure SD-WAN



The Secure SD-WAN Ordering Guide is a complete reference for choosing and ordering Fortinet SD-WAN solutions. It is designed to support a wide range of deployment needs—from small branch offices to large enterprise hubs—with detailed product specifications, licensing details, and deployment guidance.

Key highlights of this guide include:

- Comprehensive Appliance Listings: Covers branch and hub devices with performance metrics (IPsec VPN, Threat Protection, SSL Inspection, etc.).
- Flexible Deployment Options: Includes WiFi, storage, DSL, PoE, cellular variants, and support for 3G/4G/5G connectivity.
- SD-WAN Service Bundle (1329 / 1337) Licensing
- SD-WAN Service Add-on (1387 / 1389) Licensing
- Centralized Management: Details on FortiManager platforms, VM/cloud compatibility, and subscription tiers.
- Virtual and Cloud Support: Compatibility matrices for private and public cloud platforms (AWS, Azure, VMware, etc.).
- Professional Services: QuickStart deployment options and training resources to fast-track your SD-WAN rollout.
- Training: Information about the latest courses and certifications available for SD-WAN administrators.
- Selection Guidance: Criteria for choosing the right branch or hub device based on users, throughput, connectivity, and redundancy.



BRANCHES	SMALL RETAIL/OFFICE			MEDIUM RETAIL/BRANCH/SMB				
APPLIANCES	30G	40F	50G	70G	80F	90G	120G	200G
IPsec VPN Throughput¹	3.5 Gbps	4.4 Gbps	4.5 Gbps	7.1 Gbps	6.5 Gbps	25 Gbps	35 Gbps	36 Gbps
Threat Protection²	500 Mbps	600 Mbps	1.1 Gbps	1.3 Gbps	900 Mbps	2.2 Gbps	2.8 Gbps	
Application Control Throughput³	830 Mbps	990 Mbps	2.8 Gbps	3.6 Gbps	1.8 Gbps	6.7 Gbps	6.7 Gbps	27.8 Gbps
SSL Inspection Throughput	400 Mbps	310 Mbps	1.3 Gbps	1.4 Gbps	715 Mbps	2.6 Gbps	3 Gbps	7 Gbps
Unrestricted Bandwidth	✓	✓	✓	✓	✓	✓	✓	✓
Zero Trust Network Access (ZTNA)	✓	✓	✓	✓	✓	✓	✓	✓
CONNECTIVITY								
Interfaces	4x GE RJ45	5 x GE RJ45	5 x GE RJ45	10 x GE RJ45	8 x GE RJ45 2 x Shared Port Pairs	8 x GE RJ45 2 x 10 GE Shared Port Pairs	18 x GE RJ45 8 x GE SFP 4 x 10 GE SFP+	18 x GE RJ45 8 x GE SFP 4 x 10 GE SFP+
Hardware Variants	WiFi, Storage	WiFi, 3G4G	WiFi, Storage, DSL, SFP, POE	WiFi, POE	WiFi, Bypass, POE, Storage	Storage	Storage	Storage
5G/LTE Connectivity	FortiExtender (Optional)	3G4G Variant (40F-3G4G)	5G Variant (50G-5G)	FortiExtender (Optional)	FortiExtender (Optional)	FortiExtender (Optional)	FortiExtender (Optional)	FortiExtender (Optional)
SD-Branch Extensibility	Supports FortiAP, FortiSwitch							
Form Factor	Desktop	Desktop	Desktop	Desktop	Desktop	Desktop	1RU	1RU
Power Supply	Single AC PS	Single AC PS	Single AC PS	Single AC PS	Single AC PS, dual inputs	Single AC PS, dual inputs	Dual AC PS	Dual AC PS

¹ The IPsec VPN performance test uses AES256-SHA256

² SSL Inspection performance values use an average of HTTPS sessions of different cipher suites

³ IPS, Application Control, NGFW, and Threat Protection are measured with logging enabled

BRANCH BUNDLES								
FORTIGATE UNIFIED THREAT PROTECTION	30G	40F	50G	70G	80F	90G	120G	200G
Base	FG-30G-BDL-950-DD	FG-40F-BDL-950-DD	FG-50G-BDL-950-DD	FG-70G-BDL-950-DD	FG-80F-BDL-950-DD	FG-90G-BDL-950-DD	FG-120G-BDL-950-DD	FG-200G-BDL-950-DD
Wifi Variant		Refer to Price List	Refer to Price List	Refer to Price List	Refer to Price List			
Cellular Variant		FG-40F-3G4G-BDL-950-DD	FG-50G-5G-BDL-950-DD					
Wifi + Cellular Variant		Refer to Price List						
DSL Variant			FG-50G-DSL-BDL-950-DD					
Wifi + Cellular + DSL Variant					Refer to Price List			
Storage Variant	FG-31G-BDL-950-DD		FG-51G-BDL-950-DD	FG-71G-BDL-950-DD	FG-81F-BDL-950-DD	FG-91G-BDL-950-DD	FG-121G-BDL-950-DD	FG-201G-BDL-950-DD
Wifi + Storage Variant	Refer to Price List		Refer to Price List	Refer to Price List	Refer to Price List			
Wifi + Storage + DSL Variant					Refer to Price List			
Bypass					FG-80F-BYPASS-BDL-950-DD			
POE			FG-50G-SFP-POE-BDL-950-DD	FG-70G-POE-BDL-950-DD	FG-80F-POE-BDL-950-DD FG-80F-DSL-BDL-950-DD			
RENEWAL								
Base	FC-10-FG30G-950-02-DD	FC-10-0040F-950-02-DD	FC-10-GT50G-950-02-DD	FC-10-0070G-950-02-DD	FC-10-0080F-928-02-DD	FC-10-0090G-928-02-DD	FC-10-F120G-950-02-DD	FC-10-F200G-928-02-DD
Wifi Variant		Refer to Price List		Refer to Price List	Refer to Price List			
Cellular Variant		FC-10-F40FG-950-02-DD	FC-10-F50G5-950-02-DD					
Wifi + Cellular Variant		Refer to Price List						
DSL Variant			FC-10-F50GD-950-02-DD					
Storage Variant			FC-10-GT51G-950-02-DD	FC-10-0071G-950-02-DD	FC-10-0081F-950-02-DD		FC-10-F121G-950-02-DD	FC-10-F201G-950-02-DD
Wifi + Storage Variant				Refer to Price List	Refer to Price List			
Bypass					FC-10-F80FC-950-02-DD			
POE					FC-10-F80FP-950-02-DD			
SERVICES								
SD-WAN Service Bundle (including FortiCare)	FC-10-FG30G-1337-02-DD	FC-10-0040F-1337-02-DD	FC-10-GT50G-1337-02-DD	FC-10-FG70G-1329-02-DD	FC-10-0080F-1329-02-DD	FC-10-0090G-1329-02-DD	FC-10-F120G-1329-02-DD	FC-10-F200G-1329-02-DD
SD-WAN Service (Add-on)	FC-10-FG30G-1387-02-DD	FC-10-0040F-1387-02-DD	FC-10-GT50G-1387-02-DD	FC-10-FG70G-1389-02-DD	FC-10-0080F-1389-02-DD	FC-10-0090G-1389-02-DD	FC-10-F120G-1389-02-DD	FC-10-F200G-1389-02-DD



HUBS						
APPLIANCES	400G	700G	900G	1000F	1800F	2600F
IPsec VPN Throughput ¹	55 Gbps	55 Gbps	55 Gbps	55 Gbps	55 Gbps	55 Gbps
Max IPsec Tunnels ¹	50,000	50,000	50,000	100,000	100,000	100,000
Threat Protection ²	13 Gbps	26 Gbps	30 Gbps	13 Gbps	15 Gbps	25 Gbps
SSL Inspection Throughput ³ (IPS, avg. HTTPS)	11.5 Gbps	14 Gbps	16.7 Gbps	10 Gbps	12 Gbps	20 Gbps
CONNECTIVITY						
100GE QSFP28				☑	☑	☑
40GE QSFP+				☑	☑	☑
25GE SFP28	☑	☑	☑	☑	☑	☑
10GE SFP+	☑	☑	☑	☑	☑	☑
1GE SFP/RJ45	☑	☑	☑	☑	☑	☑
HARDWARE VARIANTS						
Built-in Storage	☑	☑	☑	☑	☑	☑
Bypass						
Redundant PSUs	☑	☑	☑	☑	☑	☑
DC Power					☑	☑
HUB BUNDLES						
FORTIGATE UNIFIED THREAT PROTECTION	400G	700G	900G	1000F	1800F	2600F
Base	FG-400G-BDL-950-DD	FG-700G-BDL-950-DD	FG-900G-BDL-950-DD	FG-1000F-BDL-950-DD	FG-1800F-BDL-950-DD	FG-2600F-BDL-950-DD
Storage Variant	FG-401G-BDL-950-DD	FG-701G-BDL-950-DD	FG-901G-BDL-950-DD	FG-1001F-BDL-950-DD	FG-1801F-BDL-950-DD	FG-2601F-BDL-950-DD
Bypass						
DC Power Variant					FG-1800F-DC-BDL-950-DD	FG-2600F-DC-BDL-950-DD
Storage + DC Power Variant					FG-1801F-DC-BDL-950-DD	FG-2601F-DC-BDL-950-DD
RENEWAL						
Base	FC-10-FG4H0-950-02-DD	FC-10-G7H0G-950-02-DD	FC-10-0900G-950-02-DD	FC-10-F1K0F-950-02-DD	FC-10-F18HF-950-02-DD	FC-10-F26HF-950-02-DD
Storage Variant	FC-10-FG4H1-950-02-DD	FC-10-G7H1G-950-02-DD	FC-10-0901G-950-02-DD	FC-10-F1K1F-950-02-DD	FC-10-F18F1-950-02-DD	FC-10-F26F1-950-02-DD
Bypass						
DC Power					FC-10-D18HF-950-02-DD	FC-10-FD26F-950-02-DD
Storage + DC Power Variant					FC-10-D18F1-950-02-DD	FC-10-FD261-950-02-DD
SERVICES						
SD-WAN Service Bundle (including FortiCare)	FC-10-FG4H0-1329-02-DD	FC-10-G7H0G-1329-02-DD	FC-10-FG9H0-1329-02-DD	FC-10-F1K0F-1329-02-DD	FC-10-F18HF-1329-02-DD	FC-10-F26HF-1329-02-DD
SD-WAN Service (Add-on)	FC-10-FG4H0-1389-02-DD	FC-10-G7H0G-1389-02-DD	FC-10-FG9H0-1389-02-DD	FC-10-F1K0F-1389-02-DD	FC-10-F18HF-1389-02-DD	FC-10-F26HF-1389-02-DD
LICENSES						
HyperScale					LIC-FG18F-HYPSC	LIC-FG26F-HYPSC
Carrier						FCR-EUPG



HUBS					
APPLIANCES	3000F	3000G	3200F	3500G	3700F
IPsec VPN Throughput ¹	105 Gbps	105 Gbps	105 Gbps	163 Gbps	160 Gbps
Max IPsec Tunnels ¹	200,000	200,000	200,000	200,000	200,000
Threat Protection ²	33 Gbps	80 Gbps	45 Gbps	105 Gbps	75 Gbps
SSL Inspection Throughput ³ (IPS, avg. HTTPS)	29 Gbps	75 Gbps	29 Gbps	112 Gbps	55 Gbps
CONNECTIVITY					
400GE QSFP-DD				✓	✓
200GE QSFP56				✓	✓
100GE QSFP28	✓	✓		✓	✓
50GE SFP56					✓
40GE QSFP+	✓	✓		✓	✓
25GE SFP28	✓	✓		✓	✓
10GE SFP+	✓	✓		✓	✓
1GE SFP/RJ45	✓	✓		✓	✓
HARDWARE VARIANTS					
Built-in Storage	✓	✓		✓	✓
Bypass					
Redundant Hot-Swap PSUs	✓	✓		✓	✓
DC Power	✓				
¹ The IPsec VPN performance test uses AES256-SHA256 ² SSL Inspection performance values use an average of HTTPS sessions of different cipher suites ³ IPS, Application Control, NGFW, and Threat Protection are measured with logging enabled					
HUB BUNDLES					
FORTIGATE UNIFIED THREAT PROTECTION	3000F	3000G	3200F	3500G	3700F
Base	FG-3000F-BDL-950-DD	FG-3000G-BDL-950-DD	FG3200F-BDL-950-DD	FG-3500G-BDL-950-DD	FG-3700F-BDL-950-DD
Storage Variant	FG-3001F-BDL-950-DD	FG-3001G-BDL-950-DD	FG-3201F-BDL-950-DD	FG-3501G-BDL-950-DD	FG-3701F-BDL-950-DD
Bypass					
DC Power Variant	FG-3000F-DC-BDL-950-DD				
Storage + DC Power Variant	FG-3001F-DC-BDL-950-DD				
RENEWAL					
Base	FC-10-F3K0F-950-02-DD	FC-10-G3K0G-950-02-DD	FC-10-F3K2F-950-02-DD	FC-10-G3K5G-950-02-DD	FC-10-F3K7F-950-02-DD
Storage Variant	FC-10-F3K1F-950-02-DD	FC-10-G3K1G-950-02-DD	FC-10-F32F1-950-02-DD	FC-10-G35G1-950-02-DD	FC-10-F37F1-950-02-DD
Bypass					
DC Power	FC-10-FD3K0-950-02-DD				
Storage + DC Power Variant	FC-10-FD3K1-950-02-DD				
SERVICES					
SD-WAN Service Bundle (including FortiCare)	FC-10-F3K0F-1329-02-DD	FC-10-G3K0G-1329-02-DD	FC-10-F3K2F-1329-02-DD	FC-10-G3K5G-1329-02-DD	FC-10-F3K7F-1329-02-DD
SD-WAN Service (Add-on)	FC-10-F3K0F-1389-02-DD	FC-10-G3K0G-1389-02-DD	FC-10-F3K2F-1389-02-DD	FC-10-G3K5G-1389-02-DD	FC-10-F3K7F-1389-02-DD
LICENSES					
HyperScale	LIC-FG30F-HYPSC	LIC-FG30F-HYPSC			
Carrier	FCR-EUPG	FCR-EUPG		FCR-EUPG	FCR-EUPG



HUBS				
APPLIANCES	3800G	4200F	4400F	4800F
IPsec VPN Throughput ¹	210 Gbps	210 Gbps	310 Gbps	800 Gbps
Max IPsec Tunnels ¹	200,000	200,000	200,000	200,000
Threat Protection ²	200 Gbps	45 Gbps	75 Gbps	75 Gbps
SSL Inspection Throughput ³ (IPS, avg. HTTPS)	120 Gbps	50 Gbps	86 Gbps	63 Gbps
CONNECTIVITY				
400GE QSFP-DD	✓			✓
200GE QSFP56	✓			✓
100GE QSFP28		✓	✓	✓
50GE SFP56	✓			✓
40GE QSFP+		✓	✓	✓
25GE SFP28		✓	✓	✓
10GE SFP+	✓	✓	✓	✓
1GE SFP/RJ45	✓	✓	✓	✓
HARDWARE VARIANTS				
Built-in Storage	✓	✓	✓	✓
Bypass				
Redundant Hot-Swap PSUs	✓	✓	✓	✓
DC Power	✓	✓	✓	✓

1 The IPsec VPN performance test uses AES256-SHA256

2 SSL Inspection performance values use an average of HTTPS sessions of different cipher suites

3 IPS, Application Control, NGFW, and Threat Protection are measured with logging enabled

HUB BUNDLES				
FORTIGATE UNIFIED THREAT PROTECTION	3800G	4200F	4400F	4800F
Base	FG-3800G-BDL-950-DD	FG-4200F-BDL-950-DD	FG-4400F-BDL-950-DD	FG-4800F-BDL-950-DD
Storage Variant	FG-3801G-BDL-950-DD	FG-4201F-BDL-950-DD	FG-4401F-BDL-950-DD	FG-4801F-BDL-950-DD
Bypass				
DC Power Variant	FG-3800G-DC-BDL-950-DD	FG-4200F-DC-BDL-950-DD	FG-4400F-DC-BDL-950-DD	FG-4800F-DC-BDL-950-DD
Storage + DC Power Variant	FG-3801G-DC-BDL-950-DD	FG-4201F-DC-BDL-950-DD	FG-4401F-DC-BDL-950-DD	FG-4801F-DC-BDL-950-DD
RENEWAL				
Base	FC-10-3K80G-950-02-DD	FC-10-F42HF-950-02-DD	FC-10-F44HF-950-02-DD	FC-10-F48HF-950-02-DD
Storage Variant	FC-10-3K81G-950-02-DD	FC-10-F421F-950-02-DD	FC-10-F441F-950-02-DD	FC-10-F481F-950-02-DD
Bypass				
DC Power	FC-10-D380G-950-02-DD	FC-10-D42HF-950-02-DD	FC-10-D44HF-950-02-DD	FC-10-D480F-950-02-DD
Storage + DC Power Variant	FC-10-D381G-950-02-DD	FC-10-F421F-950-02-DD	FC-10-D441F-950-02-DD	FC-10-D481F-950-02-DD
SERVICES				
SD-WAN Service Bundle (including FortiCare)	FC-10-3K80G-1329-02-DD	FC-10-F42HF-1329-02-DD	FC-10-F44HF-1329-02-DD	FC-10-F481F-1329-02-DD
SD-WAN Service (Add-on)	FC-10-3K80G-1389-02-DD	FC-10-F42HF-1389-02-DD	FC-10-F44HF-1389-02-DD	FC-10-F481F-1389-02-DD
LICENSES				
HyperScale			LIC-FG44F-HYPSC	LIC-FG48F-HYPSC
Carrier	FCR-EUPG	FCR-EUPG	FCR-EUPG	FCR-EUPG



FORTIGATE VM: PRIVATE CLOUD SUPPORT MATRIX

	VMWARE VSPHERE	CITRIX XEN	XEN	KVM	MICROSOFT HYPER-V	NUTANIX AHV
FG-VM	✓	✓	✓	✓	✓	✓

FORTIGATE VM: PUBLIC CLOUD SUPPORT MATRIX

	AMAZON AWS	MICROSOFT AZURE	ORACLE OCI / OPC	GOOGLE GCP	ALIBABA ALICLOUD
FG-VM	✓ / #	✓ / #	✓ / #	✓ / #	✓ / #

- On-demand

PROFESSIONAL SERVICES PACKAGES

	STANDALONE SITE	HUB AND SPOKE (SINGLE DC)	HUB AND SPOKE WITH ZTP (SINGLE DC)
SDWAN FortiGate Deployment QuickStart Service	FP-10-QSSDWAN-DP1-00-00	FP-10-QSSDWAN-DP2-00-00	FP-10-QSSDWAN-DP3-00-00

The QuickStart SD-WAN service is a consulting services that provides assistance for the deployment of a pre-defined FortiGate SD-WAN configuration into a customer's environment

FORTIMANAGER: CENTRALIZED MANAGEMENT PLATFORM

	200G	410G	1000G	3100G	3750G	CLOUD	VM
Default Devices/VDOMs	30	150	1,000	4,000	10,000		10
Max Devices/VDOMs with add-on license				8,000	100,000	10,000	100,000
Default ADOMs	30	150	1,000	4,000	10,000		Add-On
Max ADOMs with add-on license				8,000	12,000		1,200

ADDITIONAL SERVICES

FortiAI Assistant Subscription ¹	✓	✓	✓	✓	✓		✓
FortiCare Premium Contract	✓	✓	✓	✓	✓	✓	✓
FortiCare Elite Contract	✓	✓	✓	✓	✓	No	✓ ²
Replacement Disks			✓	✓	✓		

HOW TO BUY	HARDWARE BUNDLE	HARDWARE BUNDLE	HARDWARE BUNDLE	HARDWARE BUNDLE	HARDWARE BUNDLE	MULTI-DEVICE SUBSCRIPTION	VM BUNDLE/ SUBSCRIPTION
------------	-----------------	-----------------	-----------------	-----------------	-----------------	---------------------------	-------------------------

¹ FortiAI Assistant Subscription requires FortiManager 7.6² FortiCare Elite contract is available for FortiManager Perpetual VM models, not available for the VM subscription models.

FORTIMANAGER	200G	410G	1000G	3100G	3750G
Hardware	FMG-200G	FMG-410G	FMG-1000G	FMG-3100G	FMG-3750G
Support-only Renewal	FC-10-M200G-247-02-DD	FC-10-M410G-247-02-DD	FC-10-FM1KG-247-02-DD	FC-10-FM31G-247-02-DD	FC-10-M375G-247-02-DD
FortiAI Assistant Subscription	FC-10-M200G-1118-02-DD	FC-10-FM41G-1118-02-DD	FC-10-FM1KG-1118-02-DD	FC-10-FM31G-1118-02-DD	FC-10-M375G-1118-02-DD

REPLACEMENT DISKS

Replacement Disk SKU	SP-FAZ810G-HDD	SP-FAZ810G-HDD
----------------------	----------------	----------------

REPLACEMENT PSUS

Replacement PSU SKU	SP-FAD400F-PS	SP-FAZ800G-PS	SP-FAZ3000G-PS
---------------------	---------------	---------------	----------------



FORTIMANAGER VM							
	10 DEVICES	100 DEVICES	1000 DEVICES	DESCRIPTION			
Subscription Bundles	FC1-10-FMGVS-258-01-DD	FC2-10-FMGVS-258-01-DD	FC3-10-FMGVS-258-01-DD	All in one subscription bundle including FortiManager VM S-series and FortiCare Premium Contract. Fully stackable.			
FortiAI Assistant Subscription	FC1-10-FMGVS-1118-01-DD	FC2-10-FMGVS-1118-01-DD	FC3-10-FMGVS-1118-01-DD				
FortiAI Assistant Top-Up License		FC1-10-AITMG-1089-02-DD		FortiAI Assistant upgrade license for adding 500,000 AI tokens			
FortiCare Elite Upgrade	FC1-10-FMGVS-204-01-DD	FC2-10-FMGVS-204-01-DD	FC3-10-FMGVS-204-01-DD				
	10 DEVICES	100 DEVICES	1000 DEVICES	DESCRIPTION			
Perpetual License	FMG-VM-10-UG	FMG-VM-100-UG	FMG-VM-1000-UG	Purchase FortiCare Premium Contract or FortiCare Elite Contract separately.			
FortiAI Assistant Subscription	FC1-10-M3004-1118-02-DD	FC2-10-M3004-1118-02-DD	FC4-10-M3004-1118-02-DD	Generative AI powered central management service for real-time assistance in orchestration, automation and monitoring			
FortiCare Premium	FC1-10-M3004-248-02-DD	FC2-10-M3004-248-02-DD	FC4-10-M3004-248-02-DD				
FortiCare Elite	FC1-10-M3004-285-02-DD	FC2-10-M3004-285-02-DD	FC4-10-M3004-285-02-DD				
FortiCare Elite upgrade	FC1-10-M3004-204-02-DD	FC2-10-M3004-204-02-DD	FC4-10-M3004-204-02-DD				
FORTIMANAGER CLOUD							
	3 DEVICES	10 DEVICES	100 DEVICES	1000 DEVICES	DESCRIPTION		
Multi-Device Subscription	FC0-10-MVCLD-227-01-DD	FC1-10-MVCLD-227-01-DD	FC2-10-MVCLD-227-01-DD	FC3-10-MVCLD-227-01-DD	FortiManager Cloud Central Management & Orchestration Service including FortiCare Premium Contract. Fully Stackable.		
FORTIMANAGER VM: PRIVATE CLOUD SUPPORT							
	VMWARE	CITRIX XEN	KVM	MICROSOFT HYPER-V	NUTANIX AHV	ORACLE PRIVATE CLOUD	OPENSOURCE XEN
FMG-VM	✔	✔	✔	✔	✔	✔	✔
FORTIMANAGER VM: PUBLIC CLOUD SUPPORT							
	AMAZON AWS		MICROSOFT AZURE		GOOGLE GCP		ORACLE OCI / OPC
FMG-VM	✔		✔		✔		✔



Considerations for Branch and Hub selection

There are several important factors to consider for both branch and hub devices, and the requirements of each site make every deployment unique. The FortiGate product matrices above provide suggested hub and branch models, and the following list highlights some of the most common criteria used when selecting branch and hub devices. For help choosing the right models for your environment, speak with a Fortinet specialist.

Branch Selection

- Security requirements
- Number of users
- Throughput
- Interface connectivity
- Wireless requirements
- Redundancy (WAN, Power, IPsec Tunnels, Device)

HUB Selection

- Security requirements
- IPsec throughput
- Total IPsec Tunnels
- Interface connectivity
- Redundancy (Ports, Device, Power, Intra-site)
- AC or DC Power



Fortinet Training and Certification

FCSS - SD-WAN Architect Training and Certification

As part of the FCSS – SD-WAN Architect track, there are two administrator-level courses available for professionals working with Fortinet Secure SD-WAN. These courses provide the knowledge and hands-on skills needed to configure, deploy, and troubleshoot SD-WAN solutions across a variety of environments.

Courses Offered

SD-WAN Core Operations Administrator

Learn how to configure SD-WAN on FortiGate and understand how it interacts with routing and firewall features. This course builds a deep foundation in SD-WAN operations to help enhance and troubleshoot deployments.

For prerequisites, agenda topics, and learning objectives, visit:

https://training.fortinet.com/local/staticpage/view.php?page=library_sd-wan-core-operations-administrator

SD-WAN Large Deployment Administrator

Explore SD-WAN deployments at scale, from single enterprise sites to multi-region data centers. Learn how to deploy new topologies using the SD-WAN overlay template and zero-touch provisioning process, while gaining the expertise to optimize and troubleshoot large environments.

For prerequisites, agenda topics, and learning objectives, visit:

https://training.fortinet.com/local/staticpage/view.php?page=library_sd-wan-large-deployment-administrator

Ordering Information

For training SKUs, purchasing, and delivery options, visit:

https://training.fortinet.com/local/staticpage/view.php?page=purchasing_process



Frequently asked questions

Is there an extra license requirement or bandwidth limitations to use SD-WAN with FortiGate?

No, SD-WAN can be enabled on all FortiGate models at no additional cost. Fortinet recommends purchasing security subscription services as necessary and utilizing a FortiManager for central management.

What is the difference between the SD-WAN Services bundle (1329 / 1337) and the add-on (1387 / 1389)?

The bundle includes everything needed for SD-WAN deployments. FortiCare and FortiGuard services too. The bundles are for FortiGates not procuring other additional bundles or support. The add-on offerings provide a lower priced alternative for FortiGates with additional security bundles already in place.

What is included in the SD-WAN Services Bundle and add-on?

SD-WAN Services SKUs consolidate multiple SD-WAN, SASE, and security services into a single, simplified offering. It unlocks the full SD-WAN feature set while providing an easy path to integrate with SASE, enabling secure connectivity between the corporate network, cloud, and users.

The following features are included:

	FortiGate 60F and smaller Bundle (1337)	FortiGate 60F and smaller Add-on (1387)	FortiGate 60G+ Bundle (1329)	FortiGate 60G+ Add-on (1389)
FortiGuard Speed Testing Service	✓	✓	✓	✓
SD-WAN Setup Assistance	✓	✓	✓	✓
FortiGuard SLA Database	✓	✓	✓	✓
Application Performance Monitoring (APM)	✓	✓	✓	✓
FortiTelemetry (SaaS Monitoring)	✓	✓	✓	✓
FortiGate Cloud Standard	✓	✓	✓	✓
FortiSASE User Starter Kit			✓	✓
FortiSASE Secure Private Access (SPA) Connector	✓	✓	✓	✓
FortiCare Premium Support	✓		✓	
IoT Security & Security Ratings	✓		✓	
Recommended Use Case	Standalone SD-WAN deployment	Add-on to UTP or Enterprise bundle	Standalone SD-WAN deployment	Add-on to UTP or Enterprise bundle

To learn more, view the solution overview:

<https://www.fortinet.com/content/dam/fortinet/assets/solution-guides/sb-sd-wan-performance-monitoring.pdf>

What is the difference between SD-WAN Services SKU 1337/1387 and 1329/1389?

FortiGate series 30 - 50, and 60F do not include SASE user licenses. FortiGates 60G and larger include FortiSASE Standard User License, depending on the model tier:

- 30G - 60F: No FortiSASE User Licenses included
- 60G+: 5 Included Seats
- 100F+: 10 Included Seats
- 700G+: 50 Included Seats
- 2500G+100 Included Seats

Do SD-WAN Services support FortiGate VM SPA?

No. Customers need to purchase a separate SKU FCX-10-FGVVS-662-02-DD



How are SDWAN Services procured? Is a FortiManager license required?

SD-WAN Services are licensed on a per-FortiGate basis. For FortiGate models smaller than a FortiGate 60G, the bundle is procured using the 1337 SKU prefix, and the add-on uses the 1887 SKU prefix. For FortiGate 60G and larger models, the bundle is procured using the 1329 SKU prefix, and the add-on uses the 1889 SKU prefix.

A FortiManager license is not required to procure or use the SD-WAN Service bundle.

Can I still procure the older SD-WAN, SASE or Attack Surface SKUs at a carte?

No. As of Jan 2026, the individual SKUs will no longer be available for sale individually, and can only be procured through the SDWAN Service Bundle.

Is FortiCare included?

FortiCare is included in the standalone SD-WAN services bundles (SKU 1329 and 1337). FortiCare is not included with the SD-WAN add-on SKUs (1387 / 1389)

For Network Overlay provisioning and management, which solutions require a license?

Fortinet offers three solutions for SD-WAN network overlay provisioning and management:

1. Fabric Overlay Orchestrator: Free; included in FortiOS 7.2 and above.
2. FortiManager Overlay Orchestrator: Included with FortiManager 7.2 and above.
3. FortiGate Cloud's Overlay-as-a-Service: License required; included in the SD-WAN Service Bundle
 - Includes Geo-redundant FortiGate Hubs that can be deployed in your preferred regions.

How is "Threat Protection" measured and what does it include?

Threat Protection performance is measured with Firewall, IPS, Application Control, URL Filtering and Malware Protection enabled, utilizing "Enterprise Mix" traffic profile.

Where could I find the maximum values for SD-WAN components, such as rules and performance SLA's?

The maximum system values for all FortiGates can be found here:

<https://docs.fortinet.com/max-value-table>.

What do I need for Zero Touch Provisioning (ZTP)?

ZTP can be accomplished a number of different ways. For most deployments, we recommend purchasing FortiDeploy (FDP-SINGLE-US) with your purchase order. FortiDeploy will link the serial numbers in your order to your FortiCloud account. A FortiManager IP address can be assigned to your devices automatically so they retrieve their configuration automatically from the FortiManager of your choice.

For more information, please visit:

<https://www.fortinet.com/content/dam/fortinet/assets/data-sheets/FortiDeploy.pdf>



www.fortinet.com