

  	COMPANY: Turkistan LLP	DOCUMENT NUMBER: CCP-W-B000-51-IA-H03-0001	
	ASSET: POWER PLANT	REV NR C01	SHEET No 1 of 27
	PROJECT: Turkistan CCGT PROJECT	REVISION DATE 05.09.24	
	SUB PROJECT:	CONTRACTOR'S DATA: Doosan Enerbility	

DOCUMENT TITLE:
DCS – CABLE LIST

ABSTRACT

This document provides applicable to Power Plant for project engineering standard numbering

POWER PLANT PROJECT
TURKISTAN LLP MASTER

☐	1	APPROVED – NO COMMENT. СОГЛАСОВАНО-БЕЗ ЗАМЕЧАНИЙ. Relevant work can be proceeded, and the document shall be submitted for Design or Construction. Соответствующие работы могут быть продолжены, документ должен быть представлен для проектирования или строительства.
☐	2	APPROVED – WITH COMMENT, FORWARD FINAL DOCUMENT. СОГЛАСОВАНО-С ЗАМЕЧАНИЯМИ. Relevant work can be proceeded with corrections and revised document shall be submitted along with response sheet for Design or Construction. Соответствующие работы могут быть продолжены с корректировками, документ должен быть представлен с листом ответов для проектирования или строительства.
☐	3	REJECTED – WITH COMMENTS. ОТКЛОНЕНО-С ЗАМЕЧАНИЯМИ Only for IFR Revision. These documents shall be upgraded and revised in whole and resubmitted for Review. Только для рев. "выпущено для рассмотрения". Данные документы должны быть обновлены и пересмотрены в целом и повторно представлены на рассмотрение.
☐	4	FOR INFORMATION ONLY. ТОЛЬКО ДЛЯ ИНФОРМАЦИИ. This document does not require review by Employer. Не требует рассмотрения данного документа Заказчиком.
CC NAME//НАИМ: DATE/ДАТА:		CC SIGN/ПОДПИСЬ :
TURKISTAN LLP review or acceptance shall not carry any design responsibilities and shall not relieve the contractor from any contractual responsibilities.		

C01	05.09.24	Approval for Construction	Y.K.KIM	J.H.OH	S.H.LEE		
D01	16.07.24	Approval for Design	Y.K.KIM	J.H.OH	S.H.LEE		
Rev.	Date	Reason for Issue	Prepared By	Checked By	Approved By	Adapted by PSP LLP	Turkistan LLP Approval

REVISION DESCRIPTION SHEET

Rev.	Para.	Revision Description
D01		Approval for Design
C01		Approval for Construction
Hold No.	Para.	Description of Hold

CONTENTS

1.	LAN CABLE SCHEDULE for DCS.....	4
2.	FIBER OPTIC CABLE SCHEDULE for DCS.....	12
3.	SIGNAL CABLE SCHEDULE for DCS.....	17
4.	GROUNDING CABLE SCHEDULE for DCS.....	21
5.	POWER CABLE SCHEDULE for DCS.....	24
6.	GPS CABLE SCHEDULE for DCS.....	27



Client :	TURKISTAN LLP	Rev:	C01
Project Name :	TURKISTAN CCGT PROJECT	Sub-Supplier	Siemens
Contractor	DOOSAN ENERBILITY	Date	05.09.24
Description :	LAN CABLE SCHEDULE for DCS	DOC NO:	CCP-W-B000-51-IA-H03-0001

S/N	SYSTEM	CABLE NUMBER	CABLE		SIGNAL TYPE	UNIT	FROM						TO		PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	REMARK
			TYPE	SPEC.			TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	TAG NO.	EQUIPMENT NAME					
1	DCS SYSTEM	B0C018001	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0APP01	b0appsw01	P1	Application Highway Switch - 1	Server Room	B0-C-0001	B0SRV01	b0srv01a	P0	Application Server-A	Server Room	B0-C-0001	
2	DCS SYSTEM	B0C018002	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0APP01	b0appsw01	P2	Application Highway Switch - 1	Server Room	B0-C-0001	P0SES01	b0ses01	P1	Com SeS	Server Room	B0-C-0001	
3	DCS SYSTEM	B0C018003	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0APP01	b0appsw01	P3	Application Highway Switch - 1	Server Room	B0-C-0001	B0APP02	b0appsw02	P4	Application Highway Switch - 2	Server Room	B0-C-0001	
4	DCS SYSTEM	B0C018004	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0APP01	b0appsw01	P4	Application Highway Switch - 1	Server Room	B0-C-0001	B0APP02	b0appsw02	P3	Application Highway Switch - 2	Server Room	B0-C-0001	
5	DCS SYSTEM	B0C018005	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0APP01	b0appsw01	P5	Application Highway Switch - 1	Server Room	B0-C-0001	B0RTR01		D24-3	Multi-Unit Router Ruggedcom	Server Room	B0-C-0002	
6	DCS SYSTEM	B0C018006	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0APP01	b0appsw01	P6	Application Highway Switch - 1	Server Room	B0-C-0001	B0-DK-003	b0tcl01	P1	Com DCS Supervisory Desk	Central Control Room	B0-DK-003	
7	DCS SYSTEM	B0C018007	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0APP01	b0appsw01	P7	Application Highway Switch - 1	Server Room	B0-C-0001	B0-DK-0011	b0tcl03	P1	Com DCS EWS Desk	Computer Room	B0-DK-0011	
8	DCS SYSTEM	B0C018008	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0APP01	b0appsw01	P8	Application Highway Switch - 1	Server Room	B0-C-0001	B0-PK-001	b0colprt01	P1	Common DCS Printer Desk#1	Central Control Room	B0-PK-001	
9	DCS SYSTEM	B0C018009	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0APP01	b0appsw01	P9	Application Highway Switch - 1	Server Room	B0-C-0001	B0-DK-0012	b0tcl03	P1	Com DCS WS For Cyber Security Desk	Computer Room	B0-DK-0012	
10	DCS SYSTEM	B0C018010	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0APP01	b0appsw01	P15	Application Highway Switch - 1	Server Room	B0-C-0001	B0FW01	b0fw01	P5	Network Firewall	Server Room	B0-C-0001	
11	DCS SYSTEM	B0C018011	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0APP01	b0appsw01	P16	Application Highway Switch - 1	Server Room	B0-C-0001	BOUPS01	b0ups01	P1	COM UPS01	Server Room	B0-C-0001	
12	DCS SYSTEM	B0C018012	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0APP02	b0appsw02	P1	Application Highway Switch - 2	Server Room	B0-C-0001	B0SRV02	b0srv01b	P0	Application Server-B	Server Room	B0-C-0001	
13	DCS SYSTEM	B0C018013	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0APP02	b0appsw02	P2	Application Highway Switch - 2	Server Room	B0-C-0001	B0NAS01	b1nas01	P1	B#1 NAS	Server Room	B0-C-0001	
14	DCS SYSTEM	B0C018014	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0APP02	b0appsw02	P5	Application Highway Switch - 2	Server Room	B0-C-0001	B0RTR02		D24-3	Multi-Unit Router Ruggedcom	Server Room	B0-C-0002	
15	DCS SYSTEM	B0C018015	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0APP02	b0appsw02	P6	Application Highway Switch - 2	Server Room	B0-C-0001	B0-DK-001	b0tcl02	P1	Com DCS Electrical OWS Desk	Central Control Room	B0-DK-001	
16	DCS SYSTEM	B0C018016	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0APP02	b0appsw02	P7	Application Highway Switch - 2	Server Room	B0-C-0001	B0-LS-001	b0tcl04	P1	Com Power Generation Control Desk. (LWS)	Central Control Room	B0-LS-001	
17	DCS SYSTEM	B0C018017	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0APP02	b0appsw02	P8	Application Highway Switch - 2	Server Room	B0-C-0001	B0-PK-0011	b0colprt02	P1	Common DCS Printer Desk#2	Computer Room	B0-PK-0011	
18	DCS SYSTEM	B0C018018	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0APP02	b0appsw02	P9	Application Highway Switch - 2	Server Room	B0-C-0001	B0-DK-0013	b0tcl03	P1	Com DCS WS For Process Engineer Desk	Computer Room	B0-DK-0013	
19	DCS SYSTEM	B0C018019	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0APP02	b0appsw02	P10	Application Highway Switch - 2	Server Room	B0-C-0001	B0-DK-0014	b0tcl03	P1	Com DCS WS For WTR Analysis Desk	Computer Room	B0-DK-0014	
20	DCS SYSTEM	B0C018020	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0APP02	b0appsw02	P15	Application Highway Switch - 2	Server Room	B0-C-0001	B0FW02	b0fw02	P5	Network Firewall	Server Room	B0-C-0001	
21	DCS SYSTEM	B0C018021	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0APP02	b0appsw02	P16	Application Highway Switch - 2	Server Room	B0-C-0001	BOUPS02	b0ups02	P1	COM UPS02	Server Room	B0-C-0001	
22	DCS SYSTEM	B0C018022	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0SRV01	b0srv01a	P2	Application Server-A	Server Room	B0-C-0001	B0AUT01	b0autsw01	P1	Automation Highway Switch-1	Server Room	B0-C-0001	
23	DCS SYSTEM	B0C018023	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0SRV02	b0srv01b	P2	Application Server-B	Server Room	B0-C-0001	B0AUT02	b0autsw02	P1	Automation Highway Switch-2	Server Room	B0-C-0001	
24	DCS SYSTEM	B0C018024	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0AUT01	b0autsw01	P4	Automation Highway Switch-1	Server Room	B0-C-0001	B0RTR01	b0rtr01	H01-3	Multi Unit Router Ruggedcom	Server Room	B0-C-0002	
25	DCS SYSTEM	B0C018025	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0AUT01	b0autsw01	P11	Automation Highway Switch-1	Server Room	B0-C-0001	MC01	XCM102	P1	Media Converter	Server Room	B0-C-0001	
26	DCS SYSTEM	B0C018026	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0AUT01	b0autsw01	P12	Automation Highway Switch-1	Server Room	B0-C-0001	MC02	XCM102	P1	Media Converter	Server Room	B0-C-0001	
27	DCS SYSTEM	B0C018027	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0AUT02	b0autsw02	P3	Automation Highway Switch-2	Server Room	B0-C-0001	P0SES01	b0ses01	P2	Com SeS	Server Room	B0-C-0001	
28	DCS SYSTEM	B0C018028	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0AUT02	b0autsw02	P4	Automation Highway Switch-2	Server Room	B0-C-0001	B0RTR02	b0rtr02	H01-3	Multi Unit Router Ruggedcom	Server Room	B0-C-0002	
29	DCS SYSTEM	B0C018029	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0AUT02	b0autsw02	P11	Automation Highway Switch-2	Server Room	B0-C-0001	MC03	XCM102	P1	Media Converter	Server Room	B0-C-0001	
30	DCS SYSTEM	B0C018030	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0AUT02	b0autsw02	P12	Automation Highway Switch-2	Server Room	B0-C-0001	MC04	XCM102	P1	Media Converter	Server Room	B0-C-0001	
31	DCS SYSTEM	B0C028001	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0FW01	b0fw01	P2	Network Firewall	Server Room	B0-C-0002	MC01	XCM102	P1	Media Converter	Server Room	B0-C-0002	
32	DCS SYSTEM	B0C028002	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0FW01	b0fw01	P2	Network Firewall	Server Room	B0-C-0002	MC02	XCM102	P1	Media Converter	Server Room	B0-C-0002	
33	DCS SYSTEM	B0C028003	Ethernet Cable	CAT 6A SFTP	TCP	Common	P0TMS01	timeserv01	P1	Time Server DTS 4128	Server Room	B0-C-0002	B0RTR01		H01-16	Multi Unit Router Ruggedcom	Server Room	B0-C-0002	
34	DCS SYSTEM	B0C028004	Ethernet Cable	CAT 6A SFTP	TCP	Common	P0TMS02	timeserv02	P1	Time Server DTS 4128	Server Room	B0-C-0002	B0RTR02		H01-16	Multi Unit Router Ruggedcom	Server Room	B0-C-0002	
35	DCS SYSTEM	B0C028005	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0FW01	b0dmzfw01	P1	Firewall with Integrated DMZ Highway	Server Room	B0-C-0002	B0RTR01		G24-1	Multi Unit Router Ruggedcom	Server Room	B0-C-0002	
36	DCS SYSTEM	B0C028006	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0FW01	b0dmzfw01	P2	Firewall with Integrated DMZ Highway	Server Room	B0-C-0002	B0DMZSW01	b0dmzsw01	P2	NIDS Switch	Server Room	B0-C-0002	
37	DCS SYSTEM	B0C028007	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0DMZSW01	b0dmzsw01	P1	NIDS Switch	Server Room	B0-C-0002	B0-DK-012	b0tcl03	P2	COM DCS WS for cCybersecurity Desk	Computer Room	B0-DK-012	
38	DCS SYSTEM	B0C028008	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0DMZSW01	b0dmzsw01	P3	NIDS Switch	Server Room	B0-C-0002	P0CRU05	termsrv01	P1	Terminal Server	Server Room	B0-C-0002	
39	DCS SYSTEM	B0C028009	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0DMZSW01	b0dmzsw01	P4	NIDS Switch	Server Room	B0-C-0002	P0CAG01		P2	CAG Router	Server Room	B0-C-0002	
40	DCS SYSTEM	B0C028010	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0FW02	b0dmzfw02	P1	Firewall with Integrated DMZ Highway	Server Room	B0-C-0002	B0RTR02		G24-1	Multi Unit Router Ruggedcom	Server Room	B0-C-0002	
41	DCS SYSTEM	B0C028011	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0FW02	b0dmzfw02	P5	Firewall with Integrated DMZ Highway	Server Room	B0-C-0002	TO NTP Time Distribution For Other Systems						
42	DCS SYSTEM	B0C028012	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0POE01		P1	POE Switch For Slave Clock	Server Room	B0-C-0002	P0CLK01	comslv01	P1	Slave Clock	Central Control Room	P0CLK01	
43	DCS SYSTEM	B0C028013	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0POE01		P2	POE Switch For Slave Clock	Server Room	B0-C-0002	P0CLK02	comslv02	P1	Slave Clock	Computer Room	P0CLK02	



Client :	TURKISTAN LLP	Rev:	C01
Project Name :	TURKISTAN CCGT PROJECT	Sub-Supplier	Siemens
Contractor	DOOSAN ENERBILITY	Date	05.09.24
Description :	LAN CABLE SCHEDULE for DCS	DOC NO:	CCP-W-B000-51-IA-H03-0001

S/N	SYSTEM	CABLE NUMBER	CABLE		SIGNAL TYPE	UNIT	FROM						TO						REMARK
			TYPE	SPEC.			TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	
44	DCS SYSTEM	B0C028014	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0RTR01		D24-1	Multi-Unit Router Ruggedcom	Server Room	B0-C-0002	B1APP01	b1app01	P5	B#1 Application Highway Switch-1	Server Room	B1-C-0001	
45	DCS SYSTEM	B0C028015	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0RTR01		D24-2	Multi-Unit Router Ruggedcom	Server Room	B0-C-0002	B2APP01	b2app01	P5	B#2 Application Highway Switch-1	Server Room	B2-C-0001	
46	DCS SYSTEM	B0C028016	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0RTR01		H01-1	Multi-Unit Router Ruggedcom	Server Room	B0-C-0002	B1AUT01	b1autsw01	P4	B#1 Automation Highway Switch-1	Server Room	B1-C-0001	
47	DCS SYSTEM	B0C028017	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0RTR01		H01-2	Multi-Unit Router Ruggedcom	Server Room	B0-C-0002	B2AUT01	b2autsw01	P4	B#2 Automation Highway Switch-1	Server Room	B2-C-0001	
48	DCS SYSTEM	B0C028018	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0RTR02		D24-1	Multi-Unit Router Ruggedcom	Server Room	B0-C-0002	B1APP02	b1app02	P5	B#1 Application Highway Switch-1	Server Room	B1-C-0001	
49	DCS SYSTEM	B0C028019	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0RTR02		D24-2	Multi-Unit Router Ruggedcom	Server Room	B0-C-0002	B2APP02	b2app02	P5	B#2 Application Highway Switch-1	Server Room	B2-C-0001	
50	DCS SYSTEM	B0C028020	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0RTR02		H01-1	Multi-Unit Router Ruggedcom	Server Room	B0-C-0002	B1AUT01	b1autsw01	P4	B#1 Automation Highway Switch-1	Server Room	B1-C-0001	
51	DCS SYSTEM	B0C028021	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0RTR02		H01-2	Multi-Unit Router Ruggedcom	Server Room	B0-C-0002	B2AUT01	b2autsw01	P4	B#2 Automation Highway Switch-1	Server Room	B2-C-0001	
52	DCS SYSTEM	B0C038001	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0CS01A/B	b0cm01a/b	PN1.1	Communication Server CS3000	COM Third Party Communication Cabinet	B0-C-0003	P0MODSW01	com_extsw01	P1	Scalance XR324-12M	Central Electronic Room	B0-C-0003	
53	DCS SYSTEM	B0C038002	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0CS01A/B	b0cm01a/b	PN2.1	Communication Server CS3000	COM Third Party Communication Cabinet	B0-C-0003	P0MODSW02	com_extsw02	P1	Scalance XR324-12M	Central Electronic Room	B0-C-0003	
54	DCS SYSTEM	B0C038003	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0CS01A/B	b0cm01a/b	X1	Communication Server CS3000	COM Third Party Communication Cabinet	B0-C-0003	MC01	XCM102	P1	Media Converter	Central Electronic Room	B0-C-0003	
55	DCS SYSTEM	B0C038004	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0CS01A/B	b0cm01a/b	X2	Communication Server CS3000	COM Third Party Communication Cabinet	B0-C-0003	MC02	XCM102	P1	Media Converter	Central Electronic Room	B0-C-0003	
56	DCS SYSTEM	B0C038005	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0CS02A/B	b0cm02a/b	X1	Communication Server CS3000	COM Third Party Communication Cabinet	B0-C-0003	MC03	XCM102	P1	Media Converter	Central Electronic Room	B0-C-0003	
57	DCS SYSTEM	B0C038006	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0CS02A/B	b0cm02a/b	X2	Communication Server CS3000	COM Third Party Communication Cabinet	B0-C-0003	MC04	XCM102	P1	Media Converter	Central Electronic Room	B0-C-0003	
58	DCS SYSTEM	B0C038007	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0CS02A/B	b0cm02a/b	PN1.1	Communication Server CS3000	COM Third Party Communication Cabinet	B0-C-0003	MC01	XCM102	P1	Media Converter	Central Electronic Room	B0-C-0003	
59	DCS SYSTEM	B0C038008	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0CS02A/B	b0cm02a/b	PN2.1	Communication Server CS3000	COM Third Party Communication Cabinet	B0-C-0003	MC02	XCM102	P1	Media Converter	Central Electronic Room	B0-C-0003	
60	DCS SYSTEM	B0D108001	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0ASC10A/B	b0afcc10a/b	X1:P1	Automation Server AS-S7	System Cabinet for Plant Common	B0-D-0010	MC01	XCM102	P1	Media Converter	System Cabinet for Plant Common	B0-D-0010	
61	DCS SYSTEM	B0D108002	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0ASC10A/B	b0afcc10a/b	X2:P1	Automation Server AS-S7	System Cabinet for Plant Common	B0-D-0010	MC02	XCM102	P1	Media Converter	System Cabinet for Plant Common	B0-D-0010	
62	DCS SYSTEM	B0D108003	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0ASC10A/B	b0afcc10a/b	X8:P2	Automation Server AS-S7	System Cabinet for Plant Common	B0-D-0010	IM00	FR-A00	X1:P1	FR-A Interface Module	System Cabinet for Plant Common	B0-D-0010	
63	DCS SYSTEM	B0D108004	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0ASC10A/B	b0afcc10a/b	X8:P2	Automation Server AS-S7	System Cabinet for Plant Common	B0-D-0010	IM01	FR-A01	X1:P2	FR-A Interface Module	System Cabinet for Plant Common	B0-D-0010	
64	DCS SYSTEM	B0D108005	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM00	FR-A00	X1:P2	FR-A Interface Module	System Cabinet for Plant Common	B0-D-0010	IM00	FR-B00	X1:P1	FR-B Interface Module	System Cabinet for Plant Common	B0-D-0010	
65	DCS SYSTEM	B0D108006	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM01	FR-A01	X1:P1	FR-A Interface Module	System Cabinet for Plant Common	B0-D-0010	IM01	FR-B01	X1:P2	FR-B Interface Module	System Cabinet for Plant Common	B0-D-0010	
66	DCS SYSTEM	B0D108007	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM00	FR-B00	X1:P2	FR-B Interface Module	System Cabinet for Plant Common	B0-D-0010	IM00	RR-A00	X1:P1	RR-A Interface Module	System Cabinet for Plant Common	B0-D-0010	
67	DCS SYSTEM	B0D108008	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM01	FR-B01	X1:P1	FR-B Interface Module	System Cabinet for Plant Common	B0-D-0010	IM01	RR-A01	X1:P2	RR-A Interface Module	System Cabinet for Plant Common	B0-D-0010	
68	DCS SYSTEM	B0D108009	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM00	RR-A00	X1:P2	RR-A Interface Module	System Cabinet for Plant Common	B0-D-0010	MC03	X101-1	P1	Media Converter	System Cabinet for Plant Common	B0-D-0010	
69	DCS SYSTEM	B0D108010	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM01	RR-A01	X1:P1	RR-A Interface Module	System Cabinet for Plant Common	B0-D-0010	MC04	X101-1	P1	Media Converter	System Cabinet for Plant Common	B0-D-0010	
70	DCS SYSTEM	B0D118001	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM00	FR-A00	X1:P1	FR-A Interface Module	Remote IO Cabinet for WY/WWT LER	B0-D-0011	MC01	X101-1	P1	Media Converter	Remote IO Cabinet for WY/WWT LER	B0-D-0011	
71	DCS SYSTEM	B0D118002	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM01	FR-A01	X1:P2	FR-A Interface Module	Remote IO Cabinet for WY/WWT LER	B0-D-0011	MC02	X101-1	P1	Media Converter	Remote IO Cabinet for WY/WWT LER	B0-D-0011	
72	DCS SYSTEM	B0D118003	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM00	FR-A00	X1:P2	FR-A Interface Module	Remote IO Cabinet for WY/WWT LER	B0-D-0011	IM00	FR-B00	X1:P1	FR-B Interface Module	Remote IO Cabinet for WY/WWT LER	B0-D-0011	
73	DCS SYSTEM	B0D118004	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM01	FR-A01	X1:P1	FR-A Interface Module	Remote IO Cabinet for WY/WWT LER	B0-D-0011	IM01	FR-B01	X1:P2	FR-B Interface Module	Remote IO Cabinet for WY/WWT LER	B0-D-0011	
74	DCS SYSTEM	B0D118005	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM00	RR-A00	X1:P1	RR-A Interface Module	Remote IO Cabinet for WY/WWT LER	B0-D-0011	IM00	FR-B00	X1:P2	FR-B Interface Module	Remote IO Cabinet for WY/WWT LER	B0-D-0011	
75	DCS SYSTEM	B0D118006	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM01	RR-A01	X1:P2	RR-A Interface Module	Remote IO Cabinet for WY/WWT LER	B0-D-0011	IM01	FR-B01	X1:P1	FR-B Interface Module	Remote IO Cabinet for WY/WWT LER	B0-D-0011	
76	DCS SYSTEM	B0D208001	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0ASC20A/B	b0afcc20a/b	X1:P1	Automation Server AS-S7	System Cabinet for Plant Common Electrical	B0-D-0020	MC01	XCM102	P1	Media Converter	System Cabinet for Plant Common Electrical	B0-D-0020	
77	DCS SYSTEM	B0D208002	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0ASC20A/B	b0afcc20a/b	X2:P1	Automation Server AS-S7	System Cabinet for Plant Common Electrical	B0-D-0020	MC02	XCM102	P1	Media Converter	System Cabinet for Plant Common Electrical	B0-D-0020	
78	DCS SYSTEM	B0D208003	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0ASC20A/B	b0afcc20a/b	X8:P2	Automation Server AS-S7	System Cabinet for Plant Common Electrical	B0-D-0020	IM00	FR-A00	X1:P1	FR-A Interface Module	System Cabinet for Plant Common Electrical	B0-D-0020	
79	DCS SYSTEM	B0D208004	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0ASC20A/B	b0afcc20a/b	X8:P2	Automation Server AS-S7	System Cabinet for Plant Common Electrical	B0-D-0020	IM01	FR-A01	X1:P2	FR-A Interface Module	System Cabinet for Plant Common Electrical	B0-D-0020	



Client :	TURKISTAN LLP	Rev:	C01
Project Name :	TURKISTAN CCGT PROJECT	Sub-Supplier	Siemens
Contractor	DOOSAN ENERBILITY	Date	05.09.24
Description :	LAN CABLE SCHEDULE for DCS	DOC NO:	CCP-W-B000-51-1A-H03-0001

S/N	SYSTEM	CABLE NUMBER	CABLE		SIGNAL TYPE	UNIT	FROM						TO		PORT	DESCRIPTION	LOCATION	CONSOL / CABLET NAME	REMARK
			TYPE	SPEC.			TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABLET NAME	TAG NO.	EQUIPMENT NAME					
80	DCS SYSTEM	B0D208005	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM00	FR-A00	X1:P2	FR-A Interface Module	System Cabinet for Plant Common Electrical	B0-D-0020	IM00	FR-B00	X1:P1	FR-B Interface Module	System Cabinet for Plant Common Electrical	B0-D-0020	
81	DCS SYSTEM	B0D208006	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM01	FR-A01	X1:P1	FR-A Interface Module	System Cabinet for Plant Common Electrical	B0-D-0020	IM01	FR-B01	X1:P2	FR-B Interface Module	System Cabinet for Plant Common Electrical	B0-D-0020	
82	DCS SYSTEM	B0D208007	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM00	FR-B00	X1:P2	FR-B Interface Module	System Cabinet for Plant Common Electrical	B0-D-0020	IM00	RR-A00	X1:P1	RR-A Interface Module	System Cabinet for Plant Common Electrical	B0-D-0020	
83	DCS SYSTEM	B0D208008	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM01	FR-B01	X1:P1	FR-B Interface Module	System Cabinet for Plant Common Electrical	B0-D-0020	IM01	RR-A01	X1:P2	RR-A Interface Module	System Cabinet for Plant Common Electrical	B0-D-0020	
84	DCS SYSTEM	B0D208009	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM00	RR-A00	X1:P2	RR-A Interface Module	System Cabinet for Plant Common Electrical	B0-D-0020	MC03	X101-1	P1	Media Converter	System Cabinet for Plant Common Electrical	B0-D-0020	
85	DCS SYSTEM	B0D208010	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM01	RR-A01	X1:P1	RR-A Interface Module	System Cabinet for Plant Common Electrical	B0-D-0020	MC04	X101-1	P1	Media Converter	System Cabinet for Plant Common Electrical	B0-D-0020	
86	DCS SYSTEM	B0D218001	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM00	FR-A00	X1:P1	FR-A Interface Module	IO Extention cabinet for olant clock#2 Electrical	B0-D-0021	MC01	X101-1	P1	Media Converter	IO Extention cabinet for olant clock#2 Electrical	B0-D-0021	
87	DCS SYSTEM	B0D218002	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM01	FR-A01	X1:P2	FR-A Interface Module	IO Extention cabinet for olant clock#2 Electrical	B0-D-0021	MC02	X101-1	P1	Media Converter	IO Extention cabinet for olant clock#2 Electrical	B0-D-0021	
88	DCS SYSTEM	B0D218003	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM00	FR-A00	X1:P2	FR-A Interface Module	IO Extention cabinet for olant clock#2 Electrical	B0-D-0021	IM00	FR-B00	X1:P1	FR-B Interface Module	IO Extention cabinet for olant clock#2 Electrical	B0-D-0021	
89	DCS SYSTEM	B0D218004	Ethernet Cable	CAT 6A SFTP	TCP	Common	IM01	FR-A01	X1:P1	FR-A Interface Module	IO Extention cabinet for olant clock#2 Electrical	B0-D-0021	IM01	FR-B01	X1:P2	FR-B Interface Module	IO Extention cabinet for olant clock#2 Electrical	B0-D-0021	
90	DCS SYSTEM	B0C118001	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0MDASW01	b0mdasw01	P1	Application Highway Switch-1	MDA Cabinet	B0-C-0011	B0MDASRV01	b0mdasrv01a	P1	Application Server-1	MDA Cabinet	B0-C-0011	
91	DCS SYSTEM	B0C118002	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0MDASW01	b0mdasw01	P2	Application Highway Switch-1	MDA Cabinet	B0-C-0011	B0RTR01	b0rtr01	G24-P2	Com Router	Network Cabinet	B0-C-0002	
92	DCS SYSTEM	B0C118003	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0MDASW01	b0mdasw01	P3	Application Highway Switch-1	MDA Cabinet	B0-C-0011	B0MDASES01	b0mdases01	P1	Security Server	MDA Cabinet	B0-C-0011	
93	DCS SYSTEM	B0C118004	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0MDASW01	b0mdasw01	P8	Application Highway Switch-1	MDA Cabinet	B0-C-0011	B0MDASRV01	b0mdasrv01a	P2	Application Server-1	MDA Cabinet	B0-C-0011	
94	DCS SYSTEM	B0C118005	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0MDASW01	b0mdasw01	P10	Application Highway Switch-1	MDA Cabinet	B0-C-0011	B0MDACS01A/B	b0mdacm01a/b	X1	Communication Server CS3000	MDA Cabinet	B0-C-0011	
95	DCS SYSTEM	B0C118006	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0MDASW01	b0mdasw01	P11	Application Highway Switch-1	MDA Cabinet	B0-C-0011	B0MDAFW03	b0mdafw03	P5	Network Firewall	MDA Cabinet	B0-C-0011	
96	DCS SYSTEM	B0C118007	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0MDASW01	b0mdasw01	P14	Application Highway Switch-1	MDA Cabinet	B0-C-0011	B0RTR01	b0rtr01	H01-P13	Com Router	Network Cabinet	B0-C-0002	
97	DCS SYSTEM	B0C118008	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0MDASW01	b0mdasw01	P15	Application Highway Switch-1	MDA Cabinet	B0-C-0011	B0MDASW02	b0mdasw02	P16	Application Highway Switc-2	MDA Cabinet	B0-C-0011	
98	DCS SYSTEM	B0C118009	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0MDASW01	b0mdasw01	P16	Application Highway Switch-1	MDA Cabinet	B0-C-0011	B0MDASW02	b0mdasw02	P15	Application Highway Switc-2	MDA Cabinet	B0-C-0011	
99	DCS SYSTEM	B0C118010	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0MDASW02	b0mdasw02	P1	Application Highway Switch-2	MDA Cabinet	B0-C-0011	B0MDASRV02	b0mdasrv01b	P1	Application Server-2	MDA Cabinet	B0-C-0011	
100	DCS SYSTEM	B0C118011	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0MDASW02	b0mdasw02	P2	Application Highway Switch-2	MDA Cabinet	B0-C-0011	B0RTR02	b0rtr02	G24-P2	Com Router	Network Cabinet	B0-C-0002	
101	DCS SYSTEM	B0C118012	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0MDASW02	b0mdasw02	P8	Application Highway Switch-2	MDA Cabinet	B0-C-0011	B0MDASRV02	b0mdasrv01b	P2	Application Server-2	MDA Cabinet	B0-C-0011	
102	DCS SYSTEM	B0C118013	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0MDASW02	b0mdasw02	P9	Application Highway Switch-2	MDA Cabinet	B0-C-0011	B0MDASES01	b0mdases01	P2	Security Server	MDA Cabinet	B0-C-0011	
103	DCS SYSTEM	B0C118014	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0MDASW02	b0mdasw02	P10	Application Highway Switch-2	MDA Cabinet	B0-C-0011	B0MDACS01A/B	b0mdacm01a/b	X2	Communication Server CS3000	MDA Cabinet	B0-C-0011	
104	DCS SYSTEM	B0C118015	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0MDASW02	b0mdasw02	P11	Application Highway Switch-2	MDA Cabinet	B0-C-0011	B0MDAFW04	b0mdafw04	P5	Network Firewall	MDA Cabinet	B0-C-0011	
105	DCS SYSTEM	B0C118016	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0MDASW02	b0mdasw02	P14	Application Highway Switch-2	MDA Cabinet	B0-C-0011	B0RTR02	b0rtr02	H01-P13	Com Router	Network Cabinet	B0-C-0002	
106	DCS SYSTEM	B0C118017	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0MDASRV01	b0mdasrv01a	P3	Application Server-1	MDA Cabinet	B0-C-0011	B0MDASRV02	b0mdasrv01b	P3	Application Server-2	MDA Cabinet	B0-C-0011	
107	DCS SYSTEM	B0C118018	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0MDACS01A/B	b0mdacm01a/b	PN1.2	Communication Server CS3000	MDA Cabinet	B0-C-0011	B0MDAFW01	b0mdafw01	P5	Network Firewall	MDA Cabinet	B0-C-0011	
108	DCS SYSTEM	B0C118019	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0MDACS01A/B	b0mdacm01a/b	PN2.2	Communication Server CS3000	MDA Cabinet	B0-C-0011	B0MDAFW02	b0mdafw02	P5	Network Firewall	MDA Cabinet	B0-C-0011	
109	DCS SYSTEM	B0C218001	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0PISW01	b0pispw01	P1	Application Highway Switch-1	PI Cabinet	B0-C-0021	B0MPISRV01	b0PIsrv01a	P1	Application Server-1	PI Cabinet	B0-C-0021	
110	DCS SYSTEM	B0C218002	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0PISW01	b0pispw01	P2	Application Highway Switch-1	PI Cabinet	B0-C-0021	B0RTR01	b0rtr01	G24-P3	Com Router	Network Cabinet	B0-C-0002	
111	DCS SYSTEM	B0C218003	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0PISW01	b0pispw01	P3	Application Highway Switch-1	PI Cabinet	B0-C-0021	B0PISES01	b0PIses01	P1	Security Server	PI Cabinet	B0-C-0021	
112	DCS SYSTEM	B0C218004	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0PISW01	b0pispw01	P8	Application Highway Switch-1	PI Cabinet	B0-C-0021	B0PISRV01	b0PIsrv01a	P2	Application Server-1	PI Cabinet	B0-C-0021	



Client :	TURKISTAN LLP	Rev:	C01
Project Name :	TURKISTAN CCGT PROJECT	Sub-Supplier	Siemens
Contractor	DOOSAN ENERBILITY	Date	05.09.24
Description :	LAN CABLE SCHEDULE for DCS	DOC NO:	CCP-W-B000-51-IA-H03-0001

S/N	SYSTEM	CABLE NUMBER	CABLE		SIGNAL TYPE	UNIT	FROM						TO						REMARK
			TYPE	SPEC.			TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	
113	DCS SYSTEM	B0C218005	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0PISW01	b0pisw01	P10	Application Highway Switch-1	PI Cabinet	B0-C-0021	B0PIFW01	b0PIfw01	P5	Network Firewall	PI Cabinet	B0-C-0021	
114	DCS SYSTEM	B0C218006	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0PISW01	b0pisw01	P11	Application Highway Switch-1	PI Cabinet	B0-C-0021	B0PIFW03	b0PIfw03	P5	Network Firewall	PI Cabinet	B0-C-0021	
115	DCS SYSTEM	B0C218007	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0PISW01	b0pisw01	P12	Application Highway Switch-1	PI Cabinet	B0-C-0021	B0PIFW05	b0PIfw05	P5	Network Firewall	PI Cabinet	B0-C-0021	
116	DCS SYSTEM	B0C218008	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0PISW01	b0pisw01	P15	Application Highway Switch-1	PI Cabinet	B0-C-0021	B0PISW02	b0PIsw02	P16	Application Highway Switc-2	PI Cabinet	B0-C-0021	
117	DCS SYSTEM	B0C218009	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0PISW01	b0pisw01	P16	Application Highway Switch-1	PI Cabinet	B0-C-0021	B0PISW02	b0PIsw02	P15	Application Highway Switc-2	PI Cabinet	B0-C-0021	
118	DCS SYSTEM	B0C218010	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0PISW02	b0pisw02	P1	Application Highway Switch-2	PI Cabinet	B0-C-0021	B0PISRV02	b0PIsrv01b	P1	Application Server-2	PI Cabinet	B0-C-0021	
119	DCS SYSTEM	B0C218011	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0PISW02	b0pisw02	P3	Application Highway Switch-2	PI Cabinet	B0-C-0021	B0-DK-018	b0pitcl01	P1	Plant Information Desk	Computer Room	B0-DK-018	
120	DCS SYSTEM	B0C218012	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0PISW02	b0pisw02	P6	Application Highway Switch-2	PI Cabinet	B0-C-0021	B0RTR02	b0rtr02	G24-P3	Com Router	Network Cabinet	B0-C-0002	
121	DCS SYSTEM	B0C218013	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0PISW02	b0pisw02	P8	Application Highway Switch-2	PI Cabinet	B0-C-0021	B0PISRV02	b0PIsrv01b	P2	Application Server-2	PI Cabinet	B0-C-0021	
122	DCS SYSTEM	B0C218014	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0PISW02	b0pisw02	P9	Application Highway Switch-2	PI Cabinet	B0-C-0021	B0PISES01	b0PIses01	P2	Security Server	PI Cabinet	B0-C-0021	
123	DCS SYSTEM	B0C218015	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0PISW02	b0pisw02	P10	Application Highway Switch-2	PI Cabinet	B0-C-0021	B0PIFW02	b0PIfw02	P5	Network Firewall	PI Cabinet	B0-C-0021	
124	DCS SYSTEM	B0C218016	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0PISW02	b0pisw02	P11	Application Highway Switch-2	PI Cabinet	B0-C-0021	B0PIFW04	b0PIfw04	P5	Network Firewall	PI Cabinet	B0-C-0021	
125	DCS SYSTEM	B0C218017	Ethernet Cable	CAT 6A SFTP	TCP	Common	B0PISW02	b0pisw02	P12	Application Server-1	PI Cabinet	B0-C-0021	B0PIFW06	b0PIfw06	P5	Network Firewall	PI Cabinet	B0-C-0021	
126	DCS SYSTEM	B1C018001	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1APP01	b1appsw01	P1	B#1 Application Highway switch-1	B#1 Server and Network Cabinet	B1-C-0001	B1SRV01	b1srv01a	P1	Application Server-A	B#1 Server and Network Cabinet	B1-C-0001	
127	DCS SYSTEM	B1C018002	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1APP01	b1appsw01	P2	B#1 Application Highway switch-1	B#1 Server and Network Cabinet	B1-C-0001	B1SES01	b1ses01	P1	B#1 Security Server	B#1 Server and Network Cabinet	B1-C-0001	
128	DCS SYSTEM	B1C018003	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1APP01	b1appsw01	P3	B#1 Application Highway switch-1	B#1 Server and Network Cabinet	B1-C-0001	P1APP02	b1appsw02	P4	B#1 Application Highway switch-2	B#1 Server and Network Cabinet	B1-C-0001	
129	DCS SYSTEM	B1C018004	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1APP01	b1appsw01	P4	B#1 Application Highway switch-1	B#1 Server and Network Cabinet	B1-C-0001	P1APP02	b1appsw02	P3	B#1 Application Highway switch-2	B#1 Server and Network Cabinet	B1-C-0001	
130	DCS SYSTEM	B1C018005	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1APP01	b1appsw01	P6	B#1 Application Highway switch-1	B#1 Server and Network Cabinet	B1-C-0001	B1-DK-104	b1tcl01	P1	B#1 HRSG & BOP OWS Desk #1	Central Control Room	B1-DK-104	
131	DCS SYSTEM	B1C018006	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1APP01	b1appsw01	P7	B#1 Application Highway switch-1	B#1 Server and Network Cabinet	B1-C-0001	B1-DK-114	b1tcl04	P1	B#1 DCS EWS Desk#1	Computer Room	B1-DK-114	
132	DCS SYSTEM	B1C018007	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1APP01	b1appsw01	P8	B#1 Application Highway switch-1	B#1 Server and Network Cabinet	B1-C-0001	B1-PK-104	b1colprt01	P1	B#1 DCS Printer Desk#1	Central Control Room	B1-PK-104	
133	DCS SYSTEM	B1C018008	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1APP01	b1appsw01	P10	B#1 Application Highway switch-1	B#1 Server and Network Cabinet	B1-C-0001	B1-DK-106	b1tcl03	P1	B#1 SRS OWS Desk	Central Control Room	B1-DK-106	
134	DCS SYSTEM	B1C018009	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1APP01	b1appsw01	P15	B#1 Application Highway switch-1	B#1 Server and Network Cabinet	B1-C-0001	B1FW01	b1fw01	P5	Network Firewall	B#1 Server and Network Cabinet	B1-C-0001	
135	DCS SYSTEM	B1C018010	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1APP01	b1appsw01	P16	B#1 Application Highway switch-1	B#1 Server and Network Cabinet	B1-C-0001	B1UPS01	b1ups01	P1	B#1 UPS01	B#1 Server and Network Cabinet	B1-C-0001	
136	DCS SYSTEM	B1C018011	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	P1APP02	b1appsw02	P1	B#1 Application Highway switch-2	B#1 Server and Network Cabinet	B1-C-0001	B1SRV02	b1srv01b	P1	Application Server-B	B#1 Server and Network Cabinet	B1-C-0001	
137	DCS SYSTEM	B1C018012	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	P1APP02	b1appsw02	P2	B#1 Application Highway switch-2	B#1 Server and Network Cabinet	B1-C-0001	B1NAS01	b1nas01	P1	B#1 NAS	B#1 Server and Network Cabinet	B1-C-0001	
138	DCS SYSTEM	B1C018013	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	P1APP02	b1appsw02	P6	B#1 Application Highway switch-2	B#1 Server and Network Cabinet	B1-C-0001	B1-DK-105	b1tcl02	P1	B#1 HRSG & BOP OWS Desk #2	Central Control Room	B1-DK-105	
139	DCS SYSTEM	B1C018014	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	P1APP02	b1appsw02	P7	B#1 Application Highway switch-2	B#1 Server and Network Cabinet	B1-C-0001	B1-LS-101	b1tcl06	P1	B#1 Power Generation Control Desk. (LS)	Central Control Room	B1-LS-101	
140	DCS SYSTEM	B1C018015	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	P1APP02	b1appsw02	P8	B#1 Application Highway switch-2	B#1 Server and Network Cabinet	B1-C-0001	B1-PK-212	b1colprt03	P1	B#1 DCS Printer Desk#3	Central Control Room	B1-PK-212	
141	DCS SYSTEM	B1C018016	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	P1APP02	b1appsw02	P9	B#1 Application Highway switch-2	B#1 Server and Network Cabinet	B1-C-0001	B1-DK-115	b1tcl05	P1	B#1 DCS EWS Desk#2	Computer Room	B1-DK-115	
142	DCS SYSTEM	B1C018017	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	P1APP02	b1appsw02	P10	B#1 Application Highway switch-2	B#1 Server and Network Cabinet	B1-C-0001	B1-PK-105	b1colprt02	P1	B#1 DCS Printer Desk#2	Central Control Room	B1-PK-105	
143	DCS SYSTEM	B1C018018	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	P1APP02	b1appsw02	P15	B#1 Application Highway switch-2	B#1 Server and Network Cabinet	B1-C-0001	B1FW02	b1fw02	P5	Network Firewall	B#1 Server and Network Cabinet	B1-C-0001	
144	DCS SYSTEM	B1C018019	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	P1APP02	b1appsw02	P16	B#1 Application Highway switch-2	B#1 Server and Network Cabinet	B1-C-0001	B1UPS02	b1ups02	P1	B#1 UPS02	B#1 Server and Network Cabinet	B1-C-0001	
145	DCS SYSTEM	B1C018020	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AUT01	b1autsw01	P1	B#1 Automation Highway Switch-1	B#1 Server and Network Cabinet	B1-C-0001	B1SRV01	b1srv01a	P2	Application Server-A	B#1 Server and Network Cabinet	B1-C-0001	



Client :	TURKISTAN LLP	Rev:	C01
Project Name :	TURKISTAN CCGT PROJECT	Sub-Supplier	Siemens
Contractor	DOOSAN ENERBILITY	Date	05.09.24
Description :	LAN CABLE SCHEDULE for DCS	DOC NO:	CCP-W-B000-51-IA-H03-0001

S/N	SYSTEM	CABLE NUMBER	CABLE		SIGNAL TYPE	UNIT	FROM						TO		PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	REMARK
			TYPE	SPEC.			TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	TAG NO.	EQUIPMENT NAME					
146	DCS SYSTEM	B1C018021	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AUT01	b1autsw01	P5	B#1 Automation Highway Switch-1	B#1 Server and Network Cabinet	B1-C-0001	MC01	XCM102	P1	Media Converter	B#1 Server and Network Cabinet	B1-C-0001	
147	DCS SYSTEM	B1C018022	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AUT01	b1autsw01	P6	B#1 Automation Highway Switch-1	B#1 Server and Network Cabinet	B1-C-0001	MC03	XCM102	P1	Media Converter	B#1 Server and Network Cabinet	B1-C-0001	
148	DCS SYSTEM	B1C018023	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AUT01	b1autsw01	P7	B#1 Automation Highway Switch-1	B#1 Server and Network Cabinet	B1-C-0001	MC05	XCM102	P1	Media Converter	B#1 Server and Network Cabinet	B1-C-0001	
149	DCS SYSTEM	B1C018024	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AUT01	b1autsw01	P8	B#1 Automation Highway Switch-1	B#1 Server and Network Cabinet	B1-C-0001	B1CS01A	b1cm01a	X1	Communication Server CS3000	B#1 Server and Network Cabinet	B1-C-0001	
150	DCS SYSTEM	B1C018025	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AUT02	b1autsw02	P1	B#1 Automation Highway Switch-2	B#1 Server and Network Cabinet	B1-C-0001	B1SRV02	b1srv01b	P2	Application Server-B	B#1 Server and Network Cabinet	B1-C-0001	
151	DCS SYSTEM	B1C018026	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AUT02	b1autsw02	P5	B#1 Automation Highway Switch-2	B#1 Server and Network Cabinet	B1-C-0001	MC02	XCM102	P1	Media Converter	B#1 Server and Network Cabinet	B1-C-0001	
152	DCS SYSTEM	B1C018027	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AUT02	b1autsw02	P6	B#1 Automation Highway Switch-2	B#1 Server and Network Cabinet	B1-C-0001	MC04	XCM102	P1	Media Converter	B#1 Server and Network Cabinet	B1-C-0001	
153	DCS SYSTEM	B1C018028	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AUT02	b1autsw02	P7	B#1 Automation Highway Switch-2	B#1 Server and Network Cabinet	B1-C-0001	MC06	XCM102	P1	Media Converter	B#1 Server and Network Cabinet	B1-C-0001	
154	DCS SYSTEM	B1C018029	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AUT02	b1autsw02	P8	B#1 Automation Highway Switch-2	B#1 Server and Network Cabinet	B1-C-0001	B1CS01B	b1cm01b	X2	Communication Server CS3000	B#1 Server and Network Cabinet	B1-C-0001	
155	DCS SYSTEM	B1C018030	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AUT02	b1autsw02	P13	B#1 Automation Highway Switch-2	B#1 Server and Network Cabinet	B1-C-0001	B1SES01	b1ses01	P2	B#1 Security Server	B#1 Server and Network Cabinet	B1-C-0001	
156	DCS SYSTEM	B1C018031	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1SRV01	b1srv01a	P3	Application Server-A	B#1 Server and Network Cabinet	B1-C-0001	B1SRV02	b1srv01b	P3	Application Server-B	B#1 Server and Network Cabinet	B1-C-0001	
157	DCS SYSTEM	B1C018032	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1MODSW01		P1	Modbus TCP/IP Communication Switch 1	B#1 Server and Network Cabinet	B1-C-0001	B1CS01A	b1cm01a	PN1.1	Communication Server CS3000	B#1 Server and Network Cabinet	B1-C-0001	
158	DCS SYSTEM	B1C018033	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1MODSW01		P2	Modbus TCP/IP Communication Switch 1	B#1 Server and Network Cabinet	B1-C-0001	MC07	XCM102	P1	Media Converter	B#1 Server and Network Cabinet	B1-C-0001	
159	DCS SYSTEM	B1C018034	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1MODSW01		P3	Modbus TCP/IP Communication Switch 1	B#1 Server and Network Cabinet	B1-C-0001	MC09	XCM102	P1	Media Converter	B#1 Server and Network Cabinet	B1-C-0001	
160	DCS SYSTEM	B1C018035	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1MODSW01		P4	Modbus TCP/IP Communication Switch 1	B#1 Server and Network Cabinet	B1-C-0001	MC11	XCM102	P1	Media Converter	B#1 Server and Network Cabinet	B1-C-0001	
161	DCS SYSTEM	B1C018036	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1MODSW01		P5	Modbus TCP/IP Communication Switch 1	B#1 Server and Network Cabinet	B1-C-0001	MC13	XCM102	P1	Media Converter	B#1 Server and Network Cabinet	B1-C-0001	
162	DCS SYSTEM	B1C018037	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1MODSW02		P1	Modbus TCP/IP Communication Switch 2	B#1 Server and Network Cabinet	B1-C-0001	B1CS01B	b1cm01b	PN2.1	Communication Server CS3000	B#1 Server and Network Cabinet	B1-C-0001	
163	DCS SYSTEM	B1C018038	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1MODSW02		P2	Modbus TCP/IP Communication Switch 2	B#1 Server and Network Cabinet	B1-C-0001	MC08	XCM102	P1	Media Converter	B#1 Server and Network Cabinet	B1-C-0001	
164	DCS SYSTEM	B1C018039	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1MODSW02		P3	Modbus TCP/IP Communication Switch 2	B#1 Server and Network Cabinet	B1-C-0001	MC10	XCM102	P1	Media Converter	B#1 Server and Network Cabinet	B1-C-0001	
165	DCS SYSTEM	B1C018040	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1MODSW02		P4	Modbus TCP/IP Communication Switch 2	B#1 Server and Network Cabinet	B1-C-0001	MC12	XCM102	P1	Media Converter	B#1 Server and Network Cabinet	B1-C-0001	
166	DCS SYSTEM	B1C018041	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1MODSW02		P5	Modbus TCP/IP Communication Switch 2	B#1 Server and Network Cabinet	B1-C-0001	MC14	XCM102	P1	Media Converter	B#1 Server and Network Cabinet	B1-C-0001	
167	DCS SYSTEM	B1D108001	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AS110A/B	b1afc110a/b	X1:P1	Automation Server AS-S7	System Cabinet for GT/HRSG#11	B1-D-0010	MC01	XCM102	P1	Media Converter	System Cabinet for GT/HRSG#11	B1-D-0010	
168	DCS SYSTEM	B1D108002	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AS110A/B	b1afc110a/b	X2:P1	Automation Server AS-S7	System Cabinet for GT/HRSG#11	B1-D-0010	MC02	XCM102	P1	Media Converter	System Cabinet for GT/HRSG#11	B1-D-0010	
169	DCS SYSTEM	B1D108003	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AS110A/B	b1afc110a/b	X8:P2	Automation Server AS-S7	System Cabinet for GT/HRSG#11	B1-D-0010	IM00	FR-A00	X1:P1	FR-A Interface Module	System Cabinet for GT/HRSG#11	B1-D-0010	
170	DCS SYSTEM	B1D108004	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AS110A/B	b1afc110a/b	X8:P2	Automation Server AS-S7	System Cabinet for GT/HRSG#11	B1-D-0010	IM01	FR-A01	X1:P2	FR-A Interface Module	System Cabinet for GT/HRSG#11	B1-D-0010	
171	DCS SYSTEM	B1D108005	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-A00	X1:P2	FR-A Interface Module	System Cabinet for GT/HRSG#11	B1-D-0010	IM00	FR-B00	X1:P1	FR-B Interface Module	System Cabinet for GT/HRSG#11	B1-D-0010	
172	DCS SYSTEM	B1D108006	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-A01	X1:P1	FR-A Interface Module	System Cabinet for GT/HRSG#11	B1-D-0010	IM01	FR-B01	X1:P2	FR-B Interface Module	System Cabinet for GT/HRSG#11	B1-D-0010	
173	DCS SYSTEM	B1D108007	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-B00	X1:P2	FR-B Interface Module	System Cabinet for GT/HRSG#11	B1-D-0010	IM00	RR-A00	X1:P1	RR-A Interface Module	System Cabinet for GT/HRSG#11	B1-D-0010	
174	DCS SYSTEM	B1D108008	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-B01	X1:P1	FR-B Interface Module	System Cabinet for GT/HRSG#11	B1-D-0010	IM01	RR-A01	X1:P2	RR-A Interface Module	System Cabinet for GT/HRSG#11	B1-D-0010	
175	DCS SYSTEM	B1D208001	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AS120A/B	b1afc120a/b	X1:P1	Automation Server AS-S7	System Cabinet for GT/HRSG#12	B1-D-0020	MC01	XCM102	P1	Media Converter	System Cabinet for GT/HRSG#12	B1-D-0020	
176	DCS SYSTEM	B1D208002	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AS120A/B	b1afc120a/b	X2:P1	Automation Server AS-S7	System Cabinet for GT/HRSG#12	B1-D-0020	MC02	XCM102	P1	Media Converter	System Cabinet for GT/HRSG#12	B1-D-0020	
177	DCS SYSTEM	B1D208003	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AS120A/B	b1afc120a/b	X8:P2	Automation Server AS-S7	System Cabinet for GT/HRSG#12	B1-D-0020	IM00	FR-A00	X1:P1	FR-A Interface Module	System Cabinet for GT/HRSG#12	B1-D-0020	
178	DCS SYSTEM	B1D208004	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AS120A/B	b1afc120a/b	X8:P2	Automation Server AS-S7	System Cabinet for GT/HRSG#12	B1-D-0020	IM01	FR-A01	X1:P2	FR-A Interface Module	System Cabinet for GT/HRSG#12	B1-D-0020	
179	DCS SYSTEM	B1D208005	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-A00	X1:P2	FR-A Interface Module	System Cabinet for GT/HRSG#12	B1-D-0020	IM00	FR-B00	X1:P1	FR-B Interface Module	System Cabinet for GT/HRSG#12	B1-D-0020	
180	DCS SYSTEM	B1D208006	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-A01	X1:P1	FR-A Interface Module	System Cabinet for GT/HRSG#12	B1-D-0020	IM01	FR-B01	X1:P2	FR-B Interface Module	System Cabinet for GT/HRSG#12	B1-D-0020	
181	DCS SYSTEM	B1D208007	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-B00	X1:P2	FR-B Interface Module	System Cabinet for GT/HRSG#12	B1-D-0020	IM00	RR-A00	X1:P1	RR-A Interface Module	System Cabinet for GT/HRSG#12	B1-D-0020	
182	DCS SYSTEM	B1D208008	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-B01	X1:P1	FR-B Interface Module	System Cabinet for GT/HRSG#12	B1-D-0020	IM01	RR-A01	X1:P2	RR-A Interface Module	System Cabinet for GT/HRSG#12	B1-D-0020	
183	DCS SYSTEM	B1D308001	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AS130A/B	b1afc130a/b	X1:P1	Automation Server AS-S7	System Cabinet for Block BOP#1	B1-D-0030	MC01	XCM102	P1	Media Converter	System Cabinet for Block BOP#1	B1-D-0030	
184	DCS SYSTEM	B1D308002	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AS130A/B	b1afc130a/b	X2:P1	Automation Server AS-S7	System Cabinet for Block BOP#1	B1-D-0030	MC02	XCM102	P1	Media Converter	System Cabinet for Block BOP#1	B1-D-0030	



Client :	TURKISTAN LLP	Rev:	C01
Project Name :	TURKISTAN CCGT PROJECT	Sub-Supplier	Siemens
Contractor	DOOSAN ENERBILITY	Date	05.09.24
Description :	LAN CABLE SCHEDULE for DCS	DOC NO:	CCP-W-B000-51-IA-H03-0001

S/N	SYSTEM	CABLE NUMBER	CABLE		SIGNAL TYPE	UNIT	FROM						TO		PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	REMARK
			TYPE	SPEC.			TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	TAG NO.	EQUIPMENT NAME					
185	DCS SYSTEM	B1D308003	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AS130A/B	b1afc130a/b	X8:P2	Automation Server AS-S7	System Cabinet for Block BOP#1	B1-D-0030	IM00	FR-A00	X1:P1	FR-A Interface Module	System Cabinet for Block BOP#1	B1-D-0030	
186	DCS SYSTEM	B1D308004	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AS130A/B	b1afc130a/b	X8:P2	Automation Server AS-S7	System Cabinet for Block BOP#1	B1-D-0030	IM01	FR-A01	X1:P2	FR-A Interface Module	System Cabinet for Block BOP#1	B1-D-0030	
187	DCS SYSTEM	B1D308005	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-A00	X1:P2	FR-A Interface Module	System Cabinet for Block BOP#1	B1-D-0030	IM00	FR-B00	X1:P1	FR-B Interface Module	System Cabinet for Block BOP#1	B1-D-0030	
188	DCS SYSTEM	B1D308006	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-A01	X1:P1	FR-A Interface Module	System Cabinet for Block BOP#1	B1-D-0030	IM01	FR-B01	X1:P2	FR-B Interface Module	System Cabinet for Block BOP#1	B1-D-0030	
189	DCS SYSTEM	B1D508001	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AS150A/B	b1afc150a/b	X1:P1	Automation Server AS-S7	System Cabinet for B#1 SRS	B1-D-0050	MC01	XCM102	P1	Media Converter	System Cabinet for B#1 SRS	B1-D-0050	
190	DCS SYSTEM	B1D508002	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AS150A/B	b1afc150a/b	X2:P1	Automation Server AS-S7	System Cabinet for B#1 SRS	B1-D-0050	MC02	XCM102	P1	Media Converter	System Cabinet for B#1 SRS	B1-D-0050	
191	DCS SYSTEM	B1D508003	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AS150A/B	b1afc150a/b	X8:P2	Automation Server AS-S7	System Cabinet for B#1 SRS	B1-D-0050	IM00	FR-A00	X1:P1	FR-A Interface Module	System Cabinet for B#1 SRS	B1-D-0050	
192	DCS SYSTEM	B1D508004	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AS150A/B	b1afc150a/b	X8:P2	Automation Server AS-S7	System Cabinet for B#1 SRS	B1-D-0050	IM01	FR-A01	X1:P2	FR-A Interface Module	System Cabinet for B#1 SRS	B1-D-0050	
193	DCS SYSTEM	B1D508005	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-A00	X1:P2	FR-A Interface Module	System Cabinet for B#1 SRS	B1-D-0050	IM00	FR-B00	X1:P1	FR-B Interface Module	System Cabinet for B#1 SRS	B1-D-0050	
194	DCS SYSTEM	B1D508006	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-A01	X1:P1	FR-A Interface Module	System Cabinet for B#1 SRS	B1-D-0050	IM01	FR-B01	X1:P2	FR-B Interface Module	System Cabinet for B#1 SRS	B1-D-0050	
195	DCS SYSTEM	B1D508007	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-B00	X1:P2	FR-B Interface Module	System Cabinet for B#1 SRS	B1-D-0050	IM00	RR-A00	X1:P1	RR-A Interface Module	System Cabinet for B#1 SRS	B1-D-0050	
196	DCS SYSTEM	B1D508008	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-B01	X1:P1	FR-B Interface Module	System Cabinet for B#1 SRS	B1-D-0050	IM01	RR-A01	X1:P2	RR-A Interface Module	System Cabinet for B#1 SRS	B1-D-0050	
197	DCS SYSTEM	B1D408001	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AS140A/B	b1afc140a/b	X1:P1	Automation Server AS-S7	System Cabinet for Block BOP#2	B1-D-0040	MC01	XCM102	P1	Media Converter	System Cabinet for Block BOP#2	B1-D-0040	
198	DCS SYSTEM	B1D408002	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AS140A/B	b1afc140a/b	X2:P1	Automation Server AS-S7	System Cabinet for Block BOP#2	B1-D-0040	MC02	XCM102	P1	Media Converter	System Cabinet for Block BOP#2	B1-D-0040	
199	DCS SYSTEM	B1D408003	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AS140A/B	b1afc140a/b	X8:P2	Automation Server AS-S7	System Cabinet for Block BOP#2	B1-D-0040	IM00	FR-A00	X1:P1	FR-A Interface Module	System Cabinet for Block BOP#2	B1-D-0040	
200	DCS SYSTEM	B1D408004	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B1AS140A/B	b1afc140a/b	X8:P2	Automation Server AS-S7	System Cabinet for Block BOP#2	B1-D-0040	IM01	FR-A01	X1:P2	FR-A Interface Module	System Cabinet for Block BOP#2	B1-D-0040	
201	DCS SYSTEM	B1D408005	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-A00	X1:P2	FR-A Interface Module	System Cabinet for Block BOP#2	B1-D-0040	IM00	FR-B00	X1:P1	FR-B Interface Module	System Cabinet for Block BOP#2	B1-D-0040	
202	DCS SYSTEM	B1D408006	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-A01	X1:P1	FR-A Interface Module	System Cabinet for Block BOP#2	B1-D-0040	IM01	FR-B01	X1:P2	FR-B Interface Module	System Cabinet for Block BOP#2	B1-D-0040	
203	DCS SYSTEM	B1D408007	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-B00	X1:P2	FR-B Interface Module	System Cabinet for Block BOP#2	B1-D-0040	IM00	RR-A00	X1:P1	RR-A Interface Module	System Cabinet for Block BOP#2	B1-D-0040	
204	DCS SYSTEM	B1D408008	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-B01	X1:P1	FR-B Interface Module	System Cabinet for Block BOP#2	B1-D-0040	IM01	RR-A01	X1:P2	RR-A Interface Module	System Cabinet for Block BOP#2	B1-D-0040	
205	DCS SYSTEM	B1D408009	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	RR-A00	X1:P2	RR-A Interface Module	System Cabinet for Block BOP#2	B1-D-0040	MC03	X101-1	P1	Media Converter	System Cabinet for Block BOP#2	B1-D-0040	
206	DCS SYSTEM	B1D408010	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	RR-A01	X1:P1	RR-A Interface Module	System Cabinet for Block BOP#2	B1-D-0040	MC04	X101-1	P1	Media Converter	System Cabinet for Block BOP#2	B1-D-0040	
207	DCS SYSTEM	B1D418001	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-A00	X1:P1	FR-A Interface Module	Remote IO Cabinet for Block BOP	B1-D-0041	MC01	X101-1	P1	Media Converter	Remote IO Cabinet for Block BOP	B1-D-0041	
208	DCS SYSTEM	B1D418002	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-A01	X1:P2	FR-A Interface Module	Remote IO Cabinet for Block BOP	B1-D-0041	MC02	X101-1	P1	Media Converter	Remote IO Cabinet for Block BOP	B1-D-0041	
209	DCS SYSTEM	B1D418003	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-A00	X1:P2	FR-A Interface Module	Remote IO Cabinet for Block BOP	B1-D-0041	IM00	FR-B00	X1:P1	FR-B Interface Module	Remote IO Cabinet for Block BOP	B1-D-0041	
210	DCS SYSTEM	B1D418004	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-A01	X1:P1	FR-A Interface Module	Remote IO Cabinet for Block BOP	B1-D-0041	IM01	FR-B01	X1:P2	FR-B Interface Module	Remote IO Cabinet for Block BOP	B1-D-0041	
211	DCS SYSTEM	B1D418005	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-B00	X1:P2	FR-B Interface Module	Remote IO Cabinet for Block BOP	B1-D-0041	IM00	RR-A00	X1:P1	RR-A Interface Module	Remote IO Cabinet for Block BOP	B1-D-0041	
212	DCS SYSTEM	B1D418006	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-B01	X1:P1	FR-B Interface Module	Remote IO Cabinet for Block BOP	B1-D-0041	IM01	RR-A01	X1:P2	RR-A Interface Module	Remote IO Cabinet for Block BOP	B1-D-0041	
213	DCS SYSTEM	B2C018001	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2APP01	B2appsw01	P1	B#2 Application Highway switch-1	B#2 Server and Network Cabinet	B2-C-0001	B2SRV01	B2srv01a	P1	Application Server-A	B#2 Server and Network Cabinet	B2-C-0001	
214	DCS SYSTEM	B2C018002	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2APP01	B2appsw01	P2	B#2 Application Highway switch-1	B#2 Server and Network Cabinet	B2-C-0001	B2SES01	B2ses01	P1	B#2 Security Server	B#2 Server and Network Cabinet	B2-C-0001	
215	DCS SYSTEM	B2C018003	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2APP01	B2appsw01	P3	B#2 Application Highway switch-1	B#2 Server and Network Cabinet	B2-C-0001	P1APP02	B2appsw02	P4	B#2 Application Highway switch-2	B#2 Server and Network Cabinet	B2-C-0001	
216	DCS SYSTEM	B2C018004	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2APP01	B2appsw01	P4	B#2 Application Highway switch-1	B#2 Server and Network Cabinet	B2-C-0001	P1APP02	B2appsw02	P3	B#2 Application Highway switch-2	B#2 Server and Network Cabinet	B2-C-0001	
217	DCS SYSTEM	B2C018005	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2APP01	B2appsw01	P6	B#2 Application Highway switch-1	B#2 Server and Network Cabinet	B2-C-0001	B2-DK-104	B2tcl01	P1	B#2 HRSRG & BOP OWS Desk #1	Central Control Room	B2-DK-104	
218	DCS SYSTEM	B2C018006	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2APP01	B2appsw01	P7	B#2 Application Highway switch-1	B#2 Server and Network Cabinet	B2-C-0001	B2-DK-114	B2tcl04	P1	B#2 DCS EWS Desk#1	Computer Room	B2-DK-114	
219	DCS SYSTEM	B2C018007	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2APP01	B2appsw01	P8	B#2 Application Highway switch-1	B#2 Server and Network Cabinet	B2-C-0001	B2-PK-104	B2colprt01	P1	B#2 DCS Printer Desk#1	Central Control Room	B2-PK-104	
220	DCS SYSTEM	B2C018008	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2APP01	B2appsw01	P10	B#2 Application Highway switch-1	B#2 Server and Network Cabinet	B2-C-0001	B2-DK-106	B2tcl03	P1	B#2 SRS OWS Desk	Central Control Room	B2-DK-106	
221	DCS SYSTEM	B2C018009	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2APP01	B2appsw01	P15	B#2 Application Highway switch-1	B#2 Server and Network Cabinet	B2-C-0001	B2FW01	B2fw01	P5	Network Firewall	B#2 Server and Network Cabinet	B2-C-0001	
222	DCS SYSTEM	B2C018010	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2APP01	B2appsw01	P16	B#2 Application Highway switch-1	B#2 Server and Network Cabinet	B2-C-0001	B2UPS01	B2ups01	P1	B#2 UPS01	B#2 Server and Network Cabinet	B2-C-0001	
223	DCS SYSTEM	B2C018011	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2APP02	B2appsw02	P1	B#2 Application Highway switch-2	B#2 Server and Network Cabinet	B2-C-0001	B2SRV02	B2srv01b	P1	Application Server-B	B#2 Server and Network Cabinet	B2-C-0001	
224	DCS SYSTEM	B2C018012	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2APP02	B2appsw02	P2	B#2 Application Highway switch-2	B#2 Server and Network Cabinet	B2-C-0001	B2NAS01	B2nas01	P1	B#2 NAS	B#2 Server and Network Cabinet	B2-C-0001	
225	DCS SYSTEM	B2C018013	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2APP02	B2appsw02	P6	B#2 Application Highway switch-2	B#2 Server and Network Cabinet	B2-C-0001	B2-DK-105	B2tcl02	P1	B#2 HRSRG & BOP OWS Desk #2	Central Control Room	B2-DK-105	
226	DCS SYSTEM	B2C018014	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2APP02	B2appsw02	P7	B#2 Application Highway switch-2	B#2 Server and Network Cabinet	B2-C-0001	B2-LS-101	B2tcl06	P1	B#2 Power Generation Control Desk. (LS)	Central Control Room	B2-LS-101	
227	DCS SYSTEM	B2C018015	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2APP02	B2appsw02	P8	B#2 Application Highway switch-2	B#2 Server and Network Cabinet	B2-C-0001	B2-PK-212	B2colprt03	P1	B#2 DCS Printer Desk#3	Central Control Room	B2-PK-212	
228	DCS SYSTEM	B2C018016	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2APP02	B2appsw02	P9	B#2 Application Highway switch-2	B#2 Server and Network Cabinet	B2-C-0001	B2-DK-115	B2tcl05	P1	B#2 DCS EWS Desk#2	Computer Room	B2-DK-115	



Client :	TURKISTAN LLP	Rev:	C01
Project Name :	TURKISTAN CCGT PROJECT	Sub-Supplier	Siemens
Contractor	DOOSAN ENERBILITY	Date	05.09.24
Description :	LAN CABLE SCHEDULE for DCS	DOC NO:	CCP-W-B000-51-1A-HG3-0001

S/N	SYSTEM	CABLE NUMBER	CABLE		SIGNAL TYPE	UNIT	FROM						TO		PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	REMARK
			TYPE	SPEC.			TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	TAG NO.	EQUIPMENT NAME					
229	DCS SYSTEM	B2C018017	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2APP02	B2appsw02	P10	B#2 Application Highway switch-2	B#2 Server and Network Cabinet	B2-C-0001	B2-PK-105	b2colprt02	P1	B#2 DCS Printer Desk#2	Central Control Room	B2PK-105	
230	DCS SYSTEM	B2C018018	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2APP02	B2appsw02	P15	B#2 Application Highway switch-2	B#2 Server and Network Cabinet	B2-C-0001	B2FW02	B2fw02	P5	Network Firewall	B#2 Server and Network Cabinet	B2-C-0001	
231	DCS SYSTEM	B2C018019	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2APP02	B2appsw02	P16	B#2 Application Highway switch-2	B#2 Server and Network Cabinet	B2-C-0001	B2UPS02	B2ups02	P1	B#2 UPS02	B#2 Server and Network Cabinet	B2-C-0001	
232	DCS SYSTEM	B2C018020	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2AUT01	B2autsw01	P1	B#2 Automation Highway Switch-1	B#2 Server and Network Cabinet	B2-C-0001	B2SRV01	B2srv01a	P2	Application Server-A	B#2 Server and Network Cabinet	B2-C-0001	
233	DCS SYSTEM	B2C018021	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2AUT01	B2autsw01	P5	B#2 Automation Highway Switch-1	B#2 Server and Network Cabinet	B2-C-0001	MC01	XCM102	P1	Media Converter	B#2 Server and Network Cabinet	B2-C-0001	
234	DCS SYSTEM	B2C018022	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2AUT01	B2autsw01	P6	B#2 Automation Highway Switch-1	B#2 Server and Network Cabinet	B2-C-0001	MC03	XCM102	P1	Media Converter	B#2 Server and Network Cabinet	B2-C-0001	
235	DCS SYSTEM	B2C018023	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2AUT01	B2autsw01	P7	B#2 Automation Highway Switch-1	B#2 Server and Network Cabinet	B2-C-0001	MC05	XCM102	P1	Media Converter	B#2 Server and Network Cabinet	B2-C-0001	
236	DCS SYSTEM	B2C018024	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2AUT01	B2autsw01	P8	B#2 Automation Highway Switch-1	B#2 Server and Network Cabinet	B2-C-0001	B2CS01A	B2cm01a	X1	Communication Server CS3000	B#2 Server and Network Cabinet	B2-C-0001	
237	DCS SYSTEM	B2C018025	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2AUT02	B2autsw02	P1	B#2 Automation Highway Switch-2	B#2 Server and Network Cabinet	B2-C-0001	B2SRV02	B2srv01b	P2	Application Server-B	B#2 Server and Network Cabinet	B2-C-0001	
238	DCS SYSTEM	B2C018026	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2AUT02	B2autsw02	P5	B#2 Automation Highway Switch-2	B#2 Server and Network Cabinet	B2-C-0001	MC02	XCM102	P1	Media Converter	B#2 Server and Network Cabinet	B2-C-0001	
239	DCS SYSTEM	B2C018027	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2AUT02	B2autsw02	P6	B#2 Automation Highway Switch-2	B#2 Server and Network Cabinet	B2-C-0001	MC04	XCM102	P1	Media Converter	B#2 Server and Network Cabinet	B2-C-0001	
240	DCS SYSTEM	B2C018028	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2AUT02	B2autsw02	P7	B#2 Automation Highway Switch-2	B#2 Server and Network Cabinet	B2-C-0001	MC06	XCM102	P1	Media Converter	B#2 Server and Network Cabinet	B2-C-0001	
241	DCS SYSTEM	B2C018029	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2AUT02	B2autsw02	P8	B#2 Automation Highway Switch-2	B#2 Server and Network Cabinet	B2-C-0001	B2CS01B	B2cm01b	X2	Communication Server CS3000	B#2 Server and Network Cabinet	B2-C-0001	
242	DCS SYSTEM	B2C018030	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2AUT02	B2autsw02	P13	B#2 Automation Highway Switch-2	B#2 Server and Network Cabinet	B2-C-0001	B2SES01	b2ses01	P2	B#2 Security Server	B#2 Server and Network Cabinet	B2-C-0001	
243	DCS SYSTEM	B2C018031	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2SRV01	B2srv01a	P3	Application Server-A	B#2 Server and Network Cabinet	B2-C-0001	B2SRV02	B2srv01b	P3	Application Server-B	B#2 Server and Network Cabinet	B2-C-0001	
244	DCS SYSTEM	B2C018032	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2MODSW01		P1	Modbus TCP/IP Communication Switch 1	B#2 Server and Network Cabinet	B2-C-0001	B2CS01A	B2cm01a	PN1.1	Communication Server CS3000	B#2 Server and Network Cabinet	B2-C-0001	
245	DCS SYSTEM	B2C018033	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2MODSW01		P2	Modbus TCP/IP Communication Switch 1	B#2 Server and Network Cabinet	B2-C-0001	MC07	XCM102	P1	Media Converter	B#2 Server and Network Cabinet	B2-C-0001	
246	DCS SYSTEM	B2C018034	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2MODSW01		P3	Modbus TCP/IP Communication Switch 1	B#2 Server and Network Cabinet	B2-C-0001	MC09	XCM102	P1	Media Converter	B#2 Server and Network Cabinet	B2-C-0001	
247	DCS SYSTEM	B2C018035	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2MODSW01		P4	Modbus TCP/IP Communication Switch 1	B#2 Server and Network Cabinet	B2-C-0001	MC11	XCM102	P1	Media Converter	B#2 Server and Network Cabinet	B2-C-0001	
248	DCS SYSTEM	B2C018036	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2MODSW01		P5	Modbus TCP/IP Communication Switch 1	B#2 Server and Network Cabinet	B2-C-0001	MC13	XCM102	P1	Media Converter	B#2 Server and Network Cabinet	B2-C-0001	
249	DCS SYSTEM	B2C018037	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2MODSW02		P1	Modbus TCP/IP Communication Switch 2	B#2 Server and Network Cabinet	B2-C-0001	B2CS01B	B2cm01b	PN2.1	Communication Server CS3000	B#2 Server and Network Cabinet	B2-C-0001	
250	DCS SYSTEM	B2C018038	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2MODSW02		P2	Modbus TCP/IP Communication Switch 2	B#2 Server and Network Cabinet	B2-C-0001	MC08	XCM102	P1	Media Converter	B#2 Server and Network Cabinet	B2-C-0001	
251	DCS SYSTEM	B2C018039	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2MODSW02		P3	Modbus TCP/IP Communication Switch 2	B#2 Server and Network Cabinet	B2-C-0001	MC10	XCM102	P1	Media Converter	B#2 Server and Network Cabinet	B2-C-0001	
252	DCS SYSTEM	B2C018040	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2MODSW02		P4	Modbus TCP/IP Communication Switch 2	B#2 Server and Network Cabinet	B2-C-0001	MC12	XCM102	P1	Media Converter	B#2 Server and Network Cabinet	B2-C-0001	
253	DCS SYSTEM	B2C018041	Ethernet Cable	CAT 6A SFTP	TCP	Block#2	B2MODSW02		P5	Modbus TCP/IP Communication Switch 2	B#2 Server and Network Cabinet	B2-C-0001	MC14	XCM102	P1	Media Converter	B#2 Server and Network Cabinet	B2-C-0001	
254	DCS SYSTEM	B2D108001	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B2AS110A/B	B2afc110a/b	X1:P1	Automation Server AS-S7	System Cabinet for GT/HRSG#11	B2-D-0010	MC01	XCM102	P1	Media Converter	System Cabinet for GT/HRSG#11	B2-D-0010	
255	DCS SYSTEM	B2D108002	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B2AS110A/B	B2afc110a/b	X2:P1	Automation Server AS-S7	System Cabinet for GT/HRSG#11	B2-D-0010	MC02	XCM102	P1	Media Converter	System Cabinet for GT/HRSG#11	B2-D-0010	
256	DCS SYSTEM	B2D108003	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B2AS110A/B	B2afc110a/b	X8:P2	Automation Server AS-S7	System Cabinet for GT/HRSG#11	B2-D-0010	IM00	FR-A00	X1:P1	FR-A Interface Module	System Cabinet for GT/HRSG#11	B2-D-0010	
257	DCS SYSTEM	B2D108004	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B2AS110A/B	B2afc110a/b	X8:P2	Automation Server AS-S7	System Cabinet for GT/HRSG#11	B2-D-0010	IM01	FR-A01	X1:P2	FR-A Interface Module	System Cabinet for GT/HRSG#11	B2-D-0010	
258	DCS SYSTEM	B2D108005	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-A00	X1:P2	FR-A Interface Module	System Cabinet for GT/HRSG#11	B2-D-0010	IM00	FR-B00	X1:P1	FR-B Interface Module	System Cabinet for GT/HRSG#11	B2-D-0010	
259	DCS SYSTEM	B2D108006	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-A01	X1:P1	FR-A Interface Module	System Cabinet for GT/HRSG#11	B2-D-0010	IM01	FR-B01	X1:P2	FR-B Interface Module	System Cabinet for GT/HRSG#11	B2-D-0010	
260	DCS SYSTEM	B2D108007	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-B00	X1:P2	FR-B Interface Module	System Cabinet for GT/HRSG#11	B2-D-0010	IM00	RR-A00	X1:P1	RR-A Interface Module	System Cabinet for GT/HRSG#11	B2-D-0010	
261	DCS SYSTEM	B2D108008	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-B01	X1:P1	FR-B Interface Module	System Cabinet for GT/HRSG#11	B2-D-0010	IM01	RR-A01	X1:P2	RR-A Interface Module	System Cabinet for GT/HRSG#11	B2-D-0010	
262	DCS SYSTEM	B2D208001	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B2AS120A/B	B2afc120a/b	X1:P1	Automation Server AS-S7	System Cabinet for GT/HRSG#12	B2-D-0020	MC01	XCM102	P1	Media Converter	System Cabinet for GT/HRSG#12	B2-D-0020	
263	DCS SYSTEM	B2D208002	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B2AS120A/B	B2afc120a/b	X2:P1	Automation Server AS-S7	System Cabinet for GT/HRSG#12	B2-D-0020	MC02	XCM102	P1	Media Converter	System Cabinet for GT/HRSG#12	B2-D-0020	
264	DCS SYSTEM	B2D208003	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B2AS120A/B	B2afc120a/b	X8:P2	Automation Server AS-S7	System Cabinet for GT/HRSG#12	B2-D-0020	IM00	FR-A00	X1:P1	FR-A Interface Module	System Cabinet for GT/HRSG#12	B2-D-0020	
265	DCS SYSTEM	B2D208004	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B2AS120A/B	B2afc120a/b	X8:P2	Automation Server AS-S7	System Cabinet for GT/HRSG#12	B2-D-0020	IM01	FR-A01	X1:P2	FR-A Interface Module	System Cabinet for GT/HRSG#12	B2-D-0020	
266	DCS SYSTEM	B2D208005	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-A00	X1:P2	FR-A Interface Module	System Cabinet for GT/HRSG#12	B2-D-0020	IM00	FR-B00	X1:P1	FR-B Interface Module	System Cabinet for GT/HRSG#12	B2-D-0020	
267	DCS SYSTEM	B2D208006	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-A01	X1:P1	FR-A Interface Module	System Cabinet for GT/HRSG#12	B2-D-0020	IM01	FR-B01	X1:P2	FR-B Interface Module	System Cabinet for GT/HRSG#12	B2-D-0020	
268	DCS SYSTEM	B2D208007	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-B00	X1:P2	FR-B Interface Module	System Cabinet for GT/HRSG#12	B2-D-0020	IM00	RR-A00	X1:P1	RR-A Interface Module	System Cabinet for GT/HRSG#12	B2-D-0020	
269	DCS SYSTEM	B2D208008	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-B01	X1:P1	FR-B Interface Module	System Cabinet for GT/HRSG#12	B2-D-0020	IM01	RR-A01	X1:P2	RR-A Interface Module	System Cabinet for GT/HRSG#12	B2-D-0020	
270	DCS SYSTEM	B2D308001	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B2AS130A/B	B2afc130a/b	X1:P1	Automation Server AS-S7	System Cabinet for Block BOP#1	B2-D-0030	MC01	XCM102	P1	Media Converter	System Cabinet for Block BOP#1	B2-D-0030	
271	DCS SYSTEM	B2D308002	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B2AS130A/B	B2afc130a/b	X2:P1	Automation Server AS-S7	System Cabinet for Block BOP#1	B2-D-0030	MC02	XCM102	P1	Media Converter	System Cabinet for Block BOP#1	B2-D-0030	
272	DCS SYSTEM	B2D308003	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B2AS130A/B	B2afc130a/b	X8:P2	Automation Server AS-S7	System Cabinet for Block BOP#1	B2-D-0030	IM00	FR-A00	X1:P1	FR-A Interface Module	System Cabinet for Block BOP#1	B2-D-0030	



Client :	TURKISTAN LLP	Rev:	C01
Project Name :	TURKISTAN CCGT PROJECT	Sub-Supplier	Siemens
Contractor	DOOSAN ENERBILITY	Date	05.09.24
Description :	LAN CABLE SCHEDULE for DCS	DOC NO:	CCP-W-B000-51-IA-H03-0001

S/N	SYSTEM	CABLE NUMBER	CABLE		SIGNAL TYPE	UNIT	FROM						TO		PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	REMARK
			TYPE	SPEC.			TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	TAG NO.	EQUIPMENT NAME					
273	DCS SYSTEM	B2D308004	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B2AS130A/B	B2afc130a/b	X8:P2	Automation Server AS-S7	System Cabinet for Block BOP#1	B2-D-0030	IM01	FR-A01	X1:P2	FR-A Interface Module	System Cabinet for Block BOP#1	B2-D-0030	
274	DCS SYSTEM	B2D308005	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-A00	X1:P2	FR-A Interface Module	System Cabinet for Block BOP#1	B2-D-0030	IM00	FR-B00	X1:P1	FR-B Interface Module	System Cabinet for Block BOP#1	B2-D-0030	
275	DCS SYSTEM	B2D308006	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-A01	X1:P1	FR-A Interface Module	System Cabinet for Block BOP#1	B2-D-0030	IM01	FR-B01	X1:P2	FR-B Interface Module	System Cabinet for Block BOP#1	B2-D-0030	
276	DCS SYSTEM	B2D508001	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B2AS150A/B	B2afc150a/b	X1:P1	Automation Server AS-S7	System Cabinet for B#1 SRS	B2-D-0050	MC01	XCM102	P1	Media Converter	System Cabinet for B#1 SRS	B2-D-0050	
277	DCS SYSTEM	B2D508002	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B2AS150A/B	B2afc150a/b	X2:P1	Automation Server AS-S7	System Cabinet for B#1 SRS	B2-D-0050	MC02	XCM102	P1	Media Converter	System Cabinet for B#1 SRS	B2-D-0050	
278	DCS SYSTEM	B2D508003	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B2AS150A/B	B2afc150a/b	X8:P2	Automation Server AS-S7	System Cabinet for B#1 SRS	B2-D-0050	IM00	FR-A00	X1:P1	FR-A Interface Module	System Cabinet for B#1 SRS	B2-D-0050	
279	DCS SYSTEM	B2D508004	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B2AS150A/B	B2afc150a/b	X8:P2	Automation Server AS-S7	System Cabinet for B#1 SRS	B2-D-0050	IM01	FR-A01	X1:P2	FR-A Interface Module	System Cabinet for B#1 SRS	B2-D-0050	
280	DCS SYSTEM	B2D508005	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-A00	X1:P2	FR-A Interface Module	System Cabinet for B#1 SRS	B2-D-0050	IM00	FR-B00	X1:P1	FR-B Interface Module	System Cabinet for B#1 SRS	B2-D-0050	
281	DCS SYSTEM	B2D508006	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-A01	X1:P1	FR-A Interface Module	System Cabinet for B#1 SRS	B2-D-0050	IM01	FR-B01	X1:P2	FR-B Interface Module	System Cabinet for B#1 SRS	B2-D-0050	
282	DCS SYSTEM	B2D508007	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-B00	X1:P2	FR-B Interface Module	System Cabinet for B#1 SRS	B2-D-0050	IM00	RR-A00	X1:P1	RR-A Interface Module	System Cabinet for B#1 SRS	B2-D-0050	
283	DCS SYSTEM	B2D508008	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-B01	X1:P1	FR-B Interface Module	System Cabinet for B#1 SRS	B2-D-0050	IM01	RR-A01	X1:P2	RR-A Interface Module	System Cabinet for B#1 SRS	B2-D-0050	
284	DCS SYSTEM	B2D408001	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B2AS140A/B	B2afc140a/b	X1:P1	Automation Server AS-S7	System Cabinet for Block BOP#2	B2-D-0040	MC01	XCM102	P1	Media Converter	System Cabinet for Block BOP#2	B2-D-0040	
285	DCS SYSTEM	B2D408002	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B2AS140A/B	B2afc140a/b	X2:P1	Automation Server AS-S7	System Cabinet for Block BOP#2	B2-D-0040	MC02	XCM102	P1	Media Converter	System Cabinet for Block BOP#2	B2-D-0040	
286	DCS SYSTEM	B2D408003	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B2AS140A/B	B2afc140a/b	X8:P2	Automation Server AS-S7	System Cabinet for Block BOP#2	B2-D-0040	IM00	FR-A00	X1:P1	FR-A Interface Module	System Cabinet for Block BOP#2	B2-D-0040	
287	DCS SYSTEM	B2D408004	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	B2AS140A/B	B2afc140a/b	X8:P2	Automation Server AS-S7	System Cabinet for Block BOP#2	B2-D-0040	IM01	FR-A01	X1:P2	FR-A Interface Module	System Cabinet for Block BOP#2	B2-D-0040	
288	DCS SYSTEM	B2D408005	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-A00	X1:P2	FR-A Interface Module	System Cabinet for Block BOP#2	B2-D-0040	IM00	FR-B00	X1:P1	FR-B Interface Module	System Cabinet for Block BOP#2	B2-D-0040	
289	DCS SYSTEM	B2D408006	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-A01	X1:P1	FR-A Interface Module	System Cabinet for Block BOP#2	B2-D-0040	IM01	FR-B01	X1:P2	FR-B Interface Module	System Cabinet for Block BOP#2	B2-D-0040	
290	DCS SYSTEM	B2D408007	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-B00	X1:P2	FR-B Interface Module	System Cabinet for Block BOP#2	B2-D-0040	IM00	RR-A00	X1:P1	RR-A Interface Module	System Cabinet for Block BOP#2	B2-D-0040	
291	DCS SYSTEM	B2D408008	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-B01	X1:P1	FR-B Interface Module	System Cabinet for Block BOP#2	B2-D-0040	IM01	RR-A01	X1:P2	RR-A Interface Module	System Cabinet for Block BOP#2	B2-D-0040	
292	DCS SYSTEM	B2D408009	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	RR-A00	X1:P2	RR-A Interface Module	System Cabinet for Block BOP#2	B2-D-0040	MC03	X101-1	P1	Media Converter	System Cabinet for Block BOP#2	B2-D-0040	
293	DCS SYSTEM	B2D408010	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	RR-A01	X1:P1	RR-A Interface Module	System Cabinet for Block BOP#2	B2-D-0040	MC04	X101-1	P1	Media Converter	System Cabinet for Block BOP#2	B2-D-0040	
294	DCS SYSTEM	B2D418001	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-A00	X1:P1	FR-A Interface Module	Remote IO Cabinet for Block BOP	B2-D-0041	MC01	X101-1	P1	Media Converter	Remote IO Cabinet for Block BOP	B2-D-0041	
295	DCS SYSTEM	B2D418002	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-A01	X1:P2	FR-A Interface Module	Remote IO Cabinet for Block BOP	B2-D-0041	MC02	X101-1	P1	Media Converter	Remote IO Cabinet for Block BOP	B2-D-0041	
296	DCS SYSTEM	B2D418003	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-A00	X1:P2	FR-A Interface Module	Remote IO Cabinet for Block BOP	B2-D-0041	IM00	FR-B00	X1:P1	FR-B Interface Module	Remote IO Cabinet for Block BOP	B2-D-0041	
297	DCS SYSTEM	B2D418004	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-A01	X1:P1	FR-A Interface Module	Remote IO Cabinet for Block BOP	B2-D-0041	IM01	FR-B01	X1:P2	FR-B Interface Module	Remote IO Cabinet for Block BOP	B2-D-0041	
298	DCS SYSTEM	B2D418005	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM00	FR-B00	X1:P2	FR-B Interface Module	Remote IO Cabinet for Block BOP	B2-D-0041	IM00	RR-A00	X1:P1	RR-A Interface Module	Remote IO Cabinet for Block BOP	B2-D-0041	
299	DCS SYSTEM	B2D418006	Ethernet Cable	CAT 6A SFTP	TCP	Block#1	IM01	FR-B01	X1:P1	FR-B Interface Module	Remote IO Cabinet for Block BOP	B2-D-0041	IM01	RR-A01	X1:P2	RR-A Interface Module	Remote IO Cabinet for Block BOP	B2-D-0041	



Client :	TURKISTAN LLP	Rev:	C01
Project Name :	TURKISTAN CCGT PROJECT	Sub-Supplier	Siemens
Contractor	DOOSAN ENERBILITY	Date	05.09.24
Description :	FO CABLE SCHEDULE for DCS	DOC NO:	CCP-W-B000-51-1A-H03-0001

S/N	SYSTEM	CABLE NUMBER	CABLE		SIGNAL TYPE	UNIT	FROM						TO						REMARK
			TYPE	SPEC.			TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	
1	DCS SYSTEM	B0D109001	FO Patch Cable	OM3 MM	Optical	Common	MC03	X101-1	P2	Media Converter - 3	Central Electronic Room	B0-D-0010	LIU02	LIU02	P1-1, 2	LIGHT INTERFACE UNIT	Central Electronic Room	B0-D-0010	
2	DCS SYSTEM	B0D109002	FO Patch Cable	OM3 MM	Optical	Common	MC04	X101-1	P2	Media Converter - 4	Central Electronic Room	B0-D-0010	LIU02	LIU02	P4-7,8	LIGHT INTERFACE UNIT	Central Electronic Room	B0-D-0010	
3	DCS SYSTEM	B0D109003	FO Patch Cable	OM3 MM	Optical	Common	LIU02	LIU02	P1-1, 2	LIGHT INTERFACE UNIT	Central Electronic Room	B0-D-0010	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	WT/WWT System	B0-D-0011	
4	DCS SYSTEM	B0D109004	FO Patch Cable	OM3 MM	Optical	Common	LIU02	LIU02	P4-7,8	LIGHT INTERFACE UNIT	Central Electronic Room	B0-D-0010	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	WT/WWT System	B0-D-0011	
5	DCS SYSTEM	B0D109005	FO Patch Cable	OM3 MM	Optical	Common	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	Central Electronic Room	B0-D-0010	MC01	XCM102	P2	Media Converter-1	Central Electronic Room	B0-D-0010	
6	DCS SYSTEM	B0D109006	FO Patch Cable	OM3 MM	Optical	Common	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	Central Electronic Room	B0-D-0010	MC02	XCM102	P2	Media Converter-2	Central Electronic Room	B0-D-0010	
7	DCS SYSTEM	B0D109007	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	Common	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	Central Electronic Room	B0-D-0010	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B0-C-0001	
8	DCS SYSTEM	B0D109008	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	Common	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	Central Electronic Room	B0-D-0010	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B0-C-0001	
9	DCS SYSTEM	B0D119001	FO Patch Cable	OM3 MM	Optical	Common	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	WT/WWT System	B0-D-0011	MC01	XC101-1	P2	Media Converter-1	WT/WWT System	B0-D-0011	
10	DCS SYSTEM	B0D119002	FO Patch Cable	OM3 MM	Optical	Common	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	WT/WWT System	B0-D-0011	MC02	XC101-1	P2	Media Converter-2	WT/WWT System	B0-D-0011	
11	DCS SYSTEM	B0D209001	FO Patch Cable	OM3 MM	Optical	Common	MC03	X101-1	P2	Media Converter - 3	Central Electronic Room	B0-D-0020	LIU02	LIU02	P1-1, 2	LIGHT INTERFACE UNIT	Central Electronic Room	B0-D-0020	
12	DCS SYSTEM	B0D209002	FO Patch Cable	OM3 MM	Optical	Common	MC04	X101-1	P2	Media Converter - 4	Central Electronic Room	B0-D-0020	LIU02	LIU02	P4-7,8	LIGHT INTERFACE UNIT	Central Electronic Room	B0-D-0020	
13	DCS SYSTEM	B0D209003	FO Cable	OM3 MM	Optical	Common	LIU02	LIU02	P1-1, 2	LIGHT INTERFACE UNIT	Central Electronic Room	B0-D-0020	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	B#2 LER	B0-D-0021	
14	DCS SYSTEM	B0D209004	FO Cable	OM3 MM	Optical	Common	LIU02	LIU02	P4-7,8	LIGHT INTERFACE UNIT	Central Electronic Room	B0-D-0020	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	B#2 LER	B0-D-0021	
15	DCS SYSTEM	B0D219001	FO Patch Cable	OM3 MM	Optical	Common	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	B#2 LER	B0-D-0021	MC01	X101-1	P2	Media Converter-1	Central Electronic Room	B0-D-0021	
16	DCS SYSTEM	B0D219002	FO Patch Cable	OM3 MM	Optical	Common	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	B#2 LER	B0-D-0021	MC02	X101-1	P2	Media Converter-2	Central Electronic Room	B0-D-0021	
17	DCS SYSTEM	B0D209005	FO Patch Cable	OM3 MM	Optical	Common	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	Central Electronic Room	B0-D-0020	MC01	XCM102	P2	Media Converter-1	Central Electronic Room	B0-D-0020	
18	DCS SYSTEM	B0D209006	FO Patch Cable	OM3 MM	Optical	Common	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	Central Electronic Room	B0-D-0020	MC02	XCM102	P2	Media Converter-2	Central Electronic Room	B0-D-0020	
19	DCS SYSTEM	B0D209007	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	Common	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	Central Electronic Room	B0-D-0020	LIU02	LIU02	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B0-C-0001	
20	DCS SYSTEM	B0D209008	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	Common	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	Central Electronic Room	B0-D-0020	LIU02	LIU02	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B0-C-0001	
21	DCS SYSTEM	B0C019001	FO Patch Cable	OM3 MM	Optical	Common	LIU03	LIU03	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B0-C0001	MC01	XCM102	P2	Media Converter-1	Server Room	B0-C-0001	
22	DCS SYSTEM	B0C019002	FO Patch Cable	OM3 MM	Optical	Common	LIU03	LIU03	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B0-C0001	MC02	XCM102	P2	Media Converter-1	Server Room	B0-C-0001	
23	DCS SYSTEM	B0C019003	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	Common	LIU03	LIU03	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B0-C0001	LIU02	LIU02	P1-1, 2	LIGHT INTERFACE UNIT	Central Electronic Room	B0-C-0003	
24	DCS SYSTEM	B0C019003	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	Common	LIU03	LIU03	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B0-C0001	LIU02	LIU02	P4-7,8	LIGHT INTERFACE UNIT	Central Electronic Room	B0-C-0003	
25	DCS SYSTEM	B0C019004	FO Patch Cable	OM3 MM	Optical	Common	LIU04	LIU04	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B0-C0001	MC03	XCM102	P2	Media Converter-3	Server Room	B0-C-0001	
26	DCS SYSTEM	B0C019005	FO Patch Cable	OM3 MM	Optical	Common	LIU04	LIU04	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B0-C0001	MC04	XCM102	P2	Media Converter-4	Server Room	B0-C-0001	
27	DCS SYSTEM	B0C019006	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	Common	LIU04	LIU04	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B0-C0001	LIU02	LIU02	P1-1, 2	LIGHT INTERFACE UNIT	Central Electronic Room	B0-C-0003	
28	DCS SYSTEM	B0C019007	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	Common	LIU04	LIU04	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B0-C0001	LIU02	LIU02	P4-7,8	LIGHT INTERFACE UNIT	Central Electronic Room	B0-C-0003	
29	DCS SYSTEM	B0C019008	FO Cable	OM3 MM	Optical	Common	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B0-C-0001	B0AUT01	b0autsw01	P14	Automation Highway switch-1	Server Room	B0-C-0001	
30	DCS SYSTEM	B0C019009	FO Cable	OM3 MM	Optical	Common	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B0-C-0001	B0AUT02	b0autsw02	P14	Automation Highway switch-2	Server Room	B0-C-0001	
31	DCS SYSTEM	B0C019010	FO Cable	OM3 MM	Optical	Common	LIU02	LIU02	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B0-C-0001	B0AUT01	b0autsw01	P15	Automation Highway switch-1	Server Room	B0-C-0001	
32	DCS SYSTEM	B0C019011	FO Cable	OM3 MM	Optical	Common	LIU02	LIU02	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B0-C-0001	B0AUT02	b0autsw02	P15	Automation Highway switch-2	Server Room	B0-C-0001	
33	DCS SYSTEM	B0C039001	FO Patch Cable	OM3 MM	Optical	Common	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	Central Electronic Room	B0-C-0003	MC01	XCM102	P2	Media Converter-1	Central Electronic Room	B0-C-0003	
34	DCS SYSTEM	B0C039002	FO Patch Cable	OM3 MM	Optical	Common	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	Central Electronic Room	B0-C-0003	MC02	XCM102	P2	Media Converter-2	Central Electronic Room	B0-C-0003	
35	DCS SYSTEM	B0C039003	FO Patch Cable	OM3 MM	Optical	Common	LIU02	LIU02	P1-1, 2	LIGHT INTERFACE UNIT	Central Electronic Room	B0-C-0003	MC03	XCM102	P2	Media Converter-3	Central Electronic Room	B0-C-0003	



Client :	TURKISTAN LLP	Rev:	C01
Project Name :	TURKISTAN CCGT PROJECT	Sub-Supplier	Siemens
Contractor	DOOSAN ENERBILITY	Date	05.09.24
Description :	FO CABLE SCHEDULE for DCS	DOC NO:	CCP-W-B000-51-1A-H03-0001

S/N	SYSTEM	CABLE NUMBER	CABLE		SIGNAL TYPE	UNIT	FROM						TO						REMARK
			TYPE	SPEC.			TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	
36	DCS SYSTEM	B0C039004	FO Patch Cable	OM3 MM	Optical	Common	LIU02	LIU02	P4-7,8	LIGHT INTERFACE UNIT	Central Electronic Room	B0-C-0003	MC04	XCM102	P2	Media Converter-4	Central Electronic Room	B0-C-0003	
37	DCS SYSTEM	B0C039005	FO Patch Cable	OM3 MM	Optical	Common	MC01	XCM102	P2	Media Converter-1	Central Electronic Room	B0-C-0003	LIU12	LIU12	P1-1, 2	LIGHT INTERFACE UNIT	AIS	B0-C-0003	
38	DCS SYSTEM	B0C039006	FO Patch Cable	OM3 MM	Optical	Common	MC02	XCM102	P2	Media Converter-2	Central Electronic Room	B0-C-0003	LIU12	LIU12	P4-7,8	LIGHT INTERFACE UNIT	AIS	B0-C-0003	
39	DCS SYSTEM	B0C039007	FO Patch Cable	OM3 MM	Optical	Common	LIU12	LIU12	P1-1, 2	LIGHT INTERFACE UNIT	Central Electronic Room	B0-C-0003	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	AIS ROOM	AIS PLC	
40	DCS SYSTEM	B0C039008	FO Patch Cable	OM3 MM	Optical	Common	LIU12	LIU12	P4-7,8	LIGHT INTERFACE UNIT	Central Electronic Room	B0-C-0003	LIU02	LIU02	P4-7,8	LIGHT INTERFACE UNIT	AIS ROOM	AIS PLC	
41	DCS SYSTEM	B0C039009	FO Patch Cable	OM3 MM	Optical	Common	P0MODSW01	com_extsw01	P3	Scalance XR324-12M	Central Electronic Room	B0-C-0003	LIU03	LIU03	P1-1, 2	LIGHT INTERFACE UNIT	Fuel Gas Supply System	B0-C-0003	
42	DCS SYSTEM	B0C039010	FO Patch Cable	OM3 MM	Optical	Common	P0MODSW01	com_extsw01	P4	Scalance XR324-12M	Central Electronic Room	B0-C-0003	LIU04	LIU04	P1-1, 2	LIGHT INTERFACE UNIT	Fire Alarm & Annunciator System	B0-C-0003	
43	DCS SYSTEM	B0C039011	FO Patch Cable	OM3 MM	Optical	Common	P0MODSW01	com_extsw01	P5	Scalance XR324-12M	Central Electronic Room	B0-C-0003	LIU05	LIU05	P1-1, 2	LIGHT INTERFACE UNIT	Auxiliary Boiler	B0-C-0003	
44	DCS SYSTEM	B0C039012	FO Patch Cable	OM3 MM	Optical	Common	P0MODSW01	com_extsw01	P6	Scalance XR324-12M	Central Electronic Room	B0-C-0003	LIU06	LIU06	P1-1, 2	LIGHT INTERFACE UNIT	WWT System	B0-C-0003	
45	DCS SYSTEM	B0C039013	FO Patch Cable	OM3 MM	Optical	Common	P0MODSW01	com_extsw01	P7	Scalance XR324-12M	Central Electronic Room	B0-C-0003	LIU07	LIU07	P1-1, 2	LIGHT INTERFACE UNIT	Air Compressor System	B0-C-0003	
46	DCS SYSTEM	B0C039014	FO Patch Cable	OM3 MM	Optical	Common	P0MODSW01	com_extsw01	P8	Scalance XR324-12M	Central Electronic Room	B0-C-0003	LIU08	LIU08	P1-1, 2	LIGHT INTERFACE UNIT	BSEDG System	B0-C-0003	
47	DCS SYSTEM	B0C039015	FO Patch Cable	OM3 MM	Optical	Common	P0MODSW01	com_extsw01	P9	Scalance XR324-12M	Central Electronic Room	B0-C-0003	LIU09	LIU09	P1-1, 2	LIGHT INTERFACE UNIT	WT System	B0-C-0003	
48	DCS SYSTEM	B0C039016	FO Patch Cable	OM3 MM	Optical	Common	P0MODSW01	com_extsw01	P10	Scalance XR324-12M	Central Electronic Room	B0-C-0003	LIU10	LIU10	P1-1, 2	LIGHT INTERFACE UNIT	spare	B0-C-0003	
49	DCS SYSTEM	B0C039017	FO Patch Cable	OM3 MM	Optical	Common	P0MODSW01	com_extsw01	P11	Scalance XR324-12M	Central Electronic Room	B0-C-0003	LIU11	LIU11	P1-1, 2	LIGHT INTERFACE UNIT	spare	B0-C-0003	
50	DCS SYSTEM	B0C039018	FO Patch Cable	OM3 MM	Optical	Common	P0MODSW02	com_extsw02	P3	Scalance XR324-12M	Central Electronic Room	B0-C-0003	LIU03	LIU03	P4-7,8	LIGHT INTERFACE UNIT	Fuel Gas Supply System	B0-C-0003	
51	DCS SYSTEM	B0C039019	FO Patch Cable	OM3 MM	Optical	Common	P0MODSW02	com_extsw02	P4	Scalance XR324-12M	Central Electronic Room	B0-C-0003	LIU04	LIU04	P4-7,8	LIGHT INTERFACE UNIT	Fire Alarm & Annunciator System	B0-C-0003	
52	DCS SYSTEM	B0C039020	FO Patch Cable	OM3 MM	Optical	Common	P0MODSW02	com_extsw02	P5	Scalance XR324-12M	Central Electronic Room	B0-C-0003	LIU05	LIU05	P4-7,8	LIGHT INTERFACE UNIT	Auxiliary Boiler	B0-C-0003	
53	DCS SYSTEM	B0C039021	FO Patch Cable	OM3 MM	Optical	Common	P0MODSW02	com_extsw02	P6	Scalance XR324-12M	Central Electronic Room	B0-C-0003	LIU06	LIU06	P4-7,8	LIGHT INTERFACE UNIT	WWT System	B0-C-0003	
54	DCS SYSTEM	B0C039022	FO Patch Cable	OM3 MM	Optical	Common	P0MODSW02	com_extsw02	P7	Scalance XR324-12M	Central Electronic Room	B0-C-0003	LIU07	LIU07	P4-7,8	LIGHT INTERFACE UNIT	Air Compressor System	B0-C-0003	
55	DCS SYSTEM	B0C039023	FO Patch Cable	OM3 MM	Optical	Common	P0MODSW02	com_extsw02	P8	Scalance XR324-12M	Central Electronic Room	B0-C-0003	LIU08	LIU08	P4-7,8	LIGHT INTERFACE UNIT	BSEDG System	B0-C-0003	
56	DCS SYSTEM	B0C039024	FO Patch Cable	OM3 MM	Optical	Common	P0MODSW02	com_extsw02	P9	Scalance XR324-12M	Central Electronic Room	B0-C-0003	LIU09	LIU09	P4-7,8	LIGHT INTERFACE UNIT	WT System	B0-C-0003	
57	DCS SYSTEM	B0C039025	FO Patch Cable	OM3 MM	Optical	Common	P0MODSW02	com_extsw02	P10	Scalance XR324-12M	Central Electronic Room	B0-C-0003	LIU10	LIU10	P4-7,8	LIGHT INTERFACE UNIT	spare	B0-C-0003	
58	DCS SYSTEM	B0C039026	FO Patch Cable	OM3 MM	Optical	Common	P0MODSW02	com_extsw02	P11	Scalance XR324-12M	Central Electronic Room	B0-C-0003	LIU11	LIU11	P4-7,8	LIGHT INTERFACE UNIT	spare	B0-C-0003	
59	DCS SYSTEM	B0C039027	FO Cable	FO 4C*62.5 CABLE	Optical	Common	LIU03	LIU03	P1-1, 2	LIGHT INTERFACE UNIT	COM Third Party Communication Cabinet	B0-C-0003	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	AUXiliary Boiler Building	FGS DCS	
60	DCS SYSTEM	B0C039028	FO Cable	FO 4C*62.5 CABLE	Optical	Common	LIU04	LIU04	P1-1, 2	LIGHT INTERFACE UNIT	COM Third Party Communication Cabinet	B0-C-0003	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	Fire Alarm & Annunciator Panel Area	FAAP PLC	
61	DCS SYSTEM	B0C039029	FO Cable	FO 4C*62.5 CABLE	Optical	Common	LIU05	LIU05	P1-1, 2	LIGHT INTERFACE UNIT	COM Third Party Communication Cabinet	B0-C-0003	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	AUXiliary Boiler Building	AUXILIARY BOILER PLC	
62	DCS SYSTEM	B0C039030	FO Cable	FO 4C*62.5 CABLE	Optical	Common	LIU06	LIU06	P1-1, 2	LIGHT INTERFACE UNIT	COM Third Party Communication Cabinet	B0-C-0003	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	WT/WWT Building	WWT PLC	
63	DCS SYSTEM	B0C039031	FO Cable	FO 4C*62.5 CABLE	Optical	Common	LIU07	LIU07	P1-1, 2	LIGHT INTERFACE UNIT	COM Third Party Communication Cabinet	B0-C-0003	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	Air Compressor Building	AIR COMPRESSOR PLC	
64	DCS SYSTEM	B0C039032	FO Cable	FO 4C*62.5 CABLE	Optical	Common	LIU08	LIU08	P1-1, 2	LIGHT INTERFACE UNIT	COM Third Party Communication Cabinet	B0-C-0003	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	BSEDG Control Room	BSEDG PLC	
65	DCS SYSTEM	B0C039033	FO Cable	FO 4C*62.5 CABLE	Optical	Common	LIU09	LIU09	P1-1, 2	LIGHT INTERFACE UNIT	COM Third Party Communication Cabinet	B0-C-0003	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	WT/WWT Building	WT PLC	
66	DCS SYSTEM	B0C039034	FO Cable	FO 4C*62.5 CABLE	Optical	Common	LIU03	LIU03	P4-7,8	LIGHT INTERFACE UNIT	COM Third Party Communication Cabinet	B0-C-0003	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	AUXiliary Boiler Building	FGS DCS	
67	DCS SYSTEM	B0C039035	FO Cable	FO 4C*62.5 CABLE	Optical	Common	LIU04	LIU04	P4-7,8	LIGHT INTERFACE UNIT	COM Third Party Communication Cabinet	B0-C-0003	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	Fire Alarm & Annunciator Panel Area	FAAP PLC	
68	DCS SYSTEM	B0C039036	FO Cable	FO 4C*62.5 CABLE	Optical	Common	LIU05	LIU05	P4-7,8	LIGHT INTERFACE UNIT	COM Third Party Communication Cabinet	B0-C-0003	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	AUXiliary Boiler Building	AUXILIARY BOILER PLC	
69	DCS SYSTEM	B0C039037	FO Cable	FO 4C*62.5 CABLE	Optical	Common	LIU06	LIU06	P4-7,8	LIGHT INTERFACE UNIT	COM Third Party Communication Cabinet	B0-C-0003	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	WT/WWT Building	WWT PLC	
70	DCS SYSTEM	B0C039038	FO Cable	FO 4C*62.5 CABLE	Optical	Common	LIU07	LIU07	P4-7,8	LIGHT INTERFACE UNIT	COM Third Party Communication Cabinet	B0-C-0003	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	Air Compressor Building	AIR COMPRESSOR PLC	
71	DCS SYSTEM	B0C039039	FO Cable	FO 4C*62.5 CABLE	Optical	Common	LIU08	LIU08	P4-7,8	LIGHT INTERFACE UNIT	COM Third Party Communication Cabinet	B0-C-0003	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	BSEDG Control Room	BSEDG PLC	
72	DCS SYSTEM	B0C039040	FO Cable	FO 4C*62.5 CABLE	Optical	Common	LIU09	LIU09	P4-7,8	LIGHT INTERFACE UNIT	COM Third Party Communication Cabinet	B0-C-0003	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	WT/WWT Building	WT PLC	
73	DCS SYSTEM	B0C029001	FO Patch Cable	OM3 MM	Optical	Common	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B0-C-0002	MC01	XCM102	P2	Media Converter-1	Server Room	B0-C-0002	
74	DCS SYSTEM	B0C029002	FO Patch Cable	OM3 MM	Optical	Common	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B0-C-0002	MC02	XCM102	P2	Media Converter-2	Server Room	B0-C-0002	
75	DCS SYSTEM	B0C029003	FO Patch Cable	OM3 MM	Optical	Common	P0TMS01	imesrv01	DTS Link	TIME SERVER DTS 4128	Server Room	B0-C-0002	P0TMS02	imesrv02	DTS Link	TIME SERVER DTS 4128	Server Room	B0-C-0002	
76	DCS SYSTEM	B0C029004	FO Patch Cable	OM3 MM	Optical	Common	B0FW02	b0dmzfw02	P6	FIREWALL with DMZ highway	Server Room	B0-C-0002	B0POE01		P5	POE switch for slave clk	Server Room	B0-C-0002	



Client :	TURKISTAN LLP	Rev:	C01
Project Name :	TURKISTAN COGT PROJECT	Sub-Supplier	Siemens
Contractor	DOOSAN ENERBILITY	Date	05.09.24
Description :	FO CABLE SCHEDULE for DCS	DOC NO:	CCP-W-B000-51-1A-H03-0001

S/N	SYSTEM	CABLE NUMBER	CABLE		SIGNAL TYPE	UNIT	FROM						TO						REMARK
			TYPE	SPEC.			TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	
77	DCS SYSTEM	B1C019001	FO Patch Cable	OM3 MM	Optical	B#1	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	MC01	XCM102	P2	Media Converter-1	Server Room	B1-C-0001	
78	DCS SYSTEM	B1C019002	FO Patch Cable	OM3 MM	Optical	B#1	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	MC02	XCM102	P2	Media Converter-2	Server Room	B1-C-0001	
79	DCS SYSTEM	B1C019003	FO Patch Cable	OM3 MM	Optical	B#1	LIU02	LIU02	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	MC03	XCM102	P2	Media Converter-3	Server Room	B1-C-0001	
80	DCS SYSTEM	B1C019004	FO Patch Cable	OM3 MM	Optical	B#1	LIU02	LIU02	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	MC04	XCM102	P2	Media Converter-4	Server Room	B1-C-0001	
81	DCS SYSTEM	B1C019005	FO Patch Cable	OM3 MM	Optical	B#1	LIU03	LIU03	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	MC05	XCM102	P2	Media Converter-5	Server Room	B1-C-0001	
82	DCS SYSTEM	B1C019006	FO Patch Cable	OM3 MM	Optical	B#1	LIU03	LIU03	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	MC06	XCM102	P2	Media Converter-6	Server Room	B1-C-0001	
83	DCS SYSTEM	B1C019007	FO Patch Cable	OM3 MM	Optical	B#1	LIU04	LIU04	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	B1AUT01	b1autsw01	P14	Automation Highway Switch-1	Server Room	B1-C-0001	
84	DCS SYSTEM	B1C019008	FO Patch Cable	OM3 MM	Optical	B#1	LIU04	LIU04	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	B1AUT02	b1autsw02	P14	Automation Highway Switch-2	Server Room	B1-C-0001	
85	DCS SYSTEM	B1C019009	FO Patch Cable	OM3 MM	Optical	B#1	LIU05	LIU05	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	B1AUT01	b1autsw01	P15	Automation Highway Switch-1	Server Room	B1-C-0001	
86	DCS SYSTEM	B1C019010	FO Patch Cable	OM3 MM	Optical	B#1	LIU05	LIU05	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	B1AUT02	b1autsw02	P15	Automation Highway Switch-2	Server Room	B1-C-0001	
87	DCS SYSTEM	B1C019011	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	B#1	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	B#1 LER	B1-D-0010	
88	DCS SYSTEM	B1C019012	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	B#1	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	B#1 LER	B1-D-0010	
89	DCS SYSTEM	B1C019013	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	B#1	LIU02	LIU02	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	B#1 LER	B1-D-0020	
90	DCS SYSTEM	B1C019014	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	B#1	LIU02	LIU02	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	B#1 LER	B1-D-0020	
91	DCS SYSTEM	B1C019015	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	B#1	LIU03	LIU03	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	B#1 LER	B1-00-D-150	
92	DCS SYSTEM	B1C019016	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	B#1	LIU03	LIU03	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	B#1 LER	B1-00-D-150	
93	DCS SYSTEM	B1C019017	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	B#1	LIU04	LIU04	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	ACC#1 LER	B1-D-0040	
94	DCS SYSTEM	B1C019018	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	B#1	LIU04	LIU04	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	ACC#1 LER	B1-D-0040	
95	DCS SYSTEM	B1C019019	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	B#1	LIU05	LIU05	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	STG#1 LER	B1-00-D0130	
96	DCS SYSTEM	B1C019020	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	B#1	LIU05	LIU05	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	STG#1 LER	B1-00-D0130	
97	DCS SYSTEM	B1C019021	FO Patch Cable	OM3 MM	Optical	B#1	LIU06	LIU06	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	MC07	XCM102	P2	Media Converter-7	Server Room	B1-C-0001	
98	DCS SYSTEM	B1C019022	FO Patch Cable	OM3 MM	Optical	B#1	LIU06	LIU06	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	MC08	XCM102	P2	Media Converter-8	Server Room	B1-C-0001	
99	DCS SYSTEM	B1C019023	FO Patch Cable	OM3 MM	Optical	B#1	LIU07	LIU07	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	MC09	XCM102	P2	Media Converter-9	Server Room	B1-C-0001	
100	DCS SYSTEM	B1C019024	FO Patch Cable	OM3 MM	Optical	B#1	LIU07	LIU07	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	MC10	XCM102	P2	Media Converter-10	Server Room	B1-C-0001	
101	DCS SYSTEM	B1C019025	FO Patch Cable	OM3 MM	Optical	B#1	LIU08	LIU08	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	MC11	XCM102	P2	Media Converter-11	Server Room	B1-C-0001	
102	DCS SYSTEM	B1C019026	FO Patch Cable	OM3 MM	Optical	B#1	LIU08	LIU08	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	MC12	XCM102	P2	Media Converter-12	Server Room	B1-C-0001	
103	DCS SYSTEM	B1C019027	FO Patch Cable	OM3 MM	Optical	B#1	LIU09	LIU09	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	MC13	XCM102	P2	Media Converter-13	Server Room	B1-C-0001	
104	DCS SYSTEM	B1C019028	FO Patch Cable	OM3 MM	Optical	B#1	LIU09	LIU09	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	MC14	XCM102	P2	Media Converter-14	Server Room	B1-C-0001	
105	DCS SYSTEM	B1C019029	FO Cable	FO 4C*62.5 CABLE	Optical	B#1	LIU06	LIU06	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	HRSG #1 Local Area	HRSG #1 Diverter Damper	
106	DCS SYSTEM	B1C019030	FO Cable	FO 4C*62.5 CABLE	Optical	B#1	LIU06	LIU06	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	HRSG #1 Local Area	HRSG #1 Diverter Damper	
107	DCS SYSTEM	B1C019031	FO Cable	FO 4C*62.5 CABLE	Optical	B#1	LIU07	LIU07	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	HRSG #2 Local Area	HRSG #2 Diverter Damper	
108	DCS SYSTEM	B1C019032	FO Cable	FO 4C*62.5 CABLE	Optical	B#1	LIU07	LIU07	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	HRSG #2 Local Area	HRSG #2 Diverter Damper	
109	DCS SYSTEM	B1C019033	FO Cable	FO 4C*62.5 CABLE	Optical	B#1	LIU08	LIU08	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	Vibration Moniotoring	Vibration Moniotoring	




Client :	TURKISTAN LLP	Rev:	C01
Project Name :	TURKISTAN CCGT PROJECT	Sub-Supplier	Siemens
Contractor	DOOSAN ENERBILITY	Date	05.09.24
Description :	FO CABLE SCHEDULE for DCS	DOC NO:	CCP-W-B000-51-1A-H03-0001


S/N	SYSTEM	CABLE NUMBER	CABLE		SIGNAL TYPE	UNIT	FROM						TO						REMARK
			TYPE	SPEC.			TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	
110	DCS SYSTEM	B1C019034	FO Cable	FO 4C*62.5 CABLE	Optical	B#1	LIU08	LIU08	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B1-C-0001	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	Vibration Moniotoring	Vibration Moniotoring	
111	DCS SYSTEM	B1D109001	FO Patch Cable	OM3 MM	Optical	B#1	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	B#1 LER	B1-D-0010	MC01	XCM102	P2	Media Converter-1	B#1 LER	B1-D-0010	
112	DCS SYSTEM	B1D109002	FO Patch Cable	OM3 MM	Optical	B#1	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	B#1 LER	B1-D-0010	MC02	XCM102	P2	Media Converter-2	B#1 LER	B1-D-0010	
113	DCS SYSTEM	B1D209001	FO Patch Cable	OM3 MM	Optical	B#1	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	B#1 LER	B1-D-0020	MC01	XCM102	P2	Media Converter-1	B#1 LER	B1-D-0020	
114	DCS SYSTEM	B1D209002	FO Patch Cable	OM3 MM	Optical	B#1	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	B#1 LER	B1-D-0020	MC02	XCM102	P2	Media Converter-2	B#1 LER	B1-D-0020	
115	DCS SYSTEM	B1D1509001	FO Patch Cable	OM3 MM	Optical	B#1	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	B#1 LER	B1-00-D-150	MC01	XCM102	P2	Media Converter-1	B#1 LER	B1-00-D-150	
116	DCS SYSTEM	B1D1509002	FO Patch Cable	OM3 MM	Optical	B#1	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	B#1 LER	B1-00-D-150	MC02	XCM102	P2	Media Converter-2	B#1 LER	B1-00-D-150	
117	DCS SYSTEM	B1D409001	FO Patch Cable	OM3 MM	Optical	B#1	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	ACC#1 LER	B1-D-0040	MC01	XCM102	P2	Media Converter-1	ACC#1 LER	B1-D-0040	
118	DCS SYSTEM	B1D409002	FO Patch Cable	OM3 MM	Optical	B#1	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	ACC#1 LER	B1-D-0040	MC02	XCM102	P2	Media Converter-2	ACC#1 LER	B1-D-0040	
119	DCS SYSTEM	B1D1309001	FO Patch Cable	OM3 MM	Optical	B#1	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	STG#1 LER	B1-00-D0130	MC01	XCM102	P2	Media Converter-1	STG#1 LER	B1-00-D0130	
120	DCS SYSTEM	B1D1309002	FO Patch Cable	OM3 MM	Optical	B#1	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	STG#1 LER	B1-00-D0130	MC02	XCM102	P2	Media Converter-2	STG#1 LER	B1-00-D0130	
121	DCS SYSTEM	B1D409003	FO CABLE	4F MM OM3 UNITUBE ARMoured OFC	Optical	B#1	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	B#1 LER	B1-D-0041	LIU02	LIU02	P1-1, 2	LIGHT INTERFACE UNIT	ACC#1 LER	B1-D-0040	
122	DCS SYSTEM	B1D409004	FO CABLE	4F MM OM3 UNITUBE ARMoured OFC	Optical	B#1	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	B#1 LER	B1-D-0041	LIU02	LIU02	P4-7,8	LIGHT INTERFACE UNIT	ACC#1 LER	B1-D-0040	
123	DCS SYSTEM	B1D409005	FO Patch Cable	OM3 MM	Optical	B#1	LIU02	LIU02	P1-1, 2	LIGHT INTERFACE UNIT	ACC#1 LER	B1-D-0040	MC03	X101-1	P2	Media Converter-3	ACC#1 LER	B1-D-0040	
124	DCS SYSTEM	B1D409006	FO Patch Cable	OM3 MM	Optical	B#1	LIU02	LIU02	P4-7,8	LIGHT INTERFACE UNIT	ACC#1 LER	B1-D-0040	MC04	X101-1	P2	Media Converter-4	ACC#1 LER	B1-D-0040	
125	DCS SYSTEM	B1D419001	FO Patch Cable	OM3 MM	Optical	B#1	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	B#1 LER	B1-D-0041	MC01	XCM102	P2	Media Converter-1	B#1 LER	B1-D-0041	
126	DCS SYSTEM	B1D419002	FO Patch Cable	OM3 MM	Optical	B#1	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	B#1 LER	B1-D-0041	MC02	XCM102	P2	Media Converter-2	B#1 LER	B1-D-0041	
127	DCS SYSTEM	B2C019001	FO Patch Cable	OM3 MM	Optical	B#2	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	MC01	XCM102	P2	Media Converter-1	Server Room	B2-C-0001	
128	DCS SYSTEM	B2C019002	FO Patch Cable	OM3 MM	Optical	B#2	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	MC02	XCM102	P2	Media Converter-2	Server Room	B2-C-0001	
129	DCS SYSTEM	B2C019003	FO Patch Cable	OM3 MM	Optical	B#2	LIU02	LIU02	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	MC03	XCM102	P2	Media Converter-3	Server Room	B2-C-0001	
130	DCS SYSTEM	B2C019004	FO Patch Cable	OM3 MM	Optical	B#2	LIU02	LIU02	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	MC04	XCM102	P2	Media Converter-4	Server Room	B2-C-0001	
131	DCS SYSTEM	B2C019005	FO Patch Cable	OM3 MM	Optical	B#2	LIU03	LIU03	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	MC05	XCM102	P2	Media Converter-5	Server Room	B2-C-0001	
132	DCS SYSTEM	B2C019006	FO Patch Cable	OM3 MM	Optical	B#2	LIU03	LIU03	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	MC06	XCM102	P2	Media Converter-6	Server Room	B2-C-0001	
133	DCS SYSTEM	B2C019007	FO Patch Cable	OM3 MM	Optical	B#2	LIU04	LIU04	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	B2AUT01	B2autsw01	P14	Automation Highway Switch-1	Server Room	B2-C-0001	
134	DCS SYSTEM	B2C019008	FO Patch Cable	OM3 MM	Optical	B#2	LIU04	LIU04	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	B2AUT02	B2autsw02	P14	Automation Highway Switch-2	Server Room	B2-C-0001	
135	DCS SYSTEM	B2C019009	FO Patch Cable	OM3 MM	Optical	B#2	LIU05	LIU05	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	B2AUT01	B2autsw01	P15	Automation Highway Switch-1	Server Room	B2-C-0001	
136	DCS SYSTEM	B2C019010	FO Patch Cable	OM3 MM	Optical	B#2	LIU05	LIU05	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	B2AUT02	B2autsw02	P15	Automation Highway Switch-2	Server Room	B2-C-0001	
137	DCS SYSTEM	B2C019011	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	B#2	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	B#2 LER	B2-D-0010	
138	DCS SYSTEM	B2C019011	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	B#2	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	B#2 LER	B2-D-0010	
139	DCS SYSTEM	B2C019012	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	B#2	LIU02	LIU02	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	B#2 LER	B2-D-0020	
140	DCS SYSTEM	B2C019012	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	B#2	LIU02	LIU02	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	B#2 LER	B2-D-0020	
141	DCS SYSTEM	B2C019013	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	B#2	LIU03	LIU03	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	B#2 LER	B2-00-D-150	
142	DCS SYSTEM	B2C019013	FO Cable	4F MM OM3 UNITUBE ARMoured OFC	Optical	B#2	LIU03	LIU03	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	B#2 LER	B2-00-D-150	



Client :	TURKISTAN LLP	Rev:	C01
Project Name :	TURKISTAN CCGT PROJECT	Sub-Supplier	Siemens
Contractor	DOOSAN ENERBILITY	Date	05.09.24
Description :	FO CABLE SCHEDULE for DCS	DOC NO:	CCP-W-B000-51-1A-H03-0001

S/N	SYSTEM	CABLE NUMBER	CABLE		SIGNAL TYPE	UNIT	FROM						TO						REMARK
			TYPE	SPEC.			TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	
143	DCS SYSTEM	B2C019014	FO Cable	4F MM OM3 UNITUBE ARMOURED OFC	Optical	B#2	LIU04	LIU04	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	ACC#2 LER	B2-D-0040	
144	DCS SYSTEM	B2C019014	FO Cable	4F MM OM3 UNITUBE ARMOURED OFC	Optical	B#2	LIU04	LIU04	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	ACC#2 LER	B2-D-0040	
145	DCS SYSTEM	B2C019015	FO Cable	4F MM OM3 UNITUBE ARMOURED OFC	Optical	B#2	LIU05	LIU05	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	STG#2 LER	B2-00-D0130	
146	DCS SYSTEM	B2C019015	FO Cable	4F MM OM3 UNITUBE ARMOURED OFC	Optical	B#2	LIU05	LIU05	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	STG#2 LER	B2-00-D0130	
147	DCS SYSTEM	B2C019016	FO Patch Cable	OM3 MM	Optical	B#2	LIU06	LIU06	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	MC07	XCM102	P2	Media Converter-7	Server Room	B2-C-0001	
148	DCS SYSTEM	B2C019017	FO Patch Cable	OM3 MM	Optical	B#2	LIU06	LIU06	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	MC08	XCM102	P2	Media Converter-8	Server Room	B2-C-0001	
149	DCS SYSTEM	B2C019018	FO Patch Cable	OM3 MM	Optical	B#2	LIU07	LIU07	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	MC09	XCM102	P2	Media Converter-9	Server Room	B2-C-0001	
150	DCS SYSTEM	B2C019019	FO Patch Cable	OM3 MM	Optical	B#2	LIU07	LIU07	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	MC10	XCM102	P2	Media Converter-10	Server Room	B2-C-0001	
151	DCS SYSTEM	B2C019020	FO Patch Cable	OM3 MM	Optical	B#2	LIU08	LIU08	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	MC11	XCM102	P2	Media Converter-11	Server Room	B2-C-0001	
152	DCS SYSTEM	B2C019021	FO Patch Cable	OM3 MM	Optical	B#2	LIU08	LIU08	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	MC12	XCM102	P2	Media Converter-12	Server Room	B2-C-0001	
153	DCS SYSTEM	B2C019022	FO Patch Cable	OM3 MM	Optical	B#2	LIU09	LIU09	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	MC13	XCM102	P2	Media Converter-13	Server Room	B2-C-0001	
154	DCS SYSTEM	B2C019023	FO Patch Cable	OM3 MM	Optical	B#2	LIU09	LIU09	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	MC14	XCM102	P2	Media Converter-14	Server Room	B2-C-0001	
155	DCS SYSTEM	B2C019029	FO Cable	FO 4C*62.5 CABLE	Optical	B#2	LIU06	LIU06	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	HRSG #3 Local Area	HRSG #3 Diverter Damper	
156	DCS SYSTEM	B2C019030	FO Cable	FO 4C*62.5 CABLE	Optical	B#2	LIU06	LIU06	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	HRSG #3 Local Area	HRSG #3 Diverter Damper	
157	DCS SYSTEM	B2C019031	FO Cable	FO 4C*62.5 CABLE	Optical	B#2	LIU07	LIU07	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	HRSG #4 Local Area	HRSG #4 Diverter Damper	
158	DCS SYSTEM	B2C019032	FO Cable	FO 4C*62.5 CABLE	Optical	B#2	LIU07	LIU07	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	HRSG #4 Local Area	HRSG #4 Diverter Damper	
159	DCS SYSTEM	B2C019033	FO Cable	FO 4C*62.5 CABLE	Optical	B#2	LIU08	LIU08	P1-1, 2	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	Vibration Moniotoring	Vibration Moniotoring	
160	DCS SYSTEM	B2C019034	FO Cable	FO 4C*62.5 CABLE	Optical	B#2	LIU08	LIU08	P4-7,8	LIGHT INTERFACE UNIT	Server Room	B2-C-0001	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	Vibration Moniotoring	Vibration Moniotoring	
161	DCS SYSTEM	B2D109001	FO Patch Cable	OM3 MM	Optical	B#2	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	B#2 LER	B2-D-0010	MC01	XCM102	P2	Media Converter-1	B#2 LER	B2-D-0010	
162	DCS SYSTEM	B2D109002	FO Patch Cable	OM3 MM	Optical	B#2	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	B#2 LER	B2-D-0010	MC02	XCM102	P2	Media Converter-2	B#2 LER	B2-D-0010	
163	DCS SYSTEM	B2D209001	FO Patch Cable	OM3 MM	Optical	B#2	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	B#2 LER	B2-D-0020	MC01	XCM102	P2	Media Converter-1	B#2 LER	B2-D-0020	
164	DCS SYSTEM	B2D209002	FO Patch Cable	OM3 MM	Optical	B#2	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	B#2 LER	B2-D-0020	MC02	XCM102	P2	Media Converter-2	B#2 LER	B2-D-0020	
165	DCS SYSTEM	B2D1509001	FO Patch Cable	OM3 MM	Optical	B#2	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	B#2 LER	B2-00-D-150	MC01	XCM102	P2	Media Converter-1	B#2 LER	B2-00-D-150	
166	DCS SYSTEM	B2D1509002	FO Patch Cable	OM3 MM	Optical	B#2	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	B#2 LER	B2-00-D-150	MC02	XCM102	P2	Media Converter-2	B#2 LER	B2-00-D-150	
167	DCS SYSTEM	B2D409001	FO Patch Cable	OM3 MM	Optical	B#2	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	ACC#1 LER	B2-D-0040	MC01	XCM102	P2	Media Converter-1	ACC#2 LER	B2-D-0040	
168	DCS SYSTEM	B2D409002	FO Patch Cable	OM3 MM	Optical	B#2	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	ACC#1 LER	B2-D-0040	MC02	XCM102	P2	Media Converter-2	ACC#2 LER	B2-D-0040	
169	DCS SYSTEM	B2D1309001	FO Patch Cable	OM3 MM	Optical	B#2	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	STG#1 LER	B2-00-D0130	MC01	XCM102	P2	Media Converter-1	STG#2 LER	B2-00-D0130	
170	DCS SYSTEM	B2D1309002	FO Patch Cable	OM3 MM	Optical	B#2	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	STG#1 LER	B2-00-D0130	MC02	XCM102	P2	Media Converter-2	STG#2 LER	B2-00-D0130	
171	DCS SYSTEM	B2D409003	FO CABLE	4F MM OM3 UNITUBE ARMOURED OFC	Optical	B#2	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	B#2 LER	B2-D-0041	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	ACC#2 LER	B2-D-0040	
172	DCS SYSTEM	B2D409003	FO CABLE	4F MM OM3 UNITUBE ARMOURED OFC	Optical	B#2	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	B#2 LER	B2-D-0041	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	ACC#2 LER	B2-D-0040	
173	DCS SYSTEM	B2D409005	FO Patch Cable	OM3 MM	Optical	B#2	LIU02	LIU02	P1-1, 2	LIGHT INTERFACE UNIT	ACC#2 LER	B2-D-0040	MC03	X101-1	P2	Media Converter-3	ACC#2 LER	B2-D-0040	
174	DCS SYSTEM	B2D409006	FO Patch Cable	OM3 MM	Optical	B#2	LIU02	LIU02	P4-7,8	LIGHT INTERFACE UNIT	ACC#2 LER	B2-D-0040	MC04	X101-1	P2	Media Converter-4	ACC#2 LER	B2-D-0040	
175	DCS SYSTEM	B2D419001	FO Patch Cable	OM3 MM	Optical	B#2	LIU01	LIU01	P1-1, 2	LIGHT INTERFACE UNIT	B#2 LER	B2-D-0041	MC01	XCM102	P2	Media Converter-1	B#2 LER	B2-D-0041	
176	DCS SYSTEM	B2D419002	FO Patch Cable	OM3 MM	Optical	B#2	LIU01	LIU01	P4-7,8	LIGHT INTERFACE UNIT	B#2 LER	B2-D-0041	MC02	XCM102	P2	Media Converter-2	B#2 LER	B2-D-0041	








Client :	TURKISTAN LLP	Rev:	C01
Project Name :	TURKISTAN CCGT PROJECT	Sub-Supplier	Siemens
Contractor	DOOSAN ENERBILITY	Date	05.09.24
Description :	SIGNAL CABLE SCHEDULE for DCS	DOC NO:	CCP-W-8000-51-1A-H03-0001

S/N	SYSTEM	CABLE NUMBER	CABLE		SIGNAL TYPE	UNIT	FROM						TO						REMARK	
			TYPE	SPEC.			TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME		
93	DCS SYSTEM	B1PDP013001	Signal Cable	8 Pair*0.75 Sqmm	24VDC	Common	SPARE	-	-	COM Third Party Communication Cabinet	Central Electronic Room	B0-C-0003	XFC04	-	-	COM System + Marshalling Cabinet for Plant Common	Central Electronic Room	B0-D-0010		
94	DCS SYSTEM		Signal Cable	8 Pair*0.75 Sqmm	24VDC	Common	SPARE	-	-	COM Third Party Communication Cabinet	Central Electronic Room	B0-C-0003	XFC04	-	-	COM System + Marshalling Cabinet for Plant Common	Central Electronic Room	B0-D-0010		
95	DCS SYSTEM		Signal Cable	SHD	24VDC	Common		-	-	COM Third Party Communication Cabinet	Central Electronic Room	B0-C-0003	XFC04	-	-	COM System + Marshalling Cabinet for Plant Common	Central Electronic Room	B0-D-0010		
96	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 01,02	24VDC	Common	XD	Terminal Block	01, 02	B#1 Power Distribution Cabinet#1	Central Electronic Room	B1-PDP-0001	XFF02	FIM Module_DI	5+ ; 5-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010	B1-PDP-0001_XG01	
97	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 03,04	24VDC	Common	XD	Terminal Block	03, 04	B#1 Power Distribution Cabinet#1	Central Electronic Room	B1-PDP-0001	XFF02	FIM Module_DI	6+ ; 6-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010	B1-PDP-0001_XG02	
98	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 05,06	24VDC	Common	XD	Terminal Block	05, 06	B#1 Power Distribution Cabinet#1	Central Electronic Room	B1-PDP-0001	XFF02	FIM Module_DI	7+ ; 7-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010	B1-PDP-0001_XG06	
99	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 07,08	24VDC	Common	XD	Terminal Block	07, 08	B#1 Power Distribution Cabinet#1	Central Electronic Room	B1-PDP-0001	XFF02	FIM Module_DI	8+ ; 8-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010	B1-PDP-0001_XG07	
100	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 09,10	24VDC	Common	SPARE	-	-	B#1 Power Distribution Cabinet#1	Central Electronic Room	B1-PDP-0001	XFF02	-	-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010		
101	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 11,12	24VDC	Common	SPARE	-	-	B#1 Power Distribution Cabinet#1	Central Electronic Room	B1-PDP-0001	XFF02	-	-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010		
102	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 13,14	24VDC	Common	SPARE	-	-	B#1 Power Distribution Cabinet#1	Central Electronic Room	B1-PDP-0001	XFF02	-	-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010		
103	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 15,16	24VDC	Common	SPARE	-	-	B#1 Power Distribution Cabinet#1	Central Electronic Room	B1-PDP-0001	XFF02	-	-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010		
104	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 17,18	24VDC	Common	SPARE	-	-	B#1 Power Distribution Cabinet#1	Central Electronic Room	B1-PDP-0001	XFF02	-	-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010		
105	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 19,20	24VDC	Common	SPARE	-	-	B#1 Power Distribution Cabinet#1	Central Electronic Room	B1-PDP-0001	XFF02	-	-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010		
106	DCS SYSTEM		Signal Cable	SHD	24VDC	Common		-	-	B#1 Power Distribution Cabinet#1	Central Electronic Room	B1-PDP-0001	XFF02	-	-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010		
107	DCS SYSTEM		B1C013001	Signal Cable	20Core*1 Sqmm - 01,02	24VDC	Common	XD	Terminal Block	01, 02	B#1 Server and Network Cabinet	Central Electronic Room	B1-C-0001	XFB03	FIM Module_DI	9+ ; 9-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010	B1-C-0001_XG01
108	DCS SYSTEM			Signal Cable	20Core*1 Sqmm - 03,04	24VDC	Common	XD	Terminal Block	03, 04	B#1 Server and Network Cabinet	Central Electronic Room	B1-C-0001	XFB03	FIM Module_DI	10+ ; 10-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010	B1-C-0001_XG02
109	DCS SYSTEM	Signal Cable		20Core*1 Sqmm - 05,06	24VDC	Common	XD	Terminal Block	05, 06	B#1 Server and Network Cabinet	Central Electronic Room	B1-C-0001	XFB03	FIM Module_DI	11+ ; 11-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010	B1-C-0001_XG03	
110	DCS SYSTEM	Signal Cable		20Core*1 Sqmm - 07,08	24VDC	Common	XD	Terminal Block	07, 08	B#1 Server and Network Cabinet	Central Electronic Room	B1-C-0001	XFC03	FIM Module_DI	9+ ; 9-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010	B1-C-0001_XG04	
111	DCS SYSTEM	Signal Cable		20Core*1 Sqmm - 09,10	24VDC	Common	XD	Terminal Block	09, 10	B#1 Server and Network Cabinet	Central Electronic Room	B1-C-0001	XFC03	FIM Module_DI	10+ ; 10-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010	B1-C-0001_XG05	
112	DCS SYSTEM	Signal Cable		20Core*1 Sqmm - 11,12	24VDC	Common	SPARE	-	-	B#1 Server and Network Cabinet	Central Electronic Room	B1-C-0001	-	-	-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010		
113	DCS SYSTEM	Signal Cable		20Core*1 Sqmm - 13,14	24VDC	Common	SPARE	-	-	B#1 Server and Network Cabinet	Central Electronic Room	B1-C-0001	-	-	-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010		
114	DCS SYSTEM	Signal Cable		20Core*1 Sqmm - 15,16	24VDC	Common	SPARE	-	-	B#1 Server and Network Cabinet	Central Electronic Room	B1-C-0001	-	-	-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010		
115	DCS SYSTEM	Signal Cable		20Core*1 Sqmm - 17,18	24VDC	Common	SPARE	-	-	B#1 Server and Network Cabinet	Central Electronic Room	B1-C-0001	-	-	-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010		
116	DCS SYSTEM	Signal Cable		20Core*1 Sqmm - 19,20	24VDC	Common	SPARE	-	-	B#1 Server and Network Cabinet	Central Electronic Room	B1-C-0001	-	-	-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010		
117	DCS SYSTEM	Signal Cable	SHD	24VDC	Common	SPARE	-	-	B#1 Server and Network Cabinet	Central Electronic Room	B1-C-0001	-	-	-	B#1 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B1-D-0010			
118	DCS SYSTEM	B1PDP113001	Signal Cable	20Core*1 Sqmm - 01,02	24VDC	Common	XD	Terminal Block	01, 02	B#1 Power Distribution Cabinet#2	Central Electronic Room	B1-PDP-0011	XFF02	FIM Module_DI	5+ ; 5-	B#1 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B1-D-0020	B1-PDP-0011_XG01	
119	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 03,04	24VDC	Common	XD	Terminal Block	03, 04	B#1 Power Distribution Cabinet#2	Central Electronic Room	B1-PDP-0011	XFF02	FIM Module_DI	6+ ; 6-	B#1 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B1-D-0020	B1-PDP-0011_XG02	
120	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 05,06	24VDC	Common	XD	Terminal Block	05, 06	B#1 Power Distribution Cabinet#2	Central Electronic Room	B1-PDP-0011	XFF02	FIM Module_DI	7+ ; 7-	B#1 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B1-D-0020	B1-PDP-0011_XG06	
121	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 07,08	24VDC	Common	XD	Terminal Block	07, 08	B#1 Power Distribution Cabinet#2	Central Electronic Room	B1-PDP-0011	XFF02	FIM Module_DI	8+ ; 8-	B#1 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B1-D-0020	B1-PDP-0011_XG07	
122	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 09,10	24VDC	Common	SPARE	-	-	B#1 Power Distribution Cabinet#2	Central Electronic Room	B1-PDP-0011	XFF02	-	-	B#1 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B1-D-0020		
123	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 11,12	24VDC	Common	SPARE	-	-	B#1 Power Distribution Cabinet#2	Central Electronic Room	B1-PDP-0011	XFF02	-	-	B#1 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B1-D-0020		
124	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 13,14	24VDC	Common	SPARE	-	-	B#1 Power Distribution Cabinet#2	Central Electronic Room	B1-PDP-0011	XFF02			B#1 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B1-D-0020		
125	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 15,16	24VDC	Common	SPARE	-	-	B#1 Power Distribution Cabinet#2	Central Electronic Room	B1-PDP-0011	XFF02			B#1 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B1-D-0020		
126	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 17,18	24VDC	Common	SPARE	-	-	B#1 Power Distribution Cabinet#2	Central Electronic Room	B1-PDP-0011	XFF02			B#1 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B1-D-0020		
127	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 19,20	24VDC	Common	SPARE	-	-	B#1 Power Distribution Cabinet#2	Central Electronic Room	B1-PDP-0011	XFF02			B#1 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B1-D-0020		
128	DCS SYSTEM		Signal Cable	SHD	24VDC	Common	SPARE	-	-	B#1 Power Distribution Cabinet#2	Central Electronic Room	B1-PDP-0011	XFF02			B#1 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B1-D-0020		





Client :	TURKISTAN LLP	Rev:	C01
Project Name :	TURKISTAN CCGT PROJECT	Sub-Supplier	Siemens
Contractor	DOOSAN ENERBILITY	Date	05.09.24
Description :	SIGNAL CABLE SCHEDULE for DCS	DOC NO:	CCP-W-B000-51-1A-H03-0001

Doc No: CCP-W-B000-51-1A-H03-0001

Rev: C01

SIEMENS

energy

Client :

TURKISTAN LLP

Project Name :

TURKISTAN CCGT PROJECT

Contractor

DOOSAN ENERBILITY

Description :

SIGNAL CABLE SCHEDULE for DCS

Rev.

C01

Sub-Supplier

Siemens

Date

05.09.24

DOC NO:

CCP-W-8000-51-1A-H03-0001

S/N	SYSTEM	CABLE NUMBER	CABLE		SIGNAL TYPE	UNIT	FROM					TO					REMARK		
			TYPE	SPEC.			TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION		LOCATION	CONSOL / CABINET NAME
129	DCS SYSTEM	B2PDP013001	Signal Cable	20Core*1 Sqmm - 01,02	24VDC	Common	XD	Terminal Block	01, 02	B#2 Power Distribution Cabinet#1	Central Electronic Room	B2-PDP-0001	XFF02	FIM Module_DI	5+ ; 5-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	B2-PDP-0001_XG01
130	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 03,04	24VDC	Common	XD	Terminal Block	03, 04	B#2 Power Distribution Cabinet#1	Central Electronic Room	B2-PDP-0001	XFF02	FIM Module_DI	6+ ; 6-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	B2-PDP-0001_XG02
131	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 05,06	24VDC	Common	XD	Terminal Block	05, 06	B#2 Power Distribution Cabinet#1	Central Electronic Room	B2-PDP-0001	XFF02	FIM Module_DI	7+ ; 7-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	B2-PDP-0001_XG06
132	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 07,08	24VDC	Common	XD	Terminal Block	07, 08	B#2 Power Distribution Cabinet#1	Central Electronic Room	B2-PDP-0001	XFF02	FIM Module_DI	8+ ; 8-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	B2-PDP-0001_XG07
133	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 09,10	24VDC	Common	SPARE	-	-	B#2 Power Distribution Cabinet#1	Central Electronic Room	B2-PDP-0001	XFF02	-	-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	
134	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 11,12	24VDC	Common	SPARE	-	-	B#2 Power Distribution Cabinet#1	Central Electronic Room	B2-PDP-0001	XFF02	-	-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	
135	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 13,14	24VDC	Common	SPARE	-	-	B#2 Power Distribution Cabinet#1	Central Electronic Room	B2-PDP-0001	XFF02	-	-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	
136	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 15,16	24VDC	Common	SPARE	-	-	B#2 Power Distribution Cabinet#1	Central Electronic Room	B2-PDP-0001	XFF02	-	-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	
137	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 17,18	24VDC	Common	SPARE	-	-	B#2 Power Distribution Cabinet#1	Central Electronic Room	B2-PDP-0001	XFF02	-	-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	
138	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 19,20	24VDC	Common	SPARE	-	-	B#2 Power Distribution Cabinet#1	Central Electronic Room	B2-PDP-0001	XFF02	-	-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	
139	DCS SYSTEM		Signal Cable	SHD	24VDC	Common		-	-	B#2 Power Distribution Cabinet#1	Central Electronic Room	B2-PDP-0001	XFF02	-	-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	
140	DCS SYSTEM	B2C013001	Signal Cable	20Core*1 Sqmm - 01,02	24VDC	Common	XD	Terminal Block	01, 02	B#2 Server and Network Cabinet	Central Electronic Room	B2-C-0001	XFB03	FIM Module_DI	9+ ; 9-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	B2-C-0001_XG01
141	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 03,04	24VDC	Common	XD	Terminal Block	03, 04	B#2 Server and Network Cabinet	Central Electronic Room	B2-C-0001	XFB03	FIM Module_DI	10+ ; 10-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	B2-C-0001_XG02
142	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 05,06	24VDC	Common	XD	Terminal Block	05, 06	B#2 Server and Network Cabinet	Central Electronic Room	B2-C-0001	XFB03	FIM Module_DI	11+ ; 11-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	B2-C-0001_XG03
143	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 07,08	24VDC	Common	XD	Terminal Block	07, 08	B#2 Server and Network Cabinet	Central Electronic Room	B2-C-0001	XFC03	FIM Module_DI	9+ ; 9-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	B2-C-0001_XG04
144	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 09,10	24VDC	Common	XD	Terminal Block	09, 10	B#2 Server and Network Cabinet	Central Electronic Room	B2-C-0001	XFC03	FIM Module_DI	10+ ; 10-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	B2-C-0001_XG05
145	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 11,12	24VDC	Common	SPARE	-	-	B#2 Server and Network Cabinet	Central Electronic Room	B2-C-0001	-	-	-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	
146	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 13,14	24VDC	Common	SPARE	-	-	B#2 Server and Network Cabinet	Central Electronic Room	B2-C-0001	-	-	-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	
147	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 15,16	24VDC	Common	SPARE	-	-	B#2 Server and Network Cabinet	Central Electronic Room	B2-C-0001	-	-	-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	
148	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 17,18	24VDC	Common	SPARE	-	-	B#2 Server and Network Cabinet	Central Electronic Room	B2-C-0001	-	-	-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	
149	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 19,20	24VDC	Common	SPARE	-	-	B#2 Server and Network Cabinet	Central Electronic Room	B2-C-0001	-	-	-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	
150	DCS SYSTEM		Signal Cable	SHD	24VDC	Common	SPARE	-	-	B#2 Server and Network Cabinet	Central Electronic Room	B2-C-0001	-	-	-	B#2 System + Marshalling Cabinet for GT/HRSG#11	Central Electronic Room	B2-D-0010	
151	DCS SYSTEM	B2PDP113001	Signal Cable	20Core*1 Sqmm - 01,02	24VDC	Common	XD	Terminal Block	01, 02	B#2 Power Distribution Cabinet#2	Central Electronic Room	B2-PDP-0011	XFF02	FIM Module_DI	5+ ; 5-	B#2 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B2-D-0020	B2-PDP-0011_XG01
152	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 03,04	24VDC	Common	XD	Terminal Block	03, 04	B#2 Power Distribution Cabinet#2	Central Electronic Room	B2-PDP-0011	XFF02	FIM Module_DI	6+ ; 6-	B#2 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B2-D-0020	B2-PDP-0011_XG02
153	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 05,06	24VDC	Common	XD	Terminal Block	05, 06	B#2 Power Distribution Cabinet#2	Central Electronic Room	B2-PDP-0011	XFF02	FIM Module_DI	7+ ; 7-	B#2 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B2-D-0020	B2-PDP-0011_XG06
154	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 07,08	24VDC	Common	XD	Terminal Block	07, 08	B#2 Power Distribution Cabinet#2	Central Electronic Room	B2-PDP-0011	XFF02	FIM Module_DI	8+ ; 8-	B#2 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B2-D-0020	B2-PDP-0011_XG07
155	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 09,10	24VDC	Common	SPARE	-	-	B#2 Power Distribution Cabinet#2	Central Electronic Room	B2-PDP-0011	XFF02	-	-	B#2 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B2-D-0020	
156	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 11,12	24VDC	Common	SPARE	-	-	B#2 Power Distribution Cabinet#2	Central Electronic Room	B2-PDP-0011	XFF02	-	-	B#2 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B2-D-0020	
157	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 13,14	24VDC	Common	SPARE	-	-	B#2 Power Distribution Cabinet#2	Central Electronic Room	B2-PDP-0011	XFF02	-	-	B#2 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B2-D-0020	
158	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 15,16	24VDC	Common	SPARE	-	-	B#2 Power Distribution Cabinet#2	Central Electronic Room	B2-PDP-0011	XFF02	-	-	B#2 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B2-D-0020	
159	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 17,18	24VDC	Common	SPARE	-	-	B#2 Power Distribution Cabinet#2	Central Electronic Room	B2-PDP-0011	XFF02	-	-	B#2 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B2-D-0020	
160	DCS SYSTEM		Signal Cable	20Core*1 Sqmm - 19,20	24VDC	Common	SPARE	-	-	B#2 Power Distribution Cabinet#2	Central Electronic Room	B2-PDP-0011	XFF02	-	-	B#2 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B2-D-0020	
161	DCS SYSTEM		Signal Cable	SHD	24VDC	Common	SPARE	-	-	B#2 Power Distribution Cabinet#2	Central Electronic Room	B2-PDP-0011	XFF02	-	-	B#2 System + Marshalling Cabinet for GT/HRSG#12	Central Electronic Room	B2-D-0020	

SIEMENS

energy

Client :

Project Name :

Contractor

Description :

TURKISTAN LLP

TURKISTAN CCGT PROJECT

DOOSAN ENERBILITY

GROUNDING CABLE SCHEDULE for DCS

Rev:

Sub-Supplier

Date

DOC NO:

C01

Siemens

05.09.24

CCP-W-B000-51-1A-H03-0001

S/N	SYSTEM	CABLE SIZE	CABLE TYPE	FROM				TO			
				LOCATION	EQUIPMENT NAME	CABINET NAME	DESCRIPTION	LOCATION	EQUIPMENT NAME	CABINET NAME	DESCRIPTION
1	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	SERVER ROOM	P0BUS11	-	GROUND BOX	CENTRAL CONTROL ROOM	2D-O1	B1-DK-204	BLK #2 HRSG &BOP OWS DESK
2	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	CENTRAL CONTROL ROOM	2D-O1	B1-DK-204	BLK #2 HRSG &BOP OWS DESK	CENTRAL CONTROL ROOM	1D-O2	B1-DK-105	BLK #1 HRSG &BOP OWS DESK
3	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	CENTRAL CONTROL ROOM	1D-O2	B1-DK-105	BLK #1 HRSG &BOP OWS DESK	CENTRAL CONTROL ROOM	1D-O1	B1-DK-104	BLK #2 HRSG &BOP OWS DESK
4	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	CENTRAL CONTROL ROOM	1D-O1	B1-DK-104	BLK #2 HRSG &BOP OWS DESK	CENTRAL CONTROL ROOM	1D-O3	B1-DK-106	BLK #1 SRS OWS DESK
5	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	CENTRAL CONTROL ROOM	1D-O3	B1-DK-106	BLK #1 SRS OWS DESK	CENTRAL CONTROL ROOM	1G-O2	B1-DK-102	BLK #1 GTG #2 OWS DESK
6	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	CENTRAL CONTROL ROOM	1G-O2	B1-DK-102	BLK #1 GTG #2 OWS DESK	CENTRAL CONTROL ROOM	1G-O1	B1-DK-101	BLK #1 GTG #1 OWS DESK
7	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	CENTRAL CONTROL ROOM	1G-O1	B1-DK-101	BLK #1 GTG #1 OWS DESK	CENTRAL CONTROL ROOM	1S-O1	B1-DK-103	BLK #1 STG OWS DESK
8	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	CENTRAL CONTROL ROOM	1S-O1	B1-DK-103	BLK #1 STG OWS DESK	CENTRAL CONTROL ROOM	0T-O1	B0-DK-004	SECURITY DESK
9	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	CENTRAL CONTROL ROOM	0T-O1	B0-DK-004	SECURITY DESK	CENTRAL CONTROL ROOM	0D-O2	B0-DK-003	COMMON DCS SUPERVISORY DESK
10	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	CENTRAL CONTROL ROOM	0D-O2	B0-DK-003	COMMON DCS SUPERVISORY DESK	CENTRAL CONTROL ROOM	0D-O1	B0-DK-001	COMMON DCS ELEC OWS DESK
11	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	CENTRAL CONTROL ROOM	0D-O1	B0-DK-001	COMMON DCS ELEC OWS DESK	CENTRAL CONTROL ROOM	0E-O1	B0-DK-002	200KV/500KV AIS DESK
12	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	CENTRAL CONTROL ROOM	0E-O1	B0-DK-002	200KV/500KV AIS DESK	CENTRAL CONTROL ROOM	2S-O1	B1-DK-203	BLK #2 STG OWS DESK
13	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	CENTRAL CONTROL ROOM	2S-O1	B1-DK-203	BLK #2 STG OWS DESK	CENTRAL CONTROL ROOM	2G-O2	B1-DK-202	BLK #2 GTG #2 OWS DESK
14	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	CENTRAL CONTROL ROOM	2G-O2	B1-DK-202	BLK #2 GTG #2 OWS DESK	CENTRAL CONTROL ROOM	2G-O1	B1-DK-201	BLK #1 GTG #1 OWS DESK
15	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	CENTRAL CONTROL ROOM	2G-O1	B1-DK-201	BLK #1 GTG #1 OWS DESK	CENTRAL CONTROL ROOM	2D-O3	B1-DK-206	BLK #2 SRS OWS DESK
16	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	CENTRAL CONTROL ROOM	2D-O3	B1-DK-206	BLK #2 SRS OWS DESK	CENTRAL CONTROL ROOM	2D-O2	B1-DK-205	BLK #2 HRSG & BOP OWS DESK
17	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	CENTRAL CONTROL ROOM	2D-O2	B1-DK-205	BLK #2 HRSG & BOP OWS DESK	SERVER ROOM	P0BUS11	-	GROUND BOX
18	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	SERVER ROOM	P0BUS11	-	GROUND BOX	SERVER ROOM	2D-D1	B2-PDP-0011	BLK#2 DCS POWER DISTRIBUTIONCABINET
19	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	SERVER ROOM	2D-D1	B2-PDP-0011	BLK#2 DCS POWER DISTRIBUTIONCABINET	SERVER ROOM	2S-N1	-	BLK #2 TCS SERVER CABINET FOR STG
20	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	SERVER ROOM	2S-N1	-	BLK #2 TCS SERVER CABINET FOR STG	SERVER ROOM	2G-N2	-	BLK #1 GTG #2 NETWORK CABINET
21	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	SERVER ROOM	2G-N2	-	BLK #1 GTG #2 NETWORK CABINET	SERVER ROOM	2G-N1	-	BLK #2 GTG #1 NETWORK CABINET
22	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	SERVER ROOM	2G-N1	-	BLK #2 GTG #1 NETWORK CABINET	SERVER ROOM	2D-N1	B2-C-0001	BLK #2 DCS SERVER AND NETWORK CABINET
23	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	SERVER ROOM	2D-N1	B2-C-0001	BLK #2 DCS SERVER AND NETWORK CABINET	SERVER ROOM	1D-D1	B1-PDP-0001	BLK #1 DCS POWER DISTRIBUTION PANEL
24	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	SERVER ROOM	1D-D1	B1-PDP-0001	BLK #1 DCS POWER DISTRIBUTION PANEL	SERVER ROOM	1S-N1	-	BLK #1 TCS SERVER CABINET FOR STG
25	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	SERVER ROOM	1S-N1	-	BLK #1 TCS SERVER CABINET FOR STG	SERVER ROOM	1G-N2	-	BLK #1 GTG #2 NETWORK CABINET
26	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	SERVER ROOM	1G-N2	-	BLK #1 GTG #2 NETWORK CABINET	SERVER ROOM	1G-N1	-	BLK #1 GTG #1 NETWORK CABINET
27	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	SERVER ROOM	1G-N1	-	BLK #1 GTG #1 NETWORK CABINET	SERVER ROOM	1D-N1	B1-C-0001	BLK #1 DCS SERVER AND NETWORK CABINET
28	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	SERVER ROOM	1D-N1	B1-C-0001	BLK #1 DCS SERVER AND NETWORK CABINET	SERVER ROOM	0D-D1	B0-PDP-0011	COMMON DCS POWER DISTRIBUTION PANEL
29	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	SERVER ROOM	0D-D1	B0-PDP-0011	COMMON DCS POWER DISTRIBUTION PANEL	SERVER ROOM	0D-N2	B0-C-0002	COMMON DCS POWER DISTRIBUTION PANEL
30	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	SERVER ROOM	0D-N2	B0-C-0002	COMMON DCS NETWORK CABINET	SERVER ROOM	0D-N1	B0-C-0001	COMMON DCS SERVER & NETWORK CABINET
31	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	SERVER ROOM	0D-N1	B0-C-0001	COMMON DCS SERVER & NETWORK CABINET	SERVER ROOM	P0BUS11	-	GROUND BOX
32	DCS SYSTEM	25 sq.mm Green wire	EE	SERVER ROOM	P0BUS21	-	GROUND BOX	SERVER ROOM	2D-D1	B2-C-0001	BLK #2 DCS SERVER AND NETWORK CABINET
33	DCS SYSTEM	25 sq.mm Green wire	EE	SERVER ROOM	2S-N1	-	BLK #2 TCS SERVER CABINET FOR STG	SERVER ROOM	2G-N2	-	BLK #1 GTG #2 NETWORK CABINET
34	DCS SYSTEM	25 sq.mm Green wire	EE	SERVER ROOM	2G-N2	-	BLK #1 GTG #2 NETWORK CABINET	SERVER ROOM	2G-N1	-	BLK #2 GTG #1 NETWORK CABINET
35	DCS SYSTEM	25 sq.mm Green wire	EE	SERVER ROOM	2G-N1	-	BLK #2 GTG #1 NETWORK CABINET	SERVER ROOM	2D-N1	B2-C-0001	BLK #2 DCS SERVER AND NETWORK CABINE
36	DCS SYSTEM	25 sq.mm Green wire	EE	SERVER ROOM	2D-N1	B2-C-0001	BLK #2 DCS SERVER AND NETWORK CABINET	SERVER ROOM	1S-N1	-	BLK #1 TCS SERVER CABINET FOR STG
37	DCS SYSTEM	25 sq.mm Green wire	EE	SERVER ROOM	1S-N1	-	BLK #1 TCS SERVER CABINET FOR STG	SERVER ROOM	1G-N2	-	BLK #1 GTG #2 NETWORK CABINET
38	DCS SYSTEM	25 sq.mm Green wire	EE	SERVER ROOM	1G-N2	-	BLK #1 GTG #2 NETWORK CABINET	SERVER ROOM	1G-N1	-	BLK #1 GTG #1 NETWORK CABINET
39	DCS SYSTEM	25 sq.mm Green wire	EE	SERVER ROOM	1G-N1	-	BLK #1 GTG #1 NETWORK CABINET	SERVER ROOM	1D-N1	B1-C-0001	BLK #1 DCS SERVER AND NETWORK CABINET

SIEMENS

energy

Client :	TURKISTAN LLP	Rev:	C01
Project Name :	TURKISTAN CCGT PROJECT	Sub-Supplier	Siemens
Contractor	DOOSAN ENERBILITY	Date	05.09.24
Description :	GROUNDING CABLE SCHEDULE for DCS	DOC NO:	CCP-W-B000-51-1A-H03-0001

S/N	SYSTEM	CABLE SIZE	CABLE TYPE	LOCATION	EQUIPMENT NAME	FROM CABINET NAME	DESCRIPTION	LOCATION	EQUIPMENT NAME	TO CABINET NAME	DESCRIPTION
40	DCS SYSTEM	25 sq.mm Green wire	EE	SERVER ROOM	1D-N1	B1-C-0001	BLK #1 DCS SERVER AND NETWORK CABINET	SERVER ROOM	0D-N2	B0-C-0002	COMMON DCS NETWORK CABINET
41	DCS SYSTEM	25 sq.mm Green wire	EE	SERVER ROOM	0D-N2	B0-C-0002	COMMON DCS NETWORK CABINET	SERVER ROOM	0D-N1	B0-C-0001	COMMON DCS SERVER & NETWORK CABINET
42	DCS SYSTEM	25 sq.mm Green wire	EE	SERVER ROOM	0D-N1	B0-C-0001	COMMON DCS SERVER & NETWORK CABINET	SERVER ROOM	P0BUS21	-	GROUND BOX
43	DCS SYSTEM	25 sq.mm Green wire	EE	CENTRAL ELECTRONIC ROOM	P0BUS22	-	GROUND BOX	CENTRAL ELECTRONIC ROOM	0D-S1.1	B0-D-0021	COMMON DCS C20X REMOTE I/O CABINETY
44	DCS SYSTEM	25 sq.mm Green wire	EE	CENTRAL ELECTRONIC ROOM	0D-S1.1	B0-D-0021	COMMON DCS C20X REMOTE I/O CABINETY	CENTRAL ELECTRONIC ROOM	0D-M1.1	B0-MD-0022	COMMON DCS C20X MARSHALLING CABINET
45	DCS SYSTEM	25 sq.mm Green wire	EE	CENTRAL ELECTRONIC ROOM	P0BUS22	-	GROUND BOX	CENTRAL ELECTRONIC ROOM	0D-M2.1	B0-MD-0020	COMMON DCS C20 MARSHALLING CABINET
46	DCS SYSTEM	25 sq.mm Green wire	EE	CENTRAL ELECTRONIC ROOM	0D-M2.1	B0-MD-0020	COMMON DCS C20 MARSHALLING CABINET	CENTRAL ELECTRONIC ROOM	0D-S2.1	B0-D-0020	COMMON DCS C20 CONTROLLER CABINET
47	DCS SYSTEM	25 sq.mm Green wire	EE	CENTRAL ELECTRONIC ROOM	0D-S2.1	B0-D-0020	COMMON DCS C20 CONTROLLER CABINET	CENTRAL ELECTRONIC ROOM	0D-M2.2	B0-00-MD-021	COMMON DCS C20 MARSHALLING CABINET
48	DCS SYSTEM	25 sq.mm Green wire	EE	CENTRAL ELECTRONIC ROOM	0D-M2.2	B0-00-MD-021	COMMON DCS C20 MARSHALLING CABINET	CENTRAL ELECTRONIC ROOM	0D-N1	B0-C-0001	COMMON DCS SERVER & NETWORK CABINET
49	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	CENTRAL ELECTRONIC ROOM	P0BUS12	-	GROUND BOX	CENTRAL ELECTRONIC ROOM	0D-S1.1	B0-D-0021	COMMON DCS C20X REMOTE I/O CABINETY
50	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	CENTRAL ELECTRONIC ROOM	0D-S1.1	B0-D-0021	COMMON DCS C20X REMOTE I/O CABINETY	CENTRAL ELECTRONIC ROOM	0D-D1	B0-PDP-0011	COMMON DCS POWER DISTRIBUTION PANEL
51	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	CENTRAL ELECTRONIC ROOM	P0BUS12	-	GROUND BOX	CENTRAL ELECTRONIC ROOM	0D-S2.1	B0-D-0020	COMMON DCS C20 CONTROLLER CABINET
52	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	CENTRAL ELECTRONIC ROOM	0D-S2.1	B0-D-0020	COMMON DCS C20 CONTROLLER CABINET	CENTRAL ELECTRONIC ROOM	0D-N1	B0-C-0001	COMMON DCS SERVER & NETWORK CABINET
53	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	BLOCK#1 LER	P0BUS13	-	GROUND BOX	BLOCK#1 LER	1D-S1.1	B1-D-0040	BLK#1 DCS 140 CONTROLLER CABINET
54	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	BLOCK#1 LER	1D-S1.1	B1-D-0040	BLK#1 DCS 140 CONTROLLER CABINET	BLOCK#1 LER	1D-S2.1	B1-D-0030	BLK#1 DCS 130 CONTROLLER CABINET
55	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	BLOCK#1 LER	1D-S2.1	B1-D-0030	BLK#1 DCS 130 CONTROLLER CABINET	BLOCK#1 LER	1D-D1	B1-PD-P0010	BLK #1 DCS POWER DISTRIBUTION PANEL
56	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	BLOCK#1 LER	1D-D1	B1-PD-P0010	BLK #1 DCS POWER DISTRIBUTION PANEL	BLOCK#1 LER	P0BUS13	-	GROUND BOX
57	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	BLOCK#1 LER	P0BUS13	-	GROUND BOX	BLOCK#1 LER	1D-M3.1		
58	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	BLOCK#1 LER	1D-M3.1			BLOCK#1 LER	P0BUS13	-	GROUND BOX
59	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#1 LER	P0BUS23	-	GROUND BOX	BLOCK#1 LER	1D-M1.1	B1-MD-0040	BLK#1 DCS 140 MARSHALLING CABINET
60	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#1 LER	1D-M1.1	B1-MD-0040	BLK#1 DCS 140 MARSHALLING CABINET	BLOCK#1 LER	1D-S1.1	B1-D-0040	BLK#1 DCS 140 CONTROLLER CABINET
61	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#1 LER	1D-S1.1	B1-D-0040	BLK#1 DCS 140 CONTROLLER CABINET	BLOCK#1 LER	1D-M1.2	B1-MD-0041	BLK#1 DCS 140 MARSHALLING CABINET
62	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#1 LER	1D-M1.2	B1-MD-0041	BLK#1 DCS 140 MARSHALLING CABINET	BLOCK#1 LER	1D-S2.1	B1-D-0030	BLK#1 DCS 130 CONTROLLER CABINET
63	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#1 LER	1D-S2.1	B1-D-0030	BLK#1 DCS 130 CONTROLLER CABINET	BLOCK#1 LER	P0BUS23	-	GROUND BOX
64	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#1 LER	P0BUS23	-	GROUND BOX	BLOCK#1 LER	1D-S3.1	B1-D-0041	BLK#1 DCS 140X REMOTE IO CABINET
65	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#1 LER	1D-S3.1	B1-D-0041	BLK#1 DCS 140X REMOTE IO CABINET	BLOCK#1 LER	1D-M3.1	B1-MD-0041	BLK#1 DCS 140X MARSHALLING CABINET
66	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#1 LER	1D-M3.1	B1-MD-0041	BLK#1 DCS 140X MARSHALLING CABINET	BLOCK#1 LER	1D-S4	B1-D-0050	BLK#1 SRS 250 CONTROLLER CABINET
67	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#1 LER	1D-S4	B1-D-0050	BLK#1 SRS 250 CONTROLLER CABINET	BLOCK#1 LER	P0BUS23	-	GROUND BOX
68	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	BLOCK#2 LER	P0BUS14	-	GROUND BOX	BLOCK#2 LER	2D-D1	B2-PDP-0011	BLK #2 DCS POWER DISTRIBUTION PANEL
69	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	BLOCK#2 LER	2D-D1	B2-PDP-0011	BLK #2 DCS POWER DISTRIBUTION PANEL	BLOCK#2 LER	2D-S2.1	B2-D-0020	BLK#2 DCS 220 CONTROLLER CABINET
70	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	BLOCK#2 LER	2D-S2.1	B2-D-0020	BLK#2 DCS 220 CONTROLLER CABINET	BLOCK#2 LER	2D-S1.1	B2-D-0030	BLK #2 DCS 230 CONTROLLER CABINET
71	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	BLOCK#2 LER	2D-S1.1	B2-D-0030	BLK #2 DCS 230 CONTROLLER CABINET	BLOCK#2 LER	P0BUS14	-	GROUND BOX
72	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	BLOCK#2 LER	P0BUS14	-	GROUND BOX	BLOCK#2 LER	0D-S1.1	B0-D-0021	COMMON DCS C20X REMOTE I/O CABINETY
73	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	BLOCK#2 LER	0D-S1.1	B0-D-0021	COMMON DCS C20X REMOTE I/O CABINETY	BLOCK#2 LER	2D-S4	B2-D-0050	BLK#2 SRS 250 CONTROLLER CABINET
74	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	BLOCK#2 LER	2D-S4	B2-D-0050	BLK#2 SRS 250 CONTROLLER CABINET	BLOCK#2 LER	2D-S3.1	B2-D-0041	BLK #2 DCS 240X REMOTE I/O CABINET
75	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	BLOCK#2 LER	2D-S3.1	B2-D-0041	BLK #2 DCS 240X REMOTE I/O CABINET	BLOCK#2 LER	P0BUS14	-	GROUND BOX
76	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#2 LER	P0BUS24	-	GROUND BOX	BLOCK#2 LER	2D-M2.2	B2-MD-0021	BLK#2 DCS 220 MASHALLING CABINET
77	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#2 LER	2D-M2.2	B2-MD-0021	BLK#2 DCS 220 MASHALLING CABINET	BLOCK#2 LER	2D-S2.1	B2-D-0020	BLK#2 DCS 220 CONTROLLER CABINET
78	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#2 LER	2D-S2.1	B2-D-0020	BLK#2 DCS 220 CONTROLLER CABINET	BLOCK#2 LER	2D-M2.1	B2-MD-0020	BLK#2 DCS 220 MASHALLING CABINET
79	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#2 LER	2D-M2.1	B2-MD-0020	BLK#2 DCS 220 MASHALLING CABINET	BLOCK#2 LER	2D-M1.2	B2-MD-0041	BLK#2 DCS 240 MASHALLING CABINET
80	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#2 LER	2D-M1.2	B2-MD-0041	BLK#2 DCS 240 MASHALLING CABINET	BLOCK#2 LER	2D-S1.1	B2-D-0040	BLK#2 DCS 240 MASHALLING CABINET
81	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#2 LER	2D-S1.1	B2-D-0040	BLK#2 DCS 240 MASHALLING CABINET	BLOCK#2 LER	2D-M1.1	B2-MD-0040	BLK#2 DCS 240 MASHALLING CABINET
82	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#2 LER	2D-M1.1	B2-MD-0040	BLK#2 DCS 240 MASHALLING CABINET	BLOCK#2 LER	P0BUS24	-	GROUND BOX



Client :	TURKISTAN LLP	Rev:	C01
Project Name :	TURKISTAN CCGT PROJECT	Sub-Supplier	Siemens
Contractor	DOOSAN ENERBILITY	Date	05.09.24
Description :	GROUNDING CABLE SCHEDULE for DCS	DOC NO:	CCP-W-B000-S1-1A-H03-0001

S/N	SYSTEM	CABLE SIZE	CABLE	FROM				TO			
			TYPE	LOCATION	EQUIPMENT NAME	CABINET NAME	DESCRIPTION	LOCATION	EQUIPMENT NAME	CABINET NAME	DESCRIPTION
83	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#2 LER	P0BUS24	-	GROUND BOX	BLOCK#2 LER	0D-S1.1	B0-D-0021	COMMON DCS C20X REMOTE I/O CABINETY
84	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#2 LER	0D-S1.1	B0-D-0021	COMMON DCS C20X REMOTE I/O CABINETY	BLOCK#2 LER	0D-M1.1	B0-MD-0022	COMMON DCS C20X MARSHALLING CABINET
85	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#2 LER	0D-M1.1	B0-MD-0022	COMMON DCS C20X MARSHALLING CABINET	BLOCK#2 LER	2D-S4	B2-D-0050	BLK#2 SRS 250 CONTROLLER CABINET
86	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#2 LER	2D-S4	B2-D-0050	BLK#2 SRS 250 CONTROLLER CABINET	BLOCK#2 LER	2D-M3.2	B2-MD-0042	BLK#2 DCS 240X MASHALLING CABINET
87	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#2 LER	2D-M3.2	B2-MD-0042	BLK#2 DCS 240X MASHALLING CABINET	BLOCK#2 LER	2D-S3.1	B2-D-0041	BLK#2 DCS 240X REMOTE I/O CABINET
88	DCS SYSTEM	25 sq.mm Green wire	EE	BLOCK#2 LER	2D-S3.1	B2-D-0041	BLK#2 DCS 240X REMOTE I/O CABINET	BLOCK#2 LER	P0BUS24	-	GROUND BOX
89	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	STG#1 LER	P0BUS31	-	GROUND BOX	STG#1 LER	1D-S1.1		
90	DCS SYSTEM	25 sq.mm Green wire	EE	STG#1 LER	P0BUS31	-	GROUND BOX	STG#1 LER	1D-M1.1	B1-MD-0040	BLK#1 DCS 140 MARSHALLING CABINET
91	DCS SYSTEM	25 sq.mm Green wire	EE	STG#1 LER	1D-M1.1	B1-MD-0040	BLK#1 DCS 140 MARSHALLING CABINET	STG#1 LER	1D-S1.1		
92	DCS SYSTEM	25 sq.mm Yellow-Green wire	PE	STG#2 LER	P0BUS32	-	GROUND BOX	STG#2 LER	2D-S1.1	B2-D-0040	BLK#2 DCS 240 CONTROLLER CABINET
93	DCS SYSTEM	25 sq.mm Green wire	EE	STG#2 LER	P0BUS32	-	GROUND BOX	STG#2 LER	2D-M1.1	B2-MD-0010	BLK#2 DCS 210 MASHALLING CABINET
94	DCS SYSTEM	25 sq.mm Green wire	EE	STG#2 LER	2D-M1.1	B2-MD-0010	BLK#2 DCS 210 MASHALLING CABINET	STG#2 LER	2D-S1.1	B2-D-0040	BLK#2 DCS 240 CONTROLLER CABINET



Client :	TURKISTAN LLP	Rev:	C01
Project Name :	TURKISTAN CCGT PROJECT	Sub-Supplier	Siemens
Contractor	DOOSAN ENERBILITY	Date	05.09.24
Description :	POWER CABLE SCHEDULE for DCS	DOC NO:	CCP-W-B000-51-IA-H03-0001

S/N	SYSTEM	CABLE NUMBER	CABLE		SIGNAL TYPE	UNIT	FROM					TO							REMARK
			TYPE	SPEC.			TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	
1	DCS SYSTEM	B1PDP011501	Power Cable	3C x 4sqmm	230V AC	Common	XRA01	TERMINAL BLOCK	1,2, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 Server and Network Cabinet	Server Room	B1-C-0001	M101
2	DCS SYSTEM	B1PDP011502	Power Cable	3C x 4sqmm	230V AC	Common	XRA02	TERMINAL BLOCK	1,2, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 Server and Network Cabinet	Server Room	B1-C-0001	M201
3	DCS SYSTEM	B1PDP011503	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	1,2, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 GTG#1 OWS Desk	Central Control Room	B1-DK-101	M301
4	DCS SYSTEM	B1PDP011504	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	3,4, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 GTG#2 OWS Desk	Central Control Room	B1-DK-102	M302
5	DCS SYSTEM	B1PDP011505	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	5,6, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 STG OWS Desk	Central Control Room	B1-DK-103	M303
6	DCS SYSTEM	B1PDP011506	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	7,8, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 HRSG & BOP OWS Desk#1	Central Control Room	B1-DK-104	M304
7	DCS SYSTEM	B1PDP011507	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	9,10, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 HRSG & BOP OWS Desk#2	Central Control Room	B1-DK-105	M305
8	DCS SYSTEM	B1PDP011508	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	11,12, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 SRS OWS Desk	Central Control Room	B1-DK-106	M306
9	DCS SYSTEM	B1PDP011509	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	13,14, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 Power Generation Control Desk, Large Screen#1	Central Control Room	B1-LS-101	M307
10	DCS SYSTEM	B1PDP011510	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	15,16, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 Power Generation Control Desk, Large Screen#2	Central Control Room	B1-LS-102	M308
11	DCS SYSTEM	B1PDP011511	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	17,18, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 GTG#1 Omnivise-Edge Desk	Computer Room	B1-DK-111	M309
12	DCS SYSTEM	B1PDP011512	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	19,20, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 GTG#2 Omnivise-Edge Desk	Computer Room	B1-DK-112	M310
13	DCS SYSTEM	B1PDP011513	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	21,22, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 STG#1 EWS Desk	Computer Room	B1-DK-113	M311
14	DCS SYSTEM	B1PDP011514	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	23,24, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 DCS EWS Desk#1	Computer Room	B1-DK-114	M312
15	DCS SYSTEM	B1PDP011515	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	25,26, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 DCS EWS Desk#2	Computer Room	B1-DK-115	M313
16	DCS SYSTEM	B1PDP011516	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	1,2, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 GTG#1 Printer Desk	Central Control Room	B1-PK-101	M401
17	DCS SYSTEM	B1PDP011517	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	3,4, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 GTG#2 Printer Desk	Central Control Room	B1-PK-102	M402
18	DCS SYSTEM	B1PDP011518	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	5,6, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 STG Printer Desk	Central Control Room	B1-PK-103	M403
19	DCS SYSTEM	B1PDP011519	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	7,8, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 DCS Printer Desk#1	Central Control Room	B1-PK-104	M404
20	DCS SYSTEM	B1PDP011520	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	9,10, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 DCS Printer Desk#2	Central Control Room	B1-PK-105	M405
21	DCS SYSTEM	B1PDP011521	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	11,12, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 STG Printer Desk#2	Computer Room	B1-PK-111	M406
22	DCS SYSTEM	B1PDP011522	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	13,14, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 DCS Printer Desk#3	Computer Room	B1-PK-112	M407
23	DCS SYSTEM	B1PDP011523	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	15,16, PE Bus	B#1 Power Distribution Cabinet#1	Server Room	B1-PDP-0001	POWER SOCKET	-	L, N, PE	B#1 Server and Network Cabinet	Server Room	B1-C-0001	M408
24	DCS SYSTEM	B1PDP111501	Power Cable	3C x 4sqmm	230V AC	Common	XRA	TERMINAL BLOCK	1,2, PE Bus	B#1 Power Distribution Cabinet#2	Server Room	B1-PDP-0011	POWER SOCKET	-	L, N, PE	B#1 System +Marshalling Cabinet for GT/HRSG#11	Block#1 LER	B1-D-0010+B1-MD-0010+B1-MD-011	M101
25	DCS SYSTEM	B1PDP111502	Power Cable	3C x 4sqmm	230V AC	Common	XRA	TERMINAL BLOCK	3,4, PE Bus	B#1 Power Distribution Cabinet#2	Server Room	B1-PDP-0011	POWER SOCKET	-	L, N, PE	B#1 System +Marshalling Cabinet for GT/HRSG#12	Block#1 LER	B1-D-0020+B1-MD-0020+B1-MD-021	M102
26	DCS SYSTEM	B1PDP111503	Power Cable	3C x 4sqmm	230V AC	Common	XRA	TERMINAL BLOCK	5,6, PE Bus	B#1 Power Distribution Cabinet#2	Server Room	B1-PDP-0011	POWER SOCKET	-	L, N, PE	B#1 Remote I/O +Marshalling Cabinet for Bop	Block#1 LER	B1-D-0041+B1-MD-0042	M103
27	DCS SYSTEM	B1PDP111504	Power Cable	3C x 4sqmm	230V AC	Common	XRA	TERMINAL BLOCK	7,8, PE Bus	B#1 Power Distribution Cabinet#2	Server Room	B1-PDP-0011	POWER SOCKET	-	L, N, PE	B#1 System +Marshalling Cabinet for B#1 SRS	Block#1 LER	B1-D-0050	M104
28	DCS SYSTEM	B1PDP111505	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	1,2, PE Bus	B#1 Power Distribution Cabinet#2	Server Room	B1-PDP-0011	POWER SOCKET	-	L, N, PE	B#1 System +Marshalling Cabinet for GT/HRSG#11	Block#1 LER	B1-D-0010+B1-MD-0010+B1-MD-011	M201
29	DCS SYSTEM	B1PDP111506	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	3,4, PE Bus	B#1 Power Distribution Cabinet#2	Server Room	B1-PDP-0011	POWER SOCKET	-	L, N, PE	B#1 System +Marshalling Cabinet for GT/HRSG#12	Block#1 LER	B1-D-0020+B1-MD-0020+B1-MD-021	M202
30	DCS SYSTEM	B1PDP111507	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	5,6, PE Bus	B#1 Power Distribution Cabinet#2	Server Room	B1-PDP-0011	POWER SOCKET	-	L, N, PE	B#1 Remote I/O +Marshalling Cabinet for Bop	Block#1 LER	B1-D-0041+B1-MD-0042	M203
31	DCS SYSTEM	B1PDP111508	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	7,8, PE Bus	B#1 Power Distribution Cabinet#2	Server Room	B1-PDP-0011	POWER SOCKET	-	L, N, PE	B#1 System +Marshalling Cabinet for B#1 SRS	Block#1 LER	B1-D-0050	M204
32	DCS SYSTEM	B1PDP111509	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	1,2, PE Bus	B#1 Power Distribution Cabinet#2	Server Room	B1-PDP-0011	POWER SOCKET	-	L, N, PE	B#1 System +Marshalling Cabinet for GT/HRSG#11	Block#1 LER	B1-D-0010+B1-MD-0010+B1-MD-011	M301
33	DCS SYSTEM	B1PDP111510	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	3,4, PE Bus	B#1 Power Distribution Cabinet#2	Server Room	B1-PDP-0011	POWER SOCKET	-	L, N, PE	B#1 System +Marshalling Cabinet for GT/HRSG#12	Block#1 LER	B1-D-0020+B1-MD-0020+B1-MD-021	M302
34	DCS SYSTEM	B1PDP111511	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	5,6, PE Bus	B#1 Power Distribution Cabinet#2	Server Room	B1-PDP-0011	POWER SOCKET	-	L, N, PE	B#1 Remote I/O +Marshalling Cabinet for Bop	Block#1 LER	B1-D-0041+B1-MD-0042	M303
35	DCS SYSTEM	B1PDP111512	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	7,8, PE Bus	B#1 Power Distribution Cabinet#2	Server Room	B1-PDP-0011	POWER SOCKET	-	L, N, PE	B#1 System +Marshalling Cabinet for B#1 SRS	Block#1 LER	B1-D-0050	M304
36	DCS SYSTEM	B2PDP011501	Power Cable	3C x 4sqmm	230V AC	Common	XRA01	TERMINAL BLOCK	1,2, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 Server and Network Cabinet	Server Room	B2-C-0001	M101



Client :	TURKISTAN LLP	Rev:	C01
Project Name :	TURKISTAN CCGT PROJECT	Sub-Supplier	Siemens
Contractor	DOOSAN ENERBILITY	Date	05.09.24
Description :	POWER CABLE SCHEDULE for DCS	DOC NO:	CCP-W-B000-51-IA-H03-0001

S/N	SYSTEM	CABLE NUMBER	CABLE		SIGNAL TYPE	UNIT	FROM					TO							REMARK
			TYPE	SPEC.			TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	
37	DCS SYSTEM	B2PDP011502	Power Cable	3C x 4sqmm	230V AC	Common	XRA02	TERMINAL BLOCK	1,2, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 Server and Network Cabinet	Server Room	B2-C-0001	M201
38	DCS SYSTEM	B2PDP011503	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	1,2, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 GTG#1 OWS Desk	Central Control Room	B2-DK-101	M301
39	DCS SYSTEM	B2PDP011504	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	3,4, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 GTG#2 OWS Desk	Central Control Room	B2-DK-102	M302
40	DCS SYSTEM	B2PDP011505	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	5,6, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 STG OWS Desk	Central Control Room	B2-DK-103	M303
41	DCS SYSTEM	B2PDP011506	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	7,8, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 HRSG & BOP OWS Desk#1	Central Control Room	B2-DK-104	M304
42	DCS SYSTEM	B2PDP011507	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	9,10, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 HRSG & BOP OWS Desk#2	Central Control Room	B2-DK-105	M305
43	DCS SYSTEM	B2PDP011508	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	11,12, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 SRS OWS Desk	Central Control Room	B2-DK-106	M306
44	DCS SYSTEM	B2PDP011509	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	13,14, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 Power Generation Control Desk, Large Screen#1	Central Control Room	B2-LS-101	M307
45	DCS SYSTEM	B2PDP011510	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	15,16, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 Power Generation Control Desk, Large Screen#2	Central Control Room	B2-LS-102	M308
46	DCS SYSTEM	B2PDP011511	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	17,18, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 GTG#1 Omnivise-Edge Desk	Computer Room	B2-DK-111	M309
47	DCS SYSTEM	B2PDP011512	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	19,20, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 GTG#2 Omnivise-Edge Desk	Computer Room	B2-DK-112	M310
48	DCS SYSTEM	B2PDP011513	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	21,22, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 STG#1 EWS Desk	Computer Room	B2-DK-113	M311
49	DCS SYSTEM	B2PDP011514	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	23,24, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 DCS EWS Desk#1	Computer Room	B2-DK-114	M312
50	DCS SYSTEM	B2PDP011515	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	25,26, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 DCS EWS Desk#2	Computer Room	B2-DK-115	M313
51	DCS SYSTEM	B2PDP011516	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	1,2, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 GTG#1 Printer Desk	Central Control Room	B2-PK-101	M401
52	DCS SYSTEM	B2PDP011517	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	3,4, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 GTG#2 Printer Desk	Central Control Room	B2-PK-102	M402
53	DCS SYSTEM	B2PDP011518	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	5,6, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 STG Printer Desk	Central Control Room	B2-PK-103	M403
54	DCS SYSTEM	B2PDP011519	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	7,8, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 DCS Printer Desk#1	Central Control Room	B2-PK-104	M404
55	DCS SYSTEM	B2PDP011520	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	9,10, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 DCS Printer Desk#2	Central Control Room	B2-PK-105	M405
56	DCS SYSTEM	B2PDP011521	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	11,12, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 STG Printer Desk#2	Computer Room	B2-PK-111	M406
57	DCS SYSTEM	B2PDP011522	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	13,14, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 DCS Printer Desk#3	Computer Room	B2-PK-112	M407
58	DCS SYSTEM	B2PDP011523	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	15,16, PE Bus	B#2 Power Distribution Cabinet#1	Block#1 LER	B2-PDP-0001	POWER SOCKET	-	L, N, PE	B#2 Server and Network Cabinet	Server Room	B2-C-0001	M408
59	DCS SYSTEM	B2PDP111501	Power Cable	3C x 4sqmm	230V AC	Common	XRA	TERMINAL BLOCK	1,2, PE Bus	B#2 Power Distribution Cabinet#2	Block#1 LER	B2-PDP-0011	POWER SOCKET	-	L, N, PE	B#2 System +Marshalling Cabinet for GT/HRSG#11	Block#1 LER	B2-D-0010+B2-MD-0010+B2-MD-011	M101
60	DCS SYSTEM	B2PDP111502	Power Cable	3C x 4sqmm	230V AC	Common	XRA	TERMINAL BLOCK	3,4, PE Bus	B#2 Power Distribution Cabinet#2	Block#1 LER	B2-PDP-0011	POWER SOCKET	-	L, N, PE	B#2 System +Marshalling Cabinet for GT/HRSG#12	Block#1 LER	B2-D-0020+B2-MD-0020+B2-MD-021	M102
61	DCS SYSTEM	B2PDP111503	Power Cable	3C x 4sqmm	230V AC	Common	XRA	TERMINAL BLOCK	5,6, PE Bus	B#2 Power Distribution Cabinet#2	Block#1 LER	B2-PDP-0011	POWER SOCKET	-	L, N, PE	B#2 Remote I/O +Marshalling Cabinet for Bop	Block#1 LER	B2-D-0041+B2-MD-0042	M103
62	DCS SYSTEM	B2PDP111504	Power Cable	3C x 4sqmm	230V AC	Common	XRA	TERMINAL BLOCK	7,8, PE Bus	B#2 Power Distribution Cabinet#2	Block#1 LER	B2-PDP-0011	POWER SOCKET	-	L, N, PE	B#2 System +Marshalling Cabinet for B#2 SRS	Block#1 LER	B2-D-0050	M104
63	DCS SYSTEM	B2PDP111505	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	1,2, PE Bus	B#2 Power Distribution Cabinet#2	Block#1 LER	B2-PDP-0011	POWER SOCKET	-	L, N, PE	B#2 System +Marshalling Cabinet for GT/HRSG#11	Block#1 LER	B2-D-0010+B2-MD-0010+B2-MD-011	M201
64	DCS SYSTEM	B2PDP111506	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	3,4, PE Bus	B#2 Power Distribution Cabinet#2	Block#1 LER	B2-PDP-0011	POWER SOCKET	-	L, N, PE	B#2 System +Marshalling Cabinet for GT/HRSG#12	Block#1 LER	B2-D-0020+B2-MD-0020+B2-MD-021	M202
65	DCS SYSTEM	B2PDP111507	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	5,6, PE Bus	B#2 Power Distribution Cabinet#2	Block#1 LER	B2-PDP-0011	POWER SOCKET	-	L, N, PE	B#2 Remote I/O +Marshalling Cabinet for Bop	Block#1 LER	B2-D-0041+B2-MD-0042	M203
66	DCS SYSTEM	B2PDP111508	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	7,8, PE Bus	B#2 Power Distribution Cabinet#2	Block#1 LER	B2-PDP-0011	POWER SOCKET	-	L, N, PE	B#2 System +Marshalling Cabinet for B#2 SRS	Block#1 LER	B2-D-0050	M204
67	DCS SYSTEM	B2PDP111509	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	1,2, PE Bus	B#2 Power Distribution Cabinet#2	Block#1 LER	B2-PDP-0011	POWER SOCKET	-	L, N, PE	B#2 System +Marshalling Cabinet for GT/HRSG#11	Block#1 LER	B2-D-0010+B2-MD-0010+B2-MD-011	M301
68	DCS SYSTEM	B2PDP111510	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	3,4, PE Bus	B#2 Power Distribution Cabinet#2	Block#1 LER	B2-PDP-0011	POWER SOCKET	-	L, N, PE	B#2 System +Marshalling Cabinet for GT/HRSG#12	Block#1 LER	B2-D-0020+B2-MD-0020+B2-MD-021	M302
69	DCS SYSTEM	B2PDP111511	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	5,6, PE Bus	B#2 Power Distribution Cabinet#2	Block#1 LER	B2-PDP-0011	POWER SOCKET	-	L, N, PE	B#2 Remote I/O +Marshalling Cabinet for Bop	Block#1 LER	B2-D-0041+B2-MD-0042	M303
70	DCS SYSTEM	B2PDP111512	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	7,8, PE Bus	B#2 Power Distribution Cabinet#2	Block#1 LER	B2-PDP-0011	POWER SOCKET	-	L, N, PE	B#2 System +Marshalling Cabinet for SRS	Block#1 LER	B2-D-0050	M304
71	DCS SYSTEM	B0PDP011501	Power Cable	3C x 4sqmm	230V AC	Common	XRA01	TERMINAL BLOCK	1,2, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	COM Server and Network Cabinet	Server Room	B0-C-0001	M101
72	DCS SYSTEM	B0PDP011502	Power Cable	3C x 4sqmm	230V AC	Common	XRA01	TERMINAL BLOCK	3,4, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	COM Network Cabinet	Server Room	B0-C-0002	M102



Client :	TURKISTAN LLP	Rev:	C01
Project Name :	TURKISTAN CCGT PROJECT	Sub-Supplier	Siemens
Contractor	DOOSAN ENERBILITY	Date	05.09.24
Description :	POWER CABLE SCHEDULE for DCS	DOC NO:	CCP-W-B000-51-IA-H03-0001

S/N	SYSTEM	CABLE NUMBER	CABLE		SIGNAL TYPE	UNIT	FROM					TO							REMARK
			TYPE	SPEC.			TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	
73	DCS SYSTEM	B0PDP011503	Power Cable	3C x 4sqmm	230V AC	Common	XRA02	TERMINAL BLOCK	1,2, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	COM Server and Network Cabinet	Server Room	B0-C-0001	M201
74	DCS SYSTEM	B0PDP011504	Power Cable	3C x 4sqmm	230V AC	Common	XRA02	TERMINAL BLOCK	3,4, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	COM Network Cabinet	Server Room	B0-C-0002	M202
75	DCS SYSTEM	B0PDP011505	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	1,2, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	Common DCS Electrical OWS Desk	Central Control Room	B0-DK-001	M301
76	DCS SYSTEM	B0PDP011506	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	3,4, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	200kV/500kV AIS Desk	Central Control Room	B0-DK-002	M302
77	DCS SYSTEM	B0PDP011507	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	5,6, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	Common DCS Supervisory Desk	Central Control Room	B0-DK-003	M303
78	DCS SYSTEM	B0PDP011508	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	7,8, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	BSMS Desk	Central Control Room	B0-DK-005	M304
79	DCS SYSTEM	B0PDP011509	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	9,10, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	Common Power Generation Control Desk, Large Screen	Central Control Room	B0-LS-001	M305
80	DCS SYSTEM	B0PDP011510	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	11,12, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	Common DCS EWS Desk	Computer Room	B0-DK-011	M306
81	DCS SYSTEM	B0PDP011511	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	13,14, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	Common DCS WS for Cybersecurity Desk	Computer Room	B0-DK-012	M307
82	DCS SYSTEM	B0PDP011512	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	15,16, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	Common DCS WS for Process Engineer Desk	Computer Room	B0-DK-013	M308
83	DCS SYSTEM	B0PDP011513	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	17,18, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	Common DCS WS for Water Analysis Desk	Computer Room	B0-DK-014	M309
84	DCS SYSTEM	B0PDP011514	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	19,20, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	FMS Desk	Computer Room	B0-DK-015	M310
85	DCS SYSTEM	B0PDP011515	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	21,22, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	VMS Desk	Computer Room	B0-DK-016	M311
86	DCS SYSTEM	B0PDP011516	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	23,24, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	CEMS Desk	Computer Room	B0-DK-017	M312
87	DCS SYSTEM	B0PDP011517	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	1,2, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	Common DCS Printer Desk#1	Central Control Room	B0-PK-001	M401
88	DCS SYSTEM	B0PDP011518	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	3,4, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	200kV/500kV AIS Printer Desk	Central Control Room	B0-PK-002	M402
89	DCS SYSTEM	B0PDP011519	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	5,6, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	BSMS Printer Desk	Central Control Room	B0-PK-004	M403
90	DCS SYSTEM	B0PDP011520	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	7,8, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	Common DCS Printer Desk#2	Computer Room	B0-PK-011	M404
91	DCS SYSTEM	B0PDP011521	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	9,10, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	FMS Printer Desk	Computer Room	B0-PK-012	M405
92	DCS SYSTEM	B0PDP011522	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	11,12, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	VMS Printer Desk	Computer Room	B0-PK-013	M406
93	DCS SYSTEM	B0PDP011523	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	13,14, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	CEMS Printer Desk	Computer Room	B0-PK-014	M407
94	DCS SYSTEM	B0PDP011524	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	15,16, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	COM Server and Network Cabinet	Server Room	B0-C-0001	M408
95	DCS SYSTEM	B0PDP011525	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	17,18, PE Bus	COM Power Distribution Cabinet#1	Server Room	B0-PDP-0001	POWER SOCKET	-	L, N, PE	COM Network Cabinet	Server Room	B0-C-0002	M409
96	DCS SYSTEM	B0PDP031501	Power Cable	3C x 4sqmm	230V AC	Common	XRA	TERMINAL BLOCK	1,2, PE Bus	COM Power Distribution Cabinet#2	Central Electronic Room	B0-PDP-0011	POWER SOCKET	-	L, N, PE	COM Third Party Communication Cabinet	Central Electronic Room	B0-C-0003	M101
97	DCS SYSTEM	B0PDP031502	Power Cable	3C x 4sqmm	230V AC	Common	XRA	TERMINAL BLOCK	3,4, PE Bus	COM Power Distribution Cabinet#2	Central Electronic Room	B0-PDP-0011	POWER SOCKET	-	L, N, PE	COM System=Marshalling Cabinet for Plant Common	Central Electronic Room	B0-D-0010	M102
98	DCS SYSTEM	B0PDP031503	Power Cable	3C x 4sqmm	230V AC	Common	XRA	TERMINAL BLOCK	5,6, PE Bus	COM Power Distribution Cabinet#2	Central Electronic Room	B0-PDP-0011	POWER SOCKET	-	L, N, PE	COM System=Marshalling Cabinet for Plant Common Electrical	Central Electronic Room	B0-D-0020+ B0-MD-0020+ B0MD-0021	M103
99	DCS SYSTEM	B0PDP031504	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	1,2, PE Bus	COM Power Distribution Cabinet#2	Central Electronic Room	B0-PDP-0011	POWER SOCKET	-	L, N, PE	COM Third Party Communication Cabinet	Central Electronic Room	B0-C-0003	M201
100	DCS SYSTEM	B0PDP031505	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	3,4, PE Bus	COM Power Distribution Cabinet#2	Central Electronic Room	B0-PDP-0011	POWER SOCKET	-	L, N, PE	COM System=Marshalling Cabinet for Plant Common	Central Electronic Room	B0-D-0010	M202
101	DCS SYSTEM	B0PDP031506	Power Cable	3C x 4sqmm	230V AC	Common	XRB	TERMINAL BLOCK	5,6, PE Bus	COM Power Distribution Cabinet#2	Central Electronic Room	B0-PDP-0011	POWER SOCKET	-	L, N, PE	COM System=Marshalling Cabinet for Plant Common Electrical	Central Electronic Room	B0-D-0020+ B0-MD-0020+ B0MD-0021	M203
102	DCS SYSTEM	B0PDP031507	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	1,2, PE Bus	COM Power Distribution Cabinet#2	Central Electronic Room	B0-PDP-0011	POWER SOCKET	-	L, N, PE	COM Third Party Communication Cabinet	Central Electronic Room	B0-C-0003	M301
103	DCS SYSTEM	B0PDP031508	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	3,4, PE Bus	COM Power Distribution Cabinet#2	Central Electronic Room	B0-PDP-0011	POWER SOCKET	-	L, N, PE	COM System=Marshalling Cabinet for Plant Common	Central Electronic Room	B0-D-0010	M302
104	DCS SYSTEM	B0PDP031509	Power Cable	3C x 4sqmm	230V AC	Common	XRC	TERMINAL BLOCK	5,6, PE Bus	COM Power Distribution Cabinet#2	Central Electronic Room	B0-PDP-0011	POWER SOCKET	-	L, N, PE	COM System=Marshalling Cabinet for Plant Common Electrical	Central Electronic Room	B0-D-0020+ B0-MD-0020+ B0MD-0021	M303



Client :	TURKISTAN LLP	Rev:	C01
Project Name :	TURKISTAN CCGT PROJECT	Sub-Supplier	Siemens
Contractor	DOOSAN ENERBILITY	Date	05.09.24
Description :	GPS CABLE SCHEDULE for DCS	DOC NO:	CCP-W-B000-51-1A-H03-0001

S/N	SYSTEM	CABLE NUMBER	CABLE		SIGNAL TYPE	LENGTH (M)	UNIT	FROM					TO						REMARK	
			TYPE	SPEC.				TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION	CONSOL / CABINET NAME	TAG NO.	EQUIPMENT NAME	PORT	DESCRIPTION	LOCATION		CONSOL / CABINET NAME
1	DCS SYSTEM	B0C029601	GPS Cable	4C X 0.25Sqmm	TIME	99	Common	-	-	-	LIGHTNING PROTECTOR 1	Administration Building Roof	GPS ANTENNA 1	P0TMS01	tmesrv01	DCF+(OUT) : WHITE DCF-(OUT) : BROWN DC+(OUT) : YELLOW DC-(OUT) : GREEN	Time Server DTS 4128	Server Room	B0-C-0002	
2	DCS SYSTEM	B0C029602	GPS Cable	4C X 0.25Sqmm	TIME	99	Common	-	-	-	LIGHTNING PROTECTOR 2	Administration Building Roof	GPS ANTENNA 2	P0TMS02	tmesrv02	DCF+(OUT) : WHITE DCF-(OUT) : BROWN DC+(OUT) : YELLOW DC-(OUT) : GREEN	Time Server DTS 4128	Server Room	B0-C-0002	