surfinpy: A Surface Phase Diagram Generator

Adam R. Symington,*,† Joshua Tse,‡ Marco Molinari,‡ Arnaud Marmier,¶ and

Stephen C. Parker*,†

†*Department of Chemistry, University of Bath, Claverton Down, Bath BA2 7AY, UK*

‡*Department of Chemistry, University of Huddersfield, Queensgate, Huddersfield HD1*
3DH, UK

¶*UWE*

E-mail: A.R.Symington@bath.ac.uk; S.C.Parker@bath.ac.uk

Summary

A surface phase diagram is a graphical representation of the different physical states of a
surface under different conditions. The surface represents the first point of contact between
the material and the environment. Thus understanding the state of surface is crucial for a
wide range of problems in materials science concerning the relationship between the state
of the surface and the surrounding environmental condtions. Examples include particle
morphologies in solid state batteries;[1] determining the concentration of adsorbed water at a
surface depending on synthesis conditions[2;3] catalytic reactions;[4] or determing the effect of
dopants and impurities on the surface stability.

Computational modelling can be used to generate surface phase diagrams from energy min-
imisation data. One common research question is how water adsorption affects the surface
and material properties. The conventional starting point is to perform a series of energy
minimisation calculations with varying concentrations of water on several different slabs.

From energies, the surface free energy of each calculation (phase) as a function of temperature and pressure can be calculated using a well established approach.[2] Once the free energy is known under different constants the phase which is most stable at a specific temperature and pressure and thus a phase diagram can be generated.

A further degree of complexity can be introduced by considering surface defects e.g. vacancies or interstitials, or other adsorbants e.g. carbon dioxide. Using surface defects as an example, it is important to consider the relationship between the defective surface, the stoichiometric surface and the adsorbing water molecules. A surface phase diagram can be contructed as a function of the chemcial potential of the adsorbing spcies (water) and the surface defect (e.g. oxygen if oxygen vacancies are being considered). This is done using the method of Marmier.[5]


Figure 1: This figure illustrates an example phase diagram as a function of chemical potential (a), and as a function of temperature and pressure (b).

surfinpy

surfinpy is a Python module for generating a surface phase diagrams from DFT data. It contains two core modules for generating surface phase diagrams using both the methods employed in Molinari *et al*[2] and Marmier *et al*.[5] These allow fast generation of temperature vs pressure phase diagrams and phase diagrams as a function of chemcial potential of species A and B. The plotting classes take the outputs of the calculation modules and generate phase

diagrams using 'matplotlib'. surfinpy is aimed towards theoretical solid state physicist and chemists who have a basic familiarity with Python. The repository contains examples of the core functionality as well as tutorials, implemented in jupyter notebooks to explain the full theory. Furthermore, a detailed description of theory is also available within the documentation.

Acknowledgments

References

(1) Canepa, P.; Dawson, J. A.; Sai Gautam, G.; Statham, J. M.; Parker, S. C.; Islam, M. S. Particle Morphology and Lithium Segregation to Surfaces of the Li7La3Zr2O12 Solid Electrolyte. *Chemistry of Materials* **2018**, *30*, 3019–3027.

(2) Molinari, M.; Parker, S. C.; Sayle, D. C.; Islam, M. S. Water Adsorption and Its Effect on the Stability of Low Index Stoichiometric and Reduced Surfaces of Ceria. *The Journal of Physical Chemistry C* **2012**, *116*, 7073–7082.

(3) Tegner, B. E.; Molinari, M.; Kerridge, A.; Parker, S. C.; Kaltsoyannis, N. Water Adsorption on AnO2 111, 110, and 100 Surfaces (An = U and Pu): A Density Functional Theory + U Study. *The Journal of Physical Chemistry C* **2017**, *121*, 1675–1682.

(4) Reuter, K.; Scheffler, M. First-Principles Atomistic Thermodynamics for Oxidation

Catalysis: Surface Phase Diagrams and Catalytically Interesting Regions. *Phys. Rev. Lett.* **2003**, *90*, 046103.

(5) Marmier, A.; Parker, S. C. Ab initio morphology and surface thermodynamics of $\alpha - Al_2O_3$. *Phys. Rev. B* **2004**, *69*, 115409.