Multifractality of the tight-binding eigenstates on the Fibonacci chain

Nicolas Macé, Anuradha Jagannathan, Frédéric Piéchon

Laboratoire de Physique des Solides
Université Paris-Sud

November 25, 2015



Outline

The pure hopping Fibonacci Hamiltonian



$$\omega_n = \frac{F_{n-1}}{F_n}$$

$$\omega_n \to \tau^{-1} = \frac{\sqrt{5}-1}{2}$$

$$\rho = \frac{t_w}{t_s} < 1$$

$\rho \to 1$ (weak modulation)

$\rho \ll 1$ (strong modulation)

$$H_n = -\sum_i t_i^{(n)} \left|i\right\rangle \left\langle i+1\right| + \text{h.c.}$$

Perturbative renormalization group on the Fibonacci chain

- Atomic RG step (decimation of molecules)



- Molecular RG step (decimation of atoms)



(Niu & Nori 1986, Kalugin, Kitaev & Levitov 1986)

Perturbative renormalization group on the Fibonacci chain

- Atomic RG step (decimation of molecules)



- Molecular RG step (decimation of atoms)



$z = \rho/2, \overline{z} = \rho^2$ (Niu & Nori 1986, Kalugin, Kitaev & Levitov 1986)

RG RECONSTRUCTION OF THE ENERGY SPECTRUM

$$H_n = \underbrace{(zH_{n-2} - t_s)}_{\text{bonding levels}} \oplus \underbrace{(\bar{z}H_{n-3})}_{\text{atomic levels}} \oplus \underbrace{(zH_{n-2} + t_s)}_{\text{antibonding levels}} + \mathcal{O}(\rho^4)$$

$\rightarrow$ simple recursive construction of the spectrum (Piéchon *et al* 1995)



$$x(E) = \frac{n_+ + n_-}{n}$$

Multifractal analysis of the spectrum

- Statistical properties of the bands

$$\begin{cases} \Delta_n^a \sim (1/F_n)^{1/\alpha_a} \\ \#\{\text{bands of scaling } \alpha\} \sim F_n^{f(\alpha)} \end{cases}$$

$$\alpha(x) = \log \tau^{-1} / \left(x \log z / \overline{z}^{2/3} + \log \overline{z}^{1/3} \right)$$

$$f(x) = \frac{x \log\left(\frac{3x}{2}\right) - (x+1)\log(x+1)^{1/3} + (1-2x)\log(1-2x)^{1/3}}{\log \tau^{-1}}$$

(Piéchon *et al* 1995, Rüdinger & Piéchon 1998)

- Fractal dimensions D_q

$$(q-1)D_q = \min_{\alpha}(\alpha q - f(\alpha))$$

$$D_0 = \log(\sqrt{2}-1)/\log \tau^{-1}$$

(Damanik 2008)

Fractal dimensions of the wavefunctions

Stat. properties of ψ: $\sum_i |\psi_i^{(n)}(E)|^{2q} \sim (1/F_n)^{(q-1)D_q^{\psi}(E)}$

- Wavefunctions at the center and the edges of the spectrum are multifractal (Kohmoto)
- Averaged fractal dimensions of the wavefunction known to lowest order (Thiem & Schreiber 2013)
- Our work: use the RG approach to:
  - determine individual wavefunction properties,
  - compute their fractal dimensions,
  - compute the averaged fractal dimensions at higher order.

Perturbative RG for the wavefunctions

- Atomic RG



$$\overline{\lambda} \sim \frac{1}{1+2\rho^2}$$

- Molecular RG



$$\lambda \sim \frac{1}{2+\rho^2}$$

$$\begin{cases} |\psi_i^{(n)}(E)|^2 = \overline{\lambda}|\psi_{i'}^{(n-3)}(E')|^2 \text{ if } E \text{ is in the central cluster} \\ |\psi_i^{(n)}(E)|^2 = \lambda|\psi_{i'}^{(n-2)}(E')|^2 \text{ if } E \text{ is in the edge clusters} \end{cases}$$

Renormalization paths and fractal dimensions of the wavefunctions

- Fractal dimensions of the wavefunction of energy E:

$$\sum_i |\psi_i^{(n)}(E)|^{2q} \sim (1/F_n)^{(q-1)D_q^\psi(E)}$$

- RG step neglecting sites with small amplitudes:

$$\text{molecular RG step: } |\psi_i^{(n)}(E)|^{2q} = \lambda^q |\psi_{i'}^{(n-2)}(E')|^{2q}$$
$$\text{atomic RG step: } |\psi_i^{(n)}(E)|^{2q} = \overline{\lambda}^q |\psi_{i'}^{(n-3)}(E')|^{2q}$$

- $D_q^\psi(E)$ depends on the renormalization path $x(E)$:

$$(q-1)D_q^\psi(x) = \log\left[\left(\frac{\lambda(\rho)^q}{\lambda(\rho^q)}\right)^x \left(\frac{\bar{\lambda}(\rho)^q}{\bar{\lambda}(\rho^q)}\right)^{(1-2x)/2}\right] / \log\omega$$

Comparison with numerical data







- All states are critical in the strong modulation limit
- x is the relevant parameter to describe the properties of the states

(Macé, Jagannathan, Piéchon, to be submitted)

Energy averaged multifractality of the wavefunctions

$$\frac{1}{F_n}\sum_E\sum_i |\psi_i^{(n)}(E)|^{2q} \sim (1/F_n)^{(q-1)\bar{D}_q^\psi}$$



- Multifractality
- Quantitative agreement with numerical data even for large ρ.

Conumbering



Amplitude of the wavefunctions as a function of the position and the energy, computed numerically.

- Conumbering (a relabelling of the positions along the chain) is used (Mosseri 1988).
- The fractal structure stemming from the deflation symmetry is clear.
- Energy/position symmetry is made evident by conumbering.

Conclusion and perspectives

- Fractal dimensions are important for physical properties such as transport and susceptibility.
- We have characterized the wavefunctions of the Fibonacci tight-binding chain, in the strong modulation limit, using a perturbative RG.
- We have presented for the first time analytical expressions for the fractal exponents of the full set of wavefunctions. These compare well with numerical data.
- Work in progress: consequences for the diffusion and transport properties.



Nonperturbative expression for the renormalization factors:

$$\overline{\lambda}(\rho) = \frac{\sqrt{(1+\rho^2)^4 + 4\rho^4} - (1+\rho^2)^2}{2\rho^4}$$

$$\lambda(\rho) = \frac{1 + \rho^2\gamma(\rho) - \sqrt{1 + (\rho^2\gamma(\rho))^2}}{2\rho^2\gamma(\rho)}$$

$$\gamma(\rho) = \frac{1}{1+\rho}$$