

Item#	Qty	Ref Des	Device	Package	Value	Voltage	Tolerance	Dielectric	Power	Manf	Manf P/N	Dist	Dist P/N	Alternate P/N	#
1	1	B1	Battery Slot		TSS18FE-FL35E					SEIKO	TSS18FE-FL35E	SEIKO	TSS18FE-FL35E		740019
2	194	C1,C2,C5,C6,C	Capacitor	0402	0.1UF	25V	10%	X5R		Taiyo	TMK105BJ104KV-F	Digikey	587-1456-2-ND		100040
3	29	C3,C151,C193	Capacitor	1206	22UF	25V	10%	X5R		Murata	GRM31CR61E226KE15L	Digikey	490-5527-1-ND		100026
4	0	C4,C856,C858	Capacitor	C402-25	DNP										NA
5	4	C8,C11,C12,C	Capacitor	0603	22UF	6.3V	20%	X5R		TDK	C1608X5R0J226M080AC	Digikey	445-8028-2-ND		100129
6	44	C9,C10,C13,C	Capacitor	0402	0.01UF	25V	10%	X5R		AVX	04023D103KAT2A	Digikey	478-5267-2-ND		100001
7	52	C17,C18,C19,(	Capacitor	0402	0.22UF	6.3V	10%	X6S		MURATA	GRM155C80J224KE01D	Digikey	490-6282-2-ND		100146
8	4	C68,C242,C16	Capacitor	1210	10UF	25V	10%	X5R		MURATA	GRM32DR61E106KA12L	Digikey	490-1878-2-ND		100123
9	18	C78,C79,C80,(	Capacitor	0603	10UF	6.3V	20%	X6S		TDK	C1608X6S0J106M080AC	Mouser	810-C1608X6S0J106M		100137
10	17	C81,C82,C83,(	Capacitor	0402	0.01UF	25V	10%	X7R		Kemet	C0402C103K3RACTU	Digikey	399-1278-2-ND		100003
11	19	C103,C109,C1	Capacitor	0402	1UF	16V	10%	X5R		TDK	C1005X5R1C105K	Digikey	445-4978-2-ND		100007
12	62	C124,C172,C1	Capacitor	0603	1UF	25V	10%	X5R		Murata	GRM188R61E105KA12D	Digikey	490-3897-2-ND		100023
13	13	C129,C133,C1	Capacitor	0402	0.1UF	50V	10%	X7R		TAIYO YUDEN	UMK105B7104KV-FR	Digikey	587-3498-2-ND		100170
14	6	C130,C258,C1	Capacitor	0402	2.2UF	10V	10%	X6S		TDK	C1005X6S1A225K050BC	Mouser	810-C1005X6S1A225K		100136
15	10	C131,C174,C1	Capacitor	1210	100UF	6.3V	20%	X6S		TDK	C3225X6S0J107M250AC	Digikey	445-6016-2-ND		100141
16	2	C143,C144	Capacitor	0402	18PF	50V	5%	NPO		Murata	GRM1555C1H180J201D	Digikey	490-1281-2-ND	GRM1555C1H180JA01D	100065
17	9	C146,C257,C1	Capacitor	0805	2.2UF	25V	10%	X7R		TAIYO YUDEN	TMK212B7225KG-TR	Digikey	587-2991-2-ND		100124
18	14	C147,C148,C2	Capacitor	1210	22UF	25V	10%	X7R		MURATA	GRM32ER71E226KE15L	Mouser	81-GRM32ER71E226KE5L		100144
19	54	C153,C163,C1	Capacitor	1206	100UF	4V	20%	X6S		TDK	C3216X6S0G107M160AC	Digikey	445-6012-2-ND		100140
20	17	C156,C161,C1	Capacitor	1210	47UF	6.3V	20%	X6S		TDK	C3225X6S0J476M250AC	Digikey	445-6015-2-ND		100142
21	125	C159,C160,C1	Capacitor	0402	4.7UF	6.3V	20%	X5R		TDK	C1005X5R0J475M	Mouser	810-C1005X5R0J475M		100067
22	0	C183,C229,C3	Capacitor	0402	DNP										NA
23	6	C185,C240,C4	Capacitor	0402	2200PF	50V	10%	X7R		Panasonic	ECJ-0EB1H222K	Digikey	PCC1725TR-ND	GRM155R71H222KA01D	100095
24	12	C186,C187,C3	Capacitor	0402	0.15UF	16V	10%	X7R		TDK	C1005X7R1C154K	Digikey	445-5934-1-ND		100056
25	13	C188,C740,C1	Capacitor	0402	100PF	50V	10%	X7R		YAGEO	CC0402KRX7R9B8B101	Digikey	311-1419-2-ND		100119
26	6	C189,C480,C1	Capacitor	0603	4.7UF	6.3V	10%	X6S		TDK	C1608X6S0J107M250AC	Digikey	445-7446-2-ND		100138
27	5	C190,C862,C1	Capacitor	0402	0.022UF	10V	10%	X5R		Kemet	C0402C223K8PACTU	Digikey	399-3015-2-ND		100004
28	2	C192,C876	Capacitor	0805	4.7UF	25V	10%	X5R		Taiyo	TMK212BJ475KG-T	Digikey	587-1782-2-ND		100041
29	4	C206,C230,C9	Capacitor	TANT_D	470UF	2V	20%	SP		PANASONIC	EEF-GX0D471R	Digikey	PCE5028TR-ND		100143
30	6	C231,C1700,C	Capacitor	0402	0.22UF	16V	10%	X5R		TDK	C1005X5R1C224K	Digikey	445-4972-2-ND		100008
31	11	C232,C451,C1	Capacitor	0402	1000PF	50V	10%	X7R		MURATA	GRM155R71H102JA01D	Digikey	490-6348-2-ND	GRM155R71H102KA01D	100013
32	0	C233,C1778,C	Capacitor	0603	DNP										NA
33	4	C330,C460,C4	Capacitor	TANT_X	680UF	6.3V	20%	TANT		KEMET	T530X687M006ATE018	Digikey	399-5408-2-ND		100152
34	52	C434,C435,C4	Capacitor	0402	0.068UF	16V	10%	X7R		TDK	C1005X7R1C683K050BC	Digikey	445-4950-2-ND		100125
35	4	C466,C467,C1	Capacitor	0805	100PF	500V	5%	NPO		Kemet	C0805C10J1CGACTU	Digikey	399-5102-2-ND		100047
36	1	C470	Capacitor	0603	4.7UF	10V	10%	X5R		Taiyo	LMK107B1475KA-T	Digikey	587-1441-2-ND	C1608X5R1A475K	100031
37	75	C491,C492,C4	Capacitor	0402	0.47UF	10V	10%	X5R		Murata	GRM155R61A474KE15D	Digikey	490-3264-1-ND		100022
38	1	C499	Capacitor	CAPR_800_350	330UF	16V	20%	ELEC		Nichicon	RL81C331MDN1KX	Digikey	493-6629-3-ND		100145
39	17	C500,C516,C5	Capacitor	0805	10UF	10V	10%	X5R		Murata	GRM219R61A106KE44D	Digikey	490-4735-2-ND	GRM21BR61A106KE19L	100024
40	1	C794	Capacitor	0603	10UF	4V	10%	X5R		Murata	GRM188R60G106ME47D	Digikey	490-3298-2-ND		100046
41	8	C867,C868,C1	Capacitor	1206	47UF	25V	20%	X5R		TDK	C3216X5R1E476M	Digikey	445-8047-1-ND		100087
42	0	C869,C870	Capacitor	0402	DNP										NA
43	2	C878,C1358	Capacitor	0402	5600PF	50V	10%	X7R		KEMET	C0402C562K5RACTU	Digikey	399-3073-1-ND		100120
44	2	C879,C1359	Capacitor	0402	560PF	50V	10%	X7R		MURATA	GRM155R71H561KA01D	Digikey	490-1301-2-ND		100122
45	1	C1719	Capacitor	0402	6800PF	50V	10%	X7R		KEMET	C0402C682K5RACTU	Digikey	399-3074-2-ND		100167
46	2	C1720,C1721	Capacitor	0402	22PF	50V	5%	COG, NPO		MURATA	GRM1535C1H220JDD5D	Digikey	490-6158-2-ND		100099
47	2	C1722,C1723	Capacitor	0402	8200PF	50V	10%	X7R		KEMET	C0402C822K5RACTU	Digikey	399-3075-2-ND		100159
48	1	C1725	Capacitor	0402	220PF	50V	10%	X7R		TAIYO YUDEN	UMK105B7221KV-F	Digikey	587-1218-2-ND		100157
49	0	CB11	Cable		PC_POWER_CABLE					AdamTech	PC-0102060AC03	Mouser	737-PC-0102060AC03		960004
50	0	CB12,CBL3	Cable		USB_MICRO_CABLE					Assmann	AK67421-2-R	Digikey	AE10342-ND		960003
51	10	D4,D5,D7,D1C	Diode	SOD_123	BAT54T1G	30V			400MW	ON SEMICONDUCTOR	BAT54T1G	Digikey	BAT54T1GOSTR-ND		300002
52	5	D8,D33,D36,D	Diode	SOD_123	MMSZ4680T1G	2.2V			500MW	ON SEMICONDUCTOR	MMSZ4680T1G	Digikey	MMSZ4680T1GOSTR-ND		300075
53	5	D9,D16,D19,D	Diode	SOD_123	MMSZ4683T1G	3.0V			500MW	ON SEMICONDUCTOR	MMSZ4683T1G	Digikey	MMSZ4683T1GOSCT-ND		300105
54	1	D15	Diode	SOT_23	BAS40-04	40V			200MW	MICRO COMMERCIAL	BAS40-04-TP	Digikey	BAS40-04TPMSCT-ND		300001
55	1	DS1	LED		LED-YEL-SMT	2.2V			20MA	Avago	HSMY-C190	Digikey	516-1424-1-ND		300035
56	3	DS2,DS3,DS42	LED		LED-GRN-RED	2.0V			2.0-20MA	Avago	HSMF-C155	Digikey	516-1456-1-ND		300014
57	17	DS4,DS5,DS14	LED		LED-YELLOW-SMT	2.2V			20MA	Avago	HSMY-C190	Digikey	516-1424-1-ND		300035
58	12	DS6,DS7,DS8,I	LED		LED-GRN-SMT	2.2V			2.2-20MA	Lumex	SML-LX0603GW-TR	Digikey	67-1549-2-ND		300021
59	1	DS34	LED		LED-BLUE-SMT	2.85V			15MA	OSRAM	LB Q39G-L200-35-1	Digikey	475-2816-1-ND		300129
60	1	DS45	LED		LED-RED-SMT	2.0V			2.0-20MA	Lumex	SML-LX0603IW-TR	Digikey	67-1548-2-ND		300022
61	1	EMICAGE1	EMI_CAGE	EMI_CAGE_175X225	EMI_CAGE					LEADER TECH	20SCBSFNSV-1.75x2.25x.625	LEADER TECH	20S-CBSFNSV-1.75x2.25x0.625	20SCBSFNSV-1.75x2.25x.625	960046
62	1	HS1	Fan Sink	30-5530-03	12VDC					COFAN	30-5530-03	COFAN	30-5530-03		960047
63	2	J1,J96	I/O Cage		U95-T1Y1-100A					AMPHENOL	U95-T1Y1-100A	Mouser	523-U95-T1Y1-100A		400136
64	1	J2	Connector		ASP_134486_01					Samtec	ASP_134486_01	Samtec	ASP-134486-01		400032
65	1	J3	Connector		87832-1420					Molex	87832-1420	Digikey	WM18641-ND		400030
66	2	J4,J106	Connector		ZX62D_AB_5P8					Hirose	ZX62D-AB-5P8	Digikey	H11494CT-ND		400014
67	1	J5	Header	1X3	HDR_1X3					Sullins	PBC36SAAN	Digikey	S1011E-36-ND		390011
68	1	J6	Connector		FIREFLY_RECEPT					SAMTEC	UECS0192HDRA1+UCC8101HS1A	Samtec	UUECS0192HDRA1+UCC8101HS1A		400149
69	1	J7	Header	2X4	HDR_2X4					Sullins	PBC36DAAN	Digikey	S2011E-36-ND		390014
70	5	J8,J9,J12,J14,J	Header	1X2	HDR_1X2					Sullins	PBC36SAAN	Digikey	S1011E-36-ND		390011

71	1	J10	Socket		RJ45		WURTH	7499111221A	Digikey	732-4972-ND	420095
72	6	J11,J13,J16,J1	Test Points		RED		Keystone	5000	Digikey	5000K-ND	900014
73	1	J15	Connector		39-30-1060		Molex	39-30-1060	Digikey	WM1353-ND	400022
74	0	J20,J21,J28,J5	Test Points		DNP						NA
75	1	J22	Connector		ASP_184329_01		SAMTEC	ASP-184329-01	SAMTEC	ASP-184329-01	400137
76	6	J23,J24,J25,J2	Test Points		BLACK		Keystone	5001	Digikey	5001K-ND	900015
77	6	J30,J31,J32,J3	SMA		32K10K-400L5		Rosenberger	32K10K-400L5	Rosenberger	32K10K-400L5	400125
78	2	J36,J73	Connector		22_11_2032		Molex	22-11-2032	Digikey	WM2701-ND	400018
79	1	J39	Connector		HDR_BOX_2X8		Assmann	AWHW16G-0202-T-R	DIGIKEY	HRP16H-ND	400074
80	1	J52	Header	F2X6_PMOD	HDR_2X6_F_RA		SULLINS	PPPC062LJBN-RC	Digikey	S5559-ND	390021
81	1	J53	Header	2X6	HDR_2X6		Sullins	PBC36DAAN	Digikey	S2011E-36-ND	390014
82	1	J78	Header	1X4	HDR_1X4		Sullins	PBC36SAAN	Digikey	S1011E-36-ND	390011
83	1	J82	Header		ATEC-TSW-106-22-F-S-RA		SAMTEC	SAMTEC-TSW-106-22-F-S-RA	Samtec	TSW-106-22-F-S-RA	390024
84	1	J83	Connector		I_MOL_10P_5025700893		MOLEX	5025700893	Digikey	WM19093CT-ND	400081
85	1	J105	Header	1X6	HDR_1X6		Sullins	PBC36SAAN	Digikey	S1011E-36-ND	390011
86	6	L1,L2,L70,L71,	Inductor	1008			WURTH	74479787210B	Digikey	732-4512-1-ND	300080
87	3	L3,L7,L80	Inductor	IND_WURTH_7040			WURTH	744311100	Digikey	732-4177-2-ND	300071
88	2	L4,L5	Inductor	IND_IHLP2525			Vishay	IHLP2525SAHER1R0M01	MOUSER	70-IHLP2525SAHER1R0M1	300048
89	8	L6,L22,L65,L70	Inductor	LAIRD_28F0121_15R_10			LAIRD	28F0121-15R-10	Digikey	240-2436-2-ND	300067
90	6	L8,L48,L67,L8:	Inductor	IND_74479887310			WURTH	74479887310A	Digikey	732-4516-1-ND	300059
91	4	L13,L60,L61,L:	Ferrite Chip	0805			Laird	HZ0805E601R-10	Digikey	240-2399-2-ND	300009
92	5	L31,L34,L35,L:	Ferrite Chip	0603			TDK	MPZ1608S221A	Digikey	445-1565-2-ND	300010
93	1	L62	Inductor	0603			Murata	BLM18SG121TN1D	Digikey	490-3996-1-ND	300026
94	1	L63	Inductor	IND_WURTH_2828			WURTH	744025001	Digikey	732-2612-1-ND	300077
95	2	L66,L74	Inductor	IND_WURTH_7040			WURTH	744311068	Digikey	732-1149-1-ND	300142
96	1	L73	Inductor	IND_WURTH_4838			WURTH	74408943033	Digikey	732-3030-2-ND	300073
97	1	L75	Inductor	IND_WURTH_1210			WURTH	7443320068	Digikey	732-2136-1-ND	300079
98	2	L88,L89	Inductor	IND_WURTH_7040			WURTH	744311022	Mouseer	710-744311022	300141
99	1	L92	Filter	HEAD_LAIRD_28C0236			LAIRD	28C0236-0BW-10	Digikey	240-2491-ND	300058
100	1	L95	Inductor	ND_COIL_CLB1108_4			COILTRONICS	CLB1108-4-50TR-R	Maxim	CLB1108-4-50TR-R	300093
101	3	L96,L97,L98	Inductor	D_VLS252012ET_3R3M			TDK	VLS252012ET-3R3M	Digikey	445-6639-1-ND	300088
102	0	MH1,MH2,MH	Mounting Hole		DNP						NA
103	2	MJB1,MJB2	Shunt		JUMPER_BLOCK_2-PIN		AdamTech	MSDA-G	Digikey	S9002-ND	900008
104	6	MRB1,MRB2,I	Bumper		RUBBER_BUMPER		Keystone	720	Digikey	720K-ND	900001
105	13	MS1,MS2,MS:	Screw		MACHINE_SCREW_4-40		OLANDER	4C25PPMZR	Mcmaster	91770A092	900005
106	3	MSO1,MSO2,I	Standoff		STANDOFF_OP375		Keystone	1892	Digikey	1892K-ND	900010
107	3	MSO3,MSO4,I	Standoff		STANDOFF_OP250		KEYSTONE	2201	Digikey	36-2201-ND	900063
108	1	MSTK1	PCIE_POWER_STICKEPCIE_POWER_STICKEPCIE_POWER_STICKER				XILINX	250446	XILINX	250446	740001
109	6	MW1,MW2,M	Washer		WASHER_FLAT_4		KEYSTONE	3348	Digikey	3348K-ND	900039
110	0	PB1	PWR_BRICK_12V		PWR_BRICK_12V		LTE	LTE90E-S2-1	LTE	3800033	960038
111	1	PL1	Mechanical				Atrenne	P111-XLNX-005	Atrenne	P111-XLNX-005	900072
112	1	Q1	Mosfet	SOIC_8	FDS6681Z	30V	FAIRCHILD	FDS6681Z	Digikey	FDS6681ZCT-ND	500284
113	34	Q2,Q3,Q5,Q6,	Mosfet	SOT_723	RUM001L02T2CL	20V	ROHM	RUM001L02T2CL	Digikey	RUM001L02T2CLCT-ND	500467
114	1	Q4	Transistor	SOT_23	BSS138	50V	Fairchild	BSS138	Digikey	BSS138TR-ND	500116
115	5	Q9,Q19,Q39,Q	Transistor	PWRCUP_33	FDPIC8011S	25V	FAIRCHILD	FDPIC8011S	Digikey	FDPIC8011SFSCCT-ND	500277
116	6	Q20,Q25,Q40	Transistor	SOT523	MMBT3904T	40V	DIODES INC	MMBT3904T-7-F	Digikey	MMBT3904T-FDITR-ND	300068
117	2	Q26,Q58	Mosfet	SOT_23	ND5331N	20V	Fairchild	ND5331N	Digikey	ND5331NTR-ND	500100
118	2	Q45,Q47	Mosfet	PWR_56	FDMS8558S	25V	FAIRCHILD	FDMS8558S	Digikey	FDMS8558SDCCT-ND	500283
119	1	Q61	Mosfet	SOT_23	SI2300DS	30V	Vishay	SI2300DS-T1-GE3	Digikey	SI2300DS-T1-GE3CT-ND	500105
120	53	R1,R2,R6,R13,	Resistor	0402	4.70K	1%	Panasonic	ERJ-2RK4701X	Digikey	P4.70KLTR-ND	200067
121	0	R3,R796,R798	Resistor	C402-25	DNP						NA
122	25	R4,R5,R7,R10:	Resistor	0402	240	1%	Panasonic	ERJ-2RK42400X	Digikey	P240LTR-ND	200046
123	26	R8,R9,R36,R3:	Resistor	0402	100	1%	Panasonic	ERJ-2RK41000X	Digikey	P100LTR-ND	200024
124	10	R10,R83,R133	Resistor	0402	15	1%	Panasonic	ERJ-2RK415R0X	Digikey	P15.0LTR-ND	200037
125	0	R11,R12,R54,I	Resistor	0402	DNP						NA
126	12	R14,R95,R167	Resistor	0402	10	1%	Panasonic	ERJ-2RK410R0X	Digikey	P10.0LTR-ND	200028
127	6	R15,R88,R150	Resistor	0402	100	1%	PANASONIC	ERJ-2RK41000X	Digikey	P100LTR-ND	200024
128	41	R16,R39,R44,I	Resistor	0402	10.0K	1%	Panasonic	ERJ-2RK41002X	Digikey	P10.0KLTR-ND	200025
129	24	R17,R18,R20,I	Resistor	0402	1.00K	1%	ROHM	MCR01MZPF1001	Digikey	RHM1.00KLTR-ND	200098
130	3	R26,R27,R34	Resistor	0402	2.21K	1%	Panasonic	ERJ-2RK42211X	Digikey	P2.21KLTR-ND	200163
131	3	R32,R563,R79	Resistor	0402	24.9	1%	Panasonic	ERJ-2RK424R9X	Digikey	P24.9LTR-ND	200120
132	32	R33,R81,R82,I	Resistor	0402	261	1%	Panasonic	ERJ-2RK42610X	Digikey	P261LTR-ND	200050
133	31	R35,R40,R41,I	Resistor	0402	1.00K	1%	ROHM	MCR01MZPF1001	Digikey	RHM1.00KLTR-ND	200098
134	3	R43,R1190,R1	Resistor	0402	432	1%	PANASONIC-ECG	ERJ-2RK44320X	Digikey	P432LTR-ND	200327
135	40	R58,R59,R72,I	Resistor	0402	4.99K	1%	Panasonic	ERJ-2RK44991X	Digikey	P4.99KLTR-ND	200072
136	1	R74	Resistor	0402	9.53K	1%	PANASONIC	ERJ-2RK49531X	Digikey	P9.53KLTR-ND	200270
137	14	R78,R79,R99,I	Resistor	0201	10	1%	PANASONIC	ERJ-1GEF10R0C	Digikey	P10.0ABTR-ND	200405
138	3	R80,R712,R11	Resistor	0402	1.43K	1%	Panasonic	ERJ-2RK41431X	Digikey	P1.43KLTR-ND	200035
139	1	R84	Resistor	0402	1.0M	5%	Panasonic	ERJ-2GEJ105X	Digikey	P1.0MJTR-ND	200013
140	6	R85,R89,R90,I	Resistor	0402	200K	1%	Panasonic	ERJ-2RK42003X	Digikey	P200KLTR-ND	200041
141	7	R87,R152,R16	Resistor	RES_WSLP_1206	0.005	1%	VISHAY DALE	WSLP1206S1000FEA	Digikey	WSLP-.005TR-ND	200283
142	22	R98,R154,R21	Resistor	0402	0	5%	Panasonic	ERJ-2GE0R00X	Digikey	P0.0JTR-ND	200012
143	9	R117,R118,R1	Resistor	0201	4.70K	1%	PANASONIC	ERJ-1GEF4701C	Digikey	P4.70KABTR-ND	200390
144	19	R134,R157,R1	Resistor	0402	2.00K	1%	Panasonic	ERJ-S02F2001X	Digikey	ERJ-S02F2001X-ND	200096
145	8	R136,R214,R1	Resistor	0402	12.7K	1%	PANASONIC	ERJ-2RK41272X	Digikey	P12.7KLTR-ND	200261
146	4	R137,R832,R1	Resistor	0402	26.1K	1%	PANASONIC	ERJ-2RK42612X	Digikey	P26.1KLTR-ND	200249

147	2	R138,R1289	Resistor	0402	8.06K	1%	1/10W	Panasonic	ERJ-2RKF8061X	Digikey	P8.06KLTR-ND	200083
148	6	R139,R231,R1	Resistor	0603	2.2	1%	1/10W	PANASONIC	ERJ-3RQF2R2V	Digikey	P2.2AJTR-ND	200258
149	3	R153,R1203,R	Resistor	1206	0.001	1%	1W	STACKPOLE	CSNL1206FT1L00	Digikey	CSNL1206F1L00TR-ND	200326
150	1	R155	Resistor	0402	14.7K	1%	1/10W	PANASONIC	ERJ-2RKF1472X	Digikey	P14.7KLTR-ND	200263
151	6	R159,R515,R1	Resistor	0402	140K	1%	1/10W	PANASONIC-ECG	ERJ-2RKF1403X	Digikey	P140KLTR-ND	200262
152	2	R160,R1290	Resistor	0402	10.2K	1%	1/10W	Panasonic	ERJ-2RKF1022X	Digikey	P10.2KLTR-ND	200160
153	1	R166	Resistor	0402	34.0K	1%	1/10W	PANASONIC	ERJ-2RKF3402X	Digikey	P34.0KLTR-ND	200338
154	1	R168	Resistor	RES_CSS2775	0.0005	1%	4W	STACKPOLE	CSS2725FTL500	Digikey	CSS2725FTL500CT-ND	200332
155	9	R169,R259,R8	Resistor	0402	499	1%	1/10W	Panasonic	ERJ-2RKF4990X	Digikey	P499LTR-ND	200071
156	0	R170,R1317,R	Resistor	0805	DNP						NA	
157	6	R171,R1267,R	Resistor	0402	3.01K	1%	1/10W	Panasonic	ERJ-2RKF3011X	Digikey	P3.01KLTR-ND	200055
158	6	R196,R1275,R	Resistor	0402	4.7	1%	1/10W	ROHM	MCR01MZPFLAR70	Digikey	RHM4.70LTR-ND	200391
159	3	R198,R201,R2	Resistor	0402	11.0K	1%	1/10W	PANASONIC	ERJ-2RKF1102X	Digikey	P11.0KLTR-ND	200289
160	2	R199,R1125	Resistor	0402	38.3K	1%	1/10W	PANASONIC	ERJ-2RKF3832X	Digikey	P38.3KLTR-ND	200252
161	5	R200,R202,R2	Resistor	0402	2.49K	1%	1/10W	Panasonic	ERJ-2RKF2491X	Digikey	P2.49KLTR-ND	200049
162	78	R237,R238,R2	Resistor	0201	39.2	1%	1/20W	PANASONIC	ERJ-1GEF39R2C	Digikey	P39.2ABTR-ND	200287
163	2	R258,R922	Resistor	0201	402	1%	1/20W	PANASONIC	ERJ-1GEF4020C	Digikey	P402ABTR-ND	200322
164	6	R388,R389,R9	Resistor	0402	100K	1%	1/10W	Panasonic	ERJ-2RKF1003X	Digikey	P100KLTR-ND	200026
165	3	R553,R554,R1	Resistor	0402	200	1%	1/10W	Panasonic	ERJ-2RKF2000X	Digikey	P200LTR-ND	200039
166	20	R556,R557,R5	Resistor	0201	100	1%	1/20W	Panasonic	ERJ-1GEF1000C	Digikey	P100ABTR-ND	200116
167	6	R565,R566,R8	Resistor	0402	36	1%	1/10W	PANASONIC	ERJ-2RKF36R0X	Digikey	P36.0LTR-ND	200260
168	2	R598,R1237	Resistor	0402	220	1%	1/10W	Panasonic	ERJ-2RKF2200X	Digikey	P220LTR-ND	200045
169	1	R637	Resistor	0402	1.50K	1%	1/10W	Panasonic	ERJ-2RKF1501X	Digikey	P1.50KLTR-ND	200161
170	2	R638,R815	Resistor	0402	3.32K	1%	1/10W	Panasonic	ERJ-2RKF3321X	Digikey	P3.32KLTR-ND	200198
171	1	R748	Resistor	0402	330	1%	1/10W	PANASONIC	ERJ-2RKF3300X	Digikey	P330LTR-ND	200344
172	2	R756,R1052	Resistor	0402	1.78K	1%	1/10W	PANASONIC ECG	ERJ-2RKF1781X	Digikey	P1.78KLTR-ND	200177
173	10	R772,R773,R7	Resistor	0402	20K	1%	1/10W	Panasonic	ERJ-2RKF2002X	Digikey	P20.0KLTR-ND	200124
174	2	R805,R1090	Resistor	0402	4.02K	1%	1/10W	Panasonic	ERJ-2RKF4021X	Digikey	P4.02KLTR-ND	200062
175	1	R808	Resistor	0402	5.9K	1%	1/10W	PANASONIC-ECG	ERJ-2RKF5901X	Digikey	P5.9KLTR-ND	200275
176	1	R809	Resistor	0402	4.32K	1%	1/10W	Panasonic	ERJ-2RKF4321X	Digikey	P4.32KLTR-ND	200065
177	2	R813,R1097	Resistor	0402	3.65K	1%	1/10W	PANASONIC	ERJ-2RKF3651X	Digikey	P3.65KLTR-ND	200273
178	1	R814	Resistor	0402	2.67K	1%	1/10W	PANASONIC	ERJ-2RKF2671X	Mouser	667-ERJ-2RKF2671X	200272
179	5	R837,R838,R8	Resistor	0402	68.1	1%	1/10W	Panasonic	ERJ-2RKF68R1X	Digikey	P68.1LTR-ND	200325
180	2	R1007,R1145	Resistor	0402	249	1%	1/10W	Panasonic	ERJ-2RKF2490X	Digikey	P249LTR-ND	200048
181	2	R1015,R1293	Resistor	0402	2.40K	1%	1/10W	PANASONIC	ERJ-2RKF2401X	Digikey	P2.40KLTR-ND	200271
182	2	R1079,R1107	Resistor	0402	953	1%	1/10W	PANASONIC ECG	ERJ-2RKF9530X	Digikey	P953LTR-ND	200172
183	4	R1083,R1084,	Resistor	0402	1.21K	1%	1/10W	Panasonic	ERJ-2RKF1211X	Digikey	P1.21KLTR-ND	200032
184	1	R1109	Resistor	0402	68.1K	1%	1/10W	Panasonic	ERJ-2RKF6812X	Digikey	P68.1KLTR-ND	200239
185	1	R1126	Resistor	0402	21.5K	1%	1/10W	PANASONIC-ECG	ERJ-2RKF2152X	Digikey	P21.5KLTR-ND	200227
186	1	R1135	Resistor	0402	6.19K	1%	1/10W	Panasonic	ERJ-2RKF6191X	Digikey	P6.19KLTR-ND	200112
187	1	R1170	Resistor	0402	51.1K	1%	1/10W	Panasonic	ERJ-2RKF5112X	Digikey	P51.1KLCT-ND	200075
188	1	R1174	Resistor	0402	59.0K	1%	1/10W	PANASONIC	ERJ-2RKF5902X	Digikey	P59.0KLTR-ND	200268
189	1	R1205	Resistor	0402	115	1%	1/10W	PANASONIC	ERJ-2RKF1150X	Digikey	P115LTR-ND	200315
190	2	R1206,R1207	Resistor	0402	80.6	1%	1/10W	Panasonic	ERJ-2RKF80R6X	Digikey	P80.6LTR-ND	200084
191	1	R1213	Resistor	0402	576	1%	1/10W	Panasonic	ERJ-2RKF5760X	Digikey	P576LTR-ND	200168
192	1	R1215	Resistor	0402	1.8K	1%	1/10W	PANASONIC-ECG	ERJ-2RKF1801X	Digikey	P1.80KLTR-ND	200291
193	3	R1216,R1217,	Resistor	0402	29.4K	1%	1/10W	PANASONIC	ERJ-2RKF2942X	Digikey	P29.4KLTR-ND	200292
194	3	R1219,R1220,	Resistor	0402	2.15K	1%	1/10W	Panasonic	ERJ-2RKF2151X	Digikey	P2.15KLTR-ND	200044
195	1	R1228	Resistor	1206	100	1%	1/4W	PANASONIC	ERJ-8ENF1000V	Digikey	P100FTR-ND	200294
196	1	R1229	Resistor	0402	24.9K	1%	1/10W	PANASONIC	ERJ-2RKF2492X	Digikey	P24.9KLTR-ND	200318
197	1	R1236	Resistor	0402	82.5	1%	1/10W	PANASONIC	ERJ-2RKF82R5X	Digikey	P82.5LTR-ND	200328
198	3	R1238,R1239,	Resistor	0402	20.0K	1%	1/16W	SUSUMU	RG1005P-203-D	Digikey	408-1674-2-ND	200295
199	0	R1247,R1251	Resistor	0402	DNP						NA	
200	1	R1259	Resistor	0402	820	1%	1/10W	PANASONIC-ECG	ERJ-2RKF8200X	Digikey	P820LTR-ND	200317
201	1	R1260	Resistor	0402	680	1%	1/10W	Panasonic	ERJ-2RKF6800X	DIGIKEY	P680LTR-ND	200234
202	1	R1261	Resistor	0402	402	1%	1/10W	Panasonic	ERJ-2RKF4020X	Digikey	P402LTR-ND	200142
203	3	R1262,R1263,	Resistor	0402	332	1%	1/10W	Panasonic	ERJ-2RKF3320X	Digikey	P332LTR-ND	200140
204	1	R1265	Resistor	0402	15K	1%	1/10W	Panasonic	ERJ-2RKF1502X	Digikey	P15.0KLTR-ND	200226
205	1	R1266	Resistor	0402	22.1K	1%	1/10W	PANASONIC-ECG	ERJ-2RKF2212X	Digikey	P22.1KLTR-ND	200307
206	3	R1272,R1273,	Resistor	0402	604	1%	1/10W	PANASONIC	ERJ-2RKF6040X	Digikey	P604LTR-ND	200299
207	2	R1280,R1281	Resistor	0402	1.02K	1%	1/16W	PANASONIC-ECG	ERJ-2RKF1021X	Digikey	P1.02KLTR-ND	200135
208	2	RP2,RP3	Resistor Array		10.0K	5%	1/16W	Panasonic	EXB-V8V103JV	Digikey	Y4103TR-ND	200110
209	1	SW1	Switch		1101M253AQE2			C&K	1101M253AQE2	Digikey	CKN5006-ND	440016
210	8	SW4,SW5,SW	Switch		TL3301EF100QG			Eswitch	TL3301EF100QG	Mouser	612-TL3301EF	440011
211	3	SW12,SW15,S	Switch		218-4LPSTRF			CTS	218-4LPSTRF	Online Components	218-4LPSTRF	440025
212	1	U1	FPGA	J9P_FLGA2104_IRONWOOD				XILINX	XCVU9P-L2FLGA2104E		XCVU9P-L2FLGA2104E	NA
213	1	U2	PCIE_4LANE_EDGE	PCIE_16LANE_EDGE	PCIE_16LANE_EDGE			N/A	N/A			960015
214	6	U3,U17,U41,L	IC Translator	TSSOP_20	NVT2008PW		V-3.3V,1.8V-5.5V	NXP	NVT2008PW,118	Digikey	568-5297-1-ND	500373
215	6	U4,U6,U9,U3C	IC Regulator	TQFN_32_EP	MAX15301		18V	MAXIM	MAX15301AA02+CIK	MAXIM	MAX15301AA02+CIK	500278
216	2	U5,U167	IC LDO Regulator	TSSOP_16_EP	MAX8869EUE18+		1.8V	MAXIM	MAX8869EUE18	Mouser	700-MAX8869EUE18	500370
217	1	U7	IC PHY Transceiver	VQFN_48	DP83867ISRGSZ		1.8V-3.3V	TI	DP83867ISRGSZ	Mouser	595-DP838671SGZT	500446
218	7	U8,U23,U27,L	IC Regulator	DGS_MSOP_10	INA226		36V	TI	INA226AIDGS	TI	INA226AIDGS	500247
219	2	U10,U125	IC LDO Regulator	TDFN_10_3X3_EP	MAX15027		1.425V-3.6V	MAXIM	MAX15027ATB+T	MAXIM	MAX15027ATB+T	500290
220	6	U11,U159,U1I	IC Regulator	HPQFN_19_A	VT1697S8FOQ		3.3V, 1.8V	MAXIM	VT1697S8FOQ	MAXIM	VT1697S8FOQ	500339
221	1	U12	IC EEPROM	SOP8_65P440X300M	M24C08-WDW6TP		2.5V-5V	ST Micro	M24C08-WDW6TP	Digikey	497-8638-1-ND	500024
222	3	U13,U22,U33	IC Bus Transceiver	QFN_RSW_10	SN74AVC2T245		1.2V-3.6V	TI	SN74AVC2T245RSWR	TI	SN74AVC2T245RSWR	500012

223	1	U14	Oscillator	5MM_3_2MM_6P	250MHZ	50PPM	EPSON	SG5032VAN_250.000000M-KEGA3	Digikey	SER3984TR-ND	600061
224	1	U15	IC Monitor	SOT23_6	MAX16052	28V	Maxim	MAX16052AUT+T	DIGIKEY	MAX16052AUT+TCT-ND	500266
225	1	U16	Filter	MURATA_BNX01	50MOHM		Murata	BNX016-01	Digikey	490-5055-ND	300030
226	3	U18,U32,U38	Oscillator	SI570	10MHZ_TO_810MHZ	50PPM	SILABS	570BAB000544DG	Silicon Labs	SI570BAB000544DG	600019
227	2	U19,U51	IC Bus Transceiver	TSSOP_24	SN74AVC8T245	1.2V	TI	SN74AVC8T245PWR	TI	SN74AVC8T245PWR	500014
228	3	U20,U21,U40	IC Buffer	SOIC_8	ICS85411AMLF	3.3V	IDT	ICS85411AMLF	Digikey	800-1184-5-ND	500007
229	3	U24,U134,U1	Voltage Regulator	SON10_TP551200	TP551200DRCT	5VIN_2.5V-1.1V	TI	TP551200DRCT	TI	TP551200DRCT	740011
230	1	U25	IC Gate	SC70_5	SN74LVC1G08	1.65V-5.5V	TI	SN74LVC1G08DCKR	Digikey	296-11602-2-ND	500077
231	2	U26,U132	IC Switch	SC70_5	NC7SZ66P5X	1.65V	Fairchild	NC7SZ66P5X	Digikey	NC7SZ66P5XCT-ND	500053
232	2	U28,U80	IC I2C Switch	TSSOP_24	TCA9548APWR	1.65-5.5V	TI	TCA9548APWR	TI	TCA9548APWR	500297
233	1	U31	IC Controller	MAX6643_QSOP16	MAX6643	3.0-5.0V	MAXIM	MAX6643LBBAEE+	Digikey	MAX6643LBBAEE+-ND	500509
234	1	U34	IC Bridge	QFN_24	CP2105	3.3V	SILICON LABS	CP2105-F01-GM	Digikey	336-2009-5-ND	500276
235	1	U39	IC Clock Buffer	TSSOP_24	ICS8545006I	2.5-3.3V	IDT	ICS8545006AGILF	Digikey	800-2075-ND	500008
236	2	U43,U133	IC Flash Memory	SO16_50P300X413	MT25QU01	1.8V	MICRON	MT25QU01GBBB8ESF-OSIT	Avnet	MT25QU01GBBB8ESF-OSIT	510059
237	1	U53	IC Translator	SC70_6	SN74AVC1T45	1.2V-3.6V	TI	SN74AVC1T45DCKR	TI	SN74AVC1T45DCKR	500060
238	1	U57	IC Clock	QFN36_6X6MM	SI5328B	2.5V-3.6V	SILABS	SI5328B-C-GMR	Silicon Labs	SI5328B-C-GMR	500381
239	10	U60,U61,U62,	Memory	IT40A256M16GE-083T	40A256M16GE-083E	1.2V	MICRON	MT40A256M16GE-083E:B	MICRON	MT40A256M16GE-083E:B	510042
240	1	U71	IC Buffer	SC70_5	NC7SV125	3.6V	Fairchild	NC7SV125P5X	Digikey	NC7SV125P5XCT-ND	500009
241	2	U104,U157	IC Buffer	QFN16_Sl_3X3MM	SI53340-B-GM	1.71-3.63V	SILABS	SI53340-B-GM	Silicon Labs	SI53340-B-GMR	500294
242	1	U111	FPGA	CL225	XC7Z010CLG225		XILINX	XC7Z010-1CLG225C	XILINX	XC7Z010-1CLG225C	500298
243	1	U114	IC Flash Memory	SO16_50P300X413	N25Q128A	1.7V-2.0V	Micron	N25Q128A11ESF40G	Avnet	N25Q128A11ESF40G	500102
244	1	U115	USB Module	iLENT_USB_JTAG_2	iLENT_USB_JTAG_2	1.8-5V	DIGILENT	JTAG-SMT2-NC	Digilent	410-308P	420073
245	1	U122	IC Clock	QFN24_4X4MM	SI5335A-B02436-GM	1.5V-3.3V	SILABS	SI5335A-B02436-GM	Silicon Labs	SI5335A-B02436-GM	500295
246	2	U123,U145	Connector	_AMP_FSI_Z38_20Z6	FS1-Z38-20Z6-10		AMPHENOL	FS1-Z38-20Z6-10	mouser	523-FS1-Z38-20Z6-10	400111
247	2	U124,U151	IC Regulator	WLP_9	MAX15053	2.7V-5.5V	MAXIM	MAX15053EVL+	MAXIM	MAX15053EVL+	500291
248	1	U128	IC Sequencer	TQFN_28_EP	MAX16050	2.7V-13.2V	MAXIM	MAX16050ETI+	MAXIM	MAX16050ETI+	500292
249	1	U131	IC LDO Regulator	SC70_5	MAX8892EXK+T	1.5V-4.5V	MAXIM	MAX8892EXK+T	MAXIM	MAX8892EXK+T	500302
250	2	U141,U142	Memory	GA168_13_5X13_5MM	T44K16M36RB_09E	1.35V	MICRON	MT44K16M36RB_093E:B	MICRON	MT44K16M36RB-093E:B	500309
251	1	U154	IC Translator	TQFN_16	MAX13035E	i2V-3.2V,2.2-3.6V	Maxim	MAX13035EETE+	Mouser	700-MAX13035EETE	500202
252	1	U155	Voltage Reference	SOT23_3	REF3012AIDBZT	1.25V	TI	REF3012AIDBZT	TI	REF3012AIDBZT	740010
253	3	U164,U165,U:	IC Regulator	QFN_36_C	MAX20751EKX	3.3V	MAXIM	MAX20751EKX+	MAXIM	MAX20751EKX+	500338
254	2	X1,X7	IC ESD Solution	DRY_6_SON	TPD4S012	20V	TI	TPD4S012DRYR	TI	TPD4S012DRYR	500251
255	1	X2	Crystal	XTAL_AB8M8	25.00MHZ	40PPM	Abracon	ABM8-25.000MHZ-B2-T	Abracon	815-ABM8-25-B2-T	600002
256	1	X5	Crystal	XTAL_CS_023_125X9I	114.285MHZ	20PPM	Abracon	ABM8-166-114.285MHZ-T	Digikey	535-10306-1-ND	600001
257	1	X6	Crystal	XTAL_EPSON_FA238	25MHZ	50PPM	EPSON	FA-238_25.0000MB-C3	Digikey	SER3691TR-ND	600035
258	0	Z1,Z15,Z88,Z9	0603_SHORT		DNP						NA
259	0	Z2,Z3,Z4,Z5,Z6	0201_SHORT		DNP						NA
260	0	Z6,Z7,Z128,Z1	0402_SHORT		DNP						NA