


STACKUP

TABLE 1. NOMINAL THICKNESS VALUES BY ZONE. ALL VALUES IN MICRONS. ALL FAI/SPC MEASUREMENTS TAKEN AT MAXIMUM AREA THICKNESS AND WITHOUT COMPONENTS.

MATERIAL	THICKNESS	MAIN BODY 2-LAYER	ZIF AREA 2-LAYER	MAIN BODY 1-LAYER	HOTBAR PADS	HOTBAR AREA	ZIF
ZONE		A 1	A2	В	C 1	C2	
ENIG	4				4		4
COVERLAY	45	42	42	42			
SELECTIVE PLATE	17	17	20		13		
COPPER L1 (TOP)	18	16	16	16	16		16
PI BASE	25	25	25	25	25	25	25
COPPER L2	18	16	16		16		16
SELECTIVE PLATE	17	17	20		13		
LPI	20					\mathbb{S}	
ENIG	4				4		
COVERLAY	45	42	42	42			42
ADHES I VE	25						25
PI STIFFENER	75						75
LAMINATED THICKNESS		175±30	181±30	125±30	91±30	58±30	203±25
		FAI SPC X	FAI SPC Y	FAI SPC W	FAI SPC V		FAI SPC U



NOTICE OF PROPRIETARY PROPERTY:

THE INFORMATION CONTAINED HEREIN IS THE PROPRIETARY PROPERTY OF APPLE INC. THE POSSESSOR AGREES TO THE FOLLOWING:

(i) TO MAINTAIN THIS DOCUMENT IN CONFIDENCE

(iii) NOT TO REPRODUCE OR COPY IT

(iii) NOT TO REVEAL OR PUBLISH IT IN WHOLE OR PART

(iv) ALL RIGHTS RESERVED

APPLE INC.

SIZE DRAWING NUMBER

REV.

SCALE: STALE: SHT 6 OF 6

4

3

2

NX GENERATED