3 Magnetization

3.1 Current Loop

From the handout, we have the following vector identity:


$$\oint \mathbf{\hat{r}} \cdot \mathbf{r}' d\mathbf{l}' = \left(\int d\mathbf{S}' \right) imes \mathbf{\hat{r}}$$

Start from Poisson's equation:

$$abla^2 A = rac{-\mu_0}{4\pi} \int \Big(rac{\mathbf{J}(\mathbf{r}')}{|\mathbf{r}-\mathbf{r}'|}\Big) d au'$$

Current loop:

$$A(r)=rac{\mu_0 I}{4\pi}\ointrac{1}{|{f r}-{f r}'|}d{f l}'$$



recall the expansion

$$\frac{1}{|\mathbf{r} - \mathbf{r}'|} = \frac{1}{r} \sum_{l=0}^{\infty} \left(\frac{r'}{r}\right)^{l} P_{l}(\cos \theta)$$

$$\Rightarrow A(r) = \frac{\mu_{0}I}{4\pi r} \sum_{l=0}^{\infty} \left(\frac{r'}{r}\right)^{l} \oint P_{l}(\cos \theta) d\mathbf{l}'$$

I = 0 term is zero

$$A_0(r)=rac{\mu_0I}{4\pi r}\oint d{f l}'=0$$

n = 1 term is the next most important term

$$A_1(r) = rac{\mu_0 I}{4\pi r} \left(rac{1}{r}
ight) \oint r' \cos heta d\mathbf{l}'$$

and
$$r'\cos\theta=\mathbf{r}'\cdot\mathbf{\hat{r}}$$

hence

$$A_1(r)=rac{\mu_0I}{4\pi r^2}\oint \mathbf{r}'\cdot\mathbf{\hat{r}}d\mathbf{l}'=rac{\mu_0I}{4\pi r^2}\mathbf{m} imes\mathbf{\hat{r}}$$

where

$$\mathbf{m} = I \int_{s} d\mathbf{S}'$$
 $= I\mathbf{S}'$

Is the magnetic dipole moment of the current loop.

Lets stop the expansion before we get too complex stuff.


And that looks like a dipole right?

Put $\mathbf{m} \parallel z$ in spherical coordinates:

$$\mathbf{A}_1(\mathbf{r}) = rac{\mu_0}{4\pi r^2} m \sin(heta) \hat{\phi}$$

$$\mathbf{B}(\mathbf{r}) =
abla imes \mathbf{A} = rac{\mu_0}{4\pi r^3} m \sin(heta) \hat{\mathbf{r}} - rac{\mu_0}{4\pi r^2} m \cos(heta) \hat{ heta}$$

which is same as electric dipole with $\frac{P}{4\pi\epsilon_0}
ightarrow \frac{\mu_0 m}{4\pi}$



Field patterns look the same at large r, but at small r, the magnetic field is not singular.

3.2 Magnetic Properties

In a field ${\bf B}$,a magnetic material will acquire a <u>magnetization</u> ${\bf M}=n{\bf m}$ where n is the number of magnetic dipole and ${\bf m}$ is the magnewtic moment of one atom


There are three main effects:

1. diamagnetism $ightarrow \mathbf{M} \propto -\mathbf{B}$ and that effect is very weak

All materials exihibits it!

2. Paramagnetism $ightarrow \mathbf{M} \propto + \mathbf{B}$ and it's stronger

That is often shown in materials with unpaired "spins"



 $({f M} \propto {f B}$ but only at small B) Example: $CuSO_4 \cdot 5H_2O$

3. Ferromagnetism

Very strong QM effect

E.g. Fe, Co, Ni

It is a non-linear effect of M(B)

Recap to lecture 7:

Current loop $A({f r})=rac{\mu_0}{4\pi r^2}{f m} imes\hat{\phi}$

Magnet moment $\mathbf{m} = I\mathbf{S}'$ where S is the vector area of the loop

Magnetization ${\bf M}=n{\bf m}$ where n is the number of magnetic dipole and ${\bf m}$ is the magnewtic moment of one atom

3.3 Field due to a box of magnetic dipoles

When doing this, we start with some vector identities:

start with Divergence theorem:

$$\int_{V} \nabla \cdot \mathbf{u} d\tau = \oint_{S} \mathbf{u} \cdot d\tau$$

set $\mathbf{u} = \mathbf{v} \times \mathbf{c}$ where \mathbf{c} is a constant vector

LHS: $\int_s {f v} imes {f c} \cdot d{f S} = {f c} \cdot \int_s {f v} imes d{f S} = 0$ because ${f v} imes d{f S}$ is a vector perpendicular to ${f c}$

RHS:
$$\int_{\tau} \nabla \cdot (\mathbf{v} \times \mathbf{c}) d\tau = \int_{\tau} \mathbf{c} \cdot (\nabla \times \mathbf{v}) d\tau - \int_{\tau} \mathbf{v} \cdot (\underbrace{\nabla \times \mathbf{c}}_{0}) d\tau$$

Therefore, for any \mathbf{c} ,

$$ightarrow \int_S \mathbf{v} imes d\mathbf{S} = -\int_{ au}
abla imes \mathbf{v} d au$$



Assume there is a box of magnetic dipoles, and there is one dipole at position ${f r}'$

$$\mathbf{A}(\mathbf{r}) = rac{\mu_0}{4\pi} \int rac{\mathbf{M}(\mathbf{r}) imes(\mathbf{r}-\mathbf{r}')}{|\mathbf{r}-\mathbf{r}'|^3} d au'$$

which equals

$$rac{mu_0}{4\pi}\int {f M}({f r}) imes
abla rac{1}{|r-r'|}d au'$$

We have

$$abla' imes \left(rac{\mathbf{M}}{\mathbf{r} - \mathbf{r}'}
ight) = \left(rac{1}{|r - r'|}
abla' imes \mathbf{M} - \mathbf{M} imes
abla' rac{1}{|r - r'|}
ight)$$

Hence

$$A(\mathbf{r}) = rac{\mu_0}{4\pi} \int rac{
abla' imes \mathbf{M}(\mathbf{r})}{|\mathbf{r} - \mathbf{r}'|} - rac{
abla' imes \mathbf{M}(\mathbf{r})}{|\mathbf{r} - \mathbf{r}'|} d au'$$

The last term can be transformed into a surface integral:

$$\mathbf{A}(\mathbf{r}) = rac{\mu_0}{4\pi} \int rac{
abla' imes \mathbf{M}(\mathbf{r})}{|\mathbf{r} - \mathbf{r}'|} d au' + rac{\mu_0}{4\pi} \oint rac{\mathbf{M}(\mathbf{r}) imes d\mathbf{S}'}{|\mathbf{r} - \mathbf{r}'|}$$

This looks like

$$rac{\mu_0}{4\pi}\int_{ au}rac{\mathbf{J}(\mathbf{r})}{|r-r'|}d au+rac{\mu_0}{4\pi}\int_{s}rac{\mathbf{K}_b(\mathbf{r}')}{|r-r'|}dS'$$

Where $\mathbf{J} = \nabla \times \mathbf{M}$ is the bulk bound current density and $\mathbf{K}_b = \mathbf{M} \times \hat{\mathbf{n}}$ is the surface bound current density.

Remember to drop the prime!

Having done this, we can fix up Amperes law:

Amperes law: $\nabla \times \mathbf{B} = \mu_0 (\mathbf{J}_f + \mathbf{J}_b)$

Where \mathbf{J}_f is the free current density where you can connect or do sth like that; and \mathbf{J}_b is the bound current density, it can be written as the curl of M

Hence the expression for free current would be

$$\mathbf{J}_f =
abla imes (rac{\mathbf{B}}{\mu_0} - \mathbf{M})$$

Stuff in the bracket is defined as the magnetic field H and hence the free current density has a simpler form

$$\mathbf{J}_f =
abla imes \mathbf{H}$$

Its integral form is

$$\oint \mathbf{H} \cdot d\mathbf{l} = I_f$$

However, $\nabla \cdot B = 0$ becomes

$$\nabla \cdot H = -\nabla \cdot M$$

The equtions to remember would be

$$\mathbf{D} = \epsilon_0 \mathbf{E} + \mathbf{P}$$

 $B = \mu_0 (\mathbf{H} + \mathbf{M})$

Linear materials

M is proportional to B

$$\mathbf{M} = \chi_m \mathbf{H}$$

where χ_m is the magnetic susceptibility


$$\mathbf{B} = \mu_0(\mathbf{H} + \mathbf{M}) = \mu_0 \underbrace{(1 + \chi_m)}_{\mu_r} \mathbf{H} = \mu_0 \mu_r \mathbf{H}$$

where $\mu_r=1+\chi_m$ is the relative permeability

If willing to be strict, H would be called magnetic field strength and B would be called magnetic flux density

3.4 Boundary conditions

one is not changed:



$$abla \cdot \mathbf{B} = 0 \Rightarrow B_1^{\perp} = B_2^{\perp}$$

Making this cylinder flater and flater, we can see that the B field is continuous

However, $H_1^\perp = H_2^\perp$ is not true because the $abla \cdot H = -
abla \cdot M$



$$abla imes \mathbf{H} = \mathbf{J}_f \Rightarrow H_1^{\parallel} - H_2^{\parallel}$$
 (Assuming there is no surface free currents)

But B^\parallel is not continuous because you can have bound surfce currents at interface and $abla imes {f B} = \mu_0 ({f J}_f + {f J}_b)$

$$\Rightarrow E^{\parallel}, D^{\perp}, H^{\parallel}, B^{\perp} are continuous$$

Assuming there is no surface free charges/currents

3.5 Magnetic scalar potential

If $\mathbf{J}_f = 0$ everywhere, then

$$\nabla \times \mathbf{H} = 0 \Rightarrow \mathbf{H} = -\nabla \phi_m$$

where ϕ_m is the magnetic scalar potential

If, we are dealing wit linear material,

$$\mathbf{B} = -\mu_0 \mu_r \nabla \phi_m$$

If, in addition, $\nabla \cdot H = 0$

Then we can use the Laplace equation to solve for ϕ_m

3.6 Ferromagnetism

One way to define magnitization is = $\lim_{\delta v o 0} rac{\sum_{i \in \delta v} m_i}{\delta v}$


Microscopally, ferromaget has $M \neq 0$, even in B = 0

The reason for ferromagnetism is the (what will be learnt next term), the *exchange* interaction

Only in certain materials:

Fe, Co, Ni, Gd

There is an energy cost due to the stray field of the magnetic dipoles.




From the picture having stray field, it can be seen that on the tip and bottom of the field, there is a divergence of magnitization, leading to divergence in H. Meaning that field spreads out whenever you have magnetic moment going into the surface and not flowing out.


The energy cost would be

$$\int rac{B^2}{2\mu_0} d au$$

 \Rightarrow It is energetic flavorable to form domains




This will cost low energy since there is no stray field and hence no divergence in H. (Average over the surface, M is zero)



When applying a B field, the correlated domain is expanded and finally they are all aligned.

So, the magnetization process involves moving domain walls.

- \Rightarrow The process is highly non-linear
- ⇒ hysterisis loop



States that is interesting

- 1. Saturation (right up)
- 2. Remanence (middle up)
- 3. Coercivity (left middle)

 Better picture is in handout

The field which is positive but M is zero is called coersive field.

We can modle this as

$$M=(\mu_r-1)H$$
 only if $\mu_r=\mu_r(H)$

and $\mu_r(H)$ is a multivalued function (because it depends on histroy)

Hard materials

 H_c , M_r are large

- difficult to move domain walls
- So it is hard to magnitize and demagnitize
- so it is used for permanent magnets

Soft materials

 H_c , M_r are small

- easy to move domain walls
- so it is used for transformers, motors, etc.

Example: Magnitization of a ring

Iron ring, radius r, and current I with N terms used to magnitize the ring



Have a Amperian loop around the ring, then use

$$\oint \mathbf{H} \cdot d\mathbf{l} = NI$$

Since H only depends on the free current, it is favorable for us to use it.


Continue the calculation

$$H \cdot 2\pi r = NI$$

$$H = \frac{NI}{2\pi r}$$

Hence B = $\mu_0\mu_r H = \mu_0\mu_r rac{NI}{2\pi r}$

Now lets put a gap in the ring



The cutout, x, would much less than r

Lets use the same trick, ampere's law

$$\oint \mathbf{H} \cdot d\mathbf{l} = NI$$

$$H_{core}(2\pi r - x) + H_{gap}x = NI$$

$$B_{\perp}$$
 Is continuous, $\Rightarrow B_{core} = B_{gap}$

Substitute in the function

$$rac{B_{core}}{\mu_0\mu_r}(2\pi r-x)+rac{B_{gap}}{\mu_0}(x)=NI$$

Rearrange that

$$B_{gap}=rac{\mu_0\mu_rNI}{(2\pi r-x)+\mu_rx}$$

If
$$\mu_r >> rac{2\pi r}{x}$$
 , then B_{gap} becomes about $rac{\mu_0 NI}{x}$

Is could be very large if x is small. But for that condition to work, you need mu_rNI to be very large.