Technical Information

July 2013
Supersedes issue dated May 2013

08_0806123e-03/Page 1 of 3
WF-Nr. 2335

Lutropur® MSA

® = Registered trademark of BASF


The purest form of MSA

BASF
The Chemical Company

Chemical nature

Methanesulfonic acid in water

Structural formula



Molecular formula

CH_3SO_3H

Molar mass (DIN 32625)

96.11 g/mol

PRD-No.*

30096873

* BASF's commercial product numbers.

Properties

Physical form	Clear, colorless, odorless liquid
Concentration (BASF-method, potentiometric titration against NaOH)	69.5 – 70.5%
Sulphate content (BASF method, ion-exchange chromatography)	<50 ppm
Total chlorine content, incl. chloride (BASF method, coulometric)	<10 ppm
Content of oxidizable components (BASF method, titration against $KMnO_4$)	<5 ppm
APHA color (DIN EN 1557)	<10
Density (DIN 51757, ASTM D 1298, 25 °C)	1.34 – 1.36 g/cm^3
Metal content (BASF-method, ICP-MS (Ag, Al, As, Ba, Bi, Ca, Cd, Co, Cr, Cu, Fe, Hg, Li, Mg, Mn, Mo, Ni, Pb, Sb, Se, Sn Ti, V, Zn, Zr))	<1 ppm

The above information is correct at the time of going to press. It does not necessarily form part of the product specification.

A detailed product specification is available from our local BASF representative.

Storage

Lutropur® MSA has a shelf life of at least 48 months in its sealed original packaging, provided it is stored properly.

Safety

We know of no ill effects that could have resulted from using Lutropur® MSA for the purpose for which it is intended and from processing it in accordance with current practice. According to the experience we have gained up to now and other information at our disposal, Lutropur® MSA does not exert any harmful effects on health, provided that it is used properly, due attention is given to the precautions necessary for handling chemicals, and the information and advice given in our Safety Data Sheet are observed.

Labelling

Please refer to the latest Safety Data Sheet for detailed information on product safety.

Note

This document, or any answers or information provided herein by BASF, does not constitute a legally binding obligation of BASF. While the descriptions, designs, data and information contained herein are presented in good faith and believed to be accurate, it is provided for your guidance only. Because many factors may affect processing or application/use, we recommend that you make tests to determine the suitability of a product for your particular purpose prior to use. It does not relieve our customers from the obligation to perform a full inspection of the products upon delivery or any other obligation. NO WARRANTIES OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE.

July 2013