Flaky tests pass and fail on the same code without any change to the program under test. This study runs each test of 26 open-source Java projects one hundred times and records every outcome together with the order in which the tests ran. The report is typeset with LaTeX, and a test counts as flaky above $p < 0.05$.

The detector labels 450 of 533 tests as stable, 51 as flaky, and 32 as unclear. A manual check of the flaky tests confirms 47 of the 51 labels, and the remaining four tests depend on the system clock.