



KIRLOSKAR CHILLERS PRIVATE LIMITED

A Kirloskar Group Company

Enriching Lives

ENGINEERING SPECIFICATIONS

Document Name: Specific gravity for Ethylene Glycol & Propylene Glycol		
Document No: ESP-16-17-102	Revision: R00	Date: 12/08/2016
Prepared By: AFK	Approved By: SSN	Sheet: 1 of 1

Ethylene Glycol				
Leaving water Temp in Deg C	% Volume	Specific Gravity at given Leaving water	Specific Gravity at 25 Deg C	Specific Gravity at 30 Deg C
4	5	1.012	1.06	1.03
3	5	1.012		
2	10	1.018	1.011	1.009
1	10	1.018		
0	15	1.027	1.019	1.018
-1	15	1.027		
-2	20	1.036	1.027	1.026
-3	20	1.036		
-4	20	1.036		
-5	20	1.036		
-6	25	1.045	1.035	1.033
-7	25	1.045		
-8	30	1.053	1.043	1.041
-9	30	1.054		
-10	30	1.054		
-11	35	1.062	1.05	1.048
-12	35	1.062		
-13	35	1.062		
-14	35	1.063		
-15	35	1.063	1.057	1.055
-16	40	1.071		
-17	40	1.071		
-18	40	1.071		
-19	40	1.071		
-20	40	1.072		



KIRLOSKAR CHILLERS PRIVATE LIMITED

A Kirloskar Group Company

Enriching Lives

Propylene Glycol				
Leaving water Temp in Deg C	% Volume	Specific Gravity at given Leaving water	Specific Gravity at 25 Deg C	Specific Gravity at 30 Deg C
4	7	1.005	1.005	1.003
3	7	1.006		
2	12	1.017	1.010	1.008
1	12	1.018		
0	18	1.024	1.015	1.013
-1	18	1.025		
-2	25	1.032	1.021	1.019
-3	25	1.032		
-4	25	1.033		
-5	25	1.033		
-6	30	1.038	1.025	1.023
-7	30	1.039		
-8	35	1.044	1.029	1.027
-9	35	1.044		
-10	35	1.044		
-11	40	1.049	1.033	1.030
-12	40	1.050		
-13	40	1.050		
-14	40	1.051		
-15	40	1.051		
-16	45	1.056	1.036	1.034
-17	45	1.056		
-18	45	1.057		
-19	45	1.057		
-20	45	1.057		