Rockchip Flash Approved Vendor List Ver2.07

Ver 2.07

2026-06-01

The latest support list and patches download from : https://redmine.rock-chips.com/documents/46

◆ Symbol

Symbol	Description
√	**Fully Tested , Applicable and Mass Production**
T/A	**Fully Tested , Applicable and Ready for Mass Production**
S/A	**The Samples have Passed the Reliability Test. However, the Platform Compatibility Test was also required before Mass Production.**
D/A	**Datasheet Applicable,Need Sample to Test.**
N/A	**Not Applicable**

◆ QA

Q1: 如何确认 SPI Nand 在 u-boot mtd 开源存储框架下支持型号？
A1: u-boot 源码目录下输入“grep -rn "SPINAND_INFO(" drivers/mtd/nand/spi”

Q2: 如何确认 SPI Nor 在 u-boot mtd 开源存储框架下支持型号？
A2: 核对 u-boot/drivers/mtd/spi/spi-nor-ids.c

Q3: 如何确认 SPI Nand 在 rkflash 存储框架下的支持型号？
A3: 核对 drivers/rkflash/sfc_nand.c 中数组“spi_nand_tbl”

Q4: 如何确认 SPI Nor 在 rkflash 存储框架下的支持型号？
A4: 核对 drivers/rkflash/sfc_nor.c 中数组 “spi_flash_tbl”

Q5: 客户如何申请颗粒验证？
A5: 在 redmine 上提出请求

Q1: How to confirm the SPI Nand supported by mtd flash?
A1: Search under uboot source code directory “grep -rn "SPINAND_INFO(" drivers/mtd/nand/spi”

Q2: How to confirm the SPI Nor supported by SPL?
A2: Check uboot source code drivers/mtd/spi/spi-nor-ids.c

Q3: How to confirm the SPI Nand supported by rkflash?
A3: Check the “spi_nand_tbl” in drivers/rkflash/sfc_nand.c

Q4: How to confirm the SPI Nor supported by rkflash?
A4: Check the “spi_flash_tbl” in drivers/rkflash/sfc_nor.c

Q5: How does the customer apply for devices verification?
A5: Apply on redmine.

◆ Revision History

Revision No.	History	Date
1.00	ORG	2016/9/26
1.01	Add RV1108	2016/10/25
1.02	Add RKPX3SE, RK3036, RK3229	2017/3/23
1.03	Add SPI NAND and ONFI NAND devices	2017/3/28
1.04	Add GD9FU1G8F2AMG，GD9FS1G8F2AMG, PN27G01BBGITG and 25Q128JVSQ	2017/5/18
1.05	Add GD25Q127C，GD5F1GQ4UBYIG	2017/7/15
1.06	Add GD25Q512MC，GD5F2GQ4UBxIG，W25N01GV, MX35LF1GE4AB, MX35LF2GE4AB, MT29F1G01ZAC, XT25F128A and IS37SML01G1.	2018/2/28
1.07	Add RK3308.	2018/5/15
1.08	Add W25Q64FW, W25Q256JVFIQ, MX66L1G45GMI-08G, MX25L12833FM2I-10G, PN27G02ABGITG, XT26G02AWSEGA, XT26G01AWSEGA, PN26G01AWSIUG, SCFECS1G20AG21I, IMS1G083ZZF1-WP, IMS1G083ZZF1-WP, HYF4GQ4UAACBE, HYF2GQ4UDACAE, HYF2GQ4UAACAE, HYF2GQ4UHCCAE, HYF1GQ4UDACAE, XM25QH128A, XM25QH64A, H7A12G21B1CN, H7A11G21B1CH, H7A6EM26B7CT, H7A5DM26BACT, F50L2G41LBM1AM, F50L1G41LBM1AM, MX66L1G45GMI-08G,MX25L12833FM2I-10G, EN25QH128A.	2018/8/8
1.09	1.Add FS33ND01GS108TF10，FS33ND01GH308TFC0，FS33ND02GH208TFC0，FS35ND01G-S1，F59L1G81MA，K9F2G08U0F and K9F4G08U0F. 2. NanoC support SLC NAND FLASH. 3. Add RKPX30 and RV1107.	2018/9/25
1.10	1.Add GD25Q512MD, GD25Q256D, FMND2G08U3D-IA, FMND1G08U3D-IA, DS35Q1GA-1B, FS33ND04GS10BTFIO, FS35ND02G-S2, IS34ML01G081-TLI. 2.EOL GD25Q512MC,GD25Q256C.	2018/11/1
1.11	1.Add RK2106. 2.Add DS35Q2GA-1B, PN27G04ABGITG, PN27G04BBGITG, AX20NV1G811TA110, AX20NV2G811TA110, EM73C044VCC-H and EM73D044VCE-H.	2018/12/28
1.12	Add RK1808	2019/3/8
1.13	1.Add W29N01HVxINF, SCN00SA3W1AI8A, SCN01SA1T1AI7A, AFND2G08U3, AFND1G08U3, ATO25D1GA-1, XT25F128BSSIGU PN27G01BBGITG, PSU1GA30BT-G11A, PSU2GA30BT-G11A, PSU1GS20BN, XT26G01BWSEGA, XT26G02BWSIGA, F59L1G81MB	2019/3/28
1.14	1. update GD9FU1G8F2AMG status.	2019/4/26

◆ Revision History

Revision No.	History	Date
1.15	1.Add MX30LF2G18AC-TI,, MX30LF1G18AC-TI, MX25L25645GMI-08G, MX25L12833FMI-10G, SCN00SA1T1A16A, FM25S01, PN27G02BBGITG, MX256433F, XT27G01ATSIGA, XT27G02ATSIGA, MX30LF4G28AC-TI, MX35LF2GE4AB-MI, MX35LF1GE4AB-Z4I, HYF1GQ4UPACAE, BW9F1G08U0F, P25Q64H-SUH-IT	2019/6/1
1.16	1.Add EN25QH64A,P25Q32H-SUH-IT,GD5F2GQ5UEYIG,MX25L6433F,XM25QH256B,XM25QH128B,XM25QH64B , EM73E044SNA-G, EM73E044SNA-G, EM73E044SNA-G, GD9F2G8F2AMG	2019/7/29
1.17	1. EN25S64A, EN25S32A,S34ML01G2, S34ML02G2, XT25F64BSSIGU-5, EN25QH256A, F59L4G81XB, F59L2G81XA, MX30LF4G28AD-TI, FM25Q64A	2019/9/25
1.18	1.ZB25VQ64, ZB25VQ128, TC58CVG0S3HRAIJ, TC58CVG1S3HRAIJ, TC58CVG2S0HRAIJ, BH25Q128AS, BH25Q64BS	2019/12/17
1.19	1.GD25LQ64C, W25Q32JW, XT26G04AWSEGA, EN25QH32B, FS35ND01G-S1Y2, P25Q128H, W25Q64JV 2.Add note for some 32MB SPI NOR devices	2020/4/15
1.20	1. W25Q32JV, MX25L3233FM2I-08G, MX25L6433FM2I-08G, FMND4G08U3C-IA, FS33ND02GS208TFI0, P25Q16H-SUH-IT, FM25Q128A 2. RV1109 and RV1126.	2020/6/15
1.21	1. Add PS34ML04G200TF100, PS34ML04G300TF100, MX30LF4G28AD-TI, MX30LF2G28AD-TI, MX30LF1G28AD-TI, FM25Q128A, FM25M64C-1AIB1R, FM25M4AA-1AIB1R, XT26G02ELGIGA, GD25LQ32E, XT25F32BSOIGU-S, XT25F16BSOIGU, MX35LF4GE4AD-Z4I, MX35LF2GE4AD-Z4I, FS35ND04G-S2Y2, FS35ND02G-S3Y2 2.Remove DS35Q2GB-IB	2020/8/13
1.22	1.FM25S01A-DND-A-G, GD5F1GQ5UEYIG, FM25Q64-SOB-T-G, ZB25LQ128, MX25L51245GZ2I-08G, FM25S02A, FM25Q128A-SOB-T-G	2020/10/15
1.30	1.Add DS35M1GA-IBR, DS25M4AB-1AIB4, MX25U3232F , MX25U6432F, MX25U12832F, MX35UF2GE4AC-Z4I, MX35UF1GE4AC-Z4I, MX30UF1G18AC-TI, MX30UF2G18AC-TI, MX30UF4G18AC-TI, MX25U25645GZ4I-00, MX25U51245GZ4I00, TC58BVG0S3HTA00 , GD25B512MEYIG, MT29F4G08ABAEAWP, W29N2KVSIAF, W25N02KVZEIR, W29N04GVSIAA, W25N01GVZEIG, MT29F2G01ABA, P25Q32SH-SSH-IT, W29N01HVSINA, W29N02KVSIAF, XT25F256BSFIGU, XT26G01CWSIGA 2.Not support MX35LF1G24AD, MX35LF2G14AC-Z4I, MX35LF2G24AD, MX35LF4G24AD 3.Remove support for RV1126/RV1109/RK3308: XT26G02ELGIGA 4.Remove support for RV1108: W25Q256FV, XM25QH256B, EN25QH256A 5.Add QA 6.Support RK3566, RK3568	2020/12/9
1.31	1.Add XT27G02ETSIGA, XT27G04CTSIGA, W29N01HVSINF, W29N04GVSIAF, BWJX08K-2Gb, GD5F4GQ6UEYIGR, XT26G04CWSIGA, XT26G02CWSIG, GD25Q128ESIG, GD25Q256EYIG 2.EOL MX30UF1G28AD, MX30UF2G28AD, MX30UF2G28AD, MX30UF4G28AD, MX30UF4G28AD 3.Not support GD25LQ256D 4.Mark EOL for MX30LF4G18AC, MX30LF2GE8AB, MX30LFxGx8AC, MX35LF2GE4AB	2021/3/3

◆ Revision History

Revision No.	History	Date
1.32	1.Add GM25Q128APIC, EM73C044VCF-OH, DS35Q2GB-IB, F59L2G81KAN1AM, F59L4G81KAR1AM，W25N04KVZEIR 2.Remove support for RV1126/RV1109/RK3308/RK356x: EM73E044SNA-G, EM73D044VCE-H, EM73D044VCE-FH 3.Mark EOL: EM73C044VCC-H 4.Support MT29F2G01ABA, XT26G02E, F50L2G41XA, DS35Q2GA-IB, DS35M2GA-IB	2021/5/6
1.33	1.Add JS28U1GQSCAHG-83，F50L1G41XA，XT26G11CWSIG，MX29F2G08ABAEA，GD9FU1G8F2DMGI，GD25Q64ESIG，ZDND1G08U3D，F35SQA001G-WWT，W25Q128JWSQ，W25Q256JWEQ，XT25F64F 2.Not support S34ML08G101TFI20 3.Update XT26G02C,XT26G04C support status	2021/8/6
1.34	1.Add RK3326 2.FSNS8A001G-TWT，P25Q32SL，SGM7000I-S24W1GH，S34ML08G301TFI00，XM25QU128C，XM25QU64C，W25N512GVEIG，GD5F1GQ4UEYIH，GD5F1GQ5REYIG，GD5F2GQ5REYIG，DS35M1GB-IB，DS25M2GA-IBR，XM25QH64CHIQ，XM25QH128CHIQ，XM25QH256CHIQ，GD25LQ255EWIG，GD25LQ255EYIGR，GD5F2GM7REYIGY，GD25LB512MEYIGR，GD25B512MEYIGY，TX25G01，GD25LQ255EYIG	2021/10/18
1.35	1.Add RK3588 2.F35SQA002G-WWT, FSNS8A001G-TWT, TC58BVG1S3HTA00, FSNS8A002G-TWT, GD5F2GM7UEYIGY, GD9F4GxF2A, S34ML02G300TFI000	2022/1/14
1.36	1.Add GD5F1GM7UEYIGY, XT27G04CTSIGA, GD9FU4G8F4B, PY25Q128HA-SUH-IR 2.Because the power lost test is not good, remove the support JS28U1GQSCAHG-83 3.Fix information GD25B512MEYIG, GD5F2GM7REYIG	2022/3/15
1.37	1.Add XT25F128F, W25N01GWZEIG, W25N02KWZEIR, IS25LP512M, IS25WP512M, FM25LS01, XT25F32F 2.Add RV1106/RV1103	2022/5/13
1.38	1.S35ML04G3，TX25G01-DND-A-G，DS35Q1GB-IB，DS35Q4GM，GD5F4GQ4UAYIG，F35SQA512M-WWT，BY25Q256FSEIG，W25N01KVZEIR，YX21F1G08U3D	2022/7/15
1.39	1.DSND4G08U3C-IA，MX35UF2GE4AD-Z4I，MX35UF4GE4AD-Z4I，ANV1GA30ATS-BI，ANV2GA30ATS-BI，FM25Q64AI3	2022/9/29
1.40	1.XT25Q64DSSIGU，XT25Q128DSSIGU，NM25Q128EVB，S35ML02G3	2023/1/5
1.41	1.PY25Q256HB，PY25Q128LA，PY25Q64HA，TC58NVG2SOHTAIO，GD55B01GE，DS35Q12B-IB，DS35M12B-IB，EN25QX256A，FM25Q128AI3，ANV1GCP0CLG，ANV2GCP0CLG，GSS01GPAK0，GSS02GPAK0	2023/3/3
1.42	1.HYF2GQ4IAACAE，HYF1GQ4IDACAE，EN25QX128A，GSS01GSAK1，FM25Q256I3，GSS02GSAK1，GD55LB01GEFIRR，HYF1GQ4UTXCAE	2023/4/28
1.43	1. Add RK3528，RK3562 2. GD55LT01GEFIRT，W25Q64JWSSIQ，YX25G2E，YX25G1E，FM25S01BI3-DND-A-G3，HYF2GQ4UTACAE，F35UQA001G-WWT，F35UQA002G-WWT	2023/7/8

◆ Revision History

Revision No.	History	Date
1.44	1.GD9FU4G8F3AMGI，DS35Q1GD-IB，XT26Q02DWSIGA，XT26Q01DWSIGA，F50L2G41KA，GD9FU1G8F2DMGI，XT26Q04DWSIGA	2023/8/15
1.45	1.XT26G01DWSIGA, XT26G02DWSIGA, XT26G04DWSIGA, GD25LB256EYIGR	2023/10/30
1.46	1.FSNS8B004G, BY25Q128ASSIG, GT25Q40D, UM19A1HISW, UM19A0HCSW, UM19A0LCSW, UM19A1LISW, GD5F1GM7REYIGR, GD5F4GM8UEYIGR, XT26G04DWSIGA-B, BY25Q128ESSIG, IS34ML08G088	2023/12/22
1.47	1.Remove RK2106, NanoD, NanoC, RK3229 2.Add RK2118, RK3576 3.GD25LX256EFIR, MX25LM25645GXDR00, MX25LM51245GXDR00, XCSP1AAPK, W25Q12PWSSIM, W25N01JWZEIG, DS25M64E, DS35M4GB-IB, DS35Q4GB-IB, DS25Q4AA-13IA1, DS35Q12C-IB, DS35M12C-IB, IS25LP032D	2024/3/26
1.48	1.Fix GD5F4GM8UEYIGR to 3V3 case	2024/5/15
1.49	1.Add RK2118 SPI NAND. 2.FMND4G08U3C-I, FM25S02BI3-DND-A-G3, XM25QH32DHIG, XM25LU64CHIG, XM25QH64DHIG, XM25LU128DHIG, BY25FQ32EL, BY25FQ64EL, BY25FQ128EL	2024/6/3
1.50	1.Add W25Q01JVIM, F35SQB004G, ZB35Q01BYIG, XCSP2AAPK-IT, GSS01GSAM0, UM19A9LISW, UM19A9HISW, XT26Q04DWSIGT-B, HSENSD04ATIG, FM25G02D, W77Q128JWSIQ 2.Add RV1103B/RV1106B/RK3506, Remove RK2206 3.Remove FM25S02BI3	2024/9/1
1.51	1.W25N01KWZPIG, XT27G04ATSIGA, XT26Q01DWSIGA, GSS02GSAX1, GSS01GSAX1, DS35Q2GBS, F35SQB002G, HSESYHDSW2G	2024/11/1
1.52	1.ZB35Q04BYIG, PY25Q256LC, MX25U25671G, MX25U12872F, GD25LB256FYIGR, UM19A0HISW, UM19A0LISW, BY25Q64ESSIG, EN25QX64A	2025/1/1
1.53	1.Add XT26G12DWSIGA、XT26Q12DWSIGA、XT26G11DWSIGA、XT26Q14DWSIGA、DS35M4GB-A2B、DS35M2GA-A2B、GD5F4GM8REY2GY、GD9FU4G8F4DMGI、GSS01GSBX1、EM73D044VCS、EM73C044VCG、ANV4GCP0CLG-BI 2.Add W25Q12PWIM、XM25QU256C、ZB25Q256ASJG、KH25L12833FM2I、PY25F128LA 3.Remove EOL devices P25Q128H、P25Q64H-SUGH-IT、P25Q32H-SUH-IT、P25Q32SH-SUH-IT、P25Q16H-SUH-IT、P25Q32SL	2025/3/1

◆ Revision History

Revision No.	History	Date
1.54	1.Fix ZB25VQ64/ZB25VQ128 to ZB25VQ64A/ZB25VQ128A 2.Add EM73E044VCE-OH, BY25FQ64ESSIG, HS25Q64DSIG, ZB25VQ64DSJG, ZB25VQ128DSJG, BY25FQ256ESSIG, XT25Q128FSSIGU, XT25Q64FSSIGU, W25Q512JV, XT26G08DWSIGA, GD55LB02GF, GD25LQ64E, GD25F256F, GD5F1GM9UEYIGY, GD55LB02GE	2025/5/1
2.00	1.Rename AVL to Rockchip_Flash_Approved_Vendor_List and add more devices for RK2118 2.Add HSESDFDSW4G, SPI004-SDEG, F50L4G41XB, GD25Q16E, W25N04LW2EIG, XM25QH256D, DS25Q4CB, DS25Q4DN, DS25Q64A, DS35Q4GE-IB, F35SQB001G, BY25FQ256ELSIG, DS35Q8GM-IG	2025/7/1
2.01	1.Add RK1820、RK2116、RV1126B\RV1126BP 2.Remove PX3SE	2025/7/22
2.02	1.Completely remove RV1126B/BP SLC Nand support 2.Add F50L1G41LC, PY25Q64LB, XCSP4AXPK-IT, XT26G11CWSIGA-B, W25N08LW2EIG	2025/9/1
2.03	1.Rename W25N04LW2EIG to W25N04LWZEIG 2.Add PY25Q512HB, P25Q32SH, GD25LQ128ESIGR, GD25LQ128EWIGR, P25Q64SU-WXH-IR, HYF4GQ4IAACBE, GD25LT512MEY2G, XCSP4AAPK-IT 3.Highlight vendor patch for S35ML01G3, ANV1GCP0CLG, HYF1GQ4UTXCAE, YX25G1E, GSS01GSAM0, EM73C044VCE-H、S35ML02G3, ANV2GCP0CLG, HYF2GQ4UTXCAE, YX25G2E, EM73D044VCE-H、S35ML04G3, ANV4GCP0CLG-BI 4.Classify all devices requiring special handling at the end of the support list	2025/11/1
2.04	1.Fix GD9FU4G8F4DMG device type to correct SLC 2.Remove XCSP4AXPK-IT support since there is an issue where the ROM fails to boot on some platforms. 3.Add IS25LP128, W25N02JW2EIF, HSESYHDSW1G, EM73C044VCD-H, UM19B2HISW, W25N02LVCEIG, IS37SML02G8B, GD5F8GM8REYIGR, DS35Q2GD-IB	2026/1/1
2.05	1.Add RK3538, Remove RK2116 2.Add XT26G01FWSIGA, ZB35Q01CYIG, ZB35Q02CYIG, XCSP1AXPK-IT, XCSP2AXPK-IT, ZB35Q04CYIG, W25H512JVEAM, GD5F4GM7UEYIGR, XTD25W64ASSIGU, XCSP2AXPK-IT, XCSP4AXPK-IT,XCSP1AXPK-IT, TM1F02GUAI, DS35M4GM-IB, IS25LP01GJ, XM25QH512D, GD9FS2G8F3A, FM25G02BI3-DND-A-G3-230	2026/3/1
2.06	1.Add EM73D044VCU, UM19C0HISW, W25N04LVCEIG, C5F1GM7RE, GD9FS1G8F2DMGI, W25Q25PWZPIM, GD5F8GM8UEYIG, SPT29F2G01ABBGDWB, C5F2GM7UE, W25Q64PWSSIM	2026/4/1
2.07	1.Add ZB35Q04A, DS35M8GM-IG, XM25QU256D, XM25LU128D, BY25FQ512ELFIG	2026/6/1

Manufacturer	Part Number	Bits Size	Byte Size	Voltage	RK2108	RK2118	RV1106/ RV1103	RV1108/ RV1107	RV1109/ RV1126	RV1126B/ BP	RV1103B/ RV1106B	RK3036	RK3308	RKPX30/ RK3326	RK1808	RK1820	RK3566/ RK3568	RK3588/ RK3588s	RK3528	RK3538	RK3562	RK3576	RK3506	Remark	
GigaDevice	GD55B01GE	1Gb	128MB	2.7V~3.6V	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD55B01GE	1Gb	128MB	2.7V~3.6V	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD25Q512MC	512Mb	64MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	EOL
GigaDevice	GD25Q512MD	512Mb	64MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD25B512ME	512Mb	64MB	2.7V~3.6V	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD25Q256C	256Mb	32MB	2.7V~3.6V	S/A	S/A	S/A	T/A	S/A	S/A	S/A	T/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	EOL
GigaDevice	GD25Q256D	256Mb	32MB	2.7V~3.6V	S/A	S/A	S/A	T/A	S/A	S/A	S/A	T/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD25Q256E	256Mb	32MB	2.7V~3.6V	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD25F256F	256Mb	32MB	2.7V-3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD25Q128C	128Mb	16MB	2.7V~3.6V	S/A	S/A	T/A	T/A	T/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	EOL
GigaDevice	GD25Q127C	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD25Q128E	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD25Q64C	64Mb	8MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD25Q64E	64Mb	8MB	2.7V~3.6V	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD25Q64E	64Mb	8MB	2.7V~3.6V	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD25Q32C	32Mb	4MB	2.7V~3.6V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	
GigaDevice	GD25Q16C	16Mb	2MB	2.7V~3.6V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	
GigaDevice	GD25Q16E	16Mb	2MB	2.7V-3.6V	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD25Q40C	4Mb	512KB	2.7V~3.6V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	
GigaDevice	GD55LB02GE	2Gb	256MB	1.65V-2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD55LB02GF	2Gb	256MB	1.65V-2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD55LB01GE	1Gb	128MB	1.65V~2.0V	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD55LT01GE	1Gb	128MB	1.65V~2.0V	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD25LB512ME	512Mb	64MB	1.65V~2.0V	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD25LT512MEY2G	512Mb	64MB	1.65V-2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD25LB256E	256Mb	32MB	1.65V~2.0V	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD25LQ256D	256Mb	32MB	1.65V~2.0V	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	
GigaDevice	GD25LQ255E	256Mb	32MB	1.65V~2.0V	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD25LB256FYIGR	256Mb	32MB	1.65V-2.0V	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD25LQ128ESIGR	128Mb	16MB	1.65V-2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD25LQ128EWIGR	128Mb	16MB	1.65V-2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD25LQ64C	64Mb	8MB	1.65V~2.0V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	
GigaDevice	GD25LQ64E	64Mb	8MB	1.65V-2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GigaDevice	GD25LQ32E	32Mb	4MB	1.65V~2.0V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	
GigaDevice	GD25LX256E	256Mb	32MB	1.65V~2.0V	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	OPI

Manufacturer	Part Number	Bits Size	Byte Size	Voltage	RK2108	RK2118	RV1106/ RV1103	RV1108/ RV1107	RV1109/ RV1126	RV1126B/ BP	RV1103B/ RV1106B	RK3036	RK3308	RKPX30/ RK3326	RK1808	RK1820	RK3566/ RK3568	RK3588/ RK3588s	RK3528	RK3538	RK3562	RK3576	RK3506	Remark	
GigaDevice	GD9FU4G8F4B	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	S/A	S/A	N/A	N/A	T/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
GigaDevice	GD9FU4G8F4DMG	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	S/A	S/A	N/A	N/A	T/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
GigaDevice	GD9FU2G8F2AMGI	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
GigaDevice	GD9FU1G8F2AMG	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
																				S/A					
GigaDevice	GD9F4GxF2A	4Gb	512MB	1.7V~1.95V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	S/A	S/A	N/A	N/A	T/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
GigaDevice	GD9FU4G8F3AMGI	4Gb	512MB	1.7V~1.95V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	S/A	S/A	N/A	N/A	T/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
GigaDevice	GD9FS2G8F3A	2Gb	256MB	1.7V-1.95V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	S/A	S/A	N/A	N/A	T/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
GigaDevice	GD9FS1G8F2AMG	1Gb	128MB	1.7V~1.95V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	S/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
GigaDevice	GD9FU1G8F2DMGI	1Gb	128MB	1.7V~1.95V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	S/A	S/A	N/A	N/A	T/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
GigaDevice	GD9FS1G8F2DMGI	1Gb	128MB	1.7V-1.95V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	S/A	S/A	N/A	N/A	T/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
GigaDevice	GD5F8GM8UEYIG	8Gb	1GB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GigaDevice	GD5F4GQ6UEYIG	4Gb	512MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GigaDevice	GD5F4GQ4UAYIG	4Gb	512MB	2.7V~3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GigaDevice	GD5F4GM8UEYIG	4Gb	512MB	2.7V~3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GigaDevice	GD5F4GM8REY2G	4Gb	512MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GigaDevice	GD5F4GM7UEYIGR	4Gb	512MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GigaDevice	GD5F2GQ4UBxIG	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	EOL
GigaDevice	GD5F2GQ4UCxIG	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NAND	
GigaDevice	GD5F2GQ5UEYIG	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GigaDevice	GD5F2GM7UEYIG	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GigaDevice	GD5F2GM7UEYIG	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GigaDevice	GD5F1GQ4UAYIG	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GigaDevice	GD5F1GQ4UBYIG	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GigaDevice	GD5F1GQ4UCYIG	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NAND	
GigaDevice	GD5F1GQ5UEYIG	1Gb	128MB	2.3V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GigaDevice	GD5F1GQ4UEYIH	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GigaDevice	GD5F1GM7UEYIG	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GigaDevice	GD5F1GM7REYIG	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GigaDevice	GD5F1GM9UEYIG	1Gb	128MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GigaDevice	GD5F8GM8REYIGR	8Gb	1GB	1.7V-2.0V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GigaDevice	GD5F2GQ5REYIG	2Gb	256MB	1.7V~2.0V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GigaDevice	GD5F2GM7REYIG	2Gb	256MB	1.7V~2.0V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GigaDevice	GD5F1GQ5REYIG	1Gb	128MB	1.7V~2.0V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	

Manufacturer	Part Number	Bits Size	Byte Size	Voltage	RK2108	RK2118	RV1106/ RV1103	RV1108/ RV1107	RV1109/ RV1126	RV1126B/ BP	RV1103B/ RV1106B	RK3036	RK3308	RKPX30/ RK3326	RK1808	RK1820	RK3566/ RK3568	RK3588/ RK3588s	RK3528	RK3538	RK3562	RK3576	RK3506	Remark	
Winbond	W25Q512JV	512Mb	64MB	2.7V-3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Winbond	W25H512JVEAM	512Mb	64MB	2.7V-3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Winbond	W25Q256FV	256Mb	32MB	2.7V~3.6V	S/A	S/A	S/A	N/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	EOL
Winbond	W25Q256JVFIQ	256Mb	32MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Winbond	W25Q128JV	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Winbond	W25Q128FV	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	EOL
Winbond	W25Q64FV	64Mb	8MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Winbond	W25Q64JV	64Mb	8MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Winbond	W25Q32FV	32Mb	4MB	2.7V~3.6V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	
Winbond	W25Q32JV	32Mb	4MB	2.7V~3.6V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	
Winbond	W25Q16DV	16Mb	2MB	2.7V~3.6V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	
Winbond	W25Q16JV	16Mb	2MB	2.7V~3.6V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	
Winbond	W25Q80DV	8Mb	1MB	2.7V~3.6V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	
Winbond	W25X40CL	4Mb	512KB	2.3V~3.6V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	
Winbond	W25Q41CL	4Mb	512KB	2.3V~3.6V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	
Winbond	W25Q256JWEQ	256Mb	32MB	1.70V~1.95V	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Winbond	W25Q25PWZPIM	256Mb	32MB	1.65V-1.95V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Winbond	W25Q128JWSQ	128Mb	16MB	1.70V~1.95V	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Winbond	W25Q64FW	64Mb	8MB	1.65V~1.95V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	EOL
Winbond	W25Q64JWSSIQ	64Mb	8MB	1.7V~1.95V	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Wibond	W25Q64PWSSIM	64Mb	8MB	1.65V-1.95V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Winbond	W25Q32JW	32Mb	4MB	1.7V~1.95V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	

Manufacturer	Part Number	Bits Size	Byte Size	Voltage	RK2108	RK2118	RV1106/ RV1103	RV1108/ RV1107	RV1109/ RV1126	RV1126B/ BP	RV1103B/ RV1106B	RK3036	RK3308	RKPX30/ RK3326	RK1808	RK1820	RK3566/ RK3568	RK3588/ RK3588s	RK3528	RK3538	RK3562	RK3576	RK3506	Remark	
Winbond	W29N04GVSIAA	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
Winbond	W29N04GVSIAF	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
Winbond	W29N2KVSIAF	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
Winbond	W29N02KVSIAF	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
Winbond	W29N01HVxINF	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	EOL
Winbond	W29N01HVSINA	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	EOL
Winbond	W29N01HVSINF	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	EOL
Winbond	W25N08LWZEIG	8Gb	1GB	1.7V-1.95V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Winbond	W25N04KVZEIR	4Gb	512MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Winbond	W25N04LVCEIG	4Gb	512MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Winbond	W25N02KVZEIR	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Winbond	W25N01GV	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Winbond	W25N01GVZEIG	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Winbond	W25N01KVZEIR	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Winbond	W25Q01JVIM	1Gb	128MB	2.7V-3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Winbond	W25N512GVEIG	512Mb	64MB	2.7v-3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Winbond	W25N04LWZEIG	4Gb	512MB	1.7V-1.95V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Winbond	W25N02KWZEIR	2Gb	256MB	1.70V~1.95V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Winbond	W25N02JW2EIF	2Gb	256MB	1.7V-1.95V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Winbond	W25N01GWZEIG	1Gb	128MB	1.70V~1.95V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Winbond	W25N01JWZEIG	1Gb	128MB	1.70V~1.95V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Winbond	W25N01KWZPIG	1Gb	128MB	1.7V-1.95V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	

Manufacturer	Part Number	Bits Size	Byte Size	Voltage	RK2108	RK2118	RV1106/ RV1103	RV1108/ RV1107	RV1109/ RV1126	RV1126B/ BP	RV1103B/ RV1106B	RK3036	RK3308	RKPX30/ RK3326	RK1808	RK1820	RK3566/ RK3568	RK3588/ RK3588s	RK3528	RK3538	RK3562	RK3576	RK3506	Remark	
MXIC	MX30LF4G28AD-TI	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
MXIC	MX30LF4G28AD-TI	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
MXIC	MX30LF2G28AD-TI	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
MXIC	MX30LF1G28AD-TI	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
MXIC	MX30UF4G18AC-TI	4Gb	512MB	1.7V~1.95V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
MXIC	MX30UF2G18AC-TI	2Gb	256MB	1.7V~1.95V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
MXIC	MX30UF1G18AC-TI	1Gb	128MB	1.7V~1.95V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
MXIC	MX66L1G45GMI-08G	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	
MXIC	KH25L12833FM2I	128Mb	16MB	2.7V-3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX25L51245GZ2I-08G	512Mb	64MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX25LM51245GXDR00	512Mb	64MB	2.7V~3.6V	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	OPI
MXIC	MX25L25635F	256Mb	32MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX25L25639F	256Mb	32MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX25L25645GM2I-08G	256Mb	32MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX25L25645GMI-08G	256Mb	32MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX25L12835F	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX25L12839F	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX25L12850F	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX25L12833FM2I-10G	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX25L12833FMI-10G	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX256433F	64Mb	8MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX25L6433F	64Mb	8MB	2.65V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX25L6433FM2I-08G	64Mb	8MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX25L3233FM2I-08G	32Mb	4MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX25U51245GZ4I00	512Mb	64MB	1.65V~2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX25U25645GZ4I-00	256Mb	32MB	1.65V~2.0V	S/A	S/A	S/A	N/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX25U25671G	256Mb	32MB	1.65V-2.0V	S/A	S/A	S/A	N/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX25U12832F	128Mb	16MB	1.65V~2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX25U12872F	128Mb	16MB	1.65V-2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX25U6432F	64Mb	8MB	1.65V~2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX25U3232F	32Mb	4MB	1.65V~2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
MXIC	MX25LM25645GXDR00	256Mb	32MB	2.7V~3.6V	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	OPI

Manufacturer	Part Number	Bits Size	Byte Size	Voltage	RK2108	RK2118	RV1106/ RV1103	RV1108/ RV1107	RV1109/ RV1126	RV1126B/ BP	RV1103B/ RV1106B	RK3036	RK3308	RKPX30/ RK3326	RK1808	RK1820	RK3566/ RK3568	RK3588/ RK3588s	RK3528	RK3538	RK3562	RK3576	RK3506	Remark	
MXIC	MX35LF4GE4AD-Z4I	4Gb	512MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
MXIC	MX35LF2GE4AB	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	EOL
MXIC	MX35LF2GE4AB-MI	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	EOL
MXIC	MX35LF2GE4AD-Z4I	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
MXIC	MX35LF1GE4AB-Z4I	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
MXIC	MX35LF1GE4AB	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
MXIC	MX35UF4GE4AD-Z4I	4Gb	512MB	1.7V~1.95V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
MXIC	MX35UF2GE4AC-Z4I	2Gb	256MB	1.7V~1.95V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
MXIC	MX35UF2GE4AD-Z4I	2Gb	256MB	1.7V~1.95V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
MXIC	MX35UF1GE4AC-Z4I	1Gb	128MB	1.7V~1.95V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	

Manufacturer	Part Number	Bits Size	Byte Size	Voltage	RK2108	RK2118	RV1106/ RV1103	RV1108/ RV1107	RV1109/ RV1126	RV1126B/ BP	RV1103B/ RV1106B	RK3036	RK3308	RKPX30/ RK3326	RK1808	RK1820	RK3566/ RK3568	RK3588/ RK3588s	RK3528	RK3538	RK3562	RK3576	RK3506	Remark	
Toshiba	TC58CVG2S0HRAIJ	4Gb	512MB	2.7V~3.6V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Toshiba	TC58CVG1S3HQAIE	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Toshiba	TC58CVG1S3HRAIJ	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Toshiba	TC58CVG0S3HQAIE	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Toshiba	TC58CVG0S3HRAIJ	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Toshiba	TC58NVG2SOHTAIO	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	S/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
Toshiba	TC58NVG1S3HTA00	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
Toshiba	TC58BVG1S3HTA00	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	S/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
Toshiba	TC58NVG0S3HTA00	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
Toshiba	TC58NVG0S3HBAI4	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	S/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	**BGA63**
Toshiba	TC58NVG0S3HBAI6	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	S/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	**BGA67**
Toshiba	TC58BVG0S3HTA00	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	S/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	**BGA67**
										N/A	N/A														
MICRON	MT29F4G08ABAEA	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
MICRON	MT29F4G08ABAEAWP	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
MICRON	MX29F2G08ABAEA	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	S/A	S/A	N/A	N/A	T/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
MICRON	MT29F1G08ABAEA	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	S/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
MICRON	MT29F1G01ZAC	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
AXEME	H7A12G21B1CN	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
AXEME	H7A11G21B1CH	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
AXEME	H7A6EM26B7CT	256Mb	64MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
AXEME	H7A5DM26BACT	128Mb	32MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
SAMSUNG	K9F4G08U0F	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
SAMSUNG	K9F2G08U0F	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	S/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
SAMSUNG	K9F1G08U0F	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	

Manufacturer	Part Number	Bits Size	Byte Size	Voltage	RK2108	RK2118	RV1106/ RV1103	RV1108/ RV1107	RV1109/ RV1126	RV1126B/ BP	RV1103B/ RV1106B	RK3036	RK3308	RKPX30/ RK3326	RK1808	RK1820	RK3566/ RK3568	RK3588/ RK3588s	RK3528	RK3538	RK3562	RK3576	RK3506	Remark	
XTX	XT26G08DWSIGA	8Gb	1GB	2.7V~3.6V	N/A	S/A	T/A	S/A	S/A	N/A	N/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XTX	PN27G04ABGITG	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	T/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	BGA24
XTX	PN27G04BBGITG	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	BGA24
XTX	PN27G02ABGITG	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	BGA24
XTX	PN27G02BBGITG	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	T/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	BGA24
XTX	PN27G01BBGITG	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	√	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	BGA24
XTX	PN27G01BBGITG	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	BGA24
										N/A	N/A														
XTX	XT27G04CTSIGA	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
XTX	XT27G04CTSIGA	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	BGA24
XTX	XT27G04ATSIGA	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
XTX	XT27G02ATSIGA	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
XTX	XT27G02ETSIGA	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
XTX	XT27G01ATSIGA	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
XTX	XT26G04AWSEGA	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	S/A	N/A	N/A	N/A	S/A	N/A	S/A	T/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NAND	
XTX	XT26G04CWSIGA	4Gb	512MB	2.7V~3.6V	N/A	T/A	T/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XTX	XT26G04DWSIGA	4Gb	512MB	2.7V~3.6V	N/A	T/A	T/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XTX	XT26G04DWSIGA-B	4Gb	512MB	2.7V~3.6V	N/A	T/A	T/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XTX	XT26G02AWSEGA	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	EOL
XTX	XT26G02BWSIGA	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	EOL
XTX	XT26G02CWSIG	2Gb	256MB	2.7V~3.6V	N/A	T/A	T/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XTX	XT26G02DWSIGA	2Gb	256MB	2.7V~3.6V	N/A	T/A	T/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XTX	XT26G12DWSIGA	2Gb	256MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XTX	XT26G01AWSEGA	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	EOL
XTX	XT26G01BWSEGA	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	EOL
XTX	XT26G01CWSIGA	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XTX	XT26G11CWSIG	1Gb	128MB	2.3V~3.6V	N/A	T/A	T/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XTX	XT26G01DWSIGA	1Gb	128MB	2.7V~3.6V	N/A	T/A	T/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XTX	XT26G11DWSIGA	1Gb	128MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XTX	XT26G11CWSIGA-B	1Gb	128MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XTX	XT26G01FWSIGA	1Gb	128MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XTX	XT26Q04DWSIGA	4Gb	512MB	1.7V~1.95V	N/A	T/A	T/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XTX	XT26Q04DWSIGT-B	4Gb	512MB	1.7V-1.95V	N/A	T/A	T/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XTX	XT26Q14DWSIGA	4Gb	512MB	1.7V-1.95V	N/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XTX	XT26Q02DWSIGA	2Gb	256MB	1.7V~1.95V	N/A	T/A	T/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XTX	XT26Q12DWSIGA	2Gb	256MB	1.7V-1.95V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XTX	XT26Q01DWSIGA	1Gb	128MB	1.7V~1.95V	N/A	T/A	T/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	

Manufacturer	Part Number	Bits Size	Byte Size	Voltage	RK2108	RK2118	RV1106/ RV1103	RV1108/ RV1107	RV1109/ RV1126	RV1126B/ BP	RV1103B/ RV1106B	RK3036	RK3308	RKPX30/ RK3326	RK1808	RK1820	RK3566/ RK3568	RK3588/ RK3588s	RK3528	RK3538	RK3562	RK3576	RK3506	Remark	
XTX	XT25F256BSFIGU	256Mb	32MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
XTX	XT25F128BSSIGU	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
XTX	XT25F128A	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
XTX	XT25F128F	128Mb	16MB	2.7V~3.6V	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	T/A	S/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
XTX	XT25F64BSSIGU-5	64Mb	8MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
XTX	XT25F64F	64Mb	8MB	2.7V~3.6V	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
XTX	XT25F32BSOIGU-S	32Mb	4MB	2.7V~3.6V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	
XTX	XT25F32F	32Mb	4MB	2.7V~3.6V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	
XTX	XT25F16BSOIGU	16Mb	2MB	2.7V~3.6V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	
XTX	XT25Q256FWSIGT	256Mb	32MB	1.65V~2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
XTX	XT25Q128DSSIGU	128Mb	16MB	1.7V~2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
XTX	XT25Q128FSSIGU	128Mb	16MB	1.7V-2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
XTX	XT25Q64DSSIGU	64Mb	8MB	1.65V~2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
XTX	XT25Q64FSSIGU	64Mb	8MB	1.65V-2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
XTX	XTD25W64ASSIGU	64Mb	8MB	1.65V-3.60V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	

Manufacturer	Part Number	Bits Size	Byte Size	Voltage	RK2108	RK2118	RV1106/ RV1103	RV1108/ RV1107	RV1109/ RV1126	RV1126B/ BP	RV1103B/ RV1106B	RK3036	RK3308	RKPX30/ RK3326	RK1808	RK1820	RK3566/ RK3568	RK3588/ RK3588s	RK3528	RK3538	RK3562	RK3576	RK3506	Remark	
HYF	HYF4GQ4UAACBE	4Gb	512MB	2.9V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
HYF	HYF2GQ4UDACAE	2Gb	256MB	2.9V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
HYF	HYF2GQ4UAACAE	2Gb	256MB	2.9V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
HYF	HYF2GQ4UHCCAE	2Gb	256MB	2.9V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
HYF	HYF1GQ4UDACAE	1Gb	128MB	2.9V~3.6V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
HYF	HYF1GQ4UPACAE	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
HYF	HYF2GQ4UTACAE	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
HYF	HYFQ512NAC	512Mb	64MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
HYF	HYF4GQ4IAACBE	4Gb	512MB	1.7V-1.95V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
HYF	HYF2GQ4IAACAE	2Gb	256MB	1.70V~1.98V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
HYF	HYF1GQ4IDACAE	1Gb	128MB	1.70V~1.98V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
UINIC	SCN01SA1T1AI7A	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
UINIC	SCN00SA1T1A16A	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
UINIC	SCFECS1G20AG21I	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
UINIC	SCN00SA3W1AI8A	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	

Manufacturer	Part Number	Bits Size	Byte Size	Voltage	RK2108	RK2118	RV1106/ RV1103	RV1108/ RV1107	RV1109/ RV1126	RV1126B/ BP	RV1103B/ RV1106B	RK3036	RK3308	RKPX30/ RK3326	RK1808	RK1820	RK3566/ RK3568	RK3588/ RK3588s	RK3528	RK3538	RK3562	RK3576	RK3506	Remark	
ESMT	F59L4G81XB	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
ESMT	F59L4G81KA	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
ESMT	F59L2G81XA	2Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
ESMT	F59L2G81A	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
ESMT	F59L2G81KA	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
ESMT	F59L1G81MA	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
ESMT	F59L1G81MB	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
ESMT	F50L4G41XB	4Gb	512MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
ESMT	F50L2G41LB	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NAND	
ESMT	F50L2G41KA	2Gb	256MB	2.3V~3.6V	N/A	T/A	T/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
ESMT	F50L1G41LB	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
ESMT	F50L1G41XA	1Gb	128MB	2.3V~3.6V	N/A	T/A	T/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	T/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
ESMT	F50L1G41LC	1Gb	128MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
ESMT	EN25QH256A	256Mb	32MB	2.7V~3.6V	S/A	S/A	S/A	N/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
ESMT	EN25QX256A	256Mb	32MB	2.7V~3.6V	S/A	S/A	S/A	N/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
ESMT	EN25QH128A	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
ESMT	EN25QX128A	128Mb	16MB	3.0V~3.6V	S/A	S/A	S/A	N/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
ESMT	EN25QH64A	64Mb	8MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
ESMT	EN25QX64A	64Mb	8MB	2.7V-3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
ESMT	EN25QH32B	32Mb	4MB	2.7V~3.6V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	
ESMT	EN25S64A	64Mb	8MB	1.65V~1.95V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
ESMT	EN25S32A	32Mb	4MB	1.65V~1.95V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	

Manufacturer	Part Number	Bits Size	Byte Size	Voltage	RK2108	RK2118	RV1106/ RV1103	RV1108/ RV1107	RV1109/ RV1126	RV1126B/ BP	RV1103B/ RV1106B	RK3036	RK3308	RKPX30/ RK3326	RK1808	RK1820	RK3566/ RK3568	RK3588/ RK3588s	RK3528	RK3538	RK3562	RK3576	RK3506	Remark	
FORESEE	FS33ND04GS108TFI0	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
FORESEE	FSNS8B004G	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
FORESEE	FS33ND02GH208TFC0	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
FORESEE	FS33ND02GS208TFI0	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
FORESEE	FSNS8A001G-TWT	2GB	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
FORESEE	FSNS8A002G-TWT	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
FORESEE	FS33ND01GS108TF10	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
FORESEE	FS33ND01GH308TFC0	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
FORESEE	FSNS8A001G-TWT	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
FORESEE	FS35ND04G-S2Y2	4Gb	512MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
FORESEE	F35SQB004G	4Gb	512MB	2.7V-3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
FORESEE	FS35ND02G-S3Y2	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
FORESEE	F35SQA002G-WWT	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
FORESEE	F35SQB002G	2Gb	256MB	2.7V-3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
FORESEE	FS35ND01G-S1Y2	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
FORESEE	F35SQA001G-WWT	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
FORESEE	F35SQB001G	1Gb	128MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
FORESEE	F35SQA512M-WWT	512Mb	64MB	2.7V~3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
FORESEE	F35UQA002G-WWT	2Gb	256MB	1.7V~1.95V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
FORESEE	F35UQA001G-WWT	1Gb	128MB	1.7V~1.95V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
FORESEE	F35UQA512M	512Mb	64MB	1.7V~1.95V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
PUYA	PY25Q512HB	512Mb	64MB	2.7V-3.6V	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
PUYA	PY25Q256HB	256Mb	32MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
PUYA	PY25Q128HA	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
PUYA	PY25Q64HA	64Mb	8MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
PUYA	PY25Q256LC	256Mb	32MB	1.65V-2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
PUYA	PY25Q128LA	128Mb	16MB	1.65V~2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
PUYA	PY25F128LA	128Mb	16MB	1.65V-2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
PUYA	PY25Q64LB	64Mb	8MB	1.65V-2.0V	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	

Manufacturer	Part Number	Bits Size	Byte Size	Voltage	RK2108	RK2118	RV1106/ RV1103	RV1108/ RV1107	RV1109/ RV1126	RV1126B/ BP	RV1103B/ RV1106B	RK3036	RK3308	RKPX30/ RK3326	RK1808	RK1820	RK3566/ RK3568	RK3588/ RK3588s	RK3528	RK3538	RK3562	RK3576	RK3506	Remark	
Dosilicon	FMND4G08U3C-IA	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	S/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
Dosilicon	DSND4G08U3C-IA	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
Dosilicon	FMND4G08U3C-IA	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
Dosilicon	FMND2G08U3D-IA	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
Dosilicon	FMND1G08U3D-IA	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
Dosilicon	DS25Q4DN	1Gbits	128MB	2.7V-3.6V	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Dosilicon	DS25Q4CB	512Mb	64MB	2.7V-3.6V	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Dosilicon	FM25Q128AI3	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Dosilicon	DS25Q4AA-13IA1	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Dosilicon	FM25Q64A	64Mb	8MB	2.7V~3.6V	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Dosilicon	DS25Q64A	64Mb	8MB	2.7V-3.6V	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Dosilicon	FM25M4AA-1AIB1R	128Mb	16MB	1.65V~1.95V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Dosilicon	DS25M4AB-1AIB4	128Mb	16MB	1.65V~1.95V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Dosilicon	FM25M64C-1AIB1R	64Mb	8MB	1.65V~1.95V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Dosilicon	DS25M64E	64Mb	8MB	1.65V~2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Dosilicon	DS35Q8GM-IG	8Gb	1GB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Dosilicon	DS35Q4GB-IB	4Gb	512MB	2.7V~3.6V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Dosilicon	DS35Q4GE-IB	4Gb	512MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Dosilicon	DS35Q2GBS	2Gb	256MB	2.7V-3.6V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Dosilicon	DS35Q2GD-IB	2Gb	256MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Dosilicon	DS35Q1GA-IB	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Dosilicon	DS35Q1GB-IB	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Dosilicon	DS35Q1GD-IB	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Dosilicon	DS35Q12B-IB	512Mb	64MB	2.3V~3.6V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Dosilicon	DS35Q12C-IB	512Mb	64MB	2.7V~3.6V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Dosilicon	DS35M8GM-IG	8Gb	1GB	1.7V-1.95V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Dosilicon	DS35M4GB-IB	4Gb	512MB	1.7V~1.95V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Dosilicon	DS35M4GB-A2B	4Gb	512MB	1.7V-1.95V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Dosilicon	DS35M2GA-A2B	2Gb	256MB	1.7V-1.95V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Dosilicon	DS35M1GA-IBR	1Gb	128MB	1.65V~1.95V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Dosilicon	DS35M1GB-IB	1Gb	128MB	1.7V~1.95V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Dosilicon	DS35M12B-IB	512Mb	64MB	1.7V~1.95V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Dosilicon	DS35M12C-IB	512Mb	64MB	1.7V~1.95V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	

Manufacturer	Part Number	Bits Size	Byte Size	Voltage	RK2108	RK2118	RV1106/ RV1103	RV1108/ RV1107	RV1109/ RV1126	RV1126B/ BP	RV1103B/ RV1106B	RK3036	RK3308	RKPX30/ RK3326	RK1808	RK1820	RK3566/ RK3568	RK3588/ RK3588s	RK3528	RK3538	RK3562	RK3576	RK3506	Remark	
XMC	XM25QH512D	512Mb	64MB	2.3V-3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
XMC	XM25QH256B	256Mb	32MB	2.3V~3.6V	S/A	S/A	S/A	N/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	EOL
XMC	XM25QH256CHIQ	256Mb	32MB	2.3v-3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
XMC	XM25QH256D	256Mb	32MB	2.3V-3.6V	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
XMC	XM25QH128A	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	EOL
XMC	XM25QH128B	128Mb	16MB	2.3V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	EOL
XMC	XM25QH128CHIQ	128Mb	16MB	2.3v-3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	EOL
XMC	XM25QH128DHIG	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
XMC	XM25QH64A	64Mb	8MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	EOL
XMC	XM25QH64B	64Mb	8MB	2.3V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	EOL
XMC	XM25QH64CHIQ	64Mb	8MB	2.3v-3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	EOL
XMC	XM25QH64DHIG	64Mb	8MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
XMC	XM25QH32C	32Mb	4MB	2.3V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	EOL
XMC	XM25QH32DHIG	32Mb	4MB	2.7V~3.6V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	
XMC	XM25QU256C	256Mb	32MB	1.65V~1.95V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
XMC	XM25QU256D	256Mb	32MB	1.65V-2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
XMC	XM25QU128C	128Mb	16MB	1.65V~1.95V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
XMC	XM25LU128D	128Mb	16MB	1.65V-2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
XMC	XM25QU64C	64Mb	8MB	1.65V~1.95V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	EOL
XMC	XM25LU64CHIG	64Mb	8MB	1.65V~2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
GSTO	GSS02GPAK0	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	T/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
GSTO	GSS01GPAK0	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	T/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
GSTO	GSS02GSAK1	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GSTO	GSS02GSAX1	2Gb	256MB	2.7V-3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GSTO	GSS01GSAK1	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GSTO	GSS01GSAX1	1Gb	128MB	2.7V-3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
GSTO	GSS01GSBX1	1Gbits	128MB	1.7V-1.95V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	

Manufacturer	Part Number	Bits Size	Byte Size	Voltage	RK2108	RK2118	RV1106/ RV1103	RV1108/ RV1107	RV1109/ RV1126	RV1126B/ BP	RV1103B/ RV1106B	RK3036	RK3308	RKPX30/ RK3326	RK1808	RK1820	RK3566/ RK3568	RK3588/ RK3588s	RK3528	RK3538	RK3562	RK3576	RK3506	Remark	
FUDAN	FM25G02D	2Gb	256MB	2.7V-3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
FUDAN	FM25G02BI3-DND-A-G3-230	2Gb	256MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
FUDAN	FM25S01	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	EOL
FUDAN	FM25S01A	1Gb	128MB	2.3V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	EOL
FUDAN	FM25S01BI3-DND-A-G3	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	EOL
FUDAN	FM25LS01	1Gb	128MB	1.7V~1.95	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	EOL
																									EOL
FUDAN	FM25Q256I3	256Mb	32MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	EOL
FUDAN	FM25Q128A-SOB-T-G	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
FUDAN	FM25Q128AI3	128Mb	16MB	2.3V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	EOL
FUDAN	FM25Q64-SOB-T-G	64Mb	8MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
FUDAN	FM25Q64AI3	64Mb	8MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
ISSI	IS37SML02G8B	2Gb	256MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
ISSI	IS37SML01G1	1Gb	128MB	2.7V~3.6V	N/A	N/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	N/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	EOL
ISSI	IS25LP01GJ	1Gb	128MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
ISSI	IS34ML08G088	8Gb	1GB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
ISSI	IS34ML01G081-TLI	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
ISSI	IS25LP128	128Mb	16MB	2.3V-3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
ISSI	IS25LP512M	512Mb	64MB	2.30V~3.60V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
ISSI	IS25LP032D	32Mb	4MB	2.3V~3.6V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	
ISSI	IS25WP512M	512Mb	64MB	1.65V~1.95V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	

Manufacturer	Part Number	Bits Size	Byte Size	Voltage	RK2108	RK2118	RV1106/ RV1103	RV1108/ RV1107	RV1109/ RV1126	RV1126B/ BP	RV1103B/ RV1106B	RK3036	RK3308	RKPX30/ RK3326	RK1808	RK1820	RK3566/ RK3568	RK3588/ RK3588s	RK3528	RK3538	RK3562	RK3576	RK3506	Remark	
ICMAX	IMS2G083ZZF1-WP	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
ICMAX	IMS1G083ZZF1-WP	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
AXIA	AX20NV2G811TA110	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
AXIA	AX20NV1G811TA110	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
NORMEM	NM25Q128EVB	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
BIWIN	BWJX08K-2Gb	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
BIWIN	BW9F1G08U0F	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
Zentel	ANV2GA30ATS-BI	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	T/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
Zentel	ANV1GA30ATS-BI	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	T/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
YXSC	TX25G01-DND-A-G	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
YXSC	YX21F1G08U3D	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	N/A	N/A	T/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
ETRON	EM73E044SNA-G	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	T/A	N/A	N/A	N/A	S/A	N/A	S/A	T/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NAND	
ETRON	EM73E044VCE-OH	4Gb	512MB	3.0V~3.6V	N/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
ETRON	EM73D044VCE-FH	2Gb	256MB	3.0V~3.6V	N/A	N/A	N/A	T/A	N/A	N/A	N/A	S/A	N/A	S/A	T/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NAND	
ETRON	EM73D044VCS-H	2Gb	256MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
ETRON	EM73D044VCU	2Gb	256MB	3.0V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
ETRON	EM73C044VCC-H	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SPI NAND	EOL
ETRON	EM73C044VCF-OH	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SPI NAND	
ETRON	EM73C044VCG-H	1Gb	128MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
ETRON	EM73C044VCD-H	1Gb	128MB	3.0V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
MIRA	PSU2GA30BT-G11A	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
MIRA	PSU1GA30BT-G11A	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
MIRA	PSU1GS20BN	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SPI NAND	
Giantec	GT25Q40D	32Mb	4MB	1.65V3.6V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	

Manufacturer	Part Number	Bits Size	Byte Size	Voltage	RK2108	RK2118	RV1106/ RV1103	RV1108/ RV1107	RV1109/ RV1126	RV1126B/ BP	RV1103B/ RV1106B	RK3036	RK3308	RKPX30/ RK3326	RK1808	RK1820	RK3566/ RK3568	RK3588/ RK3588s	RK3528	RK3538	RK3562	RK3576	RK3506	Remark	
UNIM	UM19B2HISW	4Gb	512MB	2.7V~3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
UNIM	UM19A1HISW	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
UNIM	TX25G01	1Gb	128MB	2.7v-3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
UNIM	UM19A0HCSW	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
UNIM	UM19A0HISW	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
UNIM	UM19C0HISW	1Gb	128MB	2.7V~3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
UNIM	UM19A9HISW	512Mb	64MB	2.7V~3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
UNIM	UM19A1LISW	2Gb	256MB	1.7V~1.95V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
UNIM	UM19A0LCSW	1Gb	128MB	1.7V~1.95V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
UNIM	UM19A0LISW	1Gb	128MB	1.7V-1.95V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
UNIM	UM19A9LISW	512Mb	64MB	1.7V-1.95V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XINCUN	XCSP4AAPK-IT	4Gb	512MB	3.0V-3.6V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XINCUN	XCSP2AAPK-IT	2Gb	256MB	3.0V~3.6V	N/A	N/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	N/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XINCUN	XCSP2AXPK-IT	2Gb	256MB	3.0V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XINCUN	XCSP1AAPK	1Gb	128MB	3.0V~3.6V	N/A	N/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	N/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
XINCUN	XCSP1AXPK-IT	1Gb	128MB	3.0V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Zetta	ZDND1G08U3D	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	T/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
CFX	GM25Q128APIC	128Mb	16MB	3.0V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
SiliconGo	SGM7000I-S24W1GH	1Gb	128MB	2.7v-3.6V	N/A	N/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	N/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
ATO	AFND2G08U3	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
ATO	AFND1G08U3	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
ATO	ATO25D1GA-1	1Gb	128MB	2.7V~3.6V	N/A	N/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	N/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
ATO	AFND1G08U3-CKA	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	S/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
SkyHigh	S34ML08G101TFI20	8Gb	1GB	2.7V~3.6V	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SLC	
SkyHigh	S34ML04G200TFI00	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
SkyHigh	S34ML04G300TFI00	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
SkyHigh	S34ML08G301TFI00	8Gb	1GB	2.7v-3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
SkyHigh	S34ML02G2	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
SkyHigh	S34ML02G300TFI000	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
SkyHigh	S34ML01G2	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	

Manufacturer	Part Number	Bits Size	Byte Size	Voltage	RK2108	RK2118	RV1106/ RV1103	RV1108/ RV1107	RV1109/ RV1126	RV1126B/ BP	RV1103B/ RV1106B	RK3036	RK3308	RKPX30/ RK3326	RK1808	RK1820	RK3566/ RK3568	RK3588/ RK3588s	RK3528	RK3538	RK3562	RK3576	RK3506	Remark	
Zbit	ZB35Q04BYIG	4Gb	512MB	2.7V-3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Zbit	ZB35Q04CYIG	4Gb	512MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Zbit	ZB35Q04A	4Gb	512MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Zbit	ZB35Q02CYIG	2Gb	256MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Zbit	ZB35Q01BYIG	1Gb	128MB	2.7V-3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Zbit	ZB35Q01CYIG	1Gb	128MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
Zbit	ZB25Q256ASJG	256Mb	32MB	2.7V-3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Zbit	ZB25VQ128A	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Zbit	ZB25VQ128DSJG	128Mb	16MB	2.3V-3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Zbit	ZB25VQ64A	64Mb	8MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Zbit	ZB25VQ64DSJG	64Mb	8MB	2.3V-3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Zbit	HS25Q64DSIG	64Mb	8MB	2.7V-3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Zbit	ZB25LQ128	128Mb	16MB	1.65V~2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
BOYA	BY25Q256FSEIG	256Mb	32MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
BOYA	BY25FQ256ESSIG	256Mb	32MB	2.7V-3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
BOYA	BY25FQ256ELSIG	256Mb	32MB	2.7V-3.6V	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
BOYA	BY25Q128ASSIG	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
BOYA	BY25Q128ESSIG	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
BOYA	BY25Q64ESSIG	64Mb	8MB	2.7V-3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
BOYA	BY25FQ64ESSIG	64Mb	8MB	2.7V-3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
BOYA	BY25FQ512ELFIG	512Mb	64MB	1.65V-2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
BOYA	BY25FQ128ELSIG	128Mb	16MB	1.65V~2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
BOYA	BY25FQ32ELSIG	32Mb	4MB	1.65V~2.0V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
BOYA	BY25FQ64ELSIG	64Mb	8MB	1.65V~2.0V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
HIKSEMI	HSENSD04ATIG	4Gb	512MB	2.7V-3.6V	N/A	N/A	N/A	T/A	S/A	N/A	N/A	S/A	T/A	S/A	N/A	N/A	S/A	N/A	N/A	S/A	N/A	N/A	N/A	SLC	
HIKSEMI	HSESDFDSW4G	4Gb	512MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
HIKSEMI	HSESYHDSW2G	2Gb	256MB	2.7V-3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
HIKSEMI	HSESYHDSW1G	1Gb	128MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
HUAHONG	BH25Q128AS	128Mb	16MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
HUAHONG	BH25Q64BS	64Mb	8MB	2.7V~3.6V	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	
Kingston	SPI004-SDEG	4Gb	512MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
TITAN	TM1F02GUAI	2Gb	256MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
CHUCUN	C5F2GM7UE	2Gb	128MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	
CHUCUN	C5F1GM7RE	1Gb	128MB	1.7V-2.0V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	

Manufacturer	Part Number	Bits Size	Byte Size	Voltage	RK2108	RK2118	RV1106/ RV1103	RV1108/ RV1107	RV1109/ RV1126	RV1126B/ BP	RV1103B/ RV1106B	RK3036	RK3308	RKPX30/ RK3326	RK1808	RK1820	RK3566/ RK3568	RK3588/ RK3588s	RK3528	RK3538	RK3562	RK3576	RK3506	Remark	
MICRON	MT29F2G01ABA	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	T/A	S/A*1	S/A*1	S/A*1	S/A	T/A*1	N/A	N/A	S/A	S/A*1	S/A*1	S/A	S/A*1	S/A	S/A	S/A	SPI NAND	Note*1
XTX	XT26G02ELGIGA	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	T/A	S/A*1	S/A*1	S/A*1	S/A	T/A*1	S/A	T/A*1	S/A	S/A*1	S/A*1	S/A	S/A*1	S/A	S/A	S/A	SPI NAND	Note*1
ESMT	F50L2G41XA	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A*1	S/A*1	S/A*1	S/A	T/A*1	S/A	T/A*1	S/A	S/A*1	S/A*1	S/A	S/A*1	S/A	S/A	S/A	SPI NAND	Note*1
Dosilicon	DS35Q4GM	4Gb	512MB	2.7V~3.6V	N/A	S/A	S/A	T/A	S/A*1	S/A*1	S/A*1	S/A	T/A*1	S/A	T/A*1	S/A	S/A*1	S/A*1	S/A	S/A*1	S/A	S/A	S/A	SPI NAND	Note*1
Dosilicon	DS35Q2GA-IB	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	T/A	S/A*1	S/A*1	S/A*1	S/A	T/A*1	S/A	T/A*1	S/A	S/A*1	S/A*1	S/A	S/A*1	S/A	S/A	S/A	SPI NAND	Note*1
Dosilicon	DS35Q2GB-IB	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	T/A	S/A*1	S/A*1	S/A*1	S/A	T/A*1	S/A	T/A*1	S/A	S/A*1	S/A*1	S/A	S/A*1	S/A	S/A	S/A	SPI NAND	Note*1
Dosilicon	DS35M2GA-IB	2Gb	256MB	1.7V~2.0V	N/A	S/A	S/A	T/A	S/A*1	S/A*1	S/A*1	S/A	T/A*1	S/A	T/A*1	S/A	S/A*1	S/A*1	S/A	S/A*1	S/A	S/A	S/A	SPI NAND	Note*1
Dosilicon	DS35M4GM-IB	4Gb	512MB	1.7V-1.95V	N/A	N/A	S/A*1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NAND	Note*1
FUDAN	FM25S02A	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	S/A	S/A*1	S/A*1	S/A*1	S/A	T/A*1	S/A	T/A*1	S/A	S/A*1	S/A*1	S/A	S/A*1	S/A	S/A	S/A	SPI NAND	EOL
SPT	SPT29F2G01ABBGDWB	2Gb	256MB	1.7V-1.95V	N/A	N/A	S/A*1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NAND	Note*1
PUYA	P25Q32SH	32Mb	4MB	2.3V-3.6V	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	Note*2
PUYA	P25Q64SU-WXH-IR	64Mb	8MB	1.65V-3.60V	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NOR	Note*2
Winbond	W25Q12PWSSIM	128Mb	16MB	1.65V~1.95V	S/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NOR	Note*2
Winbond	W77Q128JWSIQ	128MBits	16MB	1.7V-1.95V	N/A	N/A	S/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	S/A	N/A	Secure NOR	Note*3
MXIC	MX35LF4G24AD	4Gb	512MB	2.7V~3.6V	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NAND	Note*4
MXIC	MX35LF2G14AC-Z4I	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NAND	Note*4
MXIC	MX35LF2G24AD	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NAND	Note*4
MXIC	MX30UFXG2xAD	2Gb	256MB	1.65V~1.95V	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NAND	Note*4
MXIC	MX35LF1G24AD	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NAND	Note*4
Zentel	ANV1GCP0CLG	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	Note*5
HYF	HYF1GQ4UTXCAE	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	Note*5
YXSC	YX25G1E	1Gb	128MB	2.7V~3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	Note*5
GSTO	GSS01GSAM0	1Gb	128MB	2.7V-3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	Note*5
SkyHigh	S35ML02G3	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	Note*5
Zentel	ANV2GCP0CLG	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	Note*5
YXSC	YX25G2E	2Gb	256MB	2.7V~3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	Note*5
ETRON	EM73D044VCE-H	2Gb	256MB	2.7V~3.6V	N/A	N/A	N/A	T/A	N/A	N/A	N/A	S/A	N/A	S/A	T/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NAND	Note*5
SkyHigh	S35ML04G3	4Gb	512MB	2.7V~3.6V	N/A	S/A	S/A	S/A	T/A	T/A	T/A	S/A	T/A	S/A	T/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	Note*5
Zentel	ANV4GCP0CLG-BI	4Gb	512MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	Note*5
JSC	JS28U1GQSCAHG-83	1Gb	128MB	2.7V~3.6V	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NAND	Note*6
XINCUN	XCSP4AXPK-IT	4Gb	512MB	3.0V~3.6V	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SPI NAND	Note*7
Winbond	W25N02LVCEIG	2Gb	256MB	2.7V-3.6V	N/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	S/A	T/A	S/A	S/A	S/A	S/A	S/A	S/A	SPI NAND	Node*8

Note: * 1: This 2 plane devices are not compatible in some cases.
Note: * 2: Only page prog is supported, only the file system registered with block device partition is supported
Note: * 3: Secure flash, Support for use as a data security partition
Note: * 4: The SPI NAND does not integrate ECC
Note: * 5: Vendor patch https://redmine.rock-chips.com/attachments/2309011
Note: * 6: Power lost test failed
Note: * 7: The current version of the material has compatibility issues
Note: * 8: Vendor patch https://redmine.rock-chips.com/attachments/2416131