Applied Foundation Testing



October 9, 2008

Final Report of Axial STATNAMIC Load Testing

Drilled Shaft Load Test Program I-80 Bridge Project (Broadway Bridge Viaduct) Council Bluffs, Pottawattamie County, Iowa NHS-080-1(318)0-11-78 AFT Project No.: 108026

Authored By:

John E. Greis, E.I. Staff Geotechnical Engineer

For: Mr. Mike Kemery

Longfellow Drilling 1209 County Highway J23 Clearfield, Iowa 50840

Ph: 641 336 2297 Fax: 641 336 2387

Michael K. Muchard, P.E. Principal Geotechnical Engineer



INTRODUCTION

This report is provided to summarize the procedures and results of the Statnamic load testing performed as part of the subject drilled shaft load test project. The Statnamic load testing was performed in accordance with ASTM D7383-08, which is the newly approved standard for this test method. Objectives of the load test program included evaluation of conventional drilled shafts and post grouted drilled shafts for use in the future design and construction of the Broadway Bridge Viaduct in Council Bluffs, Iowa. The test site was located adjacent to the future bridge at the intersection of 12th Street and West Broadway. Please refer to the contract documents for a site plan of the actual location of the test site. The project entailed construction of three strain instrumented test drilled shafts. Two shafts included sleeve port and plate base grouting apparatus and were post grouted. The third shaft was un-grouted and served as a control shaft for comparison of the un-grouted end bearing. All shafts were 60 inches in diameter and had lengths of approximately 55 and 65 feet. The control shaft was 55 feet. Post grouted shafts were 55 feet and 65 feet. The testing sequence included performing SPT borings at each test shaft location prior to construction, performing integrity testing using the crosshole sonic logging method on the test shafts prior to post grouting. Post grouting was then performed. All embedded strain gages were monitored during the post grouting process as well. Finally, Statnamic load testing was performed on all three shafts. Each test method performed was documented in separate reports. This report only contains the Statnamic load test results.

As an innovative means to cost effectively obtain load test data, the load test program was included in the construction contract for the nearby I-80 Bridge over the Missouri River project, which also utilized drilled shafts. The I-80 Bridge general contractor was Jensen Construction Company. Longfellow Drilling performed the land based drilled shafts for the I-80 bridge and Jensen Construction performed the marine based drilled shafts. Longfellow Drilling managed all load test program activities including: site preparation, shaft installation and all required support to carry out the testing. Applied Foundation Testing was contracted through Longfellow Drilling on behalf of the lowa DOT to perform the instrumentation, CSL, post grouting, Statnamic load testing and associated engineering reports for this load test program only. Construction inspection and oversight was provided by Iowa DOT and FHWA representatives. The Geotechnical engineer of record was CH2MHILL. Additional soil borings at each test shaft location along with concrete QC testing for the test program was performed by Geotechnical Services, Inc.

GENERALIZED SOIL CONDITIONS

A geotechnical investigation was initially performed by CH2MHILL. Additional SPT borings were required as part of the load test contract at each of the three test shaft locations. These borings were performed by Geotechnical Services, Inc. and are attached with this report. We have provided a brief description of the soil conditions for general use while reviewing this report. For detailed information on the soil conditions, please refer to the attached borings.



The borings were drilled to a depth of 70 feet below the ground surface at each specific test shaft location. The ground surface elevation at the site was between +988.5 and +990.5 feet. In general, the upper 20 feet in all three borings consisted of soft to stiff silty clay (CL) and (CL-CH). SPT N values in this upper silty clay ranged from 3 to 14. The water table was around 16 to 17 feet in depth below ground surface. The upper silty clays were underlain by fine sand and silty fine sand (SP-SM) to depths of 55 to 60 feet. SPT N values in the sands ranged from 6 to 42. the fine silty sands gave way to a more coarse grained sand which extended to the boring bottom of 70 feet. In the TS-1 boring a soft clay layer was encountered between the bottom of the fine sand at 55 feet and the coarse sand at 60 feet.

FOUNDATION DESCRIPTION AND CONSTRUCTION

The three test shafts designated as TS-1, TS-2 and TS-3 were all 60 inch in diameter. TS-1 which was a 65 foot post grouted shaft was tipped in the coarse sand while TS-2 (55 ft post grouted shaft) and TS-3 (ungrouted) were tipped in the fine grained sandy soils. These medium dense granular soils were very conducive to improvement by base grouting. It is important to note that the two post grouted shafts, TS-1 and TS-2 were tipped in very similar relative density sands with SPT N values of 11 and 12, respectively. The un-grouted control shaft, TS-3, was tipped in a more competent sand with an SPT N of 24. This is an important consideration when evaluating the improvement from grouting. The test shafts were designed and constructed with planned ultimate capacities such that they could be reached within the constrains of the 2,000 ton Statnamic device.

| Shaft Number | Shaft Diameter (inches) | Shaft Length (feet) | f'c at Time of Statnamic Load Test (psi) | Shaft Type |
|-----------------|-------------------------------|---------------------------|--|--------------|
| TS-1 | 60 | 66.3 | 5,780 | Post Grouted |
| TS-2 | 60 | 55.4 | 5,580 | Post Grouted |
| TS-3 | 60 | 55.9 | 5,770 | Non-Grouted |

Table 1. Summary of Test Shafts Properties.

Shaft reinforcement was the same for all three test shafts and consisted of 23 - #10 longitudinal bars with #5 shear hoops on 12 inch centers. A 3 inch clear spacing governed the steel hoop diameter. Sisterbar strain gages were installed at four vertical levels in all three test shafts as shown in the schematic drawings in Appendix B.

Shaft construction was performed using the "wet method". The general procedure included placing a short upper permanent casing 4 to 5 feet in length to both stabilize the near surface soils and provide a clean and level surface for load testing. A Watson track mount drill rig was used with various drilling tools, auger and cleanout bucket to



excavate the soils. Water and polymer slurry admixture drilling fluid was introduced early on to stabilize the walls of the excavation. Once the required depths were attained, the shaft bottoms were mechanically cleaned using a standard clean-out bucket and inspected for cleanliness by sounding with a weighted tape. The upper 4 to 5 feet of each shaft was constructed 66 inches in diameter using a permanent casing that extended approximately one foot above grade. The nominal shaft diameter for the remaining depth was 60 inches. A pump truck slick line was used to place the concrete while maintaining the discharge 10 to 15 feet below the rising concrete head at all times. Concrete quality assurance testing was performed by Geotechncial Services, Inc. The concrete compressive strength data is the only QA QC results included in this report. Drilled shaft construction was completed between August 20 and August 22, 2008. For more information on the shaft construction and QAQC please see the drilled shaft construction records included in Appendix B or contact the lowa DOT.

For the purpose of analysis of the load test measurements, shaft properties provided in <u>Table 1</u> were used in our calculations. It is noted that the concrete strengths were based on tests performed within a close time frame of the Statnamic load testing.

AXIAL STATNAMIC TEST SETUP AND INSTRUMENTATION

Preparation for the load test included leveling of the ground surrounding the test shafts and assembly of the Statnamic equipment. Foundation preparation prior to testing included pouring a layer of high strength grout on the top of the test shaft. This was to ensure a full and uniform contact surface area for the load transfer plate. Load testing was accomplished in a single load cycle to each foundation utilizing a 2,000 ton Statnamic device equipped with a mechanical catch system. Various key dates related to the Statnamic testing sequence are summarized in Table 2.

Table 2. Statnamic Load Testing Key Dates Summary

| Shaft Number | Date Instrumented | Date Constructed | Statnamic Load Test Date |
|--------------|----------------------|---------------------|-----------------------------|
| TS-1 | 8/22/2008 | 8/22/2008 | 9/15/2008 |
| TS-2 | 8/21/2008 | 8/21/2008 | 9/12/2008 |
| TS-3 | 8/20/2008 | 8/20/2008 | 9/13/2008 |

During the Statnamic load tests, load, acceleration, and strain were monitored to obtain the foundation response. A description of the instrumentation used during the Statnamic tests is given below. Calibration data is included in <u>Appendix C</u>.

Statnamic Device and Load Cell - This device uses a controlled burn of fuel to generate gas pressure inside a cylinder and ram (analogous to a gas actuated jack). As the pressure builds, it reacts against a heavy mass above the shaft. The pressure eventually builds high enough to propel the reaction mass upward, in turn a downward load is simultaneously applied to the shaft top which is many times greater than the weight of the reaction mass. The Statnamic device



produces a time dependent load on the order of 1/2 second or less. The load produced is not an impact, which makes the Statnamic analysis very simplified and more reliable than dynamic techniques. The applied Statnamic load is measured with a ring type electronic resistance load cell, located between the pile top and the Statnamic piston. The load cell has a working capacity of 2,000 tons and is calibrated full scale. The manufacturer George Kelk Corporation recommends calibration every 10,000 cycles or 5 years which ever occurs first.

- <u>Displacement</u> Three capacitive accelerometers were arranged across the top of the pile approximately 120 degrees apart during Statnamic testing. The capacitive accelerometers were manufactured by PCB Piezotronics, Inc. From the measured accelerations, pile displacements at each accelerometer location were calculated by double integration. This provides very reliable and highly accurate displacement data.
- <u>Strain Gages</u>- Schematic drawing of the quarter bridge electronic resistance sister bar strain gage location are provided in the Appendix B. These gages were manufactured at AFT's lab in Tampa, Florida by our engineers using Micro-Measurements gauge type CEA-06-125UW-350 gages.
- <u>Data Acquisition System</u> MEGADAC Data Acquisition System, manufactured by Optim, Inc. This system monitored the load cell, and accelerometers and recorded data at 5,000 samples per second for each sensor. This is more than ample to fully define the load and displacement response of the shaft during the test.

AXIAL STATNAMIC LOAD TEST RESULTS

The derived static capacities from the Statnamic tests were determined using the Segmental Unloading Point Method (SUP). A detailed explanation of the Segmental Unloading Point is presented in Appendix D. The Segmental Unloading Point Method (SUP), discretizes a foundation into segments. The number of segments and their lengths are defined by the locations of the embedded strain gages. This allows the standard or Modified Unloading Point Method (UPM) to be applied to each segment. Then the total derived static response is calculated as the sum of the derived static response from the individual segments. Rate Effect Factors (REF) were used in conjunction with the SUP method as suggested in the national Cooperative Highway Research Program (NCHRP) Project: NCHRP 21-08.

Based on our interpretation of the soil borings, we used the published REF of 0.91 for the sands and 0.65 for the clayey soils in our analysis. From the NCHRP data sets, the combined values of all soil types show that the REF corrected SLD capacity analysis method performs very well with an average bias of 1.017 and a standard deviation of 9.7 %. Therefore, after application of the REF, the Statnamic UPM capacity tended to under estimate the static capacity by approximately 2%. Based on several additional comparisons that are not published in the NCHRP report we have found similar results.



At this site we would expect the static capacities presented in this report to also be slightly on the conservative side by approximately a couple percent.

Although a limit state of 1.0 inch of movement at the shaft top was specified as the failure criteria for this project, we have included the following interpretation methods for determination of the shaft ultimate capacity.

- A. Limit State = 1 inch, which is defined in the project specifications as the required method.
- B. Slope and Tangent Method (Butler and Hoy, 1977).
- C. Offset Limit (Davisson, 1972) modified by FHWA for large diameter piles.
- D. Maximum achieved during load test.

Load transfer during testing was determined using embedded strain instrumentation placed at four vertical levels as shown in the attached test shaft schematic drawings. Strain data processing included minor offset corrections for the static load applied from the reaction mass prior to testing. In addition, the measured strains at each level were averaged. Load at each gage level was then calculated by multiplying the average strain by the respective cross-sectional area and composite modulus of elasticity. The in-situ modulus was determined by manually varying the modulus term until the calculated load from the upper most strain gage level generally matched the measured load from the load cell. Other drilled shaft structural properties summarized in Table 1 were used to calculate load from the measured strains within the shaft.

Unit side shear was determined by subtracting the derived static loads at each level and dividing by the respective segment surface area. The segment unit side shear is presented in the form of a Tz curve or soil response curve. In the Tz curve, the displacement shown is average of the segment or at the midpoint of the segment. The midpoint displacement is calculated by subtracting the cumulative elastic shortening of the length of shaft above from the measured top displacement. Examination of the Tz curves shows that the maximum values in each soil layer develop at slightly different displacements depending on the layer characteristics. Residual stresses sometimes make the unloading portion of the Tz curve appear very unusual in shape. This is typically manifest in the upper segments.

The load at the lowest strain gage level is also plotted versus tip displacement. The tip displacement is determined as discussed above. This is known as a Qz curve and is not the true end bearing since it also consists of a small zone of side shear resistance. Therefore, an estimated side shear resistance has to be subtracted to obtain the end bearing. The unit values provided in the succeeding tables include this correction.

TS-1 Load Test Results

The derived static load versus displacement response of TS-1 is presented in <u>Figure 1</u>. On this figure we have graphically shown the various criteria for determination of ultimate capacity which were outlined above.



Table 2. Summary of Load and Displacement for TS-1.

| Method of Interpretation | Ultimate Capacity (kips) | Maximum Displacement (inches) | Permanent Displacement (inches) |
|--------------------------------|--------------------------------|-------------------------------------|---------------------------------|
| Slope and Tangent | 2,350 | | |
| 1.0" Limit State | 2,465 | | |
| FHWA | 2,530 | | |
| Maximum | 2,530 | 1.74 | 1.10 |

Examining the three methods of defining the ultimate capacity showed a 180 kip difference in the interpreted highest and lowest which is about 7 percent variation. However, the 1.0 inch Limit State method specified in the contract documents shows an ultimate of 2,465 kips. It is also noted that this shaft did not experience sufficient movement to strictly meet the FHWA criteria so AFT has estimated this value. The maximum measured displacement during the test was 1.74 inches and the measured permanent displacement upon complete unloading was 1.10 inches. Table 2 also summarizes the load and displacement response during testing.

<u>Table 3</u> presents the maximum unit side shear values calculated from the measured strains within the shaft. <u>Figures 2 through 4</u> present the side shear versus displacement (Tz) curves for each segment. The ultimate unit side shear values ranged from 1.7 ksf in the silty fine sand to 2.4 ksf in the lower fine sand layer. The end segment load versus displacement response Qz curve is presented in <u>Figure 5</u>. The ultimate unit end bearing was 32 ksf after accounting for the plug shear contribution.

Table 3. Load Transfer Summary for TS-1.

| Segment Boundaries | Maximum Mobilized Unit Side Shear (ksf) |
|---|---|
| 990.04 ft to 969.04 ft (Segment 1) | 1.8 |
| 969.04 ft to 957.29 ft (Segment 2) | 1.7 |
| 957.29 ft to 926.29 ft (Segment 3) | 2.4 |
| 926.29 ft to 923.79 ft (Toe Segment) | 2.4* |
| Maximum Unit End Bearing (ksf) | 32 |

^{*}Unit side shear assumed from segment above.

TS-2 Load Test Results

The derived static load versus displacement response of TS-2 is presented in <u>Figure 6</u> with the various criteria for determination of ultimate capacity graphically displayed.



They are summarized in <u>Table 4</u>. A difference of 122 kips in the interpreted highest and lowest which is about 5 percent variation. The 1.0 inch Limit State method specified in the contract documents shows an ultimate of 2,362 kips. The maximum displacement during testing showed 2.34 inches with the measured permanent displacement upon complete unloading being 1.70 inches.

Table 4. Summary of Load and Displacement for TS-2.

| Method of Interpretation | Ultimate Capacity (kips) | Maximum Displacement (inches) | Permanent Displacement (inches) |
|--------------------------------|--------------------------------|-------------------------------|---------------------------------------|
| Slope and Tangent | 2,247 | | |
| 1.0" Limit State | 2,362 | | |
| FHWA | 2,285 | | |
| Maximum | 2,369 | 2.34 | 1.70 |

<u>Table 5</u> presents the ultimate unit side shear values calculated from the measured strains within the shaft. <u>Figures 7 through 9</u> present the side shear versus displacement (Tz curves) for each segment. The ultimate unit side shear values ranged from 1.8 ksf in the silty clay to 2.8 ksf in the lower fine sand layer. The end segment load versus displacement response or Qz curve is presented in <u>Figure 10</u>. The ultimate unit end bearing was 34 ksf after accounting for the plug shear contribution.

Table 5. Load Transfer Summary for TS-2.

| Segment Boundaries | Maximum Mobilized Unit Side Shear (ksf) |
|---|---|
| 988.72 ft to 966.97 ft (Segment 1) | 1.8 |
| 966.97 ft to 954.47 ft (Segment 2) | 1.9 |
| 954.47 ft to 935.22 ft (Segment 3) | 2.8 |
| 935.22 ft to 933.30 ft (Toe Segment) | 2.8* |
| Maximum Unit End Bearing (ksf) | 34 |

^{*}Unit side shear assumed from segment above.

TS-3 Load Test Results

The derived maximum static load versus displacement response of TS-3 presented in <u>Figure 11</u> shows an ultimate load of 2,033 kips with a total displacement of 2.57 inches. The measured permanent displacement upon complete unloading was 1.67 inches. We have also graphically displayed the various criteria for determination of ultimate capacity



on <u>Figure 11</u> and they are summarized in <u>Table 6</u>. A 108 kip difference in the interpreted highest and lowest values was shown, which is about 5 percent variation.

Table 6. Summary of Load and Displacement for TS-3.

| Method of Interpretation | Ultimate Capacity (kips) | Maximum Displacement (inches) | Permanent Displacement (inches) |
|--------------------------------|--------------------------------|-------------------------------|---------------------------------|
| Slope and Tangent | 1,925 | | |
| 1.0" Limit State | 2,033 | | |
| FHWA | 1,950 | | |
| Maximum | 2,033 | 2.57 | 1.67 |

<u>Table 7</u> presents the ultimate unit side shear values calculated from the measured strains within the shaft. <u>Figures 12 through 14</u> present the side shear versus displacement or Tz curves for each segment. The ultimate unit side shear values ranged from 1.7 ksf in the silty clay to 2.4 ksf in the lower fine sand layer. The end segment load versus displacement response known as a Qz curve is presented in <u>Figure 15</u>. The measured unit end bearing was 16 ksf after accounting for the plug shear contribution.

Table 7. Load Transfer Summary for TS-3.

| Segment Boundaries | Maximum Mobilized Unit Side Shear (ksf) |
|---|---|
| 990.47 ft to 970.52 ft (Segment 1) | 1.7 |
| 970.52 ft to 960.52 ft (Segment 2) | 1.9 |
| 960.52 ft to 937.77 ft (Segment 3) | 2.4 |
| 937.77 ft to 935.69 ft (Toe Segment) | 2.4* |
| Maximum Unit End Bearing (ksf) | 16 |

^{*}Unit side shear assumed from segment above.

SUMMARY AND CONCLUSIONS

A design phase load test program was successfully carried out for the future construction of the Broadway Bridge Viaduct in Council Bluffs, Iowa. Objectives of the load test program included evaluation of conventional drilled shafts and post grouted drilled shafts. Three drilled shafts designated as TS-1, TS-2, and TS-3 were load tested to evaluate axial capacity and load transfer characteristics at this site using the Statnamic load test method in accordance with ASTM D7383-08. Two shafts TS-1 and TS-2 included base grouting apparatus and were post grouted prior to load testing as



described in a separate report. The third shaft TS-1 was un-grouted and served as a control shaft for comparison of the un-grouted end bearing. All shafts were 60 inches in diameter and had lengths of approximately 55 and 65 feet. The control shaft TS-1 was 55 feet. Post grouted shafts TS-1 and TS-2 were 65 feet and 55 feet, respectively. The testing sequence included performing SPT borings at each test shaft location prior to construction, performing integrity testing using the crosshole sonic logging method on the test shafts prior to post grouting. Post grouting was then performed. All embedded strain gages were monitored during the post grouting process as well. Finally, Statnamic load testing was performed on all three shafts. Each test method performed was documented in separate reports. This report only contains the Statnamic load test results.

The Statnamic load tests were performed and the ultimate shaft capacities were obtained for each shaft. The project specifications define the ultimate capacity as the capacity at 1 inch of movement at the top of the drilled shaft. The ultimate capacity of each shaft according to this criteria are summarized in <u>Table 8</u> below. We have also provided a composite plot of the load versus displacement of all three shafts in <u>Figure 16</u>. This figure provides a relative comparison of each shafts' load and displacement responses.

Unit side shear values range from 1.7 ksf to 2.8 ksf at the site with values comparing well in segments with similar elevation boundaries. The difference in the end bearing response for each shaft as a result of post grouting can be seen in Figure 17. After accounting for the bottom plug shear, ultimate unit end bearing values in the two post-grouted shafts, TS-1 and TS-2, were 32 ksf and 34 ksf, respectively as compared to 16 ksf for the un-grouted shaft TS-3. This is approximately 100 to 110 percent greater than the un-grouted end bearing. It also needs to be considered that TS-3 was tipped in a more competent material than the other two shafts (SPT N value of 24 as opposed to 11 and 12) so the increase in end bearing resistance due to the post-grouting is likely higher considering baseline soil conditions were not equal.

Table 8. Summary of Ultimate Capacities for Test Shafts.

| Shaft Number | Shaft Diameter (inches) | Shaft Length (feet) | Shaft Type | Ultimate Capacity @ 1 " Limit State (kips) | Ultimate End Segment Capacity (kips) |
|-----------------|-------------------------------|---------------------------|--------------|--|---|
| TS-1 | 60 | 66.3 | Post Grouted | 2,465 | 712 |
| TS-2 | 60 | 55.4 | Post Grouted | 2,362 | 749 |
| TS-3 | 60 | 55.9 | Non-Grouted | 2,033 | 390 |



CLOSURE

It has been a pleasure working with you and we appreciate all your support in the field to successfully complete the Statnamic load testing. If you have any questions relating to this information please contact us at your convenience.

LIMITATIONS

This report presents test measurements made by AFT. Interpretations were made based upon the measurements made by AFT with the latest techniques available and currently accepted standards of care recognized by Geotechnical Engineering professionals. AFT is an independent agency and is not the Geotechnical Engineer of Record. The Geotechnical Engineer of Record should ultimately make final recommendations for foundation design and construction.





Instrumented rebar cages.



Drilling test shafts.





Sounding bottom of excavation.



Placing instrumented cage.





Pouring concrete with pump truck slick line.





Assembling the Statnamic load test device.







Statnamic device fully assembled and ready for load testing.









Side Shear vs Displacement Iowa Department of Transportation Test Shaft 1 Segment 1 (990.04' depth to 969.04' depth)




Side Shear vs Displacement Iowa Department of Transportation Test Shaft 1 Segment 2 (969.04' depth to 957.29' depth)




Side Shear vs Displacement Iowa Department of Transportation Test Shaft 1 Segment 3 (957.29' depth to 926.29' depth)




End Segment Load vs Displacement Response lowa Department of Transportation Test Shaft 1












Side Shear vs Displacement Iowa Department of Transportation Test Shaft 2 Segment 1 (988.72' to 966.97')




Side Shear vs Displacement Iowa Department of Transportation Test Shaft 2 Segment 2 (966.97' to 954.47')




Side Shear vs Displacement Iowa Department of Transportation Test Shaft 2 Segment 3 (954.47' to 935.22')



End Segment Load vs. Displacement Response lowa Department of Transportation Test Shaft 2










Figure 11


Side Shear vs Displacement Iowa Department of Transportation Test Shaft 2 Segment 1 (990.47' to 970.52')




Side Shear vs Displacement Iowa Department of Transportation Test Shaft 2 Segment 2 (970.52' to 960.52')




Side Shear vs Displacement Iowa Department of Transportation Test Shaft 3 Segment 3 (960.52' to 937.77')




End Segment Load vs. Displacement Response lowa Department of Transportation Test Shaft 3







Load vs. Displacement Response lowa Department of Transportation All Test Shafts




End Segment Load vs. Displacement Response Iowa Department of Transportation All Test Shafts





IOWA DOT PROJECT TS-I SCHEMATIC DRAWING AXIAL STATNAMIC LOAD TEST






APPLIED FOUNDATION TESTING, INC.


IOWA DOT TS-I COUNCIL BLUFFS, IOWA

IOWA DOT PROJECT TS-2 SCHEMATIC DRAWING AXIAL STATNAMIC LOAD TEST





IOWA DOT PROJECT TS-3 SCHEMATIC DRAWING AXIAL STATNAMIC LOAD TEST





IOWA DOT TS-3 COUNCIL BLUFFS, IOWA

DRILLED SHAFT FIELD REPORT

| | | - | | | | | | | | | | | | | | | | | | |
|--|----------------------------------|------------------|------------|--------------|----------------|-----------------|------------------------|---------------|------------------|--------------|----------------|-----------------|---------------|------------------------|---------------|------------------|-----------------------|-----------------------|---------------------|---|
| | . • | - | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| | • | 1 | | | | | | | | | | | | | | | | | | |
| | (F) | $\left \right $ | | | | | | | | | | | | | - | | | | | - |
| | . 7 | \cdot \mid | | 18-07 | 200.00 | .,0) | | 15.066 | 923.00 | | ,,09 | 99 | 12 | 09 | 5.19 horab | 923.74 | 1 | | 485.04 | |
| | • | | | 2/2/8 | 100 | [O] | | 989.84 | 933.00 | | .,09 | ,99 | X4 | ,09 | 21.88/45 | 933.32 | 1 | ١ | 24.72 | |
| | 7 | | 1 | 8/26/2 | 90,09 | | 1 | 74.49 | 933.00 | | ,,00 | ,99 | 5' | ,00 | 7 | 29.585 | | - | 25.986 | |
| County <i>Po778wA7774~1é</i> Project # <u>NH5-080-1 (318)0 11-78</u> Design # Prime Contractor | するから Drilled Shaft Contractor | Longkellow | Sold Ohoth | Pouring Date | Shaft Diameter | Casing Diameter | (Socket/Bell) Diameter | Top Elevation | Bottom Elevation | Cap Diameter | Shaft Diameter | Casing Diameter | Casing Length | (Socket/Bell) Diameter | Top Elevation | Bottom Elevation | (Sand/Rock) Elevation | (Sand/Rock) Elevation | Dottom Casing Elev. | |
| • | | | | | | NE | Y ISE | D | <i></i> | | | | 1 | חוד. | 8 S | ∀ | | | | |


Appendix 11-11.1

APPROVED BY_

5.450N

PREPARED BY_


DRILLED SHAFT CONCRETE REPORT



PRESSURE ON THE TUBES CAUSED WATCR TO SULP THE SIXAFT, WATER WAS IMMEDIATERY SAUT OFF TAXIS WAS NOTICED.

TUBES WHEN THE WATER

DRILLED SHAFT CONCRETE REPORT



H SMALL AMOUNT OF CONCESTE IN THE HOLL AT THAT TIMES. AND THE PUMP PIPE CONCONT HAVE 14AD MUCH EMBEDINENT IN


Pump wasn't Runaina, THERE was oney

NOTICED THE SLURPY

THE POUR THEY

A SMACL AMOSONT

DRILLED SHAFT CONCRETE REPORT



| Drilled Shaft Post Grout Field Record | |
|--|---|
| Project Name: Broadway Bridge Load Test Project | |
| | Shaft Designation: TS-1 (Test Shaft) |
| Contractor: Longfellow Drilling | Post Grout Date: 8/29/08 |
| Post Grouting By: Applied Foundation Testing, Inc. | AFT Grout Technician: Jason Frederic |
| | AFT Data Acquisition Engineer: Mike Muchard, P.E. |
| | |
| Post Grouting Information | |
| Grout Plant Type: HANY IC 310 | Grout Type: Type I Portland Cement |
| Pump Type: Single Stage Piston | Starting Water / Cement Ratio: 0.5 (+/- 0.05) |
| Mixer Type: Colloidal Mixing w/Agitator Holding | Yield: 36 Liters per bag (1.256 ft ³) @ 0.5 w/c ratio |
| | |
| Post Grouting Criteria | |
| Maximum Permissible Displacement: 0.25 inch | Maximum Required Grout Pressure: 600 psi (41 bar) |
| Grout Volume Reset Value: Field Determined | |
| | |
| Post Grouting Data / Comments | |

starting w/c ratio = 0.5

| | | out sure | • | d Shaft cement | Grou Tank | | | |
|----------|-----|-------------|--------|-------------------|--------------|-----|-----------------|------------------------------------|
| Time | bar | psi | mm | inches | | che | | Notes |
| 12:47 | | μο. | 131.0 | | 10.0 | | | Start pumping grout |
| 12:53 | 8 | 118 | 131.00 | | 20.5 | to | 8.00 | Grout return - lock opposing valve |
| 12:58 | 11 | 162 | 131.50 | | 18.0 | to | 6.50 | 11 |
| 1:02 | 12 | 176 | 131.75 | | 14.5 | | | |
| 1:09 | 19 | 279 | 132.00 | | 24.0 | to | 11.00 | |
| 1:13 | 21 | 309 | 132.00 | | 22.0 | to | 10.00 | |
| 1:18 | 25 | 368 | 132.50 | | 19.0 | to | 7.00 | |
| 1:23 | 30 | 441 | 132.50 | | 18.0 | to | 6.00 | |
| 1:29 | 35 | 515 | 132.75 | | 17.0 | to | 6.00 | |
| 1:31 | 30 | 441 | 132.75 | | 12.0 | | | |
| 1:33 | 35 | 515 | 133.00 | | 14.5 | | | |
| 1:38 | 38 | 559 | 133.25 | | 20.5 | to | 9.00 | |
| 1:42 | 41 | 603 | 133.25 | | 19.0 | to | 7.00 | |
| 1:46 | 45 | 662 | 133.25 | | 11.0 | | | Complete - DID NOT LOCK IN |
| | | | | | | | | PRESSURE |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | bar | psi | mm | inches | L | | ft ³ | |
| laximums | 45 | 662 | 2.25 | 0.089 | 542.5 | | 19.2 | |

Conversions: Grout plant holding tank volume calibration = 1 inch in tank = .177 cubic feet grout (1 cubic meter = 1.307 cubic yards = 35.3 cubic feet) (1 Bar = 100 kPa = 14.7 psi)

(28.32 Liters = 1 cubic foot) (3.785 Liters = 1 Gallon) (25.4 mm = 1 inch)(1 kg = 2.21 lbs)

| Drilled Shaft Post Grout Field Record | |
|--|---|
| Project Name: Broadway Bridge Load Test Project | |
| | Shaft Designation: TS-2 (Test Shaft) |
| Contractor: Longfellow Drilling | Post Grout Date: 8/29/08 |
| Post Grouting By: Applied Foundation Testing, Inc. | AFT Grout Technician: Jason Frederic |
| | AFT Data Acquisition Engineer: Mike Muchard, P.E. |
| | |
| Post Grouting Information | |
| Grout Plant Type: HANY IC 310 | Grout Type: Type I Portland Cement |
| Pump Type: Single Stage Piston | Starting Water / Cement Ratio: 0.5 (+/- 0.05) |
| Mixer Type: Colloidal Mixing w/Agitator Holding | Yield: 36 Liters per bag (1.256 ft ³) @ 0.5 w/c ratio |
| Post Grouting Criteria | |
| | Maximum Required Crout Proceure: 600 poi (41 bor) |
| Maximum Permissible Displacement: 0.25 inch | Maximum Required Grout Pressure: 600 psi (41 bar) |
| Grout Volume Reset Value: Field Determined | |
| | |
| Post Grouting Data / Comments | |

starting w/c ratio = 0.5

| | Gr | out | Upwar | d Shaft | Grou | | | |
|---------|------|------|--------|---------|-------|------|-----------------|------------------------------------|
| | Pres | sure | Displa | cement | Tank | Rea | ading | |
| Time | bar | psi | mm | inches | Ir | nche | :S | Notes |
| 9:48 | | | 45.0 | | 10.5 | | | Start pumping grout |
| 9:53 | | | | | 19.0 | to | 7.50 | Grout return - lock opposing valve |
| 9:55 | 8 | 118 | 45.25 | | 11.0 | | | |
| 9:58 | 12 | 176 | 45.50 | | 15.5 | | | |
| 10:02 | 13 | 191 | 45.75 | | 21.0 | to | 9.00 | |
| 10:05 | 14 | 206 | 46.00 | | 14.5 | | | |
| 10:08 | 15 | 221 | 46.00 | | 19.0 | to | 6.00 | |
| 10:12 | 15 | 221 | 46.00 | | 13.0 | | | |
| 10:16 | 16 | 235 | 46.00 | | 19.0 | to | 6.00 | |
| 10:20 | 18 | 265 | 46.25 | | 10.5 | | | |
| 10:25 | 19 | 279 | 46.25 | | 23.5 | to | 11.00 | |
| 10:29 | 21 | 309 | 46.50 | | 19.0 | to | 6.00 | Reduce w/c ratio to 0.48 |
| 10:36 | 24 | 353 | 46.50 | | 16.0 | | | |
| 10:41 | 23 | 338 | 46.75 | | 25.0 | to | 13.50 | |
| 10:46 | 26 | 382 | 47.00 | | 22.0 | to | 9.50 | |
| 10:51 | 27 | 397 | 47.00 | | 16.5 | | | |
| 10:54 | 32 | 470 | 47.00 | | 22.0 | to | 11.00 | Reduce w/c ratio to 0.45 |
| 11:00 | 37 | 544 | 47.25 | | 23.0 | to | 11.00 | |
| 11:05 | 45 | 662 | 47.25 | | 18.0 | | | Complete - lock off ball valve |
| | | | | | | | | |
| | | | | | | | 6.3 | |
| | bar | psi | mm | inches | L | Ш | ft ³ | |
| aximums | 45 | 662 | 2.25 | 0.089 | 647.5 | | 22.9 | |

Conversions: Grout plant holding tank volume calibration = 1 inch in tank = .177 cubic feet grout
(1 cubic meter = 1.307 cubic yards = 35.3 cubic feet)
(1 Bar = 100 kPa = 14.7 psi)

(28.32 Liters = 1 cubic foot) (3.785 Liters = 1 Gallon) (25.4 mm = 1 inch) (1 kg = 2.21 lbs)

| BORING NO. LOCATION OF BORING ELEVATION DATUM DRILLER LOGGER | | | | | | BORING L | OG No. TS 1 | | | | | |
|--|----------------------|-------------|------------|------|----------------------------|---------------------|-------------------|------------------------|--------|---------|--|------------------------|
| WALFE DO | В | | | | ON OF BORING | ELEVATION | DATUM | | | LC | OGGER | |
| Mail | <u></u> | TS 1 | 3844 == | | | 987.65 | | | | | JLW | |
| DRILLING | WHII | F FI | WAIE | | | · · · | | | | | | |
| 19 | | | | | | | | | | | | |
| SAME SAME | | | | | | | | | | 1017 | | 1 |
| DEP No. 04 No. 05 No. | | | | ГА | | SOIL | DESCRIPTION | See mile Stilling Mile | | ORATORY | | _ |
| Type | | | | % | | COLOR, MOISTURE | , CONSISTENCY | liece | | | | |
| Second S | ''' | | | REC. | GEO | LOGIC DESCRIPTION | N & OTHER REMARKS | | | | | FT. |
| Soft 1 8 90 ALLIVIUM 10.0° Soft 10 STIFF SILTY CLAY Light grey, Very moist, 1 10.0° Soft 10 STIFF SILTY CLAY CL 32.3 15 S-3 5 95 CL 32.3 16 S S-4 3 95 SILTY FINE SAND 20 S-4 14 95 SILTY FINE SAND 21 SILTY FINE SAND 22 S S-5 14 95 SILTY FINE SAND 23 S-6 S-7 42 90 SILTY SAND 30 S-7 42 90 SILTY SAND 31 S-7 42 90 SILTY SAND 32 S-7 42 90 SILTY SAND 33 S-7 42 90 SILTY SAND 34 SILTY SAND 24 SILTY SAND 25 SILTY SAND 26 SILTY SAND 27 SILTY SAND 27 SILTY SAND 28 S-7 SILTY SAND 27 SIL | | | <u> </u> | | Gray brow | wn, Moist, | - WOTTER TEMPTING | | ┿ | pci | | ┼ |
| 5 0 13.1 10.0 13.1 10.0 13.1 10.0 10.0 13.1 10.0 1 | | | | | STIFF SI | LTY CLAY | | | ł | j | | <u> </u> |
| 5 0 13.1 10.0 13.1 10.0 13.1 10.0 10.0 13.1 10.0 1 | | | | | | | | | İ | | - | |
| 5 0 13.1 10.0 13.1 10.0 13.1 10.0 10.0 13.1 10.0 1 | - | | | | | | | | | | ŀ | |
| 5 0 13.1 10.0 13.1 10.0 13.1 10.0 10.0 13.1 10.0 1 | | 6.4 | ገ . | | | | | | | | | |
| 10 S-2 5 90 ALLIVIUM 10 S-2 5 90 CL STIFF SILTY CLAY 10 S-3 5 95 CRIVE BOWN, Well SILTY FINE SAND 20 S-4 3 85 SILTY FINE SAND 21 SILTY FINE SAND 22 S-5 14 95 SILTY FINE SAND 23 S-6 11 90 SILTY FINE SAND 25 S-7 42 90 SILTY FINE SAND 26 SILTY FINE SAND 27 SILTY FINE SAND 28 S-7 42 90 SILTY FINE SAND 29 S-8 S-7 42 90 SILTY FINE SAND 20 S-8 S-7 42 90 SILTY FINE SAND 21 S-8 S-7 42 90 SILTY FINE SAND 22 S-8 S-7 42 90 SILTY FINE SAND 24.7 SILTY FINE SAND 25 S-8 S-7 42 90 SILTY FINE SAND 26 S-8 S-7 42 90 SILTY FINE SAND 27 S-8 S-7 42 90 SILTY FINE SAND 27 S-8 S-7 42 90 SILTY FINE SAND 27 S-8 S-7 42 90 SILTY FINE SAND 28 S-7 S-8 S-7 42 90 SILTY FINE SAND 29 S-8 S-7 S-8 S-7 S-8 S-7 S-8 | 5 | 3-1 | _ | 90 | | | | | 29.2 | | | 5 |
| 10 Light gray, Very moial, SOFT to STIFF SILTY CLAY 10.0 10 | İ | | | | | | | CL-CH | Ī | | | |
| 10 Light gray, Very moial, SOFT to STIFF SILTY CLAY 10.0 10 | | | | | | | | | 1 | | | <u> </u> |
| 10 Light gray, Very moial, SOFT to STIFF SILTY CLAY 10.0 10 | | | | | | | | | ı |] | 1 | - |
| 10 Light gray, Very moial, SOFT to STIFF SILTY CLAY 10.0 10 | | | | | | | | | | | | |
| 10 Light gray, Very moial, SOFT to STIFF SILTY CLAY 10.0 10 | ├── | S-2 | 5 | 90 | | | | | 49.4 | | | |
| S-3 5 95 SOFT to STIFF SILTY CLAY | 10 | | 4 | | Liobi arm | ALLU | VIUM | 10.0 | _ 13.1 | | 1 | _10 |
| 15 | | | | | SOFT to | STIFF SILTY CLAY | | | | | 1 | |
| 15 | | | | | <i>Y//</i> / | | | | | | l | |
| 15 | | | | | | | | | | | | |
| 15 | | | _ | | <i>Y//</i> } | | | | | | | |
| 20 S-4 3 85 TT T 85 THE SAND 21 S-4 3 85 TT T 85 THE SAND 22 S-5 14 85 TT T 85 THE SAND 24 0 25 THE SAND 25 S-5 14 85 THE SAND 26 S-5 14 85 THE SAND 27 S-5 THE SAND 28 S-5 THE SAND 29 S-5 THE SAND 21 S-5 THE SAND 22 THE SAND 22 THE SAND 23 THE SAND 24 THE SAND 25 THE SAND 26 THE SAND 27 THE SAND 27 THE SAND 28 THE SAND 29 THE SAND 20 THE SAND 21 THE SAND 22 THE SAND 24 THE SAND 25 THE SAND 26 THE SAND 27 THE SAND 27 THE SAND 28 THE SAND 29 THE SAND 20 THE SAND 21 THE SAND 24 THE SAND 25 THE SAND 26 THE SAND 27 THE SAND 27 THE SAND 28 THE SAND 28 THE SAND 28 THE SAND 28 THE SAND 28 THE SAND 28 THE SAND 28 THE SAND 28 THE SAND 28 THE SAND 28 THE SAND 28 THE SAND 28 THE SAND 28 THE SAND 29 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 21 THE SAND 22 THE SAND 27 THE SAND 28 THE SAND 28 THE SAND 28 THE SAND 29 THE SAND 29 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 21 THE SAND 22 THE SAND 24 THE SAND 25 THE SAND 26 THE SAND 27 THE SAND 27 THE SAND 28 THE SAND 29 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 21 THE SAND 20 THE SAND 20 THE SAND 21 THE SAND 22 THE SAND 24 THE SAND 25 THE SAND 26 THE SAND 27 THE SAND 27 THE SAND 27 THE SAND 28 THE SAND 29 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 20 THE SAND 21 THE SAND 22 THE SAND 24 THE SAND 25 THE SAND 26 THE SAND 27 THE SAND 28 THE SAND 28 THE SAND 28 THE SAND 28 THE SAND 28 THE SAND 28 THE SAND 28 THE SAND 28 | 15 | Ş-3 | 5 | 95 | | | | | 32.3 | | | |
| 20 S-4 3 85 | '' | | | | | | | CL | | | | 15 |
| 20 S-4 3 85 | | | | | | | | | | | ļ | <u>z</u> |
| 20 | | | 1 | | | | | | | | | |
| 20 | igwdot | | | | | | | | | | | |
| 20 | -i | 6.4 | 1 . | | | | | , | | | | |
| S-5 14 85 14 15 15 15 15 15 15 15 15 15 15 15 15 15 | 20 | S-4 |] " | 85 | | | VIUM | | 29.9 | | | T 20 |
| S-5 | | | | | I J Citay Dict | wn, Wet, NE SAND | | 20.0 | 7 | | | ÷** |
| S-5 | | | | | [130E13] | | | | | | | |
| 25 S-5 14 85 14 15 14 15 14 15 14 15 15 | | | | | | | | | | | | |
| 25 S-5 14 85 14 85 11 11 12 12 13 14 14 14 15 15 15 15 15 | | ·=·· | 4 | | nui i r i | | | | | | | |
| 25 SP-SM S | | S-5 | 14 | 85 | [H:044 | | | | 24 0 | | | <u> </u> |
| 30 S-6 11 90 1.1:11 30.0 23.3 30.0 30.0 30.0 30.0 30.0 30.0 | 25 | | - | 1 | protest () Crass () d | | | SP-SM | | | | 25 |
| 30 S-8 11 90 11 (1) 11 | | | | | | | | | | | | |
| S-6 | | | | | | | | | 1 | | | |
| 30 S-6 11 90 1.1.[1] ALLUVIUM 30.0 30.0 30.0 30.0 30.0 30.0 30.0 30. | | | | | | | | | | | | |
| 30 31 32 32 33 34 35 35 35 36 37 38 37 38 37 38 37 38 37 38 37 38 38 | | | 1 | | ECHIA | | | | | | | |
| 35 S-7 42 90 22.1 35 35 35 36 36 36 36 36 36 36 36 36 36 36 36 36 | 30 | S-6 | 11 | 90 | | ALLU | VIUM | | 23.3 | 1 | | |
| 35 S-7 42 90 | | | 1 | | Gray, We | t, | | 30.0' | 1 | 1 | | 30 |
| 35 35 35 35 35 35 35 35 35 35 35 35 35 3 | | | | | FINE SAI | ND | | | | | | \vdash |
| 35 35 35 35 35 35 35 35 35 35 35 35 35 3 | \vdash | | | 1 | 1.1111 | | | Ī | | | | <u> </u> |
| 35 35 35 35 35 35 35 35 35 35 35 35 35 3 | $\vdash\vdash\vdash$ | | J | | | | | | | | | L |
| 35 35 35 35 35 35 35 35 35 35 35 35 35 3 | | S-7 | 42 | gn | | | | | | | | |
| S-8 17 85 | 35 | <u> </u> | ↓ ~ | " | | | | | 22.1 | 1 | 1 | 35 |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | - | | | | | | 1 | | | $\vdash \vdash \vdash$ |
| PROJECT: Drilled Shaft Load Tests | М | \$-8 | 17 | 85 | | | | | 24.7 | | | ┝─┤ |
| | | | | | <u> </u> | PRO.I | ECT: Drilled Sha | ft I nad Teete | | | <u> </u> | |

Geotechnical Services, Inc. 2853 99th Street, Des Moines, 1A 50322 (515) 270-8542 FAX (515) 270-1911

LOCATION: 12th Street & Broadway, Council Bluffs, IA

JOB NO.: 086103 **DATE:** 6-23-08

| | | | | | BORING L | OG No. TS 1 | | | | | | |
|------------------------|--------|-----------|-----------|------------------------|--------------------------|----------------------|---------------------|----------|--------------|--------------|----------------|--|
| | TS 1 | | | ON OF BORING | ELEVATION | DATUM | | RILLER | | LC | GGER | |
| | 131 | WATER | | S1 Stake OBSERVATIONS | 987.65 | IDOT Plan Sheet | | DAH | | | JLW | |
| WHI | LE EN | ID OF | | 4 HOURS | | | SURFACE nd Weeds | <u> </u> | | | ILL RIG | |
| DRILL | ING DR | ILLING | | ER DRILLING | | | METHOD | | - | | B-57 L DEPT | |
| 20 | | 16 | | | | 3 1/4" Hollow Stem A | | | | | 70' | |
| DEP. | SAMPLE | MPLE DATA | A | | SOIL | DESCRIPTION | | | LAI | BORATORY | DATA | Г |
| FT. | NO. & | BLOWS | % REC. | | COLOR, MOISTURE | | | USCS | % | DRY DENS, | Qu | DEP. |
| | TYPE | (FT) | NEU. | GEO | LOGIC DESCRIPTION | N & OTHER REMARKS | | CLASS. | MC | pcf | psf | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | SP | | | | |
| | | | | | | | | | 1 | ľ | | |
| 45 | \$-9 | 10 | 90 | | | | | | 28.4 | | | |
| ** | | 1 | | | | | | | | | | 45 |
| | | | | | | | | | 1 | | | |
| \vdash | | | | | | | | | | | | |
| | | | | | | | | - , | | | | L |
| $\vdash \vdash \vdash$ | S-10 | 19 | 85 | | | | | | | | | |
| 50 | | " | " | | | | | | 29.5 | | | _ 50 |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | Ī | | | | | | | | | | |
| | | 1 | | | | | | | | | | |
| 55 | S-11 | 11 | 88 | | ALLU | IVIUM | | | 26.2 | | · | <u> </u> |
| | - |] | | Light gray | , Very moist, TY CLAY | | 55.0 | | | | | 55 |
| | | | | SOFI SIL | IT CLAT | | | | | | | |
| | | | | | | | | CL-CH | | | | |
| | | | | | | | | 0.011 | | | | |
| 60 | S-12 | 2 | 90 | | | M 441 10.0 | | | 52.9 | | | <u> </u> |
| -80 | | 1 | | Dark gray COARSE | , Wet, | IVIUM | | | | | | 60 |
| | | | | COARSE | SAND | | | | | | | |
| | | | | | | | | | | | | |
| | |] | | #10 / 4 | | | | | | | | |
| | S-13 | 11 | 85 | | | | | | | | | |
| 65 | | | | | | | | SP | | | | 65 |
| $\vdash \vdash \vdash$ | | | | (4) (4) | | | | - | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | S-14 | | | | | | | | | | | |
| 70 | 3-14 | 20 | 90 | | ALLU | VIUM | 70.0'- | | 14.9 | | | 70 |
| | | | | | Bottom of B | oring @ 70' | | | | | • | |
| | ! | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | Ì | | | | | | | | | |
| 75 | | | | | | | | | | | : | |
| | | | | | | | | | | | | 75 |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | <u> </u> |
| | | | | | | | | | | | | |
| | | | | | | | | | | | , | |
| | | l | l | | DPO I | ECT: Drilled Sha | e lasa | Tacto | | l | | |
| | | 70 | • | | | FION: 40th 044 | | ests | _ | | | |

GSI Geotechnical Services, Inc. 2853 99th Street, Des Moines, IA 50322 (515) 270-8642 FAX (515) 270-1911

LOCATION: 12th Street & Broadway, Council Bluffs, IA

JOB NO.: 086103 DATE: 6-23-08

| | | | | | BORING L | OG No. TS 2 | | - | | | * | |
|--|-----------------|---------|------|-----------------------|--|--------------------|--------------------|--------|------|--------------|------------------|--------------|
| В | ORING NO. | | | ON OF BORING | ELEVATION | DATUM | | RILLER | | | GGER | |
| ļ | TS 2 | | | S2 Stake OBSERVATIONS | 987.42 | IDOT Plan Sheet | | DAH | | | JLW | |
| WHIL | E EN | ID OF | | 4 HOURS | | | SURFACE | | | | ILL RIG | |
| DRILL | | ILLING | | ER DRILLING | | | G METHOD | 1 | | | B-57 J. DEPTI | |
| 20 | | 16 | | | | 3 1/4" Hollow Stem | | | | 1012 | 70' | <u></u> |
| | | MPLE DA | TA | | SOIL | DESCRIPTION | | | LAB | ORATORY | | T - |
| DEP. FT. | SAMPLE NO. & | BLOW: | % | | COLOR, MOISTURE | , CONSISTENCY | | USCS | % | DRY | Qu | DEP |
| ' ' | TYPE | (FT) | REC. | GE | OLOGIC DESCRIPTION | N & OTHER REMARKS | | CLASS. | MC | DENS. pcf | psf | FT. |
| | | | | Dark b | rown and gray mixed. Mo | | ···· | | | P4. | | _ |
| | | | | traces | SILTY CLAY of brick and crushed rock | , | | | | | | \vdash |
| | | İ | | | | | | | | | | |
| | | 1 | | | | | | CL-CH | | | | |
| L | 0.4 | 1 40 | | | | | | | | | | L |
| 5 | S-1 | 12 | 90 | | FI | LL | 5,0 ¹ - | | 22.3 | | | 5 |
| | | | | Dark be | rown to gray, Very moist to SOFT SILTY CLAY | | 3,0 | | 1 | | | |
| | | | | | O GOLLI OLI | | | | | | | |
| | | | | | | | | | | | | |
| $\vdash \vdash \vdash$ | | 1 | | | | | | | | | | <u> </u> |
| $\vdash \vdash \vdash$ | S-2 | 9 | 95 | Y /// | | | | | 34.8 | | | <u></u> |
| 10 | | 1 | 1 | | | | | CL | | | | 10 |
| $\vdash \vdash \vdash$ | | | | <i>Y//</i> / | | | | | | | | <u></u> |
| L | | | | | | | | | | | | |
| | | | | | | | | 1 | | | | |
| } | | 4 | | <i>[///</i>] | | | | | | | | - |
| 15 | S-3 | 5 | 90 | | Al 11 | IVIUM | | ł | 27.8 | | | |
| " | | 1 | | Gray to | light gray, Very moist, | TYTOM | 15.0 | | | | | 15 |
| | | | | SOFT: | SILTY CLAY | | | | | | | |
| | | | | | | | | | | | | |
| | | | | K /// | | | | CL | | | | |
| | S-4 | 5 | 90 | | | | | | 1 | | | |
| 20 | 3-4 |] " | 30 | | ALL | VIUM | 20.0 [.] | | 35.1 | | Ì | <u>⊽</u> 20 |
| | | | | Gray b | rown to gray, Wet, | | 20.0 | | | | | = |
| | | | İ | | | | | | | | | |
| | | | | | | | | | | | | |
| | | 4 | | | | | | | | | | |
| \vdash | S-5 | 7 | 85 | [] | | | | | 22.3 | | | |
| 25 | | 1 | | | | | | 1 | | | | 25 |
| $\vdash\vdash\vdash$ | | | | | | | | | | | | <u></u> |
| igwdapprox igwedge | |] | | | | | | | | | | <u></u> |
| igsqcut | | 1 | | | | | | | | | | |
| | | 1 | | | | | | | | | | |
| _30 | S-8 | 9 | 95 | | | | | | 24.4 | | | 20 |
| | | 1 | | [| | | | | | | | 30 |
| \Box | | | | | | | | 1 | | | | <u> </u> |
| | | | | [] | | | | | | | | <u> </u> |
| | | 1 | | | | | | | | | | <u> </u> |
| | S-7 | 23 | 90 | | | | | | 25.4 | | | <u></u> |
| 35 | - · · | 1 ~~ | 30 | | | | | | 20.4 | | | 35 |
| | | 1 | | | | | | | 1 | |] | |
| | | | | | | | | | | | | |
| | | | 1 | | | | | SP-SM | | | | |
| | | 4 | | | | | | |] | | 1 | |
| | S-8 | 14 | 90 | [HH] | | | | | 24.9 | 1 | | - |
| | (company) | | | <u> </u> | DPO | IECT: Drilled Sh | -61 | | | <u> </u> | <u> </u> | |

GSI Geotechnical Services, Inc. 2883 99th Street, Dee Moines, IA 50322 (515) 270-8842 FAX (515) 270-1911 **PROJECT: Drilled Shaft Load Tests**

LOCATION: 12th Street & Broadway, Council Bluffs, IA

JOB NO.: 086103 **DATE:** 6-24-08

| | | | | | BORI | NG L | OG No. TS 2 | | | ······ | | | · |
|------------------------|---------------|--|------|--------------------------|--------------|-------------|------------------------------------|-----------------------|-----------------|----------|---------|-------------|--------------|
| | ORING NO |). | | ON OF BORING | ELEV | ATION | DATUM | | RILLER | | LÇ | GGER | |
| | TS 2 | WAT | | S2 Stake | | 7.42 | IDOT Plan Sheet | | DAH | | | JLW | |
| WHI | LE F | ND OF | | OBSERVATIONS 14 HOURS | <u> </u> | | | F SURFACE | | | | ILL RIG | |
| DRILL | | RILLING | | ER DRILLING | | | | and Weeds G METHOD | | | | B-57 | |
| 20 | | 16 | | | | | 3 1/4" Hollow Stem | | | | TOTA | L DEPTI | <u></u> |
| | \$/ | AMPLE DA | TA | | | SOIL | DESCRIPTION | voñer mint c | ZITHERING IVICU | LAB | ORATORY | 70' | _ |
| DEP. FT. | SAMPLE | "N" | . % | | COLOR, A | MOISTURE | , CONSISTENCY | | USCS | % | DRY | | DEF |
| ' '' | NO. & TYPE | BLOW: | REC. | ١ , | SEOLOGIC DES | SCRIPTIO | N & OTHER REMARKS | | CLASS. | MC | DENS. | Qu psf | FT. |
| | | | | :::::: | | | THE OTTEN THE METERS OF THE SECOND | | | | pcf | • | |
| | | | | | | | | | | 1 | | | |
| | | ļ | İ | | | | | | • | | | | |
| | | | | | | | | | | | | | _ |
| | | ┪ | | | | | | | | | | | |
| 45 | S-9 | 18 | 90 | | | | | | | 26.0 | | | |
| | | 1 | 1 | | | | | | | | | | 45 |
| | | | | | | | | | l . | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | S-10 | 21 | 95 | | | | | | | | | Ì | |
| 50 | 3-10 | | 95 | | | | | | | 20.9 | | | 50 |
| | | | | | | | | | | | | | <u> </u> |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | <u> </u> |
| | | _ | | | | | | | | | | | <u> </u> |
| | S-11 | 12 | 85 | | | | | | | 24.5 | | | <u></u> |
| 55 | | - | | O Dark | gray, Wet, | ALLU | VIUM | 55,04 | | 24.5 | | | 55 |
| | | | | COA | RSE SAND | | | | | | | | , |
| | | | 1 | trace | gravel | | | | | | | | |
| | | • | | P:5:::9 | | | | | | | | | |
| | | 4 | | 660 0 6950 | | | | | | | | | \vdash |
| 60 | S-12 | 15 | 85 | ° 0.0 | | | | | | 25.9 | | | |
| | | 1 | | i 등 | • | | | | | | | | 60 |
| | | | | 360 | | | | | | | | | |
| | | | l | 0.00 | | | | | | | | | <u></u> |
| <u> </u> | | | | 916 1 | | | | | SP | | | | 1 |
| | • • • | † <u>. </u> | | 8, 59 | | | | | | | | | |
| 65 | S-13 | 17 | 85 | 5:30 | | | | | | 19.9 | | | |
| | | | | 58 K | | | | | | | | | 65 |
| | | | | တို့ထိုင္မ | | | | | | | | | |
| | | | | ģ.: 'δ | | | | | | | | | <u> </u> |
| | | | | 0.00 | | | | : | | | | | |
| | S-14 | 21 | 80 | 0 00 | | | | | | | | | |
| 70 | | - - | | . v9: 9; c | | ALLU | VIUM | 70.0 | | 20.8 | | | 70 |
| | | | | | B | sottom of B | oring @ 70' | 70.0 | | | | | |
| | | | | | | | | | | | | | _ |
| [] | | 1 | | | | | | | | | | | <u> </u> |
| | | | | | | | | | | | | | - |
| | | 1 | | | | | | | | | | | <u> </u> |
| 75 | | | | | | | | | | | | | 75 |
| $\vdash \vdash \vdash$ | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | 1 | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | PROJ | ECT: Drilled Sha | aft Load | Tests | | | | · |

Geotechnical Services, Inc. 2863 99th Street, Des Moines, IA 50322 (515) 270-8542 FAX (515) 270-1911

LOCATION: 12th Street & Broadway, Council Bluffs, IA

JOB NO.: 086103 **DATE:** 6-24-08

| | ORING NO | | 100 | ALL AF 3.5 | *** | BORING L | | <u>S 3</u> | | | | | | |
|--------------|-------------------------|--------------|------|-----------------------------|--------------------------|-----------------------------------|---------------|------------|---------|----------------|---------|--------------|--------------|--------------------|
| | TS 3 | J | | ON OF BOR | ING | ELEVATION 087 84 | DATUM | | | RILLER | | | GGER | * |
| | ,50 | WAT | | OBSERVAT | IONS | 987.84 | IDOT Plan Sh | | IIBE4A- | DAH | _ | | JLW | |
| WHIL | 3 | END OF | | 4 HOURS | | | | YPE OF 8 | | | - | | ILL RIG | |
| DRILL | | RILLING | AFT | ER DRILLIN | IG | | | RILLING I | | | -+ | | B-57 | i |
| 20 | | 17 | | | | | 3 1/4" Hollow | | | | | | 80' | |
| DEP. | | AMPLE DA | TA | | | \$OIL | DESCRIPTION | | | | LAB | ORATORY | _: - | |
| FT. | SAMPLE NO. & TYPE | BLOW(| REC. | | | COLOR, MOISTURE | | ika | | USCS CLASS. | % MC | DRY DENS. | Qu psf | DEP. FT. |
| | - | | | XXX 9 | Dark brow | n and gray mixed. Mo | ist, | 4.0 | | | _ | pcf | - | ├ |
| | | | | | Stiff Sil traces of i | TY CLAY orick and crushed rock | • | | | | | | | |
| | | : | | | | | | | | CL-CH |] . | | | |
| | | 4 | | \bowtie | | | | | | OL-OIT | | | | |
| | S-1 | 14 | 85 | | | E | ш | | | | 18.5 | | | |
| 5.5 | _ | 7 | | | Gray brow | m to gray, Very moist | | | 5.04 | | | | | 5.5 |
| | | | | <i> /// </i> [§] | STIFF to S | SOFT SILTY CLAY | | | | | | | ĺ | |
| | | | | | | | | | | | | | | |
| | | _ | | | | | | | | | | | | - |
| | S-2 | 6 | 90 | | | • | | | | | 26.7 | | | <u> </u> |
| | | 1 | | $V//\lambda$ | | | | | | | "", | | | ļ |
| | | | | | | | | | | | | | | 11 |
| | | | | | | | | | | | | | | |
| <u></u> | | _ | ĺ | | | | | | | CL | | | | |
| | 5-3 | 4 | 85 | | | | | | | | 34.7 | | | |
| | | - | | | | | | | | | 34.7 | | | |
| 16.5 | | | | | | | | | | | | | | 100 |
| | | | | | | | | | | | | | | 16,5 <u>-</u> 7 |
| | | | | | | , | | | | | | | | <u> </u> |
| | S-4 | 5 | 85 | | | | | | | | | | | <u> </u> |
| | | - | | /// | Grav brow | n to gray, Wet, | VIUM | | 20.0 | | 38.5 | | | = |
| | | | | | FINE SAN | D | | | | | | | ĺ | <u> </u> |
| 22 | | | | | | | | | | | | | | 22 |
| | | | | | | | | | | | | | | |
| —Г | S-5 | 6 | 90 | | | | | | | | ا ا | | | |
| } | | - <u> </u> | | | | | | | | | 24.4 | | | |
| | | | | ! ::::: | | | | | ŀ | | | | | |
| 27.5 | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | 27.5 |
| | S-6 | 23 | 95 | [:::::] | | | | | | | | | | |
| | 3-0 | _ 23 | 95 | F.::::: | | | | | | | 24.0 | | | |
| | | | | | | | | | | | | | | |
| | | | | [<u>]</u> | | | | | | ļ | | | | |
| 33 | | | | [::::: :] | | | | | | | | | | 33 |
| | ^- | - | | | | | | | | | | | | |
| | S-7 | 38 | 85 | | | | | | | | 25.7 | | | |
| | | | | | | | | | | | | | | |
| | | | | F | | | | | ļ | | | | | |
| <u></u> | | | | | | | | | l | | | | | ļ |
| 38,5 | | 1 | | | | | | | | | | | | 38.5 |
| | S-8 | 11 | 90 | | | | | | | | 29.1 | | | |
| —— | | | | | | | | | | SP-SM | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | İ | | | | |
| <u>_</u> | | ┨ | | | | ALLU | VIUM | | 1 | | | | | |
| | | 70 | | | | DBOI | ECT: Drilled | 01-0 | | | | | | <u> </u> |

GSI Geotechnical Services, Inc. 2863 99th Street, Des Moines, IA 50322 (515) 270-8542 FAX (515) 270-1911

LOCATION: 12th Street & Broadway, Council Bluffs, IA


JOB NO.: 086103 DATE: 6-24-08

| | | | | | E | BORING L | OG No. TS 3 | | | | | * | |
|--------------|-----------------|-------------|------------|-----------------|----------------------|---------------------|-----------------------|------------------------|--------------|-----------------|--------------|-------------|-------------|
| E | BORING NO |). | | ON OF BO | | ELEVATION | DATUM | | RILLER | | LO | GGER | |
| | TS 3 | | | S2 Stake | | 987.84 | IDOT Plan Sheet | | DAH | | | JLW | |
| WHI | IF F | ND OF | ER LEVEL 0 | 4 HOURS | | · | | F SURFACE | | _ | | ILL RIG | |
| DRILL | | RILLING | | ER DRILL | | | DRILLIN | and Weeds IG METHOD | | | | B-57 | , |
| 20 | | 17 | | | | | 3 1/4" Hollow Stem | | | - - | 1014 | L DEPTH | ' — |
| | 8, | AMPLE DA | TA | | | \$OIL | DESCRIPTION | riago. mar z | Jiming Wilde | LAB | ORATORY | | |
| DEP. FT. | SAMPLE NO. & | "N" BLOW | . % | | (| COLOR, MOISTURE | , CONSISTENCY | - | USCS | % | DRY | Qu | DEP. |
| l ''' | TYPE | (FT) | REC. | | GEOL | OGIC DESCRIPTIO | N & OTHER REMARKS | | CLASS. | MC | DENS. pcf | psf | FT. |
| | S-9 | 13 | 90 | | | | | | | 30.1 | poi | | - |
| | | _ | | | Gray brown | n to gray, Wet, | | | , | | | İ | |
| | | | 1 | | FINE SANI | ס | | | ′ | | | l | |
| | | | - 1 | l:::::: | | | | | | | | ŀ | |
| | | _ | | | | | | | | | | | |
| 49.5 | S-10 | 18 | 90 | | | | | | | 26.7 | | | 49,5 |
| | | _ | | | | | | | | 20.1 | | | 78,5 |
| | | | | | | | | | | | | 1 | |
| | | | | | | | | | | | | | <u> </u> |
| | | | | | | | | | | | | | |
| | S-11 | 24 | 90 | | | | | | | | | | |
| 55 | J-11 | ⊣ ~ | | | | | | | | 29.6 | | | 55 |
| | | | | | | | | | | | | | |
| | | | ŀ | | | | | | | | | - | |
| | | i . | ŀ | <u> </u> :::::: | | | | | | | | | |
| | 0.40 | ٦. | | | | | | | | | | | |
| 60.5 | S-12 | 6 | 85 | :::::: | | ALL | IVIUM | 60.0° | | 33.8 | | | |
| 60.5 | | | | တိုင္ | Dark gray, COARSE | Wet, SAND | | 00.0 | | | | | 60.5 |
| | | | ļ | 0: | trace grave | 1 | | | | | | | —— |
| | | 1 | ļ | ્રિજ્જિલ્ફુ | | | | | | | | | |
| | _ | \dashv | | 0.0 | | | | | | | | 1 | |
| | S-13 | | 85 | , A.O. | | | | | | 21.2 | | | |
| . 66 | | | | 288 | | | | | | | | | 66 |
| | | 1 | | · 6 | | | | | | | | | |
| | | | - | (g | | | | | | | | 1 | |
| | | - | | . 900 | | | | | | | , | | |
| | S-14 | 29 | 85 | 2 G | | | | | | 13.3 | | | |
| | | 7 | | 000 | | | | | SP | | | | |
| 71.5 | l | | | 0 00 | | | | | | | | | 71.5 |
| | | 1 | | 0,00 | | | | | | | | | |
| | ļ | 4 | | . g . oq | | | | | | | | | |
| L | S-15 | 10 | 85 | | | | | | | 20.6 | | | |
| | | 7 | | 2:0:00 | | | | | | | | | H |
| 77 | ĺ | | | 9: % | | | | | 1 | | | | \vdash |
| 77 | 1 | | | ::o:;öÖ | | | | | | | | | 77 |
| | | | | မ်ပ္ပိုင္သမ | | | | | | | | • | |
| | S-16 | 14 | 85 | 5000 | | | B 04 44 5 | | | 16,6 | ļ | 1 | |
| <u> </u> | | + | | 3. 76 | | ALL! Bottom of I | JVIUM Boring @ 80' | 0.08 | | <u> </u> | | ├ | |
| | 1 | | | | | | | | | l | | | |
| 82.5 | l | | ŀ | 1 | | | | | | | | | 82.5 |
| | | | | | | | | | | l | | | 72.0 |
| | 1 | | | 1 | | | | | | 1 | | | ļ |
| | | 1 | | | | | | | | | | | |
| | 1 | | | | | | | | | | | | |
| | 1 | 1 | | ŀ | | | | | | ł | | | |
| | | | i | <u> </u> | | 222 | FOT. Date 101 | - 61 : | | <u> </u> | l | | |
| 1 | | | | | | PRO | IECT: Drilled Sh | aπ Load | ı i estş | | | | |

GSI Geotechnical Services, Inc. 2863 99th Street, Dee Moines, IA 60322 (515) 270-8842 FAX (615) 270-1911

LOCATION: 12th Street & Broadway, Council Bluffs, IA

JOB NO.: 086103 DATE: 6-24-08



ESTIMATED QUANTITIES

ESTIMATE REFERENCE INFORMATION

- 2. INCLUDES THE COST ASSOCIATED WITH THE MOBILIZATION AND DEMOBILIZATION OF ANY EQUIPMENTS NECESSARY FOR INSTALLING THE TEST DRILLED SHAFTS.
- INCLUDES THE COST OF ALL LABOR, MATERIALS, AND EQUIPMENT ASSOCIATED WITH POST ORDUTING, AND FINAL REPORTS IN ACCORDANCE WITH SPECIAL PROVISION, POST PRESSURE GROUTING. INCLUDES THE GOST OF MOBILIZATION AND DEMOBILIZATION OF EQUIPMENTS FOR POST-PRESSURE GROUTING.
- INCLUDES THE COST OF ALL LABOR, MATERIALS, AND EQUIPMENT ASSOCIATED ATTH THE INSTRUMENTATION OF THE TEST DRILLED SHAFTS AND PEOPLOMING AND REPORTING THE STATMAND LOAD TEST IN ACCOMMANDE WITH SPECIAL PROVISION, STATMAND COMES THE COST OF MOBILIZATION AND DEMOBILIZATION OF EQUIPMENTS FOR STATMAND LOAD TEST.
- 5. INCLIDES ALL LABOR, MATERIALS, AND EQUIPMENT NECESSARY TO INSTALL DRILLED SHAFTS IN ACCORDANCE WITH SPECIAL PROVISION, TEST ORILLED SHAFT AND SEPTLEMENTAL SPECIFICATION 01032, CONDECTE ORILLED SHAFT, INCLIDES THE COST OF ALL LABOR, MATERIALS, AND EQUIPMENT TO RESTORE LOAD TEST SITE TO ITS ORIGINAL CONDITION.

DESIGN STRESSES FOR THE FOLLOWING MATERIALS ARE IN ACCORDANCE WITH MASHTO STANDARD SPECIFICATIONS FOR HIGHAY BRIDGE, 17TH EDITION, 2002.

STEEL CASING, ASTH A252, GRADE 2. REINFORCING STEEL, ASTH A615 GRADE 60. CONCRETE, FC" - 4000 PSI.

CONSTRUCTION. DAA DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS FOR HIGHMAY AND BRIDGE CONSTRUCTION, SERIES OF 2001, PULS, APPL CABLE SUPPLEMENTAL SPECIFIONS AND STANDARD CLOOP TEST.
SPECIAL PROVISIONS FOR, TEST ORILLED SWAFT, POST PRESSURE GROUTING AND STANDARD LOAD TEST.

DESIGN STRESSES

SPECIFICATIONS:

ages or sheets covered by this seats DSLT-01-05-172

GEOTECHNICAL DESIGN 10/129/07

DRILLED SHAFT LOAD TEST

DOWN DEPARTMENT OF TRANSPORTATION - HIGHRAY DIVISION DEPOK SHEET HAN 1 OF 2 FEE HA. 30083 DESSHI HA. 3008 NIS-80-1(310)()-41-78 SHEET HAMBER DISLIGIO POTTAWATTAMIE COUNTY QUANTITIES


16:45 roucking Calvorkdir - Broadway Yladuct-185034\Test_Drilled_Sheft.dgn

24-0CT-2007

DESIGN TEAM HOWA DOTNOHEM HILL

POTTAWAJTAMIE COUNTY PROJECT NUMBER

My license renewal data to December 31, 20 08.



GEORGE KELK CORPORATION

LOAD CELL CALIBRATION REPORT

 Model No.:
 C3929
 Work Order No:
 JR8883

 Serial No.:
 15
 Bridge 1 of 1
 Test date:
 01-10-2008

Capacity: 1800000 kg Test by: WP

Calibration facility: 8000000 lb

| Preload | Load % | Load [kg] | Load cell output [mV/V] |
|---------|--------|-----------|-------------------------|
| 1 | 150.3 | 2704605.3 | 2.0936 |
| 2 | 150.3 | 2704526.0 | 2.1003 |
| 3 | 150.1 | 2701455.0 | 2.1003 |
| | | | |
| | | | |

| | Coefficients of straight line fit: OUTPUT = A+B*LOAD | | Theoretical output at full load | Maximum | Maximum | Number |
|----------------------|--|-------------|---------------------------------|-----------|------------|----------|
| Test No. | | | OUTPUT = A+B*LOAD B*CAPACITY | | hysteresis | of test |
| A [mV/V] B [mV/V/kg] | | B [mV/V/kg] | [mV/V] | error [%] | error [%] | samples: |
| 1 | -0.0082 | 7.8177E-07 | 1.4072 | 0.297 | 0.348 | 670 |
| 2 | -0.0081 | 7.8175E-07 | 1.4072 | 0.293 | 0.340 | 678 |
| 3 | -0.0082 | 7.8172E-07 | 1.4071 | 0.303 | 0.333 | 677 |
| | | | | | | |
| | | | | | | |

Load values were based on the output from master calibration load cells,

C1880_12, C1880_13, C1880_14, C1880_15, C1880_16, C1880_17, C1880_18, C1880_19 calibrated in accordance with ASTM specification E 74-91 against standard traceable to the National Institute of Standards and Technology in Washington D.C. USA. Based on the test data from 3 load cycles, the load cell output vs. applied load is represented by the straight line equation of the form: OUTPUT=A+B*LOAD, where the coefficients A and B are as follows:

A = -0.0082 mV/V B = 7.81748E-07 mV/V/kg

Optimized full load sensitivity=B*CAPACITY = 1.4071 mV/V

Standard deviation of least squares fit: s = 0.0015 mV/VUncertainty (ASTM E74-91) = 2.4*s = 0.0036 mV/V

or 4633.6 kg

or 0.26 % of full scale output

Output with shunt resistor put across BLACK and WHITE leads:

| ווע או | | acioss BLACK a | ilid WIIIIL | | D OLIMBIA | |
|--------|------------|----------------|-------------|------------|-----------|-----------|
| | Shunt Res. | OUTPUT(shunt) | | SIMULATI | ED OUTPUT | • |
| | [K-ohm] | [mV/V] | % | [N] | [kg] | [lb] |
| => | 50 | 1.2057 | 85.69 | 15125303.8 | 1542317.7 | 3400302.8 |
| -> | 100 | 0.6038 | 42.91 | 7574408.9 | 772357.7 | 1702794.5 |
| -> | 150 | 0.4028 | 28.62 | 5052598.4 | 515210.3 | 1135869.1 |
| | 200 | 0.3021 | 21.47 | 3790286.9 | 386493.2 | 852090.2 |
| | 250 | 0.2418 | 17.18 | 3033017.8 | 309274.9 | 681849.4 |
| | 300 | 0.2015 | 14.32 | 2528083.2 | 257787.1 | 568335.6 |
| | 350 | 0.1728 | 12.28 | 2167129.3 | 220980.8 | 487189.9 |
| | 400 | 0.1512 | 10.74 | 1896347.3 | 193369.3 | 426315.7 |
| | 500 | 0.1210 | 8.60 | 1517683.5 | 154757.2 | 341188.7 |
| | 600 | 0.1008 | 7.17 | 1264841.3 | 128975.1 | 284347.6 |
| | 700 | 0.0865 | 6.15 | 1084787.3 | 110615.1 | 243869.8 |
| | 800 | 0.0756 | 5.37 | 948562.3 | 96724.3 | 213245.2 |

Maximum test linearity error 0.303 % of full scale output
Maximum test hysteresis error 0.348 % of full scale output
Maximum test repeatability error 0.013 % of full scale output

GEORGE KELK CORPORATION

LOAD CELL CALIBRATION REPORT

 Model No.:
 C3929
 Work Order No:
 JR8883

 Serial No.:
 15
 Bridge 1 of 1
 Test date:
 01-10-2008

Capacity: 1800000 kg Test by: WP

Calibration facility: 8000000 lb

| Load Applied Load Cell Load Applied Load Cell Load Cell Load Cell Load Cell Load Cell Load Cell Load Cell Load Cell Load Cell Load Cell Load Cell Kigl [mV/V] % Kigl [mV/V] % Kigl [mV/V] % Kigl [mV/V] % Kigl [mV/V] % Kigl Kig | | Test No.1 | | | Test No.2 | | | Test No.3 | |
|--|--------|-----------|-----------|-------|-----------|--------|-------|-----------|-----------|
| Step Load Qutput Step Load Reg RivVV % Riv RivVV % Riv RivVV % Riv RivVV % Riv RivVV % Riv RivVV % Riv RivVV % Riv RivVV % Riv RivVV % Riv RivVV % Riv RivVV % Riv RivVV % Riv RivVV % Riv RivVV % Riv RivVV % | Load | | Load Cell | Load | | | Load | | Load Cell |
| % [kg] [mV/V] % [kg] [mV/V] % [kg] [mV/V] 10.03 180485.0 0.1370 10.04 180757.2 0.1373 10.06 181168.2 0.1376 15.08 271424.9 0.2066 15.09 271647.1 0.2068 14.86 267464.0 0.2035 20.10 361845.1 0.2766 19.96 359317.4 0.2746 20.07 361170.8 0.2758 25.13 452304.3 0.3470 25.01 450166.5 0.3453 24.97 449399.8 0.3445 30.02 540363.9 0.4156 30.02 54040.2 0.4157 29.87 537619.4 0.4133 34.88 627791.0 0.4839 35.05 630818.3 0.4863 35.10 631796.9 0.4863 38.86 717518.4 0.5540 40.10 721728.3 0.5573 39.89 717983.3 0.5542 45.12 812184.9 0.6281 45.10 811796.9 0.6277 <t< td=""><td>Step</td><td></td><td></td><td>Step</td><td></td><td></td><td></td><td></td><td></td></t<> | Step | | | Step | | | | | |
| 10.03 180485.0 0.1370 10.04 180757.2 0.1373 10.06 181168.2 0.1376 15.08 271424.9 0.2066 15.09 271647.1 0.2068 14.86 267464.0 0.2035 26.10 361845.1 0.2766 19.96 359317.4 0.2746 20.07 361170.8 0.2758 25.13 452304.3 0.3470 25.01 450166.5 0.3453 24.97 449399.8 0.3445 30.02 540363.9 0.4156 30.02 540440.2 0.4157 29.87 537619.4 0.4133 34.86 627791.0 0.4839 35.05 630818.3 0.4863 35.10 631796.9 0.4869 45.12 812184.9 0.6281 45.10 811796.9 0.6277 44.95 80910.09 0.6255 49.90 898207.3 0.6953 50.13 902302.7 0.6984 50.05 990879.2 0.6972 59.89 1078024.9 0.8358 60.00 1079919.5 | | [kg] | | | | | | | • |
| 15.08 271424.9 0.2066 15.09 271647.1 0.2068 14.86 267464.0 0.2035 20.10 361845.1 0.2766 19.96 359317.4 0.2746 20.07 361170.8 0.2758 25.13 452304.3 0.3470 25.01 450166.5 0.3453 24.97 449399.8 0.3445 30.02 540363.9 0.4156 30.02 540440.2 0.4157 29.87 537619.4 0.4133 34.88 627791.0 0.4839 35.05 630818.3 0.4863 35.10 631796.9 0.4869 39.86 717518.4 0.5540 40.10 721728.3 0.5573 39.89 717983.3 0.5545 45.12 812184.9 0.6285 50.13 902302.7 0.6984 50.05 900879.2 0.6972 44.91 988302.9 0.7657 55.05 99083.6 0.7677 55.12 992080.0 0.7684 59.89 1078024.9 0.8358 60.00 1079919.5 | 10.03 | | | 10.04 | | | | | 0.1376 |
| 25.13 452304.3 0.3470 25.01 450166.5 0.3453 24.97 449399.8 0.3445 30.02 540363.9 0.4156 30.02 540440.2 0.4157 29.87 537619.4 0.4133 34.88 627791.0 0.4839 35.05 630818.3 0.4863 35.10 63176.9 0.4869 39.86 717518.4 0.5540 40.10 721728.3 0.5573 39.89 717983.3 0.5542 45.12 812184.9 0.6281 45.10 811796.9 0.6277 44.95 809100.9 0.6255 49.90 898207.3 0.6953 50.13 902302.7 0.6984 50.05 900879.2 0.6972 59.89 1078024.9 0.8358 60.00 1079919.5 0.8372 59.91 1078359.0 0.8359 64.87 1167659.1 0.9058 65.02 1170385.8 0.9079 64.92 1186823.6 0.9064 70.05 1260959.6 0.9786 69.94 1259006.0 | 15.08 | 271424.9 | 0.2066 | | 271647.1 | 0.2068 | 14.86 | | 0.2035 |
| 30.02 540363.9 0.4156 30.02 540440.2 0.4157 29.87 537619.4 0.4133 34.88 627791.0 0.4839 35.05 630818.3 0.4863 35.10 631796.9 0.4863 39.86 717818.4 0.5540 40.10 721728.3 0.5573 39.89 71798.3 0.5542 48.12 812184.9 0.6255 40.10 721728.3 0.5677 44.95 809100.9 0.6255 49.90 898207.3 0.6953 50.13 902302.7 0.6984 50.05 900879.2 0.6972 54.91 988332.9 0.7657 55.05 990983.6 0.7677 55.12 992080.0 0.7684 59.89 1078024.9 0.8358 60.00 1079919.5 0.8372 59.91 1078359.0 0.8359 64.87 1167659.1 0.9058 65.02 1170385.8 0.9079 64.92 1168623.6 0.9064 70.05 1260959.6 0.9786 69.94 1259006.0 | 20.10 | 361845.1 | 0.2766 | 19.96 | 359317.4 | 0.2746 | 20.07 | 361170.8 | 0.2758 |
| 34.88 627791.0 0.4839 35.05 630818.3 0.4863 35.10 631796.9 0.4869 39.86 717518.4 0.5540 40.10 721728.3 0.5573 39.89 717983.3 0.5542 45.12 812184.9 0.6281 45.10 811796.9 0.6277 44.95 809100.9 0.6255 49.90 898207.3 0.6953 50.13 902302.7 0.6984 50.05 900879.2 0.6972 54.91 988332.9 0.7657 55.05 990983.6 0.7677 55.12 992080.0 0.7684 59.89 1078024.9 0.8358 60.00 1079919.5 0.8372 59.91 1078359.0 0.8359 64.87 1167659.1 0.9058 65.02 1170385.8 0.9079 64.92 1168623.6 0.9064 70.05 1260959.6 0.9786 69.94 1259006.0 0.9770 69.94 125840.6 0.9769 48.80 1527811.1 1351902.6 1.0495 74.91 | 25.13 | 452304.3 | 0.3470 | 25.01 | 450166.5 | 0.3453 | 24.97 | 449399.8 | 0.3445 |
| 39.86 717518.4 0.5540 40.10 721728.3 0.5573 39.89 717983.3 0.5542 45.12 812184.9 0.6281 45.10 811796.9 0.6277 44.95 809100.9 0.6255 49.90 898207.3 0.6953 50.13 902302.7 0.6984 50.05 900879.2 0.6972 54.91 988332.9 0.7657 55.05 990983.6 0.7677 55.12 992080.0 0.7684 59.89 1078024.9 0.8358 60.00 1079919.5 0.8372 59.91 1078359.0 0.8359 64.87 1167659.1 0.9058 65.02 1170385.8 0.9079 64.92 1168623.6 0.9069 74.98 1349673.8 1.0478 75.11 1351902.6 1.0495 74.91 1348332.3 1.0466 80.10 1441841.6 1.1196 79.99 1439772.3 1.180 80.08 1441399.1 1.192 84.88 1527811.4 1.1867 85.04 1530737.8 <td>30.02</td> <td>540363.9</td> <td>0.4156</td> <td>30.02</td> <td>540440.2</td> <td>0.4157</td> <td>29.87</td> <td>537619.4</td> <td>0.4133</td> | 30.02 | 540363.9 | 0.4156 | 30.02 | 540440.2 | 0.4157 | 29.87 | 537619.4 | 0.4133 |
| 45.12 812184.9 0.6281 45.10 811796.9 0.6277 44.95 809100.9 0.6255 49.90 898207.3 0.6953 50.13 902302.7 0.6984 50.05 900879.2 0.6972 54.91 988332.9 0.7657 55.05 990983.6 0.7677 55.12 992080.0 0.7684 59.89 1078024.9 0.8358 60.00 1079919.5 0.8372 59.91 1078359.0 0.8358 64.87 1167659.1 0.9058 65.02 1170385.8 0.9079 64.92 1168623.6 0.9064 70.05 1260959.6 0.9786 69.94 1259006.0 0.9770 69.94 1258940.6 0.9769 74.98 1349673.8 1.0478 75.11 1351902.6 1.0495 74.91 1348332.3 1.0466 80.10 1441841.6 1.1196 79.99 1439772.3 1.1180 80.08 1441399.1 1.1192 89.89 1617998.1 1.2569 90.01 1620222 | 34.88 | 627791.0 | 0.4839 | 35.05 | 630818.3 | 0.4863 | 35.10 | 631796.9 | 0.4869 |
| 49.90 898207.3 0.6953 50.13 902302.7 0.6984 50.05 900879.2 0.6972 54.91 988332.9 0.7657 55.05 990983.6 0.7677 55.12 992080.0 0.7684 59.89 1078024.9 0.8358 60.00 1079919.5 0.8372 59.91 1078359.0 0.8359 64.87 1167659.1 0.9058 69.94 1259006.0 0.9770 64.92 1168623.6 0.9068 70.05 1260959.6 0.9786 69.94 1259006.0 0.9770 69.94 1258940.6 0.9769 74.98 1349673.8 1.0478 75.11 1351902.6 1.0495 74.91 1348332.3 1.0466 80.10 1441841.6 1.1196 79.99 1439772.3 1.1180 80.08 1441399.1 1.1192 84.88 1527811.4 1.1867 85.04 1530737.8 1.1890 84.96 1529232.5 1.1876 89.89 1617998.1 1.2569 90.01 1620 | 39.86 | 717518.4 | 0.5540 | 40.10 | 721728.3 | 0.5573 | 39.89 | 717983.3 | 0.5542 |
| 54.91 988332.9 0.7657 55.05 990983.6 0.7677 55.12 992080.0 0.7684 59.89 1078024.9 0.8358 60.00 1079919.5 0.8372 59.91 1078359.0 0.8359 64.87 1167659.1 0.9058 65.02 1170385.8 0.9079 64.92 1168623.6 0.9064 70.05 1260959.6 0.9786 69.94 1259006.0 0.9770 69.94 1258940.6 0.9766 80.10 1441841.6 1.1196 79.99 1439772.3 1.1180 80.08 1441399.1 1.1192 84.88 1527811.4 1.1867 85.04 1530737.8 1.1890 84.96 1529232.5 1.1876 89.89 1617998.1 1.2569 90.01 1620222.8 1.2588 89.97 1619467.4 1.2580 95.11 1711933.3 1.3301 94.97 1709486.3 1.3282 95.07 1711177.6 1.3284 94.92 1708535.5 1.3272 94.97 1 | 45.12 | 812184.9 | 0.6281 | 45.10 | 811796.9 | 0.6277 | 44.95 | 809100.9 | 0.6255 |
| 59.89 1078024.9 0.8358 60.00 1079919.5 0.8372 59.91 1078359.0 0.8359 64.87 1167659.1 0.9058 65.02 1170385.8 0.9079 64.92 1168623.6 0.9064 70.05 1260959.6 0.9786 69.94 1259006.0 0.9770 69.94 1258940.6 0.9769 74.98 1349673.8 1.0478 75.11 1351902.6 1.0495 74.91 1348332.3 1.0468 80.10 1441841.6 1.1196 79.99 1439772.3 1.1180 80.08 1441399.1 1.1192 84.88 1527811.4 1.1867 85.04 1530737.8 1.1890 84.96 1529232.5 1.1870 89.89 1617998.1 1.2569 90.01 1620222.8 1.2588 89.97 1619467.4 1.2580 95.11 1711933.3 1.3301 94.97 1709486.3 1.3282 95.07 1711177.6 1.3294 100.12 180239.6 1.4005 99.0 <th< td=""><td></td><td>898207.3</td><td></td><td></td><td>902302.7</td><td></td><td>50.05</td><td>900879.2</td><td>0.6972</td></th<> | | 898207.3 | | | 902302.7 | | 50.05 | 900879.2 | 0.6972 |
| 64.87 1167659.1 0.9058 65.02 1170385.8 0.9079 64.92 1168623.6 0.9064 70.05 1260959.6 0.9786 69.94 1259006.0 0.9770 69.94 1258940.6 0.9769 74.98 1349673.8 1.0478 75.11 1351902.6 1.0495 74.91 1348332.3 1.0466 80.10 1441841.6 1.1196 79.99 1439772.3 1.1180 80.08 1441399.1 1.1192 84.88 1527811.4 1.1867 85.04 1530737.8 1.1890 84.96 1529232.5 1.1876 89.89 1617998.1 1.2569 90.01 1620222.8 1.2588 89.97 1619467.4 1.2580 95.11 1711933.3 1.3301 94.97 1709486.3 1.3272 95.07 1711177.6 1.3284 100.12 1802239.6 1.4005 99.90 1798489.9 1.3281 94.95 170929.8 1.3275 89.88 1617918.0 1.2565 89.93 <t< td=""><td>54.91</td><td>988332.9</td><td>0.7657</td><td>55.05</td><td>990983.6</td><td>0.7677</td><td>55.12</td><td>992080.0</td><td>0.7684</td></t<> | 54.91 | 988332.9 | 0.7657 | 55.05 | 990983.6 | 0.7677 | 55.12 | 992080.0 | 0.7684 |
| 70.05 1260959.6 0.9786 69.94 1259006.0 0.9770 69.94 1258940.6 0.9769 74.98 1349673.8 1.0478 75.11 1351902.6 1.0495 74.91 1348332.3 1.0466 80.10 1441841.6 1.1196 79.99 1439772.3 1.1180 80.08 1441399.1 1.1192 84.88 1527811.4 1.1867 85.04 1530737.8 1.1890 84.96 1529232.5 1.1876 89.81 1617998.1 1.2569 90.01 1620222.8 1.2588 89.97 1619467.4 1.2580 95.11 1711933.3 1.3301 94.97 1709486.3 1.3282 95.07 1711177.6 1.3294 100.12 1802239.6 1.4005 99.90 1798162.3 1.3974 99.98 1799554.5 1.3294 100.12 1802239.6 1.4005 99.90 1798162.3 1.3974 99.98 1799554.5 1.3983 94.92 1708535.5 1.3272 94.97 | 59.89 | 1078024.9 | 0.8358 | 60.00 | 1079919.5 | 0.8372 | 59.91 | 1078359.0 | 0.8359 |
| 74.98 1349673.8 1.0478 75.11 1351902.6 1.0495 74.91 1348332.3 1.0466 80.10 1441841.6 1.1196 79.99 1439772.3 1.1180 80.08 1441399.1 1.1192 84.88 1527811.4 1.1867 85.04 1530737.8 1.1890 84.96 1529232.5 1.1876 89.89 1617998.1 1.2569 90.01 1620222.8 1.2588 89.97 1619467.4 1.2580 95.11 1711933.3 1.3301 94.97 1709486.3 1.3282 95.07 1711177.6 1.3294 100.12 1802239.6 1.4005 99.90 1798162.3 1.3974 99.98 1799554.5 1.3983 94.92 1708535.5 1.3272 94.97 1709489.9 1.3281 94.95 1709029.8 1.3275 89.88 1617918.0 1.2565 89.93 1618807.5 1.2572 90.12 1622150.6 1.2596 85.01 1530233.9 1.1879 84.90 < | 64.87 | 1167659.1 | 0.9058 | 65.02 | 1170385.8 | 0.9079 | 64.92 | 1168623.6 | 0.9064 |
| 80.10 1441841.6 1.1196 79.99 1439772.3 1.1180 80.08 1441399.1 1.1192 84.88 1527811.4 1.1867 85.04 1530737.8 1.1890 84.96 1529232.5 1.1876 89.89 1617998.1 1.2569 90.01 1620222.8 1.2588 89.97 1619467.4 1.2580 95.11 1711933.3 1.3301 94.97 1709486.3 1.3282 95.07 1711177.6 1.3294 100.12 1802239.6 1.4005 99.90 1798162.3 1.3974 99.98 1799554.5 1.3983 94.92 1708535.5 1.3272 94.97 1709489.9 1.3281 94.95 1709029.8 1.3275 89.88 1617918.0 1.2565 89.93 1618807.5 1.2572 90.12 1622150.6 1.2596 85.01 1530233.9 1.1879 84.90 1528247.9 1.1865 84.89 1527996.5 1.1860 80.04 1440707.9 1.1180 79.88 < | 70.05 | 1260959.6 | 0.9786 | 69.94 | 1259006.0 | 0.9770 | 69.94 | 1258940.6 | 0.9769 |
| 84.88 1527811.4 1.1867 85.04 1530737.8 1.1890 84.96 1529232.5 1.1876 89.89 1617998.1 1.2569 90.01 1620222.8 1.2588 89.97 1619467.4 1.2580 95.11 1711933.3 1.3301 94.97 1709486.3 1.3282 95.07 1711177.6 1.3294 100.12 1802239.6 1.4005 99.90 1798162.3 1.3974 99.98 1799554.5 1.3983 94.92 1708535.5 1.3272 94.97 1709489.9 1.3281 94.95 1709029.8 1.3275 89.88 1617918.0 1.2565 89.93 1618807.5 1.2572 90.12 1622150.6 1.2596 85.01 1530233.9 1.1879 84.90 1528247.9 1.1865 84.89 1527996.5 1.1860 80.04 1440707.9 1.1180 79.88 1437867.0 1.1157 80.06 1441069.0 1.1181 74.96 1349273.6 1.0463 75.12 < | 74.98 | 1349673.8 | 1.0478 | 75.11 | 1351902.6 | 1.0495 | 74.91 | 1348332.3 | 1.0466 |
| 89.89 1617998.1 1.2569 90.01 1620222.8 1.2588 89.97 1619467.4 1.2580 95.11 1711933.3 1.3301 94.97 1709486.3 1.3282 95.07 1711177.6 1.3294 100.12 1802239.6 1.4005 99.90 1798162.3 1.3974 99.98 1799554.5 1.3983 94.92 1708535.5 1.3272 94.97 1709489.9 1.3281 94.95 1709029.8 1.3275 89.88 1617918.0 1.2565 89.93 1618807.5 1.2572 90.12 1622150.6 1.2596 85.01 1530233.9 1.1879 84.90 1528247.9 1.1865 84.89 1527996.5 1.1860 80.04 1440707.9 1.1180 79.88 1437867.0 1.1157 80.06 1441069.0 1.1181 74.96 1349273.6 1.0463 75.12 1352183.3 1.0487 74.93 1348690.4 1.0458 69.91 1258433.3 0.9752 70.08 < | 80.10 | 1441841.6 | 1.1196 | 79.99 | 1439772.3 | 1.1180 | 80.08 | 1441399.1 | 1.1192 |
| 95.11 1711933.3 1.3301 94.97 1709486.3 1.3282 95.07 1711177.6 1.3294 100.12 1802239.6 1.4005 99.90 1798162.3 1.3974 99.98 1799554.5 1.3983 94.92 1708535.5 1.3272 94.97 1709489.9 1.3281 94.95 1709029.8 1.3275 89.88 1617918.0 1.2565 89.93 1618807.5 1.2572 90.12 1622150.6 1.2596 85.01 1530233.9 1.1879 84.90 1528247.9 1.1865 84.89 1527996.5 1.1860 80.04 1440707.9 1.1180 79.88 1437867.0 1.1157 80.06 1441069.0 1.1181 74.96 1349273.6 1.0463 75.12 1352183.3 1.0487 74.93 1348690.4 1.0458 69.91 1258433.3 0.9752 70.08 1261514.1 0.9777 70.03 1260502.5 0.9767 64.90 1168242.9 0.9045 65.10 < | 84.88 | 1527811.4 | 1.1867 | 85.04 | 1530737.8 | 1.1890 | 84.96 | 1529232.5 | 1.1876 |
| 100.12 1802239.6 1.4005 99.90 1798162.3 1.3974 99.98 1799554.5 1.3983 94.92 1708535.5 1.3272 94.97 1709489.9 1.3281 94.95 1709029.8 1.3275 89.88 1617918.0 1.2565 89.93 1618807.5 1.2572 90.12 1622150.6 1.2596 85.01 1530233.9 1.1879 84.90 1528247.9 1.1865 84.89 1527996.5 1.1860 80.04 1440707.9 1.1180 79.88 1437867.0 1.1157 80.06 1441069.0 1.1181 74.96 1349273.6 1.0463 75.12 1352183.3 1.0487 74.93 1348690.4 1.0458 69.91 1258433.3 0.9752 70.08 1261514.1 0.9777 70.03 1260502.5 0.9767 64.90 1168242.9 0.9045 65.10 1171825.8 0.9074 64.99 1169880.8 0.9057 60.04 1080713.3 0.8359 60.00 < | 89.89 | 1617998.1 | 1.2569 | 90.01 | 1620222.8 | 1.2588 | 89.97 | 1619467.4 | 1.2580 |
| 94.92 1708535.5 1.3272 94.97 1709489.9 1.3281 94.95 1709029.8 1.3275 89.88 1617918.0 1.2565 89.93 1618807.5 1.2572 90.12 1622150.6 1.2596 85.01 1530233.9 1.1879 84.90 1528247.9 1.1865 84.89 1527996.5 1.1860 80.04 1440707.9 1.1180 79.88 1437867.0 1.1157 80.06 1441069.0 1.1181 74.96 1349273.6 1.0463 75.12 1352183.3 1.0487 74.93 1348690.4 1.0458 69.91 1258433.3 0.9752 70.08 1261514.1 0.9777 70.03 1260502.5 0.9767 64.90 1168242.9 0.9045 65.10 1171825.8 0.9074 64.99 1169880.8 0.9057 60.04 1080713.3 0.8359 60.00 1080058.5 0.8355 60.11 1081971.6 0.8368 55.02 990442.4 0.7650 54.97 <td< td=""><td>95.11</td><td>1711933.3</td><td>1.3301</td><td>94.97</td><td>1709486.3</td><td>1.3282</td><td>95.07</td><td>1711177.6</td><td>1.3294</td></td<> | 95.11 | 1711933.3 | 1.3301 | 94.97 | 1709486.3 | 1.3282 | 95.07 | 1711177.6 | 1.3294 |
| 89.88 1617918.0 1.2565 89.93 1618807.5 1.2572 90.12 1622150.6 1.2596 85.01 1530233.9 1.1879 84.90 1528247.9 1.1865 84.89 1527996.5 1.1860 80.04 1440707.9 1.1180 79.88 1437867.0 1.1157 80.06 1441069.0 1.1181 74.96 1349273.6 1.0463 75.12 1352183.3 1.0487 74.93 1348690.4 1.0458 69.91 1258433.3 0.9752 70.08 1261514.1 0.9777 70.03 1260502.5 0.9767 64.90 1168242.9 0.9045 65.10 1171825.8 0.9074 64.99 1169880.8 0.9057 60.04 1080713.3 0.8359 60.00 1080058.5 0.8355 60.11 1081971.6 0.8368 55.02 990442.4 0.7650 54.97 989393.9 0.7643 55.09 991610.4 0.7658 49.98 899627.9 0.6936 49.98 89 | 100.12 | 1802239.6 | 1.4005 | 99.90 | 1798162.3 | 1.3974 | 99.98 | 1799554.5 | 1.3983 |
| 85.01 1530233.9 1.1879 84.90 1528247.9 1.1865 84.89 1527996.5 1.1860 80.04 1440707.9 1.1180 79.88 1437867.0 1.1157 80.06 1441069.0 1.1181 74.96 1349273.6 1.0463 75.12 1352183.3 1.0487 74.93 1348690.4 1.0458 69.91 1258433.3 0.9752 70.08 1261514.1 0.9777 70.03 1260502.5 0.9767 64.90 1168242.9 0.9045 65.10 1171825.8 0.9074 64.99 1169880.8 0.9057 60.04 1080713.3 0.8359 60.00 1080058.5 0.8355 60.11 1081971.6 0.8368 55.02 990442.4 0.7650 54.97 989393.9 0.7643 55.09 991610.4 0.7658 49.98 899627.9 0.6936 49.98 899715.1 0.6937 50.01 900160.1 0.6940 44.94 808949.1 0.6223 44.96 80936 | 94.92 | 1708535.5 | 1.3272 | 94.97 | 1709489.9 | 1.3281 | 94.95 | 1709029.8 | 1.3275 |
| 80.04 1440707.9 1.1180 79.88 1437867.0 1.1157 80.06 1441069.0 1.1181 74.96 1349273.6 1.0463 75.12 1352183.3 1.0487 74.93 1348690.4 1.0458 69.91 1258433.3 0.9752 70.08 1261514.1 0.9777 70.03 1260502.5 0.9767 64.90 1168242.9 0.9045 65.10 1171825.8 0.9074 64.99 1169880.8 0.9057 60.04 1080713.3 0.8359 60.00 1080058.5 0.8355 60.11 1081971.6 0.8368 55.02 990442.4 0.7650 54.97 989393.9 0.7643 55.09 991610.4 0.7658 49.98 899627.9 0.6936 49.98 899715.1 0.6937 50.01 900160.1 0.6940 44.94 808949.1 0.6223 44.96 809362.3 0.6228 44.95 809111.4 0.6224 39.98 719550.3 0.5520 40.13 722366.1 | 89.88 | 1617918.0 | 1.2565 | 89.93 | 1618807.5 | 1.2572 | 90.12 | 1622150.6 | 1.2596 |
| 74.96 1349273.6 1.0463 75.12 1352183.3 1.0487 74.93 1348690.4 1.0458 69.91 1258433.3 0.9752 70.08 1261514.1 0.9777 70.03 1260502.5 0.9767 64.90 1168242.9 0.9045 65.10 1171825.8 0.9074 64.99 1169880.8 0.9057 60.04 1080713.3 0.8359 60.00 1080058.5 0.8355 60.11 1081971.6 0.8368 55.02 990442.4 0.7650 54.97 989393.9 0.7643 55.09 991610.4 0.7658 49.98 899627.9 0.6936 49.98 899715.1 0.6937 50.01 900160.1 0.6940 44.94 808949.1 0.6223 44.96 809362.3 0.6228 44.95 809111.4 0.6224 39.98 719550.3 0.5520 40.13 722366.1 0.5543 39.92 718581.1 0.5511 35.12 632109.9 0.4831 34.99 629886.3 <td>85.01</td> <td>1530233.9</td> <td>1.1879</td> <td>84.90</td> <td>1528247.9</td> <td>1.1865</td> <td>84.89</td> <td>1527996.5</td> <td>1.1860</td> | 85.01 | 1530233.9 | 1.1879 | 84.90 | 1528247.9 | 1.1865 | 84.89 | 1527996.5 | 1.1860 |
| 69.91 1258433.3 0.9752 70.08 1261514.1 0.9777 70.03 1260502.5 0.9767 64.90 1168242.9 0.9045 65.10 1171825.8 0.9074 64.99 1169880.8 0.9057 60.04 1080713.3 0.8359 60.00 1080058.5 0.8355 60.11 1081971.6 0.8368 55.02 990442.4 0.7650 54.97 989393.9 0.7643 55.09 991610.4 0.7658 49.98 899627.9 0.6936 49.98 899715.1 0.6937 50.01 900160.1 0.6940 44.94 808949.1 0.6223 44.96 809362.3 0.6228 44.95 809111.4 0.6224 39.98 719550.3 0.5520 40.13 722366.1 0.5543 39.92 718581.1 0.5511 35.12 632109.9 0.4831 34.99 629886.3 0.4816 35.09 631688.3 0.4828 29.99 539773.7 0.4106 29.92 538621.3 | 80.04 | 1440707.9 | 1.1180 | 79.88 | 1437867.0 | 1.1157 | 80.06 | 1441069.0 | 1.1181 |
| 64.90 1168242.9 0.9045 65.10 1171825.8 0.9074 64.99 1169880.8 0.9057 60.04 1080713.3 0.8359 60.00 1080058.5 0.8355 60.11 1081971.6 0.8368 55.02 990442.4 0.7650 54.97 989393.9 0.7643 55.09 991610.4 0.7658 49.98 899627.9 0.6936 49.98 899715.1 0.6937 50.01 900160.1 0.6940 44.94 808949.1 0.6223 44.96 809362.3 0.6228 44.95 809111.4 0.6224 39.98 719550.3 0.5520 40.13 722366.1 0.5543 39.92 718581.1 0.5511 35.12 632109.9 0.4831 34.99 629886.3 0.4816 35.09 631688.3 0.4828 29.99 539773.7 0.4106 29.92 538621.3 0.4098 29.93 538815.8 0.4097 24.91 448422.1 0.3391 25.10 451853.6 | 74.96 | 1349273.6 | 1.0463 | 75.12 | 1352183.3 | 1.0487 | 74.93 | 1348690.4 | 1.0458 |
| 60.04 1080713.3 0.8359 60.00 1080058.5 0.8355 60.11 1081971.6 0.8368 55.02 990442.4 0.7650 54.97 989393.9 0.7643 55.09 991610.4 0.7658 49.98 899627.9 0.6936 49.98 899715.1 0.6937 50.01 900160.1 0.6940 44.94 808949.1 0.6223 44.96 809362.3 0.6228 44.95 809111.4 0.6224 39.98 719550.3 0.5520 40.13 722366.1 0.5543 39.92 718581.1 0.5511 35.12 632109.9 0.4831 34.99 629886.3 0.4816 35.09 631688.3 0.4828 29.99 539773.7 0.4106 29.92 538621.3 0.4098 29.93 538815.8 0.4097 24.91 448422.1 0.3391 25.10 451853.6 0.3420 25.09 451687.1 0.3418 19.93 358805.8 0.2700 19.99 359803.6 | 69.91 | 1258433.3 | 0.9752 | 70.08 | 1261514.1 | 0.9777 | 70.03 | 1260502.5 | 0.9767 |
| 55.02 990442.4 0.7650 54.97 989393.9 0.7643 55.09 991610.4 0.7658 49.98 899627.9 0.6936 49.98 899715.1 0.6937 50.01 900160.1 0.6940 44.94 808949.1 0.6223 44.96 809362.3 0.6228 44.95 809111.4 0.6224 39.98 719550.3 0.5520 40.13 722366.1 0.5543 39.92 718581.1 0.5511 35.12 632109.9 0.4831 34.99 629886.3 0.4816 35.09 631688.3 0.4828 29.99 539773.7 0.4106 29.92 538621.3 0.4098 29.93 538815.8 0.4097 24.91 448422.1 0.3391 25.10 451853.6 0.3420 25.09 451687.1 0.3418 19.93 358805.8 0.2700 19.99 359803.6 0.2710 19.98 359558.5 0.2708 15.10 271752.8 0.2035 14.99 269873.8 < | 64.90 | 1168242.9 | 0.9045 | 65.10 | 1171825.8 | 0.9074 | 64.99 | 1169880.8 | 0.9057 |
| 49.98 899627.9 0.6936 49.98 899715.1 0.6937 50.01 900160.1 0.6940 44.94 808949.1 0.6223 44.96 809362.3 0.6228 44.95 809111.4 0.6224 39.98 719550.3 0.5520 40.13 722366.1 0.5543 39.92 718581.1 0.5511 35.12 632109.9 0.4831 34.99 629886.3 0.4816 35.09 631688.3 0.4828 29.99 539773.7 0.4106 29.92 538621.3 0.4098 29.93 538815.8 0.4097 24.91 448422.1 0.3391 25.10 451853.6 0.3420 25.09 451687.1 0.3418 19.93 358805.8 0.2700 19.99 359803.6 0.2710 19.98 359558.5 0.2708 15.10 271752.8 0.2035 14.99 269873.8 0.2023 15.00 269962.4 0.2024 | 60.04 | 1080713.3 | 0.8359 | 60.00 | 1080058.5 | 0.8355 | 60.11 | 1081971.6 | 0.8368 |
| 44.94 808949.1 0.6223 44.96 809362.3 0.6228 44.95 809111.4 0.6224 39.98 719550.3 0.5520 40.13 722366.1 0.5543 39.92 718581.1 0.5511 35.12 632109.9 0.4831 34.99 629886.3 0.4816 35.09 631688.3 0.4828 29.99 539773.7 0.4106 29.92 538621.3 0.4098 29.93 538815.8 0.4097 24.91 448422.1 0.3391 25.10 451853.6 0.3420 25.09 451687.1 0.3418 19.93 358805.8 0.2700 19.99 359803.6 0.2710 19.98 359558.5 0.2708 15.10 271752.8 0.2035 14.99 269873.8 0.2023 15.00 269962.4 0.2024 | 55.02 | 990442.4 | 0.7650 | 54.97 | 989393.9 | 0.7643 | 55.09 | 991610.4 | 0.7658 |
| 39.98 719550.3 0.5520 40.13 722366.1 0.5543 39.92 718581.1 0.5511 35.12 632109.9 0.4831 34.99 629886.3 0.4816 35.09 631688.3 0.4828 29.99 539773.7 0.4106 29.92 538621.3 0.4098 29.93 538815.8 0.4097 24.91 448422.1 0.3391 25.10 451853.6 0.3420 25.09 451687.1 0.3418 19.93 358805.8 0.2700 19.99 359803.6 0.2710 19.98 359558.5 0.2708 15.10 271752.8 0.2035 14.99 269873.8 0.2023 15.00 269962.4 0.2024 | 49.98 | 899627.9 | 0.6936 | 49.98 | 899715.1 | 0.6937 | 50.01 | 900160.1 | 0.6940 |
| 35.12 632109.9 0.4831 34.99 629886.3 0.4816 35.09 631688.3 0.4828 29.99 539773.7 0.4106 29.92 538621.3 0.4098 29.93 538815.8 0.4097 24.91 448422.1 0.3391 25.10 451853.6 0.3420 25.09 451687.1 0.3418 19.93 358805.8 0.2700 19.99 359803.6 0.2710 19.98 359558.5 0.2708 15.10 271752.8 0.2035 14.99 269873.8 0.2023 15.00 269962.4 0.2024 | 44.94 | 808949.1 | 0.6223 | 44.96 | 809362.3 | 0.6228 | 44.95 | 809111.4 | 0.6224 |
| 29.99 539773.7 0.4106 29.92 538621.3 0.4098 29.93 538815.8 0.4097 24.91 448422.1 0.3391 25.10 451853.6 0.3420 25.09 451687.1 0.3418 19.93 358805.8 0.2700 19.99 359803.6 0.2710 19.98 359558.5 0.2708 15.10 271752.8 0.2035 14.99 269873.8 0.2023 15.00 269962.4 0.2024 | 39.98 | 719550.3 | 0.5520 | 40.13 | 722366.1 | 0.5543 | 39.92 | 718581.1 | 0.5511 |
| 24.91 448422.1 0.3391 25.10 451853.6 0.3420 25.09 451687.1 0.3418 19.93 358805.8 0.2700 19.99 359803.6 0.2710 19.98 359558.5 0.2708 15.10 271752.8 0.2035 14.99 269873.8 0.2023 15.00 269962.4 0.2024 | 35.12 | 632109.9 | 0.4831 | 34.99 | 629886.3 | 0.4816 | 35.09 | 631688.3 | 0.4828 |
| 19.93 358805.8 0.2700 19.99 359803.6 0.2710 19.98 359558.5 0.2708 15.10 271752.8 0.2035 14.99 269873.8 0.2023 15.00 269962.4 0.2024 | 29.99 | 539773.7 | 0.4106 | 29.92 | 538621.3 | 0.4098 | 29.93 | 538815.8 | 0.4097 |
| 19.93 358805.8 0.2700 19.99 359803.6 0.2710 19.98 359558.5 0.2708 15.10 271752.8 0.2035 14.99 269873.8 0.2023 15.00 269962.4 0.2024 | 24.91 | 448422.1 | 0.3391 | 25.10 | 451853.6 | 0.3420 | 25.09 | | 0.3418 |
| | 19.93 | 358805.8 | 0.2700 | | 359803.6 | 0.2710 | 19.98 | 359558.5 | 0.2708 |
| 10.10 181819.1 0.1354 10.03 180526.8 0.1347 10.00 180013.0 0.1345 | 15.10 | 271752.8 | 0.2035 | 14.99 | 269873.8 | 0.2023 | 15.00 | 269962.4 | 0.2024 |
| | 10.10 | 181819.1 | 0.1354 | 10.03 | 180526.8 | 0.1347 | 10.00 | 180013.0 | 0.1345 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

LOAD CELL CALIBRATION CARD

| N | MODEL No. C3929-1 SERIAL No. 15 BRIDGE | z |
|-----------|---|--------------------------------|
| | CAPACITY (\$0000 Kg. SENSITIVITY 1:407! mV/V AT RATED LOAD* | RATIO |
| | CALIBRATION OF LOAD METERING SYSTEM CAL' BUTTON ON KELK AMPLIFIER SIMULATES APPLICATION OF | CORPO |
| OU API | DTPUT WITH 50,060 OHMS SHUNT RESISTOR 1.2057 mV/V* | E KELK 48 LESM MILLS, ON |
| IN | PUT RES. 261. 0 OMHS AT 78° F OUTPUT RES. 241. 3 OMHS. (25° C) RED (+), WHITE (-) | GEORG DON N |
| OF | PEN CIRCUIT MEASUREMENT (AMPLIFIER DISCONNECTED) | •••••• |

~ Calibration Certificate ~

| Serial Number: Description: Manufacturer: ACS-11 Sensitivity @ 100.0 | 7497 DC Capacitive Acceler | | Method: | Back-to-Back C | Compariso | 0.11 |
|--|---|---|--|---|--|--|
| Description: Manufacturer: ACS-11 | DC Capacitive Acceler | | Method: | Back-to-Back C | Compariso | 0.111 |
| Manufacturer: | | | Method. | Dack-10-Back C | omparisoi | |
| ACS-11 | PCB | Calibratio | | | • | n Calibration |
| | | Calibratio | | | | |
| Sensitivity @ 100.0 | | Cumbrano | on Data | | | |
| | Hz 60.8 | mV/g | Offset Voltage | (@ 0 g) | 25.0 | mVDC |
| | (6.20 n | nV/m/s²) | Resonant Freq | uency | 1630.0 | |
| | | Sensitiv | • | | | |
| 10.0- | Temperature: 70 °F (21 °C | C) | R | elative Humidity: 58 | % | |
| 5.0- | | | *************************************** | | | |
| | | | | | | |
| 0.0- | | | | | | |
| -5.0- | | | | | | |
| -10.0 | | | and the second s | | | |
| 0.5 Hz | 1.0 | 10.0 | | 100. | 0 | 450.0 |
| | | Data P | | | | |
| Frequency (Hz) | Dev. (%) | Frequency (Hz) | Dev. (%) | Frequency | (Hz) | Dev. (%) |
| 0.5 1.0 | -0.7 0.7 | 10.0 15.0 | -0.0 | 70.0 | 2 | -0.3 |
| 2.0 | 0.0 | 20.0 | -0.2 -0.2 | REF. FREC 200.0 | ₹. | 0.0 0.4 |
| 5.0 | 0.0 | 30.0 | -0.2 | 450.0 | | 2.5 |
| 7.0 | -0.1 | 50.0 | -0.1 | 150.0 | | 2.5 |
| Manuel or Confessor Districtor Co. | Lu/Ollissa Court Court Tradesium Court | -1 Moore | r' . | | | |
| Acceleration Level (rms)1: | l w/Silicone Grease Coating Fastener: Str 1.00 g (9.81 m/s²)² sited by shaker displacement at low frequencies | s. If the listed level cannot be obt | ained, the calibration system use: | re Orientation: Vertical the following formula to set the value calibration system is; 1 g = | vibration amplitude 9.80665 m/s². | ; Acceleration Level |
| | 1 N A 1 . | Condition | of Unit | | | |
| | olerance, No Adjustmen olerance | i Necessary | | | | |
| Calibration is t This certificate Calibration is j See Manufactu Measurement t | traceable to one or more shall not be reproduced performed in compliance tree's Specification Sheet uncertainty (95% confide-0.99 Hz; +/- 1.8%, 1-3 | l, except in full, we be with ISO 9001, Is t for a detailed list ence level with cov | eport numbers; P. ithout written app SO 10012-1, ANS ing of performand verage factor of 2 | roval from PCB Pi SI/NCSL Z540-1-1 e specifications.) for frequency ran | iezotronic 994 and IS ges tested | s, Inc. SO 17025. during calibrati |
| Technician: | Johr | Pattison | <i></i> | Date: | 04/04/0 | 08 |
| ACCREDITED | * | PCB PIE | ZOTRONIC BRATION DIVISIO Depew, NY 14 | | | |

1980 ARAN BERT KRIG REKE KRIG KRIG KRIG FILIK BARK BITA KRIG KRIG KRIG KRIG BERT KRIG BERT KRIG BERT KRIG BERT

cal14 - 3290186199.85

~ Calibration Certificate - Phase ~

3701G2FA50G Model Number: Serial Number: 7497 Description: DC Capacitive Accelerometer Method: Back-to-Back Comparison Calibration **PCB** Manufacturer: Calibration Data ²Sensitivity @ 100.0 Hz 60.8 mV/g (6.20 mV/m/s^2) Phase Plot 30.0 20.0 o(deg) -10.0 -20.0--30.0 1.0 10.0 450.0 Hz Data Points Frequency (Hz) Phase (°) Frequency (Hz) Phase (°) 0.5 -0.530 -1.41.0 0.2 50 -2.02.0 -0.270 -2.75.0 -0.2REF. FREQ. -3.9 7.0 -0.2200 -7.4 -0.4 10 450 -16.815 -0.620 -0.8Notes Calibration is traceable to one or more of the following report numbers; PTB 5399, PTB 5400 and NIST 822/271196. This certificate shall not be reproduced, except in full, without written approval from PCB Piezotronics, Inc. Calibration is performed in compliance with ISO 9001, ISO 10012-1, ANSI/NCSL Z540-1-1994 and ISO 17025. See Manufacturer's Specification Sheet for a detailed listing of performance specifications. Measurement uncertainty (95% confidence level with coverage factor of 2) for frequency ranges tested during calibration are as follows: 0.5-0.99 Hz; +/- 1.8%, 1-30 Hz; +/- 1.0%, 30.01-199 Hz; +/- 1.5%, 200-1 kHz; +/- 3.0%.

| Technician: | John Pattison | 401 | Date: | 04/04/08 | |
|-------------|---------------|----------------|-------|----------|--|
| | | $DICZ \cap TC$ | | | |

CB PIEZUTKUNICS **VIBRATION DIVISION** 3425 Walden Avenue Depew, NY 14043

TEL: 888-684-0013 FAX: 716-685-3886 www.pcb.com

~ Calibration Certificate ~

| Model Number: | 3701G2 | FA50G | | | |
|---|--|---|--|---|--------------------------|
| Serial Number: | 749 | 98 | | | |
| Description: | DC Capacitive Acce | lerometer | Method: | Back-to-Back Compariso | on Calibration |
| Manufacturer: | PCB | | | | |
| ACS-11 | | Calibrati | ion Data | | |
| S | 0.0 U- 50.0 | | Offset Voltage (| @ 0 g) 4.5 | mVDC |
| Sensitivity @ 10 | 0.0 Hz 59.8 (6.10 | mV/g mV/m/s²) | Resonant Freque | | |
| | (0.10 | 111 47111/5) | Resonant Freque | 1050.0 | 7 112 |
| | | | | | |
| | | Sensiti | vity Plot | | |
| 10.0- | Temperature: 70 °F (2 | | • | lative Humidity: 58 % | |
| 10.0 | | | | | |
| 5.0 | | | | | |
| % 0.0- | | | | | |
| -5.0- | | | | | |
| -10.0 | | | and the state of t | | |
| 0.5 Hz | 1.0 | 10 | | 100.0 | 450.0 |
| | | Data | Points | | |
| Frequency (| | Frequency (Hz) | Dev. (%) | Frequency (Hz) | Dev. (%) |
| 0.5 | 0.7 | 10.0 | -0.0 | 70.0 | -0.2 |
| 1.0 | 0.6 | 15.0 | -0.1 | REF. FREQ. | 0.0 |
| 2.0 | 0.1 | 20.0 | -0.2 | 200.0 | 0.4 |
| 5.0 | 0.0 | 30.0 | -0.1 | 450.0 | 2.8 |
| 7.0 | -0.0 | 50.0 | -0.2 | | |
| Acceleration Level (rms): | less Steel w/Silicone Grease Coating Fastene 1.00 g (9.81 m/s ²) ² | | | e Orientation: Vertical | |
| 'The acceleration level ma $(g) = 0.133 \text{ x (freq)}^2$. | y be limited by shaker displacement at low freq | uencies. If the listed level cannot be ² The gravitationa | obtained, the calibration system uses t constant used for calculations by the | the following formula to set the vibration amplitude calibration system is: $1 \text{ g} = 9.80665 \text{ m/s}^2$ | tude: Acceleration Level |
| | | | on of Unit | | |
| _ | n Tolerance, No Adjustn | nent Necessary | | | |
| As Leit. | In Tolerance | N | otes | | |
| 1. Calibratio | n is traceable to one or m | | | B 5399, PTB 5400 and N | IST 822/271196. |
| | ficate shall not be reprodu | | | | |
| | n is performed in complia facturer's Specification Sl | | | | 180 1/025. |
| | nent uncertainty (95% con | | | | ed during calibration |
| | : 0.5-0.99 Hz; +/- 1.8%, | | | | |
| Technician: | J | ohn Pattison | 6 | Date:04/04 | 4/08 |
| | (| PCB | EZOTRONICS | 5 INC. | |
| ACCREDITED | 01 | 3425 Walden Avenue | VIBRATION DIVISIO Depew, NY 140 | N)43 | |

TEL: 888-684-0013 FAX: 716-685-3886

~ Calibration Certificate - Phase ~

3701G2FA50G Model Number: Serial Number: 7498 Description: DC Capacitive Accelerometer Method: Back-to-Back Comparison Calibration **PCB** Manufacturer: Calibration Data mV/g (6.10 mV/m/s^2) ²Sensitivity @ 100.0 Hz 59.8 Phase Plot 20.0-10.0o(deg) -20.0 -30.0 450.0 1.0 10.0 100.0 Hz Data Points Phase (°) Frequency (Hz) Frequency (Hz) Phase (°) -0.3-1.4 0.5 30 -0.250 -2.01.0 -0.170 -2.6 2.0 -0.35.0 REF. FREQ. -3.9 -0.3 200 -7.3 7.0 -0.5450 -16.9 10 15 -0.620 -0.8Notes Calibration is traceable to one or more of the following report numbers; PTB 5399, PTB 5400 and NIST 822/271196. This certificate shall not be reproduced, except in full, without written approval from PCB Piezotronics, Inc. Calibration is performed in compliance with ISO 9001, ISO 10012-1, ANSI/NCSL Z540-1-1994 and ISO 17025. See Manufacturer's Specification Sheet for a detailed listing of performance specifications. Measurement uncertainty (95% confidence level with coverage factor of 2) for frequency ranges tested during calibration are as follows: 0.5-0.99 Hz; +/- 1.8%, 1-30 Hz; +/- 1.0%, 30.01-199 Hz; +/- 1.5%, 200-1 kHz; +/- 3.0%. Date: 04/04/08 John Pattison Technician:

*PCB PEZOTRONICS VIBRATION DIVISION

3425 Walden Avenue Depew, NY 14043 TEL: 888-684-0013 FAX: 716-685-3886 www.pcb.com

AGE 2 of 2

~ Calibration Certificate ~

3701G2FA50G Model Number: Serial Number: 7499 DC Capacitive Accelerometer Method: Back-to-Back Comparison Calibration Description: Manufacturer: ACS-11 Calibration Data Offset Voltage (@ 0 g) Sensitivity @ 100.0 Hz 59.1 6.5 mVDC Resonant Frequency 1700.0 Hz (6.03) $mV/m/s^2$) Sensitivity Plot Temperature: 70 °F (21 °C) Relative Humidity: 43 % 10.0--5.0-10 0-10.0 100.0 450.0 1.0 Hz Data Points Dev. (%) Frequency (Hz) Dev. (%) Frequency (Hz) Dev. (%) Frequency (Hz) 0.5 0.5 70.0 -0.310.0 0.0 0.0 -0.01.0 15.0 -0.1REF. FREQ. 0.2 2.0 0.0 20.0 -0.0200.0 450.0 0.0 30.0 -0.05.0 50.0 0.1 7.0 0.0 Mounting Surface: Stainless Steel w/Silicone Grease Coating Fastener: Stud Mount Fixture Orientation: Vertical The acceleration level may be limited by shaker displacement at low frequencies. If the listed level cannot be obtained, the calibration system uses the following formula to set the vibration amplitude: Acceleration Level (g) = 0.133 x (freq)².

The gravitational constant used for calculations by the calibration system is; 1 g = 9.80665 m/s². Condition of Unit As Found: In Tolerance, No Adjustment Necessary In Tolerance As Left: Notes Calibration is traceable to one or more of the following report numbers; PTB 5399, PTB 5400 and NIST 822/271196. This certificate shall not be reproduced, except in full, without written approval from PCB Piezotronics, Inc. Calibration is performed in compliance with ISO 9001, ISO 10012-1, ANSI/NCSL Z540-1-1994 and ISO 17025. See Manufacturer's Specification Sheet for a detailed listing of performance specifications. Measurement uncertainty (95% confidence level with coverage factor of 2) for frequency ranges tested during calibration are as follows: 0.5-0.99 Hz; \pm /- 1.8%, 1-30 Hz; \pm /- 1.0%, 30.01-199 Hz; \pm /- 1.5%, 200-1 kHz; \pm /- 3.0%. Date: Technician:

FAX: 716-685-3886

3425 Walden Avenue

TEL: 888-684-0013

Depew, NY 14043

www.pcb.com

cal14 - 3285320809.7

ACCREDITED

CALIBRATION CERT #1862.01



ENGINEERING DATA SHEET

WHICH PERMIT COMPREHENSING QUALITY ASSURANCE VERIFICATION OF ALL DATA SUPPLED HERES SHOULD ANY QUESTIONS ARISE RELATIVE TO THESE GAGES, PLEASE MENTION GAGE TYPE, BATCH AND LOT HUMBER.

85908 DD FD

H001



Micro-Measurements Division

MEASUREMENTS GROUP, INC. RALEIGH, NORTH CAROLINA

PRECISION STRAIN GAGES

| | | | | | | - | |
|--------------|---|------------|------------|---------|--------|------------------|------------------|
| 1091411-3166 | 2.095 ±0.5% SAGE FACTOR AT M°C (+0.5 ±0.2)% | 350.0±0.3% | R-A58AD810 | диалттү | MOLLAD | CEA-06-125UW-350 | CEA-06-125UW-350 |

GENERAL INFORMATION: CEA-SERIES STRAIN GAGES

GENERAL DESCRIPTION: CEA gages are a general-purpose family of constantan strain gages widely used in experimental stress analysis. The gages are supplied with a fully encapsulated grid and exposed copper-coaled integral solder labs.

TEMPERATURE RANGE: -100° to +400° F (-75° to +205° C) for continuous use in static measurements.

SELF-TEMPERATURE COMPENSATION: See data curve below.

STRAIN LIMITS: Approximately 5% for gage lengths 1/8 in. (3.2 mm) and larger; approximately 3% for gage lengths under 1/8 in. (3.2


FATIGUE LIPE: Fatigue life is a marked function of solder joint formation. With 30-AWG leads directly attached to gage tabs, fatigue life will be 10° cycles at ±1500µin/in (µm/m) using M-Line 351A solder.

CEMENTS: Competible with M-M Certified M-Band 200, but it will normally not provide the greatest strein limit. Micro-Measurements M-Band AE-10/15, M-Band GA-2, M-Band 600, and M-Band 610 are excellent. M-Band 610 is the best choice over the entire operating range. Refer to M-M Catalog A-110 for information on banding agents, and Bulletins B-127, B-130, and B-137 for installation

SOLDER: If operating temperature will not exceed +300° F (+150° C), M-Line solder 361A (63-37) tin-lead solder may be used for lead attachment. M-Line solder (93-5) tin-entimony is extisfactory to +400° F (+205° C). Refer to M-M Catalog A-110 for further information on solders, and Tech Tip TT-609 for lead attachment techniques.

NOTE: The backing of CEA-Series gages has been specially treated for optimum bond formation with all appropriate strain gage adhesives. No turther cleaning is necessary if contamination of the prepared surface is avoided during handling.

G045



TEST PROCEDURES USED BY MICRO-MEASUREMENTS

NOTE: Gipe resistance, upge factor, temperature coefficient of gage factor, thermal output, and treasurerse sensibility tasting and information of interest with Crisic International Recommendation NO. 62. "Performance characteristics of metalic resistance strain pages." Other tests are not activated in IR. NO. 62.

Appendix D

ADVANCEMENTS IN STATNAMIC DATA REGRESSION TECHNIQUES

Gray Mullins¹, Christopher L. Lewis², Michael D. Justason³

ABSTRACT

Until recently, the analysis of Statnamic test data has typically incorporated the "Unloading Point Method" (Middendorp et. al, 1992) to determine an equivalent static capacity. The UP method requires that the foundation move as a rigid body, thus excluding stress wave phenomenon from the analysis. If this requirement is met the foundation capacity can be determined using this simplified method. However, many foundations do not meet the UP criteria (e.g. fixed end or relatively long piles) and have proven difficult to analyze without more complex techniques. This paper presents a new analysis method that uses measured strain data as well as the standard Statnamic test data to determine foundation capacity. This new method discretizes the foundation into smaller segments that each meet the rigid body criteria of the UP method. Thereby, a more refined inertia and viscous damping evaluation can be implemented that individually determines the contributions from the various segments. This approach, termed the "Segmental Unloading Point" (SUP) method, is developed herein and then demonstrated with results from full-scale Statnamic test data.

INTRODUCTION

Since its inception in 1988, Statnamic testing of deep foundations has gained popularity with many designers largely due to its time efficiency, cost effectiveness, data quality, and flexibility in testing existing foundations. Where large capacity static tests may take up to a week to set up and conduct, the largest of Statnamic tests typically takes no more than a few days. Further, multiple smaller-capacity tests can easily be completed within a day. The direct benefit of this time efficiency is the cost savings to the client and the ability to conduct more tests within a given budget. Additionally, this test method has boosted quality assurance by giving the contractor the ability to test foundations thought to have been compromised by construction difficulties without significantly affecting production.

¹ Assistant Professor, University of South Florida, Department of Civil and Environmental Engineering, Tampa, FL.

 $^{^2\} Geotechnical\ Engineer,\ Applied\ Foundation\ Testing,\ Green\ Cove\ Springs\ /\ Tampa,\ FL.$

³ Senior Engineer, Berminghammer Foundation Equipment, Hamilton, ON.

Statnamic testing is designated as a rapid load test that uses the inertia of a relatively small reaction mass instead of a reaction structure to produce large forces. Rapid load tests are differentiated from static and dynamic load tests by comparing the duration of the loading event with respect to the axial natural period of the foundation (2L/C). Test durations longer than 1000 L/C are considered static loadings and those shorter than 10 L/C are consider dynamic, where L represents the foundation length and C represents the strain wave velocity (Janes et al., 2000; Kusakabe et.al, 2000). Tests with a duration between 10L/C and 1000 L/C are denoted as rapid load tests. The duration of the Statnamic test is typically 100 to 120 milliseconds, but is dependant on the ratio of the applied force to the weight of the reaction mass. Longer duration tests of up to 500 milliseconds are possible but require a larger reaction mass.

The Statnamic force is produced by quickly-formed high pressure gases that in turn launch a reaction mass upward at up to twenty times the acceleration of gravity. The equal and opposite force exerted on the foundation is simply the product of the mass and acceleration of the reaction mass. It should be noted that the acceleration of the reaction mass is not significant in the analysis of the foundation; it is simply a by-product of the test. Secondly, the load produced is not an impact in that the mass is in contact prior to the test. Further, the test is over long before the masses reach the top of their flight. The parameters of interest are only those associated with the movement of the foundation (i.e. force, displacement, and acceleration).

Typical analysis of Statnamic data relies on measured values of force, displacement and acceleration. A soil model is not required, hence, the results are not highly user dependent. A new method of analysis is introduced that extends present methods by incorporating additional measured values of strain at discrete points along the length of the foundation. In the ensuing sections a discussion of analysis methods and their applicability will be presented. Full details on the development of this method can be found elsewhere (Lewis, 1999).

PRESENT ANALYSIS PROCEDURES

The Statnamic forcing event induces foundation motion in a relatively short period of time and hence acceleration and velocities will be present. The accelerations are typically small(1-2 g's), however the enormous mass of the foundation when accelerated resists movement due to inertia and as such the fundamental equation of motion applies, Equation 1.

$$F = ma + cv + kx$$
 Equation 1

where, F = forcing event

m = mass of the foundation

a = acceleration of the displacing body

v = velocity of the displacing body

c = viscous damping coefficient

k = spring constant of the displacing system

x = displacement of the body

The equation of motion is generally described using four terms: forcing, inertial, viscous damping, and stiffness. The forcing term (F) denotes the load application which varies with time and is equated to the sum of remaining three terms. The inertial term (ma) is the force which is generated from the tendency of a body to resist motion, or to keep moving once it is set in motion (Young,1992). The viscous damping term (cv) is best described as the velocity dependant resistance to movement. The final term (kx), represents the classic system stiffness, which is the static soil resistance.

When this equation is applied to a pile/soil system the terms can be redefined to more accurately describe the system. This is done by including both measured and calculated terms. The revised equation is displayed below:

$$F_{Statnamic} = (ma)_{Foundation} + (cv)_{Foundation} + F_{Static}$$
 Equation 2

where, $F_{Statnamic}$ is the measured Statnamic force, m is the calculated mass of the foundation, a is the measured acceleration of the foundation, c is the viscous damping coefficient, v is the calculated velocity, and F_{static} is the derived pile/soil static response.

There are two unknowns in the revised equation F_{static} and c, thus the equation is under specified. F_{static} is the desired value, so the variable c must be obtained to solve the equation. Middendorp (1992) presented a method to calculate the damping coefficient referred to as the Unloading Point Method (UP). With the value of c known, the static force can be calculated. This force, termed "Derived Static," represents an equivalent soil response to that produced by a traditional static load test.

UP DESCRIPTION

The UP is a simple method which allows the equivalent static resistance to be derived from the measured Statnamic quantities. It uses a simple single degree of freedom model to represent the foundation/soil system as a rigid body supported by a non-linear spring and a linear dashpot in parallel (see Figure 1). The spring represents the static soil response (F_{Static}) which includes the elastic response of the foundation as well as the foundation/soil interface and surrounding soil response. The dashpot is used to represent the dynamic resistance which depends on the rate of pile penetration (Nishimura, 1995).

The UP makes two primary assumptions in its determination of "c." The first is the static capacity of the pile is constant when it plunges as a rigid body. The second is that the damping coefficient is constant throughout the test. By doing so a window is defined in which to calculate the damping coefficient. The first point of interest (1) is that of maximum Statnamic Force. At this point the static resistance is assumed to have become steady state, for the purpose of calculating "c". Thus, any extra resistance is attributed to that of the dynamic forces (ma and cv). The next point of interest (2) is that of zero velocity which has been termed the "Unloading Point." Figure 2 shows

a typical Statnamic load-displacement curve which denotes points (1) and (2). At this point the foundation is no longer moving and the resistance due to damping is zero. The static resistance, used to calculate "c" from point (1) to (2), can then be calculated by the following equation:

$$F_{Static_{IIP}} = F_{Statnamic} - (ma)_{Foundation}$$
 Equation 3

where, $F_{Statinamic}$, m, and a are all known parameters; $F_{Static\ UP}$ is the static force calculated at (2) and assumed constant from (1) to (2).




Figure 1Single D.O.F. Model (After Das 1994)




Figure 2UP time window for *C* determination.

Next, the damping coefficient can be calculated throughout this range, from maximum force (1) to zero velocity (2). The following equation is used to calculate c:

$$c = \frac{F_{Statnamic} - F_{Static_{UP}} - (ma)_{Foundation}}{v_{Foundation}}$$
 Equation 4

Damping values over this range should be fairly constant. Often the average value is taken as the damping constant, but if a constant value occurs over a long period of time it should be used (see Figure 3). Note that as v approaches zero at point (2), values of c can be different from that of the most representative value and therefore the entire trend should be reviewed. Finally the derived static response can be calculated as follows:

$$F_{Static} = F_{Statnamic} - (ma)_{Foundation} - (cv)_{Foundation}$$
 Equation 5




Figure 3 Variation in *C* between times (1) and (2).

Currently software is available to the public that can be used in conjunction with Statnamic test data to calculate the derived static pile capacity using the UP Method (Garbin, 1999). This software was developed by the University of South Florida and the Federal Highway Administration and can be downloaded from www.eng.usf.edu/gmullins under the Statnamic Analysis Workbook (SAWTM) heading.

UP SHORTCOMINGS

The UP has proven to be a valuable tool in predicting damping values when the foundation acts as a rigid body. However, as the pile length increases an appreciable delay can be introduced between the movement of the pile top and toe, hence negating the rigid body assumption. This

occurrence also becomes prevalent when an end bearing condition exists; in this case the lower portion of the foundation is prevented from moving jointly with the top of the foundation.

Middendorp (1995) defines the "Wave Number" (N_w) to quantify the applicability of the UP. The wave number is calculated by dividing the wave length (D) by the foundation depth (L). D is obtained by multiplying the wave speed c in length per second by the load duration (T) in seconds. Thus, the wave number is calculated by the following equation:

$$N_w = \frac{D}{L} = \frac{cT}{L}$$
 Equation 6

Through empirical studies Middendorp determined that the UP would accurately predict static capacity, from Statnamic data, if the wave number is greater than 12. Nishimura (1995) established a similar threashold at a wave number of 10. Using wave speeds of 5000 m/s and 4000m/s for steel and concrete respectively and a typical Statnamic load duration, the UP is limited to piles shorter than 50 m (steel) and 40 m (concrete). Wave number analysis can be used to determine if stress waves will develop in the pile. However, this does not necessarily satisfy the rigid body requirement of the UP.

Statnamic tests cannot always produce wave numbers greater than 10, and as such there have been several methods suggested to accommodate stress wave phenomena in Statnamically tested long piles (Middendorp, 1995). Due to limitations on paper length these methods are not presented.

MODIFIED UNLOADING POINT METHOD

Given the shortcomings of the UP, users of Statnamic testing have developed a remedy for the problematic condition that arises most commonly. The scenario involves relatively short piles $(N_w>10)$ that do not exhibit rigid body motion, but rather elastically shorten within the same magnitude as the permanent set. This is typical of rock-socketed drilled shafts or piles driven to dense bearing strata that are not fully mobilized during testing. The consequence is that the top of pile response (i.e. acceleration, velocity, and displacement) is significantly different from that of the toe. The most drastic subset of these test results show zero movement at the toe while the top of pile elastically displaces in excess of the surficial yield limit (e.g. upwards of 25 mm). Whereas with plunging piles (rigid body motion) the difference in movement (top to toe) is minimal and the average acceleration is essentially the same as the top of pile acceleration; tip restrained piles will exhibit an inertial term that is twice as large when using top of pile movement measurements to represent the entire pile.

The Modified Unloading Point Method (MUP), developed by Justason (1997), makes use of an additional toe accelerometer that measures the toe response. The entire pile is still assumed to be a single mass, m, but the acceleration of the mass is now defined by the average of the top and toe movements. A standard UP is then conducted using the applied top of pile Statnamic force and the average accelerations and velocities. The derived static force is then plotted against top of pile displacement as before. This simple extension of the UP has successfully overcome most problematic data sets. Plunging piles instrumented with both top and toe accelerometers have shown

little analytical difference between the UP and the MUP. However, MUP analyses are now recommended whenever both top and toe information is available.

NEED FOR ADVANCEMENT

Although the MUP provided a more refined approach to some of the problems associated with UP conditions, there still exists a scenario where it is difficult to interpret Statnamic data with present methods. This is when the wave number is less than ten (relatively long piles). In these cases the pile may still only experience compression (no tension waves) but the delay between top and toe movements causes a phase lag. Hence an average of top and toe movements does not adequately represent the pile.

SUP METHOD DESCRIPTION AND GENERAL PROCEDURE

The fundamental concept of the SUP is that the acceleration, velocity, displacement, and force on each segment can be determined using strain gage measurements along the length of the pile. Individual pile segment displacements are determined using the relative displacement as calculated from strain gage measurements and an upper or lower measured displacement. The velocity and acceleration of each segment are then determined by numerically differentiating displacement then velocity with respect to time. The segmental forces are determined by calculating the difference in force from two strain gage levels.

Typically the maximum number of segments is dependent on the available number of strain gage layers. However, strain gage placement does not necessitate assignment of segmental boundaries; as long as the wave number of a given segment is greater than 10, the segment can include several strain gage levels within its boundaries. The number and the elevation of strain gage levels are usually determined based on soil stratification; as such, it can be useful to conduct an individual segmental analysis to produce the shear strength parameters for each soil strata. A reasonable upper limit on the number of segments should be adopted because of the large number of mathematical computations required to complete each analysis. Figure 4 is a sketch of the SUP pile discretization.

The notation used for the general SUP case defines the pile as having m levels of strain gages and m+1 segments. Strain gage locations are labeled using positive integers starting from I and continuing through m. The first gage level below the top of the foundation is denoted as GL^{l} where the superscript defines the gage level. Although there are no strain gages at the top of foundation, this elevation is denoted as GL^{l} . Segments are numbered using positive integers from I to m+1, where segment I is bounded by the top of foundation (GL^{l}) and GL^{l} . Any general segment is denoted as segment I and lies between I and I and I is denoted as segment I and lies between I and the foundation toe.




Figure 4Segmental Free Body Diagram

CALCULATION OF SEGMENTAL MOTION PARAMETERS

The SUP analysis defines average acceleration, velocity, and displacement traces that are specific to each segment. In doing so, strain measurements from the top and bottom of each segment and a boundary displacement are required. Boundary displacement may come from the Statnamic laser reference system (top), top of pile acceleration data, or from embedded toe accelerometer data.

The displacement is calculated at each gage level using the change in recorded strain with respect to an initial time zero using Equation 7. Because a linearly-varying strain distribution is assumed between gage levels, the average strain is used to calculate the elastic shortening in each segment.

Level displacements

where

$$x_n = x_{n-1} - \Delta \epsilon_{average seg n} L_{seg n}$$
 Equation 7
$$x_n = \text{the displacement at the nth gage level}$$

), $a_{verage \ seg \ n} = the average change in strain in segment n$ $<math>L_{seg \ n} = the length of the nth segment$

To perform an unloading point analysis, only the top-of-segment motion needs to be defined. However, the MUP analysis, which is now recommended, requires both top and bottom parameters. The SUP lends itself naturally to providing this information. Therefore, the average segment movement is used rather than the top-of-segment; hence, the SUP actually performs multiple MUP analyses rather than standard UP. The segmental displacement is then determined using the average of the gage level displacements from each end of the segment as shown in the following equation:

$$x_{seg n} = \frac{x_{n-1} + x_n}{2}$$
 Equation 8

where x_{segn} is the average displacement consistent with that of the segment centroid.

The velocity and acceleration, as required for MUP, are then determined from the average displacement trace through numerical differentiation using Equations 9 and 10, respectively:

$$v_n = \frac{x_{n_t} - x_{n_{t+1}}}{\Delta t}$$
 Equation 9

$$a_n = \frac{v_{n_t} - v_{n_{t+1}}}{\Delta t}$$
 Equation 10

where $v_n =$ the velocity of segment n

 a_n = the acceleration of segment nt the time step from time t to t+1

It should be noted that all measured values of laser displacement, strain, and force are time dependent parameters that are field recorded using high speed data acquisition computers. Hence the time step, **)** t, used to calculate velocity and acceleration is a uniform value that can be as small as 0.0002 seconds. Therefore, some consideration should be given when selecting the time step to be used for numerical differentiation.

The average motion parameters (x, v, and a) for segment m+1 can not be ascertained from measured data, but the displacement at GL^m can be differentiated directly providing the velocity and acceleration. Therefore, the toe segment is evaluated using the standard UP. These segments typically are extremely short (1 - 2 m) producing little to no differential movement along its length.

CALCULATION OF SEGMENTAL STATNAMIC AND DERIVED STATIC FORCES

Each segment in the shaft is subjected to a forcing event which causes movement and reaction forces. This segmental force is calculated by subtracting the force at the top of the segment from the force at the bottom. The difference is due to side friction, inertia, and damping for all segments except the bottom segment. This segment has only one forcing function from GL^m and the side friction is coupled with the tip bearing component. The force on segment n is defined as:

$$S_n = A_{(n-1)} E_{(n-1)} \epsilon_{(n-1)} - A_n E_n \epsilon_n$$
 Equation 11

where S_n = the applied segment force from strain measurements

 E_n = the composite elastic modulus at level n

 A_n = the cross sectional area at level nthe measured strain at level n

Once the motion and forces are defined along the length of the pile, an unloading point analysis on each segment is conducted. The segment force defined above is now used in place of the Statnamic force in Equation 2. Equation 12 redefines the fundamental equation of motion for a segment analysis:

$$S_n = m_n a_n + c_n v_n + S_{n Static}$$
 Equation 12

where, $S_{n Static}$ = the derive static response of segment n

 m_n = the calculated mass of segment n c_n = the damping constant of segment n

The damping constant (in Equation 13) and the derived static response (Equation 14) of the segment are computed consistent with standard UP analyses:

$$c_n = \frac{S_n - S_{n \text{ Static}}}{v_n}$$
 Equation 13

$$S_{n \text{ Static}} = S_n - m_n a_n - c_n v_n$$
 Equation 14

Finally the top-of-foundation derived static response can be calculated by summing the derived static response of the individual segments as displayed in the following equation:

$$F_{Static} = \sum_{n=1}^{m+1} S_{n \ Static}$$
 Equation 15

Software capable of performing SUP analyses (SUPERSAWTM) is currently being developed at the University of South Florida in cooperation with the Federal Highway Administration.

SITE CHARACTERISTICS AND SUP APPLICATION

Prepared in this section are examples of the motion parameters, segment forces, and load displacement trends as analyzed by SUP. The foundation was instrumented with four strain gage levels (m = 4) which produced five segments. Data was obtained at the 17th Street Causeway Replacement Bridge project as part of an extensive load test program implemented by the Florida Department of Transportation (FDOT), which included Statnamic load tests. Statnamic load testing was performed using a 30MN Statnamic device equipped with a gravel catch structure. Shaft instrumentation consisted of standard Statnamic equipment as well as, resistive type strain gages, and a toe accelerometer. Instrumentation elevations are presented in Table 1.

The test shaft had a planned diameter of 1.22 m and was 22 m in length. It was constructed using a temporary casing method and sea water as the drilling fluid. The 1.22 m O.D. steel casing (1 cm wall thickness) was installed to elevation-18.96 using a vibratory hammer. The concrete was placed using a tremie method, then the casing tip was pulled to elevation -0.9 m, using a vibratory hammer.

A soil boring performed at the test shaft location indicated that the natural ground elevation was approximately 1.5 m. The water table was reported to exist at elevation 0.3 m. SPT testing was initiated at the ground surface (elevation +3 m) and extended to elevation -28.15 m. The upper two meters of soil consisted of compacted limestone fill with SPT "N" values ranging from 27 to 16.

Table 1 Instrumentation Schedule

| Instrumentation Elevation (m) | Number of Transducers | Type of Transducer |
|-------------------------------|-----------------------|--|
| 3.0 | 4 | Calibrated Load Cell, 2 Accelerometers, and Laser Reference System |
| -1.8 | 3 | Strain Gage |
| -4.2 | 3 | Strain Gage |
| -17.0 | 3 | Strain Gage |
| -18.3 | 3 | Strain Gage |
| -19.0 | 1 | Accelerometer |

The following strata was reported as fine sand with fragments of limestone and shell. This strata extended to elevation -14.7m, "N" values ranged from 9 to 57. From elevation -14.7m throughout, the rock socket length averaged 34% RQD at 80% recovery. RQD values ranged from 18% to 73% in the limestone below the shaft tip. Recovery values in this strata are generally greater than 70%.

Figure 5 shows the measured change in strain with respect to time t = 0 for each gage level. Figures 6 through 8 illustrate the motion parameters determined for each of the five segments. Figure 9 shows the forces calculated at each gage level with the true measured strain. Figure 10




Figure 5Strain versus Time




Figure 6Segmental Average Displacements shows the dynamic forces on each of the segments as calculated by Equation 11.




Figure 7Segmental Average Velocity




Figure 9Segmental Average Acceleration




Figure 8Force at Gage Levels




Figure 10Segmental Statnamic Forces




Figure 11Segment Load Displacement Curves

Using the segmental forces, the derived static soil resistance is determined for each of the segments. Figure 11 shows a typical segment load versus segment displacement curve. By simply dividing the segment force by circumferential surface area this curve can be converted in to a shear stress versus displacement (T-Z) curve for that specific soil strata.

It can be seen in Figure 10 that the peak of each segment force may occur at different times and therefore at different top-of-pile displacements. This can effect the pile capacity in that the ultimate shear strengths of the strata should not be simply summed. This is most probably not a significant concern with this pile due to the plunging nature of the failure. This is evidenced by the similar top and toe movements shown in Figure 6. However, to be technically correct, SUP uses the summation of segment forces as they were developed. This accounts for upper soil layers that may fully mobilize and become residual in nature while lower soil layers begin to develop ultimate strengths. Figure 12 shows the raw Statnamic load displacement curve as well as SUP, MUP, and UP derived static capacity versus the top-of-pile displacement.




Figure 12Top of Pile Load versus Displacement

SUMMARY

A new method of analysis called the Segmental Unloading Point Method (SUP) was presented that evaluates Statnamically loaded foundations as segments whose lengths are defined by embedded strain gage elevations. The recorded strain measurements are used to determine both the segmental motion parameters as well as the segmental force traces. Each segment is then treated as an individual foundation whose static response is derived using either the UP or MUP methods. The summation of each segment contribution with respect to time provides a top of foundation response that more closely incorporates the actual distribution of inertial and damping forces throughout the foundation. This is most important in the analysis of relatively long or fixed-ended piles. Although the UP and MUP methods of analysis are sufficient for most loading conditions, SUP provides information for soil strata T-Z curves as well as cut-off elevation load-displacement curves.

REFERENCES

Bermingham, P., and White, J., (1995), "Pyrotechnics and the Accurate of Prediction of Statnamic Peak Loading and Fuel Charge Size", First International Statnamic Seminar, 1995, Vancouver, British Columbia Canada

Das, Braja M., (1993), "Principles of Soil Dynamics", PWS-KENT Publishing Company, Boston, Massachusetts.

Garbin, E. J., (1999), "Data Interpretation for Axial Statnamic Testing and the Development of the Statnamic Analysis Workbook," Master's Thesis, University of South Florida, Tampa, FL.

Kusakabe, Kuwabara, and Matsumoto (eds), (2000), "Statnamic Load Test," Draft of 'method for rapid load test of single piles (JGS 1815-2000)," *Proceedings of the Second International Statnamic Seminar*, Tokyo, October 1998 pp. 237-242.

Janes, M.C., Justason, M.D., Brown, D.A., (2000), "Long period dynamic load testing ASTM standard draft," *Proceedings of the Second International Statnamic Seminar*, Tokyo, October, 1998, pp. 199-218.

Justason, M.D., (1997), "Report of Load Testing at the Taipei Municipal Incinerator Expansion Project," Taipei City, Taipei.

Lewis, C.L., (1999), "Analysis of Axial Statnamic Testing by the Segmental Unloading Point Method," Master's Thesis, University of South Florida, Tampa, FL.


Middendorp, P., Bermingham, P., and Kuiper, B., (1992). "Statnamic Load Testing Of Foundation Pile." Proceedings, 4th International Conference On Application Of Stress-Wave Theory To Piles, The Hague, pp. 581-588.

Middendorp, P. and Bielefeld, M.W., (1995), "Statnamic Load Testing and the Infuluence of Stress

Wave Phenomena", *Proceedings of the First International Statnamic Seminar*, Vancouver, Canada, pp. 207-220.

Nishimura, S., Matsumoto, T., (1998), "Wave Propagation Analysis During Statnamic Loading of a Steel Pipe Pile", Second International Statnamic Seminar, 1998, Canadian Embassy of Japan, Tokyo

Young, Hugh. D., (1992), "University Physics", Eight Edition, Addison Wesley.



ADVANCEMENTS IN STATNAMIC DATA REGRESSION TECHNIQUES

Gray Mullins¹, Christopher L. Lewis², Michael D. Justason³

ABSTRACT

Until recently, the analysis of Statnamic test data has typically incorporated the "Unloading Point Method" (Middendorp et. al, 1992) to determine an equivalent static capacity. The UP method requires that the foundation move as a rigid body, thus excluding stress wave phenomenon from the analysis. If this requirement is met the foundationcapacity can be determined using this simplified method. However, many foundations do not meet the UP criteria (e.g. fixed end or relatively long piles) and have proven difficult to analyze without more complex techniques. This paper presents a new analysis method that uses measured strain data as well as the standard Statnamic test data to determine foundation capacity. This new method discretizes the foundation into smaller segments that each meet the rigid body criteria of the UP method. Thereby, a more refined inertia and viscous damping evaluation can be implemented that individually determines the contributions from the various segments. This approach, termed the "Segmental Unloading Point" (SUP) method, is developed herein and then demonstrated with results from full-scale Statnamic test data.

INTRODUCTION

Since its inception in 1988, Statnamic testing of deep foundations has gained popularity with many designers largely due to its time efficiency, cost effectiveness, data quality, and flexibility in testing existing foundations. Where large capacity static tests may take up to a week to set up and conduct, the largest of Statnamic tests typically takes no more than a few days. Further, multiple smaller-capacity tests can easily be completed within a day. The direct benefit of this time efficiency is the cost savings to the client and the ability to conduct more tests within a given budget. Additionally, this test method has boosted quality assurance by giving the contractor the ability to test foundations thought to have been compromised by construction difficulties without significantly affecting production.

¹ Assistant Professor, University of South Florida, Department of Civil and Environmental Engineering, Tampa, FL.

 $^{^2\} Geotechnical\ Engineer,\ Applied\ Foundation\ Testing,\ Green\ Cove\ Springs\ /\ Tampa,\ FL.$

³ Senior Engineer, Berminghammer Foundation Equipment, Hamilton, ON.

Statnamic testing is designated as a rapid load test that uses the inertia of a relatively small reaction mass instead of a reaction structure to produce large forces. Rapid load tests are differentiated from static and dynamic load tests by comparing the duration of the loading event with respect to the axial natural period of the foundation (2L/C). Test durations longer than 1000 L/C are considered static loadings and those shorter than 10 L/C are consider dynamic, where L represents the foundation length and C represents the strain wave velocity (Janes et al., 2000; Kusakabe et.al, 2000). Tests with a duration between 10L/C and 1000 L/C are denoted as rapid load tests. The duration of the Statnamic test is typically 100 to 120 milliseconds, but is dependant on the ratio of the applied force to the weight of the reaction mass. Longer duration tests of up to 500 milliseconds are possible but require a larger reaction mass.

The Statnamic force is produced by quickly-formed high pressure gases that in turn launch a reaction mass upward at up to twenty times the acceleration of gravity. The equal and opposite force exerted on the foundation is simply the product of the mass and acceleration of the reaction mass. It should be noted that the acceleration of the reaction mass is not significant in the analysis of the foundation; it is simply a by-product of the test. Secondly, the load produced is not an impact in that the mass is in contact prior to the test. Further, the test is over long before the masses reach the top of their flight. The parameters of interest are only those associated with the movement of the foundation (i.e. force, displacement, and acceleration).

Typical analysis of Statnamic data relies on measured values of force, displacement and acceleration. A soil model is not required, hence, the results are not highly user dependent. A new method of analysis is introduced that extends present methods by incorporating additional measured values of strain at discrete points along the length of the foundation. In the ensuing sections a discussion of analysis methods and their applicability will be presented. Full details on the development of this method can be found elsewhere (Lewis, 1999).

PRESENT ANALYSIS PROCEDURES

The Statnamic forcing event induces foundation motion in a relatively short period of time and hence acceleration and velocities will be present. The accelerations are typically small(1-2 g's), however the enormous mass of the foundation when accelerated resists movement due to inertia and as such the fundamental equation of motion applies, Equation 1.

$$F = ma + cv + kx$$
 Equation 1

where, F = forcing event

m = mass of the foundation

a = acceleration of the displacing body

v = velocity of the displacing body

c = viscous damping coefficient

k = spring constant of the displacing system

x = displacement of the body

The equation of motion is generally described using four terms: forcing, inertial, viscous damping, and stiffness. The forcing term (F) denotes the load application which varies with time and is equated to the sum of remaining three terms. The inertial term (ma) is the force which is generated from the tendency of a body to resist motion, or to keep moving once it is set in motion (Young,1992). The viscous damping term (cv) is best described as the velocity dependant resistance to movement. The final term (kx), represents the classic system stiffness, which is the static soil resistance.

When this equation is applied to a pile/soil system the terms can be redefined to more accurately describe the system. This is done by including both measured and calculated terms. The revised equation is displayed below:

$$F_{\text{Statements}} = (m\alpha)_{\text{Foundation}} + (cv)_{\text{Foundation}} + F_{\text{State}}$$
 Equation 2

where, $F_{\textit{Statnamic}}$ is the measured Statnamic force, m is the calculated mass of the foundation, a is the measured acceleration of the foundation, c is the viscous damping coefficient, v is the calculated velocity, and $F_{\textit{static}}$ is the derived pile/soil static response.

There are two unknowns in the revised equation F_{static} and c, thus the equation is under specified. F_{static} is the desired value, so the variable c must be obtained to solve the equation. Middendorp (1992) presented a method to calculate the damping coefficient referred to as the Unloading Point Method (UP). With the value of c known, the static force can be calculated. This force, termed "Derived Static," represents an equivalent soil response to that produced by a traditional static load test.

UP DESCRIPTION

The UP is a simple method which allows the equivalent static resistance to be derived from the measured Statnamic quantities. It uses a simple single degree of freedom model to represent the foundation/soil system as a rigid body supported by a non-linear spring and a linear dashpot in parallel (see Figure 1). The spring represents the static soil response (F_{Static}) which includes the elastic response of the foundation as well as the foundation/soil interface and surrounding soil response. The dashpot is used to represent the dynamic resistance which depends on the rate of pile penetration (Nishimura, 1995).

The UP makes two primary assumptions in its determination of "c." The first is the static capacity of the pile is constant when it plunges as a rigid body. The second is that the damping coefficient is constant throughout the test. By doing so a window is defined in which to calculate the damping coefficient. The first point of interest (1) is that of maximum Statnamic Force. At this point the static resistance is assumed to have become steady state, for the purpose of calculating "c". Thus, any extra resistance is attributed to that of the dynamic forces (ma and cv). The next point of interest (2) is that of zero velocity which has been termed the "Unloading Point." Figure 2 shows a typical Statnamic load-displacement curve which denotes points (1) and (2). At this point the foundation is no longer moving and the resistance due to damping is

zero. The static resistance, used to calculate "c" from point (1) to (2), can then be calculated by the following equation:

$$F_{\underline{Static}_{\underline{DP}}} = F_{\underline{Static}_{\underline{DP}}} - (ma)_{\underline{Foundation}}$$
 Equation 3

where, $F_{Statinamic}$, m, and a are all known parameters; $F_{Static\ UP}$ is the static force calculated at (2) and assumed constant from (1) to (2).




Figure 1Single D.O.F. Model (After Das 1994)




Figure 2UP time window for *C* determination.

Next, the damping coefficient can be calculated throughout this range, from maximum force (1) to zero velocity (2). The following equation is used to calculate c:

$$c = \frac{F_{Stationnie} - F_{Statio}_{UF} - (ma)_{Foundation}}{v_{Foundation}}$$
 Equation 4

Damping values over this range should be fairly constant. Often the average value is taken as the damping constant, but if a constant value occurs over a long period of time it should be used (see Figure 3). Note that as v approaches zero at point (2), values of c can be different from that of the most representative value and therefore the entire trend should be reviewed. Finally the derived static response can be calculated

$$F_{\text{Static}} = F_{\text{Statinswise}} - (ma)_{\text{Foundation}} - (cv)_{\text{Foundation}}$$
 Equation 5




Figure 3 Variation in *C* between times (1) and (2).

as follows:

Currently software is available to the public that can be used in conjunction with Statnamic test data to calculate the derived static pile capacity using the UP Method (Garbin, 1999). This software was developed by the University of South Florida and the Federal Highway Administration and can be downloaded from www.eng.usf.edu/~gmullins under the Statnamic Analysis Workbook (SAWTM) heading.

UP SHORTCOMINGS

The UP has proven to be a valuable tool in predicting damping values when the foundation acts as a rigid body. However, as the pile length increases an appreciable delay can be introduced between the movement of the pile top and toe, hence negating the rigid body assumption. This occurrence also becomes prevalent when an end bearing condition exists; in this case the lower portion of the foundation is prevented from moving jointly with the top of the foundation.

Middendorp (1995) defines the "Wave Number" ($N_{\rm w}$) to quantify the applicability of the UP. The wave number is calculated by dividing the wave length (D) by the foundation depth (L). D is obtained by multiplying the wave speed c in length per second by the load duration (T) in seconds. Thus, the wave number is calculated by the following equation:

$$N_{\mathbf{w}} = \frac{D}{L} = \frac{cT}{L}$$
 Equation 6

Through empirical studies Middendorp determined that the UP would accurately predict static capacity, from Statnamic data, if the wave number is greater than 12. Nishimura (1995) established a similar threashold at a wave number of 10. Using wave speeds of 5000 m/s and 4000m/s for steel and concrete respectively and a typical Statnamic load duration, the UP is limited to piles shorter than 50 m (steel) and 40 m (concrete). Wave number analysis can be used to determine if stress waves will develop in the pile. However, this does not necessarily satisfy the rigid body requirement of the UP.

Statnamic tests cannot always produce wave numbers greater than 10, and as such there have been several methods suggested to accommodate stress wave phenomena in Statnamically tested long piles (Middendorp, 1995). Due to limitations on paper length these methods are not presented.

MODIFIED UNLOADING POINT METHOD

Given the shortcomings of the UP, users of Statnamic testing have developed a remedy for the problematic condition that arises most commonly. The scenario involves relatively short piles (N_w >10) that do not exhibit rigid body motion, but rather elastically shorten within the same magnitude as the permanent set. This is typical of rock-socketed drilled shafts or piles driven to dense bearing strata that are not fully mobilized during testing. The consequence is that the top of pile response (i.e. acceleration, velocity, and displacement) is significantly different from that of the toe. The most drastic subset of these test results show zero movement at the toe while the top of pile elastically displaces in excess of the surficial yield limit (e.g. upwards of 25 mm). Whereas with plunging piles (rigid body motion) the difference in movement (top to toe) is minimal and the average acceleration is essentially the same as the top of pile acceleration; tip restrained piles will exhibit an inertial term that is twice as large when using top of pile movement measurements to represent the entire pile.

The Modified Unloading Point Method (MUP), developed by Justason (1997), makes use of an additional toe accelerometer that measures the toe response. The entire pile is still assumed to be a single

mass, m, but the acceleration of the mass is now defined by the average of the top and toe movements. A standard UP is then conducted using the applied top of pile Statnamic force and the average accelerations and velocities. The derived static force is then plotted against top of pile displacement as before. This simple extension of the UP has successfully overcome most problematic data sets. Plunging piles instrumented with both top and toe accelerometers have shown little analytical difference between the UP and the MUP. However, MUP analyses are now recommended whenever both top and toe information is available.

NEED FOR ADVANCEMENT

Although the MUP provided a more refined approach to some of the problems associated with UP conditions, there still exists a scenario where it is difficult to interpret Statnamic data with present methods. This is when the wave number is less than ten (relatively long piles). In these cases the pile may still only experience compression (no tension waves) but the delay between top and toe movements causes a phase lag. Hence an average of top and toe movements does not adequately represent the pile.

SUP METHOD DESCRIPTION AND GENERAL PROCEDURE

The fundamental concept of the SUP is that the acceleration, velocity, displacement, and force on each segment can be determined using strain gage measurements along the length of the pile. Individual pile segment displacements are determined using the relative displacement as calculated from strain gage measurements and an upper or lower measured displacement. The velocity and acceleration of each segment are then determined by numerically differentiating displacement then velocity with respect to time. The segmental forces are determined by calculating the difference in force from two strain gage levels.

Typically the maximum number of segments is dependent on the available number of strain gage layers. However, strain gage placement does not necessitate assignment of segmental boundaries; as long as the wave number of a given segment is greater than 10, the segment can include several strain gage levels within its boundaries. The number and the elevation of strain gage levels are usually determined based on soil stratification; as such, it can be useful to conduct an individual segmental analysis to produce the shear strength parameters for each soil strata. A reasonable upper limit on the number of segments should be adopted because of the large number of mathematical computations required to complete each analysis. Figure 4 is a sketch of the SUP pile discretization.

The notation used for the general SUP case defines the pile as having m levels of strain gages and m+1 segments. Strain gage locations are labeled using positive integers starting from I and continuing through m. The first gage level below the top of the foundation is denoted as GL^1 where the superscript defines the gage level. Although there are no strain gages at the top of foundation, this elevation is denoted as GL^0 . Segments are numbered using positive integers from I to m+1, where segment I is bounded by the top of foundation (GL^0) and GL^1 . Any general segment is denoted as segment I and lies between I and the foundation toe.




Figure 4Segmental Free Body Diagram

CALCULATION OF SEGMENTAL MOTION PARAMETERS

The SUP analysis defines average acceleration, velocity, and displacement traces that are specific to each segment. In doing so, strain measurements from the top and bottom of each segment and a boundary displacement are required. Boundary displacement may come from the Statnamic laser reference system (top), top of pile acceleration data, or from embedded toe accelerometer data.

The displacement is calculated at each gage level using the change in recorded strain with respect to an initial time zero using Equation 7. Because a linearly-varying strain distribution is assumed between gage levels, the average strain is used to calculate the elastic shortening in each segment.

Level displacements

$$x_n = x_{n-1} - \Delta \epsilon_{average leg n} L_{leg n}$$
 Equation 7

where

 $x_n =$ the displacement at the nth gage level), $x_n =$ the average change in strain in segment n $x_n =$ the length of the nth segment

To perform an unloading point analysis, only the top-of-segment motion needs to be defined. However, the MUP analysis, which is now recommended, requires both top and bottom parameters. The SUP lends itself naturally to providing this information. Therefore, the average segment movement is used rather than the top-of-segment; hence, the SUP actually performs multiple MUP analyses rather than standard UP. The segmental displacement is then determined using the average of the gage level displacements from each end of the segment as shown in the following equation:

$$x_{leg n} = \frac{x_{n-1} + x_n}{2}$$
 Equation 8

where $x_{seg\ n}$ is the average displacement consistent with that of the segment centroid.

The velocity and acceleration, as required for MUP, are then determined from the average displacement trace through numerical differentiation using Equations 9 and 10, respectively:

$$v_{\mathbf{R}} = \frac{x_{\mathbf{n}_{f}} - x_{\mathbf{n}_{f}-1}}{\Delta t}$$
 Equation 9

$$\alpha_{\mathbf{R}} = \frac{\mathbf{v}_{\mathbf{R}_{f}} - \mathbf{v}_{\mathbf{R}_{f+1}}}{\Delta t}$$
 Equation 10

where $v_n =$ the velocity of segment n $a_n =$ the acceleration of segment n the time step from time <math>t to t+1

It should be noted that all measured values of laser displacement, strain, and force are time dependent parameters that are field recorded using high speed data acquisition computers. Hence the time step,) t, used to calculate velocity and acceleration is a uniform value that can be as small as 0.0002 seconds. Therefore, some consideration should be given when selecting the time step to be used for numerical differentiation.

The average motion parameters (x, v, and a) for segment m+1 can not be ascertained from measured data, but the displacement at GL^m can be differentiated directly providing the velocity and acceleration. Therefore, the toe segment is evaluated using the standard UP. These segments typically are extremely short (1 - 2 m) producing little to no differential movement along its length.

CALCULATION OF SEGMENTAL STATNAMIC AND DERIVED STATIC FORCES

Each segment in the shaft is subjected to a forcing event which causes movement and reaction forces. This segmental force is calculated by subtracting the force at the top of the segment from the force at the bottom. The difference is due to side friction, inertia, and damping for all segments except the bottom segment. This segment has only one forcing function from GL^m and the side friction is coupled with the tip bearing component. The force on segment n is defined as:

$$S_n = A_{(n-1)} E_{(n-1)} = A_n E_n =$$
Equation 11

where S_n = the applied segment force from strain measurements

 E_n = the composite elastic modulus at level n

 A_n = the cross sectional area at level nthe measured strain at level n

Once the motion and forces are defined along the length of the pile, an unloading point analysis on each segment is conducted. The segment force defined above is now used in place of the Statnamic force in Equation 2. Equation 12 redefines the fundamental equation of motion for a segment analysis:

$$S_n = m_n a_n + c_n v_n + S_n static$$
 Equation 12

where, $S_{n \ Static} =$ the derive static response of segment n

 m_n = the calculated mass of segment n c_n = the damping constant of segment n

The damping constant (in Equation 13) and the derived static response (Equation 14) of the segment are computed consistent with standard UP analyses:

$$c_n = \frac{S_n - S_n \text{ Scattle}}{v_n}$$
 Equation 13

$$S_n \leq S_n - m_n a_n - c_n v_n$$
 Equation 14

Finally the top-of-foundation derived static response can be calculated by summing the derived static response of the individual segments as displayed in the following equation:

$$F_{\text{Statie}} = \sum_{n=1}^{\infty} S_{n \text{ Statie}}$$
 Equation 15

Software capable of performing SUP analyses (SUPERSAWTM) is currently being developed at the University of South Florida in cooperation with the Federal Highway Administration.

SITE CHARACTERISTICS AND SUP APPLICATION

Prepared in this section are examples of the motion parameters, segment forces, and load displacement trends as analyzed by SUP. The foundation was instrumented with four strain gage levels (m = 4) which produced five segments. Data was obtained at the 17th Street Causeway Replacement Bridge project as part of an extensive load test program implemented by the Florida Department of Transportation (FDOT), which included Statnamic load tests. Statnamic load testing was performed using a 30MN Statnamic device equipped with a gravel catch structure. Shaft instrumentation consisted of standard Statnamic equipment as well as, resistive type strain gages, and a toe accelerometer. Instrumentation elevations are presented in Table 1.

The test shaft had a planned diameter of 1.22 m and was 22 m in length. It was constructed using a temporary casing method and sea water as the drilling fluid. The 1.22 m O.D. steel casing (1 cm wall thickness) was installed to elevation-18.96 using a vibratory hammer. The concrete was placed using a tremie method, then the casing tip was pulled to elevation -0.9 m, using a vibratory hammer.

A soil boring performed at the test shaft location indicated that the natural ground elevation was approximately $1.5 \, \text{m}$. The water table was reported to exist at elevation $0.3 \, \text{m}$. SPT testing was initiated at the ground surface (elevation $+3 \, \text{m}$) and extended to elevation $-28.15 \, \text{m}$. The upper two meters of soil consisted of compacted limestone fill with SPT "N" values ranging from $27 \, \text{to} \, 16$.

Table 1 Instrumentation Schedule

| Instrumentation Elevation (m) | Number of Transducers | Type of Transducer |
|-------------------------------|-----------------------|--|
| 3.0 | 4 | Calibrated Load Cell, 2 Accelerometers, and Laser Reference System |
| -1.8 | 3 | Strain Gage |
| -4.2 | 3 | Strain Gage |
| -17.0 | 3 | Strain Gage |
| -18.3 | 3 | Strain Gage |
| -19.0 | 1 | Accelerometer |

The following strata was reported as fine sand with fragments of limestone and shell. This strata extended to elevation -14.7m, "N" values ranged from 9 to 57. From elevation -14.7m throughout, the rock socket length averaged 34% RQD at 80% recovery. RQD values ranged from 18% to 73% in the limestone below the shaft tip. Recovery values in this strata are generally greater than 70%.

Figure 5 shows the measured change in strain with respect to time t=0 for each gage level. Figures 6 through 8 illustrate the motion parameters determined for each of the five segments. Figure 9 shows the forces calculated at each gage level with the true measured strain. Figure 10 shows the dynamic forces on each of the segments as calculated by Equation 11.




Figure 5Strain versus Time




Figure 6Segmental Average Displacements




Figure 7Segmental Average Velocity




Figure 8Force at Gage Levels




Figure 9Segmental Average Acceleration




Figure 10Segmental Statnamic Forces




Figure 11Segment Load Displacement Curves

Using the segmental forces, the derived static soil resistance is determined for each of the segments. Figure 11 shows a typical segment load versus segment displacement curve. By simply dividing the segment force by circumferential surface area this curve can be converted in to a shear stress versus displacement (T-Z) curve for that specific soil strata.

It can be seen in Figure 10 that the peak of each segment force may occur at different times and therefore at different top-of-pile displacements. This can effect the pile capacity in that the ultimate shear strengths of the strata should not be simply summed. This is most probably not a significant concern with this pile due to the plunging nature of the failure. This is evidenced by the similar top and toe movements shown in Figure 6. However, to be technically correct, SUP uses the summation of segment forces as they were developed. This accounts for upper soil layers that may fully mobilize and become residual in nature while lower soil layers begin to develop ultimate strengths. Figure 12 shows the raw Statnamic load displacement curve as well as SUP, MUP, and UP derived static capacity versus the top-of-pile displacement.




Figure 12Top of Pile Load versus Displacement

SUMMARY

A new method of analysis called the Segmental Unloading Point Method (SUP) was presented that evaluates Statnamically loaded foundations as segments whose lengths are defined by embedded strain gage elevations. The recorded strain measurements are used to determine both the segmental motion parameters as well as the segmental force traces. Each segment is then treated as an individual foundation whose static response is derived using either the UP or MUP methods. The summation of each segment contribution with respect to time provides a top of foundation response that more closely incorporates the actual distribution of inertial and damping forces throughout the foundation. This is most important in the analysis of relatively long or fixed-ended piles. Although the UP and MUP methods of analysis are sufficient for most loading conditions, SUP provides information for soil strata T-Z curves as well as cut-off elevation load-displacement curves.

REFERENCES

Bermingham, P., and White, J., (1995), "Pyrotechnics and the Accurate of Prediction of Statnamic Peak Loading and Fuel Charge Size", First International Statnamic Seminar, 1995, Vancouver, British Columbia Canada

Das, Braja M., (1993), "Principles of Soil Dynamics", PWS-KENT Publishing Company, Boston, Massachusetts.

Garbin, E. J., (1999), "Data Interpretation for Axial Statnamic Testing and the Development of the Statnamic Analysis Workbook," Master's Thesis, University of South Florida, Tampa, FL.

Kusakabe, Kuwabara, and Matsumoto (eds), (2000), "Statnamic Load Test," Draft of 'method for rapid load test of single piles (JGS 1815-2000)," *Proceedings of the Second International Statnamic Seminar*, Tokyo, October 1998 pp. 237-242.

Janes, M.C., Justason, M.D., Brown, D.A., (2000), "Long period dynamic load testing ASTM standard draft," *Proceedings of the Second International Statnamic Seminar*, Tokyo, October, 1998, pp. 199-218.

Justason, M.D., (1997), "Report of Load Testing at the Taipei Municipal Incinerator Expansion Project," Taipei City, Taipei.

Lewis, C.L., (1999), "Analysis of Axial Statnamic Testing by the Segmental Unloading Point Method," Master's Thesis, University of South Florida, Tampa, FL.

Middendorp, P., Bermingham, P., and Kuiper, B., (1992). "Statnamic Load Testing Of Foundation Pile." Proceedings, 4th International Conference On Application Of Stress-Wave Theory To Piles, The Hague, pp. 581-588.

Middendorp, P. and Bielefeld, M.W., (1995), "Statnamic Load Testing and the Infuluence of Stress Wave Phenomena", *Proceedings of the First International Statnamic Seminar*, Vancouver, Canada, pp. 207-220.

Nishimura, S., Matsumoto, T., (1998), "Wave Propagation Analysis During Statnamic Loading of a Steel Pipe Pile", Second International Statnamic Seminar, 1998, Canadian Embassy of Japan, Tokyo

Young, Hugh. D., (1992), "University Physics", Eight Edition, Addison Wesley.