
GRIP-TWIST® DATA SHEET — Dimensions and Data [inch-pound units]



GRIP-TWIST® Mechanical Anchorage — Dimensions and Data [inch-pound units]

TAPER THREADED DoughNUT 5A _b ←B→	Rebar Size US [Metric]	Male Coupler Product Code	TDS Head Product Code	TDX Head Product Code	Coupler Length after Swaging L (in.)	End Allowance Am (in.)	Thickness B (in.)	Head Diamete TDS Seri D1 (in.)		Head Diamete TDX Seri D ₂ (in.)	
D_1	#4 [13]	TT4M	4TDS	4TDX	2 ¹⁵ / ₁₆	1 ³ / ₁₆	3/4	1 ¹ / ₄	0.21	1 ³ / ₄	0.46
	#5 [16]	TT5M	5TDS	5TDX	3 ⁵ / ₈	1 ³ / ₈	7/8	1 1/2	0.35	2	0.70
Am	#6 [19]	TT6M	6TDS	6TDX	4 ⁵ / ₁₆	1 ⁹ / ₁₆	¹⁵ / ₁₆	1 ³ / ₄	0.50	2 ³ / ₈	1.05
L → H	#7 [22]	TT7M	7TDS	7TDX	5	1 7/8	1 1/4	2	0.85	2 ⁷ /8	2.05
TAPER THREADED	#8 [25]	TT8M	8TDS	8TDX	5 ¹¹ / ₁₆	2 ¹ / ₈	1 ⁵ / ₁₆	2 ³ / ₈	1.30	3 1/4	2.75
DoughNUT 10A _b	#9 [29]	ТТ9М	9TDS	9TDX	6 ¹ / ₂	2 ⁷ / ₁₆	1 1/2	2 ³ / ₄	1.90	3 ³ / ₄	4.10
D_2	#10 [32]	TT10M	10TDS	10TDX	7 1/4	2 3/4	1 5/8	2 ⁷ /8	2.20	4	4.95
	#11 [36]	TT11M	11TDS	11TDX	7 ⁵ / ₈	2 3/4	1 3/4	3 1/4	3.30	4 1/2	6.80
→	#14 [43]	TT14M	14TDS	14TDX	9 ³ / ₈	3 ³ / ₈	2 ¹ / ₈	3 ³ / ₄	4.80	5 ¹ / ₂	12.4
L ——Am—	#18 [57]	TT18M	18TDS	18TDX	12 ³ / ₁₆	4 ⁹ / ₁₆	2 ³ / ₄	5	10.9	7 1/4	27.8

^{*} Head Cross Sectional Area is approximately 5 x Rebar Area

GRIP-TWIST STRUCTURAL CONNECTOR	L
W ØD	U
Lo Lo	
	Ŀ
	[
	<u> </u>
	1

L					DIMENSIONS (inches)						
	Rebar Size US [Metric]	Structural Connector Product Code	Taper Grip-Twist Color Code	Structural Connector Weight (lbs.)	Structural Connector Outside Dia. D	Structural Connector Length C	Weld Bevel Length W	Gap Z	Overall Length Lo		
	#4 [13]	TT4SC	Pink	0.15	7 _{/8}	1 ³ /8	³ /16	1 ³ / ₄	3 ¹ / ₂		
L	#5 [16]	TT5SC	Red	0.30	1 ¹ /8	1 ¹¹ / ₁₆	1/4	2 ¹ /8	4 ⁵ /16		
L	#6 [19]	TT6SC	Yellow	0.60	1 ³ /8	2	1/4	2 ¹ / ₂	5 ¹ / ₈		
L	#7 [22]	TT7SC	Blue	0.85	1 ⁹ /16	2 ⁵ / ₁₆	⁵ / ₁₆	2 ¹⁵ / ₁₆	6		
	#8 [25]	TT8SC	Black	1.15	1 ³ / ₄	2 ⁵ /8	3/8	3 ⁵ / ₁₆	6 ¹³ / ₁₆		
	#9 [29]	TT9SC	Red	1.60	1 ¹⁵ / ₁₆	3	⁷ /16	3 ¹³ / ₁₆	7 ³ / ₄		
	#10 [32]	TT10SC	Yellow	2.25	2 ³ / ₁₆	3 ³ /8	1/2	4 ³ / ₁₆	8 ⁹ / ₁₆		
	#11 [36]	TT11SC	Blue	2.75	2 ³ /8	3 ⁹ / ₁₆	9/16	4 ¹ / ₂	9 ³ /8		
ſ	#14 [43]	TT14SC	Pink	5.05	2 ⁷ /8	4 ³ /8	¹¹ / ₁₆	5 ³ /8	11 ¹ / ₄		
	#18 [57]	TT18SC	Red	11.75	3 13/16	5 ³ / ₄	7/8	7 1/16	14 ¹¹ / ₁₆		


GRIP-TWIST® — Equipment and Installation

A Bench Press BP2600 fitted with a two-piece die set and powered by an electrically-driven hydraulic pump is used by the rebar fabricator to efficiently swage Grip-Twist® coupler components. The equipment operator depresses a foot control to actuate the system. As the ram extends and pushes the dies towards each other, the coupler component is forced to deform around the rebar and interlock with the bar profile. When a swaging bite has been completed, a pressure switch automatically stops the process and the operator retracts the ram for the next bite. For ease of use, swaging dies are color coded and stamped with a serial number that indicates the rebar and coupler size. Color codes are shown on Grip-Twist® Dimensions and Data Charts. NOTE: In lieu of shop installation, it may sometimes be appropriate to use BPI-Grip field-swaging equipment such as press models BG1140M or BG750M - contact BPI for assistance with your application.

BP2600

Bench press for swaging all sizes up to No. 18 [Ø 57mm].

Double acting cylinder produces 300 tons of force connected to 10 or 15 hp pump for high fabrication shop productivity - includes foot control, lifting eyes and leveling feet - weighs 1,600 lbs [725 kg].



BPI® Equipment is available for lease or purchase. Equipment must be used in accordance with manuals, lease agreements. manufacturers directions and all safety instructions.

While the information contained in this document is believed to be accurate at the time of publication, BPI reserves the right to make changes, design modifications, corrections and other revisions as it sees fit, without notice. All products described herein are supplied in accordance with BPI's standard Terms and Conditions of Sale. This document is of a promotional nature only. Aspects of structural design, evaluation of product fitness for use, suitability or similar attributes are the responsibility of others.





^{**} Head Cross Sectional Area is approximately 10 x Rebar Area