Prepared By

Mr. Anil Kumar Swain

Asst. Professor, School of Computer Engineering

CS-1091 Programming in C Lab. Manual

INTRODUCTION

- Programming cannot be learned by watching others do it. Students must spend numerous hours working on programs themselves.
- This laboratory manual is a tool that will allow students to experiment with computer science & this is the beginning. As students progress through each laboratory, they may wonder how or why something works. The best way to discover the answer is to try things out.
- The purpose of this lab. manual is to acquaint the students to know the programming language as well as developing programming skills using C language.

STRUCTURE OF THIS LAB. MANUAL

- This lab. manual provides study aids from programming assignments to scheduled exercises using prepared materials.
- This lab manual is divided into 10 laboratory classes. Each laboratory class consists of the following:
 - a) **Sample Answers (SA):** These are the complete program samples that students will go through in detail before coming to the laboratory class, may refer during solving lab assignments. b) **Lab Assignments (LA):** These are the assignments that ask each student to independently create small programs during the lab time.
 - c) Home Assignments (HA): These are the assignments to be done during lab time if lab. assignments are completed before lab. time or may be assigned as post-lab homework and submitted in the next lab class.

The approach of each Lab: SA-LA-HA

School of Computer Engineering, KIIT University, Bhubaneswar Page 1 of 107 CS-1091 Programming in C Lab. Manual

INSTRUCTIONS FOR STUDENTS

To make laboratory experiments effective, each student must obey the following rules:

1. General instructions

- Once you create a directory named as your rollno_section under the home directory of UBUNTU OS system using command-line or by GUI.
- In Each lab, store programs within appropriate folders named as LAB01, LAB02, LAB03...etc. which are the sub folders under your rollno_section folder.
- Always save programs files with the meaningful name preceded by lab assignment no within specified folders. If you want solve a lab assignment no. HA3.5 (3.5 means 5th assignment of 3rd lab) which is to find roots of a quadratic equation, then name the program as HA35_quadratic.c or HA35_quadeq.c etc.
- 2. **Attendance:** Attendance is required at all labs without exception. There are no make-up labs in this course. Performance will be judged based on the experiments conducted, quality and punctual submission of the labs reports for each experiment. Faculty/Instructor will take attendance. Failure to be present for an experiment will result in loosing entire marks for the corresponding lab. However, genuine cases may be considered for repeat lab. If a student misses a lab session due to unavoidable circumstances can provide a legitimate proof as soon as possible, he/she may be then be allowed by the lab instructor, to make-it-up.
- 3. **Laboratory Report:** At the end of every lab student will be assigned to write-up one of the experiment's problem. Your report must present a clear and accurate account, results you obtained. Student should develop habit to submit the laboratory report/assignments continuously and progressively on the scheduled dates and should get the assessment done.
- 4. Read the write up of each experiment to be performed, a day in advance. Understand the purpose

of experiment and its practical implications.

- 5. Student should not hesitate to ask any difficulty faced during conduct of practical / exercise. 6. The student shall study all the questions given in the laboratory manual and practice to write the answers to these questions.
- 7. Student shall develop the habit of evolving more ideas, innovations, skills etc. those included in the scope of the manual.
- 8. Student should develop the habit of not to depend totally on teachers but to develop self learning techniques.
- 9. While entering into the LAB students should wear their ID cards.
- 10. Shut down your system after you have finished with your experiment.

School of Computer Engineering, KIIT University, Bhubaneswar Page 2 of 107 CS-1091 Programming in C Lab. Manual

PROCEDURE FOR EVALUATION

The entire lab course consists of 100 marks. The marking scheme is as follows

Continuous Evaluation marks 60 End Sem. Lab Examination 40 **Total 100**

Scheme for continuous evaluation

Students will be evaluated bi-weekly. Minimum 6 evaluations should be conducted for each student. Each evaluation carries 10 marks. The scheme is as follows:

Program & Execution 5
Observation 3
Viva-Voce 2
Total 10

Scheme for end sem lab examination

End sem. lab exam will be conducted after the completion of all the weekly exercises. The student will not be allowed for exam if he/she is found short of attendance and has not completed all the experiments. The marking scheme for end sem lab exam is as follows:

Write-up of program 15
Program execution & Checking Results for all

inputs 15

Final Viva-Voce 10 Total 40

School of Computer Engineering, KIIT University, Bhubaneswar Page 3 of 107 CS-1091 Programming in C Lab. Manual

CONTENTS

Lab.

No. Title of Lab. Exercises Page

No.

1. Linux/Unix Commands, Compilation, Execution of a program in GCC Compiler 5 2. Operators & Expressions, Simple Input & Output Statements 13 3. Branching Statements: if..else, switch..case 19 4. Looping: while, do..while and for 26 5. 1-D Array & Matrix 43 6. Function & Recursion 58 7. Strings 71 8. Pointer & Dynamic Memory Allocation 81 9. Structure & Union 88 10. File Handling in C 110

School of Computer Engineering, KIIT University, Bhubaneswar Page 4 of 107 CS-1091 Programming in C Lab. Manual

CONTENTS

Experiment No-1

Sample Answers

- **SA1.1** To get familiar with LINUX/UNIX (UBUNTU) Operating System and practice some frequently used commands on terminal (Command Prompt).
- **SA1.2** To get familiar with **gedit** editor to create a new file, read the contents of a file, write into a file or modify the contents of a file.
- **SA1.3** To learn how to compile and execute a C file that displays "Welcome to C Programming Laboratory" in **gcc** compiler on terminal (Command Prompt).
- SA1.4 WAP to display "IIT" using the character '*'.
- **SA1.5** WAP to display the following message by using multiple printf statement.

A Good End

Can Only Be Achieved Only By Good Means.

SA1.6 WAP to display the above message by using a single printf statement.

Lab. Assignments

LA1.1 First create a sub-directory named as your roll number under your home directory. Then create the following directory structure under your rollno directory.

KIIT

SCE SCIVE SEE SME SETCE

M Tech

CSE IT CSSE CSCE ETC CE ECE

student LIBRARY

info.txt first.c

- **N.B.** The names under solid lines are assumed as directories and dotted lines as file names. **Do the following operations**
- a) Create the file names under the directories as mentioned in the figure and write some relevant data into the files.
- b) Rename the file info.txt as itstudentsdata.txt.
- c) Copy the file first.c into the directory CE with the same name.
- d) Copy the file first.c into the directory SME with a new name as hello.c.
- e) Transfer the file student into the directory SCIVE and check whether transferred or not.
- LA1.2 WAP to display "KIMS" using the character '#'.
- LA1.3 WAP to display the following message by using multiple printf statement.

School of Computer Engineering, KIIT University, Bhubaneswar Page 5 of 107 CS-1091 Programming in C Lab. Manual

If The End Is Good, Then It Is Good, Whatever Be The Means.

LA1.4 WAP to display the message of LA 1.3 by using single printf statement.

Home Assignments

HA1.1 WAP to print your BIO-DATA (Name, Regd.no", Branch, JEE Rank, Gender, Phone no., Address etc.) using printf statement.

PROGRAM NO. SA1.1

To get familiar with LINUX/UNIX (UBUNTU) Operating System and practice some frequently used commands on terminal (command prompt).

LINUX/UNIX COMMANDS

\$ Command Prompt

Anything written within [] is optional.

Sl. No. Description Example

Comma nd

Syntax

1. man Manual

man commandName

It displays an on-line manual page for a command that it gives detailed information of a command how to use it.

2. ls List Syntax

ls [option(s)] [file(s)]

It lists the contents of a directory, and can be used to obtain information on the files and directories within it.

3. pwd Print Working Directory Syntax

pwd

\$ man ls

It gives the manual page of ls command

\$ man pwd

You will see the manual for the pwd command.

\$ ls

It lists the files & subdirectories available in the current directory.

\$ Is -1

Same as above except it lists the files 'long format', which contains lots of useful information, e.g. the exact size of the file, who owns the file and who has the right to look at it, and when it was last modified.

\$ ls dir1

It lists the files & subdirectories available in dir1.

\$ pwd

It tells you where you currently are, in which directory.

School of Computer Engineering, KIIT University, Bhubaneswar Page 6 of 107 CS-1091 Programming in C Lab. Manual

It Shows the current location in the directory tree. In other words, the command gives the full pathname of your current directory.

4. cd Change Directory Syntax

cd [options(s)] [directory]

It changes the current directory to other directory depending on the options and/or name of the directory.

> 5. mkdir Make Directory Syntax

mkdir [option(s)] directoryName

It creates a new directory.

6. cp Copy Syntax

\$ cd

It changes to the user's home directory.

\$ cd ~

Same as above.

\$ cd dir1

It changes to the directory dir1 if dir1 is a sub directory of your current working directory.

\$ cd /home/user1/kiit/csit

It changes to csit directory as mentioned in the full path from your current working directory.

\$ cd ..

It simply move up one directory. For example, if you are in /home/user1/kiit/csit and you type "cd ..", you will end up in /home/user1/kiit

After applying cd .. yoi can verifywith pwd command.

\$ mkdir sce

It creates a new directory named as see under your current directory. After executing this command, check through ls whether see directory is created or not.

If you want to create a new directory under other than your current directory, then mention the full path name before the new directory name. As for example, if your current working directory is /home/user1/kiit, but you want to create a new directory named as ece under /home/user1/kiit/setce, then ececute the following command:

\$ mkdir /home/user1/kiit/setce/ece \$ cp file1
file2

It copies the contents of the file file1 into

School of Computer Engineering, KIIT University, Bhubaneswar Page 7 of 107 CS-1091 Programming in C Lab. Manual

cp [option(s)] sourcefile targetfile

Copies sourcefile to targetfile. Both file will be present.

contents of the file file1 into the directory scive with the same name.

\$ cp -r dir1 dir2

It recursively copies the directory dir1, together with its contents and subdirectories, to the directory dir2.

\$ cp -i quard.c quradeq.c

It waits for confirmation, if necessary, before an existing targetfile quardeq.c is overwritten. quard.c is copied as quradeq.c. Now If you apply ls command

Then it will show you both the files quard.c and quradeq.c.

\$ mv info.txt itstudentsdata.txt It simply renames the file **info.txt as itstudentsdata.txt**. info.txt is deleted and only file available in current directory is itstudentsdta.txt.

\$ mv -b info.txt itstudentsdata.txt It ceates a backup copy of the sourcefile info.txt before moving it to itstudentsdata.txt. It is similar to cp command.

\$ mv /home/user1/kiit/sce/it/first.c home/user1/kiit/sme

It simply move or transfer the file first.c into sme directory, no matter where is your current directory as both source and destination paths are mentioned.

\$ mv /home/user1/kiit/sce/it/first.c home/user1/kiit/sme/firstcprog.c

7. mv Move Syntax

mv [option(s)] sourcefile targetfile

It moves a file to a new location, or renames it. Source file name will be deleted.

a new file called file2. If you apply ls command, it will show you both the files.

\$ cp ak.txt bk.txt dir1

It creates copies of files ak.txt and bk.txt (with the same names), within the directory dir1. dir1 must already exist for the copying to succeed.

\$ cp file1 /home/user1/kiit/scive It copies the

School of Computer Engineering, KIIT University, Bhubaneswar Page 8 of 107 CS-1091 Programming in C Lab. Manual

whereis file

It shows possible locations of file.

It simply move or transfer the file first.c into sme directory with a new name firstcprog.c

\$ mv -i quard.c quradeq.c

It waits for confirmation, if necessary, before an existing targetfile quardeq.c is overwritten. quard.c is renamed as quradeq.c. Now If you apply Is command

Then it will show you only quradeq.c. **\$ rm** quard.c

It deleted the file quard.c available in the current directory.

\$ rm -i quard.c

It waits for confirmation before deleting quard.c

\$ rmdir dir1

If dir1 is empty, then it deletes the directory dir1 present under current directory.

\$ whereis quard.c

It shows you the location of the quard.c file.

8. rm Remove Syntax

rm [option(s)] file(s)

It removes the specified files from the file system. Directories are not removed by rm unless the option -r is used.

9. rmdir Remove Directory Syntax

rmdir [option(s)] directoryName

It deletes the specified directory, provided it is already empty.

10. whereis Syntax

Other LINUX/UNIX Commands (to know the detail about the following command use man) date, cat, tail, which, locate, find, ps, id, du, clear, echo, grep, sot, su, ln, kill, chmod, ssh, tar, gzip, ping etc.

PROGRAM NO. SA1.2

To get familiar with **gedit** editor to create a new file, read the contents of a file, write into a file or modify the contents of a file.

gedit:

Text Editor (gedit) is the default GUI text editor in the Ubuntu operating system

1. To create a new file in c (first.c), run the following in command prompt.

\$ gedit first.c

It will open the gedit editor window with the name first.c where you can write anything (program code for first.c).

Then save the contents of this file by choosing the appropriate options from gedit menu as follows:

 $File \rightarrow Save$

Now quit from gedit window and return to command prompt, do the following:

 $File \rightarrow Exit$

2. To open an existing file (say first.c) for editing do the following:

\$ gedit first.c

After editing will be over, save the file and quit from gedit window.

PROGRAM NO. SA1.3

To learn how to compile and execute a C file that displays "Welcome to C Programming Laboratory" in **gcc** compiler on terminal (Command Prompt).

PROCEDURE

- **Step-1:** Create a file named as **sa13_first.c** in gedit editor and write the following program code in it, then save the file and quit from gedit window.
- **Step-2:** Compile the C Program file named as sa13_first.c

\$ gcc sa13 first.c

It compiles the file sa13_first.c, if it is error free, then go for execution to get output. Else open the file again in gedit to correct the errors, again compile it till it does not show any errors.

Step-3: To get the output do the following

\$./a.out

PROGRAM CODE

```
#include <stdio.h>
int main()
{
    printf("\n Welcome to C Programming Laboratory \n");
    return 0;
}
```

INPUT/OUTPUT

RUN-1

Welcome to C Programming Laboratory

PROGRAM NO. SA1.4

```
WAP to display "IIT" using the character '*'.
PROGRAM CODE
#include <stdio.h>
int main()
  printf("\n\n");
  printf("***** ***** \n");
  printf(" * * * \n");
  printf("***** **** * \n");
  return 0;
INPUT/OUTPUT
RUN-1
   ***** ***** *****
```

PROGRAM NO. SA 1.5

WAP to display the following message by using multiple printf statement.

A Good End Can Only Be Achieved

Only By Good Means.

PROGRAM CODE

#include <stdio.h>

```
int main()
{
    printf("\n A Good End ");
    printf("\n Can Only Be Achieved ");
    printf("\n Only By Good Means.");
    return 0;
}
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 11 of 107 CS-1091 Programming in C Lab. Manual

INPUT/OUTPUT

RUN-1

A Good End Can Only Be Achieved Only By Good Means.

PROGRAM NO. SA 1.6

WAP to display the following message by using multiple printf statement.

A Good End

Can Only Be Achieved Only By Good Means.

PROGRAM CODE

```
#include <stdio.h>
int main()
{
    printf("\n A Good End\nCan Only Be Achieved\nOnly By Good
        Means."); return 0;
}
```

INPUT/OUTPUT

RUN-1

A Good End Can Only Be Achieved Only By Good Means. School of Computer Engineering, KIIT University, Bhubaneswar Page 12 of 107 CS-1091 Programming in C Lab. Manual

CONTENTS

Experiment No-2

Sample Answers

- **SA2.1** WAP to perform the addition of two integers and display the result.
- **SA2.2** WAP to find centigrade for a given Fahrenheit temperature.
- SA2.3 WAP to calculate area of a circle.
- **SA2.4** WAP to calculate area of a triangle whose base and height is given.
- **SA2.5** WAP to swap two integer numbers using third variable.
- **SA2.6** WAP to convert given paisa into its equivalent rupee and paisa as per the following format. Example. 550 paisa = 5 Rupee and 50 paisa
- **SA2.7** WAP to convert given second into its equivalent hour, minute and second as per the following format. Example. 7560 second = 2 Hour, 27 Minute and 40 Second

Lab. Assignments

- LA2.1 WAP to subtract a number from another number and display the result.
- LA2.2 WAP to convert temperature from centigrade to Fahrenheit scale.
- **LA2.3** WAP to calculate perimeter of a circle.
- LA2.4 WAP to calculate area of a triangle whose three sides are given.

- LA2.5 WAP to swap two integer numbers without using third variable.
- **LA2.6** WAP to convert a quantity in meter entered through keyboard into its equivalent kilometer and meter as per the following format. Example. 2430 meter = 2 Km and 430 meter.

Home Assignments

- **HA2.1** WAP to find the average mark of 5 subjects of a student and find the percentage. Assume full mark of each subject is 100.
- **HA2.2** WAP swap the contents of two variables by using a single statement for swap in C. **HA2.3** WAP to add two times in hour, minitue & second format entered through the keyboard in the format hh:mm:ss

School of Computer Engineering, KIIT University, Bhubaneswar Page 13 of 107 CS-1091 Programming in C Lab. Manual

PROGRAM NO. SA 2.1

WAP to perform the addition of two integers & display the result.

PROGRAM CODE

```
#include<stdio.h>
int main()
{
   int a, b, c;
   printf("\nEnter two numbers to add :");
   scanf("%d%d",&a,&b);
   c = a + b;
   printf("\nThe addition of %d and %d is %d", a,b,c);
   return 0;
}
```

INPUT/OUTPUT

RUN-1

Enter two numbers to add: 4 6 The addition of 4 and 6 is 10

PROGRAM NO. SA 2.2

WAP to find centigrade for a given fahrenheit temperature.

PROGRAM CODE

```
#include <stdio.h>
int main()
{
    float f,c;
    clrscr();
    printf("\nEnter a temperature in Fahrenheit scale=>");
    scanf("%f",&f);
    c=(f-32.0)/1.8;
    printf("\nThe equivalent temperature in celcious is %0.2f",c);
    return 0;
}
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 14 of 107 CS-1091 Programming in C Lab. Manual

INPUT/OUTPUT

RUN-1

Enter a temperature in Fahrenheit scale=>100 The equivalent temperature in celcious is 37.78

RUN-2

Enter a temperature in Fahrenheit scale=>32 The equivalent temperature in celcious is 0.00

PROGRAM NO. SA 2.3

WAP to calculate area of a circle.

PROGRAM CODE

```
#include <stdio.h>
int main()
{
```

```
float radius, area;

printf("\nEnter the radius of a circle: ");

scanf("%f",&radius);

area = 3.14 * radius * radius;

printf("\nArea of Circle: %f", area);

return 0;

}
```

INPUT/OUTPUT

RUN-1

Enter the radius of a circle: 2 Area of Circle: 12.560000

RUN-2

Enter the radius of a circle: 4 Area of Circle: 50.24000

School of Computer Engineering, KIIT University, Bhubaneswar Page 15 of 107 CS-1091 Programming in C Lab. Manual

PROGRAM NO. SA 2.4

WAP to calculate area of a triangle whose base and height are given.

PROGRAM CODE

```
#include <stdio.h>
int main()
{
    float b, h, a;
    printf("\nEnter the values of base and height : ");
    scanf("%f %f",&b,&h);
    a = 0.5 * b * h;
    printf("\nArea of Triangle : %f", a);
    return 0;
}
```

INPUT/OUTPUT

RUN-1

Enter the values of base and height: 2 3

Area of Triangle: 3.000000

RUN-2

Enter the values of base and height: 3 4

Area of Triangle: 6.000000

PROGRAM NO. SA2.5

WAP to swap two integer numbers using third variable.

PROGRAM CODE

```
#include<stdio.h>
int main()
{
    int a,b,temp;
    printf("\nEnter two integers a and b : ");
    scanf("%d%d", &a,&b);
    temp=a;
    a=b;
    b=temp;
    printf("\nAfter swapping a=%d and b=%d",a,b);
    return 0;
}
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 16 of 107 CS-1091 Programming in C Lab. Manual

INPUT/OUTPUT

RUN-1

Enter two integers a and b: 23

After swapping a=3 and b=2

RUN-2

Enter two integers a and $b:10\ 20$

After swapping a=20 and b=10

PROGRAM NO. SA 2.6

WAP to convert given paisa into its equivalent rupee and paisa as per the following format. Ex. 550 paisa = 5 Rupee and 50 paisa

PROGRAM CODE

```
#include<stdio.h>
int main()

{
        int p,p1,r;
        printf("\nEnter paisa = ");
        scanf("%d",&p);
        r=p/100;
        p1=p%100;
        printf("\n%d paisa = %d rupees and %d paisa",p,r,p1);
        return 0;
}
```

INPUT/OUTPUT

```
RUN-1
```

Enter paisa = 2550

2550 paisa = 25 rupees and 50 paisa

RUN-1

Enter paisa = 245

2550 paisa = 2 rupees and 45 paisa

School of Computer Engineering, KIIT University, Bhubaneswar Page 17 of 107 CS-1091 Programming in C Lab. Manual

PROGRAM NO. SA 2.7

WAP to convert given second into its equivalent hour, minute and second as per the following format. Ex. 7560 second = 2 Hour, 27 Minute and 40 Second

PROGRAM CODE

```
#include<stdio.h>
int main()
{
    long sec1, sec2, hr, min, t;
    printf("\nEnter time in seconds: ");
    scanf("%ld", &sec1);
    hr = sec1/3600;
    t = sec1%3600;
    min = t/60;
```

```
sec2 = t\%60; \\ printf("\n\ \%ld second= \%ld Hour \%ld Minute and \%ld Second",sec1, hr, min,sec2); \\ return 0; \\ \}
```

INPUT/OUTPUT

RUN-1

Enter time in seconds: 3750

3750 second=1 Hour 2 Minute 30 Second

RUN-2

Enter time in seconds: 4000

4000 second=1 Hour 6 Minute 40 Second

School of Computer Engineering, KIIT University, Bhubaneswar Page 18 of 107 CS-1091 Programming in C Lab. Manual

CONTENTS

Experiment No-3

Sample Answers

SA3.1 WAP to find the largest between two numbers.

SA3.2 WAP to read an alphabet from the user and convert it into uppercase if the entered alphabet is in lowercase, otherwise display an appropriate message.

- **SA3.3** WAP to read a character from the user and test it whether it a vowel or consonant or not an alphabet.
- **SA3.4** WAP to determine whether a year entered through the keyboard is a leap year or not. **SA3.5** WAP to find the roots of a quadratic equation ax²+bx+c=0 using if-else statement. **SA3.6** WAP to display the grade system of KIIT University based on total marks secured by a student in a semester. Use switch-case statement.

Lab. Assignments

- **LA3.1** WAP to input any two integers distinct and display the greater of two integers. **LA3.2** WAP to input any three integers distinct and display the greater of three integers. **LA3.3** WAP to test whether a number entered through keyboard is ODD or EVEN. **LA3.4** WAP to read an alphabet from from the user and convert it into lowercase if the entered alphabet is in uppercase, otherwise display an appropriate message.
- **LA3.5** WAP to input any two integers, and provide a menu to the user to select any of the options as add, subtract, multiply, divide and display the result accordingly.
- **LA3.6** WAP to display the grade system of KIIT University based on total marks secured by a student in a semester. Use else..if ladder statement.

Home Assignments

- **HA3.1** WAP to check whether a character entered through keyboard is a digit, letter, special character etc or not.
- **HA3.2** WAP which takes two integer operands and one operator form the user, performs the operation and then prints the result. (Consider the operators +,-,*, /, % etc). Use switch cse. **HA3.3** WAP to find the roots of a quadratic equation ax²+bx+c=0 using switch-case statement.

School of Computer Engineering, KIIT University, Bhubaneswar Page 19 of 107 CS-1091 Programming in C Lab. Manual

PROGRAM NO. SA 3.1

WAP to find the largest between two numbers.

PROGRAM CODE

```
#include<stdio.h>
int main()
{
    int a,b;
    printf("\nEnter two numbers: ");
    scanf("%d %d",&a,&b);
    if(a>b)
```

```
printf("\nLargest number is %d",a);
else
    printf("\nLargest number is %d",b);
return 0;
}
```

INPUT/OUTPUT

RUN-1

Enter two numbers: 5 3

Largest number is 5

RUN-2

Enter two numbers: 10 30

Largest number is 30

PROGRAM NO. SA 3.2

WAP to read an alphabet from the user and convert it into uppercase if the entered alphabet is in lowercase, otherwise display an appropriate message.

PROGRAM CODE

INPUT/OUTPUT

RUN-1

Enter an alphabet: g

The uppercase of the entered alphabet is G

RUN-2

Enter an alphabet: G

The entered character is not a lower case alphabet

PROGRAM NO. SA 3.3

WAP to read a character from the user and test it whether it a vowel or consonant or not an alphabet.

PROGRAM CODE

```
#include<stdio.h>
int main()
{
    char ch;
    printf("\n Enter an alphabet: ");
    scanf("%d", &ch);
    if ((ch>='a' && ch<='z') || (ch>='A' && ch<='Z')
    {
        if (ch=='a' || ch=='A' || ch=='e' || ch=='E' || ch=='i' || ch=='i' || ch=='o' || ch=='o' || ch=='u' ||
        ch=='U');
        printf("\nThe entered character %c is a vowel", ch);
        else
            printf("\nThe entered character %c is a consonat", ch);
    }
    else
        printf("\nThe entered character %c is not an alphabet", ch);
    return 0;
}</pre>
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 21 of 107 CS-1091 Programming in C Lab. Manual

INPUT/OUTPUT

RUN-1

Enter an alphabet: B

The entered character B is a consonant

RUN-2

Enter an alphabet: i

The entered character i is a vowel

RUN-3

Enter an alphabet: %

The entered character % is not an alphabet

PROGRAM NO. SA 3.4

WAP to determine whether a year entered through the keyboard is a leap year or not.

PROGRAM CODE

INPUT/OUTPUT

RUN-1

Enter the year:2005

2005 is not a leap year.

RUN-2

Enter the year:1996

1996 is a leap year.

School of Computer Engineering, KIIT University, Bhubaneswar Page 22 of 107 CS-1091 Programming in C Lab. Manual

PROGRAM NO. SA 3.5

WAP to find the roots of a quadratic equation $ax^2+bx+c=0$ using if-else statement.

PROGRAM CODE

#include<stdio.h>

```
int main()
  float a,b,c,real,imag, dis,i1,i2,r1,r2;
  clrscr();
 printf("\nInput values for a, b and c=>");
  scanf("%f%f%f",&a,&b,&c);
  dis=b*b-4*a*c;
  if(dis==0)
  {
   printf("\nThe Roots are Equal");
  r1=r2=-b/(2.0*a);
  printf("\nRoots are %.2f and %.2f",r1,r2);
  else if(dis>0)
  printf("\nThe Roots are real & unequal.");
   r1=(-b+sqrt(dis))/(2.0*a);
   r2=(-b-sqrt(dis))/(2.0*a);
   printf("\nRoots are %.2f and %.2f",r1,r2);
  else
   printf("\nThe Roots are inaginary");
   real=-1/(2.0*a);
   dis=-dis;
   imag=sqrt(dis)/(2.0*a);
   printf("\nRoot1=\%5.2f+i\%5.2f",real, imag);
   printf("\nRoot2=%5.2f-i%5.2f",real, imag);
 return 0;
INPUT/OUTPUT
RUN-1
Input values for a, b and c=>1
2
1
The Roots are Equal
Roots are -1.00 and -1.00
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 23 of 107 CS-1091 Programming in C Lab. Manual

RUN-2

Input values for a, b and c=>183

The Roots are real & unequal.

```
Roots are -0.39 and -7.61
```

RUN-3

Input values for a, b and c=>357

The Roots are imaginary

Root1 = -0.17 + i1.28

Root2=-0.17-i1.28

PROGRAM NO. SA 3.6

WAP to display the grade system of KIIT University based on total marks secured by a student in a semester. Assume marks are integer values. Use switch-case statement.

The grade is calculated is as follows:

Marks Grade 90 to 100 O 80 to 89 E 70 to 79 A 60 to 69 B 50 to 59 C 40 to 49 D < 40 F

PROGRAM CODE

School of Computer Engineering, KIIT University, Bhubaneswar Page 24 of 107 CS-1091 Programming in C Lab. Manual

```
case 6: printf("\nSecured grade is B");
    break;
```

INPUT/OUTPUT

RUN-1

Enter total mark secured by a student: 55 Secured grade is C

RUN-2

Enter total mark secured by a student: 95 Secured grade is O

CONTENTS

Experiment No-4

Sample Answers

```
SA4.1 WAP to print the natural numbers from 1 to 20.
```

SA4.2 WAP to print all numbers within a given range. The range is given by user.

SA4.3 WAP to calculate the factorial of a given number.

SA4.4 WAP to calculate the sum of digits of a given number.

SA4.5 WAP to find the GCD/HCF of two numbers.

SA4.6 WAP to check whether a number n is prime number or not. **SA4.7** WAP to check whether an input integer is perfect number or not. **SA4.8** WAP to find the first n numbers of a Fibonacci sequence. **SA4.9** WAP to evaluate the equation $y=x^n$ where n is a non-negative integer. **SA4.10** WAP to sum the following series S=1+(1+2)+(1+2+3)+...+(1+2+3+...+n) **SA4.11** WAP to print the following pattern for n rows. Ex. for n=5 rows *

SA4.12 WAP to print the following pattern for n rows. Ex. for n=5 rows

SA4.13 WAP to print the following pattern for n rows. Ex. for n=5 rows

A
AB
ABC
ABCD
ABCDE

SA4.14 WAP to form a pyramid of numbers for a given number. Ex. for number 4

1 1 2 1 1 2 3 2 1 1 2 3 4 3 2 1

SA4.15 WAP to print the following pattern for n rows. Ex. for n=6 rows

Lab. Assignments

- **LA4.1** WAP to print your name 5 times using while loop.
- **LA4.2** WAP to input any integer and print your name that many times.
- **LA4.3** WAP to print the series as 1 2 3 4 5 6 7100.
- **LA4.4** WAP to print the series as 1 2 7 15 31n, where n is given by user. **LA4.5** WAP to print the series as 1 1 2 3 5 8 13n, where n is given by user. **LA4.6** WAP to print the series as 3 5 7 11 13 17.....n, where n is given by user. **LA4.7** WAP to print all odd and even numbers separately within a given range. The range is input through user.
- LA4.8 WAP to display the reverse of a number entered through keyboard.
- LA4.9 WAP to check whether an integer number is a Armstrong number or not!.
- **LA4.10** WAP to print the following pattern for n rows. Ex. for n=5 rows

A
BA
CBA
DCBA
EDCBA

LA4.11 WAP to print the following pattern for n rows. Ex. for n=5 rows

Home Assignments

- HA4.1 WAP to check whether an input integer is strong number or not.
 - (Hint: If the sum of factorials of all digits of a number are equal to the number, it is called a strong number)
- **HA4.2** WAP to find out the prime factors of a number entered through keyboard (distinct). /*Hints: A prime number is any number with no divisors other than itself and 1, such as 2 and 5. Any number can be written as a product of prime numbers in a unique way (except for the order). These are called prime factors of a number. In other words, In number theory, the prime factors of a positive integer are the prime numbers that divide that integer exactly, without leaving a remainder. The process of finding these numbers is called integer factorization, or prime factorization.

```
• Enter a number: 100
        • The prime factors of 100 are 2(2) and 5(2)
        • That is, 100 = 2 \times 2 \times 5 \times 5, and those numbers are primes. */
HA4.3 WAP to form reverse pyramid of numbers for a given number. Ex. for number 4
             1234321
               12321
                 121
HA4.4 WAP to print the following pattern for n rows. Ex. for n=6 rows
                           10
                           0 1 0
                           1010
                           01010
                           101010
HA4.5 WAP to generate the pascal triangle pyramid of numbers for a given number.
        Ex. for number 4
             1
            1 1
           121
          1331
        14641
HA4.6 WAP to display the following style o/p for a given string input through keyboard. (Ex. for a
        string "KIITCSIT")
              KIITCSITTISCTIIK
              KIITCSI ISCTIIK
              KIITCS SCTIIK
              KIITC CTIIK
              KIIT TIIK
              KII IIK
              KI IK
              KK
              KI IK
              KII IIK
              KIIT TIIK
              KIITC CTIIK
              KIITCS SCTIIK
              KIITCSI ISCTIIK
```

HA4.7 WAP to convert a decimal number into its equivalent binary number.

KIITCSITTISCTIIK

PROGRAM NO. SA 4.1

WAP to print the natural numbers from 1 to 20.

PROGRAM CODE

```
#include<stdio.h>
int main()
{
    int i;
    printf("\nThe natural number's are: ");
    for(i=1;i<=10;i++)
        printf("%d ",i);
    return 0;
}</pre>
```

INPUT/OUTPUT

RUN-1

The natural number's are: 1 2 3 4 5 6 7 8 9 10

PROGRAM NO. SA 4.2

WAP to print all numbers within a given range. The range is given by user.

PROGRAM CODE

```
#include<stdio.h>
int main()
{
   int min,max,i;
   printf("\nEnter minimum and maximum range:");
   scanf("%d%d",&min,&max);
   printf("\nThe number's are::\n");
   for(i=min;i<=max;i++)
   {
      printf("%d\t",i);
   }
   return 0;
}</pre>
```

INPUT/OUTPUT

RUN-1

Enter minimum and maximum range: 20 45

The number's are::

School of Computer Engineering, KIIT University, Bhubaneswar Page 29 of 107 CS-1091 Programming in C Lab. Manual

20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45

RUN-2

Enter minimum and maximum range: 2 14

The number's are::

2 3 4 5 6 7 8 9 10 11 12 13 14

PROGRAM NO. SA 4.3

WAP to calculate the factorial of a given number.

PROGRAM CODE

```
#include <stdio.h>
int main()
{
   int n,i;
   long int fact=1;
   printf("\nEnter A Number To Find Out Its Factorial=>");
   scanf("%d",&n);
   for (i=n;i>0;i--)
       fact=fact*i;
   printf("\n%d!=%ld\n",n,fact);
   return 0;
INPUT/OUTPUT
RUN-1
Enter A Number To Find Out Its Factorial=>6
6! = 720
RUN-2
Enter A Number To Find Out Its Factorial=>12
12!=479001600
```

PROGRAM NO. SA 4.4

WAP to calculate the sum of digits of a given number.

PROGRAM CODE

#include<stdio.h>

School of Computer Engineering, KIIT University, Bhubaneswar Page 30 of 107 CS-1091 Programming in C Lab. Manual

```
int main()
{
        int n,i,sum=0,d,num;
        printf("\nEnter a number: ");
        scanf("%d",&n);
        num=n;
        while(n!=0)
        {
            d=n%10;
            sum=sum+d;
            n=n/10;
        }
        printf("\nSum of digits of the number %d is = %d",num,sum); return 0;
}
```

INPUT/OUTPUT

RUN-1

Enter a number : 234Sum of digits of the number 234 is = 9

RUN-2

Enter a number : 389Sum of digits of the number 389 is = 20

PROGRAM NO. SA 4.5

WAP to find the GCD/HCF of two numbers.

PROGRAM CODE

```
#include <stdio.h>
int main()
{
    int a,b,m,n,gcd;

    printf("\nEnter two numbers=>");
    scanf("%d%d",&a,&b);
    m=a;n=b;
```

```
while(a!=b)
     if(a>b)
          a=a-b;
     else
          b=b-a;
   gcd=b;
                     School of Computer Engineering, KIIT University, Bhubaneswar Page 31 of 107
                                                       CS-1091 Programming in C Lab. Manual
   printf("\nThe GCD of %d and %d is %d\n",m,n,gcd);
   return 0;
}
INPUT/OUTPUT
```

RUN-1

Enter two numbers=>15 20

The GCD of 15 and 20 is 5

RUN-2

Enter two numbers=>34 88

The GCD of 34 and 88 is 2

PROGRAM NO. SA 4.6

WAP to check whether a number n is prime number or not.

PROGRAM CODE

```
#include <stdio.h>
int main()
{
       int n,i,test=1;
       printf("\nEnter A Number :");
       scanf("%d",&n);
       for(i=2;i \le n/2;i++)
           if(n\%i==0)
               test=0;
               break;
if(test==1)
```

```
printf("\nThe Number %d is a prime",n);
else
    printf("\nThe Number %d is not a prime",n);
return 0;
}
```

INPUT/OUTPUT

RUN-1

Enter A Number: 45

School of Computer Engineering, KIIT University, Bhubaneswar Page 32 of 107 CS-1091 Programming in C Lab. Manual

The Number 45 is not prime

RUN-2

Enter A Number:13

The Number 13 is prime

OR

PROGRAM NO. SA 4.6

WAP to check whether a number is prime number or not.

PROGRAM CODE

```
#include <stdio.h>
int main()
{
    int a,c=0,i,n;
    printf("\nEnter a number to be checked: ");
    scanf("%d",&n);
    for(i=1;i<=n;i++)
    {
        if(n%i==0)
        {
            c=c+1;
        }
    }
    if (c==2)
        printf("\n%d is a prime number.");
    else
        printf("\n%n is not a prime number.");
    return 0;
}</pre>
```

INPUT/OUTPUT

RUN-1

Enter a number to be checked: 12

12 is not a prime number.

RUN-2

Enter a number to be checked: 13

13 is a prime number.

School of Computer Engineering, KIIT University, Bhubaneswar Page 33 of 107 CS-1091 Programming in C Lab. Manual

PROGRAM NO. SA4.7

WAP to check whether an input integer is perfect number or not.

/*(Hints: In mathematics, a perfect number is a positive integer that is the sum of its proper positive divisors, that is, the sum of the positive divisors excluding the number itself. The first perfect number is 6, because 1, 2, and 3 are its proper positive divisors, and 1 + 2 + 3 = 6. The next perfect number is 28 = 1 + 2 + 4 + 7 + 14. This is followed by the perfect numbers 496 and 8128)*/

PROGRAM CODE

```
#include <stdio.h>
int main()
{
    int n,i,sum=0;
    printf("\nEnter Any Number=>");
    scanf("%d",&n);
    for(i=1;i<n;i++)
    {
        if(n%i==0)
            sum+=i;
    }
    if(n==sum)
        printf("\n%d is a perfect number",n);
    else
        printf("\n%d is not a perfect number",n);
    return 0;
}</pre>
```

INPUT/OUTPUT

RUN-1

Enter Any Number=>371

371 is not a perfect number

RUN-2

Enter Any Number=>6

6 is a perfect number

School of Computer Engineering, KIIT University, Bhubaneswar Page 34 of 107 CS-1091 Programming in C Lab. Manual

PROGRAM NO. SA4.8

WAP to find the first n numbers of a Fibonacci sequence.

PROGRAM CODE

```
#include<stdio.h>
int main()
{
  int n,i,f1=0,f2=1,f;

  printf("\nEnter the number of terms :");
  scanf("%d",&n);
  printf("\nThe fibbonacci series generated is
  :\n"); printf("%d %d ",f1,f2);
  for(i=1;i<=n-2;i++)
  {
    f=f1+f2;
    printf("%d ",f);
    f1=f2;
    f2=f;
  }
  return 0;
}</pre>
```

INPUT/OUTPUT

RUN-1

Enter the number of terms:10

The fibbonacci series generated is:

0 1 1 2 3 5 8 13 21 34

RUN-2

Enter the number of terms:15

The fibbonacci series generated is:

0 1 1 2 3 5 8 13 21 34 55 89 144 233 377

School of Computer Engineering, KIIT University, Bhubaneswar Page 35 of 107 CS-1091 Programming in C Lab. Manual

PROGRAM NO. SA4.9

WAP to evaluate the equation $y=x^n$ where n is a non-negative integer.

PROGRAM CODE

```
#include <stdio.h>
int main()
{
  int n,i;float x,y=1.0;
  printf("\nEnter values for x and n =>");
  scanf("%f%d",&x,&n);
  for(i=1;i<=n;i++)
  {
     y=y*x;
  }
  printf("\n%0.2f to the power %d is %0.2f",x,n,y);
  return 0;
}</pre>
```

INPUT/OUTPUT

RUN-1

Enter values for x and n = >3.5 2

3.50 to the power 2 is 12.25

RUN-2

Enter values for x and n = > 24

PROGRAM NO. SA4.10

INPUT/OUTPUT

RUN-1

Enter the value of n:7

The sum of the given series is 84

RUN-2

Enter the value of n:10

The sum of the given series is 220

PROGRAM NO. SA4.11

WAP to print the following pattern for n rows. Ex. for n=5 rows

```
#include<stdio.h>
int main()
{
  int n,i,j,k;

printf("\nEnter how many rows =>");
  scanf("%d",&n);
  printf("\n");
  for(i=1;i<=n;i++)
   {
    for(k=1;k<=i;k++)
       printf("* ");
    printf("\n");
  }
  return 0;
}</pre>
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 37 of 107 CS-1091 Programming in C Lab. Manual

INPUT/OUTPUT

```
RUN-1
```

```
Enter how many rows =>4

*

* *

* *

* * *

* * *

* * *

* *

* *

* * *

* * *

* * *

* * * *

* * * *

* * * *

* * * * *
```

PROGRAM NO. SA4.12

WAP to print the following pattern for n rows. Ex. for n=5 rows

```
* * *

* * * *

* * * *
```

PROGRAM CODE

```
#include<stdio.h>
int main()
{
  int n,i,j,k;
  printf("\nEnter how many rows =>");
  scanf("%d",&n);
  printf("\n");
  for(i=1;i<=n,i++)
   {
    for(j=1;j<=n-i;j++)
        printf(" ");
    for(k=1;k<=i;k++)
        printf("* ");
    printf("\n");
}
return 0;
}</pre>
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 38 of 107 CS-1091 Programming in C Lab. Manual

INPUT/OUTPUT

RUN-1

Enter how many rows =>4

**

RUN-2

Enter how many rows =>7

PROGRAM NO. SA4.13

```
WAP to print the following pattern for n rows. Ex. for n=5 rows
          A
          AΒ
          ABC
          ABCD
          ABCDE
PROGRAM CODE
 #include<stdio.h>
  int main()
  int i,j,n;
  char ch;
  printf("\nHow many rows=>");
  scanf("%d",&n);
  for(i=1;i \le n;i++)
    ch='A';
    for(j=1;j<=i;j++)
     printf("%c ",ch);
     ch=ch+1;
   printf("\n");
  return 0;
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 39 of 107 CS-1091 Programming in C Lab. Manual

INPUT/OUTPUT

RUN-1 How many rows=>4 A A B A B C A B C D RUN-2 How many rows=>6 A A B A B C A B C D A B C D A B C D E A B C D E F

PROGRAM NO. SA4.14

WAP to form a pyramid of numbers for a given number. Ex. for number 4

121 12321 1234321

PROGRAM CODE

```
#include <stdio.h>
int main()
 int n,i,j,k;
 printf("\nEnter a number to form a pyramid=>");
 scanf("%d",&n);
 for(i=1;i \le n;i++)
     for(j=1;j \le n-i;j++)
        printf(" ");
     for(k=1;k<=i;k++)
        printf("%d",k);
     for(k=i-1;k>0;k--)
        printf("%d",k);
    printf("\n");
 return 0;
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 40 of 107 CS-1091 Programming in C Lab. Manual

INPUT/OUTPUT

123454321

RUN-1

Enter a number to form a pyramid=>5 1 121 12321 1234321

RUN-2

Enter a number to form a pyramid=>7 1 121 12321 1234321 123454321

```
1 2 3 4 5 6 5 4 3 2 1
1 2 3 4 5 6 7 6 5 4 3 2 1
```

PROGRAM NO. SA4.15

```
WAP to print the following pattern for n rows. Ex. for n=6 rows
```

PROGRAM CODE

```
#include <stdio.h>
int main()
{
    int i,j,n;
    printf("\nEnter The Number Of Rows =>");
    scanf("%d",&n);
    for(i=1;i<=n;i++)
    {
        for(j=1;j<=i;j++)
            printf("%4d",(i+j+1)%2);
        printf("\n");
    }
    return 0;
}</pre>
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 41 of 107 CS-1091 Programming in C Lab. Manual

INPUT/OUTPUT

RUN-1

Enter The Number Of Rows =>4
1
0 1
1 0 1
0 1 0 1

RUN-2

Enter The Number Of Rows =>7

1

0 1

1 0 1

0 1 0 1

 $\begin{array}{c} 1 \ 0 \ 1 \ 0 \ 1 \\ 0 \ 1 \ 0 \ 1 \ 0 \ 1 \\ 1 \ 0 \ 1 \ 0 \ 1 \ 0 \ 1 \end{array}$

School of Computer Engineering, KIIT University, Bhubaneswar Page 42 of 107 CS-1091 Programming in C Lab. Manual

CONTENTS

Experiment No-5

Sample Answers

SA6.1 WAP to create an array that can store max. 50 integers and display the contents of the array **SA6.2** WAP to find out the sum of the numbers stored in an array of integers. **SA6.3** WAP to find largest element stored in an array.

SA6.4 WAP to display the array elements in ascending order.

- **SA6.5** WAP to add two matrices and display it.
- **SA6.6** WAP to multiply two matrices and display it.
- **SA6.7** WAP to find the Trace(sum of the diagonal element) of a given mxn matrix.

Lab. Assignments

- **LA5.1** WAP to input 10 integers into an array of size 10. Print all elements. **LA5.2** WAP to store max. 100 numbers into an array. Print all the elements that are three digit even integers.
- LA5.3 WAP to find out the largest even integer stored in the array of n integers. n is the user input.
- LA5.4 WAP to swap the pair of elements starting from beginning.
- **LA5.5** WAP to arrange the numbers stored in the array so that it will display first all odd numbers, then even numbers.
- **LA5.6** WAP to display the array elements in reverse order.
- LA5.7 WAP to find out the sum of the elements stored in a matrix.
- LA5.8 WAP to find out the transpose of a given matrix.

Home Assignments

- **HA5.1** WAP to swap first element with last, second element with second last and so on, stored in an array.
- **HA5.2** WAP to find out the second largest element stored in an array of 20 integers.
- **HA5.3** WAP to find the median of a list of numbers.
- **HA5.4** WAP to find the standard deviation of a list of numbers.
- **HA5.5** WAP to sort 3 elements stored in an array without using any sorting algorithm.
- **HA5.6** WAP to find out the sum of the diagonal elements of a matrix.
- **HA5.7** WAP to check whether a given matrix is symmetric or not.
- **HA5.8** WAP to check whether a given matrix is orthogonal or not.

School of Computer Engineering, KIIT University, Bhubaneswar Page 43 of 107 CS-1091 Programming in C Lab. Manual

PROGRAM NO. SA 5.1

WAP to create an array that can store max. 50 integers and display the contents of the array.

```
#include <stdio.h>
int main()
{
    int a[50],i,n;
    printf("\nEnter how many numbers :");
    scanf("%d",&n);

printf("\nEnter values for the array: ");
```

```
for(i=0; i<n; i++) /* Stores number entered by user. */
           scanf("%d",&a[i]);
       printf("\nThe elements are:");
       for(i=1; i<n; i++) /* Loop to print the numbers */
           printf("%d \t",a[i]);
       return 0;
 }
INPUT/OUTPUT
RUN-1
Enter how many numbers: 6
Enter values for the array:
23
34
45
56
67
78
The elements are
23 34 45 56 67 78
RUN-2
Enter how many numbers: 5
Enter values for the array:
11
22
83
44
55
The elements are
11 22 83 44 55
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 44 of 107 CS-1091 Programming in C Lab. Manual

PROGRAM NO. SA5.2

WAP to find out the sum of the numbers stored in an array of integers.

```
#include <stdio.h>
int main()
{
    int a[50],i,n, sum=0;
    printf("\nEnter how many numbers :");
    scanf("%d",&n);
```

INPUT/OUTPUT

RUN-1

Enter how many numbers: 6
Enter values for the array:
23
34
45
56
67
78

The sum of the elements stored in array a is 303

RUN-2

Enter how many numbers: 5
Enter values for the array:
11
22
83
44
55

The sum of the elements stored in array a is 215

School of Computer Engineering, KIIT University, Bhubaneswar Page 45 of 107 CS-1091 Programming in C Lab. Manual

PROGRAM NO. SA5.3

Write a program to find largest element stored in an array.

```
#include <stdio.h>
int main()
{
    int a[50],i,n, large;
```

```
printf("\nEnter how many numbers :");
       scanf("%d",&n);
       printf("\nEnter values for the array: ");
       for(i=0; i<n; i++) /* Stores number entered by user. */
           scanf("%d",&a[i]);
       /*code to find largest element in an array*/
       large=a[0];
       for(i=1; i < n; i++)
          if(a[i]>large)
             large=a[i];
       printf("\nThe largest element stored in array a is %d", large);
       return 0;
 }
INPUT/OUTPUT
RUN-1
Enter how many numbers: 6
```

Enter values for the array: 23

34

45

56

67

78

The largest element stored in array a is 78

RUN-2

Enter how many numbers: 5 Enter values for the array: 11 22

83 44

> School of Computer Engineering, KIIT University, Bhubaneswar Page 46 of 107 CS-1091 Programming in C Lab. Manual

55

The largest element stored in array a is 83

PROGRAM NO. SA5.4

Write a program to display the array elements in ascending order.

PROGRAM CODE

```
#include<stdio.h>
int main()
{
       int a[100],n,i,temp;
       printf("\nEnter how many numbers :");
       scanf("%d",&n);
       printf("\nEnter the value of %d Numbers",n);
       for(i=0;i< n;i++)
           scanf("%d",&a[i]);
       /*BUBBLE SORT technique*/
        for(i=1;i \le n-1;i++)
            for(j=0; j< n-i; j++)
               if(a[j]>a[j+1])
                  temp=a[j];
                  a[j]=a[j+1];
                  a[j+1]=temp;
            }
       printf("\nThe Numbers in ascending order are\n");
        for(i=0;i< n;i++)
             printf("%d ",a[i]);
        return 0;
}
INPUT/OUTPUT
RUN-1
Enter how many numbers:7
Enter the value of 7 Numbers:-
7645248
The Numbers in ascending order are
2445678
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 47 of 107 CS-1091 Programming in C Lab. Manual

RUN-2

Enter how many numbers:10

Enter the value of 10 Numbers:- 12 34 56 78 90 34 56 799 122 56

PROGRAM NO. SA5.5

Write a program to add two matrices and display it.

```
#include<stdio.h>
int main()
       int a[2][3],b[2][3],c[2][3];
       int i,j;
       printf("\nEnter value of matrix a\n");
       for(i=0;i<2;i++)
               for(j=0;j<3;j++)
                      scanf("%d",&a[i][j]);
        }
       printf("\nEnter value of matrix b\n");
       for(i=0;i<2;i++)
               for(j=0;j<3;j++)
                      scanf("%d",&b[i][j]);
       printf("\nValue of matrix a\n");
       for(i=0;i<2;i++)
               for(j=0;j<3;j++)
                      printf("%d\t",a[i][j]);
              printf("\n");
       printf("\nValue of matrix b\n");
       for(i=0;i<2;i++)
                       School of Computer Engineering, KIIT University, Bhubaneswar Page 48 of 107
                                                            CS-1091 Programming in C Lab. Manual
               for(j=0;j<3;j++)
```

```
printf("%d\t",b[i][j]);
               printf("\n");
       for(i=0;i<2;i++)
               for(j=0;j<3;j++)
                      c[i][j]=a[i][j]+b[i][j];
       printf("\nAfter addition resultant matrix is\n");
       for(i=0;i<2;i++)
               for(j=0;j<3;j++)
                      printf("\%d\t",c[i][j]);
               printf("\n");
Return 0;
INPUT/OUTPUT
RUN-1:
Enter value of matrix a
1
2
3
4
5
6
Enter value of matrix b
2
1
3
2
4
Value of matrix a
123
4 5 6
```

Value of matrix b 2 1 3 242 After addition resultant matrix is 3 3 6 698 RUN-2: Enter value of matrix a 2 5 2 4 Enter value of matrix b 4 2 5 3 Value of matrix a 225 2 4 2 Value of matrix b 142 5 3 6 After addition resultant matrix is 3 6 7 778

School of Computer Engineering, KIIT University, Bhubaneswar Page 50 of 107 CS-1091 Programming in C Lab. Manual

PROGRAM NO. SA5.6

Write a program to multiply two matrices and display it.

```
#include<stdio.h>
int main()
{
       int a[3][3],b[3][3],c[3][3];
       int i,j,k;
       printf("\nEnter value of matrix a\n");
       for(i=0;i<3;i++)
               for(j=0;j<3;j++)
                       scanf("%d",&a[i][j]);
       printf("\nEnter value of matrix b\n");
       for(i=0;i<3;i++)
               for(j=0;j<3;j++)
                       scanf("%d",&b[i][j]);
       printf("\nValue of matrix a\n");
       for(i=0;i<3;i++)
               for(j=0;j<3;j++)
                      printf("%d\t",a[i][j]);
```

```
printf("\n");
       printf("\nValue of matrix b\n");
       for(i=0;i<3;i++)
               for(j=0;j<3;j++)
                      printf("%d\t",b[i][j]);
               printf("\n");
       for(i=0;i<3;i++)
               for(j=0;j<3;j++)
                       School of Computer Engineering, KIIT University, Bhubaneswar Page 51 of 107
                                                           CS-1091 Programming in C Lab. Manual
                      c[i][j]=0;
                      for(k=0;k<3;k++)
                              c[i][j]=c[i][j]+a[i][k]*b[k][j];
               }
       printf("\nAfter Multiplication resultant matrix is\n");
       for(i=0;i<3;i++)
               for(j=0;j<3;j++)
                      printf("%d\t",c[i][j]);
               printf("\n");
return 0;
INPUT/OUTPUT
RUN-1:
Enter value of matrix a
1
1
1
```

1

```
1
Enter value of matrix b
2
2
2
2
2
2
2
2
Value of matrix a
1 1 1
1 1 1
111
                     School of Computer Engineering, KIIT University, Bhubaneswar Page 52 of 107
                                                       CS-1091 Programming in C Lab. Manual
Value of matrix b
222
222
222
After Multiplication resultant matrix is
666
666
666
RUN-2:
Enter value of matrix a
2
2
2
2
2
2
2
2
2
Enter value of matrix b
3
3
3
3
3
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 53 of 107 CS-1091 Programming in C Lab. Manual

OR

PROGRAM NO. SA5.6

Write a program to multiply two matrices and display it.

```
#include<stdio.h>
int main()
{
       int a[10][10],b[10][10],c[10][10];
        int i,j,k,m,n,p,q;
        clrscr();
        printf("\nThe row & column of Matrix A :");
       scanf("%d%d",&m,&n);
        fflush(stdin);
       printf("\nThe row & column of Matrix B :");
       scanf("%d%d",&p,&q);
        if (n==p)
              printf("\nFor Matrix A:-\n");
               for(i=0;i< m;i++)
                   for(j=0;j< n;j++)
                   {
                      printf("\nEnter values for A[%d][%d]=> ",i,j);
```

```
scanf("%d",&a[i][j]);
         }
        printf("\nFor Matrix B:-\n");
        for(i=0;i< p;i++)
            for(j=0;j<q;j++)
                 printf("\nEnter values for B[%d][%d]=> ",i,j);
                         scanf("%d",&b[i][j]);
       //Matrix Multiplication Logic
        for(i=0;i \le m;i++)
           for(j=0;j < q;j++)
               c[i][j]=0;
               for(k=0;k\leq n;k++)
                   c[i][j] += a[i][k]*b[k][j];
                School of Computer Engineering, KIIT University, Bhubaneswar Page 54 of 107
                                                      CS-1091 Programming in C Lab. Manual
printf("\nMatrix A is\n");
for(i=0;i \le m;i++)
  for(j=0;j< n;j++)
       printf("%d\t",a[i][j]);
  printf("\n");
 printf("\n");
printf("\nMatrix B is\n");
for(i=0;i< p;i++)
   for(j=0;j < q;j++)
         printf("%d\t",b[i][j]);
   printf("\n");
printf("\n");
printf("\nMultiplication Matrix C
is\n"); for(i=0;i < m;i++)
   for(j=0;j < q;j++)
       printf("%d\t",c[i][j]);
```

```
printf("\n");
}
else
printf("\nMultiplication is not possible.\n"); return 0;
}
INPUT/OUTPUT

RUN-1
The row & column of Matrix A :2 3
The row & column of Matrix B :3 1
For Matrix A:-
Enter values for A[0][0]=> 1
Enter values for A[0][1]=> 2
Enter values for A[0][2]=> 3
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 55 of 107 CS-1091 Programming in C Lab. Manual

Enter values for A[1][1] => 5

Enter values for A[1][0]=> 4

Enter values for A[1][2] => 6

For Matrix B:-

Enter values for B[0][0] => 7

Enter values for B[1][0] => 6

Run the above code and check the output.

RUN-2

The row & column of Matrix A:34

The row & column of Matrix B:34

Multiplication is not possible.

PROGRAM NO. SA5.7

WAP to find the Trace(sum of the diagonal element) of a given mxn matrix.

PROGRAM CODE

```
#include <stdio.h>
int main()
{
  int a[10][10],i,j,n,sum=0;
  printf("\nEnter the order of the square matrix A :-");
  scanf("%d",&n);
  printf("\n Enter the order of the square matrix A\n");
  for(i=0;i<n;i++)
        for(j=0;j<n;j++)
        scanf("%d",&a[i][j]);
  for(i=0;i<n;i++)
        for(j=0;j<=n;j++)
        if(i==j)
        sum=sum+a[i][j];
  printf("\nsum of digonal values=%d",sum);
  return 0;
}</pre>
```

INPUT/OUTPUT

RUN-1

Enter the order of the square matrix A:- 3

School of Computer Engineering, KIIT University, Bhubaneswar Page 56 of 107 CS-1091 Programming in C Lab. Manual

```
Enter the values of matrix A
3 4 5
6 8 9
1 3 4

sum of digonal values=15

RUN-2

Enter the order of the square matrix A:- 6

Enter the values of matrix A
1 2 3 4 5 6
7 8 9 3 5 3
4 5 6 7 8 1
1 2 3 4 1 2
1 1 1 1 1 1
3 4 5 6 6 7

sum of digonal values=22
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 57 of 107 CS-1091 Programming in C Lab. Manual

CONTENTS

Experiment No-6

Sample Answers

- **SA6.1** WAP to add two numbers entered through keyboard by using a suitable user defined function (say SUM) for addition operation.
- **SA6.2** WAP to find the factorial of a number n by using a suitable user defined function (say fact) for it.
- **SA6.3** WAP to find out the sum of digits of a number n by suing function.
- **SA6.4** A Fibonacci sequence is defined as follows: the first and second terms in the sequence are 0 and 1. Subsequent terms are found by adding the preceding two terms in the sequence (F_i=F_i 1+F_{i-2}). WAP to find out the value of nth term of the Fibonacci sequence by writing a suitable

user defined function (say fib) for it.

SA6.5 WAP to compute the sine series using function.

$$\sin(x)=x-x^3/3!+x^5/5!-x^7/7!+\dots$$

- **SA6.6** WAP to design a user defined function (say SUM-ARRAY) to calculate the sum of all the integers stored in the array.
- **SA6.7** WAP to sort the elements of an array in ascending order by using a suitable function for sort operation.
- **SA6.8** WAP to calculate GCD/HCF of two numbers by using a iterative function for GCD.
- SA6.9 WAP to calculate GCD/HCF of two numbers by using a recursive function for GCD.
- SA6.10 WAP to find the factorial of a number n by writing a recursive function for it.

Lab. Assignments

- **LA6.1** WAP to swap the values of two variables by using a suitable user defined function (say SWAP) for it.
- **LA6.2** WAP to find out ⁿc_r factor by using a user defined function for factorial (say fact).
- **LA6.3** WAP to test whether a number n is palindrome number or not.
- **LA6.4** WAP to calculate x^y by writing a function(say POWER) for it.
- **LA6.5** WAP to generate all the prime numbers between 1 and n by using a user defined function (say isPRIME) to be used for prime number testing, where n is a value supplied by the user. **LA6.6** A Fibonacci sequence is defined as follows: the first and second terms in the sequence are 0 and 1. Subsequent terms are found by adding the preceding two terms in the sequence ($F_i=F_i 1+F_{i-2}$). WAP to generate the first n terms of the sequence by writing a suitable user defined function (say fib) to be used to get nth term Fibonacci value.
- **LA6.7** WAP to compute the cosine series using function.

$$\cos(x)=1-x^2/2!+x^4/4!-x^6/6!+\dots$$

LA6.8 WAP to count number of digits of a positive integer n by using recursion.

School of Computer Engineering, KIIT University, Bhubaneswar Page 58 of 107 CS-1091 Programming in C Lab. Manual

Home Assignments

- **HA6.1** WAP to test whether a number num (num is entered through keyboard) is a number in the Fibonacci sequence or not.
- **HA6.2** WAP to compute the power series (e to the power x). $e^x=1+x+x^2/2!+x^3/3!+x^4/4!+...$
- HA6.3 WAP to find the LCM of two numbers a and b by using a suitable function (say LCM) for this.
- **HA6.4** WAP to find out the sum of n elements of an integer array a[] by using recursion. **HA6.5** WAP by designing a recursive function to calculate the sum of all even digits of any given integer.

PROGRAM NO. SA 6.1

WAP to SUM two numbers entered through keyboard by using a suitable user defined function (say SUM) for addition operation.

(By using Category-1: Function taking arguments and returns value)

```
#include<stdio.h>
int SUM(int, int); //Function Prototype or Function Declaration
int main()
{
       int a, b, c;
       printf("\nEnter two numbers :");
       scanf("%d %d",&a, &b);
       c = SUM(a,b); //Function Call
       printf("\nAddition of two numbers is %d.", c);
       return 0;
}
                                                                  value*/
                                 return z;
                                                                  int SUM(int x, int y)
/*Function definition of SUM
taking arguments and returns
                                                                 return x+y;
value*/ int SUM(int x, int y)
                                 OR
int z;
                                 /*Function definition SUM
z=x+y;
                                 taking arguments and returns
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 59 of 107 CS-1091 Programming in C Lab. Manual

PROGRAM CODE

(By using Category-2: Function taking arguments and does not return any value)

```
#include<stdio.h>
void SUM(int, int); //Function Prototype or Function Declaration
int main()
{
    int a, b, c;
    printf("\nEnter two numbers :");
    scanf("%d %d",&a, &b);
    SUM(a,b); //Function Call
    return 0;
}
```

/*Function definition of SUM taking arguments and does not return any value*/ void SUM(int x, int y)

```
{
       int z;
       z=x+y;
      printf("\nAddition of two numbers is %d.", z);
}
PROGRAM CODE
(By using Category-3: Function does not take arguments and does not return any value)
#include<stdio.h>
void SUM(); //Function Prototype or Function Declaration
int main()
{
       SUM(); //Function Call
       return 0;
}
/*Function definition of SUM does not take arguments and does not return any value*/
void SUM()
       int x, y, z;
       printf("\nEnter two numbers :");
       scanf("%d %d",&x, &y);
       z=x+y;
       printf("\nAddition of two numbers is %d.", z);
}
                     School of Computer Engineering, KIIT University, Bhubaneswar Page 60 of 107
                                                       CS-1091 Programming in C Lab. Manual
PROGRAM CODE
(By using Category-4: Function does not take arguments and returns value)
#include<stdio.h>
int SUM(); //Function Prototype or Function Declaration
int main()
{ int k;
       k = SUM(); //Function Call
       printf("\nAddition of two numbers is %d.", k);
       return 0;
}
/*Function definition of SUM does not take arguments and does not return any value*/
int SUM()
{
```

```
int x, y, z;
printf("\nEnter two numbers :");
scanf("%d %d",&x, &y);
z=x+y;
return z;
}
```

Note: Mark that the same user defined function SUM has been written in four category. Category-1 & 2 are used frequently used. Category-3 & 4 are rarely used.

PROGRAM NO. SA 6.2

5!=120

RUN-2

6! = 720

Enter a number: 6

WAP to find the factorial of a number n by using a suitable user defined function (say fact) for it.

```
PROGRAM CODE
#include <stdio.h>
long int fact(int); //Function Prototype
int main()
  int n;
  printf("\nEnter a number :");
  scanf("%d",&n);
  printf("\n^{d}=\%ld\n", n, fact(n));
  return 0;
}
/*Factorial function*/
long int fact(int n)
 long int f=1;;
 int i:
 for (i=1; i \le n; i++)
     f=f*i;
                      School of Computer Engineering, KIIT University, Bhubaneswar Page 61 of 107
                                                          CS-1091 Programming in C Lab. Manual
 return (f);
INPUT/OUTPUT
RUN-1
Enter a number: 5
```

PROGRAM NO. SA 6.3

WAP to find out the sum of digits of a number n by suing function. n is the user input.

```
PROGRAM CODE
#include <stdio.h>
int SUM-DIGIT(int); //Function Prototype
int main()
  int n, s;
  printf("\nEnter a number :");
  scanf("%d",&n);
  s=SUM-DIGIT(n);
  printf("\nThe sum of digits of %d is %d." n, s);
  return 0;
}
/*User defined function to find out sum of digits of number n*/
int SUM-DIGIT(int n)
   int sum=0;
   while(n!=0)
     sum=sum+n%10;
     n=n/10;
  return sum;
```

INPUT/OUTPUT

RUN-1

Enter a number: 123

The sum of digits of 123 is 6.

School of Computer Engineering, KIIT University, Bhubaneswar Page 62 of 107 CS-1091 Programming in C Lab. Manual

RUN-2

Enter a number: 578

The sum of digits of 578 is 20.

PROGRAM NO. SA 6.4

A Fibonacci sequence is defined as follows: the first and second terms in the sequence are 0 and 1.

Subsequent terms are found by adding the preceding two terms in the sequence (F_i=F_i-1+F_{i-2}). WAP to find out the value of nth term of the Fibonacci sequence by writing a suitable user defined function (say fib) for it.

PROGRAM CODE

```
#include<stdio.h>
int fib(int);
int main()
{
   int n;
   printf("\nEnter term number :");
   scanf("%d",&n);
   printf("\nThe value of the term-%d of Fibonacci sequence is %d.", n, fib(n));
   return 0;
}
/*User defined iterative function fib that returns the value of ith term of Fibonacci sequence*/
int fib(int i)
   int i,f1=0,f2=1,f;
   if (i==0 || i==1)
      return i;
    else
      for(i=1; i \le n-2; i++)
         f=f1+f2;
         f1=f2;
         f2=f;
      return f;
 OR
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 63 of 107 CS-1091 Programming in C Lab. Manual

```
/*Recursive version of the Fibonacci function to compute the ith term*/ int fib(int i)  \{ & if(i==0 \mid | i==1) \\ & return (i); \\ & else \\ & return (fib(i-1)+ fib(i-2)); \\ \}
```

INPUT/OUTPUT

RUN-1

Enter term number: 6

The value of the term-6 of Fibonacci sequence is 8.

RUN-2

Enter term number: 15

The value of the term-5 of Fibonacci sequence is 377.

PROGRAM NO. SA 6.5

```
WAP to compute the sine series using function.
```

```
Sin(x)=x-x^3/3!+x^5/5!-x^7/7!+\dots
```

PROGRAM CODE

```
#include<stdio.h>
#include<math.h>
long int fact(int);
int main()
{
   int n,i,p;
   float x, sum, term;
   printf("\nEnter no of terms:");
   scanf("%d",&n);
   printf("\nInput x :");
   scanf("\%f",&x);
   //converstion of degree to radian
   x=x*3.1416/180;
   sum=0; p=-1;
   for(i=1; i<=n; i++)
      p=p+2;
      term=pow(x,p)/fact(p);
      if(i\%2==0)
          sum=sum-term;
     else
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 64 of 107 CS-1091 Programming in C Lab. Manual

```
sum=sum+term;
}
printf("\nSin(x) = %.4f", sum);
return 0;
```

```
/*Factorial function*/
long int fact(int n)
 long int f=1;;
 int i;
 for (i=1; i \le n; i++)
     f=f*i;
 return (f);
INPUT/OUTPUT
RUN-1
Enter no of terms:10
Input x:45
Sin(x) = 0.7071
RUN-2
Enter no of terms:5
Input x:90
Sin(x) = 1.0000
```

PROGRAM NO. SA 6.6

WAP to design a user defined function (say SUM-ARRAY) to calculate the sum of all the integers stored in the array.

PROGRAM CODE

```
#include<stdio.h>
int SUM-ARRAY(int a[],int); //Function Prototype
int main()
{
   int a[100], n, i;
   printf("\nEnter how many numbers :");
   scanf("%d",&n);
   printf("\nEnter data for array: ");
   for(i=0;i< n;i++)
       scanf("%d",&a[i]);
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 65 of 107 CS-1091 Programming in C Lab. Manual

```
printf("\nThe sum of the elements of the array is %d", SUM-ARRAY(a, n);
  return 0;
}
```

```
/*User Defined Function SUM-ARRAY*/
void SUM-ARRAY(int a[], int n)
{
    int i, sum=0;
    for(i=0; i<n; i++)
    {
        sum=sum + a[i];
    }
    return sum;
}

INPUT/OUTPUT
RUN-1
Enter how many numbers : 4

Enter data for array: 7 6 5 4
```

The sum of the elements of the array is 22

RUN-2

Enter how many numbers: 5

Enter data for array: 1 2 3 4 5

The sum of the elements of the array is 15

PROGRAM NO. SA 6.7

WAP to sort the elements of an array in ascending order by using a suitable function for sort operation.

PROGRAM CODE

```
#include<stdio.h>
void bubbleSort(int a[],int); //Function Ptototype
int main()
{
   int a[100], n, i;
   printf("\nEnter how many numbers :");
   scanf("%d",&n);
   printf("\nEnter data for array: ");
   for(i=0;i<n;i++)
        scanf("%d",&a[i]);
   bubbleSort(a,n); //Function Call
   printf("\nThe Numbers in ascending order are:");</pre>
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 66 of 107 CS-1091 Programming in C Lab. Manual

```
for(i=0; i< n; i++)
```

```
printf("%d ",a[i]);
return 0;
}

/*Bubble Sort Function*/
void bubbleSort(int a[], int n)
{
    int i, j, temp;
    for(i=1; i<=n-1; i++)
    {
        for(j=0; j<n-i; j++)
        {
            if(a[j]>a[j+1])
            {
                 temp=a[j];
                 a[j]=a[j+1];
                 a[j+1]=temp;
            }
        }
     }
}
```

INPUT/OUTPUT

RUN-1

Enter how many numbers :8

Enter data for array: 7 6 5 4 5 2 4 8

The Numbers in ascending order are: 2 4 4 5 5 6 7 8

RUN-2

Enter how many numbers :9

Enter data for array: 1 4 3 8 6 5 2 9 7

The Numbers in ascending order are: 1 2 3 4 5 6 7 8 9

PROGRAM NO. SA 6.8

WAP to calculate GCD/HCF of two numbers by using a **iterative function** for GCD.

```
#include <stdio.h>
int gcd(int,int);
int main()
{
   int a,b,g;
```

```
printf("\nEnter two numbers=>");
   scanf("%d%d",&a, &b);
  printf("\nThe GCD of %d and %d is %d\n",a, b, gcd(a,b));
  return 0;
}
/*GCD Iterative Function*/
int gcd(int a, int b)
{
  while(a!=b)
     if(a>b)
       a=a-b;
     else if (b>a)
       b=b-1;
  return (a);
INPUT/OUTPUT
RUN-1
Enter two numbers=>15 25
The GCD of 15 and 25 is 5
```

RUN-2

Enter two numbers=>22 14

The GCD of 22 and 14 is 2

PROGRAM NO. SA 6.9

WAP to calculate GCD/HCF of two numbers by using a **recursive function** for GCD.

```
#include <stdio.h>
int gcd(int,int);
int main()
{
    int a,b,g;
    printf("\nEnter two numbers=>");
    scanf("%d%d",&a, &b);
    printf("\nThe GCD of %d and %d is %d\n", a, b, gcd(a,b));
    return 0;
}
```

```
/*GCD Recursive Function*/
int gcd(int a, int b)
{
   if(a==b)
      return a;
   else if (a>b)
      gcd(a-b, b);
   else
      gcd(a, b-a);
}

INPUT/OUTPUT
RUN-1
Enter two numbers=>15 25

The GCD of 15 and 25 is 5

RUN-2
Enter two numbers=>22 14
```

PROGRAM NO. SA 6.10

The GCD of 22 and 14 is 2

WAP to find the factorial of a number n by writing a recursive function for it.

PROGRAM CODE

```
#include <stdio.h>
long int fact(int); //Function Prototype
int main()
{
   int n;
   printf("\nEnter a number :");
   scanf("%d",&n);
   printf("\n%d!=%ld\n", n, fact(n));
   return 0;
}
/*Recursive Factorial function*/
long int fact(int n)
{
   if(n==0 | n==1)
      return 1;
```

```
else
    return n*fact(n-1);
}
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 69 of 107 CS-1091 Programming in C Lab. Manual

INPUT/OUTPU T RUN-1

Enter a number: 5

5!=120

RUN-2

Enter a number: 6

6!=720

School of Computer Engineering, KIIT University, Bhubaneswar Page 70 of 107CS-1091 Programming in C Lab. Manual **CONTENTS**

Sample Answers

Experiment No-7

- **SA7.1** WAP to find the length of a string with/without using library function for getting length of the string.
- **SA7.2** WAP to copy one string into other with/without using a library function for copy operation.
- **SA7.3** WAP to compare two strings without using library function for comparison operation.
- **SA7.4** WAP to find the reverse of a string with/without using library function.
- SA7.5 WAP to extract the first character of each word of a given string (Achromatic string).
- **SA7.6** WAP to extract a substring of a given string.
- **SA7.7** WAP to reads a sentence and prints the number of vowels and consonants present in the sentence.
- **SA7.8** WAP to replace all occurrences of a character in a given string with a new character.

Lab. Assignments

- LA7.1 WAP to extract the last character of each word of a given string.
- **LA7.2** Write a program to concatenate two strings without using any library function. **LA7.3** WAP to check whether a string entered through keyboard is palindrome or not. **LA7.4** Write a program to count the number of characters, alphabets, tabs, newlines, words, vowels, consonants present in a in a string.
- **LA7.5** WAP to reads a sentence and prints frequency of each of the vowels and total count of Consonants.
- **LA7.6** WAP to replace all occurrences of a character in a string with the previous 3rd character if any of the character.
- **LA7.7** Develop a user defined function function and test them in the main program for the following standard function:

int MatchAny(char s1[], char s2[]) :It takes two string arguments and it returns 1 if s2 is substring of s1, returns 0 if both s1 and s2 are equal strings, otherwise, returns -1. Do not use the standard library functions.

Home Assignments

- **HA7.1** WAP to capitalize first character of each word of a string entered through keyboard.
- **HA7.2** WAP to take a sentence as input and reverse every word of the sentence.
- **HA7.3** WAP to print a given string in an alphabetical order
- **HA7.4** WAP to sort a list of names/strings alphabetically.
- **HA7.5** WAP to replace all occurrences of a substring in a given string with a new one.

HA7.6

School of Computer Engineering, KIIT University, Bhubaneswar Page 71 of 107 CS-1091 Programming in C Lab. Manual

#include<string.h>

PROGRAM NO. SA7.1

Write a program to find the length of a string by using library function for getting length of the string.

PROGRAM CODE

#include<stdio.h>

```
int main()
{
      char s[100];
      int length;
      printf("\nEnter a string : ");
      gets(s);
      length = strlen(s);
      printf("\nLength of the String is :
```

```
%d", length);
                                                   {
                                                         char s[100];
       return 0;
                                                         int length;
                                                         printf("\nEnter a string : ");
                                                         gets(s);
INPUT/ OUTPUT
                                                         length = 0; // Initial Length
                                                         while(s[length]!='\0')
RUN-1
Enter a string: Be Good, Do Good.
                                                             length++;
Length of the String is: 17
                                                         printf("\nLength of the String is :
                                                  %d",length);
RUN-2
                                                         return 0;
Enter a string: !u=i
                                                  }
Length of the String is: 4
                                                  INPUT/OUTPUT
                                                  RUN-1
                                                  Enter a string: Be Good, Do Good.
                                                  Length of the String is: 17
PROGRAM NO. SA7.2
                                                  RUN-2
                                                  Enter a string : !u=i
WAP to copy one string into other by using
                                                  Length of the String is: 4
library function for copy operation.
PROGRAM CODE
#include<stdio.h>
#include<string.h>
int main()
                                                  WAP to copy one string into other without
       char s[100], d[100];
                                                  using a library function for copy operation.
       printf("\nEnter a string : ");
       gets(s);
                                                  PROGRAM CODE
       strcpy(d, s);
       printf("\nSourse String is ");
                                                  #include<stdio.h>
                                                  #include<string.h>
                                                  void mystrcpy(char ns[], char os[]);
 Write a program to find the length of a string int main()
 without using library function for getting {
                                                         char s[100], d[100];
 length of the string.
                                                         printf("\nEnter a string : ");
                                                         gets(s);
 PROGRAM CODE
                                                         mystrcpy(d, s);
 #include<stdio.h>
 int main()
                      School of Computer Engineering, KIIT University, Bhubaneswar Page 72 of 107
                                                        CS-1091 Programming in C Lab. Manual
       puts(s);
                                                 INPUT/OUTPUT
       printf("\Destination String is ");
                                                 RUN-1
```

puts(d);

return 0;

Source String is Be Good, Do Good.

Enter a String: Be Good, Do Good.

```
Destination String is Be Good, Do Good.
                                                      int i=0;
                                                      while(os[i]!='\0')
RUN-2
Enter a String: C Program
                                                        ns[i]=os[i];
Source String is C Program
                                                      ns[i]='\0';
Destination String is C Program
                                                  INPUT/OUTPUT
                                                  RUN-1
                                                  Enter a String: Be Good, Do Good.
                                                  Source String is Be Good, Do Good.
                                                  Destination String is Be Good, Do Good.
                                                  RUN-2
                                                  Enter a String: C Program
                                                   Source String is C Program
                                                  Destination String is C Program
PROGRAM NO. SA7.3
WAP to compare two strings by using library
function for comparison operation.
PROGRAM CODE
#include<stdio.h>
                                                   WAP to compare two strings without using
#include<string.h>
                                                   library function for comparison operation.
int main()
{
                                                   PROGRAM CODE
       char s1[100], s2[100];
                                                   #include<stdio.h>
       printf("\nEnter first string : ");
                                                  #include<string.h>
       gets(s1);
                                                  int mystrcmp(char s1[], char s2[]);
       printf("\nEnter second string : ");
                                                   int main()
        printf("\nSourse String is ");
                                                   {
        puts(s);
                                                          char s1[100], s2[100];
        printf("\Destination String is ");
                                                         printf("\nEnter first string : ");
        puts(d);
                                                         gets(s1);
        return 0;
 void mystrcpy(char ns[], char os[])
                      School of Computer Engineering, KIIT University, Bhubaneswar Page 73 of 107
                                                         CS-1091 Programming in C Lab. Manual
                                                           printf("\nEntered strings are
                                                         equal."); else
```

equal.");

printf("\nEntered strings are not

gets(s2);

if(strcmp(s1, s2)==0)

```
return 0;
                                                   int mystremp(char s1[], char s2[])
}
                                                       int i=0;
                                                       while(s1[i]==s2[i])
INPUT/ OUTPUT
RUN-1
                                                          if(s1[i]=='\0' || s2[i]=='\0')
Enter first string: SUN
                                                            break;
                                                         i++;
Enter second string: SUN
                                                       if(s1[i]=='\0' \&\& s2[i]=='\0')
Entered strings are equal.
                                                          return 0;
                                                       else
RUN-2
                                                          return 1;
Enter first string: MOON
                                                    }
Enter second string: MOODLE
                                                    INPUT/ OUTPUT
                                                    RUN-1
Entered strings are not equal.
                                                    Enter first string: SUN
        printf("\nEnter second string : ");
        gets(s2);
                                                   Enter second string: SUN
        if(mystrcmp(s1, s2)==0)
          printf("\nEntered strings are equal.");
                                                   Entered strings are equal.
          printf("\nEntered strings are not
                                                   RUN-2
 equal.");
                                                    Enter first string: MOON
        return 0;
                                                   Enter second string: MOODLE
 /*User defined function for comparison
                                                   Entered strings are not equal.
 operation*/
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 74 of 107 CS-1091 Programming in C Lab. Manual

PROGRAM NO. SA7.4

WAP to find the reverse of a string by using library function for reverse operation.

PROGRAM CODE

```
#include<stdio.h>
#include<string.h>
int main()
```

```
{
#include<stdio.h>
#include<string.h>
int main()
{
   char s[100];
   printf("\nEnter a string : ");
   gets(s);
   printf("\nThe reverse of the string is %s ", strrev(s));
   puts(s);
   return 0;
}
INPUT/ OUTPUT
RUN-1
Enter a String: I am good.
The reverse of the string is .doog ma I
RUN-1
Enter a String: How are you?
The reverse of the string is ?uoy era woH
```

PROGRAM NO. SA7.4

WAP to find the reverse of a string without using library function for reverse operation.

PROGRAM CODE

```
#include<stdio.h>
#include<string.h>
int main()
{
    char s[100];
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 75 of 107 CS-1091 Programming in C Lab. Manual

```
int l, i;
printf("\nEnter a string : ");
gets(s);
l=strlen(s);
printf("\nThe reverse of the string is ");
for(i=l-1; i>=0; i--)
    printf("%c", s[i]);
```

```
return 0;
```

INPUT/OUTPUT

RUN-1

Enter a String: I am good.

The reverse of the string is .doog ma I

RUN-1

Enter a String: How are you?

The reverse of the string is ?uoy era woH

PROGRAM NO. SA7.5

WAP to extract the first character of each word of a given string (Achromatic string).

PROGRAM CODE

```
#include <stdio.h>
#include <string.h>
int main()
   char os[100], ns[50];
   int i,j=0;
   printf("\nEnter a string :");
   gets(os);
   ns[j]=os[0];
   j++;
  for(i=0; os[i]!='\0'; i++)
     if(os[i]=='')
      ns[j]=os[i+1];
      j++;
  ns[j]='\0';
  printf("\nThe required extracted string is %s", ns);
  return 0;
```

School of Computer Engineering, KIIT University, Bhubaneswar Page 76 of 107 CS-1091 Programming in C Lab. Manual

INPUT/OUTPUT

RUN-1

Enter a string: School of Computer Engineering The required extracted string is SoCE

RUN-2

Enter a string: Kalinga Institute of Social Science The required extracted string is KISS

PROGRAM NO. SA7.6

WAP to extract a substring of a given string.

PROGRAM CODE

```
#include <stdio.h>
#include <string.h>
int main()
  char s[100];
  int i,j,n,l,pos;
  printf("\nEnter a string :");
  gets(s);
  l=strlen(s);
  printf("\nEnter the position of the sub-string:");
  scanf("%d", &pos);
  printf("\nEnter number of character to be extracted :");
  scanf("%d", &n);
  if(pos+n-1>1)
      printf("\nCan not be extracted! Becoz out of range!");
  else
      printf("\nThe Substring is:\n");
      for(i=pos-1; i<pos+n-1; i++)
         printf("%c",s[i]);
 return 0;
```

INPUT/OUTPUT

RUN-1

Enter a string: If The End Is Good, Then It Is Good!

Enter the position of the sub-string:4

Enter number of character to be extracted: 7

School of Computer Engineering, KIIT University, Bhubaneswar Page 77 of 107 CS-1091 Programming in C Lab. Manual

The Substring is:

The End

RUN-2

Enter Any String :Hellow! How are U!

Enter the position of the sub-string:9

Enter number of character to be extracted :15

Can not be extracted! Becoz out of range!

PROGRAM NO. SA7.7

WAP to reads a sentence and prints the number of vowels and consonants present in the sentence.

PROGRAM CODE

```
#include<stdio.h>
#include<string.h>
int main()
  char s[100];
  int i, nv=0, nc=0;
  printf("\nEnter a sentence :");
  gets(s);
  for(i=0; s[i]!='\0'; i++)
     if((s[i] \ge a' \&\& s[i] \le z') || (s[i] \ge A' \&\& s[i] \le Z'))
         if(s[i]=='A' \parallel s[i]=='a' \parallel s[i]=='E' \parallel s[i]=='e' \parallel s[i]=='I' \parallel s[i]=='i' \parallel s[i]=='O' \parallel s[i]=='o' \parallel
s[i]=='U' || s[i]=='u')
              nv++
         else
              nc++;
      }
  printf("\n Number of vowels present in the given sentence is %d", nv);
  printf("\n Number of consonants present in the given sentence is %d", nc);
  return 0;
```

INPUT/OUTPUT

RUN-1

Enter a sentence: Bachelor of Engineering

Number of vowels present in the given sentence is 9

Number of consonants present in the given sentence is 12

RUN-2

Enter a sentence: Bachelor of Technology

Number of vowels present in the given sentence is 7

Number of consonants present in the given sentence is 13

PROGRAM NO. SA7.8

WAP to replace all occurrences of a character in a given string with a new character.

PROGRAM CODE

```
#include<stdio.h>
#include<string.h>
int main()
  char s[100], och, nch;
  int i, flag=0;
 printf("\nEnter a string :");
  gets(s);
 printf("\nEnter a character :");
  scanf("%c", %och);
  printf("\nEnter the new character :");
  scanf("%c", %nch)
  for(i=0; s[i]!='\0'; i++)
    if(s[i]==och)
       s[i]=nch;
       flag=1;
     }
   if(flag==1)
       printf("\nAfter the replacement by new character, the string is %s", s;);
   else
       printf("\nThe given string does not contain the character %c", och);
  return 0;
```

INPUT/OUTPUT

RUN-1

Enter a string: Bachelor of Engineering

Enter a character: e

School of Computer Engineering, KIIT University, Bhubaneswar Page 79 of 107