TestLink

Test Specification

Test Project: TaskFlow
Test Suite: TaskFlow - D - Ahmed - Search filters and sorting

Printed by TestLink on 27/10/2026

2026 Group TaskFlow - Project 1 Test Case Design

Table Of Contents

1.D - Ahmed - Search filters and sorting

1.1.TS-D1 - Search and result feedback

TF-126: TC-D-001 Empty query shows all tasks

TF-127: TC-D-002 Whitespace-only query is blank after trimming

TF-128: TC-D-003 Case-insensitive title substring

TF-129: TC-D-004 Description-only substring

TF-130: TC-D-005 Title OR description returns each match once

TF-131: TC-D-006 Case-insensitive description substring

TF-132: TC-D-007 Nonmatch displays exact search empty state

TF-133: TC-D-008 Percent and parentheses are literal search characters

TF-134: TC-D-009 Square bracket and question mark are literal

TF-135: TC-D-010 TopBar search synchronizes toolbar value and results

TF-136: TC-D-011 Toolbar search synchronizes TopBar value and results

TF-137: TC-D-012 One visible among six uses plural total wording

TF-138: TC-D-013 Several visible tasks use plural total wording

TF-139: TC-D-014 Single-task total uses singular wording

1.2.TS-D2 - Status, priority and AND decision tables

TF-140: TC-D-015 To Do status partition

TF-141: TC-D-016 In Progress status partition

TF-142: TC-D-017 Completed status partition

TF-143: TC-D-018 High priority partition

TF-144: TC-D-019 Medium priority partition

TF-145: TC-D-020 Low priority partition

TF-146: TC-D-021 Decision table: To Do AND each priority

TF-147: TC-D-022 Decision table: In Progress AND each priority

TF-148: TC-D-023 Decision table: Completed AND each priority

TF-149: TC-D-024 Decision table: query AND status AND priority

1.3.TS-D3 - Sort orders and due-date boundaries

TF-150: TC-D-025 Newest first is default and orders creation newest first

TF-151: TC-D-026 Oldest first orders creation oldest first

TF-152: TC-D-027 Due soonest orders dates and ties then undated last

TF-153: TC-D-028 Due latest reverses date order and keeps tie/blank rules

TF-154: TC-D-029 Soonest sort places both undated tasks last

TF-155: TC-D-030 Latest sort places both undated tasks last

1.4.TS-D4 - Empty states and clearing behavior

TF-156: TC-D-031 Search empty state echoes trimmed query

TF-157: TC-D-032 Blank query and no matching filters show filter empty state

TF-158: TC-D-033 Search no-hit takes precedence over filter no-hit

TF-159: TC-D-034 Zero total tasks takes precedence over query and filters

TF-160: TC-D-035 Clear search preserves status priority and sort

TF-161: TC-D-036 Empty-state Clear filters restores all defaults

TF-162: TC-D-037 Toolbar Clear Filters resets synchronized controls and sort

TF-163: TC-D-038 Toolbar Clear Filters resets sort alone

TF-164: TC-D-039 Toolbar Clear Filters clears a matching query

TF-165: TC-D-040 Search and filter clear actions act in sequence

Scope

TaskFlow - single-user React/Vite task manager. SECJ3343 Project 1 local preparation environment. Import exports into the lecturer's existing project.

1.Test Suite : D - Ahmed - Search filters and sorting

Member 4 / D, baseline TaskFlow main@5133a6c. Test basis: README.md TF-REQ-019 and Behaviour notes. Code: src/utils/tasks.js filterAndSortTasks/SORT_OPTIONS; src/components/TaskToolbar.jsx, TopBar.jsx, TaskList.jsx; src/App.jsx clearFilters.

Fixture CORE installed afresh before each independent case in a disposable Chrome profile through DevTools Console/localStorage taskflow_tasks, then location.reload(): six records, IDs d1-d6. d1: Alpha Planning | Build the billing dashboard | High | To Do | due 2026-11-30 | created 2026-01-10T08:00:00Z. d2: Alpha Support | Reconcile monthly billing | High | In Progress | due 2026-11-20 | created 2026-01-10T10:00:00Z. d3: Beta Launch | Prepare user notes | Medium | To Do | due 2026-11-20 | created 2026-01-05T09:00:00Z. d4: Gamma Review | Alpha appears in notes | Low | Completed | no due date | created 2026-01-15T08:00:00Z. d5: Alpha-100% (urgent) | Review [QA]? | Low | In Progress | due 2027-02-01 | created 2026-01-15T12:00:00Z. d6: Undated Later | No deadline | Medium | Completed | no due date | created 2026-01-20T08:00:00Z. For each record updatedAt equals createdAt; dueDate without a date is empty string. The explicit one-record and zero-record exceptions are stated in their case preconditions.

Reset taskflow_tasks and taskflow_tasks_backup before each case; fixture creation is setup only. Open http://localhost:5173, use Dashboard, and do not use UI CRUD as an assertion. Sort labels are Newest first, Oldest first, Due date: soonest, Due date: latest. Cases are manual and initially Not Run.

1.1.Test Suite : TS-D1 - Search and result feedback

EP and error guessing for query boundaries, title/description match, shared inputs, literal punctuation, counts and no-hit feedback.

Test Case TF-126: TC-D-001 Empty query shows all tasks [Version : 1]		
Author:	ahmed	
Summary: TC-D-001 Empty query shows all tasks. **Test design technique:** EP - empty query partition **Requirements:** REQ-D-003, REQ-D-011		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Leave both search inputs empty.	All six cards appear; text reads "Showing 6 of 6 tasks".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-003: Blank query and literal punctuation [Version : 1] REQ-D-011: Singular and plural result counts [Version : 1]	
Keywords:	None	

Test Case TF-127: TC-D-002 Whitespace-only query is blank after trimming [Version : 1]		
Author:	ahmed	
Summary: TC-D-002 Whitespace-only query is blank after trimming. **Test design technique:** EP - whitespace query partition **Requirements:** REQ-D-001, REQ-D-003		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter three spaces in toolbar "Search".	TopBar "Search tasks" also contains three spaces; all six cards remain visible.
2	Inspect result text.	It reads "Showing 6 of 6 tasks"; no empty state appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-001: Trimmed case-insensitive title substring [Version : 1] REQ-D-003: Blank query and literal punctuation [Version : 1]	
Keywords:	None	

Test Case TF-128: TC-D-003 Case-insensitive title substring [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-003 Case-insensitive title substring. **Test design technique:** EP - title substring partition **Requirements:** REQ-D-001		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "pLaNn" in toolbar "Search".	Only "Alpha Planning" is visible.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-001: Trimmed case-insensitive title substring [Version : 1]	
Keywords:	None	

Test Case TF-129: TC-D-004 Description-only substring [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-004 Description-only substring. **Test design technique:** EP - description partition **Requirements:** REQ-D-002		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "dashboard" in "Search".	Only "Alpha Planning" is visible because dashboard occurs in its description.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-002: Description substring and title-or-description [Version : 1]	
Keywords:	None	

Test Case TF-130: TC-D-005 Title OR description returns each match once [Version : 1]		
Author:	ahmed	
Summary: TC-D-005 Title OR description returns each match once. **Test design technique:** Decision Table - title OR description **Requirements:** REQ-D-001, REQ-D-002, REQ-D-007, REQ-D-011		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Using the CORE fixture, change only d1.description to "Alpha billing dashboard" in stored JSON, reload, then enter "alpha" in Search.	Alpha Planning, Alpha Support, Alpha-100% (urgent), and Gamma Review appear once each. Alpha Planning matches both title and description but is not duplicated; Gamma Review matches description only.
2	Inspect result text.	It reads "Showing 4 of 6 tasks".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-001: Trimmed case-insensitive title substring [Version : 1] REQ-D-002: Description substring and title-or-description [Version : 1] REQ-D-007: Search/status/priority AND decision table [Version : 1] REQ-D-011: Singular and plural result counts [Version : 1]	
Keywords:	None	

Test Case TF-131: TC-D-006 Case-insensitive description substring [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-006 Case-insensitive description substring. **Test design technique:** EP - case partition in description **Requirements:** REQ-D-002		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "RECONCILE MONTHLY" in "Search".	Only "Alpha Support" appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-002: Description substring and title-or-description [Version : 1]	
Keywords:	None	

Test Case TF-132: TC-D-007 Nonmatch displays exact search empty state [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-007 Nonmatch displays exact search empty state. **Test design technique:** EP - no-match partition **Requirements:** REQ-D-003, REQ-D-012		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter " Qzx-No-Task " in "Search".	The title reads "No tasks match "Qzx-No-Task""; text reads "Try a different search term."; button reads "Clear search".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-003: Blank query and literal punctuation [Version : 1] REQ-D-012: No-result message precedence and actions [Version : 1]	
Keywords:	None	

Test Case TF-133: TC-D-008 Percent and parentheses are literal search characters [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-008 Percent and parentheses are literal search characters. **Test design technique:** Error Guessing - punctuation **Requirements:** REQ-D-003		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "100% (urgent)" in "Search".	Only "Alpha-100% (urgent)" appears; punctuation is matched literally.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-003: Blank query and literal punctuation [Version : 1]	
Keywords:	None	

Test Case TF-134: TC-D-009 Square bracket and question mark are literal [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-009 Square bracket and question mark are literal. **Test design technique:** Error Guessing - regex-like punctuation **Requirements:** REQ-D-002, REQ-D-003		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "[QA]?" in "Search".	Only "Alpha-100% (urgent)" appears from description "Review [QA]?".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-002: Description substring and title-or-description [Version : 1] REQ-D-003: Blank query and literal punctuation [Version : 1]	
Keywords:	None	

Test Case TF-135: TC-D-010 TopBar search synchronizes toolbar value and results [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-010 TopBar search synchronizes toolbar value and results. **Test design technique:** State Transition - TopBar query **Requirements:** REQ-D-001, REQ-D-004		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "support" in TopBar input aria-label "Search tasks".	Toolbar "Search" reads "support"; only "Alpha Support" appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-001: Trimmed case-insensitive title substring [Version : 1] REQ-D-004: Synchronized search boxes [Version : 1]	
Keywords:	None	

Test Case TF-136: TC-D-011 Toolbar search synchronizes TopBar value and results [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-011 Toolbar search synchronizes TopBar value and results. **Test design technique:** State Transition - toolbar query **Requirements:** REQ-D-001, REQ-D-004		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "launch" in toolbar "Search".	TopBar "Search tasks" reads "launch"; only "Beta Launch" appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-001: Trimmed case-insensitive title substring [Version : 1] REQ-D-004: Synchronized search boxes [Version : 1]	
Keywords:	None	

Test Case TF-137: TC-D-012 One visible among six uses plural total wording [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-012 One visible among six uses plural total wording. **Test design technique:** EP - one visible among many total **Requirements:** REQ-D-011		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "dashboard" in "Search".	One card appears; text reads "Showing 1 of 6 tasks".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-011: Singular and plural result counts [Version : 1]	
Keywords:	None	

Test Case TF-138: TC-D-013 Several visible tasks use plural total wording [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-013 Several visible tasks use plural total wording. **Test design technique:** EP - many visible partition **Requirements:** REQ-D-001, REQ-D-002, REQ-D-011		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "alpha" in "Search".	"Alpha Planning", "Alpha Support", "Alpha-100% (urgent)", and "Gamma Review" appear; text reads "Showing 4 of 6 tasks".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-001: Trimmed case-insensitive title substring [Version : 1] REQ-D-002: Description substring and title-or-description [Version : 1] REQ-D-011: Singular and plural result counts [Version : 1]	
Keywords:	None	

Test Case TF-139: TC-D-014 Single-task total uses singular wording [Version : 1]		
Author:	ahmed	
Summary: TC-D-014 Single-task total uses singular wording. **Test design technique:** EP - total count one **Requirements:** REQ-D-011		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Use only one valid task record: id d1, title "Alpha Planning", description "Build dashboard", priority High, status To Do, dueDate "2026-11-30", createdAt and updatedAt "2026-01-10T08:00:00.000Z". Store it as the sole array item in taskflow_tasks and reload.		
#:	Step actions:	Expected Results:
1	Inspect the Dashboard list after reload.	One card appears; text reads "Showing 1 of 1 task".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-011: Singular and plural result counts [Version : 1]	
Keywords:	None	

1.2.Test Suite : TS-D2 - Status, priority and AND decision tables

EP for status and priority partitions; decision tables cover every non-All status-by-priority cell and combined query/status/priority logic.

Test Case TF-140: TC-D-015 To Do status partition [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-015 To Do status partition. **Test design technique:** EP - status partition To Do **Requirements:** REQ-D-005, REQ-D-011		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "To Do" from "Status".	Only "Alpha Planning" and "Beta Launch" appear; text reads "Showing 2 of 6 tasks".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-005: Status filter partitions [Version : 1] REQ-D-011: Singular and plural result counts [Version : 1]	
Keywords:	None	

Test Case TF-141: TC-D-016 In Progress status partition [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-016 In Progress status partition. **Test design technique:** EP - status partition In Progress **Requirements:** REQ-D-005		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "In Progress" from "Status".	Only "Alpha Support" and "Alpha-100% (urgent)" appear.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-005: Status filter partitions [Version : 1]	
Keywords:	None	

Test Case TF-142: TC-D-017 Completed status partition [Version : 1]		
Author:	ahmed	
Summary: TC-D-017 Completed status partition. **Test design technique:** EP - status partition Completed **Requirements:** REQ-D-005		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "Completed" from "Status".	Only "Gamma Review" and "Undated Later" appear.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-005: Status filter partitions [Version : 1]	
Keywords:	None	

Test Case TF-143: TC-D-018 High priority partition [Version : 1]		
Author:	ahmed	
Summary: TC-D-018 High priority partition. **Test design technique:** EP - priority partition High **Requirements:** REQ-D-006		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "High" from "Priority".	Only "Alpha Planning" and "Alpha Support" appear.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-006: Priority filter partitions [Version : 1]	
Keywords:	None	

Test Case TF-144: TC-D-019 Medium priority partition [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-019 Medium priority partition. **Test design technique:** EP - priority partition Medium **Requirements:** REQ-D-006		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "Medium" from "Priority".	Only "Beta Launch" and "Undated Later" appear.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-006: Priority filter partitions [Version : 1]	
Keywords:	None	

Test Case TF-145: TC-D-020 Low priority partition [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-020 Low priority partition. **Test design technique:** EP - priority partition Low **Requirements:** REQ-D-006		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "Low" from "Priority".	Only "Gamma Review" and "Alpha-100% (urgent)" appear.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-006: Priority filter partitions [Version : 1]	
Keywords:	None	

Test Case TF-146: TC-D-021 Decision table: To Do AND each priority [Version : 1]		
Author:	ahmed	
Summary: TC-D-021 Decision table: To Do AND each priority. **Test design technique:** Decision Table - To Do by priority **Requirements:** REQ-D-005, REQ-D-006, REQ-D-007, REQ-D-012		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Select Status "To Do" and Priority "High".	Only "Alpha Planning" appears.
2	Keep Status "To Do"; select Priority "Medium".	Only "Beta Launch" appears.
3	Keep Status "To Do"; select Priority "Low".	"No tasks match the current filters" and button "Clear filters" appear.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-005: Status filter partitions [Version : 1] REQ-D-006: Priority filter partitions [Version : 1] REQ-D-007: Search/status/priority AND decision table [Version : 1] REQ-D-012: No-result message precedence and actions [Version : 1]	
Keywords:	None	

Test Case TF-147: TC-D-022 Decision table: In Progress AND each priority [Version : 1]		
Author:	ahmed	
Summary: TC-D-022 Decision table: In Progress AND each priority. **Test design technique:** Decision Table - In Progress by priority **Requirements:** REQ-D-005, REQ-D-006, REQ-D-007, REQ-D-012		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Select Status "In Progress" and Priority "High".	Only "Alpha Support" appears.
2	Keep Status "In Progress"; select Priority "Medium".	"No tasks match the current filters" appears.
3	Keep Status "In Progress"; select Priority "Low".	Only "Alpha-100% (urgent)" appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-005: Status filter partitions [Version : 1] REQ-D-006: Priority filter partitions [Version : 1] REQ-D-007: Search/status/priority AND decision table [Version : 1] REQ-D-012: No-result message precedence and actions [Version : 1]	
Keywords:	None	

Test Case TF-148: TC-D-023 Decision table: Completed AND each priority [Version : 1]		
Author:	ahmed	
Summary: TC-D-023 Decision table: Completed AND each priority. **Test design technique:** Decision Table - Completed by priority **Requirements:** REQ-D-005, REQ-D-006, REQ-D-007, REQ-D-012		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Select Status "Completed" and Priority "High".	"No tasks match the current filters" appears.
2	Keep Status "Completed"; select Priority "Medium".	Only "Undated Later" appears.
3	Keep Status "Completed"; select Priority "Low".	Only "Gamma Review" appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-005: Status filter partitions [Version : 1] REQ-D-006: Priority filter partitions [Version : 1] REQ-D-007: Search/status/priority AND decision table [Version : 1] REQ-D-012: No-result message precedence and actions [Version : 1]	
Keywords:	None	

Test Case TF-149: TC-D-024 Decision table: query AND status AND priority [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-024 Decision table: query AND status AND priority. **Test design technique:** Decision Table - query/status/priority AND **Requirements:** REQ-D-001, REQ-D-002, REQ-D-005, REQ-D-006, REQ-D-007, REQ-D-012		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "billing", choose Status "In Progress", Priority "High".	Only "Alpha Support" appears; it meets all three conditions.
2	Keep query and status; select Priority "Low".	The title is exactly No tasks match "billing"; button "Clear search". Nonblank search takes precedence even when filters also exclude all tasks.
3	Keep query "billing"; set Status "To Do" and Priority "High".	Only "Alpha Planning" appears. Its description contains billing and it has To Do/High.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-001: Trimmed case-insensitive title substring [Version : 1] REQ-D-002: Description substring and title-or-description [Version : 1] REQ-D-005: Status filter partitions [Version : 1] REQ-D-006: Priority filter partitions [Version : 1] REQ-D-007: Search/status/priority AND decision table [Version : 1] REQ-D-012: No-result message precedence and actions [Version : 1]	
Keywords:	None	

1.3.Test Suite : TS-D3 - Sort orders and due-date boundaries

EP for each sort and default; BVA for equal due dates, creation-time tie order and undated-last behavior in both date sorts.

Test Case TF-150: TC-D-025 Newest first is default and orders creation newest first [Version : 1]		
Author:	ahmed	
Summary: TC-D-025 Newest first is default and orders creation newest first. **Test design technique:** EP - default sort **Requirements:** REQ-D-008, REQ-D-009		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Reload CORE without changing "Sort by".	"Newest first" is selected; order: "Undated Later", "Alpha-100% (urgent)", "Gamma Review", "Alpha Support", "Alpha Planning", "Beta Launch".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-008: Four sorts and newest default [Version : 1] REQ-D-009: Creation order and due-date tie order [Version : 1]	
Keywords:	None	

Test Case TF-151: TC-D-026 Oldest first orders creation oldest first [Version : 1]		
Author:	ahmed	
Summary: TC-D-026 Oldest first orders creation oldest first. **Test design technique:** EP - Oldest sort **Requirements:** REQ-D-008, REQ-D-009		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "Oldest first" from "Sort by".	Order: "Beta Launch", "Alpha Planning", "Alpha Support", "Gamma Review", "Alpha-100% (urgent)", "Undated Later".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-008: Four sorts and newest default [Version : 1] REQ-D-009: Creation order and due-date tie order [Version : 1]	
Keywords:	None	

Test Case TF-152: TC-D-027 Due soonest orders dates and ties then undated last [Version : 1]		
Author:	ahmed	
Summary: TC-D-027 Due soonest orders dates and ties then undated last. **Test design technique:** EP - earlier/later/equal/absent due-date partitions **Requirements:** REQ-D-008, REQ-D-009, REQ-D-010		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "Due date: soonest".	Order: "Alpha Support", "Beta Launch", "Alpha Planning", "Alpha-100% (urgent)", "Undated Later", "Gamma Review".
2	Inspect the 2026-11-20 tie and undated pair.	Newer "Alpha Support" precedes "Beta Launch"; undated tasks are last, newest "Undated Later" before "Gamma Review".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-008: Four sorts and newest default [Version : 1] REQ-D-009: Creation order and due-date tie order [Version : 1] REQ-D-010: Undated-last behavior [Version : 1]	
Keywords:	None	

Test Case TF-153: TC-D-028 Due latest reverses date order and keeps tie/blank rules [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-028 Due latest reverses date order and keeps tie/blank rules. **Test design technique:** EP - descending date partitions with equal and absent dates **Requirements:** REQ-D-008, REQ-D-009, REQ-D-010		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "Due date: latest".	Order: "Alpha-100% (urgent)", "Alpha Planning", "Alpha Support", "Beta Launch", "Undated Later", "Gamma Review".
2	Inspect tied and undated tasks.	For 2026-11-20, newer "Alpha Support" precedes "Beta Launch"; undated tasks are last and newest first.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-008: Four sorts and newest default [Version : 1] REQ-D-009: Creation order and due-date tie order [Version : 1] REQ-D-010: Undated-last behavior [Version : 1]	
Keywords:	None	

Test Case TF-154: TC-D-029 Soonest sort places both undated tasks last [Version : 1]		
Author:	ahmed	
Summary: TC-D-029 Soonest sort places both undated tasks last. **Test design technique:** EP - empty due-date partition **Requirements:** REQ-D-010		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "Due date: soonest".	The last two cards are "Undated Later", then "Gamma Review"; all dated tasks precede them.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-010: Undated-last behavior [Version : 1]	
Keywords:	None	

Test Case TF-155: TC-D-030 Latest sort places both undated tasks last [Version : 1]		
Author:	ahmed	
Summary: TC-D-030 Latest sort places both undated tasks last. **Test design technique:** EP - empty due-date partition **Requirements:** REQ-D-010		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "Due date: latest".	The last two cards are "Undated Later", then "Gamma Review"; all dated tasks precede them.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-010: Undated-last behavior [Version : 1]	
Keywords:	None	

1.4.Test Suite : TS-D4 - Empty states and clearing behavior

Decision-table empty-state precedence and state transitions for Clear search, toolbar Clear Filters and empty-state Clear filters.

Test Case TF-156: TC-D-031 Search empty state echoes trimmed query [Version : 1]		
Author:	ahmed	
Summary:	TC-D-031 Search empty state echoes trimmed query. **Test design technique:** EP - search empty-state partition **Requirements:** REQ-D-003, REQ-D-012	
Preconditions:	Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.	
#:	Step actions:	Expected Results:
1	Enter " Missing task " in "Search".	Title reads "No tasks match "Missing task""; text reads "Try a different search term."; button reads "Clear search".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-003: Blank query and literal punctuation [Version : 1] REQ-D-012: No-result message precedence and actions [Version : 1]	
Keywords:	None	

Test Case TF-157: TC-D-032 Blank query and no matching filters show filter empty state [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-032 Blank query and no matching filters show filter empty state. **Test design technique:** EP - filter empty-state partition **Requirements:** REQ-D-005, REQ-D-006, REQ-D-012		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Leave search blank; select Status "To Do" and Priority "Low".	Title reads "No tasks match the current filters"; text reads "Try changing or clearing your filters."; button reads "Clear filters".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-005: Status filter partitions [Version : 1] REQ-D-006: Priority filter partitions [Version : 1] REQ-D-012: No-result message precedence and actions [Version : 1]	
Keywords:	None	

Test Case TF-158: TC-D-033 Search no-hit takes precedence over filter no-hit [Version : 1]		
Author:	ahmed	
Summary:		
TC-D-033 Search no-hit takes precedence over filter no-hit. **Test design technique:** Decision Table - search-empty precedence **Requirements:** REQ-D-007, REQ-D-012		
Preconditions:		
Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "NoSuchTask" and choose Status "Completed", Priority "High".	Title reads "No tasks match "NoSuchTask""; button reads "Clear search"; filter empty-state title is absent.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-007: Search/status/priority AND decision table [Version : 1] REQ-D-012: No-result message precedence and actions [Version : 1]	
Keywords:	None	

Test Case TF-159: TC-D-034 Zero total tasks takes precedence over query and filters [Version : 1]		
Author:	ahmed	
Summary: TC-D-034 Zero total tasks takes precedence over query and filters. **Test design technique:** Decision Table - zero total tasks **Requirements:** REQ-D-012		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Use an empty task array instead of CORE: set taskflow_tasks to [] and remove taskflow_tasks_backup before reload; verify there are zero task records.		
#:	Step actions:	Expected Results:
1	Enter "Missing" in "Search" and select Status "Completed".	The list shows "No tasks yet", "Tasks you create will appear here.", and button "Create your first task".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-012: No-result message precedence and actions [Version : 1]	
Keywords:	None	

Test Case TF-160: TC-D-035 Clear search preserves status priority and sort [Version : 1]		
Author:	ahmed	
Summary: TC-D-035 Clear search preserves status priority and sort. **Test design technique:** State Transition - search-empty to cleared **Requirements:** REQ-D-013		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Set Status "In Progress", Priority "Low", Sort by "Due date: latest"; search "NoSuchTask".	Search empty state shows button "Clear search".
2	Click "Clear search".	Both search inputs are empty; Status remains "In Progress", Priority "Low", Sort by "Due date: latest"; "Alpha-100% (urgent)" appears.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-013: Clear search preserves filters and sort [Version : 1]	
Keywords:	None	

Test Case TF-161: TC-D-036 Empty-state Clear filters restores all defaults [Version : 1]		
Author:	ahmed	
Summary: TC-D-036 Empty-state Clear filters restores all defaults. **Test design technique:** State Transition - filter-empty to defaults **Requirements:** REQ-D-014		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Leave search blank; set Status "To Do", Priority "Low", Sort by "Due date: latest".	Filter empty state shows button "Clear filters".
2	Click "Clear filters".	Both search inputs empty; Status "All Statuses", Priority "All Priorities", Sort by "Newest first"; all six cards return newest first.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-014: Both Clear Filters actions reset all controls [Version : 1]	
Keywords:	None	

Test Case TF-162: TC-D-037 Toolbar Clear Filters resets synchronized controls and sort [Version : 1]		
Author:	ahmed	
Summary: TC-D-037 Toolbar Clear Filters resets synchronized controls and sort. **Test design technique:** State Transition - controls to defaults **Requirements:** REQ-D-004, REQ-D-014		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Search "billing" in TopBar; set Status "In Progress", Priority "High", Sort by "Due date: latest".	Toolbar Search also reads "billing"; controls show the chosen values.
2	Click toolbar button "Clear Filters".	Both search inputs are empty; Status "All Statuses", Priority "All Priorities", Sort by "Newest first"; all six cards appear.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Low	
Requirements	REQ-D-004: Synchronized search boxes [Version : 1] REQ-D-014: Both Clear Filters actions reset all controls [Version : 1]	
Keywords:	None	

Test Case TF-163: TC-D-038 Toolbar Clear Filters resets sort alone [Version : 1]		
Author:	ahmed	
Summary: TC-D-038 Toolbar Clear Filters resets sort alone. **Test design technique:** State Transition - chosen sort to default **Requirements:** REQ-D-008, REQ-D-014		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Choose "Oldest first"; click toolbar "Clear Filters".	"Newest first" is selected and cards return to newest-first order.
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-008: Four sorts and newest default [Version : 1] REQ-D-014: Both Clear Filters actions reset all controls [Version : 1]	
Keywords:	None	

Test Case TF-164: TC-D-039 Toolbar Clear Filters clears a matching query [Version : 1]		
Author:	ahmed	
Summary: TC-D-039 Toolbar Clear Filters clears a matching query. **Test design technique:** State Transition - matching query to defaults **Requirements:** REQ-D-004, REQ-D-014		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Search "billing"; click toolbar "Clear Filters".	Both search inputs become empty; all six cards appear; text reads "Showing 6 of 6 tasks".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-004: Synchronized search boxes [Version : 1] REQ-D-014: Both Clear Filters actions reset all controls [Version : 1]	
Keywords:	None	

Test Case TF-165: TC-D-040 Search and filter clear actions act in sequence [Version : 1]		
Author:	ahmed	
Summary: TC-D-040 Search and filter clear actions act in sequence. **Test design technique:** State Transition - search-empty then filter-empty **Requirements:** REQ-D-004, REQ-D-014		
Preconditions: Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards.		
#:	Step actions:	Expected Results:
1	Enter "NoSuchTask"; set Status "To Do", Priority "Low", and Sort by "Due date: latest".	Search empty state shows button "Clear search".
2	Click "Clear search".	Both search inputs are empty; Status remains "To Do", Priority remains "Low", Sort by remains "Due date: latest"; filter empty state now shows "Clear filters".
3	Click empty-state "Clear filters".	Both search inputs remain empty; Status "All Statuses", Priority "All Priorities", Sort by "Newest first".
Execution type:	Manual	
Estimated exec. duration (min):		
Importance:	Medium	
Requirements	REQ-D-004: Synchronized search boxes [Version : 1] REQ-D-014: Both Clear Filters actions reset all controls [Version : 1]	
Keywords:	None	