


# Test Specification

## Test Project: TaskFlow
## Test Suite: TaskFlow - D - AhmedAzad240358 - Search filters and sorting

Printed by TestLink on 27/10/2026

2026 Group TaskFlow - Project 1 Test Case Design

## Table Of Contents


**1.D - AhmedAzad240358 - Search filters and sorting**

**1.1.TS-D1 - Search and result feedback**

TF-1: TC-D-001 Empty query shows all tasks

TF-2: TC-D-002 Whitespace-only query is blank after trimming

TF-3: TC-D-003 Case-insensitive title substring

TF-4: TC-D-004 Description-only substring

TF-5: TC-D-005 Title OR description returns each match once

TF-6: TC-D-006 Case-insensitive description substring

TF-7: TC-D-007 Nonmatch displays exact search empty state

TF-8: TC-D-008 Percent and parentheses are literal search characters

TF-9: TC-D-009 Square bracket and question mark are literal

TF-10: TC-D-010 TopBar search synchronizes toolbar value and results

TF-11: TC-D-011 Toolbar search synchronizes TopBar value and results

TF-12: TC-D-012 One visible among six uses plural total wording

TF-13: TC-D-013 Several visible tasks use plural total wording

TF-14: TC-D-014 Single-task total uses singular wording

**1.2.TS-D2 - Status, priority and AND decision tables**

TF-15: TC-D-015 To Do status partition

TF-16: TC-D-016 In Progress status partition

TF-17: TC-D-017 Completed status partition

TF-18: TC-D-018 High priority partition

TF-19: TC-D-019 Medium priority partition

TF-20: TC-D-020 Low priority partition

TF-21: TC-D-021 Decision table: To Do AND each priority

TF-22: TC-D-022 Decision table: In Progress AND each priority

TF-23: TC-D-023 Decision table: Completed AND each priority

TF-24: TC-D-024 Decision table: query AND status AND priority

**1.3.TS-D3 - Sort orders and due-date boundaries**

TF-25: TC-D-025 Newest first is default and orders creation newest first

TF-26: TC-D-026 Oldest first orders creation oldest first

TF-27: TC-D-027 Due soonest orders dates and ties then undated last

TF-28: TC-D-028 Due latest reverses date order and keeps tie/blank rules

TF-29: TC-D-029 Soonest sort places both undated tasks last

TF-30: TC-D-030 Latest sort places both undated tasks last

### 1.4.TS-D4 - Empty states and clearing behavior

TF-31: TC-D-031 Search empty state echoes trimmed query

TF-32: TC-D-032 Blank query and no matching filters show filter empty state

TF-33: TC-D-033 Search no-hit takes precedence over filter no-hit

TF-34: TC-D-034 Zero total tasks takes precedence over query and filters

TF-35: TC-D-035 Clear search preserves status priority and sort

TF-36: TC-D-036 Empty-state Clear filters restores all defaults

TF-37: TC-D-037 Toolbar Clear Filters resets synchronized controls and sort

TF-38: TC-D-038 Toolbar Clear Filters resets sort alone

TF-39: TC-D-039 Toolbar Clear Filters clears a matching query

TF-40: TC-D-040 Search and filter clear actions act in sequence

## Scope

TaskFlow - single-user React/Vite task manager. SECJ3343 Project 1 local preparation environment. Import exports into the lecturer's existing project.

# 1.Test Suite : D - AhmedAzad240358 - Search filters and sorting

Member 4 / D, baseline TaskFlow main@5133a6c. Test basis: README.md TF-REQ-019 and Behaviour notes. Code: src/utils/tasks.js filterAndSortTasks/SORT_OPTIONS; src/components/TaskToolbar.jsx, TopBar.jsx, TaskList.jsx; src/App.jsx clearFilters.

Fixture CORE installed afresh before each independent case in a disposable Chrome profile through DevTools Console/localStorage taskflow_tasks, then location.reload(): six records, IDs d1-d6. d1: Alpha Planning | Build the billing dashboard | High | To Do | due 2026-11-30 | created 2026-01-10T08:00:00Z. d2: Alpha Support | Reconcile monthly billing | High | In Progress | due 2026-11-20 | created 2026-01-10T10:00:00Z. d3: Beta Launch | Prepare user notes | Medium | To Do | due 2026-11-20 | created 2026-01-05T09:00:00Z. d4: Gamma Review | Alpha appears in notes | Low | Completed | no due date | created 2026-01-15T08:00:00Z. d5: Alpha-100% (urgent) | Review [QA]? | Low | In Progress | due 2027-02-01 | created 2026-01-15T12:00:00Z. d6: Undated Later | No deadline | Medium | Completed | no due date | created 2026-01-20T08:00:00Z. For each record updatedAt equals createdAt; dueDate without a date is empty string. The explicit one-record and zero-record exceptions are stated in their case preconditions.

Reset taskflow_tasks and taskflow_tasks_backup before each case; fixture creation is setup only. Open http://localhost:5173, use Dashboard, and do not use UI CRUD as an assertion. Sort labels are Newest first, Oldest first, Due date: soonest, Due date: latest. Cases are manual and initially Not Run.

## 1.1.Test Suite : TS-D1 - Search and result feedback

EP and error guessing for query boundaries, title/description match, shared inputs, literal punctuation, counts and no-hit feedback.

| **Test Case TF-1: TC-D-001 Empty query shows all tasks [Version : 1]** | | |
|---|---|---|
| Author: | ahmed | |
| Summary: | TC-D-001 Empty query shows all tasks.<br>**Test design technique:** EP - empty query partition<br>**Requirements:** REQ-D-003, REQ-D-011 | |
| Preconditions: | Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | |
| #: | Step actions: | Expected Results: |
| 1 | Leave both search inputs empty. | All six cards appear; text reads "Showing 6 of 6 tasks". |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-003: Blank query and literal punctuation [Version : 1]<br>REQ-D-011: Singular and plural result counts [Version : 1] | |
| Keywords: | None | |

| **Test Case TF-2: TC-D-002 Whitespace-only query is blank after trimming [Version : 1]** | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-002 Whitespace-only query is blank after trimming.<br><br>**Test design technique:** EP - whitespace query partition<br><br>**Requirements:** REQ-D-001, REQ-D-003 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Enter three spaces in toolbar "Search". | TopBar "Search tasks" also contains three spaces; all six cards remain visible. |
| 2 | Inspect result text. | It reads "Showing 6 of 6 tasks"; no empty state appears. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-001: Trimmed case-insensitive title substring [Version : 1]<br>REQ-D-003: Blank query and literal punctuation [Version : 1] | |
| Keywords: | None | |

| Test Case TF-3: TC-D-003 Case-insensitive title substring [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary: | | |
| TC-D-003 Case-insensitive title substring.<br><br>**Test design technique:** EP - title substring partition<br><br>**Requirements:** REQ-D-001 | | |
| Preconditions: | | |
| Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Enter "pLaNn" in toolbar "Search". | Only "Alpha Planning" is visible. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-001: Trimmed case-insensitive title substring [Version : 1] | |
| Keywords: | None | |

| Test Case TF-4: TC-D-004 Description-only substring [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary: | | |
| TC-D-004 Description-only substring.<br><br>**Test design technique:** EP - description partition<br><br>**Requirements:** REQ-D-002 | | |
| Preconditions: | | |
| Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Enter "dashboard" in "Search". | Only "Alpha Planning" is visible because dashboard occurs in its description. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-002: Description substring and title-or-description [Version : 1] | |
| Keywords: | None | |

| **Test Case TF-5: TC-D-005 Title OR description returns each match once [Version : 1]** | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-005 Title OR description returns each match once.<br><br>**Test design technique:** Decision Table - title OR description<br><br>**Requirements:** REQ-D-001, REQ-D-002, REQ-D-007, REQ-D-011 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Enter "billing" in "Search". | "Alpha Planning" and "Alpha Support" appear once each. |
| 2 | Inspect result text. | It reads "Showing 2 of 6 tasks". |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Low | |
| Requirements | REQ-D-001: Trimmed case-insensitive title substring [Version : 1]<br>REQ-D-002: Description substring and title-or-description [Version : 1]<br>REQ-D-007: Search/status/priority AND decision table [Version : 1]<br>REQ-D-011: Singular and plural result counts [Version : 1] | |
| Keywords: | None | |

| Test Case TF-6: TC-D-006 Case-insensitive description substring [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary: | | |
| TC-D-006 Case-insensitive description substring.<br><br>**Test design technique:** EP - case partition in description<br><br>**Requirements:** REQ-D-002 | | |
| Preconditions: | | |
| Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Enter "RECONCILE MONTHLY" in "Search". | Only "Alpha Support" appears. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-002: Description substring and title-or-description [Version : 1] | |
| Keywords: | None | |

| Test Case TF-7: TC-D-007 Nonmatch displays exact search empty state [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary: | | |
| TC-D-007 Nonmatch displays exact search empty state.<br><br>**Test design technique:** EP - no-match partition<br><br>**Requirements:** REQ-D-003, REQ-D-012 | | |
| Preconditions: | | |
| Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Enter " Qzx-No-Task " in "Search". | The title reads "No tasks match \"Qzx-No-Task\""; text reads "Try a different search term."; button reads "Clear search". |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Low | |
| Requirements | REQ-D-003: Blank query and literal punctuation [Version : 1]<br>REQ-D-012: No-result message precedence and actions [Version : 1] | |
| Keywords: | None | |

| Test Case TF-8: TC-D-008 Percent and parentheses are literal search characters [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary: | | |
| TC-D-008 Percent and parentheses are literal search characters.<br><br>**Test design technique:** Error Guessing - punctuation<br><br>**Requirements:** REQ-D-002, REQ-D-003 | | |
| Preconditions: | | |
| Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Enter "100% (urgent)" in "Search". | Only "Alpha-100% (urgent)" appears; punctuation is matched literally. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-002: Description substring and title-or-description [Version : 1]<br>REQ-D-003: Blank query and literal punctuation [Version : 1] | |
| Keywords: | None | |

| Test Case TF-9: TC-D-009 Square bracket and question mark are literal [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary: | | |
| TC-D-009 Square bracket and question mark are literal.<br><br>**Test design technique:** Error Guessing - regex-like punctuation<br><br>**Requirements:** REQ-D-002, REQ-D-003 | | |
| Preconditions: | | |
| Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Enter "[QA]?" in "Search". | Only "Alpha-100% (urgent)" appears from description "Review [QA]?". |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-002: Description substring and title-or-description [Version : 1]<br>REQ-D-003: Blank query and literal punctuation [Version : 1] | |
| Keywords: | None | |

| Test Case TF-10: TC-D-010 TopBar search synchronizes toolbar value and results [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary: | | |
| TC-D-010 TopBar search synchronizes toolbar value and results.<br><br>**Test design technique:** State Transition - TopBar query<br><br>**Requirements:** REQ-D-001, REQ-D-004 | | |
| Preconditions: | | |
| Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Enter "support" in TopBar input aria-label "Search tasks". | Toolbar "Search" reads "support"; only "Alpha Support" appears. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-001: Trimmed case-insensitive title substring [Version : 1]<br>REQ-D-004: Synchronized search boxes [Version : 1] | |
| Keywords: | None | |

| Test Case TF-11: TC-D-011 Toolbar search synchronizes TopBar value and results [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary: | | |
| TC-D-011 Toolbar search synchronizes TopBar value and results.<br><br>**Test design technique:** State Transition - toolbar query<br><br>**Requirements:** REQ-D-001, REQ-D-004 | | |
| Preconditions: | | |
| Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Enter "launch" in toolbar "Search". | TopBar "Search tasks" reads "launch"; only "Beta Launch" appears. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-001: Trimmed case-insensitive title substring [Version : 1]<br>REQ-D-004: Synchronized search boxes [Version : 1] | |
| Keywords: | None | |

| Test Case TF-12: TC-D-012 One visible among six uses plural total wording [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary: | | |
| TC-D-012 One visible among six uses plural total wording.<br><br>**Test design technique:** EP - one visible among many total<br><br>**Requirements:** REQ-D-011 | | |
| Preconditions: | | |
| Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Enter "dashboard" in "Search". | One card appears; text reads "Showing 1 of 6 tasks". |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-011: Singular and plural result counts [Version : 1] | |
| Keywords: | None | |

| Test Case TF-13: TC-D-013 Several visible tasks use plural total wording [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary: | | |
| TC-D-013 Several visible tasks use plural total wording.<br><br>**Test design technique:** EP - many visible partition<br><br>**Requirements:** REQ-D-001, REQ-D-002, REQ-D-011 | | |
| Preconditions: | | |
| Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Enter "alpha" in "Search". | "Alpha Planning", "Alpha Support", "Alpha-100% (urgent)", and "Gamma Review" appear; text reads "Showing 4 of 6 tasks". |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-001: Trimmed case-insensitive title substring [Version : 1]<br>REQ-D-002: Description substring and title-or-description [Version : 1]<br>REQ-D-011: Singular and plural result counts [Version : 1] | |
| Keywords: | None | |

| Test Case TF-14: TC-D-014 Single-task total uses singular wording [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-014 Single-task total uses singular wording.<br><br>**Test design technique:** EP - total count one<br><br>**Requirements:** REQ-D-011 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Use only one valid task record: id d1, title "Alpha Planning", description "Build dashboard", priority High, status To Do, dueDate "2026-11-30", createdAt and updatedAt "2026-01-10T08:00:00.000Z". Store it as the sole array item in taskflow_tasks and reload. | | |
| #: | Step actions: | Expected Results: |
| 1 | Inspect the Dashboard list after reload. | One card appears; text reads "Showing 1 of 1 task". |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-011: Singular and plural result counts [Version : 1] | |
| Keywords: | None | |

## 1.2.Test Suite : TS-D2 - Status, priority and AND decision tables

EP for status and priority partitions; decision tables cover every non-All status-by-priority cell and combined query/status/priority logic.

| Test Case TF-15: TC-D-015 To Do status partition [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-015 To Do status partition.<br><br>**Test design technique:** EP - status partition To Do<br><br>**Requirements:** REQ-D-005, REQ-D-011 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Choose "To Do" from "Status". | Only "Alpha Planning" and "Beta Launch" appear; text reads "Showing 2 of 6 tasks". |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-005: Status filter partitions [Version : 1]<br>REQ-D-011: Singular and plural result counts [Version : 1] | |
| Keywords: | None | |

| Test Case TF-16: TC-D-016 In Progress status partition [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-016 In Progress status partition.<br><br>**Test design technique:** EP - status partition In Progress<br><br>**Requirements:** REQ-D-005 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Choose "In Progress" from "Status". | Only "Alpha Support" and "Alpha-100% (urgent)" appear. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-005: Status filter partitions [Version : 1] | |
| Keywords: | None | |

| Test Case TF-17: TC-D-017 Completed status partition [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary: | | |
| TC-D-017 Completed status partition.<br><br>**Test design technique:** EP - status partition Completed<br><br>**Requirements:** REQ-D-005 | | |
| Preconditions: | | |
| Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Choose "Completed" from "Status". | Only "Gamma Review" and "Undated Later" appear. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-005: Status filter partitions [Version : 1] | |
| Keywords: | None | |

| Test Case TF-18: TC-D-018 High priority partition [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary: | | |
| TC-D-018 High priority partition.<br><br>**Test design technique:** EP - priority partition High<br><br>**Requirements:** REQ-D-006 | | |
| Preconditions: | | |
| Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Choose "High" from "Priority". | Only "Alpha Planning" and "Alpha Support" appear. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-006: Priority filter partitions [Version : 1] | |
| Keywords: | None | |

| Test Case TF-19: TC-D-019 Medium priority partition [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-019 Medium priority partition.<br><br>**Test design technique:** EP - priority partition Medium<br><br>**Requirements:** REQ-D-006 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Choose "Medium" from "Priority". | Only "Beta Launch" and "Undated Later" appear. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-006: Priority filter partitions [Version : 1] | |
| Keywords: | None | |

| Test Case TF-20: TC-D-020 Low priority partition [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-020 Low priority partition.<br><br>**Test design technique:** EP - priority partition Low<br><br>**Requirements:** REQ-D-006 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Choose "Low" from "Priority". | Only "Gamma Review" and "Alpha-100% (urgent)" appear. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-006: Priority filter partitions [Version : 1] | |
| Keywords: | None | |

| **Test Case TF-21: TC-D-021 Decision table: To Do AND each priority [Version : 1]** | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-021 Decision table: To Do AND each priority.<br><br>**Test design technique:** Decision Table - To Do by priority<br><br>**Requirements:** REQ-D-005, REQ-D-006, REQ-D-007, REQ-D-012 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Select Status "To Do" and Priority "High". | Only "Alpha Planning" appears. |
| 2 | Keep Status "To Do"; select Priority "Medium". | Only "Beta Launch" appears. |
| 3 | Keep Status "To Do"; select Priority "Low". | "No tasks match the current filters" and button "Clear filters" appear. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Low | |
| Requirements | REQ-D-005: Status filter partitions [Version : 1]<br>REQ-D-006: Priority filter partitions [Version : 1]<br>REQ-D-007: Search/status/priority AND decision table [Version : 1]<br>REQ-D-012: No-result message precedence and actions [Version : 1] | |
| Keywords: | None | |

| Test Case TF-22: TC-D-022 Decision table: In Progress AND each priority [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-022 Decision table: In Progress AND each priority.<br><br>**Test design technique:** Decision Table - In Progress by priority<br><br>**Requirements:** REQ-D-005, REQ-D-006, REQ-D-007, REQ-D-012 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Select Status "In Progress" and Priority "High". | Only "Alpha Support" appears. |
| 2 | Keep Status "In Progress"; select Priority "Medium". | "No tasks match the current filters" appears. |
| 3 | Keep Status "In Progress"; select Priority "Low". | Only "Alpha-100% (urgent)" appears. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Low | |
| Requirements | REQ-D-005: Status filter partitions [Version : 1]<br>REQ-D-006: Priority filter partitions [Version : 1]<br>REQ-D-007: Search/status/priority AND decision table [Version : 1]<br>REQ-D-012: No-result message precedence and actions [Version : 1] | |
| Keywords: | None | |

| Test Case TF-23: TC-D-023 Decision table: Completed AND each priority [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-023 Decision table: Completed AND each priority.<br><br>**Test design technique:** Decision Table - Completed by priority<br><br>**Requirements:** REQ-D-005, REQ-D-006, REQ-D-007, REQ-D-012 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Select Status "Completed" and Priority "High". | "No tasks match the current filters" appears. |
| 2 | Keep Status "Completed"; select Priority "Medium". | Only "Undated Later" appears. |
| 3 | Keep Status "Completed"; select Priority "Low". | Only "Gamma Review" appears. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Low | |
| Requirements | REQ-D-005: Status filter partitions [Version : 1]<br>REQ-D-006: Priority filter partitions [Version : 1]<br>REQ-D-007: Search/status/priority AND decision table [Version : 1]<br>REQ-D-012: No-result message precedence and actions [Version : 1] | |
| Keywords: | None | |

| Test Case TF-24: TC-D-024 Decision table: query AND status AND priority [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-024 Decision table: query AND status AND priority.<br><br>**Test design technique:** Decision Table - query/status/priority AND<br><br>**Requirements:** REQ-D-001, REQ-D-002, REQ-D-005, REQ-D-006, REQ-D-007, REQ-D-012 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Enter "billing", choose Status "In Progress", Priority "High". | Only "Alpha Support" appears; it meets all three conditions. |
| 2 | Keep query and status; select Priority "Low". | "No tasks match the current filters" appears; no task satisfies all three. |
| 3 | Keep query "billing"; set Status "To Do" and Priority "High". | "No tasks match the current filters" appears. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Low | |
| Requirements | REQ-D-001: Trimmed case-insensitive title substring [Version : 1]<br>REQ-D-002: Description substring and title-or-description [Version : 1]<br>REQ-D-005: Status filter partitions [Version : 1]<br>REQ-D-006: Priority filter partitions [Version : 1]<br>REQ-D-007: Search/status/priority AND decision table [Version : 1]<br>REQ-D-012: No-result message precedence and actions [Version : 1] | |
| Keywords: | None | |

## 1.3.Test Suite : TS-D3 - Sort orders and due-date boundaries

EP for each sort and default; BVA for equal due dates, creation-time tie order and undated-last behavior in both date sorts.

| Test Case TF-25: TC-D-025 Newest first is default and orders creation newest first [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-025 Newest first is default and orders creation newest first.<br><br>**Test design technique:** EP - default sort<br><br>**Requirements:** REQ-D-008, REQ-D-009 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Reload CORE without changing "Sort by". | "Newest first" is selected; order: "Undated Later", "Alpha-100% (urgent)", "Gamma Review", "Alpha Support", "Alpha Planning", "Beta Launch". |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-008: Four sorts and newest default [Version : 1]<br>REQ-D-009: Creation order and due-date tie order [Version : 1] | |
| Keywords: | None | |

| Test Case TF-26: TC-D-026 Oldest first orders creation oldest first [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-026 Oldest first orders creation oldest first.<br><br>**Test design technique:** EP - Oldest sort<br><br>**Requirements:** REQ-D-008, REQ-D-009 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Choose "Oldest first" from "Sort by". | Order: "Beta Launch", "Alpha Planning", "Alpha Support", "Gamma Review", "Alpha-100% (urgent)", "Undated Later". |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-008: Four sorts and newest default [Version : 1]<br>REQ-D-009: Creation order and due-date tie order [Version : 1] | |
| Keywords: | None | |

| Test Case TF-27: TC-D-027 Due soonest orders dates and ties then undated last [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-027 Due soonest orders dates and ties then undated last.<br><br>**Test design technique:** BVA - equal due dates and blank boundary<br><br>**Requirements:** REQ-D-008, REQ-D-009, REQ-D-010 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Choose "Due date: soonest". | Order: "Alpha Support", "Beta Launch", "Alpha Planning", "Alpha-100% (urgent)", "Undated Later", "Gamma Review". |
| 2 | Inspect the 2026-11-20 tie and undated pair. | Newer "Alpha Support" precedes "Beta Launch"; undated tasks are last, newest "Undated Later" before "Gamma Review". |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Low | |
| Requirements | REQ-D-008: Four sorts and newest default [Version : 1]<br>REQ-D-009: Creation order and due-date tie order [Version : 1]<br>REQ-D-010: Undated-last behavior [Version : 1] | |
| Keywords: | None | |

| **Test Case TF-28: TC-D-028 Due latest reverses date order and keeps tie/blank rules [Version : 1]** | | |
|---|---|---|
| Author: | ahmed | |
| Summary: | | |
| TC-D-028 Due latest reverses date order and keeps tie/blank rules.<br><br>**Test design technique:** BVA - latest date and blank boundary<br><br>**Requirements:** REQ-D-008, REQ-D-009, REQ-D-010 | | |
| Preconditions: | | |
| Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Choose "Due date: latest". | Order: "Alpha-100% (urgent)", "Alpha Planning", "Alpha Support", "Beta Launch", "Undated Later", "Gamma Review". |
| 2 | Inspect tied and undated tasks. | For 2026-11-20, newer "Alpha Support" precedes "Beta Launch"; undated tasks are last and newest first. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Low | |
| Requirements | REQ-D-008: Four sorts and newest default [Version : 1]<br>REQ-D-009: Creation order and due-date tie order [Version : 1]<br>REQ-D-010: Undated-last behavior [Version : 1] | |
| Keywords: | None | |

| Test Case TF-29: TC-D-029 Soonest sort places both undated tasks last [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-029 Soonest sort places both undated tasks last.<br><br>**Test design technique:** BVA - empty due-date partition<br><br>**Requirements:** REQ-D-010 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Choose "Due date: soonest". | The last two cards are "Undated Later", then "Gamma Review"; all dated tasks precede them. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-010: Undated-last behavior [Version : 1] | |
| Keywords: | None | |

| Test Case TF-30: TC-D-030 Latest sort places both undated tasks last [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-030 Latest sort places both undated tasks last.<br><br>**Test design technique:** BVA - empty due-date partition<br><br>**Requirements:** REQ-D-010 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Choose "Due date: latest". | The last two cards are "Undated Later", then "Gamma Review"; all dated tasks precede them. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-010: Undated-last behavior [Version : 1] | |
| Keywords: | None | |

## 1.4.Test Suite : TS-D4 - Empty states and clearing behavior

Decision-table empty-state precedence and state transitions for Clear search, toolbar Clear Filters and empty-state Clear filters.

| **Test Case TF-31: TC-D-031 Search empty state echoes trimmed query [Version : 1]** | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-031 Search empty state echoes trimmed query.<br><br>**Test design technique:** EP - search empty-state partition<br><br>**Requirements:** REQ-D-003, REQ-D-012 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Enter " Missing task " in "Search". | Title reads "No tasks match \"Missing task\""; text reads "Try a different search term."; button reads "Clear search". |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-003: Blank query and literal punctuation [Version : 1]<br>REQ-D-012: No-result message precedence and actions [Version : 1] | |
| Keywords: | None | |

| Test Case TF-32: TC-D-032 Blank query and no matching filters show filter empty state [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-032 Blank query and no matching filters show filter empty state.<br><br>**Test design technique:** EP - filter empty-state partition<br><br>**Requirements:** REQ-D-005, REQ-D-006, REQ-D-012 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Leave search blank; select Status "To Do" and Priority "Low". | Title reads "No tasks match the current filters"; text reads "Try changing or clearing your filters."; button reads "Clear filters". |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-005: Status filter partitions [Version : 1]<br>REQ-D-006: Priority filter partitions [Version : 1]<br>REQ-D-012: No-result message precedence and actions [Version : 1] | |
| Keywords: | None | |

| Test Case TF-33: TC-D-033 Search no-hit takes precedence over filter no-hit [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-033 Search no-hit takes precedence over filter no-hit.<br><br>**Test design technique:** Decision Table - search-empty precedence<br><br>**Requirements:** REQ-D-007, REQ-D-012 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Enter "NoSuchTask" and choose Status "Completed", Priority "High". | Title reads "No tasks match \"NoSuchTask\""; button reads "Clear search"; filter empty-state title is absent. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Low | |
| Requirements | REQ-D-007: Search/status/priority AND decision table [Version : 1]<br>REQ-D-012: No-result message precedence and actions [Version : 1] | |
| Keywords: | None | |

| **Test Case TF-34: TC-D-034 Zero total tasks takes precedence over query and filters [Version : 1]** | | |
|---|---|---|
| Author: | ahmed | |
| Summary: | | |
| TC-D-034 Zero total tasks takes precedence over query and filters.<br><br>**Test design technique:** Decision Table - zero total tasks<br><br>**Requirements:** REQ-D-012 | | |
| Preconditions: | | |
| Independent setup: clear both TaskFlow storage keys and reload the app. Use an empty task array instead of CORE: set taskflow_tasks to [] and remove taskflow_tasks_backup before reload; verify there are zero task records. | | |
| #: | Step actions: | Expected Results: |
| 1 | Enter "Missing" in "Search" and select Status "Completed". | The list shows "No tasks yet", "Tasks you create will appear here.", and button "Create your first task". |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-012: No-result message precedence and actions [Version : 1] | |
| Keywords: | None | |

| Test Case TF-35: TC-D-035 Clear search preserves status priority and sort [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-035 Clear search preserves status priority and sort.<br><br>**Test design technique:** State Transition - search-empty to cleared<br><br>**Requirements:** REQ-D-013 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Set Status "In Progress", Priority "Low", Sort by "Due date: latest"; search "NoSuchTask". | Search empty state shows button "Clear search". |
| 2 | Click "Clear search". | Both search inputs are empty; Status remains "In Progress", Priority "Low", Sort by "Due date: latest"; "Alpha-100% (urgent)" appears. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Low | |
| Requirements | REQ-D-013: Clear search preserves filters and sort [Version : 1] | |
| Keywords: | None | |

| **Test Case TF-36: TC-D-036 Empty-state Clear filters restores all defaults [Version : 1]** | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-036 Empty-state Clear filters restores all defaults.<br><br>**Test design technique:** State Transition - filter-empty to defaults<br><br>**Requirements:** REQ-D-014 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Leave search blank; set Status "To Do", Priority "Low", Sort by "Due date: latest". | Filter empty state shows button "Clear filters". |
| 2 | Click "Clear filters". | Both search inputs empty; Status "All Statuses", Priority "All Priorities", Sort by "Newest first"; all six cards return newest first. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Low | |
| Requirements | REQ-D-014: Both Clear Filters actions reset all controls [Version : 1] | |
| Keywords: | None | |

| Test Case TF-37: TC-D-037 Toolbar Clear Filters resets synchronized controls and sort [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-037 Toolbar Clear Filters resets synchronized controls and sort.<br><br>**Test design technique:** State Transition - controls to defaults<br><br>**Requirements:** REQ-D-004, REQ-D-014 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Search "billing" in TopBar; set Status "In Progress", Priority "High", Sort by "Due date: latest". | Toolbar Search also reads "billing"; controls show the chosen values. |
| 2 | Click toolbar button "Clear Filters". | Both search inputs are empty; Status "All Statuses", Priority "All Priorities", Sort by "Newest first"; all six cards appear. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Low | |
| Requirements | REQ-D-004: Synchronized search boxes [Version : 1]<br>REQ-D-014: Both Clear Filters actions reset all controls [Version : 1] | |
| Keywords: | None | |

| **Test Case TF-38: TC-D-038 Toolbar Clear Filters resets sort alone [Version : 1]** | | |
|---|---|---|
| Author: | ahmed | |
| Summary: | | |
| TC-D-038 Toolbar Clear Filters resets sort alone.<br><br>**Test design technique:** State Transition - chosen sort to default<br><br>**Requirements:** REQ-D-008, REQ-D-014 | | |
| Preconditions: | | |
| Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Choose "Oldest first"; click toolbar "Clear Filters". | "Newest first" is selected and cards return to newest-first order. |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-008: Four sorts and newest default [Version : 1]<br>REQ-D-014: Both Clear Filters actions reset all controls [Version : 1] | |
| Keywords: | None | |

| **Test Case TF-39: TC-D-039 Toolbar Clear Filters clears a matching query [Version : 1]** | | |
|---|---|---|
| Author: | ahmed | |
| Summary: | | |
| TC-D-039 Toolbar Clear Filters clears a matching query.<br><br>**Test design technique:** State Transition - matching query to defaults<br><br>**Requirements:** REQ-D-004, REQ-D-014 | | |
| Preconditions: | | |
| Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Search "billing"; click toolbar "Clear Filters". | Both search inputs become empty; all six cards appear; text reads "Showing 6 of 6 tasks". |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-004: Synchronized search boxes [Version : 1]<br>REQ-D-014: Both Clear Filters actions reset all controls [Version : 1] | |
| Keywords: | None | |

| Test Case TF-40: TC-D-040 Search and filter clear actions act in sequence [Version : 1] | | |
|---|---|---|
| Author: | ahmed | |
| Summary:<br><br>TC-D-040 Search and filter clear actions act in sequence.<br><br>**Test design technique:** State Transition - search-empty then filter-empty<br><br>**Requirements:** REQ-D-004, REQ-D-014 | | |
| Preconditions:<br><br>Independent setup: clear both TaskFlow storage keys and reload the app. Install the full six-record CORE fixture defined in TOP_SUITE_DETAILS and confirm six fixture cards. | | |
| #: | Step actions: | Expected Results: |
| 1 | Enter "NoSuchTask"; set Status "To Do", Priority "Low", and Sort by "Due date: latest". | Search empty state shows button "Clear search". |
| 2 | Click "Clear search". | Both search inputs are empty; Status remains "To Do", Priority remains "Low", Sort by remains "Due date: latest"; filter empty state now shows "Clear filters". |
| 3 | Click empty-state "Clear filters". | Both search inputs remain empty; Status "All Statuses", Priority "All Priorities", Sort by "Newest first". |
| Execution type: | Manual | |
| Estimated exec. duration (min): | | |
| Importance: | Medium | |
| Requirements | REQ-D-004: Synchronized search boxes [Version : 1]<br>REQ-D-014: Both Clear Filters actions reset all controls [Version : 1] | |
| Keywords: | None | |