

Basic of EM waves

Question 1: Describe the Maxwell equations

Answer 1: $\nabla \times \bar{e} = -\frac{\partial \bar{b}}{\partial t}$

$$\nabla \cdot \bar{d} = \rho$$

$$\nabla \times \bar{h} = \bar{j} + \frac{\partial \bar{d}}{\partial t}$$

$$\nabla \cdot \bar{b} = 0$$

- $\bar{e}(\bar{r}, t)$ is ELECTRIC FIELD $[V/m]$
- $\bar{d}(\bar{r}, t)$ is the electric flux density $[C/m^2]$
- $\bar{h}(\bar{r}, t)$ is MAGNETIC FIELD $[A/m]$
- $\bar{b}(\bar{r}, t)$ is MAGNETIC FLUX DENSITY $[T = Wb/m^2]$
- $\rho(\bar{r}, t)$ is CHARGE DENSITY $[C/m^3]$
- $\bar{J}(\bar{r}, t)$ is ELECTRIC CURRENT DENSITY $[A/m^2]$
- $\bar{r} = (x, y, z)$

Assumptions: $\rho = 0, \bar{J} = 0$

Question 2: EM fields in harmonic domain

Answer 2: In many cases we can limit the study of EM fields to the harmonic signals. It is convenient to represent fields by their phaser using the following relation:

$$\bar{e}(\bar{r}, t) = \text{Re} [\bar{E}(\bar{r})e^{j\omega t}] \quad (1)$$

In this case we have no electric charges or current. Hence:

$$\nabla \times \bar{E} = -j\omega \bar{B} = -j\omega \mu \bar{H}$$

$$\nabla \cdot \bar{D} = 0$$

$$\nabla \times \bar{H} = j\omega \bar{D} = j\omega \epsilon \bar{E}$$

$$\nabla \cdot \bar{B} = 0$$

Question 3: Describe the constitutive relations

Answer 3: The relation between fields and flux densities depend on the medium where the fields propagate. In general we have:

$$\bar{D} = \epsilon \bar{E}$$

$$\bar{B} = \mu \bar{H}$$

where ϵ is the electric permittivity and μ is the magnetic permeability of the medium. $[F/m]$ and $[H/m]$ respectively.

Question 4: Describe Helmholtz equation

Answer 4: The Helmholtz equation is a second-order partial differential equation that describes the propagation of waves in a medium. Starting from the Maxwell equations in harmonic domain without charges and currents, we can derive the Helmholtz equation for the electric and magnetic fields.

Maxwell's Equations (Phasor Form)

$$\nabla \times \bar{E} = -j\omega\mu\bar{H} \quad \nabla \cdot \bar{E} = 0$$

$$\nabla \times \bar{H} = j\omega\epsilon\bar{E} \quad \nabla \cdot \bar{H} = 0$$

Derivation of the Helmholtz Equation

1) Apply the curl to Faraday's Law:

$$\nabla \times (\nabla \times \bar{E}) = \nabla \times (-j\omega\mu\bar{H})$$

2) Due to the linearity of the operator, move the constants outside:

$$\nabla \times (\nabla \times \bar{E}) = -j\omega\mu(\nabla \times \bar{H})$$

3) Substitute the curl of $\bar{H}$ using the Ampère-Maxwell Law:

$$\nabla \times (\nabla \times \bar{E}) = -j\omega\mu(j\omega\epsilon\bar{E})$$

4) Simplify the constant terms (given that $j^2 = -1$):

$$\nabla \times (\nabla \times \bar{E}) = \omega^2\mu\epsilon\bar{E}$$

5) Use the vector identity $\nabla \times \nabla \times \bar{A} = \nabla(\nabla \cdot \bar{A}) - \nabla^2\bar{A}$:

$$\nabla(\nabla \cdot \bar{E}) - \nabla^2\bar{E} = \omega^2\mu\epsilon\bar{E}$$

Since $\nabla \cdot \bar{E} = 0$ in a source-free medium, the gradient term vanishes:

$$-\nabla^2\bar{E} = \omega^2\mu\epsilon\bar{E}$$

6) Rearrange the terms to obtain the Helmholtz Equation:

$$\nabla^2\bar{E} + \omega^2\mu\epsilon\bar{E} = 0$$

For magnetic field the steps are the same.

Question 5: What is the advantage of using piecewise homogeneous media?

Answer 5: Piecewise homogeneous is a simplification that allows us to consider ϵ and μ as constants in a given region. But normally ϵ and μ are not constant, so we solve this problem by using boundary conditions.

Question 6: What are the boundary conditions?

Answer 6: We consider the thin surface between 2 different materials. We define the normal vector $\hat{n}$.

For flux densities

- **Density of magnetic flux:** normal component is always continuous

$$\hat{n} \cdot (\bar{B}_2 - \bar{B}_1) = 0 \quad (2)$$

- **Density of electric flux:** normal component is discontinuous

$$\hat{n} \cdot (\bar{D}_2 - \bar{D}_1) = \rho_s \quad (3)$$

For fields

- **Electric field:** tangential component is always continuous

$$\hat{n} \times (\bar{E}_2 - \bar{E}_1) = 0 \quad (4)$$

- **Magnetic field:** tangential component is discontinuous

$$\hat{n} \times (\bar{H}_2 - \bar{H}_1) = \bar{J}_s \quad (5)$$

For our assumptions, $\rho_s = 0$ and $\bar{J}_s = 0$.

Question 7: Describe the Poynting vector

Answer 7: In the time domain the Poynting vector is defined as:

$$\bar{P}(\bar{r}, t) = \bar{E}(\bar{r}, t) \times \bar{H}(\bar{r}, t) \quad (6)$$

where $\bar{E}$ is the electric field and $\bar{H}$ is the magnetic field.

While in the harmonic domain we have:

$$\bar{P}(\bar{r}) = \frac{1}{2} \bar{E}(\bar{r}) \times \bar{H}^*(\bar{r}) \quad (7)$$

where $\bar{H}^*$ is the complex conjugate of $\bar{H}$.

In other words, it represents the power flow per unit area.

Question 8: Describe the polarization of EM waves and the polarization plane

Answer 8: A generic sinusoidal EM field can be written as:

$$\vec{e}(\vec{r}, t) = \sum_{n=1}^{3 \text{ dim}} C_n(\vec{r}) \cos(\omega t + \phi_n(\vec{r})) \hat{x}_n = \underbrace{c'(\vec{r}, t)}_{\vec{E}_{\text{Re}}} \cos(\omega t) - \underbrace{c''(\vec{r})}_{\vec{E}_{\text{Im}}} \sin(\omega t) \quad (8)$$

which clearly shows that the electric vector of a generic sinusoidal field lays at any time on a plane defined by the vectors $\vec{E}_{\text{Re}}$ and $\vec{E}_{\text{Im}}$.

This is known as polarization plane: constant in time, vary in space. The sinusoidal field is periodic, so the curve it describes must be closed. Generally, it is an ellipse.

This ellipse is described by two components:

$$\vec{e}'(t) = \begin{bmatrix} a \cos(\omega t + \phi) \\ b \sin(\omega t + \phi) \end{bmatrix} \quad (9)$$

We that the polarization is:

- Right handed: when the field rotates counterclockwise
- Left handed: when the field rotates clockwise

Two notable cases are:

- Linear polarization: when the ellipse degenerates into a line
 - Circular polarization: when the ellipse degenerates into a circle ($a = \pm b$)
-

Question 9: Describe Jones vector and their utility

Answer 9: It's a bidimensional complex vector which describes a generic sinusoidal EF when represented with respect to its polarization plane. The Jones vector reads:

$$\vec{J} = \begin{bmatrix} a \cos(\delta) + jb \sin(\delta) \\ a \sin(\delta) - jb \cos(\delta) \end{bmatrix} \quad (10)$$

- Φ does not influence the polarization, but it's useful to describe field propagation;
 - Two polarizations are orthogonal if the corresponding Jones vectors are orthogonal. ($\vec{E}_1 \cdot \vec{E}_2 = 0$)
-

Question 10: Describe Stokes vector

Answer 10: Stokes vectors are real vectors which describes a more intuitive geometrical representation of light polarization. The Stokes vector reads:

$$\vec{S} = \begin{bmatrix} S_0 \\ S_1 \\ S_2 \\ S_3 \end{bmatrix} = \begin{bmatrix} |E_1|^2 + |E_2|^2 \\ |E_1|^2 - |E_2|^2 \\ 2\text{Re}[E_1 E_2^*] \\ 2\text{Im}[E_1 E_2^*] \end{bmatrix} = \begin{bmatrix} a^2 + b^2 \\ (a^2 - b^2) \cos 2\delta \\ (a^2 - b^2) \sin 2\delta \\ 2ab \end{bmatrix} \quad (11)$$

- S_0 total intensity;
- S_1 difference in intensities between horizontal and vertical linearly polarized components;

-
- S_2 difference in intensities between linearly polarized components oriented at $+45^\circ$ and -45° ;
 - S_3 difference in intensities between right and left circularly polarized components

It does not depend on phase.

$$S_0 = \sqrt{S_1^2 + S_2^2 + S_3^2} \quad (12)$$

Monochromatic case: ω is constant.

Also, knowing the redundancy of S_0 , we can define the unit Stokes vector:

$$\hat{S} = \begin{bmatrix} S_1 \\ S_2 \\ S_3 \end{bmatrix} = \frac{1}{S_0} \begin{bmatrix} S_1 \\ S_2 \\ S_3 \end{bmatrix} = \frac{1}{a^2 + b^2} \begin{bmatrix} (a^2 - b^2) \cos 2\delta \\ (a^2 - b^2) \sin 2\delta \\ 2ab \end{bmatrix} \quad (13)$$

which can be further simplified with ellipticity: $\epsilon = \tan^{-1}(b/a)$

$$\tan \epsilon = \frac{b}{a} \quad (14)$$

$$\cos 2\epsilon = \frac{1 - \tan^2 \epsilon}{1 + \tan^2 \epsilon} = \frac{1 - (b/a)^2}{1 + (b/a)^2} = \frac{a^2 - b^2}{a^2 + b^2} \quad (15)$$

$$\sin 2\epsilon = \frac{2 \tan \epsilon}{1 + \tan^2 \epsilon} = \frac{2(b/a)}{1 + (b/a)^2} = \frac{2ab}{a^2 + b^2} \quad (16)$$

$$\hat{s} = \frac{1}{a^2 + b^2} \begin{bmatrix} (a^2 - b^2) \cos 2\delta \\ (a^2 - b^2) \sin 2\delta \\ 2ab \end{bmatrix} \quad (17)$$

$$\hat{s} = \begin{bmatrix} \cos 2\epsilon \cos 2\delta \\ \cos 2\epsilon \sin 2\delta \\ \sin 2\epsilon \end{bmatrix} \quad (18)$$

Question 11: Describe the Poincaré sphere

Answer 11: The unit stokes vector can be geometrically visualized as lying on the surface of a sphere of unit radius. Each point on the sphere represents a different polarization state.

$$\hat{S} = \begin{bmatrix} \cos 2\epsilon \cos 2\delta \\ \cos 2\epsilon \sin 2\delta \\ \sin 2\epsilon \end{bmatrix} \quad (19)$$

the various polarizations are:

- Equator: linear polarization
 - North pole: circular polarization right handed
 - South pole: circular polarization left handed
 - North hemisphere: elliptical polarization right handed
 - South hemisphere: elliptical polarization left handed
-




Figure 1: Poincaré sphere

Modal theory

Question 12: What is Total Internal Reflection?

Answer 12: Consider a fiber. We have the core and the cladding. We have to respect two conditions:

- The refractive index of the incidence medium must be greater than the refractive index of the transmission medium ($n_1 > n_2$);
- The angle of incidence θ_i must be greater than the critical angle $\theta_c = \sin^{-1}(n_2/n_1)$.

When $\theta_i < \theta_c$ we have *uniform trasmitted waves* and $n_1 \sin(\theta_i) = n_2 \sin(\theta_t)$.

Question 13: Considered a step-index fiber; let us determine the maximum input angle that a ray may have so that the ray refracted in the fiber core is guided by TIR.

Answer 13:

- **Snell's Law at the input interface (Air to Core):**

$$n_0 \sin \beta_M = n_1 \sin \beta_l \implies \sin \beta_M = n_1 \sqrt{1 - \cos^2 \beta_l} \quad (\text{assuming } n_0 \approx 1) \quad (20)$$

- **Total Internal Reflection (TIR) condition at Core-Cladding interface:** The ray is guided if the incidence angle is greater than or equal to the critical angle θ_c :

$$\frac{\pi}{2} - \beta_l \geq \theta_c \implies \cos \beta_l \geq \sin \theta_c \quad (21)$$

- **Critical Angle definition:**

$$\sin \theta_c = \frac{n_2}{n_1} \quad (22)$$

- **Substitution for Maximum Angle (β_M):** Substituting the limiting case $\cos \beta_l = \frac{n_2}{n_1}$ into the first equation:

$$\sin \beta_M = n_1 \sqrt{1 - \left(\frac{n_2}{n_1}\right)^2} = \sqrt{n_1^2 - n_2^2} \quad (23)$$

- **Final Result (Numerical Aperture):**

$$NA = \sin \beta_M = \sqrt{n_1^2 - n_2^2} \quad (24)$$

Large NA $\implies$ easier to couple light into the fiber, but can cause ISI (modal dispersion).

Question 14: Estimate modal dispersion in a step-index fiber.

Answer 14:

$$T_1 = L \quad (\text{fiber length}) \quad (25)$$

$$T_2 = \frac{L}{\cos \beta_l} \quad (26)$$

$$v = \frac{c}{n_1} \quad (\text{speed of propagation}) \quad (27)$$

$$\Delta\tau = \frac{\Delta L}{v} = L \left(\frac{1}{\cos \beta_l} - 1 \right) \frac{n_1}{c} \quad (28)$$

$$\text{Nonetheless, it must be: } \cos \beta_l \geq \frac{n_2}{n_1} \quad (29)$$

$$\Delta\tau = \frac{\Delta L}{v} = L \left(\frac{1}{\cos \beta_l} - 1 \right) \frac{n_1}{c} \leq L \left(\frac{n_1}{n_2} - 1 \right) \frac{n_1}{c} = \Delta\tau_{max} \quad (30)$$

$$\text{If we assume that } n_1 \approx n_2 \implies NA^2 \approx 2n_1(n_1 - n_2) \quad (31)$$

$$\Delta\tau_{max} \approx L \frac{NA^2}{2n_2c} \quad (\text{max delay the signal can experience}) \quad (32)$$

Question 15: What is Graded-Index Fiber?

Answer 15: A graded-index (GRIN) fiber is a type of optical fiber, typically multimode, designed specifically to reduce intermodal dispersion by managing how light rays travel through the core.

The refractive index $n(r)$ varies radially. It is highest at the fiber axis (n_1) and lowest at the core-cladding interface (n_2). This variation is often modeled by a power law (the α -profile), which is typically parabolic ($\alpha \approx 2$):

$$n^2(r) = n_1^2 \left[1 - 2\Delta \left(\frac{r}{a} \right)^g \right]$$

where:

- n_1 is the refractive index at the fiber axis;
 - n_2 is the refractive index of the cladding;
 - $\Delta = \frac{n_1 - n_2}{n_1}$ is the relative refractive index difference;
 - a is the radius of the core;
 - g is the profile parameter (typically $g \approx 2$ for parabolic profile).
-

Question 16: What are the rays type?

Answer 16:

- Ray Type 1: shortest path, highest refractive index, lowest propagation speed
- Ray Type 2: longest path, lowest refractive index, average propagation speed

-
- Ray Type 3: helical path, lowest refractive index, highest propagation speed
-

Also, when $g = 2$ we can calculate the maximum intermodal dispersion, that is:

$$\Delta\tau_{max} \approx \frac{L}{32cn_2} \dot{N}A^4 \quad (33)$$

which for a small NA (less than 1), we have a smaller intermodal dispersion.

Question 17: Describe Guided modes and radiation modes.

Answer 17:

- **Guided Modes:** These are field structures that are confined within the fiber's core and guided by it. They are the desired modes for transmitting power.
 - **Radiation Modes:** These are field structures that are not confined by the guiding structure of the fiber. Their excitation represents a loss of power and should be avoided.
-

Question 18: Step index fiber propagation modes.

Answer 18: General modes:

- Transverse electric ($TE_{0,p}$)
- Transverse magnetic ($TM_{0,p}$)
- Hybrid electric ($HE_{m,p}$)
- Hybrid magnetic ($HM_{m,p}$)

Fundamental mode: $HE_{1,1}$ which cut-off freq is zero.

First higher order mode: $TE_{0,1}$ and $TM_{0,1}$

Weak guide approximation: $n_{core} \approx n_{cladding}$

LP modes: Linearly polarized modes

Question 19: Modal theory

Answer 19: EM field decomposed into **transverse and longitudinal components**

$$\begin{cases} \bar{E}(x, y, z) = \{ \bar{E}_t(x, y) + E_z(x, y)\hat{z} \} e^{-j\beta z} \\ \bar{H}(x, y, z) = \{ \bar{H}_t(x, y) + H_z(x, y)\hat{z} \} e^{-j\beta z} \end{cases}$$

- Propagation constant $\Rightarrow \beta$ unknown

If we insert the previous expressions in Maxwell's eq. we have:

- [1] $\nabla_t^2 \bar{E}_t - (\beta^2 - k^2) \bar{E}_t = 0 \Rightarrow$ Helmholtz eq. for transverse component of E_t
- [2] $j\beta E_z = \nabla \cdot \bar{E}_t \Rightarrow$ This connects the longitudinal component of the electric field (E_z) to the divergence of transversal component of e.f. ($\nabla \cdot \bar{E}_t$)
- [3a] $j\omega\mu_o \bar{H}_t = \hat{z} \times (\nabla E_z + j\beta \bar{E}_t) \Rightarrow$ relation between transverse comp. of H_t with electric field components and their derivatives

[3b] $j\beta H_z = \nabla \cdot \bar{H}_t \Rightarrow$ relation between long. component of H_z and the divergence of transv. component of magnetic field ($\nabla \cdot \bar{H}_t$)

where:

$$k^2 = \begin{cases} \omega^2 \mu_0 \epsilon_{co} = k_{co}^2 & \text{in the core} \\ \omega^2 \mu_0 \epsilon_{cl} = k_{cl}^2 & \text{in the cladding} \end{cases}$$

Also, the eigenvalue are defined as:

$$\begin{aligned} \chi_{co}^2 &= k_{co}^2 - \beta^2 = \omega^2 \mu_0 \epsilon_{co} - \beta^2 \\ \chi_{cl}^2 &= k_{cl}^2 - \beta^2 = \omega^2 \mu_0 \epsilon_{cl} - \beta^2 \end{aligned}$$

It can be shown that the propagation constant must fulfill the following important constraint:

$$k_{cl} = \omega \sqrt{\mu_0 \epsilon_{cl}} < \beta < \omega \sqrt{\mu_0 \epsilon_{co}} = k_{co}$$

therefore $\chi_{co}^2 \geq 0$ and $\chi_{cl}^2 \leq 0$.

It is convenient to define the following real quantities:

$$\chi_{co} = \sqrt{k_{co}^2 - \beta^2}, \quad \tilde{\chi}_{cl} = \sqrt{\beta^2 - k_{cl}^2}$$

Notice that:

$$\chi_{co}^2 - \chi_{cl}^2 = \chi_{co}^2 + \tilde{\chi}_{cl}^2 = \left(\frac{2\pi}{\lambda}\right)^2 \text{NA}^2$$

we can also say that $\chi_{co}^2 \geq 0, \chi_{cl}^2 \leq 0 \Rightarrow \chi_{cladding} \in \mathbb{C}$

Now we have to solve the Helmholtz equation:

$$\nabla^2 \vec{E}_t + \chi^2 \vec{E}_t = 0 \quad \vec{E}_t = \begin{bmatrix} E_x \\ E_y \\ 0 \end{bmatrix}$$

Here comes the LP assumption $\Rightarrow$ polarization stays the same everywhere on the cross section, hence:

$$\text{Y-polarization} \quad \Rightarrow \quad E_x = 0 \quad \Rightarrow \quad \vec{E}_t = \begin{bmatrix} 0 \\ E_y \\ 0 \end{bmatrix}$$

Question 20: Explain briefly effective refractive index

Answer 20: The effective refractive index (n_{eff} or $\bar{n}$) is a parameter that quantifies the phase velocity of a specific mode propagating within an optical fiber. It connects the propagation constant β of the mode to the frequency of light ω and the speed of light c .

- **Definition:** It is defined by the relationship:

$$\beta = \frac{\omega}{c} n_{\text{eff}} \quad \left(\text{or equivalently } n_{\text{eff}} = \frac{\beta}{k_0} \right)$$

- **Physical Interpretation:** It can be interpreted as the average refractive index “seen” by the optical field of a guided mode as it propagates. Since the optical field extends across both the core and the cladding, n_{eff} represents a weighted average of the refractive indices of these two regions.

- **Range:** For a guided mode, the effective refractive index is always bounded between the refractive index of the cladding (n_{cl} or n_2) and the core (n_{co} or n_1):

$$n_{cl} < n_{eff} < n_{co}$$

- **Cut-off Condition:** n_{eff} depends on the frequency (wavelength); if n_{eff} decreases until it equals n_{cl} , the mode ceases to be guided and is radiated into the cladding (cut-off condition).
- **Normalization:** It is often expressed via the normalized propagation constant b , where:

$$b \approx \frac{n_{eff} - n_{cl}}{n_{co} - n_{cl}}$$

which ranges from 0 to 1.

Question 21: Explain LP approximation

Answer 21:

The **Weakly Guiding Approximation** assumes the refractive index difference between core and cladding is very small:

$$\Delta \approx \frac{(NA)^2}{2n_{cl}^2} \ll 1 \implies n_{co} \approx n_{cl} \quad (34)$$

Under these conditions, the transverse components of the electric field (E_x, E_y) satisfy the scalar Helmholtz equation in cylindrical coordinates $\{r, \phi, z\}$:

$$\left[\frac{\partial^2}{\partial r^2} + \frac{1}{r} \frac{\partial}{\partial r} + \frac{1}{r^2} \frac{\partial^2}{\partial \phi^2} + (\omega^2 \mu \epsilon - \beta^2) \right] \vec{E}_t = 0 \quad (35)$$

Using separation of variables ($E_t = f(r)g(\phi)$), the solutions are expressed via Bessel functions of order n :

- **Core** ($r < a$): $E_{y,co} = q \frac{J_n(\chi_{co} r)}{J_n(\chi_{co} a)} \cos(n\phi + \phi_0)$ (Oscillatory)
- **Cladding** ($r \geq a$): $E_{y,cl} = q \frac{K_n(\tilde{\chi}_{cl} r)}{K_n(\tilde{\chi}_{cl} a)} \cos(n\phi + \phi_0)$ (Evanescent)

where $\chi_{co} = \sqrt{k_0^2 n_{co}^2 - \beta^2}$ and $\tilde{\chi}_{cl} = \sqrt{\beta^2 - k_0^2 n_{cl}^2}$.

Applying boundary conditions at $r = a$ yields the eigenvalue equation for $LP_{n,p}$ modes:

$$(\chi_{co} a) \frac{J_{n+1}(\chi_{co} a)}{J_n(\chi_{co} a)} = (\tilde{\chi}_{cl} a) \frac{K_{n+1}(\tilde{\chi}_{cl} a)}{K_n(\tilde{\chi}_{cl} a)} \quad (36)$$

Physical Constraints:

- **Guidance Condition:** $n_{cl} < n_{eff} < n_{co}$ (where $n_{eff} = \beta/k_0$).
- **Cut-off:** Occurs when $\beta \rightarrow k_0 n_{cl}$ ($\tilde{\chi}_{cl} \rightarrow 0$). At this point, the mode is no longer confined to the core and leaks into the cladding.

Question 22: What is the cut-off frequency?

Answer 22: The cut-off frequency is the lowest frequency at which a mode can propagate in a fiber. The condition is:

$$\beta = k_{cl} \quad \Rightarrow \quad \begin{cases} \chi_{co} = \sqrt{k_{co}^2 - \beta^2} = \dots = \frac{2\pi}{\lambda_0} NA \\ \tilde{\chi}_{cl} \rightarrow 0 \end{cases}$$

Knowing the limit $\lim_{u \rightarrow 0} \frac{uk_{n+1}(u)}{k_n(u)} = 2n$:

$$\omega \text{ cut-off frequency} \quad : \quad \frac{\omega a}{c_0}(NA) \frac{J_{n+1}\left(\frac{\omega a}{c_0}(NA)\right)}{J_n\left(\frac{\omega a}{c_0}(NA)\right)} = 2n$$

Which are the first solutions?

$$LP_{0,1} = \begin{cases} n = 0 \\ \omega_c = 0 \end{cases} \quad LP_{1,1} = \begin{cases} n = 1 \\ \omega_{1,1} \cong \frac{2.405c_0}{a(NA)} \end{cases}$$

With Cut-off frequency we block propagation of other modes except $LP_{0,1}$.

Question 23: How can you verify the cutoff experimentally?

Answer 23: The cutoff wavelength is experimentally verified using the ****bend-loss method****.

The principle of this method is that the modes closer to the cut-off are more sensitive to bend losses.

By measuring the spectrum difference between a straight and a bent fiber, one can observe loss peaks. These peaks correspond to the wavelengths at which specific mode groups (like LP_{11} , LP_{02} , LP_{21} , etc.) are "stripped away" by the bend.

Question 24: Describe the properties and degeneracy of LP modes.

Answer 24: Mode degeneracy occurs when multiple modes share the same propagation constant (β), which results from the fiber's cylindrical symmetry. The LP modes exhibit two types of degeneracy:

1. Polarization Degeneracy: Every $LP_{n,p}$ mode has two orthogonal polarization states that share the same β , resulting in a two-fold degeneracy.
2. Polarization Degeneracy: Every $LP_{n,p}$ mode has two orthogonal polarization states that share the same β , resulting in a two-fold degeneracy.

So at the end:

- $LP_{0,p}$ modes (where $n = 0$) are two-fold degenerate (polarization only).
- $LP_{n,p}$ modes (where $n \geq 1$) are four-fold degenerate (polarization and azimuthal).

Question 25: What is attenuation?

Answer 25: Attenuation, or gradual loss of signal strength, stands as a critical limiting factor for fiber optic communication systems. In linear regime, losses can be described by a *coefficient of attenuation*. Let $P(z)$ be the power flowing along the fiber. After an infinitesimally long section the power would be reduced by any amount proportional to it, according to:

$$P(z + \Delta z) = P(z) - \alpha(z)\Delta z P(z)$$

This leads to the fundamental relationship describing power loss:

$$\frac{dP}{dz} = -\alpha(z)P(z)$$

Solving this equation yields the general form of the Beer-Lambert Law:

$$P(z) = P(0)e^{-\int_0^z \alpha(z')dz'}$$

In the common case where the attenuation coefficient (α) is constant (linear attenuation), the equation simplifies to its familiar exponential decay form:

$$P(z) = P(0)e^{-\alpha z}$$

Where:

- $P(z)$: Power at distance z along the fiber.
 - $P(0)$: Initial power at the fiber's start ($z = 0$).
 - α : Attenuation coefficient (constant).
 - z : Distance along the fiber.
-

Question 26: What are the two types of attenuation?

Answer 26: Intrinsic Attenuation and Extrinsic Attenuation. Intrinsic Attenuation originates from the fundamental properties of pure silica glass and represents the theoretical minimum loss achievable. It includes:

- **Electronic Transitions (UV Absorption):** High-energy photons excite electronic transitions within silica molecules, causing strong absorption in the UV region.
- **Molecular Vibrations (IR Absorption):** In the infrared region (around 1650 nm), light resonates with the natural vibrational states of silica molecules, leading to strong absorption.
- **Rayleigh Scattering:** The most important contribution to loss in the primary transmission windows, caused by microscopic, random fluctuations in the refractive index. Its magnitude has an inverse dependence on the fourth power of the wavelength ($\alpha_{\text{Rayleigh}} \propto 1/\lambda^4$).

Extrinsic Attenuation arises from impurities introduced during the manufacturing process and can be minimized through purification. It includes:

-
- **Hydroxide Ion (OH^-):** The most significant contaminant, causing strong absorption peaks due to molecular vibrations. Key absorption peaks are around $1.24 \mu\text{m}$ and $1.38 \mu\text{m}$.
 - **Molecular Hydrogen (H_2):** Diffuses into the silica matrix, causing broad attenuation across all transmission, although this process is reversible.
 - **Bending Losses:** Caused by physical curvature of the fiber, leading to the leak of light into the cladding. This is categorized into:
-

Question 27: Discuss about bending losses.

Answer 27: Bending losses are caused by physical curvature of the fiber, leading to the leak of light into the cladding. This is categorized into:

- **Macro-bending losses:** These occur when there is a discernible radius of curvature (R). A mode-based model identifies a critical distance (X_c) from the fiber's axis where the mode is "locally" at cut-off, causing the light to be radiated. The attenuation coefficient (α_{bending}) has a severe exponential dependence on the bending radius (R).
 - **Micro-bending losses:** This attenuation is caused by a continuous series of small, random bends. The physical mechanism involves the coupling of power from guided modes into random modes.
-

Question 28: How we describe the transmission of a signal through a fiber? Frequency and Time domain.

Answer 28: In frequency domain, we have a signal:

$$\vec{E}(x, y, z, \omega) = A(\omega) \sum_{n=1}^M c_n \vec{E}_n(x, y) \exp \{-jz\beta_n(\omega)\}$$

Since we want to work with the baseband signal, we have to work in $\omega + \omega_0$:

$$\vec{E}(x, y, z, \omega) = A(\omega) \sum_{n=1}^M c_n \vec{E}_n(x, y) \exp \{-jz\beta_n(\omega + \omega_0)\}$$

How do we get back to time domain? We have to Taylor-expand β around ω_0 :

$$\beta_n(\omega + \omega_0) \approx \beta_n(\omega_0) + \left. \frac{d\beta_n}{d\omega} \right|_{\omega_0} \omega = \beta_{n,0} + \beta_{n,1}\omega$$

Question 29: What is group velocity?

Answer 29: Defining **Group Velocity** as speed at which information is transmitted: $v_f = 1/\frac{d\beta}{d\omega}$, and **Group Delay** $\tau_g = z\beta_{n,1}$ as delay signal accumulates during propagation, we can state:

$$e(t) = \sum_n c_n E_n(x, y) a(t - \tau_g) e^{-j\beta_{n,0}z} \quad \text{no more } \omega \text{ dependency}$$

Question 30: Describe chromatic dispersion and a method to measure it

Answer 30: Chromatic dispersion (CD) is a phenomenon that causes signal distortion in optical fibers. It arises because the propagation constant (β) is a function of the signal's angular frequency (ω).

For signals with a non-negligible bandwidth, $\beta(\omega)$ can be approximated using a Taylor series around the carrier frequency (ω_0):

$$\beta(\omega) \approx \beta_0 + \omega\beta_1 + \frac{1}{2}\omega^2\beta_2$$

Where:

- β_0 : phase constant at the carrier frequency.
- β_1 : The inverse Group velocity dispersion parameter.
- β_2 : The chromatic dispersion coefficient.

The physical origin of chromatic dispersion is the frequency-dependent group velocity (V_g), meaning V_g changes with frequency if $\beta_2 \neq 0$.

CD is categorized into two regimes:

- Normal dispersion: $\beta_2 \geq 0$; group velocity decreases as frequency increases.
- Anomalous dispersion: $\beta_2 < 0$; group velocity increases as frequency increases.

CD is alternatively described by the D parameter (Dispersion):

$$D = \frac{d}{d\lambda} \left(\frac{d\beta}{d\omega} \right) = \frac{d}{d\lambda} \left(\frac{1}{V_g} \right)$$

The D parameter and β_2 are related by the equation: $D = -\frac{2\pi c_0}{\lambda^2} \beta_2$.

Chromatic Dispersion (CD) can be measured by measuring the propagation time for different optical wavelengths. This is based on the relationship $DL = \frac{d\tau_g}{d\lambda}$, where D is the dispersion, L is the fiber length, and τ_g is the group delay.

Question 31: What is a method to compensate chromatic dispersion?

Answer 31: A method to compensate chromatic dispersion (CD) involves connecting fibers with opposite chromatic dispersion coefficients (β_2 or D parameter).

This technique is called fibers concatenation. The process is:

- If the first fiber (A) has normal dispersion ($\beta_{A,2} > 0$), the spectral components that travel faster in fiber A are slowed down in the second fiber (B), which must have anomalous dispersion ($\beta_{B,2} < 0$).
- Conversely, the components that were slowed down in the first fiber are accelerated in the second fiber, equalizing the different frequency travel times.
- The overall chromatic dispersion of the concatenated link is determined by the sum of the $\beta_2 L$ products of each fiber. Complete compensation occurs when the condition $\beta_{A,2} L_A + \beta_{B,2} L_B \approx 0$ is met.

Question 32: What are chirps and CPA?

Answer 32: A pulse is said to be chirped if its carrier frequency changes with time. Chirped Pulse Amplification (CPA) is a technique that manages high-energy pulses by using chirping to lower the peak power before amplification.

Four steps:

- Oscillator: Generates a short pulse with low energy.
 - Stretcher: Takes the short, low-energy pulse and turns it into a long pulse with low energy, creating a strong chirp.
 - Amplifier: Amplifies the long, low-energy pulse to a long pulse with high energy. The strong chirp lowers the pulse peak power, which prevents damage to the optical amplifier when amplifying to very high energy levels.
 - Compressor: Takes the long, high-energy pulse and uses the reverse chirp to compress the pulse back to an ultra-short duration with high peak power.
-

Question 33: Describe origins, effects and main parameters of PMD.

Answer 33: Polarization Mode Dispersion (PMD) is a signal distortion phenomenon caused by the fact that standard optical fibers are not perfectly cylindrically symmetric. In perfectly symmetric fibers, the two orthogonal polarization states of the fundamental mode would have equal propagation constants. PMD is caused by factors that introduce asymmetries or stresses into the fiber, breaking the cylindrical symmetry. The main effect of PMD is Differential Group Delay (DGD).

- The fiber supports two orthogonal polarization states, called the Principal States of Polarization (PSP), which propagate without distortion.
- These two states travel at different group velocities, resulting in two replicas of the input signal arriving at different times.
- These two states travel at different group velocities, resulting in two replicas of the input signal arriving at different times.
- DGD is a random variable and is proportional to the square root of the fiber length ($\text{DGD} \propto \sqrt{L}$).

PMD is also characterized by the PMD matrix ($\mathbf{Q}$), which summarizes the effect of polarization on propagation.

- The eigenvalues (τ_k) of the PMD matrix correspond to the differential group delays.
- The eigenvectors ($\hat{v}_k$) of the PMD matrix correspond to the PSPs.

PMD is also represented by the PMD vector ($\vec{\Omega}$) on the Poincaré sphere.

Question 34: What is Polarization Maintaining Fiber (PMF)?

Answer 34: A Polarization Maintaining Fiber (PMF) is a special type of optical fiber where the cylindrical symmetry is deliberately and uniformly broken along the fiber's length.

This deliberate asymmetry allows for the definition of two distinct eigenstates, or principal states of polarization (PSP), which can propagate through the fiber unchanged.

In this type of fiber, the magnitude of the PMD vector ($\bar{\Omega}$) is proportional to the fiber length (L) ($\bar{\Omega} \propto L$), unlike standard fibers where DGD is proportional to $\sqrt{L}$.

Question 35: What are some types of optical amplifiers?

Answer 35:

- Erbium Doped Fiber Amplifiers (EDFA): These use fiber doped with Erbium (Er), which is a rare earth material;
 - Parametric amplifiers: These are noted as being "not mature" but yield the least noise products.
 - Stimulated scattering amplifiers: These exploit scattering phenomena that are intrinsic to the silica material.
 - Semiconductors amplifiers: These use light from some of the III-IV semiconductors, such as gallium arsenide.
 - Invasion population amplifier: This is a type of amplifier that uses fiber doped with Erbium (Er).
-

Question 36: Describe the light-matter interactions in an EDFA.

Answer 36: Light is made of photons, which carries energy $E = h\nu$. Atoms can have some levels of energy so electrons can jump from one layer to another. We can analyze three types of interactions:

- Stimulated absorption: atom may absorb a photon and jumps to a higher energy state. The population changes according to:

$$\frac{dN_2}{dt} = \sigma_{1,2}\Phi N_1 \quad \text{with} \quad \begin{cases} \sigma_{1,2} = \text{cross section} \\ \Phi = \text{flux: } [(\# \text{photons/s})/m^2] \\ N_1 = \text{population of bottom layer} \end{cases}$$

- Spontaneous emission: electrons from the top layer decay generating a photon of energy $h\nu = E_2 - E_1$. It is the source of noise in amplification.

$$\frac{dN_2}{dt} = -\frac{1}{\tau_{sp}}N_2$$

- Stimulated emission: basically electrons decay generating duplicating the entering photons. In general $\sigma_{1,2} \neq \sigma_{2,1}$

$$\frac{dN_2}{dt} = -\sigma_{2,1}\Phi N_2 \quad \text{with} \quad \begin{cases} \sigma_{2,1} = \text{cross section} \\ \Phi = \text{flux: } [(\# \text{photons/s})/m^2] \\ N_2 = \text{population of top layer} \end{cases}$$

Question 37: Explain the three-level system.

Answer 37: Assume we have 3 levels, with many electrons that can move between the levels (given by doping material).

- From L3 (top) $\rightarrow$ L2 (middle): L3 instable, we have a quick decay to L2
- L2: Metastable, we need a sufficiently large τ_{sp} to store the electrons there
- Pump-photon: $h\nu = E_3 - E_1$, they promote electrons from L1 to L3

If we pump fast enough we make L2 full of electrons, and we reach a condition of **Population Inversion**, so there is amplification by stimulated emissions.

Question 38: Explain what are the rate equations.

Answer 38: rate equations are needed to analyze the performance of the EDFA.

What does it mean ‘to pump fast enough’? Suppose we have an infinitesimal cylindre of fiber:

- surface s
- length Δz
- in-flux $\Phi(z, t)$
- out-flux $\Phi(z + \Delta z, t + \Delta t (= \frac{\Delta z}{c}))$

So a first rate equation is given by **known in-flux + contribute of stimulated emissions - contribute of stimulated absorption - expected out-flux = 0**

$$s\Delta t \left(\phi_s(z, t) - \phi_s\left(z + \Delta z, t + \frac{\Delta z}{c}\right) \right) + (s\Delta z) \Delta t [\sigma_s \phi_s(z, t) (N_2(z, t) - N_1(z, t))] = 0$$

At the end, after Taylor expansions, and knowing that $I_\square = h\nu_\square \phi_\square$:

$$\text{Pump : } \frac{\partial I_p}{\partial z} + \frac{1}{c} \frac{\partial I_p}{\partial t} = -\sigma N_1 I_p$$

$$\frac{\partial I_s}{\partial z} + \frac{1}{c} \frac{\partial I_s}{\partial t} = \sigma(N_2 - N_1) I_s$$

Balance of population density, we need to consider also spontaneous emissions. Since $N_{tot} = N_1 + N_2$:

$$\frac{\partial N_2}{\partial t} = \frac{\sigma_p I_p}{h\nu_p} N_1 - \frac{\sigma_s I_s}{h\nu_s} (N_2 - N_1) - \frac{1}{\tau_{sp}} N_p$$
