Version 1.5

Willem A. de Graaf

# Copyright

© 2002 Willem A. de Graaf

# **Contents**

1	Intr	ntroduction							
2	Bacl	Background							
	2.1	_	an Binomials	8					
	2.2		zed enveloping algebras	8					
	2.3	_	entations of $U_q(\mathbf{g})$	9					
	2.4	•	ype bases	10					
	2.5	•	$\mathbb{Z}\$ -form of $\mathbb{U}_q(\mathbb{g})\$	10					
	2.6		nonical basis	11					
	2.7		th model	12					
	2.8			13					
3	QuaGroup 14								
	3.1	Global	constants	14					
		3.1.1	QuantumField	14					
		3.1.2	<u>q</u>	14					
	3.2	Gaussia	an integers	14					
		3.2.1	GaussNumber	14					
		3.2.2	GaussianFactorial	15					
		3.2.3	GaussianBinomial	15					
	3.3	Roots a	and root systems	15					
		3.3.1	RootSystem	15					
		3.3.2	BilinearFormMatNF	16					
		3.3.3	PositiveRootsNF	16					
		3.3.4	SimpleSystemNF	17					
		3.3.5	PositiveRootsInConvexOrder	17					
		3.3.6	SimpleRootsAsWeights	17					
	3.4	Weyl g	roups and their elements	17					
		3.4.1	ApplyWeylElement	18					
		3.4.2	LengthOfWeylWord	18					
		3.4.3	LongestWeylWord	18					
		3.4.4	ReducedWordIterator	19					
		3.4.5	ExchangeElement	19					
		3.4.6	GetBraidRelations	19					
		3.4.7	LongWords	20					
	3.5	Ouantiz	zed enveloping algebras	20					

	3.5.1	QuantizedUEA					
	3.5.2	ObjByExtRep					
	3.5.3	ExtRepOfObj					
	3.5.4	QuantumParameter					
	3.5.5	Canonical Mapping					
	3.5.6	WriteQEAToFile					
	3.5.7	ReadQEAFromFile					
3.6	Homor	norphisms and automorphisms					
	3.6.1	QEAHomomorphism					
	3.6.2	QEAAutomorphism					
	3.6.3	QEAAntiAutomorphism					
	3.6.4	AutomorphismOmega					
	3.6.5	AntiAutomorphismTau					
	3.6.6	BarAutomorphism					
	3.6.7	AutomorphismTalpha					
	3.6.8	DiagramAutomorphism					
	3.6.9	\*					
3.7		lgebra structure					
3.1	3.7.1	TensorPower					
	3.7.2	UseTwistedHopfStructure   28					
	3.7.3	ComultiplicationMap					
	3.7.4	AntipodeMap					
	3.7.5	CounitMap					
3.8	A						
5.0	3.8.1	es					
	3.8.2	IrreducibleQuotient					
	3.8.3	HWModuleByTensorProduct					
	3.8.4	DIYModule					
	3.8.5	TensorProductOfAlgebraModules					
	3.8.6	HWModuleByGenerator					
	3.8.7	InducedQEAModule					
	3.8.8	GenericModule					
	3.8.9	Canonical Mapping					
		U2Module					
	3.8.11	MinusculeModule					
		DualAlgebraModule					
	3.8.13	TrivialAlgebraModule					
		Weights And Vectors					
		HighestWeightsAndVectors					
		RMatrix					
	3.8.17	IsomorphismOfTensorModules					
	3.8.17	WriteModuleToFile					
		ReadModuleFromFile					
3.9							
3.9	3.9.1						
	3.9.1						
		1 \ 1 /					
	3.9.3	Ealpha (for an LS-path)					

	3.9.4	LSSequence
	3.9.5	WeylWord
	3.9.6	EndWeight
	3.9.7	CrystalGraph (for root system and weight)
3.10	Canoni	cal bases
	3.10.1	Falpha (for a PBW-monomial)
		Ealpha (for a PBW-monomial)
		CanonicalBasis
		PBWElements
	3.10.5	MonomialElements
	3.10.6	Strings
	3.10.7	PrincipalMonomial
	3.10.8	StringMonomial
	3.10.9	Falpha (for a module element)
		Ealpha (for a module element)
		CrystalBasis
		Crystal Vectors
	3.10.13	Falpha (for a crystal vector)
		Ealpha (for a crystal vector)
		CrystalGraph (for a module)
3.11		sal enveloping algebras
		UEA 45
		UnderlyingLieAlgebra
		HighestWeightModule (for a universal env. alg)
		QUEAToUEAMap

## Chapter 1

## Introduction

This is the manual for the GAP package QuaGroup, for doing computations with quantized enveloping algebras of semisimple Lie algebras.

Apart from the chapter you are currently reading, this document consists of two chapters. In Chapter 2 we give a short summary of parts of the theory of quantized enveloping algebras. This fixes the notations and definitions that we use. Then in Chapter 3 we describe the functions that constitute the package.

The package can be obtained from http://www.math.uu.nl/people/graaf/quagroup.html The directory quagroup/doc contains the manual of the package in dvi, ps, pdf and html format. The manual was built with the GAP share package GAPDoc, [LN01]. This means that, in order to be able to use the on-line help of QuaGroup, you have to install GAPDoc before calling LoadPackage ("quagroup");.

The main algorithm of the package (on which virtually the whole functionality relies) is a method for computing with so-called PBW-type bases, analogous to Poincar\'{e}-Birkhoff-Witt bases in universal enveloping algebras. In both cases commutation relations between the generators are used. However, in the latter case all commutation relations are of the form yx = xy + z, where x, y are generators, and z is a linear combination of generators. In the case of quantized enveloping algebras the situation is generally much more complicated. For example, in the quantized enveloping algebra of type  $E_7$  we have the following relation:

Due to the complexity of these commutation relations, some computations (even with rather small input) may take quite some time.

Remark: The package can deal with quantized enveloping algebras corresponding to root systems of rank at least up to eight, except  $E_8$ . In that case the computation of the necessary commutation relations took more than 2 GB. I wish to thank Steve Linton for trying this computation on the machines in St Andrews.

The following example illustrates some of the features of the package.

```
# We define a root system by giving its type:
gap> R:= RootSystem( "B", 2 );
<root system of type B2>
# Corresponding to the root system we define a quantized enveloping algebra:
```

```
gap> U:= QuantizedUEA( R );
QuantumUEA ( <root system of type B2>, Qpar = q )
# It is generated by the generators of a so-called PBW-type basis:
gap> GeneratorsOfAlgebra( U );
[ F1, F2, F3, F4, K1, K1+(q^2-q^2)*[ K1; 1], K2, K2+(q^2-1-q)*[ K2; 1],
    E1, E2, E3, E4 ]
# We can construct highest-weight modules:
gap> V:= HighestWeightModule( U, [1,1] );
<16-dimensional left-module over QuantumUEA( <root system of type B
2>, Qpar = q )>
# For modules of small dimension we can compute the corresponding
# R-matrix:
gap> U:= QuantizedUEA( RootSystem("A",2) );;
gap> V:= HighestWeightModule( U, [1,0] );;
gap> RMatrix( V );
[ \ [ \ q^2, \ 0, \ 0, \ 0, \ 0, \ 0, \ 0, \ 0 \ ], \ [ \ 0, \ q^3, \ 0, \ q^2-q^4, \ 0, \ 0, \ 0, \ 0, \ 0 \ ],
      [0, 0, q^3, 0, 0, 0, q^2-q^4, 0, 0], [0, 0, 0, q^3, 0, 0, 0, 0],
      [\ 0,\ 0,\ 0,\ q^2,\ 0,\ 0,\ 0,\ 0\ ],\ [\ 0,\ 0,\ 0,\ 0,\ q^3,\ 0,\ q^2-q^4,\ 0\ ],
     [ 0, 0, 0, 0, 0, q^3, 0, 0 ], [ 0, 0, 0, 0, 0, 0, q^3, 0 ],
     [ 0, 0, 0, 0, 0, 0, 0, q<sup>2</sup> ] ]
# We can compute elements of the canonical basis of the "negative" part
# of a quantized enveloping algebra:
gap> U:= QuantizedUEA( RootSystem("F",4) );;
gap> B:= CanonicalBasis( U );
<canonical basis of QuantumUEA( <root system of type F4>, Qpar = q ) >
qap > p := PBWElements(B, [0,1,2,1]);
[ F3*F9^(2)*F24, F3*F9*F23+(q^2)*F3*F9^(2)*F24,
      (q+q^3)*F3*F9^(2)*F24+F7*F9*F24, (q^2)*F3*F9*F23+(q^2+q^4)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3*F9^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*F3^(2)*
           24+(q)*F7*F9*F24+F7*F23, (q<sup>4</sup>)*F3*F9<sup>(2)</sup>*F24+(q)*F7*F9*F24+F8*F24,
       8*F24+F9*F21, \quad (q+q^3)*F3*F9*F23+(q^3+q^5)*F3*F9^(2)*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F24+(q^2)*F7*F9*F14+(q^2)*F7*F9*F14+(q^2)*F7*F9*F14+(q^2)*F7*F9*F14+(q^2)*F7*F9*F14+(q^2)*F7*F9*F14+(q^2)*F7*F9*F14+(q^2)*F7*F14+(q^2)*F7*F14+(q^2)*F7*F14+(q^2)*F7*F14+(q^2)*F7*F14+(q^2)*F7*F14+(q^2)*F7*F14+(q^2)*F7*F14+(q^2)*F7*F14+(q^2)*F7*F14+(q^2)*F7*F14+(q^2)*F7*F14+(q^2)*F7*F14+(q^2)*F7*F14+(q^2)*F7*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14+(q^2)*F14
            24+(q)*F7*F23+(q)*F9*F21+F16]
# We can construct (anti-) automorphisms of quantized enveloping
# algebras:
gap> t:= AntiAutomorphismTau( U );
<anti-automorphism of QuantumUEA( <root system of type F4>, Qpar = q )>
gap> Image( t, p[1] );
(q^4) *F3*F9*F23+ (q^6) *F3*F9^(2) *F24+ (q^3) *F7*F9*F24+ (q^2) *F7*F23+ (q^2) *F8*F
24+F9*F21
# (This is the sixth element of p.)
```

# Chapter 2

# **Background**

In this chapter we summarize some of the theoretical concepts with which QuaGroup operates. Due to the rather mathematical nature of this chapter everything has been written in LaTeX. Therefore, it will be almost unreadable in the html version.

#### 2.1 Gaussian Binomials

Let \$v\$ be an indeterminate over  $\mbox{\mbox{$\mb$ 

## 2.2 Quantized enveloping algebras

Let  $\mathbf{g}$  be a semisimple Lie algebra with root system  $\Phi$ . By  $C=(C_{ij})$  be the Cartan matrix of  $\Phi$  (with respect to Delta, i.e.,  $C_{ij} =$ \alpha\_i, \alpha\_j^{\vee} \rangle\$). Let \$d\_1,\ldots, d\_l\$ be the unique sequence of positive integers with greatest common divisor \$1\\$, such that \\$ d\_i C\_{\{ii}} = d\_i C\_{\{ii}} \\$, and set \\$  $(\alpha_i,\alpha_i) = d_i C_{ij}$ \$. (We note that this implies that  $(\alpha_i,\alpha_i)$ \$ is divisible by \$2\$.) By \$P\$ we denote the weight lattice, and we extend the form  $(\tilde{r}, \tilde{r})$ \$ to \$P\$ by bilinearity. \par By \$W(\Phi)\$ we denote the Weyl group of \$\Phi\$. It is generated by the simple reflections  $s_i=s_{\alpha}\$  for  $1\leq i\leq s_{\alpha}\$  is defined by  $s_{\alpha}\$ = \beta - \langle\beta, \alpha^{\vee}\rangle \alpha\$).\par We work over the field  $\Lambda \{Q\}(q)$ . For  $\alpha \phi = q^{\frac{q}{\frac{2}}},$ and for a non-negative integer  $n, {[n]_{\alpha}} = [n]_{v=q_{\alpha}} ; {[n]_{\alpha}}!$ and  $\sigma = \frac{m^{-k}}{m^{-k}} n \ k \ \$ quantized enveloping algebra  $U_q(\mathbf{g})$  is the associative algebra (with one) over  $\mathbb{Q}(q)\$  generated by  $F_{\alpha}\$  $K_{\{alpha\}}$  $K_{\{alpha\}^{\{-1\}}}$ \$E\_{\alpha}\$ for \$\alpha\in\Delta\$, subject to the following relations \begin{align\*}  $K_{\alpha} K_{\alpha} K_{\alpha$  $K_{\{ beta \} K_{\{ alpha \} \setminus \{ alpha \} \setminus \{ alpha \} \}}$  $E_{-}\{ \setminus beta \}$  $K_{-}\{ \alpha \}$ &=  $q^{-(\alpha, \beta)} K_{-(\alpha, \beta)}$ 

 $F_{\theta} &= F_{\theta} + \left( \frac{\alpha}{Alpha} - \frac{\alpha}{Alp$  $1\} \\ \{q_{\alpha} - q_{\alpha} - q_{\alpha} - q_{\alpha} - q_{\alpha} \} \\ + q_{\alpha} + q_$ 1-\langle \beta,\alpha^{\vee}\rangle \\ k \end{bmatrix}\_{\alpha}  $E_{\{\alpha\}}^{1-\lambda}$  $\beta^{\vee} = 0 & \vee sum_{k=0}^{1-\lambda} E_{\alpha}$ \beta,\alpha^{\vee}\rangle \ (-1)^k \begin{bmatrix} 1-\langle \beta,\alpha^{\vee}\rangle \\  $k \rightarrow \{beta, \alpha\} F_{\alpha} F_$ \end{align\*} The quantized enveloping algebra has an automor- $F_{-}\{ \alpha \}^k = 0 \&.$ phism  $\omega \$  defined by  $\omega \$   $E_{\alpha}$   $E_{\alpha}$ ,  $\omega \$  $F_{\alpha} \$  and  $\omega(K_{\alpha})=K_{\alpha} \$ . Also there is an anti-automorphism  $\tau = \frac{\sigma}{\sup \int_{-\infty}^{\alpha} |E_{\alpha}|^2 - \frac{1}{\alpha}} = E_{\alpha}$  $\lambda(K_{\alpha})=K_{\alpha}^{-1}$ . We have  $\alpha^2=1$  and  $\lambda(\alpha^2=1)$ . Dynkin diagram of \$\Phi\$ admits a diagram automorphism \$\pi\$, then \$\pi\$ induces an automorphism of  $U_q(\mathbf{g})$  in the obvious way ( $\pi$  is a permutation of the simple roots; we permute the  $F_{\alpha}$ ,  $E_{\alpha}$ ,  $K_{\alpha}$ ,  $K_{\alpha}$ ingly).\par Now we view  $U_q(\mathbf{g})$  as an algebra over  $\mathbf{Q}$ , and we let  $\langle \Phi_{A} \rangle : U_q(\mathbf{g}) \cup U_q(\mathbf{g})$  be the automorphism defined by  $\operatorname{F_{\alpha\beta}}=F_{\alpha\beta}$ ,  $\operatorname{K_{\alpha\beta}}=K_{\alpha\beta}$  $\langle E_{\alpha} \rangle = E_{\alpha}$ ,  $\langle E_{\alpha} \rangle = E_{\alpha}$ ,  $\langle E_{\alpha} \rangle = Q^{-1}$ .

## 2.3 Representations of $U_q(\mathbf{g})$

Let \$\lambda\in P\$ be a dominant weight. Then there is a unique irreducible highest-weight module over  $U_q(\mathbf{y})$  with highest weight  $\$  we denote it by  $V(\lambda)$ . It has the same character as the irreducible highest-weight module over \$\mathfrak{g}\$ with highest weight \$\lambda\$. Furthermore, every finite-dimensional \$U\_q(\mathfrak{g})\$-module is a direct sum of irreducible highest-weight modules.\par It is well-known that  $U_q(\mathbf{g})$  is a Hopf algebra. The comultiplication  $\Delta = U_q(\mathbf{g}) \cup U_q(\mathbf{g}) \cup U_q(\mathbf{g})$  $U_q(\mathbf{g})$  is defined by  $\operatorname{Light} \Delta(E_{\alpha})$  &=  $E_{\alpha}$  $+ K_{\alpha} \otimes E_{\alpha} \$  +  $K_{\alpha} \otimes E_{\alpha} \$  +  $K_{\alpha} \otimes E_{\alpha} \$ (Note that we use the same symbol to denote a simple system of \$\Phi\$; of course this does not cause confusion.) The counit  $\alpha : U_q(\mathbf{g}) \to \mathbf{Q}(q)$  is a homomorphism defined by  $\langle K_{\alpha} = (K_{\alpha}) = Varepsilon(F_{\alpha}) = 0$ ,  $\langle K_{\alpha} = (K_{\alpha}) = 0$ , Finally, the antipode  $S: U_q(\mathbf{q}) \cup U_q(\mathbf{g})$  is an anti-automorphism given by  $S(E_{\alpha})=-K_{\alpha}^{-1}E_{\alpha}$ ,  $S(F_{\alpha})=-F_{\alpha}$ ,  $K_{\alpha}$  $S(K_{\alpha})=K_{\alpha}^{-1}$ .\par Using \$\Delta\$ we can make the tensor product \$V\otimes W\$ of two  $U_q(\mathbf{g})$ -modules V,W into a  $U_q(\mathbf{g})$ -module. The counit \$\varepsilon\$ yields a trivial \$1\$-dimensional \$U\_q(\mathfrak{g})\$-module. And with \$S\$ we can define a  $U_q(\mathbf{g})$ -module structure on the dual  $V^*$  of a  $U_q(\mathbf{g})$ -module structure on the dual  $V^*$ module V, by  $(v \cdot f(v) = f(S(u) \cdot v)$ , par The Hopf algebra structure given above is not the only one possible. For example, we can twist \$\Delta,\varepsilon,S\$ by an automorphism, or an anti-automorphism f. The twisted comultiplication is given by  $\Phi^f = \int \int dt$  $f \circ f^{-1}.$  The twisted antipode by  $S^f = \left( case \right) f \circ S \circ f^{-1}.$ 1}  $\text{text} \{ \tilde{s} \}$  is an automorphism  $\ \tilde{s} \{-1\}$   $\text{text} \{ \tilde{s} \}$  is an antiautomorphism.  $\end{cases}$  And the twisted counit by  $\orderight{ varepsilon \hat f = \end{cases}}$ 

(see [Jan96], 3.8).

## 2.4 PBW-type bases

The first problem one has to deal with when working with  $U_q(\mathbf{g})$  is finding a basis of it, along with an algorithm for expressing the product of two basis elements as a linear combination of basis elements. First of all we have that  $U_q(\mathbf{q}) \subset U^-$ \otimes U^0\otimes U^+\$ (as vector spaces), where \$U^-\$ is the subalgebra generated by the  $F_{\alpha}\$ ,  $U^0\$  is the subalgebra generated by the  $K_{\alpha}\$ , and  $U^+\$  is generated by the  $E_{\alpha}$ . So a basis of  $U_q(\mathbf{g})$  is formed by all elements FKE, where \$F\$, \$K\$, \$E\$ run through bases of \$U^-\$, \$U^0\$, \$U^+\$ respectively.\par Finding a basis of  $U^0$  is easy: it is spanned by all  $K_{\alpha}^1 ^{r_1} \subset K_{\alpha}^1$  $r_i \in \mathbb{Z}$ . For  $U^-$ ,  $U^-$ , we use the so-called  $\{ \in \mathbb{PBW} \text{-type} \}$  bases. They are defined as follows. For  $\alpha = \frac{r_{\alpha}}{\beta} = -\beta$  $\alpha^{\vee} \$  Then for  $\alpha^{\vee} \$  we have the automorphism  $T_{\alpha} \$  $U_q(\mathbf{g})\to U_q(\mathbf{g})$  defined by  $\operatorname{lign}^* T_{\alpha}(E_{\alpha})$  $\&= -F_{\alpha}K_{\alpha} \ T_{\alpha}(E_{\beta}) \&= \sum_{i=0}^{r_{\beta}} (-i\theta_i)$ 1)  $q_{\alpha}^{-i} E_{\alpha}^{-i} E_{\alpha}^{(r_{\beta-i})} E_{\beta}^{(i)} \text{ (for } q_{\alpha}^{-i}) E_{\alpha}^{(i)} \text{ (for } q_{\alpha}^{(i)} \text{ (for } q_{\alpha}^{(i)})$  $T_{\alpha}(F_{\alpha}) &= -K_{\alpha} - K_{\alpha} - K_{$  $\sum_{i=0}^{r_{\lambda}} {r_{\lambda_i}} (-1)^i q_{\lambda_i}^i F_{\lambda_i}^i F_{\lambda_i}^i F_{\lambda_i}^i$  ${(r_{\hat{s}})} \text{ (for \hat{s})}$  $E_{\alpha}^{k}[k]_{\alpha}^{k}[k]_{\alpha}^{k},$  and likewise for  $F_{\alpha}^{(k)}$ . \par Let  $w_0=s_{i-1}\cdot d$  $s_{i_t}$  be a reduced expression for the longest element in the Weyl group  $W(\Phi)$ . For  $1\leq s_t$  $k \le \$F_k = T_{\alpha_{i,1}} \subset T_{\alpha_{i,1}} \$  $= T_{\alpha_{i_1}} \cdot T_{\alpha_{i_1}}$  $E_k \in U^+$ . Furthermore, the elements  $F_1^{m_1} \subset F_t^{m_1}$ ,  $E_1^{n_1} \subset F_t^{m_1}$ E\_t^{n\_t}\$ (where the \$m\_i\$, \$n\_i\$ are non-negative integers) form bases of \$U^-\$ and \$U^+\$ respectively. \par The elements  $F_{\alpha}$  and  $E_{\alpha}$  are said to have weight  $-\alpha$ and \$\alpha\$ respectively, where \$\alpha\$ is a simple root. Furthermore, the weight of a product \$ab\$ is the sum of the weights of \$a\$ and \$b\$. Now elements of \$U^-\$, \$U^+\$ that are linear combinations of elements of the same weight are said to be homogeneous. It can be shown that the elements \$F\_k\$, and \$E\_k\$ are homogeneous of weight \$-\beta\$ and \$\beta\$ respectively, where  $\beta_{i_1} \subset s_{i_1} \$  in the sequel we use the notation  $F_k^{(m)} = F_k^m/[m]_{\alpha_{i_k}}!$ , and  $E_k^{(n)} = E_k^n/[n]_{\alpha_{i_k}}!$ . \par

## 2.5 The ${\mathbb Z}_{-q(\mathbf g)}$

 $\label{thm:cond} For $\alpha\in \mathbb{S}\left(\frac{\alpha_{\alpha}}{\alpha_{\alpha}^{-i+1}K_{\alpha}} - q_{\alpha}^{-i+1}K_{\alpha}^{-i+$ 

 $1\}] $ with this basis is called the $\mathbb{Z}\-form of $U_q(\mathbb{g})$, and denoted by $U_{\mathbb{Z}}$. Since $U_{\mathbb{Z}}$ is defined over $\mathbb{Z}[q,q^{-1}]$ we can specialize $q$ to any nonzero element $epsilon$ of a field $F$, and obtain an algebra $U_{epsilon}$ over $F$. $par We call $q\in \mathbb{Q}(q)$, and $epsilon \in F$ the quantum parameter of $U_q(\mathbb{g})$ and $U_{epsilon}$ respectively. $par Let $\lambda be a dominant weight, and $V(\lambda)$ the irreducible highest weight module of highest weight $\lambda over $U_q(\mathbb{g})$. Let $v_{\lambda}\in \mathbb{Z}$-cot $v_{\lambda}\in \mathbb{Z}}-cot $v_{\lambda}\in \mathbb{Z}}$ is a $U_{\lambda}\in \mathbb{Z}}-cot $v_{\lambda}\in \mathbb{Z}}$ over $U_{\lambda}\in \mathbb{Z}}$ and $V(\lambda)$ is a $U_{\lambda}\in \mathbb{Z}}$. We note that it is not necessarily irreducible. }$ 

## 2.6 The canonical basis

As in Section 2.4 we let  $U^-$  be the subalgebra of  $U_q(\mathbf{g})$  generated by the \$F\_{\alpha}\$ for \$\alpha\in\Delta\$. In [Lus0a] Lusztig introduced a basis of \$U^-\$ with very nice properties, called the {\em canonical basis}. (Later this basis was also constructed by Kashiwara, using a different method. For a brief overview on the history of canonical bases we refer to [Com06].) \par Let  $w_0=s_{i-1} \cdot s_{i-1}$ , and the elements  $F_k$  be as in Section 2.4. Then, in order to stress the dependency of the monomial  $\left\{eq0\right\} F_1^{(n_1)} \cdot F_t^{(n_t)}$ \end{equation} on the choice of reduced expression for the longest element in \$W(\Phi)\$ we say that it is a  $w_0$ -monomial.\par Now we let  $\operatorname{phantom}\{a\}\$  be the automorphism of \$U^-\$ defined in Section 2.2. Elements that are invariant under \$\overline{\phantom{a}}\$ are said to be bar-invariant. \par By results of Lusztig ([Lus93] Theorem 42.1.10, [Lus96], Proposition 8.2), there is a unique basis  $\{bf B\}$  of  $U^-$  with the following properties. Firstly, all elements of \${\bf B}\$ are bar-invariant. Secondly, for any choice of reduced expression \$w\_0\$ for the longest element in the Weyl group, and any element  $X \in B$  we have that  $X = x + \sum x_i$ , where x,x are  $w_0$ -monomials,  $x \neq x$  for all s, and z are y-monomials,  $x \neq x$ . The basis  $\{ b \}$  is called the canonical basis. If we work with a fixed reduced expression for the longest element in  $W(\Phi)$ , and write  $X\in B$  as above, then we say that x is the  $\{\neq principal monomial\}\ of $X\$.\par Let $\mathbb{Z}[q]\$  be the  $\mathbb{Z}[q]\$ -lattice in  $U^-$  spanned by  $b \in \mathbb{R}$ . Then  $\mathcal{L}$  is also spanned by all  $u \in \mathbb{R}$ (where \$w\_0\$ is a fixed reduced expression for the longest element in \$W(\Phi)\$). Now let  $\omega = 0$  be a second reduced expression for the longest element in  $W(\Phi)$ . Let \$x\$ be a \$w\_0\$-monomial, and let \$X\$ be the element of {\bf B} with principal monomial \$x\$. Write \$X\$ as a linear combination of  $\widetilde{w}_0$ -monomials, and let  $\widetilde{x}$  be the principal monomial of that expression. Then we write  $\widetilde{x} = R_{w_0}^{(x)}.$  Note that  $x = \widetilde{A}$  bmod  $\operatorname{Amathcal}\{L\}$ , \par Now let  $\operatorname{Amathcal}\{B\}$  be the set of all  $w_0=0\$  is a basis of the  $\mathbb{Z}\$ . Then  $\$  is a basis of the  $\$  $module $\operatorname{L}/q\operatorname{L}. \ Moreover, $\operatorname{B}$ is independent of the choice of$ \$w\_0\$. Let \$\alpha\in\Delta\$, and let \$\widetilde{w}\_0\$ be a reduced expression for the longest element in  $W(\Phi)$ , starting with  $s_{\{alpha\}}$ . The Kashiwara operators  $\widetilde{F}_{\{alpha\}}$  $\label{eq:continuous_alpha} : \\ \mbox{ } \mbox$  $\mathcal{B} \subset \{0\}\$  are defined as follows. Let  $b\in \mathbb{B}\$  and let  $x\$  be the  $w_0=0\$  monomial such that  $b = x \pmod q$ Then  $\widetilde{x}$  is the  $\widetilde{w}_0$ -monomial constructed  $\{ \tilde{w}_0(x)$ 

from  $\widetilde{x}$  by increasing its first exponent by \$1\$ (the first exponent is the  $n_1$  in (eq0)). Then  $\widetilde{F}_{-} \alpha(b) = R_{-} \tilde(w)_0 ^ (w_0) (\widetilde(x)') \bmod$  $q\mathbb{L}\$ . For  $\widetilde{E}_{\alpha}\$  widetilde  $E_{\alpha}\$  we let  $\widetilde{x}'\$  be the  $\widetilde{w}_0$ monomial constructed from  $\widetilde{x}$  by decreasing its first exponent by \$1\$, if this exponent is  $\geq 1$ . Then  $\widetilde{E}_{\alpha}(b) = R_{\tau}(b) = R_{\tau}(w_0)(\widetilde{x}^{\prime}) b$  $q \rightarrow \{L\}$ . Furthermore,  $\widetilde{E}_{\alpha}(b) = 0$  if the first exponent of  $\widetilde{x}$  is \$0\$. It can be shown that this definition does not depend on the choice of  $u_0$ ,  $\widetilde{F}_{\alpha} = \mathbb{F}_{\alpha}$  $\widetilde{E}_{\alpha}(b)\neq$ 0\$, and  $\omega \{E_{-} \ alpha\}$  $\widetilde{F}_{-}$  ${\alpha}_b = b\$  for all  $b\in \mathbb{B}$ , par Let  $w_0=s_{i-1}\cdot s_{i-1}\$  be a fixed reduced expression for the longest element in  $W(\Phi)$ . For  $\Phi\in \mathbb{B}$  we define a sequence of elements  $b_k\in \mathbb{B}$  for  $0\leq k\leq t$ , and a sequence of integers  $n_k$  for  $1\leq k\leq t$  as follows. We set  $b_0=b$ , and if  $b_{k-1}$  is defined we let  $n_k$  be maximal such that  $\widetilde{E}_{-\{\lambda\}}^{n_k}$   $n_k$   $n_k$   $n_k$ Also we set  $b_k = \widetilde{E}_{\alpha}(alpha_{i_k})^{n_k} (b_{k-1})$ .  $(n_1,\ldots,n_t)$  is called the {\cm string} of  $b\in\mathbb{B}$  (relative to  $w_0$ ). We  $b=\widetilde{F}_{-} {\alpha_{i_1}}^n {n_1} \cdot \dots$  $\widetilde{F}_{alpha_{i_t}}^{\circ}$ The set of all strings parametrizes the elements of  $\mathcal{B}\$ , and hence of  $\{n_t\}(1)$ \$.  ${\ B}\$ .\par Now let  $V(\lambda)$  be a highest-weight module over  $U_q(\mathbf{g})$ , with highest weight  $\alpha$ . Let  $v_{\lambda}$  be a fixed highest weight vector. Then is a basis of \$V(\lambda)\$, called the {\em canonical basis}, or {\em crystal basis} of  $V(\lambda)$ . Let  $\mathcal{L}(\lambda)$  be the  $\mathcal{Z}[q]$ -lattice in  $V(\lambda)$ spanned by  ${\bf B}_{\langle bf B}_$  $v_{\alpha} \$  runs through all  $w_0$ -monomials, such that  $X \cdot v_{\lambda} = 0$ , where  $X \in B$  is the element with principal monomial \$x\$. Then the Kashiwara operators are also viewed as maps \$\mathcal{B}(\lambda)\to  $\mathcal{B}(\lambda) \subset \mathbb{B}(\lambda) \subset \mathbb{B}(\lambda)$ , in the following way. Let  $b=x \cdot v_{\lambda} \subset V_{\lambda}$  $q\operatorname{L}(\lambda)\$  be an element of  $\mathrm{B}(\lambda)\$ , and let  $b'=x\$  $q \rightarrow \{L\}$  be the corresponding element of  $\Delta\{B\}$ . Let \$y\$ be the \$w\_0\$monomial such that  $\widetilde{F}_{\alpha}(b')=y \pmod{q \text{Adj}(L)}$ . Then  $\widetilde{F}_{\alpha}(b')=y \pmod{q}$  $\alpha(b) = y \cdot v_{\lambda} \cdot v$ The description of  $\widetilde{E}_{\alpha}$  is analogous. (In [Jan96], Chapter 9 a different definition is given; however, by [Jan96], Proposition 10.9, Lemma 10.13, the two definitions agree).\par The set  $\mathcal{B}(\lambda)$  has  $\mathcal{V}(\lambda)$  elements. We let \$\Gamma\$ be the coloured directed graph defined as follows. The points of \$\Gamma\$ are the elements of \$\mathcal{B}(\lambda)\$, and there is an arrow with colour \$\alpha\in\Delta\$ connecting \$b,b'\in  $\mathcal{B}\$ , if  $\widetilde{F}_{\alpha}(b)=b$ . The graph  $\mathcal{B}\$  is called the  $\mathcal{F}_{\alpha}(b)=b$ graph} of  $V(\lambda)$ .

### 2.7 The path model

In this section we recall some basic facts on Littelmann's path model. \par From Section 2.2 we recall that \$P\$ denotes the weight lattice. Let  $P_{\text{mathbb}\{R\}}$  be the vector space over  $\hat{R}$  spanned by \$P\$. Let  $\hat{R}$  be the set of all piecewise linear paths  $\hat{x}$  : [0,1] to  $P_{\text{mathbb}\{R\}}$ , such that  $\hat{x}$  in Delta\$ Littelmann defined operators  $f_{\text{alpha}}$ ,  $f_{\text{alpha}}$ 

:  $\Phi \left(0\right)$ . Let  $\Lambda \$  be a dominant weight and let  $\pi \$  be the path joining \$\lambda\$ and the origin by a straight line. Let \$\Pi\_{\lambda}\$ be the set of all nonzero  $f_{\alpha_{i_1}} \subset f_{\alpha_{i_n}}(xi_{\lambda_i})$  for  $m\geq 0$ . Then  $\tilde{S} \approx 1$  for all  $\tilde{S} \approx P_i$ . Let  $mu \in P$  be a weight, and let  $V(\lambda)$ be the highest-weight module over \$U\_q(\mathfrak{g})\$ of highest weight \$\lambda\$. A theorem of Littelmann states that the number of paths  $\pi \left(\frac{\pi}{\lambda}\right)$  such that  $\pi \$ is equal to the dimension of the weight space of weight \$\mu\$ in \$V(\lambda)\$ ([Lit95], Theorem 9.1).\par All paths appearing in \$\Pi\_{\lambda}\$ are so-called Lakshmibai-Seshadri paths (LSpaths for short). They are defined as follows. Let \$\leq\$ denote the Bruhat order on \$W(\Phi)\$. For  $\mu \in W(\Phi)$  (the orbit of  $\Lambda \in W(\Phi)$ ), write \\mu\leq \nu\\ if \\tau\leq\sigma\\, where \\tau\_\sigma\\ in W(\Phi)\\ are the unique elements of minimal length such that \$\tau(\lambda)=\mu\$, \$\sigma(\lambda)= \nu\$. Now a rational path of shape \$\lambda\$ is a pair \$\pi=(\nu,a)\$, where \$\nu=(\nu\_1,\ldots, \nu\_s)\$ is a sequence of elements of  $W(\Phi) \cdot 1 = 0$ , and  $a=(a_0=0, a_1, a_1)$ \cdots, a\_s=1)\\$ is a sequence of rationals such that  $a_i < a_{i+1}$ \$. The path \\pi\\$ corresponding to these sequences is given by  $\phi =\sum_{j=1}^{r-1} (a_j-a_{j-1}) \cdot \mu_j + \mu_r(t-a_{r-1})$ 1})  $\$  for  $a_{r-1} \leq a_r$ . Now an LS-path of shape  $\$  is a rational path satisfying a certain integrality condition (see [Lit94], [Lit95]). We note that the path  $x_i^{1}$ = ( (\lambda), (0,1) )\$ joining the origin and \$\lambda\$ by a straight line is an LS-path.\par Now from [Lit94], [Lit95] we transcribe the following: \begin{itemize} \item Let \pi\ be an LS-path. Then  $f_{\alpha} \pi \$  is an LS-path or 0; and the same holds for  $e_{\alpha} \pi$ \item The action of \$f\_{\alpha},e\_{\alpha}\$ can easily be described combinatorially (see [Lit94]). \item The endpoint of an LS-path is an integral weight. \item Let \pi=(\nu,a)\\$ be an LS-path. Then by \$\phi(\pi)\$ we denote the unique element \$\sigma\$ of \$W(\Phi)\$ of shortest length such that  $\sigma(\lambda)=\mu_1$ . \end{itemize} Let  $\alpha$  be a dominant weight. Then we define a labeled directed graph \$\Gamma\$ as follows. The points of \$\Gamma\$ are the paths in  $\Phi_{\lambda}$ . There is an edge with label  $\alpha\$  from  $\pi_1$  to  $\pi_1$  to  $\pi_2$  if \$f\_{\alpha}\pi\_1 =\pi\_2\$. Now by [Kas96] this graph \$\Gamma\$ is isomorphic to the crystal graph of the highest-weight module with highest weight \$\lambda\$. So the path model provides an efficient way of computing the crystal graph of a highest-weight module, without constructing the module first. Also we see that  $f_{\alpha_{i_1}} \subset f_{\alpha_{i_1}} \subset f_{\alpha_{i_1}}$  is equivalent. Also we see that alent to  $\widetilde{F}_{\alpha}_{i_1}}\cdot \widetilde{F}_{\alpha}_{i_1}}\cdot \widetilde{F}_{\alpha}_{i_1}}\cdot \widetilde{F}_{\alpha}_{i_1}}\cdot \widetilde{F}_{\alpha}_{i_1}}\cdot \widetilde{F}_{\alpha}_{\alpha}$ where \$v\_{\lambda}\in V(\lambda)\$ is a highest weight vector (or rather the image of it in  $\mathcal{L}(\lambda) = \mathcal{L}(\lambda)$  and the  $\widetilde{F}_{\alpha}$  are the Kashiwara operators on  $\mathcal{B}(\lambda)$  (see Section 2.6).

#### 2.8 Notes

I refer to [Hum90] for more information on Weyl groups, and to [Ste01] for an overview of algorithms for computing with weights, Weyl groups and their elements.\par For general introductions into the theory of quantized enveloping algebras I refer to [Car98], [Jan96] (from where most of the material of this chapter is taken), [Lus92], [Lus93], [Ros91]. I refer to the papers by Littelmann ([Lit94], [Lit95], [Lit98]) for more information on the path model. The paper by Kashiwara ([Kas96]) contains a proof of the connection between path operators and Kashiwara operators.\par Finally, I refer to [Gra01] (on computing with PBW-type bases), [Gra02] (computation of elements of the canonical basis) for an account of some of the algorithms used in QuaGroup.

# **Chapter 3**

# QuaGroup

In this chapter we describe the functionality provided by QuaGroup.

#### 3.1 Global constants

#### 3.1.1 QuantumField

♦ QuantumField (global variable)

This is the field Q(q) of rational functions in q, over Q.

```
gap> QuantumField;
QuantumField
```

#### 3.1.2 \_q

♦ \_q (global variable)

This is an indeterminate; QuantumField is the field of rational functions in this indeterminate. The identifier  $_q$  is fixed once the package QuaGroup is loaded. The symbol  $_q$  is chosen (instead of q) in order to avoid potential name clashes. We note that  $_q$  is printed as q.

```
gap> _q;
q
gap> _q in QuantumField;
true
```

## 3.2 Gaussian integers

#### 3.2.1 GaussNumber

```
\Diamond GaussNumber (n, par) (operation)
```

This function computes for the integer n the Gaussian integer  $[n]_{v=par}$  (cf. Section 2.1).

```
gap> GaussNumber( 4, _q );
q^-3+q^-1+q+q^3
```

#### 3.2.2 GaussianFactorial

```
♦ GaussianFactorial(n, par)
```

(operation)

This function computes for the integer n the Gaussian factorial  $[n]!_{\nu=par}$ .

```
gap> GaussianFactorial(3, _q);

q^-3+2*q^-1+2*q+q^3

gap> GaussianFactorial(3, _q^2);

q^-6+2*q^-2+2*q^2+q^6
```

#### 3.2.3 GaussianBinomial

```
\Diamond GaussianBinomial(n, k, par)
```

(operation)

This function computes for two integers n and k the Gaussian binomial n choose k, where the parameter v is replaced by par.

```
gap> GaussianBinomial(5, 2, _q^2);
q^-12+q^-8+2*q^-4+2+2*q^4+q^8+q^12
```

## 3.3 Roots and root systems

In this section we describe some functions for dealing with root systems. These functions supplement the ones already present in the GAP library.

#### 3.3.1 RootSystem

Here type is a capital letter between "A" and "G", and rank is a positive integer ( $\geq 1$  if  $type="A", \geq 2$  if  $type="B", "C", \geq 4$  if type="D", 6,7,8 if type="E", 4 if type="F", and 2 if type="G"). This function returns the root system of type type and rank rank. In the second form list is a list of types and ranks, e.g., ["B", 2, "F", 4, "D", 7].

The root system constructed by this function comes with he attributes PositiveRoots, NegativeRoots, SimpleSystem, CartanMatrix, BilinearFormMat. Here the attribute SimpleSystem contains a set of simple roots, written as unit vectors. PositiveRoots is a list of the positive roots, written as linear combinations of the simple roots, and likewise for NegativeRoots. CartanMatrix (R) is the Cartan matrix of the root system R, where the entry on position (i,j) is given by  $(\alpha_i,\alpha_j^\vee)$  where  $\alpha_i$  is the i-th simple root. BilinearFormMat (R) is the matrix of the bilinear form, where the entry on position (i,j) is given by  $(\alpha_i,\alpha_j)$  (see Section 2.2).

WeylGroup (R) returns the Weyl group of the root system R. We refer to the GAP reference manual for an overview of the functions for Weyl groups in the GAP library. We mention the functions ConjugateDominantWeight (W, wt) (returns the dominant weight in the W-orbit of the weight wt), and WeylOrbitIterator (W, wt) (returns an iterator for the W-orbit containing the weight wt). We write weights as integral linear combinations of fundamental weights, so in GAP weights are represented by lists of integers (of length equal to the rank of the root system).

Also we mention the function PositiveRootsAsWeights(R) that returns the positive roots of R written as weights, i.e., as linear combinations of the fundamental weights.

```
- Example
gap> R:=RootSystem(["B", 2, "F", 4, "E", 6]);
<root system of type B2 F4 E6>
gap> R:= RootSystem( "A", 2 );
<root system of type A2>
gap> PositiveRoots( R );
[[1,0],[0,1],[1,1]]
gap> BilinearFormMat( R );
[ [2, -1], [-1, 2] ]
gap> W:= WeylGroup( R );
Group([ [ [ -1, 1 ], [ 0, 1 ] ], [ [ 1, 0 ], [ 1, -1 ] ] ])
gap> ConjugateDominantWeight( W, [-3,2] );
[ 2, 1 ]
gap> o:= WeylOrbitIterator( W, [-3,2] );
<iterator>
# Using the iterator we can loop over the orbit:
gap> NextIterator( o );
[ 2, 1 ]
gap> NextIterator( o );
[-1, -2]
gap> PositiveRootsAsWeights( R );
[ [ 2, -1 ], [ -1, 2 ], [ 1, 1 ] ]
```

#### 3.3.2 BilinearFormMatNF

```
♦ BilinearFormMatNF(R)
```

(attribute)

This is the matrix of the "normalized" bilinear form. This means that all diagonal entries are even, and 2 is the minimum value occurring on the diagonal. If R is a root system constructed by RootSystem (3.3.1), then this is equal to BilinearFormMat(R).

#### 3.3.3 PositiveRootsNF

```
♦ PositiveRootsNF(R)
```

(attribute)

This is the list of positive roots of the root system R, written as linear combinations of the simple roots. This means that the simple roots are unit vectors. If R is a root system constructed by RootSystem (3.3.1), then this is equal to PositiveRoots(R).

One of the reasons for writing the positive roots like this is the following. Let a, b be two elements of PositiveRootsNF(R), and let B be the matrix of the bilinear form. Then  $a \star (B \star b)$  is the result of applying the bilinear form to a, b.

```
gap> R:= RootSystem( SimpleLieAlgebra( "B", 2, Rationals ) );;
gap> PositiveRootsNF( R );
[ [ 1, 0 ], [ 0, 1 ], [ 1, 1 ], [ 1, 2 ] ]
# We note that in this case PositiveRoots( R ) will give the positive roots in # a different format.
```

#### 3.3.4 SimpleSystemNF

```
\Diamond SimpleSystemNF(R)
```

(attribute)

This is the list of simple roots of R, written as unit vectors (this means that they are elements of PositiveRootsNF(R)). If R is a root system constructed by RootSystem(3.3.1), then this is equal to SimpleSystem(R).

#### 3.3.5 PositiveRootsInConvexOrder

```
♦ PositiveRootsInConvexOrder(R)
```

(attribute)

This function returns the positive roots of the root system R, in the "convex" order. Let  $w_0 = s_1 \cdots s_t$  be a reduced expression of the longest element in the Weyl group. Then the k-th element of the list returned by this function is  $s_1 \cdots s_{k-1}(\alpha_k)$ . (Where the reduced expression used is the one returned by LongestWeylWord(R).) If  $\alpha$ ,  $\beta$  and  $\alpha + \beta$  are positive roots, then  $\alpha + \beta$  occurs between  $\alpha$  and  $\beta$  (whence the name convex order).

In the output all roots are written in "normal form", i.e., as elements of PositiveRootsNF(R).

```
gap> R:= RootSystem( "G", 2 );;
gap> PositiveRootsInConvexOrder( R );
[ [ 1, 0 ], [ 3, 1 ], [ 2, 1 ], [ 3, 2 ], [ 1, 1 ], [ 0, 1 ] ]
```

#### 3.3.6 SimpleRootsAsWeights

```
\Diamond SimpleRootsAsWeights(R)
```

(attribute)

Returns the simple roots of the root system R, written as linear combinations of the fundamental weights.

```
gap> R:= RootSystem( "A", 2 );;
gap> SimpleRootsAsWeights( R );
[ [ 2, -1 ], [ -1, 2 ] ]
```

## 3.4 Weyl groups and their elements

Now we describe a few functions that deal with reduced words in the Weyl group of the root system R. These words are represented as lists of positive integers i, denoting the i-th simple reflection (which corresponds to the i-th element of SimpleSystem(R)). For example [3, 2, 1, 3, 1] represents the expression  $s_3s_2s_1s_3s_1$ .

#### 3.4.1 ApplyWeylElement

```
\Diamond ApplyWeylElement(W, wt, wd)
```

(operation)

Here wd is a (not necessarily reduced) word in the Weyl group W, and wt is a weight (written as integral linear combination of the simple weights). This function returns the result of applying wd to wt. For example, if  $wt = \mu$ , and wd = [1, 2] then this function returns  $s_1s_2(\mu)$  (where  $s_i$  is the simple reflection corresponding to the i-th simple root).

```
gap> W:= WeylGroup( RootSystem( "G", 2 ) );;
gap> ApplyWeylElement( W, [ -3, 7 ], [ 1, 1, 2, 1, 2 ] );
[ 15, -11 ]
```

#### 3.4.2 LengthOfWeylWord

```
♦ LengthOfWeylWord(W, wd)
```

(operation)

Here wd is a word in the Weyl group W. This function returns the length of that word.

```
gap> W:= WeylGroup( RootSystem( "F", 4 ) );
<matrix group with 4 generators>
gap> LengthOfWeylWord( W, [ 1, 3, 2, 4, 2 ] );
3
```

#### 3.4.3 LongestWeylWord

#### ♦ LongestWeylWord(R)

(attribute)

Here R is a root system. LongestWeylWord(R) returns the longest word in the Weyl group of R.

If this function is called for a root system R, a reduced expression for the longest element in the Weyl group is calculated (the one which is the smallest in the lexicographical ordering). However, if you would like to work with a different reduced expression, then it is possible to set it by SetLongestWeylWord(R, wd), where wd is a reduced expression of the longest element in the Weyl group. Note that you will have to do this before calling LongestWeylWord, or any function that may call LongestWeylWord (once the attribute is set, it will not be possible to change it). Note also that you must be sure that the word you give is in fact a reduced expression for the longest element in the Weyl group, as this is not checked (you can check this with LengthOfWeylWord (3.4.2)).

We note that virtually all algorithms for quantized enveloping algebras depend on the choice of reduced expression for the longest element in the Weyl group (as the PBW-type basis depends on this).

```
gap> R:= RootSystem( "G", 2 );;
gap> LongestWeylWord( R );
[ 1, 2, 1, 2, 1, 2 ]
```

#### 3.4.4 ReducedWordIterator

```
♦ ReducedWordIterator(W, wd)
```

(operation)

Here W is a Weyl group, and wd a reduced word. This function returns an iterator for the set of reduced words that represent the same element as wd. The elements are output in ascending lexicographical order.

```
gap> R:= RootSystem( "F", 4 );;
gap> it:= ReducedWordIterator( WeylGroup(R), LongestWeylWord(R) );
<iterator>
gap> NextIterator( it );
[ 1, 2, 1, 3, 2, 1, 3, 2, 3, 4, 3, 2, 1, 3, 2, 3, 4, 3, 2, 1, 3, 2, 3, 4 ]
gap> k:= 1;;
gap> while not IsDoneIterator( it ) do
> k:= k+1; w:= NextIterator( it );
> od;
gap> k;
2144892
```

So there are 2144892 reduced expressions for the longest element in the Weyl group of type  $F_4$ .

#### 3.4.5 ExchangeElement

```
♦ ExchangeElement(W, wd, ind)
```

(operation)

Here W is a Weyl group, and wd is a *reduced* word in W, and ind is an index between 1 and the rank of the root system. Let v denote the word obtained from wd by adding ind at the end. This function *assumes* that the length of v is one less than the length of wd, and returns a reduced expression for v that is obtained from wd by deleting one entry. Nothing is guaranteed of the output if the length of v is bigger than the length of wd.

```
gap> R:= RootSystem( "G", 2 );;
gap> wd:= LongestWeylWord( R );;
gap> ExchangeElement( WeylGroup(R), wd, 1 );
[ 2, 1, 2, 1, 2 ]
```

#### 3.4.6 GetBraidRelations

```
♦ GetBraidRelations(W, wd1, wd2)
```

(operation)

Here W is a Weyl group, and wd1, wd2 are two reduced words representing the same element in W. This function returns a list of braid relations that can be applied to wd1 to obtain wd2. Here a braid relation is represented as a list, with at the odd positions integers that represent positions in a word, and at the even positions the indices that are on those positions after applying the relation. For example, let wd be the word [1, 2, 1, 3, 2, 1] and let r = [3, 3, 4, 1] be a relation. Then the result of applying r to wd is [1, 2, 3, 1, 2, 1] (i.e., on the third position we put a 3, and on the fourth position a 1).

We note that the function does not check first whether wd1 and wd2 represent the same element in W. If this is not the case, then an error will occur during the execution of the function, or it will produce wrong output.

```
gap> R:= RootSystem( "A", 3 );;
gap> wd1:= LongestWeylWord( R );
[ 1, 2, 1, 3, 2, 1 ]
gap> wd2:= [ 1, 3, 2, 1, 3, 2 ];;
gap> GetBraidRelations( WeylGroup(R), wd1, wd2 );
[ [ 3, 3, 4, 1 ], [ 4, 2, 5, 1, 6, 2 ], [ 2, 3, 3, 2, 4, 3 ],
        [ 4, 1, 5, 3 ] ]
```

#### 3.4.7 LongWords

```
\Diamond LongWords (R) (attribute)
```

For a root system R this returns a list of triples (of length equal to the rank of R). Let t be the k-th triple occurring in this list. The first element of t is an expression for the longest element of the Weyl group, starting with k. The second element is a list of braid relations, moving this expression to the value of LongestWeylWord(R). The third element is a list of braid relations performing the reverse transformation.

```
gap> R:= RootSystem( "A", 3 );;

gap> LongWords( R )[3];

[ [ 3, 1, 2, 1, 3, 2 ],

[ [ 3, 3, 4, 1 ], [ 4, 2, 5, 1, 6, 2 ], [ 2, 3, 3, 2, 4, 3 ],

[ 4, 1, 5, 3 ], [ 1, 3, 2, 1 ] ],

[ [ 4, 3, 5, 1 ], [ 1, 1, 2, 3 ], [ 2, 2, 3, 3, 4, 2 ],

[ 4, 1, 5, 2, 6, 1 ], [ 3, 1, 4, 3 ] ] ]
```

## 3.5 Quantized enveloping algebras

In QuaGroup we deal with two types of quantized enveloping algebra. First there are the quantized enveloping algebras defined over the field QuantumField (3.1.1). We say that these algebras are "generic" quantized enveloping algebras, in QuaGroup they have the category IsGenericQUEA. Secondly, we deal with the quantized enveloping algebras that are defined over a different field.

#### 3.5.1 QuantizedUEA

In the first two forms R is a root system. With only R as input, the corresponding generic quantized enveloping algebra is constructed. It is stored as an attribute of R (so that constructing it twice for the same root system yields the same object). Also the root system is stored in the quantized enveloping algebra as the attribute RootSystem.

The attribute GeneratorsOfAlgebra contains the generators of a PBW-type basis (see Section 2.4), that are constructed relative to the reduced expression for the longest element in the Weyl group that is contained in LongestWeylWord(R). We refer to ObjByExtRep (3.5.2) for a description of the construction of elements of a quantized enveloping algebra.

The call *QuantizedUEA* (R, F, v) returns the quantized universal enveloping algebra with quantum parameter v, which must lie in the field F. In this case the elements of *GeneratorsOfAlgebra* are the images of the generators of the corresponding generic quantized enveloping algebra. This means that if v is a root of unity, then the generators will not generate the whole algebra, but rather a finite dimensional subalgebra (as for instance  $E_i^k = 0$  for k large enough). It is possible to construct elements that do not lie in this finite dimensional subalgebra using <code>ObjByExtRep</code> (3.5.2).

In the last two a semisimple Lie algebra. The cases Lmust be QuantizedUEA ( RootSystem ( L ) ) two calls short for and are QuantizedUEA ( RootSystem(L), F, v ) respectively.

```
# We construct the generic quantized enveloping algebra corresponding
# to the root system of type A2+G2:
gap> R:= RootSystem([ "A", 2, "G", 2 ] );;
gap> U:= QuantizedUEA( R );
QuantumUEA( <root system of type A2 G2>, Qpar = q )
gap> RootSystem( U );
<root system of type A2 G2>
gap> g:= GeneratorsOfAlgebra( U );
[ F1, F2, F3, F4, F5, F6, F7, F8, F9, K1, K1+(q^-1-q)*[K1; 1], K2,
  K2+(q^{-1}-q)*[K2;1], K3, K3+(q^{-1}-q)*[K3;1], K4,
  K4+(q^{-3}-q^{3})*[K4;1], E1, E2, E3, E4, E5, E6, E7, E8, E9]
# These elements generate a PBW-type basis of U; the nine elements Fi,
# and the nine elements Ei correspond to the roots listed in convex order:
gap> PositiveRootsInConvexOrder( R );
[[1, 0, 0, 0], [1, 1, 0, 0], [0, 1, 0, 0], [0, 0, 1, 0],
  [0,0,3,1],[0,0,2,1],[0,0,3,2],[0,0,1,1],
  [ 0, 0, 0, 1 ] ]
\# So, for example, F5 is an element of weight -[ 0, 0, 3, 1 ].
# We can also multiply elements; the result is written on the PBW-basis:
gap> g[17]*g[4];
(q^-6-1)*F4*[K4;1]+(q^-3)*F4*K4
# Now we construct a non-generic quantized enveloping algebra:
gap> R:= RootSystem( "A", 2 );;
gap> U:= QuantizedUEA( R, CF(3), E(3) );;
gap> g:= GeneratorsOfAlgebra( U );
[ F1, F2, F3, K1, K1+(-E(3)+E(3)^2)*[K1; 1], K2,
  K2+(-E(3)+E(3)^2)*[K2;1],E1,E2,E3]
```

As can be seen in the example, every element of U is written as a linear combination of monomials in the PBW-generators; the generators of  $U^-$  come first, then the generators of  $U^0$ , and finally the generators of  $U^+$ .

#### 3.5.2 ObjByExtRep

Here fam is the elements family of a quantized enveloping algebra U. Secondly, list is a list describing an element of U. We explain how this description works. First we describe an indexing system for the generators of U. Let R be the root system of U. Let R be the number of positive roots, and rank the rank of the root system. Then the generators of R are R and its inverse), R for R and R are R is used.) Now the index of R is R and the index of R is R and the index of R is R and the index of R is R are written as linear combinations of products of "binomials", as in Section 2.5. The element

$$K_i^d \begin{bmatrix} K_i \\ s \end{bmatrix}$$

(where d = 0, 1), is indexed as [t+i, d] (what happens to the s is described later). So an index is either an integer, or a list of two integers.

A monomial is a list of indices, each followed by an exponent. First come the indices of the Fk, (1..t), then come the lists of the form [t+i, d], and finally the indices of the Ek. Each index is followed by an exponent. An index of the form [t+i, d] is followed by the S in the above formula.

The second argument of ObjByExtRep is a list of monomials followed by coefficients. This function returns the element of U described by this list.

Finally we remark that the element

$$K_i^d \begin{bmatrix} K_i \\ s \end{bmatrix}$$

is printed as Ki[Ki; s] if d=1, and as [Ki; s] if d=0.

```
Example

gap> U:= QuantizedUEA( RootSystem("A",2) );;

gap> fam:= ElementsFamily( FamilyObj( U ) );;

gap> list:= [ [ 2, 3, [ 4, 0 ], 8, 6, 11 ], _q^2,  # monomial and coefficient

> [ 1, 7, 3, 5, [ 5, 1 ], 3, 8, 9 ], _q^-1 + _q^2 ]; # monomial and coefficient

[ [ 2, 3, [ 4, 0 ], 8, 6, 11 ], q^2, [ 1, 7, 3, 5, [ 5, 1 ], 3, 8, 9 ],

q^-1+q^2 ]

gap> ObjByExtRep( fam, list );

(q^2)*F2^(3)*[ K1 ; 8 ]*E1^(11)+(q^-1+q^2)*F1^(7)*F3^(5)*K2[ K2 ; 3 ]*E3^(9)
```

#### 3.5.3 ExtRepOfObj

```
♦ ExtRepOfObj(elm)
```

(operation)

For the element elm of a quantized enveloping algebra, this function returns the list that defines elm (see ObjByExtRep (3.5.2)).

```
Example

gap> U:= QuantizedUEA( RootSystem("A",2) );;

gap> g:= GeneratorsOfAlgebra(U);

[ F1, F2, F3, K1, K1+(q^-1-q)*[ K1 ; 1 ], K2, K2+(q^-1-q)*[ K2 ; 1 ], E1,

E2, E3 ]

gap> ExtRepOfObj( g[5] );

[ [ [ 4, 1 ], 0 ], 1, [ [ 4, 0 ], 1 ], q^-1-q ]
```

#### 3.5.4 QuantumParameter

```
♦ QuantumParameter(U)
```

(attribute)

Returns the quantum parameter used in the definition of U.

```
gap> R:= RootSystem("A",2);;
gap> U0:= QuantizedUEA( R, CF(3), E(3) );;
gap> QuantumParameter( U0 );
E(3)
```

#### 3.5.5 Canonical Mapping

```
♦ CanonicalMapping(U)
```

(attribute)

Here U is a quantized enveloping algebra. Let U0 denote the corresponding "generic" quantized enveloping algebra. This function returns the mapping U0 --> U obtained by mapping Q (which is the quantum parameter of U0) to the quantum parameter of U.

```
gap> R:= RootSystem("A", 3 );;
gap> U:= QuantizedUEA( R, CF(5), E(5) );;
gap> f:= CanonicalMapping( U );
MappingByFunction( QuantumUEA( <root system of type A
3>, Qpar = q ), QuantumUEA( <root system of type A3>, Qpar =
E(5) ), function( u ) ... end )
gap> U0:= Source( f );
QuantumUEA( <root system of type A3>, Qpar = q )
gap> g:= GeneratorsOfAlgebra( U0 );;
gap> u:= g[18]*g[9]*g[6];
(q^2)*F6*K2*E6+(q)*K2*[ K3 ; 1 ]
gap> Image( f, u );
(E(5)^2)*F6*K2*E6+(E(5))*K2*[ K3 ; 1 ]
```

#### 3.5.6 WriteQEAToFile

```
\Diamond WriteQEAToFile(U, file)
```

(operation)

Here U is a quantized enveloping algebra, and file is a string containing the name of a file. This function writes some data to file, that allows ReadQEAFromFile (3.5.7) to recover it.

```
gap> U:= QuantizedUEA( RootSystem("A",3) );;
gap> WriteQEAToFile( U, "/home/wdg/A3" );
```

#### 3.5.7 **ReadQEAFromFile**

```
♦ ReadQEAFromFile(file)
```

(operation)

Here file is a string containing the name of a file, to which a quantized enveloping algebra has been written by WriteQEAToFile (3.5.6). This function recovers the quantized enveloping algebra.

```
Example
gap> U:= QuantizedUEA( RootSystem("A",3) );;
gap> WriteQEAToFile( U, "/home/wdg/A3" );
gap> U0:= ReadQEAFromFile( "/home/wdg/A3" );
QuantumUEA( <root system of type A3>, Qpar = q )
```

### 3.6 Homomorphisms and automorphisms

Here we describe functions for creating homomorphisms and (anti)-automorphisms of a quantized enveloping algebra.

#### 3.6.1 **QEAHomomorphism**

```
\Diamond QEAHomomorphism (U, A, list)
```

(operation)

Here U is a generic quantized enveloping algebra (i.e., with quantum parameter  $_{-}q$ ), A is an algebra with one over QuantumField, and list is a list of 4\*rank elements of A (where rank is the rank of the root system of U). On the first rank positions there are the images of the  $F_{\alpha}$  (where the  $\alpha$  are simple roots, listed in the order in which they occur in SimpleSystem(R)). On the positions  $rank+1\ldots 2*rank$  are the images of the  $K_{\alpha}$ . On the positions  $2*rank+1\ldots 3*rank$  are the images of the  $K_{\alpha}^{-1}$ , and finally on the positions  $3*rank+1\ldots 4*rank$  occur the images of the  $E_{\alpha}$ .

This function returns the homomorphism  $U \rightarrow A$ , defined by this data. In the example below we construct a homomorphism from one quantized enveloping algebra into another. Both are constructed relative to the same root system, but with different reduced expressions for the longest element of the Weyl group.

```
Example
gap> R:= RootSystem( "G", 2 );;
gap> SetLongestWeylWord( R, [1,2,1,2,1,2] );
gap> UR:= QuantizedUEA( R );;
gap> S:= RootSystem( "G", 2 );;
gap> SetLongestWeylWord( S, [2,1,2,1,2,1] );
gap> US:= QuantizedUEA( S );;
gap> gS:= GeneratorsOfAlgebra( US );
[ F1, F2, F3, F4, F5, F6, K1, K1+(q^-1-q)*[ K1; 1], K2,
  K2+(q^{-3}-q^{3})*[K2;1], E1, E2, E3, E4, E5, E6]
gap> SimpleSystem( R );
[ [ 1, 0 ], [ 0, 1 ] ]
gap> PositiveRootsInConvexOrder( S );
[[0,1],[1,1],[3,2],[2,1],[3,1],[1,0]]
# We see that the simple roots of R occur on positions 6 and 1
# in the list PositiveRootsInConvexOrder( S ); This means that we
# get the following list of images of the homomorphism:
gap> imgs:= [ gS[6], gS[1], # the images of the F_{\alpha}
> qS[7], qS[9],
                                # the images of the K_{\alpha}
> gS[8], gS[10],
                                # the images of the K_{\alpha}^{-1}
> gS[16], gS[11] ];
                               # the images of the E_{\alpha}
[ F6, F1, K1, K2, K1+(q^{-1}-q)*[ K1 ; 1 ], K2+(q^{-3}-q^{3})*[ K2 ; 1 ], E6, E1
```

```
gap> h:= QEAHomomorphism( UR, US, imgs );
<homomorphism: QuantumUEA( <root system of type G
2>, Qpar = q ) -> QuantumUEA( <root system of type G2>, Qpar = q )>
gap> Image( h, GeneratorsOfAlgebra( UR )[3] );
(1-q^4-q^6+q^10)*F1*F6^(2)+(-q^2+q^6)*F2*F6+(q^4)*F4
```

#### 3.6.2 **QEAAutomorphism**

```
\Diamond QEAAutomorphism(U, list) (operation) \Diamond QEAAutomorphism(U, f) (operation)
```

In the first form U is a generic quantized enveloping algebra (i.e., with quantum parameter  $_{-}q$ ), and  $_{1ist}$  is a list of  $_{4*rank}$  elements of U (where  $_{rank}$  is the rank of the corresponding root system). On the first  $_{rank}$  positions there are the images of the  $F_{\alpha}$  (where the  $\alpha$  are simple roots, listed in the order in which they occur in  $_{simpleSystem(R)}$ ). On the positions  $_{rank+1...2*rank}$  are the images of the  $K_{\alpha}$ . On the positions  $_{2*rank+1...3*rank}$  are the images of the  $K_{\alpha}^{-1}$ , and finally on the positions  $_{3*rank+1...4*rank}$  occur the images of the  $E_{\alpha}$ .

In the second form U is a non-generic quantized enveloping algebra, and f is an automorphism of the corresponding generic quantized enveloping algebra. The corresponding automorphism of U is constructed. In this case f must not be the bar-automorphism of the corresponding generic quantized enveloping algebra (cf. BarAutomorphism (3.6.6)), as this automorphism doesn't work in the non-generic case.

The image of an element x under an automorphism f is computed by Image(f, x). Note that there is no function for calculating pre-images (in general this seems to be a very hard task). If you want the inverse of an automorphism, you have to construct it explicitly (e.g., by QEAAutomorphism(U, list), where list is a list of pre-images).

Below we construct the automorphism  $\omega$  (cf. Section 2.2) of the quantized enveloping of type  $A_3$ , when the quantum parameter is  $_-q$ , and when the quantum parameter is a fifth root of unity.

```
- Example
# First we construct the quantized enveloping algebra:
gap> R:= RootSystem( "A", 3 );;
gap> U0:= QuantizedUEA( R );
QuantumUEA( <root system of type A3>, Qpar = q)
gap> g:= GeneratorsOfAlgebra( U0 );
[ F1, F2, F3, F4, F5, F6, K1, K1+(q^-1-q)*[ K1; 1], K2,
   \texttt{K2} + (\texttt{q}^- - 1 - \texttt{q}) * [ \texttt{K2} \texttt{;} \texttt{1} \texttt{]}, \texttt{K3}, \texttt{K3} + (\texttt{q}^- - 1 - \texttt{q}) * [ \texttt{K3} \texttt{;} \texttt{1} \texttt{]}, \texttt{E1}, \texttt{E2}, \texttt{E3}, \texttt{E4}, \texttt{E5}, \texttt{E6} \texttt{]} 
\# Now, for instance, we map F_{\alpha} to E_{\alpha}, where \alpha
# is a simple root. In order to find where those F_{\alpha}, E_{\alpha}
# are in the list of generators, we look at the list of positive roots
# in convex order:
gap> PositiveRootsInConvexOrder( R );
  [1, 0, 0], [1, 1, 0], [0, 1, 0], [1, 1, 1], [0, 1, 1],
  [ 0, 0, 1 ]
# So the simple roots occur on positions 1, 3, 6. This means that we
# have the following list of images:
gap> imgs:= [ g[13], g[15], g[18], g[8], g[10], g[12], g[7], g[9], g[11],
> g[1], g[3], g[6] ];
[ E1, E3, E6, K1+(q^-1-q)*[ K1; 1 ], K2+(q^-1-q)*[ K2; 1 ],
  K3+(q^-1-q)*[K3;1],K1,K2,K3,F1,F3,F6]
gap> f:= QEAAutomorphism( U0, imgs );
```

```
<automorphism of QuantumUEA( <root system of type A3>, Qpar = q )>
gap> Image( f, g[2] );
(-q)*E2
# f induces an automorphism of any non-generic quantized enveloping
# algebra with the same root system R:
gap> U1:= QuantizedUEA( R, CF(5), E(5) );
QuantumUEA( <root system of type A3>, Qpar = E(5) )
gap> h:= QEAAutomorphism( U1, f );
<automorphism of QuantumUEA( <root system of type A3>, Qpar = E(5) )>
gap> Image( h, GeneratorsOfAlgebra(U1)[7] );
(-E(5)+E(5)^4)*[ K1 ; 1 ]+K1
```

#### 3.6.3 QEAAntiAutomorphism

These are functions for constructing anti-automorphisms of quantized enveloping algebras. The same comments apply as for QEAAutomorphism (3.6.2).

#### 3.6.4 AutomorphismOmega

```
♦ AutomorphismOmega(U)
```

(attribute)

This is the automorphism  $\omega$  (cf. Section 2.2).

```
gap> R:= RootSystem( "A", 3 );;
gap> U:= QuantizedUEA( R, CF(5), E(5) );
QuantumUEA( <root system of type A3>, Qpar = E(5) )
gap> f:= AutomorphismOmega( U );
<automorphism of QuantumUEA( <root system of type A3>, Qpar = E(5) )>
```

#### 3.6.5 AntiAutomorphismTau

```
♦ AntiAutomorphismTau()
```

(attribute)

This is the anti-automorphism  $\tau$  (cf. Section 2.2).

```
gap> R:= RootSystem( "A", 3 );;
gap> U:= QuantizedUEA( R, CF(5), E(5) );
QuantumUEA( <root system of type A3>, Qpar = E(5) )
gap> t:= AntiAutomorphismTau( U );
<anti-automorphism of QuantumUEA( <root system of type A3>, Qpar = E(5) )>
```

#### 3.6.6 BarAutomorphism

```
♦ BarAutomorphism(U)
```

(attribute)

This is the automorphism defined in Section 2.2 Here *U* must be a generic quantized enveloping algebra.

```
gap> U:= QuantizedUEA( RootSystem(["A",2,"B",2]) );;
gap> bar:= BarAutomorphism( U );
<automorphism of QuantumUEA( <root system of type A2 B2>, Qpar = q )>
gap> Image( bar, GeneratorsOfAlgebra( U )[5] );
(-q^-2+q^2)*F4*F7+F5
```

#### 3.6.7 AutomorphismTalpha

```
♦ AutomorphismTalpha(U, ind)
```

(operation)

This is the automorphism  $T_{\alpha}$  (cf. Section 2.4), where  $\alpha$  is the *ind*-th simple root.

```
gap> U:= QuantizedUEA( RootSystem( "B", 3 ) );;
gap> f:=AutomorphismTalpha( U, 1 );
<automorphism of QuantumUEA( <root system of type B3>, Qpar = q )>
gap> a:= GeneratorsOfAlgebra( U )[3];
F3
gap> Image( f, a );
F2
```

#### 3.6.8 DiagramAutomorphism

```
♦ DiagramAutomorphism(U, perm)
```

(operation)

This is the automorphism of U induced by a diagram automorphism of the underlying root system. The diagram automorphism is represented by the permutation perm, which is the permutation of the simple roots performed by the diagram automorphism.

In the example below we construct the diagram automorphism of the root system of type  $A_3$ , which is represented by the permutation (1, 3).

```
gap> R:= RootSystem( "A", 3 );;
gap> U:= QuantizedUEA( R );;
gap> f:= DiagramAutomorphism( U, (1,3) );
<automorphism of QuantumUEA( <root system of type A3>, Qpar = q )>
gap> g:= GeneratorsOfAlgebra( U );
[F1, F2, F3, F4, F5, F6, K1, K1+(q^-1-q)*[K1; 1], K2,
    K2+(q^-1-q)*[K2; 1], K3, K3+(q^-1-q)*[K3; 1], E1, E2, E3, E4, E5, E6
]
gap> Image( f, g[1] );
F6
```

#### 3.6.9 \\*

We can compose automorphisms and anti-automorphisms using the infix  $\star$  operator. The result of composing two automorphisms is an automorphism. The result of composing an automorphism and an anti-automorphism is an anti-automorphism. The result of composing two anti-automorphisms is an automorphism.

```
gap> U:= QuantizedUEA( RootSystem( "B", 3 ) );;
gap> f:=AutomorphismTalpha( U, 1 );
<automorphism of QuantumUEA( <root system of type B3>, Qpar = q )>
gap> h:= AutomorphismOmega( U );
<automorphism of QuantumUEA( <root system of type B3>, Qpar = q )>
gap> f*h;
<automorphism of QuantumUEA( <root system of type B3>, Qpar = q )>
gap> t:= AntiAutomorphismTau( U );;
gap> T:= AutomorphismTalpha( U, 2 );;
gap> Tinv:= t*T*t;
<automorphism of QuantumUEA( <root system of type B3>, Qpar = q )>
# (The last call may take a little while.)
gap> x:= Image( T, GeneratorsOfAlgebra( U )[1] );
(1-q^4)*F1*F3+(-q^2)*F2
gap> Image( Tinv, x );
F1
```

According to [Jan96], 8.14(10),  $\tau \circ T_{\alpha} \circ \tau$  is the inverse of  $T_{\alpha}$ .

### 3.7 Hopf algebra structure

Here we describe functions for dealing with the Hopf algebra structure of a quantized enveloping algebra. This structure enables us to construct tensor products, and dual modules of modules over a quantized enveloping algebra. We refer to the next section (Section 3.8) for some functions for creating modules.

#### 3.7.1 TensorPower

```
\Diamond TensorPower (U, d) (operation)
```

Here U is a quantized universal enveloping algebra, and d a non-negative integer. This function returns the associative algebra with underlying vector space the d-fold tensor product of U with itself. The product is defined component wise.

```
gap> U:= QuantizedUEA( RootSystem( [ "B", 2 ] ) );;
gap> T:= TensorPower( U, 3 );
<algebra over QuantumField, with 36 generators>
gap> g:= GeneratorsOfAlgebra( T );;
gap> x:= g[1];
1*(1<x>1<x>F1)
gap> y:= g[30];
1*(E2<x>1<x>1)
gap> x*y;
1*(E2<x>1<x>F1)
```

#### 3.7.2 UseTwistedHopfStructure

```
\Diamond UseTwistedHopfStructure(U, f, finv)
```

Here U is a quantized enveloping algebra, and f, finv two (anti-) automorphisms of U, where finv is the inverse of f. After calling this function the Hopf structure on U is used that is obtained from the "normal" Hopf structure (see Section 2.3) by twisting it with f.

A call to this function sets the attribute <code>HopfStructureTwist</code>, which is the list <code>f, finv </code>].

```
gap> U:= QuantizedUEA( RootSystem("A",2), CF(5), E(5) );;
gap> t:= AntiAutomorphismTau( U );;
gap> UseTwistedHopfStructure( U, t, t );
```

#### 3.7.3 ComultiplicationMap

```
\Diamond ComultiplicationMap(U, d)
```

(operation)

(attribute)

This is a homomorphism from the quantized enveloping algebra U to the d-fold tensor power of U with itself. It is obtained by a repeated application of the comultiplication of U. So for d=2 we get the comultiplication of U.

```
gap> U:= QuantizedUEA( RootSystem("A",2), CF(5), E(5) );;
gap> D:= ComultiplicationMap( U, 3 );
<Comultiplication of QuantumUEA( <root system of type A2>, Qpar =
E(5) ), degree 3>
gap> Image( D, GeneratorsOfAlgebra(U)[4] );
1*(K1<x>K1<x>K1
```

#### 3.7.4 AntipodeMap

```
♦ AntipodeMap(U)
```

This is the antipode map of the quantized enveloping algebra U, which is constructed as an antiautomorphism of U.

```
gap> U:= QuantizedUEA( RootSystem("A",2), CF(5), E(5) );;
gap> a:= AntipodeMap( U );
<anti-automorphism of QuantumUEA( <root system of type A2>, Qpar = E(5) )>
```

#### 3.7.5 CounitMap

```
\Diamond CounitMap (U) (attribute)
```

This is the counit map of the quantized enveloping algebra U, which is constructed as a function from U to the ground field.

```
gap> U:= QuantizedUEA( RootSystem("A",2), CF(5), E(5) );;
gap> co:= CounitMap( U );
function( u ) ... end
gap> x:= GeneratorsOfAlgebra( U )[4];
K1
gap> co( x );
1
```

#### 3.8 Modules

Here we describe some functions for constructing left modules over quantized enveloping algebras. We refer to the GAP reference manual for an overview of basic functions for algebra modules, which are also applicable to the modules constructed by the functions described in this section. We mention MatrixOfAction, DirectSumOfAlgebraModules. The action of an element of the algebra on an element of the module is calculated by the infix operator  $\hat{\ }$ .

#### 3.8.1 HighestWeightModule (for a quantized env. alg.)

```
♦ HighestWeightModule(U, wt)
```

(operation)

Here U is a quantized universal enveloping algebra, and wt a dominant weight (i.e., a list of length equal to the rank of the root system, consisting of non-negative integers). This function returns a finite-dimensional highest-weight module of highest weight wt over U. If U is generic then this is the unique irreducible highest-weight module over U. Otherwise it is the Weyl module, cf. Section 2.5. In this last case the module is not necessarily irreducible.

Let V denote the module returned by this function. The first basis element of the attribute Basis(V) is a highest-weight vector; it is written as 1\*v0. Other basis elements are written as, for example, F2\*F9\*v0, which means that this vector is the result of letting the PBW-monomial F2\*F9 act on the highest-weight vector.

```
gap> U:= QuantizedUEA( RootSystem( [ "A", 2, "G", 2 ] ) );;
gap> V:= HighestWeightModule( U, [ 0, 1, 0, 2 ] );
<231-dimensional left-module over QuantumUEA( <root system of type A2 G
2>, Qpar = q )>
gap> Basis( V ) [1];
1*v0
gap> Basis(V) [23]+(_q^2+_q^-2)*Basis(V) [137];
F3*F5*v0+(q^-2+q^2)*F8^(6)*v0
# We compute the action of an element on a vector:
gap> gg:= GeneratorsOfAlgebra( U );;
gap> x:= gg[21]*gg[5];
F5*E4+(-q^-1)*F6*K3
gap> x^Basis(V) [1];
(-q^-1)*F6*v0
```

#### 3.8.2 IrreducibleQuotient

(attribute)

Here V is a highest-weight module over a non-generic quantized enveloping algebra. This function returns the quotient of V by the maximal submodule not containing the highest weight vector. This is not necessarily equal to V if the quantum parameter is a root of 1.

```
gap> R:= RootSystem( "A", 2 );;
gap> U:= QuantizedUEA( R, CF(3), E(3) );;
gap> V:= HighestWeightModule( U, [1,1] );
<8-dimensional left-module over QuantumUEA( <root system of type A2>, Qpar =
```

```
E(3) )>
gap> IrreducibleQuotient( V );
<7-dimensional left-module over QuantumUEA( <root system of type A2>, Qpar =
E(3) )>
```

#### 3.8.3 HWModuleByTensorProduct

```
♦ HWModuleByTensorProduct(U, wt)
```

(operation)

Here U must be a *generic* quantized enveloping algebra, and wt a dominant weight. This function returns the irreducible highest-weight module with highest weight wt. The algorithm uses tensor products (whence the name). On some inputs this algorithm is faster than the one use for HighestWeightModule: for a quantized env. alg. (3.8.1), on some inputs it is slower. I do not know any good heuristics.

The basis supplied with the module returned is the canonical basis.

```
gap> U:= QuantizedUEA( RootSystem("G",2) );;
gap> V:= HWModuleByTensorProduct( U, [2,1] );
<189-dimensional left-module over QuantumUEA( <root system of type G
2>, Qpar = q )>
# (This is a case where this algorithm is a lot faster.)
```

#### 3.8.4 **DIYModule**

```
\Diamond DIYModule(U, V, acts)
```

(operation)

Here U is a generic quantized enveloping algebra, and V is a vector space over the field QuantumField. U acts on V and the action is described by the data in the list acts. acts is a list of lists, of length 4\*1, where I is the rank of the root system. acts describes the actions of the generators  $[F_1, ..., F_l, K_1, ..., K_l, K_1^-1, ..., K_l^-1, E_1, ..., E_l]$ . (Here  $F_k$  is the generator  $F_{\alpha_k}$ , where  $\alpha_k$  is the k-th simple root, and likewise for  $E_k$ .) The action of each generator is described by a list of length  $dim\ V$ , giving the images of the basis elements of V. If an image is zero then it may be omitted: in that case there is a "hole" in the list. This function returns the U-module defined by the input.

Let R be a root system of type  $A_1$ , and U the corresponding quantized enveloping algebra (generated by  $F, K, K^-1, E$ ). In the example below we construct the 2-dimensional U-module with basis vectors  $v_1, v_2$ , and U-action given by  $Fv_1 = v_2$ ,  $Fv_2 = 0$ ,  $Kv_1 = qv_1$ ,  $Kv_2 = q^{-1}v_2$ ,  $Ev_1 = 0$ ,  $Ev_2 = v_1$ .

```
gap> U:= QuantizedUEA( RootSystem("A",1) );
QuantumUEA( <root system of type A1>, Qpar = q )
gap> V:= QuantumField^2;
( QuantumField^2 )
gap> v:= BasisVectors( Basis(V) );
[ [ 1, 0 ], [ 0, 1 ] ]
gap> acts:= [ [ v[2], 0*v[1] ], [ _q*v[1], _q^-1*v[2] ],
> [ _q^-1*v[1], _q*v[2] ], [ 0*v[1], v[1] ] ];;
gap> M:= DIYModule( U, V, acts );
<2-dimensional left-module over QuantumUEA( <root system of type A 1>, Qpar = q )>
```

#### 3.8.5 TensorProductOfAlgebraModules

Here V and W are two modules over the same quantized enveloping algebra U. This function constructs the tensor product of V and W (as a U-module). For this the comultiplication map of U is used (see ComultiplicationMap (3.7.3)).

In the second form list is a list of *U*-modules. In that case the iterated tensor product is constructed.

```
gap> U:= QuantizedUEA( RootSystem([ "A", 2 ] ) );;
gap> V1:= HighestWeightModule( U, [ 1, 0 ] );;
gap> V2:= HighestWeightModule( U, [ 0, 1 ] );;
gap> TensorProductOfAlgebraModules( V1, V2 );
<9-dimensional left-module over QuantumUEA( <root system of type A2>, Qpar = q )>
```

#### 3.8.6 HWModuleByGenerator

```
\Diamond HWModuleByGenerator(V, v, hw)
```

(operation)

Here V is a module over a generic quantized enveloping algebra U, v is a highest-weight vector (i.e., all  $E_{\alpha}v=0$ ), of weight hw, which must be dominant. This function returns a highest-weight module over U isomorphic to the submodule of V generated by V.

```
gap> U:= QuantizedUEA( RootSystem("B",2) );;
gap> W1:= HighestWeightModule( U, [1,0] );;
gap> W2:= HighestWeightModule( U, [0,1] );;
gap> T:= TensorProductOfAlgebraModules( W1, W2 );
<20-dimensional left-module over QuantumUEA( <root system of type B 2>, Qpar = q )>
gap> HWModuleByGenerator( T, Basis(T)[1], [1,1] );
<16-dimensional left-module over QuantumUEA( <root system of type B 2>, Qpar = q )>
```

#### 3.8.7 InducedQEAModule

```
\Diamond InducedQEAModule(U, V)
```

(operation)

Here U is a non-generic quantized enveloping algebra, and V a module over the corresponding generic quantized enveloping algebra. This function returns the U-module obtained from V by setting  $_{-}q$  equal to the quantum parameter of U.

```
gap> R:= RootSystem("B",2);;
gap> U:= QuantizedUEA( R );;
gap> U0:= QuantizedUEA( R, CF(3), E(3) );;
gap> V:= HighestWeightModule( U, [1,1] );;
gap> W:= InducedQEAModule( U0, V );
<16-dimensional left-module over QuantumUEA( <root system of type B 2>, Qpar = E(3) )>
```

```
# This module is isomorphic to the one obtained by
# HighestWeightModule( U0, [1,1] );
```

#### 3.8.8 GenericModule

```
♦ GenericModule(W) (attribute)
```

For an induced module (see InducedQEAModule (3.8.7)) this function returns the corresponding module over the generic quantized enveloping algebra.

#### 3.8.9 Canonical Mapping

```
♦ CanonicalMapping(W)
```

(attribute)

Here W is an induced module. Let V be the corresponding generic module (GenericModule (3.8.8)). This function returns the map V --> W, that sets  $_{-}q$  equal to the quantum parameter of the acting algebra of W.

```
gap> R:= RootSystem("B",2);;
gap> U:= QuantizedUEA( R );;
gap> U0:= QuantizedUEA( R, CF(3), E(3) );;
gap> V:= HighestWeightModule( U, [1,1] );;
gap> W:= InducedQEAModule( U0, V );;
gap> f:= CanonicalMapping( W );
MappingByFunction( <
16-dimensional left-module over QuantumUEA( <root system of type B
2>, Qpar = q )>, <
16-dimensional left-module over QuantumUEA( <root system of type B
2>, Qpar = E(3) )>, function( v ) ... end )
gap> Image( f, _q^2*Basis(V)[3] );
(E(3)^2)*e.3
```

#### **3.8.10 U2Module**

```
\Diamond U2Module (U, hw) (operation)
```

Here U must be a quantized enveloping algebra of type  $A_2$ . This function returns the highest-weight module over U of highest-weight hw (which must be dominant). This function is generally a lot faster than HighestWeightModule: for a quantized env. alg. (3.8.1).

```
gap> U:= QuantizedUEA( RootSystem("A",2) );;
gap> A2Module( U, [4,7] );
<260-dimensional left-module over QuantumUEA( <root system of type A 2>, Qpar = q )>
```

#### 3.8.11 MinusculeModule

 $\Diamond$  MinusculeModule(U, hw)

(operation)

Here U must be a generic quantized enveloping algebra, and  $h_W$  a minuscule dominant weight. This function returns the highest-weight module over U of highest-weight  $h_W$ . This function is generally somewhat faster than Highest-Weight-Module: for a quantized env. alg. (3.8.1).

```
gap> U:= QuantizedUEA( RootSystem("A",5) );;
gap> MinusculeModule( U, [0,0,1,0,0] );
<20-dimensional left-module over QuantumUEA( <root system of type A 5>, Qpar = q )>
```

#### 3.8.12 **DualAlgebraModule**

```
♦ DualAlgebraModule (V)
```

(attribute)

Here V is a finite-dimensional left module over a quantized enveloping algebra U. This function returns the dual space of V as an algebra module. For this the antipode map of U is used (see AntipodeMap (3.7.4)).

Let M denote the module returned by this function. Then M has as basis the dual basis with respect to Basis(V). An element of this basis is printed as F@V, where V is an element of Basis(V). This is the function which takes the value I on V and O on all other basis elements. A general element of M is a linear combination of these basis elements.

The elements of M can be viewed as functions which take arguments. However, internally the elements of M are represented as wrapped up functions. The function corresponding to an element m of M is obtained by ExtRepOfObj(m) (the result of which is printed in the same way as m, but is not equal to it).

```
Example
gap> U:= QuantizedUEA( RootSystem("A",2) );;
gap> V:= HighestWeightModule( U, [1,1] );;
gap> M:= DualAlgebraModule( V );
<8-dimensional left-module over QuantumUEA( <root system of type A</p>
2>, Qpar = q )>
gap> u:= GeneratorsOfAlgebra( U )[2];
gap> vv:= BasisVectors( Basis( M ) );
(1)*F@1*v0, (1)*F@F1*v0, (1)*F@F3*v0, (1)*F@F1*F3*v0, (1)*F@F2*v0,
  (1) *F@F1*F2*v0, (1) *F@F2*F3*v0, (1) *F@F2^(2) *v0 ]
gap> u^vv[3];
<zero function>
# (The zero of the dual space is printed as <zero function>).
gap> u^vv[4];
(q^3-q^5)*F@1*v0
# We get the function corresponding to a vector in M by using ExtRepOfObj:
gap> f:= ExtRepOfObj( vv[1] );
(1) *F@1*v0
# We can calculate images of this function:
gap> List( Basis(V), v -> Image( f, v ) );
[ 1, 0, 0, 0, 0, 0, 0, 0]
```

#### 3.8.13 TrivialAlgebraModule

```
♦ TrivialAlgebraModule (U)
```

(attribute)

Returns the trivial module over the quantized enveloping algebra *U*. For this the counit map of *U* is used.

```
gap> U:= QuantizedUEA( RootSystem("A",2) );;
gap> V:= TrivialAlgebraModule( U );
<left-module over QuantumUEA( <root system of type A2>, Qpar = q )>
```

#### 3.8.14 WeightsAndVectors

```
♦ WeightsAndVectors (V)
```

(operation)

Here V is a left module over a quantized enveloping algebra. WeightsAndVectors (V) is a list of two lists; the first of these is a list of the weights of V, the second a list of corresponding weight vectors. These are again grouped in lists: if the multiplicity of a weight is m, then there are m weight vectors, forming a basis of the corresponding weight space.

Modules constructed by HighestWeightModule: for a quantized env. alg. (3.8.1) come with this attribute set. There is a method installed for computing WeightsAndVectors(V), for modules V over a generic quantized enveloping algebra, such that all basis vectors (i.e., all elements of Basis(V)) are weight vectors.

#### 3.8.15 HighestWeightsAndVectors

```
♦ HighestWeightsAndVectors (V)
```

(attribute)

Is analogous to WeightsAndVectors (3.8.14); now only the highest weights are listed along with the corresponding highest-weight vectors.

There is a method installed for this using WeightsAndVectors (3.8.14); which means that it works if and only if WeightsAndVectors (V) works.

```
gap> U:= QuantizedUEA( RootSystem([ "A", 2 ] ) );;
gap> V:= HighestWeightModule( U, [ 1, 1 ] );;
gap> HighestWeightsAndVectors( V );
[ [ [ 1, 1 ] ], [ [ 1*v0 ] ] ]
```

#### **3.8.16 RMatrix**

 $\Diamond$  RMatrix (V) (attribute)

Here V is a module over the a quantized enveloping algebra U. This function returns the matrix of a linear map  $\theta: V \otimes V \to V \otimes V$  that is a solution to the quantum Yang-Baxter equation. We have that  $\theta \circ P$  is an isomorphism of U-modules, where  $P: V \otimes V \to V \otimes V$  is the linear map such that  $P(v \otimes w) = w \otimes v$ . For more details we refer to [Jan96], Chapter 7.

This function works for modules for which WeightsAndVectors (3.8.14) works.

```
gap> U:= QuantizedUEA( RootSystem("A",1) );;
gap> V:= HighestWeightModule( U, [1] );;
gap> RMatrix( V );
[ [ 1, 0, 0, 0 ], [ 0, q, 1-q^2, 0 ], [ 0, 0, q, 0 ], [ 0, 0, 0, 1 ] ]
```

#### 3.8.17 IsomorphismOfTensorModules

(operation)

Here V, W are two modules over the same quantized enveloping algebra U. This function returns a linear map  $\theta: V \otimes W \to W \otimes V$  that is an isomorphism of U-modules.

This function is only guaranteed to work correctly if the Hopf algebra structure is non-twisted (see UseTwistedHopfStructure (3.7.2)).

This function works for modules for which WeightsAndVectors (3.8.14) works.

```
gap> U:= QuantizedUEA( RootSystem("B",2) );;
gap> V:= HighestWeightModule( U, [1,0] );;
gap> W:= HighestWeightModule( U, [0,1] );;
gap> h:= IsomorphismOfTensorModules( V, W );;
gap> VW:= Source( h );
<20-dimensional left-module over QuantumUEA( <root system of type B
2>, Qpar = q )>
gap> Image( h, Basis(VW)[13] );
q*(1*v0<x>F3*v0)+1-q^2*(F4*v0<x>F2*v0)+q^-1-q^3*(F3*v0<x>1*v0)
```

#### 3.8.18 WriteModuleToFile

```
♦ WriteModuleToFile(V, file)
```

(operation)

Here V is a module over a quantized enveloping algebra, and file is a string containing the name of a file. This function writes some data to file, that allows ReadModuleFromFile (3.8.19) to recover it.

We remark that this function currently is only implemented for generic quantized enveloping algebras.

#### 3.8.19 ReadModuleFromFile

```
♦ ReadModuleFromFile(file)
```

(operation)

Here file is a string containing the name of a file, to which a module over a quantized enveloping algebra has been written by WriteModuleToFile (3.8.18). This function recovers the module. More precisely: a new module is constructed that is isomorphic to the old one. In the process the algebra acting on the module is constructed anew (from data written to the file). This algebra can be accessed by LeftActingAlgebra(V).

We remark that this function currently is only implemented for generic quantized enveloping algebras.

```
Example
gap> U:= QuantizedUEA( RootSystem("A",3) );;
gap> V:= HighestWeightModule( U, [1,1,1] );;
gap> WriteModuleToFile( V, "/home/wdg/A3mod" );
gap> W:= ReadModuleFromFile( "/home/wdg/A3mod" );
<64-dimensional left-module over QuantumUEA( <root system of type A 3>, Qpar = q )>
```

# 3.9 The path model

In this section we describe functions for dealing with the path model. We work only with LS-paths, which are represented by two lists, one of weights, and one of rationals (see Section 2.7).

#### 3.9.1 DominantLSPath

```
\Diamond DominantLSPath(R, wt)
```

(operation)

Here R is a root system, and wt a dominant weight in the weight lattice of R. This function returns the LS-path that is the line from the origin to wt.

```
gap> R:= RootSystem( "G", 2 );;
gap> DominantLSPath( R, [1,3] );
<LS path of shape [ 1, 3 ] ending in [ 1, 3 ] >
```

#### 3.9.2 Falpha (for an LS-path)

```
♦ Falpha(path, ind)
```

(operation)

Is the result of applying the path operator  $f_{\alpha_{ind}}$  to the LS-path path (where  $\alpha_{ind}$  is the ind-th simple root).

The result is fail if  $f_{\alpha}_{ind}$  (path) =0.

```
gap> R:= RootSystem( "G", 2 );;
gap> p:=DominantLSPath( R, [1,3] );;
gap> p1:=Falpha( p, 1 );
<LS path of shape [ 1, 3 ] ending in [ -1, 4 ] >
gap> Falpha( p1, 1 );
fail
```

# 3.9.3 Ealpha (for an LS-path)

```
♦ Ealpha(path, ind)
```

(operation)

Is the result of applying the path operator  $e_{\alpha_{ind}}$  to the LS-path path (where  $\alpha_{ind}$  is the ind-th simple root).

The result is fail if  $e_{\alpha_{ind}}$  (path) =0.

```
gap> R:= RootSystem( "G", 2 );;
gap> p:=DominantLSPath( R, [1,3] );;
gap> Ealpha( p, 2 );
fail
gap> p1:=Falpha( p, 1 );;
gap> Ealpha( p1, 1 );
<LS path of shape [ 1, 3 ] ending in [ 1, 3 ] >
```

# 3.9.4 LSSequence

 $\Diamond$  LSSequence (path)

(attribute)

returns the two sequences (of weights and rational numbers) that define the LS-path path.

```
gap> R:= RootSystem( "G", 2 );;
gap> p:=DominantLSPath( R, [1,3] );;
gap> p1:= Falpha( Falpha( p, 1 ), 2 );;
gap> LSSequence( p1 );
[ [ [ 11, -4 ], [ -1, 4 ] ], [ 0, 1/4, 1 ] ]
```

# 3.9.5 WeylWord

```
♦ WeylWord(path)
```

(attribute)

Here path is an LS-path in the orbit (under the root operators) of a dominant LS-path ending in the dominant weight  $\lambda$ . This means that the first direction of path is of the form  $w(\lambda)$  for some w in the Weyl group. This function returns a list  $[i_1, \ldots, i_m]$  such that  $w = s_{i_1} \cdots s_{i_m}$ .

```
gap> R:= RootSystem( "G", 2 );;
gap> p:=DominantLSPath( R, [1,3] );;
gap> p1:= Falpha( Falpha( p, 1 ), 2 ), 1 );;
gap> WeylWord( p1 );
[ 1, 2, 1 ]
```

#### 3.9.6 EndWeight

 $\Diamond$  EndWeight (path)

(attribute)

Here path is an LS-path; this function returns the weight that is the endpoint of path

```
gap> R:= RootSystem( "G", 2 );;
gap> p:=DominantLSPath( R, [1,3] );;
gap> p1:= Falpha( Falpha( p, 1 ), 2 ), 1 );;
gap> EndWeight( p1 );
[ 0, 3 ]
```

# 3.9.7 CrystalGraph (for root system and weight)

```
\Diamond CrystalGraph (R, wt)
```

(function)

This function returns a record describing the crystal graph of the highest-weight module with highest weight wt, over the quantized enveloping algebra corresponding to R. It is computed using the path model. Therefore the points in the graph are LS-paths.

Denote the output by r; then r.points is the list of points of the graph. Furthermore, r.edges is a list of edges of the graph; this is a list of elements of the form [[i,j], u]. This means that there is an arrow from point i (i.e., the point on position i in r.points) to point j, with label u.

```
gap> R:= RootSystem( "A", 2 );;
gap> CrystalGraph( R, [1,1] );
rec(
  points := [ <LS path of shape [ 1, 1 ] ending in [ 1, 1 ] >, <LS path of sha\
  pe [ 1, 1 ] ending in [ -1, 2 ] >, <LS path of shape [ 1, 1 ] ending in
        [ 2, -1 ] >, <LS path of shape [ 1, 1 ] ending in [ 0, 0 ] >,
        <LS path of shape [ 1, 1 ] ending in [ 0, 0 ] >,
        <LS path of shape [ 1, 1 ] ending in [ 1, -2 ] >,
        <LS path of shape [ 1, 1 ] ending in [ -2, 1 ] >,
        <LS path of shape [ 1, 1 ] ending in [ -1, -1 ] > ],
    edges := [ [ [ 1, 2 ], 1 ], [ [ 1, 3 ], 2 ], [ [ 2, 4 ], 2 ],
        [ [ 3, 5 ], 1 ], [ [ 4, 6 ], 2 ], [ [ 5, 7 ], 1 ], [ [ 6, 8 ], 1 ],
        [ [ 7, 8 ], 2 ] ] )
```

# 3.10 Canonical bases

Here we describe functions for computing the canonical basis of the negative part of a quantized enveloping algebra, and of a module.

#### 3.10.1 Falpha (for a PBW-monomial)

```
\Diamond Falpha (x, ind) (operation)
```

Here x is a PBW-monomial in  $U^-$  (i.e., a monomial in the  $F_{\alpha}$ , where  $\alpha$  runs over the positive roots). This function returns the result of applying the *ind*-th Kashiwara operator  $\widetilde{F}_{\alpha_{\underline{i},\underline{n},\underline{d}}}$  to x (cf. Section 2.6).

```
gap> U:= QuantizedUEA( RootSystem( "F", 4 ) );;
gap> x:= One( U );
1
```

```
gap> Falpha( Falpha( x, 3 ), 2 );
F3*F9
```

# 3.10.2 Ealpha (for a PBW-monomial)

```
\Diamond Ealpha (x, ind) (operation)
```

Here x is a PBW-monomial in  $U^-$  (i.e., a monomial in the  $F_{\alpha}$ , where  $\alpha$  runs over the positive roots). This function returns the result of applying the ind-th Kashiwara operator  $\widetilde{E}_{\alpha_{ind}}$  to x (cf. Section 2.6). The result is fail if  $\widetilde{E}_{\alpha_{ind}}(x) = 0$ .

```
Example

gap> U:= QuantizedUEA( RootSystem( "F", 4 ) );;

gap> Ealpha( One( U ), 2 );

fail

gap> g:= GeneratorsOfAlgebra( U );;

gap> x:= g[1]*g[4]*g[7]*g[17];

F1*F4*F7*F17

gap> Ealpha( x, 3 );

F1*F2*F7*F17
```

#### 3.10.3 CanonicalBasis

```
♦ CanonicalBasis(U)
```

Is the canonical basis of the quantized universal enveloping algebra U. When this is constructed nothing is computed. By using PBWElements (3.10.4), MonomialElements (3.10.5), Strings (3.10.6) information about elements of the canonical basis can be obtained.

```
gap> U:= QuantizedUEA( RootSystem( "F", 4 ) );;
gap> B:= CanonicalBasis( U );
<canonical basis of QuantumUEA( <root system of type F4>, Qpar = q ) >
```

# 3.10.4 PBWElements

```
\Diamond PBWElements(B, rt)
```

(operation)

(attribute)

Here B is the canonical basis of a quantized uea, and rt a list of non-negative integers representing an element of the root lattice (e.g., if the simple roots are  $\alpha$ ,  $\beta$  and rt = [3, 2], then rt represents  $3\alpha + 2\beta$ ).

It is possible to add the option <code>lowrank</code>, as follows <code>PBWElements(B, rt:lowrank)</code>. In that case a somewhat different method will be used, that is significantly faster if the underlying root system has rank 2,3. It is about equally fast for ranks 4,5; and slower for ranks greater than 5.

```
Example

gap> U:= QuantizedUEA( RootSystem( "F", 4 ) );;

gap> B:= CanonicalBasis( U );;

gap> PBWElements( B, [1,2,1,0] );

[ F1*F3^(2)*F9, F1*F3*F7+(q^4)*F1*F3^(2)*F9, (q^4)*F1*F3^(2)*F9+F2*F3*F9,
```

```
(q^2)*F1*F3*F7+(q^2+q^6)*F1*F3^(2)*F9+(q^2)*F2*F3*F9+F2*F7,
  (q^4)*F1*F3*F7+(q^8)*F1*F3^(2)*F9+(q^4)*F2*F3*F9+(q^2)*F2*F7+F3*F4 ]
gap> U:= QuantizedUEA( RootSystem("G",2) );;
gap> B:= CanonicalBasis( U );;
gap> PBWElements( B, [2,3] : lowrank );
[F1^(2)*F6^(3), F1*F5*F6^(2)+(q^8+q^10)*F1^(2)*F6^(3),
  (q^2)*F1*F5*F6^(2)+(q^6+q^12)*F1^(2)*F6^(3)+F3*F6^(2),
  (q^8)*F1*F5*F6^(2)+(q^18)*F1^(2)*F6^(3)+(q^6)*F3*F6^(2)+F5^(2)*F6 ]
```

#### 3.10.5 MonomialElements

```
\Diamond MonomialElements (B, rt)
```

(operation)

This does the same as PBWElements (3.10.4), except that the elements are written as linear combinations of monomials in the generators  $F_{\alpha}$ , where  $\alpha$  runs through the simple roots.

We remark that this information is also computed "behind the scenes" when calling PBWElements(B, rt). However, it is not computed if the option lowrank is present in the call to PBWElements.

```
Example

gap> U:= QuantizedUEA( RootSystem( "F", 4 ) );;

gap> B:= CanonicalBasis( U );;

gap> MonomialElements( B, [1,2,1,0] );

[ F1*F3^(2)*F9, F1*F3*F9*F3+(-1)*F1*F3^(2)*F9, F3^(2)*F1*F9, F3*F1*F9*F3,

F3*F9*F3*F1+(-1)*F3^(2)*F1*F9 ]
```

#### **3.10.6 Strings**

```
\Diamond Strings (B, rt) (operation)
```

Here B, rt are the same as in PBWElements (3.10.4). This returns the list of strings corresponding to the elements of B of weight rt (cf. Section 2.6). For example, if on the k-th position of the list returned by this function we have [1, 2, 2, 3], then the principal monomial of the k-th element of PBWElements(B, rt) is  $\widetilde{F}_1^2\widetilde{F}_2^3(1)$  (where  $\widetilde{F}_i$  is the i-th Kashiwara operator).

We remark that this information is also computed "behind the scenes" when calling PBWElements (B, rt). However, it is not computed if the option lowrank is present in the call to PBWElements.

```
gap> U:= QuantizedUEA( RootSystem( "F", 4 ) );;
gap> B:= CanonicalBasis( U );;
gap> Strings( B, [1,2,1,0] );
[ [ 1, 1, 2, 2, 3, 1 ], [ 1, 1, 2, 1, 3, 1, 2, 1 ], [ 2, 2, 1, 1, 3, 1 ],
      [ 2, 1, 1, 1, 3, 1, 2, 1 ], [ 2, 1, 3, 1, 2, 1, 1, 1 ] ]
gap> Falpha( Falpha( Falpha( One(U), 3 ), 1 ), 2 ), 2 );
F2*F3*F9
gap> PBWElements( B, [1,2,1,0] )[3];
(q^4)*F1*F3^(2)*F9+F2*F3*F9
```

#### 3.10.7 PrincipalMonomial

```
\Diamond PrincipalMonomial (u)
```

(operation)

Here u is an element of the output of PBWElements (3.10.4). This function returns the unique monomial of u that has coefficient 1.

```
Example

gap> U:= QuantizedUEA( RootSystem("G",2) );;

gap> B:= CanonicalBasis( U );;

gap> p:= PBWElements( B, [4,4] : lowrank )[4];

(q^9)*F1^(2)*F3*F6^(3)+F1^(2)*F5^(2)*F6^(2)+(q^9+q^11+q^13)*F1^(3)*F5*F6^(3)+(q^20+q^22+2*q^24+q^26+q^28)*F1^(4)*F6^(4)

gap> PrincipalMonomial( p );

F1^(2)*F5^(2)*F6^(2)
```

# 3.10.8 StringMonomial

```
\Diamond StringMonomial(u)
```

(operation)

Here u is a monomial in the negative part of a quantized enveloping algebra, e.g., as output by PrincipalMonomial (3.10.7). This function computes the corresponding "string" (see Section 2.6). The strings are output in the same way as in 3.10.6.

```
gap> U:= QuantizedUEA( RootSystem("G",2) );;
gap> B:= CanonicalBasis( U );;
gap> p:= PBWElements( B, [1,2] : lowrank )[2];;
gap> m:=PrincipalMonomial( p );
F5*F6
gap> StringMonomial( m );
[ 2, 2, 1, 1 ]
gap> Falpha( Falpha( One(U), 1 ), 2 ), 2 );
F5*F6
```

# **3.10.9** Falpha (for a module element)

```
\Diamond Falpha(V, v, ind)
```

(operation)

Here V is a module over a quantized enveloping algebra, v an element of it, and ind an index between 1 and the rank of the root system. The function returns the result of applying the ind-th Kashiwara operator  $\widetilde{F}_{ind}$  to v. Here the Kashiwara operators are different from the ones described in Section 2.6. We refer to [Jan96], 9.2 for the definition of the operators used here.

```
gap> U:= QuantizedUEA( RootSystem("B",2) );;
gap> V:= HighestWeightModule( U, [1,1] );;
gap> Falpha( V, Basis(V)[1], 1 );
F1*v0
```

# 3.10.10 Ealpha (for a module element)

```
\Diamond Ealpha (V, V, ind) (operation)
```

Here V is a module over a quantized enveloping algebra, v an element of it, and ind an index between 1 and the rank of the root system. The function returns the result of applying the ind-th Kashiwara operator  $\widetilde{E}_{ind}$  to v. Here the Kashiwara operators are different from the ones described in Section 2.6. We refer to [Jan96], 9.2 for the definition of the operators used here.

```
gap> U:= QuantizedUEA( RootSystem("B",2) );;
gap> V:= HighestWeightModule( U, [1,1] );;
gap> v:= Falpha( V, Basis(V)[2], 2 );
(q^2)*F1*F4*v0+F2*v0
gap> Ealpha( V, v, 2 );
F1*v0
```

# 3.10.11 CrystalBasis

```
\Diamond CrystalBasis (V) (attribute)
```

Here V is a finite-dimensional left module over a quantized enveloping algebra. This function returns the canonical, or crystal basis of V (see Section 2.6).

This function only works for modules for which WeightsAndVectors (3.8.14) works.

```
Example

gap> U:= QuantizedUEA( RootSystem( "B", 2 ) );;

gap> V:= HighestWeightModule( U, [1,1] );

<16-dimensional left-module over QuantumUEA( <root system of type B2>, Qpar

= q )>

gap> CrystalBasis( V );

Basis( <16-dimensional left-module over QuantumUEA( <root system of type B

2>, Qpar = q )>, [ 1*v0, F1*v0, F4*v0, F1*F4*v0, (q^2)*F1*F4*v0+F2*v0, F2*F4*v0,

(q)*F2*F4*v0+F3*v0, (-q^-4)*F1*F2*v0, (-q^-1)*F1*F3*v0+(-q^-3)*F2^(2)*v0,

(-q^-2)*F2^(2)*v0, F3*F4*v0, (-q^-4)*F2*F3*v0+(-q^-2)*F2^(2)*F4*v0,

(-q^-2)*F2*F3*v0, (q^-4)*F2^(3)*v0, (-q^-1)*F3^(2)*v0, (q^-5)*F2^(2)*F3*v0 ] )
```

# 3.10.12 CrystalVectors

```
♦ CrystalVectors (V)
```

(attribute)

Here V is a finite-dimensional left module over a quantized enveloping algebra. Let C be the crystal basis of V (i.e., output by CrystalBasis (3.10.11)). This function returns a list of cosets of the basis elements of C modulo qL, where L is the  $\mathbb{Z}[q]$ -lattice spanned by C.

The coset of a vector v is printed as  $\langle v \rangle$ .

The crystal vectors are used to construct the point set of the crystal graph of V (CrystalGraph: for a module (3.10.15)).

This function only works for modules for which WeightsAndVectors (3.8.14) works.

```
gap> U:= QuantizedUEA( RootSystem( "B", 2 ) );;
gap> V:= HighestWeightModule( U, [1,1] );
<16-dimensional left-module over QuantumUEA( <root system of type B
```

#### 3.10.13 Falpha (for a crystal vector)

```
\Diamond Falpha (v, ind) (operation)
```

Here v is a crystal vector, i.e., an element of CrystalVectors(V), where V is a left module over a quantized enveloping algebra. This function returns the result of applying the ind-th Kashiwara operator  $\widetilde{F}_{\alpha_{ind}}$  to v. The result is fail if  $\widetilde{F}_{\alpha_{ind}}(v) = 0$ .

```
gap> U:= QuantizedUEA( RootSystem( "B", 2 ) );;
gap> V:= HighestWeightModule( U, [1,1] );;
gap> c:=CrystalVectors( V );;
gap> Falpha( c[2], 2 );
<F2*v0>
gap> Falpha( c[3], 2 );
fail
gap> Falpha( Falpha( Falpha( c[1], 1 ), 2 ), 1 );
fail
gap> p:= DominantLSPath( RootSystem( "B", 2 ), [1,1] );
<LS path of shape [ 1, 1 ] ending in [ 1, 1 ] >
gap> Falpha( Falpha( Falpha( p, 1 ), 2 ), 1 );
fail
```

The last part of this example is an illustration of the fact that the crystal graph of a highest-weight module can be obtained by the path method (see Section 2.7).

#### 3.10.14 Ealpha (for a crystal vector)

```
\Diamond Ealpha(v, ind) (operation)
```

Here v is a crystal vector, i.e., an element of CrystalVectors(V), where V is a left module over a quantized enveloping algebra. This function returns the result of applying the ind-th Kashiwara operator  $\widetilde{E}_{\alpha_{ind}}$  to v. The result is fail if  $\widetilde{E}_{\alpha_{ind}}(v) = 0$ .

```
gap> U:= QuantizedUEA( RootSystem( "B", 2 ) );;
gap> V:= HighestWeightModule( U, [1,1] );;
gap> c:=CrystalVectors( V );;
gap> Ealpha( c[3], 1 );
fail
gap> Ealpha( c[3], 2 );
<1*v0>
```

# 3.10.15 CrystalGraph (for a module)

```
\Diamond CrystalGraph (V) (function)
```

Returns the crystal graph of the module V. The points of this graph are the cosets output by CrystalVectors (3.10.12). The edges work in the same way as in CrystalGraph: for root system and weight (3.9.7).

# 3.11 Universal enveloping algebras

Here we describe functions for connecting a quantized enveloping algebra to the corresponding universal enveloping algebra.

#### 3.11.1 **UEA**

 $\Diamond$  UEA (L) (attribute)

This function returns the universal enveloping algebra u of the semisimple Lie algebra L. The generators of u are the generators of a Kostant lattice in the universal enveloping algebra (these generators are obtained from L by LatticeGeneratorsInUEA (L), see the GAP reference manual).

```
gap> L:= SimpleLieAlgebra( "B", 2, Rationals );

<Lie algebra of dimension 10 over Rationals>
gap> u:= UEA( L );

<algebra over Rationals, with 10 generators>
gap> g:= GeneratorsOfAlgebra( u );

[ y1, y2, y3, y4, x1, x2, x3, x4, ( h9/1 ), ( h10/1 ) ]
```

#### 3.11.2 UnderlyingLieAlgebra

# ♦ UnderlyingLieAlgebra(u)

(attribute)

For a universal enveloping algebra u constructed by UEA (3.11.1), this returns the corresponding semisimple Lie algebra

```
gap> L:= SimpleLieAlgebra( "B", 2, Rationals );;
gap> u:= UEA( L );;
gap> UnderlyingLieAlgebra( u );
<Lie algebra of dimension 10 over Rationals>
```

#### 3.11.3 HighestWeightModule (for a universal env. alg)

```
\Diamond HighestWeightModule(u, hw)
```

(operation)

(attribute)

For a universal enveloping algebra u constructed by UEA (3.11.1), this returns the irreducible highest weight module over u with highest weight hw, which must be dominant. This module is the same as the corresponding highest weight module over the semisimple Lie algebra, but in this case the enveloping algebra u acts.

```
gap> L:= SimpleLieAlgebra( "B", 2, Rationals );;
gap> u:= UEA( L );;
gap> HighestWeightModule( u, [2,3] );
<140-dimensional left-module over <algebra over Rationals, with
10 generators>>
```

# 3.11.4 QUEAToUEAMap

```
\Diamond QUEATOUEAMap (L)
```

Here L is a semisimple Lie algebra. Set u := UEA(L), and U := QuantizedUEA(L) (so u, U are the universal enveloping algebra, and "generic" quantized enveloping algebra of L respectively). Then QUEATOUEAMap(L) returns the algebra homomorphism from U to u obtained by mapping q to 1, a generator Fi, corresponding to a simple root to the generator yi (corresponding to the same simple root), and likewise for Ei and xi. This means that Ki is mapped to one, and U is U is U in U is U in U in

The canonical basis of U is mapped to the canonical basis of u.

```
_ Example
gap> L:= SimpleLieAlgebra( "B", 2, Rationals );;
gap> f:= QUEAToUEAMap( L );
<mapping: QuantumUEA( <root system of rank</pre>
2>, Qpar = q ) -> Algebra( Rationals, [ y1, y2, y3, y4, x1, x2, x3, x4,
  (h9/1), (h10/1)]) >
gap> U:= Source( f );
QuantumUEA( <root system of rank 2>, Qpar = q)
gap> u:= Range( f );
<algebra over Rationals, with 10 generators>
gap> B:= CanonicalBasis( U );;
gap> p:= PBWElements( B, [1,2] );
[F1*F4^{(2)}, (q+q^3)*F1*F4^{(2)}+F2*F4, (q^4)*F1*F4^{(2)}+(q)*F2*F4+F3]
gap> pu:= List( p, x \rightarrow Image( f, x ) );
[y1*y2^(2), 2*y1*y2^(2)+y2*y3-2*y4, y1*y2^(2)+y2*y3-1*y4]
gap> V:= HighestWeightModule( u, [2,1] );
<40-dimensional left-module over <algebra over Rationals, with
10 generators>>
```

```
gap> List( pu, x -> x^Basis(V)[1] ); [ 0*v0, y2*y3*v0+-2*y4*v0, y2*y3*v0+-1*y4*v0 ] # Which gives us a piece of the canonical basis of V.
```

# References

- [Car98] R. W. Carter. Representations of simple Lie algebras: modern variations on a classical theme. In *Algebraic groups and their representations (Cambridge, 1997)*, pages 151–173. Kluwer Acad. Publ., Dordrecht, 1998. 13
- [Com06] Editorial Committee. A note on the paper: "A survey of the work of George Lusztig" by R. W. Carter [Nagoya Math. J. **182** (2006), 1–45; 2235338]. *Nagoya Math. J.*, 183:i–ii, 2006. 11
- [Gra01] W. A. de Graaf. Computing with quantized enveloping algebras: PBW-type bases, highest-weight modules, *R*-matrices. *J. Symbolic Comput.*, 32(5):475–490, 2001. 13
- [Gra02] W. A. de Graaf. Constructing canonical bases of quantized enveloping algebras. *Experimental Mathematics*, 11(2):161–170, 2002. 13
- [Hum90] J. E. Humphreys. *Reflection groups and Coxeter groups*. Cambridge University Press, Cambridge, 1990. 13
- [Jan96] J. C. Jantzen. *Lectures on Quantum Groups*, volume 6 of *Graduate Studies in Mathematics*. American Mathematical Society, 1996. 10, 12, 13, 28, 36, 42, 43
- [Kas96] M. Kashiwara. Similarity of crystal bases. In *Lie algebras and their representations (Seoul, 1995)*, pages 177–186. Amer. Math. Soc., Providence, RI, 1996. 13
- [Lit94] P. Littelmann. A Littlewood-Richardson rule for symmetrizable Kac-Moody algebras. *Invent. Math.*, 116(1-3):329–346, 1994. 13
- [Lit95] P. Littelmann. Paths and root operators in representation theory. *Ann. of Math.* (2), 142(3):499–525, 1995. 13
- [Lit98] P. Littelmann. Cones, crystals, and patterns. Transform. Groups, 3(2):145–179, 1998. 13
- [LN01] F. Lübeck and M. Neunhöffer. GAPDoc, a GAP documentation meta-package, 2001. 6
- [Lus90] G. Lusztig. Quantum groups at roots of 1. Geom. Dedicata, 35(1-3):89–113, 1990. 10
- [Lus92] G. Lusztig. Introduction to quantized enveloping algebras. In *New developments in Lie theory and their applications (Córdoba, 1989)*, pages 49–65. Birkhäuser Boston, Boston, MA, 1992. 13
- [Lus93] G. Lusztig. *Introduction to quantum groups*. Birkhäuser Boston Inc., Boston, MA, 1993. 11, 13

- [Lus96] G. Lusztig. Braid group action and canonical bases. Adv. Math., 122(2):237–261, 1996. 11
- [Lus0a] G. Lusztig. Canonical bases arising from quantized enveloping algebras. *J. Amer. Math. Soc.*, 3(2):447–498, 1990a. 11
- [Ros91] M. Rosso. Représentations des groupes quantiques. *Astérisque*, (201-203):Exp. No. 744, 443–483 (1992), 1991. Séminaire Bourbaki, Vol. 1990/91. 13
- [Ste01] J. R. Stembridge. Computational aspects of root systems, Coxeter groups, and Weyl characters. In *Interaction of combinatorics and representation theory*, volume 11 of *MSJ Mem.*, pages 1–38. Math. Soc. Japan, Tokyo, 2001. 13

# Index

\*, 27	GaussianBinomial, 15
	GaussianFactorial, 15
AntiAutomorphismTau, 26	GaussNumber, 14
AntipodeMap, 29	GenericModule, 33
ApplyWeylElement, 18	GetBraidRelations, 19
AutomorphismOmega, 26	
AutomorphismTalpha, 27	$ exttt{HighestWeightModule}$
Davidust amanush i am 26	for a quantized env. alg., 30
BarAutomorphism, 26	for a universal env. alg, 46
BilinearFormMatNF, 16	HighestWeightsAndVectors, $35$
CanonicalBasis, 40	HWModuleByGenerator, $32$
Canonical Mapping, 23, 33	${\tt HWModuleByTensorProduct}, 31$
ComultiplicationMap, 29	T 1 1000W 1 1 22
CounitMap, 29	InducedQEAModule, 32
CrystalBasis, 43	IrreducibleQuotient, 30
CrystalGraph	IsomorphismOfTensorModules, 36
for a module, 45	LengthOfWeylWord, 18
for root system and weight, 39	LongestWeylWord, 18
CrystalVectors, 43	LongWords, 20
	LSSequence, 38
DiagramAutomorphism, 27	
DIYModule, 31	MinusculeModule, 33
DominantLSPath, 37	MonomialElements, 41
DualAlgebraModule, 34	
	ObjByExtRep, 21
Ealpha	PBWElements, 40
for a crystal vector, 44	PositiveRootsInConvexOrder, 17
for a module element, 43	PositiveRootsNF, 16
for a PBW-monomial, 40	PrincipalMonomial, 42
for an LS-path, 38	Principal Monomial, 42
EndWeight, 38	_q, 14
ExchangeElement, 19	QEAAntiAutomorphism, 26
ExtRepOfObj, 22	QEAAutomorphism, 25
Falpha	QEAHomomorphism, 24
for a crystal vector, 44	QuantizedUEA, 20
for a module element, 42	QuantumField, 14
for a PBW-monomial, 39	QuantumParameter, 23
for an LS-path, 37	QUEAToUEAMap, 46
101 an Lo-pani, 31	* * * * * * * * * * * * * * * * * * *

```
ReadModuleFromFile, 36
ReadQEAFromFile, 23
ReducedWordIterator, 19
RMatrix, 36
RootSystem, 15
{\tt SimpleRootsAsWeights, 17}
SimpleSystemNF, 17
{\tt StringMonomial}, {\tt 42}
Strings, 41
TensorPower, 28
{\tt TensorProductOfAlgebraModules, 32}
TrivialAlgebraModule, 35
U2Module, 33
UEA, 45
UnderlyingLieAlgebra, 45
UseTwistedHopfStructure, 28
WeightsAndVectors, 35
WeylWord, 38
WriteModuleToFile, 36
WriteQEAToFile, 23
```