

LV Switchgear

TECHNO-COMMERCIAL OFFER

Customer: BYD
Project:

Ref No: TE-713-032026-R5

Dated: 05-05-2026



HEAD OFFICE AND FACILITY LAHORE:

Tajj Garh Road, Yadgar
Shuhada Stop, G.T. Road,
Manawan, Lahore, Pakistan

+92 42 36522861-62-63

info@tariqelectric.com

SALES OFFICE FAISLABAD:

First Floor, P8/A, Chudhary Center,
Faisal Town Near National Bank,
West Canal Road, Faislabad

+92 301 1153541

SALES OFFICE KARACHI:

1st Floor, MA Tabba Foundation
Building, Gizri Road, Block 9,
Clifton, Karachi.

+92 301 1163120

SAP Business
One



M/S: BYD

Ref No: TE-713-032026-R5

Dated: 05-05-2026

Attn.: Mr. Adnan Muhammad Yahya

Sub.: Quotation for Supply of LV Switchgear

Dear Sir,

Reference your mail enquiry regarding quotation for the supply of subject items. We are pleased to submit our offer as per following attachments;

T & C	General Terms & Conditions	01	Page
Annex-A	Commercial Submittal	02	Pages
Annex-B	Technical Submittal	19	Pages

We are sure you will find our prices extremely attractive and look forward to the pleasure of receiving your valued order. Should you require any further clarifications on the above, please do not hesitate to get in touch with us.

Thanking you in anticipation and assuring you of our best services all the time.

Truly Yours,

FOR Tariq Electric (Pvt.) Ltd.

Ahtisham Siddiqui
BDM - South Region
0301-1163120

Sajid Munir
General Manager
0301-1198441

Muhammad Haris
CEO
0300-8492515



Ref No: TE-713-032026-R5

Dated: 05-05-2026

No. of Pages: 01

"Annex A"
GENERAL TERMS & CONDITIONS:
M/S: BYD

Payment Terms	Our standard payment terms are 50% payment in advance with purchase order and Balance 50% on final successful inspection Prior to delivery.
G.S.T & Taxes:	Quoted Prices are exclusive of GST/SGST/VAT/SED which will be charged additionally as applicable according to the law of Government of Pakistan. 18% GST applicable currently. We are exempted from deduction of income tax (withholding tax), copy of certificate will be provided with the invoice. Please do not deduct this from our payment
NTN No.	3014488-4 STRN No. 310850013655
Validity:	Our offer validity is 04 days subject to not change of prices terms and conditions.
Prices:	Offered prices are based on the LME and current rate of copper and sheet metal. Any variation more than +2% will be on customer account. Prices are calculated on present custom duties and government taxes, any change in government regulation will be on customer account. We have taken stock rate @ 1USD=300 PKR . Any change in exchange rate greater than 1% , the difference will be charged additional with the customer. Change in government-imposed duties and taxes at the time of import of material against customers confirmed Purchase order during manufacturing will also on customer account. Our prices are based on the current forex rate USD/Euro, any increase in forex rates on shipment arrival will be charged at actual at the time of final invoice before delivery.
Delivery:	within 10~12 Weeks, at Ex-Works, Lahore Basis , and it will start from confirmation of fully technically and commercially clarified order with advance payment. Delivery date may vary due to unavoidable circumstances like global shipment delays, late L/C approvals from bank, late clearance at port, Strikes, Govt Holidays, Lockdown, Pandemic, etc. it is subject to uninterrupted supply chain, production, continues working days and logistics. Delivery will make in standard packing. wooden packing and Insurance charges will be on customer account.
Warranty:	Our supplied equipment will cover the warranty for the period of One Year from the date of supply. Warranty only covers the malfunctioning of components. Our liability excludes natural wear and tear, defects arising after transfer of risk owing to transport risks, installation, operations, maintenance or use of fuels lubricants etc. contrary to our manual and instructions. Any damage during transportation, loading, unloading and installation will not cover product warranty.
Delay in Pick up:	Incase delivery is not taken by you within 14 days of our notification of readiness, storage charges @ 0.1% of total PO Value per week will charge from customer. If delay is more than 4 weeks, Material may scrapped.
Cancellation of Order:	Following charges will be applied when a cancellation will be applied. 10% - Order received and entered on factory, work not started. 30% - Drawings for approval submitted. 40% - Job released for manufacturing. 60% - Material accumulated and production started. 80% - Readiness of Job. 100% - On FAT
L/D Clause:	Our current offer and commercial agreement is excluding from any L/D Clause. We will not liable for any liquidated damages, consequential and indirect damages.
Force Majeure:	For any delay or failure to deliver the equipment on account of Force Majeure reasons such as war, military operations, revolution, strike, go-slow, lockout, riots, fire, floods, epidemic, loss of material in transit, power supply interruptions, unavoidable delays with sub-supplier directly or indirectly and such other reasons not incorporated in this clause and unpredictable at present being beyond our control remedy, we shall not be held responsible and the delivery period shall be extended suitably and/or revised prices paid by you.
Note:	MCCB copper links will be provided greater than 100A. Cable glands are out of our scope of supply. Our offer is strictly limited to the supply equipment's as per attached BOQ. Any deviation shall be charged as per actual on customer's account.
	2) Installation Supervision, Testing and Commissioning at site is NOT in our scope of work. Unloading, Panel placement, cable termination, cable laying, panel coupling at site is NOT in our scope. FAT, Air Ticket & Hotel Booking is NOT in our Scope.

**HEAD OFFICE AND
FACILITY LAHORE:**

 Tajj Garh Road, Yadgar
 Shuhada Stop, G.T. Road,
 Manawan, Lahore, Pakistan

☎ +92 42 36522861-62-63

✉ info@tariqelectric.com

**SALES OFFICE
FAISLABAD:**

 First Floor, PG/A, Chudhary Center,
 Faisal Town Near National Bank,
 West Canal Road, Faislabad

☎ +92 301 1153541

**SALES OFFICE
KARACHI:**

 1st Floor, MA Tabba Foundation
 Building, Gizri Road, Block 9,
 Clifton, Karachi.

☎ +92 301 1163120

**SAP Business
One**


Ref No: TE-713-032026-R5

Dated: 05-05-2026

"Annex A"

Commercial Submittal						
For Supply of LV Switchgear						
M/S: BYD						
BYD Sr. #	Item Description	Unit (A)	Qty (B)	Supply Unit Rate (PKR)	Supply Total Rate (PKR)	Installation Total Rate (PKR)
	LV SWITCHGEAR					
1.1.1, 1.1.2, 1.1.3, 1.1.4, 2.1.1)-	(ABB Sen Plus Type Tested Panel) Body Welding Shop 1T1 (2000 KVA)(85KA) (Form 4b Type 6)	1	No.	27,951,000	27,951,000	800,000
1.1.5, 1.1.6, 1.1.7, 1.1.8, 1.1.9, 1.1.10, 2.1.2)-	(ABB Sen Plus Type Tested Panel) Body Welding Shop 1T3 (1600 KVA)(70KA) (Form 4b Type 6)	1	No.	43,471,000	43,471,000	1,000,000
1.1.11, 1.1.1, 2.1.1, 13,1.1, 14,1, 1.15,2, 1.3)-	(ABB Sen Plus Type Tested Panel) Body Welding Shop 1T4 (1000 KVA)(70KA) (Form 4b Type 6)	1	No.	34,261,000	34,261,000	600,000
1.1.16, 1.1.1, 7,1.1, 18,1.1, 19,1, 1.20,2, 1.4)-	(ABB Sen Plus Type Tested Panel) General Assembly Shop 3T1 (2500 KVA) (70KA)(Form 4b Type 6)	1	No.	55,128,000	55,128,000	1,100,000

**HEAD OFFICE AND
FACILITY LAHORE:**

 Taj Garh Road, Yadgar
 Shuhada Stop, G.T. Road,
 Manawar, Lahore, Pakistan

☎ +92 42 36522861-62-63

✉ info@tariqelectric.com

**SALES OFFICE
FAISLABAD:**

 First Floor, PG/A, Chudhary Center,
 Faisal Town Near National Bank,
 West Canal Road, Faislaabad

☎ +92 301 1153541

**SALES OFFICE
KARACHI:**

 1st Floor, MA Tabba Foundation
 Building, Gizri Road, Block 9,
 Clifton, Karachi.

☎ +92 301 1163120

SAP Business
One


Ref No: TE-713-032026-R5

Dated: 05-05-2026

Commercial Submittal						"Annex A"
For Supply of LV Switchgear						
M/S: BYD						
BYD Sr. #	Item Description	Unit (A)	Qty (B)	Supply Unit Rate (PKR)	Supply Total Rate (PKR)	Installation Total Rate (PKR)
1.1.21, 1.1.2, 2.1.1, 23.1.1, 24.2.1.5)-	(ABB Sen Plus Type Tested Panel) General Assembly Shop 3T2 (1600 KVA) (70KA) (Form 4b Type 6)	1	No.	32,447,000	32,447,000	600,000
(Supply)Total Exclusive of G.S.T PKR :					193,258,000	
18% G.S.T PKR :					34,786,440	
(Supply)Total Inclusive of G.S.T PKR :					228,044,440	
(Services)Total Exclusive of G.S.T PKR :					4,100,000	
18% G.S.T PKR :					738,000	
(Services)Total Inclusive of G.S.T PKR :					4,838,000	
	BTD					
	Body Welding Shop 1T1					
1	Supply of BTD for 4000A with following Tin Coated Local Copper Bus Bar 99.9 % . Between T/F & LV Panel 80 x 10 x 4Nos For Each Phase 80 x 10 x 4Nos For Neutral	1	Mtr.	959,223	959,223	
2	Flexible Links For 4000A .	1	Mtr.	1,065,803	1,065,803	
	Body Welding Shop 1T3					
1	Supply of BTD for 3200A with following Tin Coated Local Copper Bus Bar 99.9 % . Between T/F & LV Panel 80 x 10 x 4Nos For Each Phase 80 x 10 x 4Nos For Neutral	1	Mtr.	959,223	959,223	
2	Flexible Links For 3200A .	1	Mtr.	1,065,803	1,065,803	
	Body Welding Shop 1T4					

HEAD OFFICE AND FACILITY LAHORE:

 Tajj Garh Road, Yadgar
 Shuhada Stop, G.T. Road,
 Manawan, Lahore, Pakistan

☎ +92 42 36522861-62-63

✉ info@tariqelectric.com

SALES OFFICE FAISLABAD:

 First Floor, PG/A, Chudhary Center,
 Faisal Town Near National Bank,
 West Canal Road, Faisalabad

☎ +92 301 1153541

SALES OFFICE KARACHI:

 1st Floor, MA Tabba Foundation
 Building, Gizri Road, Block 9,
 Clifton, Karachi.

☎ +92 301 1163120

SAP Business One


Ref No: TE-713-032026-R5

Dated: 05-05-2026

Commercial Submittal						"Annex A"
For Supply of LV Switchgear						
M/S: BYD						
BYD Sr. #	Item Description	Unit (A)	Qty (B)	Supply Unit Rate (PKR)	Supply Total Rate (PKR)	Installation Total Rate (PKR)
1	Supply of BTB for 2000A with following Tin Coated Local Copper Bus Bar 99.9 % . Between T/F & LV Panel 60 x 5 x 4Nos For Each Phase 60 x 5 x 4Nos For Neutral	1	Mtr.	425,478	425,478	
2	Flexible Links For 2000A .	1	Mtr.	472,753	472,753	
	Body Welding Shop 3T1					
1	Supply of BTB for 4000A with following Tin Coated Local Copper Bus Bar 99.9 % . Between T/F & LV Panel 80 x 10 x 4Nos For Each Phase 80 x 10 x 4Nos For Neutral	1	Mtr.	959,223	959,223	
2	Flexible Links For 4000A .	1	Mtr.	1,065,803	1,065,803	
	Body Welding Shop 3T2					
1	Supply of BTB for 3200A with following Tin Coated Local Copper Bus Bar 99.9 % . Between T/F & LV Panel 80 x 10 x 4Nos For Each Phase 80 x 10 x 4Nos For Neutral	1	Mtr.	959,223	959,223	
2	Flexible Links For 3200A .	1	Mtr.	1,065,803	1,065,803	
	1T1 To 1T3 BTB					
1	Supply of BTB for 3200A with following Tin Coated Local Copper Bus Bar 99.9 % . 80 x 10 x 4Nos For Each Phase 80 x 10 x 4Nos For Neutral	5	Mtr.	959,223	4,796,114	
2	Flexible Links For 3200A .	1	Mtr.	1,065,803	1,065,803	
Total Exclusive of G.S.T PKR :					14,860,251	

Note:

BTB Links Prices are given as unit quantity it will calculate later on as per actual size layout.

Ahtisham Siddiqui
 BDM - South Region
 0301-1163120

Muhammad Haris
 CEO
 0300-8492515

HEAD OFFICE AND FACILITY LAHORE:

 Taj Garh Road, Yadgar
 Shuhada Stop, G.T. Road,
 Manawan, Lahore, Pakistan

☎ +92 42 36522861-62-63

✉ info@tariqelectric.com

SALES OFFICE FAISLABAD:

 First Floor, PG/A, Chudhary Center,
 Faisal Town Near National Bank,
 West Canal Road, Faisalabad

☎ +92 301 1153541

SALES OFFICE KARACHI:

 1st Floor, MA Tabba Foundation
 Building, Gizri Road, Block 9,
 Clifton, Karachi.

☎ +92 301 1163120

SAP Business One


Ref No: TE-713-032026-R5

Dated: 05-05-2026

					"Annex B"
BOQ - LV Switchgear					
For Supply of LV Switchgear					
M/S: BYD					
1.1.1,1.1.1. (ABB Sen Plus Type Tested Panel) Body Welding 2,1.1.3,1.1.3. Shop 1T1 (2000 KVA)(85KA) (Form 4b Type 6) 1.4,2.1.1.1.					Qty 01 No.
Indoor (IP-42) MBB rated @ 35C'					
Sr. #	Item Description	Country Region	Make	Model	Qty
Incomings					01 No.
1	ACB TP 4000A, 100KA @ 400VAC with Drawable (EKIP Touch LSIG)	Europe	ABB	E4.2H 4000	01 No.
2	Motor Mechanism @ 220V AC	Europe	ABB	E4.2H	01 No.
3	Shunt Opening/Closing @ 220V AC	Europe	ABB	E4.2H	02 No.
4	UVT @ 220V AC	Europe	ABB	E4.2H	01 No.
5	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	01 No.
6	Current Transformers 4000/5A	Pakistan	Metelx / Fico	STD.	03 No.
7	Surge Protection Device FP 100KA	Germany	Phoenix/Equ	STD.	01 No.
8	HRC Fuse 125A Box	Germany	Effen / Eqv.	STD.	01 No.
9	14 Pin Industrial Relay	Poland	Relpol / Eqv.	STD.	02 No.
10	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	02 No.
11	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	03 No.
12	Phase Indication Lights R,Y,B	Taiwan	Camsco/Eqv.	STD.	03 No.
13	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	05 No.
Outgoing					
1	ACB TP 1250A, 100KA @ 400VAC with Drawable (EKIP Touch LSIG)	Europe	ABB	E2.2H 1250	02 No.
2	Motor Mechanism @ 220V AC	Europe	ABB	E2.2H	02 No.
3	Shunt Opening/Closing @ 220V AC	Europe	ABB	E2.2H	04 No.
4	UVT @ 220V AC	Europe	ABB	E2.2H	02 No.
5	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	02 No.
6	Current Transformers 1200/5A	Pakistan	Metelx / Fico	STD.	06 No.
7	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	04 No.
8	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	06 No.
9	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	10 No.
10	ACB TP 1600A, 100KA @ 400VAC with Drawable (EKIP Touch LSIG)	Europe	ABB	E2.2H 1600	01 No.
11	Motor Mechanism @ 220V AC	Europe	ABB	E2.2H	01 No.
12	Shunt Opening/Closing @ 220V AC	Europe	ABB	E2.2H	02 No.

HEAD OFFICE AND FACILITY LAHORE:

Taj Garh Road, Yadgar
Shuhada Stop, G.T. Road,
Manawan, Lahore, Pakistan

+92 42 36522861-62-63

info@tariqelectric.com

SALES OFFICE FAISLABAD:

First Floor, P6/A, Chudhary Center,
Faisal Town Near National Bank,
West Canal Road, Faisalabad

+92 301 1153541

SALES OFFICE KARACHI:

1st Floor, MA Tabba Foundation
Building, Gizri Road, Block 8,
Clifton, Karachi.

+92 301 1163120



Ref No: TE-713-032026-R5

Dated: 05-05-2026

					"Annex B"
BOQ - LV Switchgear					
For Supply of LV Switchgear					
M/S: BYD					
13	UVT @ 220V AC	Europe	ABB	E2.2H	01 No.
14	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	01 No.
15	Current Transformers 1600/5A	Pakistan	Metelx / Fico	STD.	03 No.
16	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	02 No.
17	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	03 No.
18	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	05 No.
(1600A LBS Feeder for 800 KVAR)					
1	Load Break Switch TP 1600A	Europe	ABB	OT1600E03P	01 No.
2	Automatic Digital PFI Relay 24-Steps	Turkey	Klemsan/ Eqv.	STD.	01 No.
3	Current Transformers 4000/5A	Pakistan	Metelx / Fico	STD.	03 No.
4	Aux. Contact Relay 4NO+4NC	Japan	Fuji/Equ.	STD	03 No.
5	Auto-off-Manual Selector Switch	Taiwan	Camsco/Eqv.	STD.	01 No.
6	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	04 No.
7	Terminal Block	Turkey	Klemsan/ Eqv.	STD.	01 Set.
8	Panel Exhaust Fan with thermostate		Imported	STD.	01 Set.
PFI 400 KVAR (1ACC1)(Bank-01)					
1	12.5 KVAR Stage @ 400V				02 No.
2	Power Capacitor 17.2KVAR -525V	ITALY	GRUPPO ENERGIA	STD	02 No.
3	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 16-30-10 RA	02 No.
4	Detuned Reactor 14% -400V	ITALY	GRUPPO ENERGIA	STD	02 No.
5	HRC Fuse 80A with Box	Germany	Effen / Eqv.	STD	02 No.
6	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD	04 No.
7	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD	04 No.
1	25KVAR Stage @ 400V				03 No.
2	Power Capacitor 34.4KVAR -525V	ITALY	GRUPPO ENERGIA	STD	03 No.
3	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 30-30-10 RA	03 No.
4	Detuned Reactor 14% -400V	ITALY	GRUPPO ENERGIA	STD	03 No.
5	HRC Fuse 200A with Box	Germany	Effen / Eqv.	STD	03 No.
6	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD	06 No.
7	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD	06 No.
1	50KVAR Stage @ 400V				06 No.
3	Power Capacitor 34.4KVARx2 -525V	ITALY	GRUPPO ENERGIA	STD	06 No.
4	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 63-30-00 RA	06 No.
5	Detuned Reactor 14% -400V	ITALY	GRUPPO ENERGIA	STD	06 No.
6	HRC Fuse 200A with Box	Germany	Effen / Eqv.	STD	06 No.

HEAD OFFICE AND FACILITY LAHORE:

Taj Garh Road, Yadgar
Shuhada Stop, G.T. Road,
Manawan, Lahore, Pakistan

+92 42 36522861-62-63

info@tariqelectric.com

SALES OFFICE FAISLABAD:

First Floor, P6/A, Chudhary Center,
Faisal Town Near National Bank,
West Canal Road, Faisalabad

+92 301 1153541

SALES OFFICE KARACHI:

1st Floor, MA Tabba Foundation
Building, Gizri Road, Block 8,
Clifton, Karachi.

+92 301 1163120



Ref No: TE-713-032026-R5

Dated: 05-05-2026

"Annex B"					
BOQ - LV Switchgear					
For Supply of LV Switchgear					
M/S: BYD					
7	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD	12 No.
8	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD	12 No.
PFI 400 KVAR (1ACC1)(Bank-02)					
1	25KVAR Stage @ 400V				04 No.
2	Power Capacitor 34.4KVAR -525V	ITALY	GRUPPO ENERGIA	STD	04 No.
3	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 30-30-10 RA	04 No.
4	Detuned Reactor 14% -400V	ITALY	GRUPPO ENERGIA	STD	04 No.
5	HRC Fuse 200A with Box	Germany	Effen / Eqv.	STD	04 No.
6	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD	08 No.
7	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD	08 No.
50KVAR Stage @ 400V					
1	Power Capacitor 34.4KVAR x 2 -525V	ITALY	GRUPPO ENERGIA	STD	06 No.
2	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 63-30-00 RA	06 No.
3	Detuned Reactor 14% -400V	ITALY	GRUPPO ENERGIA	STD	06 No.
4	HRC Fuse 200A with Box	Germany	Effen / Eqv.	STD	06 No.
5	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD	12 No.
6	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD	12 No.
1.1.5,1.1. 6,1.1.7,1. 1.8,1.1.9, (ABB Sen Plus Type Tested Panel) Body Welding 1.1.10.2. Shop 1T3 (1600 KVA)(70KA) (Form 4b Type 6) 1.2)-					
Qty 01 No.					
Indoor (IP-42) MBB rated @ 35C'					
Sr. #	Item Description		Make	Model	Qty
Incomings					
01 No.					
1	ACB TP 3200A, 100KA @ 400VAC with Drawable (EKIP Touch LSIG)	Europe	ABB	E4.2H 3200	01 No.
2	Motor Mechanism @ 220V AC	Europe	ABB	E4.2H	01 No.
3	Shunt Opening/Closing @ 220V AC	Europe	ABB	E4.2H	02 No.
4	UVT @ 220V AC	Europe	ABB	E4.2H	01 No.
5	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	01 No.
6	Current Transformers 3200/5A	Pakistan	Metelx / Fico	STD.	03 No.
7	Surge Protection Device FP 100KA	Germany	Phoenix/Equ	STD.	01 No.
8	HRC Fuse 125A Box	Germany	Effen / Eqv.	STD.	01 No.

HEAD OFFICE AND FACILITY LAHORE:

Taj Garh Road, Yadgar
Shuhada Stop, G.T. Road,
Manawan, Lahore, Pakistan

+92 42 36522861-62-63

info@tariqelectric.com

SALES OFFICE FAISLABAD:

First Floor, PB/A, Chudhary Center,
Faisal Town Near National Bank,
West Canal Road, Faisalabad

+92 301 1153541

SALES OFFICE KARACHI:

1st Floor, MA Tabba Foundation
Building, Gizri Road, Block B,
Clifton, Karachi.

+92 301 1163120



Ref No: TE-713-032026-R5

Dated: 05-05-2026

"Annex B"					
BOQ - LV Switchgear					
For Supply of LV Switchgear					
M/S: BYD					
9	14 Pin Industrial Relay	Poland	Relpol / Eqv.	STD.	02 No.
10	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	02 No.
11	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	03 No.
12	Phase Indication Lights R,Y,B	Taiwan	Camsco/Eqv.	STD.	03 No.
13	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	06 No.
Outgoing (Drawout cassette-type feeder)					
1	MCCB TP 100A, 70KA @ 400V AC (LSI)	Europe	ABB	XT2H 160	03 No.
2	Extendable Rotary Handle For MCCB	Europe	ABB	XT2	03 No.
3	Auxiliary Contact For MCCB (1Q For On/Off Contact)(OF)	Europe	ABB	XT2	03 No.
4	Shunt coil @ 220V AC (MX)	Europe	ABB	XT2	03 No.
5	Digital Ampere Meter (48 x 48)	Pakistan	Fico / Eqv.	STD.	03 No.
6	Ampere Selector Switch	Taiwan	Camsco/Eqv.	STD.	03 No.
7	Current Transformers 100/5A	Pakistan	Metelx / Fico	STD.	09 No.
8	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD.	06 No.
9	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	09 No.
10	MCCB TP 160A, 70KA @ 400V AC (LSI)	Europe	ABB	XT2H 160	01 No.
11	Extendable Rotary Handle For MCCB	Europe	ABB	XT2	01 No.
12	Auxiliary Contact For MCCB (1Q For On/Off Contact)(OF)	Europe	ABB	XT2	01 No.
13	Shunt coil @ 220V AC (MX)	Europe	ABB	XT2	01 No.
14	Digital Ampere Meter (48 x 48)	Pakistan	Fico / Eqv.	STD.	01 No.
15	Ampere Selector Switch	Taiwan	Camsco/Eqv.	STD.	01 No.
16	Current Transformers 200/5A	Pakistan	Metelx / Fico	STD.	03 No.
17	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD.	02 No.
18	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	03 No.
19	ACB TP 800A, 100KA @ 400V AC with Drawable (EKIP Touch LSI)(Set as @ 400A)	Europe	ABB	E2.2H 800	02 No.
20	Motor Mechanism @ 220V AC	Europe	ABB	E2.2H	02 No.
21	Shunt Opening/Closing @ 220V AC	Europe	ABB	E2.2H	04 No.
22	UVT @ 220V AC	Europe	ABB	E2.2H	02 No.
23	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	02 No.
24	Current Transformers 400/5A	Pakistan	Metelx / Fico	STD.	06 No.
25	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	04 No.
26	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	06 No.
27	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	10 No.

HEAD OFFICE AND FACILITY LAHORE:

 Taj Garh Road, Yadgar
 Shuhada Stop, G.T. Road,
 Manawan, Lahore, Pakistan

☎ +92 42 36522861-62-63

✉ info@tariqelectric.com

SALES OFFICE FAISLABAD:

 First Floor, P6/A, Chudhary Center,
 Faisal Town Near National Bank,
 West Canal Road, Faisalabad

☎ +92 301 1153541

SALES OFFICE KARACHI:

 1st Floor, MA Tabba Foundation
 Building, Gizri Road, Block 9,
 Clifton, Karachi.

☎ +92 301 1163120



Ref No: TE-713-032026-R5

Dated: 05-05-2026

					"Annex B"
BOQ - LV Switchgear					
For Supply of LV Switchgear					
M/S: BYD					
28	MCCB TP 250A, 70KA @ 400VAC (LSI)	Europe	ABB	XT4H 250	04 No.
29	Extendable Rotary Handle For MCCB	Europe	ABB	XT4	04 No.
30	Auxiliary Contact For MCCB (1Q For On/Off Contact)(OF)	Europe	ABB	XT4	04 No.
31	Shunt coil @ 220V AC (MX)	Europe	ABB	XT4	04 No.
32	Digital Ampere Meter (48 x 48)	Pakistan	Fico / Eqv.	STD.	04 No.
33	Ampere Selector Switch	Taiwan	Camsco/Eqv.	STD.	04 No.
34	Current Transformers 250/5A	Pakistan	Metelx / Fico	STD.	12 No.
35	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD.	08 No.
36	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	12 No.
37	ACB TP 800A, 100KA @ 400V AC with Drawable (EKIP Touch LSI)(Set as @ 630A)	Europe	ABB	E2.2H 800	03 No.
38	Motor Mechanism @ 220V AC	Europe	ABB	E2.2H	03 No.
39	Shunt Opening/Closing @ 220V AC	Europe	ABB	E2.2H	06 No.
40	UVT @ 220V AC	Europe	ABB	E2.2H	03 No.
41	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	03 No.
42	Current Transformers 600/5A	Pakistan	Metelx / Fico	STD.	09 No.
43	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	06 No.
44	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	09 No.
45	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	15 No.
46	ACB TP 800A, 100KA @ 400V AC with Drawable (EKIP Touch LSI)	Europe	ABB	E2.2H 800	01 No.
47	Motor Mechanism @ 220V AC	Europe	ABB	E2.2H	01 No.
48	Shunt Opening/Closing @ 220V AC	Europe	ABB	E2.2H	02 No.
49	UVT @ 220V AC	Europe	ABB	E2.2H	01 No.
50	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	01 No.
51	Current Transformers 800/5A	Pakistan	Metelx / Fico	STD.	03 No.
52	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	02 No.
53	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	03 No.
54	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	05 No.
55	ACB TP 1250A, 100KA @ 400VAC with Drawable (EKIP Touch LSI)	Europe	ABB	E2.2H 1250	01 No.
56	Motor Mechanism @ 220V AC	Europe	ABB	E2.2H	01 No.
57	Shunt Opening/Closing @ 220V AC	Europe	ABB	E2.2H	02 No.
58	UVT @ 220V AC	Europe	ABB	E2.2H	01 No.
59	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	01 No.

HEAD OFFICE AND FACILITY LAHORE:

 Taj Garh Road, Yadgar
 Shuhada Stop, G.T. Road,
 Manawan, Lahore, Pakistan

☎ +92 42 36522861-62-63

✉ info@tariqelectric.com

SALES OFFICE FAISLABAD:

 First Floor, P6/A, Chudhary Center,
 Faisal Town Near National Bank,
 West Canal Road, Faisalabad

☎ +92 301 1153541

SALES OFFICE KARACHI:

 1st Floor, MA Tabba Foundation
 Building, Gizri Road, Block 9,
 Clifton, Karachi.

☎ +92 301 1163120



Ref No: TE-713-032026-R5

Dated: 05-05-2026

					"Annex B"
BOQ - LV Switchgear					
For Supply of LV Switchgear					
M/S: BYD					
60	Current Transformers 1200/5A	Pakistan	Metelx / Fico	STD.	03 No.
61	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	02 No.
62	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	03 No.
63	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	05 No.
64	ACB TP 3200A, 100KA @ 400VAC with Drawable (EKIP Touch LSIG)	Europe	ABB	E4.2H 3200	01 No.
65	Motor Mechanism @ 220V AC	Europe	ABB	E4.2H	01 No.
66	Shunt Opening/Closing @ 220V AC	Europe	ABB	E4.2H	02 No.
67	UVT @ 220V AC	Europe	ABB	E4.2H	01 No.
68	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	01 No.
69	Current Transformers 3200/5A	Pakistan	Metelx / Fico	STD.	03 No.
70	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	02 No.
71	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	03 No.
72	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	05 No.
1250A LBS Feeder for 650KVAR					
1	Load Break Switch TP 1250A	Europe	ABB	OT1250E03P	01 No.
2	Automatic Digital PFI Relay 24-Steps	Turkey	Klemsan/ Eqv.	STD.	01 No.
3	Current Transformers 3200/5A	Pakistan	Metelx / Fico	STD.	03 No.
4	Aux. Contact Relay 4NO+4NC	Japan	Fuji/Equ.	STD	04 No.
5	Auto-off-Manual Selector Switch	Taiwan	Camsco/Eqv.	STD.	01 No.
6	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	04 No.
7	Terminal Block	Turkey	Klemsan/ Eqv.	STD.	01 Set.
8	Panel Exhaust Fan with thermostate		Imported	STD.	01 Set.
PFI 325 KVAR (3ACC1)(Bank-01)					
1	12.5 KVAR Stage @ 400V				02 No.
2	Power Capacitor 15.5KVAR -480V	ITALY	GRUPPO ENERGIA	STD	02 No.
3	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 16-30-10 RA	02 No.
4	Detuned Reactor 7% -400V	ITALY	GRUPPO ENERGIA	STD	02 No.
5	HRC Fuse 80A with Box	Germany	Effen / Eqv.	STD	02 No.
6	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD	04 No.
7	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD	04 No.
1	25KVAR Stage @ 400V				02 No.
2	Power Capacitor 31.1KVAR -480V	ITALY	GRUPPO ENERGIA	STD	02 No.
3	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 30-30-10 RA	02 No.
4	Detuned Reactor 7% -400V	ITALY	GRUPPO ENERGIA	STD	02 No.

**HEAD OFFICE AND
FACILITY LAHORE:**

 Taj Garh Road, Yadgar
 Shuhada Stop, G.T. Road,
 Manawan, Lahore, Pakistan

☎ +92 42 36522861-62-63

✉ info@tariqelectric.com

**SALES OFFICE
FAISLABAD:**

 First Floor, P6/A, Chudhary Center,
 Faisal Town Near National Bank,
 West Canal Road, Faisalabad

☎ +92 301 1153541

**SALES OFFICE
KARACHI:**

 1st Floor, MA Tabba Foundation
 Building, Gizri Road, Block 9,
 Clifton, Karachi.

☎ +92 301 1163120



Ref No: TE-713-032026-R5

Dated: 05-05-2026

BOQ - LV Switchgear						"Annex B"
For Supply of LV Switchgear						
M/S: BYD						
5	HRC Fuse 200A with Box	Germany	Effen / Eqv.	STD		02 No.
6	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD		04 No.
7	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD		04 No.
1	50KVAR Stage @ 400V					05 No.
3	Power Capacitor 31.1KVAR x2 -480V	ITALY	GRUPPO ENERGIA	STD		05 No.
4	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 63-30-00 RA		05 No.
5	Detuned Reactor 7% -400V	ITALY	GRUPPO ENERGIA	STD		05 No.
6	HRC Fuse 200A with Box	Germany	Effen / Eqv.	STD		05 No.
7	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD		10 No.
8	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD		10 No.
PFI 325 KVAR (3ACC1)(Bank-02)						
1	25KVAR Stage @ 400V					03 No.
2	Power Capacitor 31.1KVAR -480V	ITALY	GRUPPO ENERGIA	STD		03 No.
3	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 30-30-10 RA		03 No.
4	Detuned Reactor 7% -400V	ITALY	GRUPPO ENERGIA	STD		03 No.
5	HRC Fuse 200A with Box	Germany	Effen / Eqv.	STD		03 No.
6	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD		06 No.
7	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD		06 No.
1	50KVAR Stage @ 400V					05 No.
3	Power Capacitor 31.1KVAR x2 -480V	ITALY	GRUPPO ENERGIA	STD		05 No.
4	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 63-30-00 RA		05 No.
5	Detuned Reactor 7% -400V	ITALY	GRUPPO ENERGIA	STD		05 No.
6	HRC Fuse 200A with Box	Germany	Effen / Eqv.	STD		05 No.
7	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD		10 No.
8	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD		10 No.
1.1.11,1. 1.12,1.1. (ABB Sen Plus Type Tested Panel) Body Welding 13,1.1.14 Shop 1T4 (1000 KVA)(70KA) (Form 4b Type 6) 1.1.15,2. 1.3)-						Qty 01 No.
Indoor (IP-42) MBB rated @ 35C'						
Sr. #	Item Description		Make	Model		Qty
	Incomings					01 No.



Ref No: TE-713-032026-R5

Dated: 05-05-2026

					"Annex B"
BOQ - LV Switchgear					
For Supply of LV Switchgear					
M/S: BYD					
1	ACB TP 2000A, 100KA @ 400VAC with Drawable (Ekip Touch LSIG)	Europe	ABB	E2.2H 2000	01 No.
2	Motor Mechanism @ 220V AC	Europe	ABB	E2.2H	01 No.
3	Shunt Opening/Closing @ 220V AC	Europe	ABB	E2.2H	02 No.
4	UVT @ 220V AC	Europe	ABB	E2.2H	01 No.
5	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	01 No.
6	Current Transformers 2000/5A	Pakistan	Metelx / Fico	STD.	03 No.
7	Surge Protection Device FP 100KA	Germany	Phoenix/Equ	STD.	01 No.
8	HRC Fuse 125A Box	Germany	Effen / Eqv.	STD.	01 No.
9	14 Pin Industrial Relay	Poland	Relpol / Eqv.	STD.	02 No.
10	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	02 No.
11	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	03 No.
12	Phase Indication Lights R,Y,B	Taiwan	Camsco/Eqv.	STD.	03 No.
13	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	06 No.
Outgoing(Drawout cassette-type feeder)					
1	MCCB TP 100A, 70KA @ 400V AC (LSI)	Europe	ABB	XT2H 160	03 No.
2	Extendable Rotary Handle For MCCB	Europe	ABB	XT2	03 No.
3	Auxiliary Contact For MCCB (1Q For On/Off Contact)(OF)	Europe	ABB	XT2	03 No.
4	Shunt coil @ 220V AC (MX)	Europe	ABB	XT2	03 No.
5	Digital Ampere Meter (48 x 48)	Pakistan	Fico / Eqv.	STD.	03 No.
6	Ampere Selector Switch	Taiwan	Camsco/Eqv.	STD.	03 No.
7	Current Transformers 100/5A	Pakistan	Metelx / Fico	STD.	09 No.
8	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD.	06 No.
9	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	09 No.
10	MCCB TP 160A, 70KA @ 400V AC (LSI)	Europe	ABB	XT2H 160	01 No.
11	Extendable Rotary Handle For MCCB	Europe	ABB	XT2	01 No.
12	Auxiliary Contact For MCCB (1Q For On/Off Contact)(OF)	Europe	ABB	XT2	01 No.
13	Shunt coil @ 220V AC (MX)	Europe	ABB	XT2	01 No.
14	Digital Ampere Meter (48 x 48)	Pakistan	Fico / Eqv.	STD.	01 No.
15	Ampere Selector Switch	Taiwan	Camsco/Eqv.	STD.	01 No.
16	Current Transformers 200/5A	Pakistan	Metelx / Fico	STD.	03 No.
17	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD.	02 No.
18	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	03 No.

HEAD OFFICE AND FACILITY LAHORE:

Taj Garh Road, Yadgar
Shuhada Stop, G.T. Road,
Manawan, Lahore, Pakistan

+92 42 36522861-62-63

info@tariqelectric.com

SALES OFFICE FAISLABAD:

First Floor, P6/A, Chudhary Center,
Faisal Town Near National Bank,
West Canal Road, Faisalabad

+92 301 1153541

SALES OFFICE KARACHI:

1st Floor, MA Tabba Foundation
Building, Gizri Road, Block 9,
Clifton, Karachi.

+92 301 1163120



Ref No: TE-713-032026-R5

Dated: 05-05-2026

					"Annex B"
BOQ - LV Switchgear					
For Supply of LV Switchgear					
M/S: BYD					
19	ACB TP 800A, 100KA @ 400V AC with Drawable (EKIP Touch LSI)(Set as @ 400A)	Europe	ABB	E2.2H 800	03 No.
20	Motor Mechanism @ 220V AC	Europe	ABB	E2.2H	03 No.
21	Shunt Opening/Closing @ 220V AC	Europe	ABB	E2.2H	06 No.
22	UVT @ 220V AC	Europe	ABB	E2.2H	03 No.
23	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	03 No.
24	Current Transformers 400/5A	Pakistan	Metelx / Fico	STD.	09 No.
25	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	06 No.
26	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	09 No.
27	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	15 No.
28	MCCB TP 250A, 70KA @ 400VAC (LSI)	Europe	ABB	XT4H 250	01 No.
29	Extendable Rotary Handle For MCCB	Europe	ABB	XT4	01 No.
30	Auxiliary Contact For MCCB (1Q For On/Off Contact)(OF)	Europe	ABB	XT4	01 No.
31	Shunt coil @ 220V AC (MX)	Europe	ABB	XT4	01 No.
32	Digital Ampere Meter (48 x 48)	Pakistan	Fico / Eqv.	STD.	01 No.
33	Ampere Selector Switch	Taiwan	Camsco/Eqv.	STD.	01 No.
34	Current Transformers 250/5A	Pakistan	Metelx / Fico	STD.	03 No.
35	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD.	02 No.
36	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	03 No.
37	ACB TP 800A, 100KA @ 400V AC with Drawable (EKIP Touch LSI)(Set as @ 630A)	Europe	ABB	E2.2H 800	02 No.
38	Motor Mechanism @ 220V AC	Europe	ABB	E2.2H	02 No.
39	Shunt Opening/Closing @ 220V AC	Europe	ABB	E2.2H	04 No.
40	UVT @ 220V AC	Europe	ABB	E2.2H	02 No.
41	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	02 No.
42	Current Transformers 600/5A	Pakistan	Metelx / Fico	STD.	06 No.
43	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	04 No.
44	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	06 No.
45	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	10 No.
46	ACB TP 800A, 100KA @ 400V AC with Drawable (EKIP Touch LSI)	Europe	ABB	E2.2H 800	02 No.
47	Motor Mechanism @ 220V AC	Europe	ABB	E2.2H	02 No.
48	Shunt Opening/Closing @ 220V AC	Europe	ABB	E2.2H	04 No.
49	UVT @ 220V AC	Europe	ABB	E2.2H	02 No.
50	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	02 No.

HEAD OFFICE AND FACILITY LAHORE:

Taj Garh Road, Yadgar
Shuhada Stop, G.T. Road,
Manawan, Lahore, Pakistan

+92 42 36522861-62-63

info@tariqelectric.com

SALES OFFICE FAISLABAD:

First Floor, P6/A, Chudhary Center,
Faisal Town Near National Bank,
West Canal Road, Faisalabad

+92 301 1153541

SALES OFFICE KARACHI:

1st Floor, MA Tabba Foundation
Building, Gizri Road, Block 9,
Clifton, Karachi.

+92 301 1163120



Ref No: TE-713-032026-R5

Dated: 05-05-2026

					"Annex B"
BOQ - LV Switchgear					
For Supply of LV Switchgear					
M/S: BYD					
51	Current Transformers 800/5A	Pakistan	Metelx / Fico	STD.	06 No.
52	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	04 No.
53	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	06 No.
54	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	06 No.
55	ACB TP 2000A, 100KA @ 400VAC with Drawable (Ekip Touch LSIG)	Europe	ABB	E2.2H 2000	01 No.
56	Motor Mechanism @ 220V AC	Europe	ABB	E2.2H	01 No.
57	Shunt Opening/Closing @ 220V AC	Europe	ABB	E2.2H	02 No.
58	UVT @ 220V AC	Europe	ABB	E2.2H	01 No.
59	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	01 No.
60	Current Transformers 2000/5A	Pakistan	Metelx / Fico	STD.	03 No.
61	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	02 No.
62	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	03 No.
63	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	05 No.
630A LBS Feeder for 400KVAR					
1	Load Break Switch TP 630A	Europe	ABB	OT630E03P	01 No.
2	Automatic Digital PFI Relay 12-Steps	Turkey	Klemsan/ Eqv.	STD.	01 No.
3	Current Transformers 2000/5A	Pakistan	Metelx / Fico	STD.	03 No.
4	Aux. Contact Relay 4NO+4NC	Japan	Fuji/Equ.	STD	03 No.
5	Auto-off-Manual Selector Switch	Taiwan	Camsco/Eqv.	STD.	01 No.
6	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	04 No.
7	Terminal Block	Turkey	Klemsan/ Eqv.	STD.	01 Set.
8	Panel Light With Limit Switch		Imported	STD.	01 Set.
9	Panel Exhaust Fan with thermostate		Imported	STD.	01 Set.
PFI 400 KVAR (4ACC1)(Bank-01)					
1	12.5 KVAR Stage @ 400V				02 No.
2	Power Capacitor 15.5KVAR -480V	ITALY	GRUPPO ENERGIA	STD	02 No.
3	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 16-30-10 RA	02 No.

**HEAD OFFICE AND
FACILITY LAHORE:**

 Taj Garh Road, Yadgar
 Shuhada Stop, G.T. Road,
 Manawan, Lahore, Pakistan

☎ +92 42 36522861-62-63

✉ info@tariqelectric.com

**SALES OFFICE
FAISLABAD:**

 First Floor, P6/A, Chudhary Center,
 Faisal Town Near National Bank,
 West Canal Road, Faisalabad

☎ +92 301 1153541

**SALES OFFICE
KARACHI:**

 1st Floor, MA Tabba Foundation
 Building, Gizri Road, Block 8,
 Clifton, Karachi.

☎ +92 301 1163120



Ref No: TE-713-032026-R5

Dated: 05-05-2026

					"Annex B"
BOQ - LV Switchgear					
For Supply of LV Switchgear					
M/S: BYD					
4	Detuned Reactor 7% -400V	ITALY	GRUPPO ENERGIA	STD	02 No.
5	HRC Fuse 80A with Box	Germany	Effen / Eqv.	STD	02 No.
6	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD	04 No.
7	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD	04 No.
1	25KVAR Stage @ 400V				03 No.
2	Power Capacitor 31.1KVAR -480V	ITALY	GRUPPO ENERGIA	STD	03 No.
3	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 30-30-10 RA	03 No.
4	Detuned Reactor 7% -400V	ITALY	GRUPPO ENERGIA	STD	03 No.
5	HRC Fuse 200A with Box	Germany	Effen / Eqv.	STD	03 No.
6	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD	06 No.
7	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD	06 No.
1	50KVAR Stage @ 400V				06 No.
3	Power Capacitor 31.1KVAR x 2 -480V	ITALY	GRUPPO ENERGIA	STD	06 No.
4	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 63-30-00 RA	06 No.
5	Detuned Reactor 7% -400V	ITALY	GRUPPO ENERGIA	STD	06 No.
6	HRC Fuse 200A with Box	Germany	Effen / Eqv.	STD	06 No.
7	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD	12 No.
8	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD	12 No.
1.1.16,1. 1.17,1.1. (ABB Sen Plus Type Tested Panel) General 18,1.1.19 Assembly Shop 3T1 (2500 KVA) (70KA)(Form 4b ,1.1.20,2. Type 6) 1.4)- Indoor (IP-42) MBB rated @ 35C' Qty 01 No.					
Sr. #	Item Description		Make	Model	Qty
	Incomings				01 No.
1	ACB TP 4000A, 100KA @ 400VAC with Drawable (EKIP Touch LSIG)	Europe	ABB	E4.2H 4000	01 No.
2	Motor Mechanism @ 220V AC	Europe	ABB	E4.2H	01 No.
3	Shunt Opening/Closing @ 220V AC	Europe	ABB	E4.2H	02 No.
4	UVT @ 220V AC	Europe	ABB	E4.2H	01 No.
5	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	01 No.
6	Current Transformers 4000/5A	Pakistan	Metelx / Fico	STD.	03 No.
7	Surge Protection Device FP 100KA	Germany	Phoenix/Equ	STD.	01 No.
8	HRC Fuse 125A Box	Germany	Effen / Eqv.	STD.	01 No.

 HEAD OFFICE AND
FACILITY LAHORE:

 Taj Garh Road, Yadgar
Shuhada Stop, G.T. Road,
Manawan, Lahore, Pakistan

☎ +92 42 36522861-62-63

✉ info@tariqelectric.com

 SALES OFFICE
FAISLABAD:

 First Floor, P6/A, Chudhary Center,
Faisal Town Near National Bank,
West Canal Road, Faisalabad

☎ +92 301 1153541

 SALES OFFICE
KARACHI:

 1st Floor, MA Tabba Foundation
Building, Gizri Road, Block 8,
Clifton, Karachi.

☎ +92 301 1163120

 SAP Business
One


Ref No: TE-713-032026-R5

Dated: 05-05-2026

					"Annex B"
BOQ - LV Switchgear					
For Supply of LV Switchgear					
M/S: BYD					
9	14 Pin Industrial Relay	Poland	Relpol / Eqv.	STD.	02 No.
10	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	02 No.
11	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	03 No.
12	Phase Indication Lights R,Y,B	Taiwan	Camsco/Eqv.	STD.	03 No.
13	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	06 No.

**HEAD OFFICE AND
FACILITY LAHORE:**

 Tajj Garh Road, Yadgar
 Shuhada Stop, G.T. Road,
 Manawan, Lahore, Pakistan

☎ +92 42 36522861-62-63

✉ info@tariquelectric.com

**SALES OFFICE
FAISLABAD:**

 First Floor, P6/A, Chudhary Center,
 Faisal Town Near National Bank,
 West Canal Road, Faisalabad

☎ +92 301 1153541

**SALES OFFICE
KARACHI:**

 1st Floor, MA Tabba Foundation
 Building, Gizri Road, Block 9,
 Clifton, Karachi.

☎ +92 301 1163120



Ref No: TE-713-032026-R5

Dated: 05-05-2026

BOQ - LV Switchgear						"Annex B"
For Supply of LV Switchgear						
M/S: BYD						
	Outgoing (Drawout cassette-type feeder)					
1	MCCB TP 250A, 70KA @ 400V AC (LSI)	Europe	ABB	XT4H 250	03 No.	
2	Extendable Rotary Handle For MCCB	Europe	ABB	XT4	03 No.	
3	Auxiliary Contact For MCCB (1Q For On/Off Contact)(OF)	Europe	ABB	XT4	03 No.	
4	Shunt coil @ 220V AC (MX)	Europe	ABB	XT4	03 No.	
5	Digital Ampere Meter (48 x 48)	Pakistan	Fico / Eqv.	STD.	03 No.	
6	Ampere Selector Switch	Taiwan	Camsco/Eqv.	STD.	03 No.	
7	Current Transformers 250/5A	Pakistan	Metelx / Fico	STD.	09 No.	
8	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD.	06 No.	
9	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	09 No.	
10	MCCB TP 125A, 70KA @ 400V AC (LSI)	Europe	ABB	XT2H 160	04 No.	
11	Extendable Rotary Handle For MCCB	Europe	ABB	XT2	04 No.	
12	Auxiliary Contact For MCCB (1Q For On/Off Contact)(OF)	Europe	ABB	XT2	04 No.	
13	Shunt coil @ 220V AC (MX)	Europe	ABB	XT2	04 No.	
14	Digital Ampere Meter (48 x 48)	Pakistan	Fico / Eqv.	STD.	04 No.	
15	Ampere Selector Switch	Taiwan	Camsco/Eqv.	STD.	04 No.	
16	Current Transformers 150/5A	Pakistan	Metelx / Fico	STD.	12 No.	
17	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD.	08 No.	
18	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	12 No.	
19	ACB TP 800A, 100KA @ 400V AC with Drawable (EKIP Touch LSI)(Set as @ 400A)	Europe	ABB	E2.2H 800	03 No.	
20	Motor Mechanism @ 220V AC	Europe	ABB	E2.2H	03 No.	
21	Shunt Opening/Closing @ 220V AC	Europe	ABB	E2.2H	06 No.	
22	UVT @ 220V AC	Europe	ABB	E2.2H	03 No.	
23	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	03 No.	
24	Current Transformers 400/5A	Pakistan	Metelx / Fico	STD.	09 No.	
25	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	06 No.	
26	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	09 No.	
27	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	15 No.	
28	ACB TP 800A, 100KA @ 400V AC with Drawable (EKIP Touch LSI)(Set as @ 630A)	Europe	ABB	E2.2H 800	03 No.	
29	Motor Mechanism @ 220V AC	Europe	ABB	E2.2H	03 No.	
30	Shunt Opening/Closing @ 220V AC	Europe	ABB	E2.2H	06 No.	
31	UVT @ 220V AC	Europe	ABB	E2.2H	03 No.	

HEAD OFFICE AND FACILITY LAHORE:

Taj Garh Road, Yadgar
Shuhada Stop, G.T. Road,
Manawan, Lahore, Pakistan

+92 42 36522861-62-63

info@tariqelectric.com

SALES OFFICE FAISLABAD:

First Floor, P6/A, Chudhary Center,
Faisal Town Near National Bank,
West Canal Road, Faisalabad

+92 301 1153541

SALES OFFICE KARACHI:

1st Floor, MA Tabba Foundation
Building, Gizri Road, Block 8,
Clifton, Karachi.

+92 301 1163120



Ref No: TE-713-032026-R5

Dated: 05-05-2026

					"Annex B"
BOQ - LV Switchgear					
For Supply of LV Switchgear					
M/S: BYD					
32	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	03 No.
33	Current Transformers 600/5A	Pakistan	Metelx / Fico	STD.	09 No.
34	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	06 No.
35	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	09 No.
36	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	10 No.
37	ACB TP 800A, 100KA @ 400V AC with Drawable (EKIP Touch LSIG)	Europe	ABB	E2.2H 800	02 No.
38	Motor Mechanism @ 220V AC	Europe	ABB	E2.2H	02 No.
39	Shunt Opening/Closing @ 220V AC	Europe	ABB	E2.2H	04 No.
40	UVT @ 220V AC	Europe	ABB	E2.2H	02 No.
41	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	02 No.
42	Current Transformers 800/5A	Pakistan	Metelx / Fico	STD.	06 No.
43	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	04 No.
44	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	06 No.
45	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	06 No.
46	MCCB TP 63A, 70KA @ 400V AC (LSI)	Europe	ABB	XT2H 160	02 No.
47	Extendable Rotary Handle For MCCB	Europe	ABB	XT2	02 No.
48	Auxiliary Contact For MCCB (1Q For On/Off Contact)(OF)	Europe	ABB	XT2	02 No.
49	Digital Ampere Meter (48 x 48)	Pakistan	Fico / Eqv.	STD.	02 No.

**HEAD OFFICE AND
FACILITY LAHORE:**

 Taj Garh Road, Yadgar
 Shuhada Stop, G.T. Road,
 Manawan, Lahore, Pakistan

☎ +92 42 36522861-62-63

✉ info@tariqelectric.com

**SALES OFFICE
FAISLABAD:**

 First Floor, P6/A, Chudhary Center,
 Faisal Town Near National Bank,
 West Canal Road, Faisalabad

☎ +92 301 1153541

**SALES OFFICE
KARACHI:**

 1st Floor, MA Tabba Foundation
 Building, Gizri Road, Block 8,
 Clifton, Karachi.

☎ +92 301 1163120



Ref No: TE-713-032026-R5

Dated: 05-05-2026

					"Annex B"
BOQ - LV Switchgear					
For Supply of LV Switchgear					
M/S: BYD					
50	Ampere Selector Switch	Taiwan	Camsco/Eqv.	STD.	02 No.
51	Current Transformers 60/5A	Pakistan	Metelx / Fico	STD.	06 No.
52	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD.	04 No.
53	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	06 No.
54	ACB TP 2500A, 100KA @ 400VAC With Drawable (EKIP Touch LSIG)	Europe	ABB	E2.2H 2500	01 No.
55	Motor Mechanism @ 220V AC	Europe	ABB	E2.2H	01 No.
56	Shunt Opening/Closing @ 220V AC	Europe	ABB	E2.2H	02 No.
57	UVT @ 220V AC	Europe	ABB	E2.2H	01 No.
58	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	01 No.
59	Current Transformers 2500/5A	Pakistan	Metelx / Fico	STD.	03 No.
60	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	02 No.
61	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	03 No.
62	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	03 No.
1600A LBS Feeder for 975KVAR					
1	Load Break Switch TP 1600A	Europe	ABB	OT1600E03P	01 No.
2	Automatic Digital PFI Relay 24-Steps	Turkey	Klemsan/ Eqv.	STD.	01 No.
3	Current Transformers 4000/5A	Pakistan	Metelx / Fico	STD.	03 No.
4	Aux. Contact Relay 4NO+4NC	Japan	Fuji/Equ.	STD	03 No.
5	Auto-off-Manual Selector Switch	Taiwan	Camsco/Eqv.	STD.	01 No.
6	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	04 No.
7	Terminal Block	Turkey	Klemsan/ Eqv.	STD.	01 Set.
8	Panel Light With Limit Switch		Imported	STD.	01 Set.
9	Panel Exhaust Fan with thermostate		Imported	STD.	01 Set.
PFI 325 KVAR (1ACC3)(Bank-01)					
1	12.5 KVAR Stage @ 400V				02 No.
2	Power Capacitor 15.5KVAR -480V	ITALY	GRUPPO ENERGIA	STD	02 No.
3	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 16-30-10 RA	02 No.
4	Detuned Reactor 7% -400V	ITALY	GRUPPO ENERGIA	STD	02 No.
5	HRC Fuse 80A with Box	Germany	Effen / Eqv.	STD	02 No.
6	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD	04 No.
7	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD	04 No.
1	25KVAR Stage @ 400V				02 No.
2	Power Capacitor 31.1KVAR -480V	ITALY	GRUPPO ENERGIA	STD	02 No.
3	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 30-30-10 RA	02 No.

HEAD OFFICE AND FACILITY LAHORE:

 Taj Garh Road, Yadgar
 Shuhada Stop, G.T. Road,
 Manawan, Lahore, Pakistan

☎ +92 42 36522861-62-63

✉ info@tariqelectric.com

SALES OFFICE FAISLABAD:

 First Floor, P6/A, Chudhary Center,
 Faisal Town Near National Bank,
 West Canal Road, Faisalabad

☎ +92 301 1153541

SALES OFFICE KARACHI:

 1st Floor, MA Tabba Foundation
 Building, Gizri Road, Block 9,
 Clifton, Karachi.

☎ +92 301 1163120



Ref No: TE-713-032026-R5

Dated: 05-05-2026

					"Annex B"
BOQ - LV Switchgear					
For Supply of LV Switchgear					
M/S: BYD					
4	Detuned Reactor 7% -400V	ITALY	GRUPPO ENERGIA	STD	02 No.
5	HRC Fuse 200A with Box	Germany	Effen / Eqv.	STD	02 No.
6	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD	04 No.
7	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD	04 No.
1	50KVAR Stage @ 400V				05 No.
3	Power Capacitor 31.1KVAR x2 -480V	ITALY	GRUPPO ENERGIA	STD	05 No.
4	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 63-30-00 RA	05 No.
5	Detuned Reactor 7% -400V	ITALY	GRUPPO ENERGIA	STD	05 No.
6	HRC Fuse 200A with Box	Germany	Effen / Eqv.	STD	05 No.
7	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD	10 No.
8	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD	10 No.
PFI 325 KVAR (1ACC3)(Bank-02)					
1	25KVAR Stage @ 400V				03 No.
2	Power Capacitor 31.1KVAR -480V	ITALY	GRUPPO ENERGIA	STD	03 No.
3	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 30-30-10 RA	03 No.
4	Detuned Reactor 7% -400V	ITALY	GRUPPO ENERGIA	STD	03 No.
5	HRC Fuse 200A with Box	Germany	Effen / Eqv.	STD	03 No.
6	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD	06 No.
7	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD	06 No.
1	50KVAR Stage @ 400V				05 No.
3	Power Capacitor 31.1KVAR x 2 -480V	ITALY	GRUPPO ENERGIA	STD	05 No.
4	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 63-30-00 RA	05 No.
5	Detuned Reactor 7% -400V	ITALY	GRUPPO ENERGIA	STD	05 No.
6	HRC Fuse 200A with Box	Germany	Effen / Eqv.	STD	05 No.
7	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD	10 No.
8	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD	10 No.
PFI 325 KVAR (1ACC3)(Bank-03)					
1	25KVAR Stage @ 400V				03 No.
2	Power Capacitor 31.1KVAR -480V	ITALY	GRUPPO ENERGIA	STD	03 No.
3	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 30-30-10 RA	03 No.
4	Detuned Reactor 7% -400V	ITALY	GRUPPO ENERGIA	STD	03 No.
5	HRC Fuse 200A with Box	Germany	Effen / Eqv.	STD	03 No.
6	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD	06 No.
7	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD	06 No.
	50KVAR Stage @ 400V				05 No.

HEAD OFFICE AND FACILITY LAHORE:

Taj Garh Road, Yadgar
Shuhada Stop, G.T. Road,
Manawan, Lahore, Pakistan

+92 42 36522861-62-63

info@tariqelectric.com

SALES OFFICE FAISLABAD:

First Floor, P6/A, Chudhary Center,
Faisal Town Near National Bank,
West Canal Road, Faisalabad

+92 301 1153541

SALES OFFICE KARACHI:

1st Floor, MA Tabba Foundation
Building, Gizri Road, Block 9,
Clifton, Karachi.

+92 301 1163120



Ref No: TE-713-032026-R5

Dated: 05-05-2026

					"Annex B"
BOQ - LV Switchgear					
For Supply of LV Switchgear					
M/S: BYD					
1	Power Capacitor 31.1KVAR x 2 -480V	ITALY	GRUPPO ENERGIA	STD	05 No.
2	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 63-30-00 RA	05 No.
3	Detuned Reactor 7% -400V	ITALY	GRUPPO ENERGIA	STD	05 No.
4	HRC Fuse 200A with Box	Germany	Effen / Eqv.	STD	05 No.
5	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD	10 No.
6	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD	10 No.

**HEAD OFFICE AND
FACILITY LAHORE:**

 Tajj Garh Road, Yadgar
 Shuhada Stop, G.T. Road,
 Manawan, Lahore, Pakistan

☎ +92 42 36522861-62-63

✉ info@tariqelectric.com

**SALES OFFICE
FAISLABAD:**

 First Floor, P6/A, Chudhary Center,
 Faisal Town Near National Bank,
 West Canal Road, Faisalabad

☎ +92 301 1153541

**SALES OFFICE
KARACHI:**

 1st Floor, MA Tabba Foundation
 Building, Gizri Road, Block 9,
 Clifton, Karachi.

☎ +92 301 1163120



Ref No: TE-713-032026-R5

Dated: 05-05-2026

BOQ - LV Switchgear					"Annex B"
For Supply of LV Switchgear					
M/S: BYD					
1.1.21,1.1.22,1.1.23,1.1.24,2.1.5)-		(ABB Sen Plus Type Tested Panel) General Assembly Shop 3T2 (1600 KVA) (70KA) (Form 4b Type 6)			Qty 01 No.
Indoor (IP-42) MBB rated @ 35C'					
Sr. #	Item Description		Make	Model	Qty
	Incomings 01 No.				
1	ACB TP 3200A, 100KA @ 400VAC with Drawable (EKIP Touch LSIG)	Europe	ABB	E4.2H 3200	01 No.
2	Motor Mechanism @ 220V AC	Europe	ABB	E4.2H	01 No.
3	Shunt Opening/Closing @ 220V AC	Europe	ABB	E4.2H	02 No.
4	UVT @ 220V AC	Europe	ABB	E4.2H	01 No.
5	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	01 No.
6	Current Transformers 3200/5A	Pakistan	Metelx / Fico	STD.	03 No.
7	Surge Protection Device FP 100KA	Germany	Phoenix/Equ	STD.	01 No.
8	HRC Fuse 125A Box	Germany	Effen / Eqv.	STD.	01 No.
9	14 Pin Industrial Relay	Poland	Relpol / Eqv.	STD.	02 No.
10	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	02 No.
11	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	03 No.
12	Phase Indication Lights R,Y,B	Taiwan	Camsco/Eqv.	STD.	03 No.
13	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	06 No.
	Outgoing (Drawout cassette-type feeder)				
1	MCCB TP 125A, 70KA @ 400V AC (LSI)	Europe	ABB	XT2H 160	03 No.
2	Extendable Rotary Handle For MCCB	Europe	ABB	XT2	03 No.
3	Auxiliary Contact For MCCB (1Q For On/Off Contact)(OF)	Europe	ABB	XT2	03 No.
4	Shunt coil @ 220V AC (MX)	Europe	ABB	XT2	03 No.
5	Digital Ampere Meter (48 x 48)	Pakistan	Fico / Eqv.	STD.	03 No.
6	Ampere Selector Switch	Taiwan	Camsco/Eqv.	STD.	03 No.
7	Current Transformers 150/5A	Pakistan	Metelx / Fico	STD.	09 No.
8	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD.	06 No.
9	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	09 No.
10	ACB TP 1600A, 100KA @ 400VAC with Drawable (EKIP Touch LSIG)	Europe	ABB	E2.2H 1600	01 No.
11	Motor Mechanism @ 220V AC	Europe	ABB	E2.2H	01 No.
12	Shunt Opening/Closing @ 220V AC	Europe	ABB	E2.2H	02 No.
13	UVT @ 220V AC	Europe	ABB	E2.2H	01 No.

HEAD OFFICE AND FACILITY LAHORE:

Taj Garh Road, Yadgar Shuhada Stop, G.T. Road, Manawan, Lahore, Pakistan

+92 42 36522861-62-63

info@tariqelectric.com

SALES OFFICE FAISLABAD:

First Floor, P6/A, Chudhary Center, Faisal Town Near National Bank, West Canal Road, Faisalabad

+92 301 1153541

SALES OFFICE KARACHI:

1st Floor, MA Tabba Foundation Building, Gizri Road, Block 9, Clifton, Karachi.

+92 301 1163120



Ref No: TE-713-032026-R5

Dated: 05-05-2026

					"Annex B"
BOQ - LV Switchgear					
For Supply of LV Switchgear					
M/S: BYD					
14	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	01 No.
15	Current Transformers 1600/5A	Pakistan	Metelx / Fico	STD.	03 No.
16	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	02 No.
17	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	03 No.
18	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	05 No.
19	MCCB TP 250A, 70KA @ 400VAC (LSI)	Europe	ABB	XT4H 250	04 No.
20	Extendable Rotary Handle For MCCB	Europe	ABB	XT4	04 No.
21	Auxiliary Contact For MCCB (1Q For On/Off Contact)(OF)	Europe	ABB	XT4	04 No.
22	Shunt coil @ 220V AC (MX)	Europe	ABB	XT4	04 No.
23	Digital Ampere Meter (48 x 48)	Pakistan	Fico / Eqv.	STD.	04 No.
24	Ampere Selector Switch	Taiwan	Camsco/Eqv.	STD.	04 No.
25	Current Transformers 250/5A	Pakistan	Metelx / Fico	STD.	12 No.
26	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD.	08 No.
27	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	12 No.
28	ACB TP 800A, 100KA @ 400V AC with Drawable (EKIP Touch LSI)(Set as @ 630A)	Europe	ABB	E2.2H 800	03 No.
29	Motor Mechanism @ 220V AC	Europe	ABB	E2.2H	03 No.
30	Shunt Opening/Closing @ 220V AC	Europe	ABB	E2.2H	06 No.
31	UVT @ 220V AC	Europe	ABB	E2.2H	03 No.
32	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	03 No.
33	Current Transformers 600/5A	Pakistan	Metelx / Fico	STD.	09 No.
34	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	06 No.
35	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	09 No.
36	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	10 No.
37	ACB TP 800A, 100KA @ 400V AC with Drawable (EKIP Touch LSI)(Set as @ 400A)	Europe	ABB	E2.2H 800	03 No.
38	Motor Mechanism @ 220V AC	Europe	ABB	E2.2H	03 No.
39	Shunt Opening/Closing @ 220V AC	Europe	ABB	E2.2H	06 No.
40	UVT @ 220V AC	Europe	ABB	E2.2H	03 No.
41	Digital Energy Analyzer with RS 485	Europe	ABB	M1M20	03 No.
42	Current Transformers 400/5A	Pakistan	Metelx / Fico	STD.	09 No.

HEAD OFFICE AND FACILITY LAHORE:

Taj Garh Road, Yadgar
Shuhada Stop, G.T. Road,
Manawan, Lahore, Pakistan

+92 42 36522861-62-63

info@tariqelectric.com

SALES OFFICE FAISLABAD:

First Floor, P6/A, Chudhary Center,
Faisal Town Near National Bank,
West Canal Road, Faisalabad

+92 301 1153541

SALES OFFICE KARACHI:

1st Floor, MA Tabba Foundation
Building, Gizri Road, Block 9,
Clifton, Karachi.

+92 301 1163120



Ref No: TE-713-032026-R5

Dated: 05-05-2026

					"Annex B"
BOQ - LV Switchgear					
For Supply of LV Switchgear					
M/S: BYD					
43	Push Button On/Off	Taiwan	Camsco/Eqv.	STD.	06 No.
44	Indication Lights ON,OFF,Trip	Taiwan	Camsco/Eqv.	STD.	09 No.
45	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	10 No.
400A LBS Feeder for 175KVAR					
1	Load Break Switch TP 400A	Europe	ABB	OT400E03P	01 No.
2	Automatic Digital PFI Relay 12-Steps	Turkey	Klemsan/ Eqv.	STD.	01 No.
3	Current Transformers 3200/5A	Pakistan	Metelx / Fico	STD.	03 No.
4	Aux. Contact Relay 4NO+4NC	Japan	Fuji/Equ.	STD	02 No.
5	Auto-off-Manual Selector Switch	Taiwan	Camsco/Eqv.	STD.	01 No.
6	MCB 6ASP, 10KA For Control	Europe	ABB	S 201	04 No.
7	Terminal Block	Turkey	Klemsan/ Eqv.	STD.	01 Set.
8	Panel Exhaust Fan with thermostate		Imported	STD.	01 Set.
PFI 175 KVAR (2ACC1)(Bank)					
1	12.5 KVAR Stage @ 400V				02 No.
2	Power Capacitor 15.5KVAR -480V	ITALY	GRUPPO ENERGIA	STD	02 No.
3	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 16-30-10 RA	02 No.
4	Detuned Reactor 7% -400V	ITALY	GRUPPO ENERGIA	STD	02 No.
5	HRC Fuse 80A with Box	Germany	Effen / Eqv.	STD	02 No.
6	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD	04 No.
7	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD	04 No.
1	25KVAR Stage @ 400V				02 No.
2	Power Capacitor 31.1KVAR -480V	ITALY	GRUPPO ENERGIA	STD	02 No.
3	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 30-30-10 RA	02 No.
4	Detuned Reactor 7% -400V	ITALY	GRUPPO ENERGIA	STD	02 No.
5	HRC Fuse 200A with Box	Germany	Effen / Eqv.	STD	02 No.
6	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD	04 No.
7	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD	04 No.
1	50KVAR Stage @ 400V				02 No.
3	Power Capacitor 31.1KVAR x 2 -480V	ITALY	GRUPPO ENERGIA	STD	02 No.
4	Capacitor Switching Contactor @AC-6b	Europe	ABB	UA 63-30-00 RA	02 No.
5	Detuned Reactor 7% -400V	ITALY	GRUPPO ENERGIA	STD	02 No.
6	HRC Fuse 200A with Box	Germany	Effen / Eqv.	STD	02 No.
7	Push Buttons For ON/OFF	Taiwan	Camsco/Eqv.	STD	04 No.
8	Indication Lights ON,OFF	Taiwan	Camsco/Eqv.	STD	04 No.

**HEAD OFFICE AND
FACILITY LAHORE:**

Taj Garh Road, Yadgar
Shuhada Stop, G.T. Road,
Manawan, Lahore, Pakistan

+92 42 36522861-62-63

info@tariqelectric.com

**SALES OFFICE
FAISLABAD:**

First Floor, P6/A, Chudhary Center,
Faisal Town Near National Bank,
West Canal Road, Faisalabad

+92 301 1153541

**SALES OFFICE
KARACHI:**

1st Floor, MA Tabba Foundation
Building, Gizri Road, Block 8,
Clifton, Karachi.

+92 301 1163120

