Stability Protocol SP-611-01

Product: HT-611 Sponsor: Halden Therapeutics, Inc.

This protocol is designed in accordance with ICH Q1A(R2) Stability Testing of New Drug Substances and Products.

1. Storage Conditions

Samples will be stored at 25C/60% RH (long-term), 30C/65% RH (intermediate) and 40C/75% RH (accelerated).

2. Testing Timepoints

Samples will be pulled at 0, 3, 6, 9, 12, 18, 24 months (long-term); 0, 6, 12 months (intermediate); 0, 3, 6 months (accelerated).

3. Acceptance Criteria

Assay 95.0-105.0%; disintegration NMT 30 seconds; hardness 20-40 N; total degradants NMT 1.5%.

4. Deviations

No deviations have been recorded to date.

5. Bracketing and Matrixing

Matrixing, rather than bracketing, is applied across blister strengths per ICH Q1D.

6. Post-Approval Stability Commitment

None stated beyond the routine annual batch placement.