

www.vishay.com

Vishay

HALOGEN FREE

GREEN

(5-2008)

# Surface Mount Multilayer Ceramic Chip Capacitors for Commodity Applications



## **FEATURES**

- Available from 0402 to 1210 body sizes
- Ultra stable C0G (NP0) dielectric
- High capacitance in X5R, X7R, Y5V
- For high frequency applications
- Ni-barrier with 100 % tin terminations
- Dry sheet technology process
- Noble Metal Electrode system (NME): for certain C0G (NP0) values
- Base Metal Electrode system (BME): for X5R, X7R, Y5V and certain C0G (NP0) values
- Material categorization: for definitions of compliance please see <a href="https://www.vishay.com/doc?99912"><u>www.vishay.com/doc?99912</u></a>

#### **APPLICATIONS**

- Consumer electronics
- Telecommunications
- · Data processing
- Mobile applications

### **ELECTRICAL SPECIFICATIONS**

### **Operating Temperature:**

C0G (NP0): -55 °C to +125 °C

X5R: -55 °C to +85 °C X7R: -55 °C to +125 °C Y5V: -25 °C to +85 °C

#### Capacitance Range:

COG (NP0): 0.5 pF to 39 nF X5R: 47 nF to 220 µF X7R: 100 pF to 47 µF Y5V: 10 nF to 100 µF

#### Voltage Range:

COG (NP0): 10  $V_{DC}$  to 100  $V_{DC}$ 

X5R:  $6.3 V_{DC}$  to  $50 V_{DC}$ X7R:  $10 V_{DC}$  to  $100 V_{DC}$ Y5V:  $6.3 V_{DC}$  to  $100 V_{DC}$ 

## **Temperature Coefficient of Capacitance (TCC):**

COG (NP0): 0 ppm/°C  $\pm$  30 ppm/°C from -55 °C to +125 °C X5R:  $\pm$  15 % from -55 °C to +85 °C without voltage applied X7R:  $\pm$  15 % from -55 °C to +125 °C without voltage applied Y5V: +30 % / -80 % from -25 °C to +85 °C without voltage applied

### Insulation Resistance (IR) at UR:

 $\geq$  10  $G\Omega$  or R x C  $\geq$  500  $\Omega$  x F whichever is less

## Test Conditions for Capacitance Tolerance:

preconditioning for X5R, X7R, Y5V MLCC: perform a heat treatment at  $+150 \,^{\circ}\text{C} \pm 10 \,^{\circ}\text{C}$  for 1 h, then leave in ambient condition for 24 h  $\pm$  2 h before measurement

## **Test Conditions for Capacitance and DF Measurement:**

measured at conditions of 30 % to 70 % related humidity.

C0G (NP0): Apply 1.0 V<sub>RMS</sub>  $\pm$  0.2 V<sub>RMS</sub>, 1.0 MHz  $\pm$  10 % for caps  $\leq$  1000 pF, at +25 °C ambient temperature Apply 1.0 V<sub>RMS</sub>  $\pm$  0.2 V<sub>RMS</sub>, 1.0 kHz  $\pm$  10 % for caps > 1000 pF, at +25 °C ambient temperature

X5R / X7R: Caps  $\leq$  10  $\,\mu F$  apply 1.0  $V_{RMS}$   $\pm$  0.2  $V_{RMS}$  , 1.0 kHz  $\pm$  10 %, at +25 °C ambient temperature  $^{(1)}$  Caps > 10  $\,\mu F$  apply 0.5  $V_{RMS}$   $\pm$  0.2  $V_{RMS}$  , 120 Hz  $\pm$  20 %, at +25 °C ambient temperature

Y5V: Caps  $\leq$  10 µF apply 1.0 V<sub>RMS</sub>  $\pm$  0.2 V<sub>RMS</sub>, 1.0 kHz  $\pm$  10 %, at +20 °C ambient temperature Caps > 10 µF apply 0.5 V<sub>RMS</sub>  $\pm$  0.2 V<sub>RMS</sub>, 120 Hz  $\pm$  20 %, at +20 °C ambient temperature

#### Note

 $^{(1)}$  Test conditions: 0.5  $V_{RMS}$   $\pm$  0.2  $V_{RMS},$  1 kHz  $\pm$  10 %

X7R:  $0603: \ge 2.2 \ \mu F \ / \ 10 \ V$  $0805: 10 \ \mu F \ (6.3 \ V \ and \ 10 \ V)$ 

X5R:  $0402: \ge 4.7 \ \mu\text{F} \ / \ 6.3 \ V \ and \ge 2.2 \ \mu\text{F} \ / \ 10 \ V \ 0603: 10 \ \mu\text{F} \ (6.3 \ V \ and \ 10 \ V)$ 

#### **Aging Rate:**

C0G (NP0): 0 % per decade

X5R: 6.3  $V_{DC}$  / 10  $V_{DC}$ : 3 % maximum per decade 16  $V_{DC}$  / 25  $V_{DC}$ : 2 % maximum per decade

X7R:  $\leq$  10 V<sub>DC</sub>: 1.5 % maximum per decade  $\geq$  16 V<sub>DC</sub>: 1 % maximum per decade

Y5V: 6.3  $V_{DC}$ : 12.5 % maximum per decade 10  $V_{DC}$  / 16  $V_{DC}$ : 9 % maximum per decade  $\geq$  25  $V_{DC}$ : 7 % maximum per decade

#### **Dielectric Strength Test:**

this is the maximum voltage the capacitors are tested 1 s to 5 s period and the charge / discharge current does not exceed 50 mA.

≤ 100 V<sub>DC</sub>: 250 % of rated voltage



Vishay

## **Dissipation Factor (DF):**

C0G (NP0): Cap. < 30 pF: Q  $\ge$  400 + 20C

Cap. ≥ 30 pF: Q ≥ 1000

X5R, X7R:

RATED VOLTAGE	<b>D.F.</b> ≤		EXCEPTION OF D.F. ≤
VOLIAGE		3 %	1206 ≥ 0.47 μF
≥ 100 V	2.5 %	5 %	0603 ≥ 0.068 μF; 0805 > 0.1 μF; 1206 > 1 μF
		3 %	$0603 \ge 0.047~\mu\text{F};~0805 \ge 0.18~\mu\text{F}; \\ 1206 \ge 0.47~\mu\text{F}$
≥ 50 V	2.5 %	5 %	1210 ≥ 4.7 μF
		10 %	$0402 \ge 0.1 \mu\text{F};  0603 \ge 1 \mu\text{F};  0805 \ge 1 \mu\text{F}; \\ 1206 \ge 2.2 \mu\text{F};  1210 \ge 10 \mu\text{F}$
		5 %	0805 ≥ 1 μF; 1210 ≥ 10 μF
		7 %	0603 ≥ 0.33 μF; 1206 ≥ 4.7 μF
25 V	3.5 %	10 %	0402 ≥ 0.10 µF; 0603 ≥ 0.47 µF; 0805 ≥ 2.2 µF; 1206 ≥ 6.8 µF; 1210 ≥ 22 µF
16 V	3.5 %	5 %	$0402 \ge 0.033~\mu F;~0603 \ge 0.15~\mu F; \ 0805 \ge 0.68~\mu F;~1206 \ge 2.2~\mu F; \ 1210 \ge 4.7~\mu F$
10 V	3.5 %	10 %	$0402 \ge 0.22~\mu F;~0603 \ge 0.68~\mu F;~0805 \ge 2.2~\mu F;~1206 \ge 4.7~\mu F;~1210 \ge 22~\mu F$
10 V	5 %	10 %	$\begin{array}{c} 0402 \geq 0.33 \; \mu F; \; 0402/X7R \geq 0.22 \; \mu F \\ 0603 \geq 0.33 \; \mu F; \; 0805 \geq 2.2 \; \mu F; \\ 1206 \geq 2.2 \; \mu F; \; 1210 \geq 22 \; \mu F \end{array}$
		15 %	0402 ≥ 1 μF
6.3 V	10 %	15 %	$0402 \ge 1~\mu F;~0603 \ge 10~\mu F;~0805 \ge 4.7~\mu F;~1206 \ge 47~\mu F;~1210 \ge 100~\mu F$
		20 %	0402 ≥ 2.2 μF
4 V	15 %	-	-

Y5V:

RATED VOLTAGE	<b>D.F.</b> ≤		EXCEPTION OF D.F. $\leq$
≥ 50 V	5 %	7 %	$0603 \ge 0.1 \ \mu F; \ 0805 \ge 0.47 \ \mu F; \ 1206 \ge 4.7 \ \mu F$
35 V	7 %	-	-
25 V	5 %	7 %	$\begin{array}{c} 0402 \geq 0.047 \; \mu F; \; 0603 \geq 0.1 \; \mu F; \\ 0805 \geq 0.33 \; \mu F; \; 1206 \geq 1 \; \mu F; \\ 1210 \geq 4.7 \; \mu F \end{array}$
		9 %	$0402 \ge 0.068~\mu\text{F};~0603 \ge 0.47~\mu\text{F}; \\ 1206 \ge 4.7~\mu\text{F};~1210 \ge 22~\mu\text{F}$
16 V	7 %	9 %	$0402 \ge 0.068 \ \mu F; \ 0603 \ge 0.68 \ \mu F$
C < 1.0 µF	7 70	12.5 %	0402 ≥ 0.22 μF
16 V C ≥ 1.0 µF	9 %	12.5 %	0603 ≥ 2.2 $\mu$ F; 0805 ≥ 3.3 $\mu$ F; 1206 ≥ 10 $\mu$ F; 1210 ≥ 22 $\mu$ F
10 V	12.5 %	20 %	0402 ≥ 0.47 μF
6.3 V	20 %	-	-


DIEL FOTDIO	0405	MAXIMUM VOLTAGE	CAPAC	ITANCE
DIELECTRIC	CASE	(V)	MINIMUM	MAXIMUM
	0402	100	0.5 pF	1.0 nF
COC (NIDO)	0603	100	0.5 pF	3.3 nF
C0G (NP0)	0805	100	0.5 pF	12 nF
	1206	100	1.5 pF	39 nF
	0402	50	47 nF	10 μF
	0603	50	220 nF	22 µF
X5R	0805	50	1.5 µF	47 μF
	1206	50	1.5 µF	100 μF
	1210	50	1.5 µF	220 µF
	0402	50	100 pF	1 µF
	0603	100	100 pF	2.2 µF
(7R	0805	100	100 pF	10 μF
	1206	100	150 pF	22 µF
	1210	100	1.0 nF	47 μF
	0402	50	10 nF	470 nF
	0603	50	10 nF	2.2 µF
Y5V	0805	100	10 nF	10 μF
	1206	100	10 nF	22 µF
	1210	100	10 nF	100 µF

#### Note

• Detail ratings see "Selection Chart"

www.vishay.com

Vishay



### Notes


- · Detail rating see "Selection Chart"
- (1) DC voltage rating should not be exceeded in application. Other application factors may affect the MLCC performance. Consult for questions: mlcc@vishav.com
- (2) Not all values, see selection chart
- (3) No 5 % tolerance for X5R



www.vishay.com

Vishay

## **DIMENSIONS** in inches (millimeters)



SIZE CODE	THICKNESS SYMBOL	SOLDERING METHOD (1)	L	w	т	МВ
0402	N	R	0.040 ± 0.002 (1.00 ± 0.05)	0.020 ± 0.002 (0.50 ± 0.05)	0.020 ± 0.002 (0.50 ± 0.05)	0.010 + 0.002 / - 0.004
(1005)	E	R	$0.040 \pm 0.008$ (1.00 ± 0.20)	$0.020 \pm 0.008$ (0.50 ± 0.20)	$0.020 \pm 0.008$ (0.50 ± 0.20)	(0.25 + 0.05 / - 0.10)
	S	R/W	$0.063 \pm 0.004$ (1.60 ± 0.10)	$0.030 \pm 0.004$ (0.80 ± 0.10)	$0.030 \pm 0.0028$ (0.80 ± 0.07)	
0603 (1608)	Х	R/W	0.063 + 0.006 / - 0.004 (1.60 + 0.15 / - 0.10)	0.030 + 0.006 / - 0.004 (0.80 + 0.15 / - 0.10)	0.030 + 0.006 / - 0.004 (0.80 + 0.15 / - 0.10)	0.016 ± 0.006 (0.40 ± 0.15)
	X'	R/W	$0.063 \pm 0.008$ (1.60 ± 0.20)	$0.030 \pm 0.008$ $(0.80 \pm 0.20)$	$0.030 \pm 0.008$ (0.80 ± 0.20)	
	А	R/W			$0.024 \pm 0.004$ (0.60 ± 0.10)	
	В	R/W	$0.080 \pm 0.006$ (2.00 ± 0.15)	0.050 ± 0.004 (1.25 ± 0.10)	$0.030 \pm 0.004$ (0.80 ± 0.10)	
0805 (2012)	D	R			$0.049 \pm 0.004$ (1.25 ± 0.10)	$0.020 \pm 0.008$ (0.50 ± 0.20)
	Т	R/W	0.080 ± 0.008	0.050 ± 0.008	$0.033 \pm 0.004$ (0.85 ± 0.10)	
	I	R	$(2.00 \pm 0.20)$	(1.25 ± 0.20)	0.049 ± 0.008 (1.25 ± 0.20)	
	В	R/W			$0.030 \pm 0.004$ (0.80 ± 0.10)	
	С	R	$0.126 \pm 0.006$ (3.20 ± 0.15)	0.063 ± 0.006	$0.037 \pm 0.004$ (0.95 ± 0.10)	
1206	D	R		(1.60 ± 0.15)	$0.049 \pm 0.004$ (1.25 ± 0.10)	0.024 ± 0.008
(3216)	J	R	0.126 ± 0.008		0.045 ± 0.006 (1.15 ± 0.15)	$(0.60 \pm 0.20)$
	G	R	$(3.20 \pm 0.20)$	$0.063 \pm 0.008$ (1.60 ± 0.20)	$0.063 \pm 0.008$ (1.60 ± 0.20)	
	Р	R	0.126 + 0.012 / - 0.004 (3.20 + 0.30 / - 0.10)	0.063 + 0.012 / - 0.004 (1.60 + 0.30 / - 0.10)	0.063 + 0.012 / - 0.004 (1.60 + 0.30 / - 0.10)	
	С	R	0.126 ± 0.012	0.098 ± 0.008	$0.037 \pm 0.004$ (0.95 ± 0.10)	
	D	R	$(3.20 \pm 0.30)$	$(2.50 \pm 0.20)$	$0.049 \pm 0.004$ (1.25 ± 0.10)	
1210 (3225)	G	R			$0.063 \pm 0.008$ (1.60 ± 0.20)	0.060 ± 0.010 (0.75 ± 0.25)
	К	R	$0.126 \pm 0.016$ (3.20 ± 0.40)	0.098 ± 0.012 (2.50 ± 0.30)	$0.078 \pm 0.008$ (2.00 ± 0.20)	
	М	R			$0.098 \pm 0.012$ (2.50 ± 0.30)	

#### Note

(1) "R" = Reflow soldering process; "W" = Wave soldering process

Vishay

SELECTION		RT																			
DIELECTRIC	;										COG	(NP0)					ı				
STYLE				<b>VJ</b> 040					/J060					/J080				V	/J120	6	
SIZE CODE				0402				1	0603		ı		1	0805		ı		1	1206	1	
VOLTAGE (V	_	10	16	25	50	100	10	16	25	50	100	10	16	25	50	100	10	16	25	50	100
VOLTAGE C	1	Q	J	Х	Α	В	Q	J	Х	Α	В	Q	J	Х	Α	В	Q	J	Х	Α	В
CAP. CODE	CAP.																				
0R5	0.5 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α					
1R0	1.0 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α					
1R2	1.2 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α					
1R5	1.5 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
1R8	1.8 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
2R2	2.2 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
2R7	2.7 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	B -	B -	В	В	B -
3R3	3.3 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	B -	B -	В	B -	B -
3R9	3.9 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	B -	B -	В	В	B -
4R7	4.7 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	B -	B -	В	В	B -
5R6	5.6 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	B -	B -	В	B -	B -
6R8	6.8 pF	N	N	N	N	N	S	S	S	S	S	A	Α	Α	Α	Α	В	В	В	В	В
8R2	8.2 pF	N	N	N	N	N	S	S	S	S	S	A	Α	Α	A	Α	В	В	В	В	В
100	10 pF	N	N	N	N	N	S	S	S	S	S	A	Α	Α	Α	Α	В	В	В	В	В
120	12 pF	N	N	N	N	N	S	S	S	S	S	A	Α	Α	Α	Α	В	В	В	В	В
150	15 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	A	Α	В	В	В	В	В
180	18 pF	N	N	N	N	N	S	S	S	S	S	A	Α	Α	A	Α	В	В	В	В	В
220	22 pF	N	N	N	N	N	S	S	S	S	S	A	Α	Α	A	Α	В	В	В	В	В
270	27 pF	N	N	N	N	N	S	S	S	S	S	A	Α	Α	A	Α	В	В	В	В	В
330	33 pF	N	N	N	N	N	S	S	S	S	S	A	Α	Α	A	Α	В	В	В	В	В
390	39 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
470	47 pF	N	N	N	N	N	S	S	S	S	S	A	A	Α	Α	Α	В	В	В	В	В
560	56 pF	N	N	N	N	N	S	S	S	S	S	A	A	Α	Α	Α	В	В	В	В	В
680	68 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	Α	В	В	В	В	В
820	82 pF	N	N	N	N	N	S	S	S	S	S	Α	A	Α	A	A	В	В	В	В	В
101	100 pF	N	N	N	N	N	S	S	S	S	S	Α	Α	Α	Α	A	В	В	В	В	В
121	120 pF	N	N	N	N	N	S	S	S	S	S	A	A	Α	A	A	В	В	В	В	В
151	150 pF	N	N	N	N	N	S	S	S	S	S	A	A	Α	A	A	В	В	В	В	В
181	180 pF	N	N	N	N	N	S	S	S	S	S	A	A	Α	A	A	В	В	В	В	В
221	220 pF	N	N	N	N	N	S	S	S	S	S	A	A	Α	Α	A	В	В	В	В	В
271	270 pF	N	N	N	N		S	S	S	S	S	A	A	Α	Α	A	В	В	В	В	В
331	330 pF	N	N	N	N		S	S	S	S	S	A	Α	Α	A	Α	В	В	В	В	В
391	390 pF	N	N	N	N		S	S	S	S	S	В	В	В	В	В	В	В	В	В	В
471	470 pF	N	N	N	N		S	S	S	S	S	В	В	В	В	В	В	В	В	В	В
561	560 pF	N	N	N	N		S	S	S	S	S	В	В	В	В	В	В	В	В	В	В
681 Notes	680 pF	N	N	N	N		S	S	S	S	S	В	В	В	В	В	В	В	В	В	В

## Notes

• Letters indicate product thickness, see packaging quantities

(1) Only in 5 % (code "J") tolerance



www.vishay.com

Vishay

SELECTIO	N CHA	RT																			
DIELECTRIC											COG	(NP0)									
STYLE			,	<b>VJ</b> 040	2			,	VJ060	03			'	VJ080	)5			\	/J120	6	
SIZE CODE				0402					0603	3				0805	5				1206		
VOLTAGE (V	oc)	10	16	25	50	100	10	16	25	50	100	10	16	25	50	100	10	16	25	50	100
VOLTAGE CO	DDE	Q	J	Х	Α	В	Q	J	Х	Α	В	Q	J	Х	Α	В	Q	J	Х	Α	В
CAP. CODE	CAP.																				
821	820 pF	Ν	N	N	N		S	S	S	S	S	В	В	В	В	В	В	В	В	В	В
102	1.0 nF	N	N	N	N		S	S	S	S	S	В	В	В	В	В	В	В	В	В	В
122	1.2 nF						Χ	Χ	Χ	Х		В	В	В	В	В	В	В	В	В	В
152	1.5 nF						Χ	Χ	Χ	Х		В	В	В	В	В	В	В	В	В	В
182	1.8 nF						Χ	Χ	Χ	Х		В	В	В	В	В	В	В	В	В	В
222	2.2 nF						Χ	Χ	Χ	Х		В	В	В	В	В	В	В	В	В	В
272	2.7 nF						Х	Х	Х	Х		D	D	D	D	D	В	В	В	В	В
332	3.3 nF						Χ	Χ	Χ	Χ		D	D	D	D	D	В	В	В	В	В
392	3.9 nF											D	D	D	D	D	В	В	В	В	В
472	4.7 nF											D	D	D	D	D	В	В	В	В	В
562	5.6 nF											D	D	D	D		В	В	В	В	В
682	6.8 nF											D	D	D	D		С	С	С	С	С
822	8.2 nF											D	D	D	D		D	D	D	D	D
103	10 nF											D	D	D	D		D	D	D	D	D
123	12 nF											T (1)	T (1)	T (1)	T (1)		Р	Р	P <sup>(1)</sup>	P (1)	
153	15 nF																Р	Р	P (1)	P (1)	
183	18 nF																Р	Р	P (1)	P (1)	
223	22 nF																Р	Р	P (1)	P (1)	
273	27 nF																Р	Р	P (1)	P (1)	
333	33 nF																Р	Р	P <sup>(1)</sup>	P (1)	
393	39 nF																Р	Р	P (1)	P (1)	
473	47 nF																				
563	56 nF																				
683	68 nF																				
823	82 nF																				
104	100 nF																				

#### Notes

<sup>·</sup> Letters indicate product thickness, see packaging quantities

<sup>(1)</sup> Only in 5 % (code "J") tolerance

SELECTIO	N CHART	•														
DIELECTRIC									X5R							
STYLE			,	VJ0402				,	VJ0603	3			,	VJ0805		
SIZE CODE				0402					0603					0805		
VOLTAGE (VD	c)	6.3 V	10 V	16 V	25 V	50 V	6.3 V	10 V	16 V	25 V	50 V	6.3 V	10 V	16 V	25 V	50 V
<b>VOLTAGE CO</b>	DE	Υ	Q	J	Х	Α	Υ	Q	J	Х	Α	Υ	Q	J	Х	Α
CAP. CODE	CAP.															
473	47 nF			N												
563	56 nF		N													
683	68 nF		N	N												
823	82 nF	N	N	N												
104	100 nF	N	N	N	N											
124	120 nF															
154	150 nF		N		N											
184	180 nF															
224	220 nF	N	N	N	N				Х	Х						
274	270 nF							Х	Х							
334	330 nF	N	N					Х	Х	Х						
394	390 nF							Х	Х							
474	470 nF	N	N	Е	E (2)	E (2)		Х	Х	Х	X (2)					
564	560 nF															
684	680 nF	N	N					Х	Х	Х						
824	820 nF						Х	Х	Х							
105	1.0 µF	N	N	N	N		Х	Х	Х	Х	Х					
155	1.5 µF						Х					I	ı	- 1	Ι	
225	2.2 µF	N	N	Е	Е		Х	Х	X'	X'	X' <sup>(2)</sup>	I	ı	- 1	Ι	
335	3.3 µF											Ī	I	I	I	
475	4.7 µF	E <sup>(1)</sup>	E (1)	E (1)			Χ	Χ	Χ'	X' (2)		I	I	I	I	
106	10 μF	E <sup>(1)</sup>	E (1)				X'	X'	X'	X' <sup>(1)</sup>		I	I	I	I	
226	22 µF						X' (1)	X' (1)				I	I (1)	I (1)	I (1)	
476	47 µF											J (1)	I (1)			
686	68 µF															
107	100 μF															

- Letters indicate product thickness, see packaging quantities
- (1) Not in 10 % (code "K") tolerance (2) Not in 20 % (code "M") tolerance

SELECTIO	N CHART	•										
DIELECTRIC							X5R					
STYLE				VJ1206					VJ1	210		
SIZE CODE				1206					12	10		
VOLTAGE (VD	c)	6.3 V	10 V	16 V	25 V	50 V	4 V	6.3 V	10 V	16 V	25 V	50 V
VOLTAGE CO	DE	Υ	Q	J	Х	Α	S	Υ	Q	J	Х	Α
CAP. CODE	CAP.											
105	1.0 µF											
155	1.5 µF		J	J					K	K		
225	2.2 µF		J	J	Р	P (2)			K	K		
335	3.3 µF		Р	Р	Р							
475	4.7 µF	Р	Р	Р	Р	Р			K	K	K	
685	6.8 µF	Р	Р									
106	10 μF	Р	Р	Р	Р	Р			K	K	K	M
226	22 µF	Р	Р	Р	P (2)			М	М	М	М	
476	47 µF	Р	Р					М	М	М		
107	100 μF	P (1)						M <sup>(1)</sup>	M <sup>(1)</sup>			
227	220 μF						M <sup>(1)</sup>					

- Letters indicate product thickness, see packaging quantities
- (1) Not in 10 % (code "K") tolerance (2) Not in 20 % (code "M") tolerance

SELECTIO	ON CH	ART															
DIELECTRIC									Х	7R							
STYLE				VJC	)402					VJ060	3				VJ080	5	
SIZE CODE				04	102					0603					0805		
VOLTAGE (V	DC)	6.3 V	10 V	16 V	25 V	50 V	100 V	10 V	16 V	25 V	50 V	100 V	10 V	16 V	25 V	50 V	100 V
VOLTAGE CO		Υ	Q	J	Х	Α	В	Q	J	Х	Α	В	Q	J	Х	Α	В
CAP. CODE								- (3)	- (1)	- (1)	- (3)	- (1)	_ /3\	_ (3)	_ (3)	_ (3)	_ (3)
101	100 pF		N	N	N	N		S (1)	S (1)	S (1)	S (1)	S (1)	B (1)	B (1)	B (1)	B (1)	B (1)
121 151	120 pF 150 pF		N N	N N	N N	N N		S (1)	S (1) S (1)	S (1) S (1)	S (1) S (1)	S (1) S (1)	B <sup>(1)</sup>	B (1)	B (1)	B (1)	B <sup>(1)</sup>
181	180 pF		N	N	N	N		S (1)	S (1)	S (1)	S (1)	S (1)	B (1)	B (1)	B (1)	B (1)	B (1)
221	220 pF		N	N	N	N		S (1)	S (1)	S (1)	S (1)	S (1)	B (1)	B (1)	B (1)	B (1)	B (1)
271	270 pF		N	N	N	N		S (1)	S (1)	S (1)	S (1)	S (1)	B (1)	B (1)	B (1)	B (1)	B (1)
331	330 pF		N	N	N	N		S (1)	S (1)	S (1)	S (1)	S (1)	B (1)	B <sup>(1)</sup>	B <sup>(1)</sup>	B <sup>(1)</sup>	B <sup>(1)</sup>
391	390 pF		N	N	N	N		S (1)	S (1)	S (1)	S (1)	S (1)	B <sup>(1)</sup>				
471	470 pF		N	N	N	N		S	S	S	S	S	В	В	В	В	В
561	560 pF		N	N	N	N		S	S	S	S	S	В	В	В	В	В
681 821	680 pF 820 pF		N N	N N	N N	N N		S	S	S	S	S	B B	B	B	B	B B
102	1.0 nF		N	N	N	N		S	S	S	S	S	В	В	В	В	В
122	1.2 nF	1	N	N	N	N		S	S	S	S	S	В	В	В	В	В
152	1.5 nF	1	N	N	N	N		Š	Š	Š	Š	S	В	В	В	В	В
182	1.8 nF		N	N	N	N		S	S	S	S	S	В	В	В	В	В
222	2.2 nF		Ν	N	N	Ν		S	S	S	S	S	В	В	В	В	В
272	2.7 nF	<u> </u>	N	N	N	N		S	S	S	S	S	В	В	В	В	В
332	3.3 nF		N	N	N	N		S	S	S	S	S	В	В	В	B	В
392 472	3.9 nF 4.7 nF		N N	N N	N N	N N		S	S	S	S	S	B B	B B	B B	В	B B
562	5.6 nF		N	N	N	N		S	S	S	S	S	В	В	В	В	В
682	6.8 nF		N	Ň	N	N		S	S	S	S	S	В	В	В	В	В
822	8.2 nF		N	N	N	N		Š	Š	Š	S	Š	В	В	В	В	В
103	10 nF		N	N	N	N		S	S	S	S	S	В	В	В	В	В
123	12 nF		N	N	N			S	S	S	S		В	В	В	В	В
153	15 nF		N	N	N			S	S	S	S		В	В	В	В	В
183 223	18 nF 22 nF		N N	N N	N N			S	S	S	S	X (2)	B B	B B	B B	B B	B B
273	27 nF		N	N	N			S	S	S	S	<b>^</b> (-/	В	В	В	В	D
333	33 nF		N	N	N			S	S	S	X		В	В	В	В	D
393	39 nF		N	N	N			Š	Š	Š	X		В	В	В	В	D
473	47 nF		Ν	N	N	N <sup>(2)</sup>		S	S	S	Χ	X (2)	В	В	В	В	D
563	56 nF		Ν	N				S	S	S	Χ		В	В	В	В	D
683	68 nF		N	N				S	S	S	X		В	В	В	В	D
823 104	82 nF 100 nF		N N	N N	N			S	S	S	X	X (2)	B B	B	B	B B/D	D D
124	120 nF		IN	IN	IN			S	S	X	^	<b>^</b> (-)	В	В	В	D D	U
154	150 nF							S	S	X			D	D	D	D	
184	180 nF							S	S	Х			D	D	D	D	
224	220 nF				N (2)			S	S	X	X (2)		D	D	D	D	(2)
274	270 nF							X	Х	Х			ם	D	D	<u> </u>	
334	330 nF	ļ						X	X	X			ם	D	D	I	<u> </u>
394 474	390 nF 470 nF	<del>                                     </del>	N (2)					X	X	X	X (2)	1	D D	D D	D D		<b> </b> (2)
564	560 nF	<del>                                     </del>	111 (-/					X	X	_^_	A \-/	1	D	D	D	<del>- '</del>	1 (-)
684	680 nF	<del> </del>						X	X		1		D	D	D	1	<del>                                     </del>
824	820 nF	1						X	X		1	1	D	D	D	1	
105	1.0 µF	N (2)						Х	Х	X (1)	X (2)		D	D	D	J (1)	
155	1.5 µF							/3\	\(\alpha\)					(1)	l (1)	. (0)	
225	2.2 µF	<u> </u>						X (1)	X' (2)							<b> </b> (2)	
335 475	3.3 μF 4.7 μF	<b></b>									-		J (1)	J (1)	J (1)	-	<del>                                     </del>
685	4.7 μF 6.8 μF	1									1		1 (1)	1 (1)	1 (1)	1	<del>                                     </del>
106	0.6 μr	<b>-</b>											J (1)	[ (3)			<del>                                     </del>
156	15 μF	l															<b>†</b>
226	22 µF																
336	33 µF																
476	47 µF	ļ															
686	68 µF										]					]	

- Letters indicate product thickness, see packaging quantities
  (1) Not in 5 % (code "J") tolerance
  (2) Only in 10 % (code "K") tolerance
  (3) Only in 20 % (code "M") tolerance

STYLE	SELECTIO	N CHART											
SIZE CODE	DIELECTRIC							X7R					
SIZE CODE					VJ1206	i				VJ1	210		
VOLTAGE (Voc)													
VOLTAGE CODE         CAP.		nc)	10 V	16 V		50 V	100 V	6.3 V	10 V			50 V	100 V
CAP. CODE   CAP.													
101									-				
121													
181													
221	151	150 pF		B (1)	B (1)	B (1)	B <sup>(1)</sup>						
271													
3391   3390 pr													
391   390 pf				_									
471													
Section   Sect				_		_							
B81													
820   F													
102													
122								<del>                                     </del>	С	C	C	С	C
152								<del> </del>					
182								<u> </u>					
222													
332	222									С			
392   3.9 nF	272			В	В		В		С		С	С	С
472		3.3 nF											
562													
682													
822													
103													
123													
153													
183													
223													
27 or   B													
333   33 nF													
473       47 nF       B       B       B       B       B       B       C        C       C       C       C       C       C       C       C       C       C       C       C       C       C       C        C       C       C       C       C       C       C       C       C       C       C       C       C       C       C        C       C       C       C       C       C       C       C       C       C       C <td< td=""><td></td><td>33 nF</td><td>В</td><td></td><td></td><td>В</td><td></td><td></td><td></td><td>С</td><td></td><td></td><td></td></td<>		33 nF	В			В				С			
563         56 nF         B         B         B         B         B         B         B         C<	393		В	В	В	В	В		С	С	С	С	С
683		47 nF											С
823													
104											C		
124													
154													
184													
224													
274         270 nF         C         C         C         D         G         C         C         C         G         G         C         C         C         C         C         D         G         C         C         C         D         G           394         390 nF         C         C         C         C         C         C         C         C         D         D         M           474         470 nF         J         J         J         J         P         G         C         C         C         D         D         M           564         560 nF         J         J         J         J         P         P         D         D         D         D         M           684         680 nF         J         J         J         J         P         P         D         D         D         D         D         M         K         824         820 nF         J         J         J         J         P         P         D         D         D         D         D         D         K         K         Image: Secondary secondary secondary secondary secondary secondary secondary secondary secondary se													
334   330 nF								<u> </u>					
394   390 nF						_							
474       470 nF       J       J       J       P       G       C       C       C       D       M         564       560 nF       J       J       J       P       P       D       D       D       D       D       M         684       680 nF       J       J       J       J       P       P       D       D       D       D       D       D       K         824       820 nF       J       J       J       J       P       P       D       D       D       D       D       D       K         105       1.0 μF       J       J       J       J       P       P       P       D       D       D       D       D       K         155       1.5 μF       J       J       P       P       P       P       P       P       P       P       M       M       M       M       M       M       M       M       M       M        M       M       M       M       M       M       M       M       M       M       M       M       M       M       M       M       M       M       M	394	390 nF	С	С	J	Р				С	С	D	М
684         680 nF         J         J         J         P         P         D         D         D         D         K           824         820 nF         J         J         J         P         P         D         D         D         D         D         D         K           105         1.0 µF         J         J         J         P         P         D         D         D         D         D         D         D         K           155         1.5 µF         J         J         P         P         P         P         D         D         D         D         D         D         D         K           225         2.2 µF         J         J         P	474	470 nF					G		С	С	С		
824       820 nF       J       J       J       P       P       D       D       D       D       K         105       1.0 μF       J       J       J       P       P       D       M													
105													
155													
225						Р	Р		D	ט	D	D	
335 3.3 µF P P P P P	100					D (1)	D (2)			V		NA (1)	
475     4.7 μF     P     P     P     P (1)     K     K (1)     M (1)       685     6.8 μF     106     10 μF     P     P (1)     P (1)     K     K (1)     M (1)       156     15 μF						P ('')	P (=)					IVI (1)	IVI
685 6.8 μF 106 10 μF P P (1) P (1) 156 15 μF 226 22 μF P (1) P (3) 336 33 μF 476 47 μF 686 68 μF 107 100 μF						P (1)	-	1	K			NA (1)	
106 10 μF P P (1) P (1) 156 15 μF 226 22 μF P (1) P (3) 336 33 μF 476 47 μF 686 68 μF 107 100 μF	685		+-'			· · · /	<b>-</b>		- 1\	- 13	13.7	101 . /	
156			Р	P (1)	P (1)				K	K	K (1)	M (1)	
226     22 μF     P (1)     P (3)     M (2)     M (1)     M (1)       336     33 μF     M (2)     M (1)     M (1)       476     47 μF     M (2)     M (1)       686     68 μF     M (2)     M (3)     M (1)       107     100 μF     M (2)     M (3)     M (1)			<del>                                     </del>							<b></b>		1	
336 33 μF 476 47 μF M (2) M (1) (686 68 μF 107 100 μF			P (1)	P (3)					M (2)	M <sup>(1)</sup>	M <sup>(1)</sup>		
476 47 μF M (2) M (1) 686 68 μF 107 100 μF	336												
107 100 µF	476							M <sup>(2)</sup>	M <sup>(1)</sup>				
	Notes	100 μF		Ì	Ì	Ì	l						

- Notes
   Letters indicate product thickness, see packaging quantities
- (1) Not in 5 % (code "J") tolerance (2) Only in 10 % (code "K") tolerance (3) Only in 20 % (code "M") tolerance

Vishay

DIELECTRIC									Y	′5V							
STYLE				V.I	0402					VJ060	3				VJ080	15	
SIZE CODE					402					0603					0805		
VOLTAGE (V		6.3 V	10 V	16 V	25 V	50 V	100 V	10 V	16 V			100 V	10 V	16 V		50 V	100 V
VOLTAGE CO		Υ	Q	J	X	Α	В	Q	J	X	A	В	Q	J	X	A	В
CAP. CODE	CAP.	'	Q	J	^	Α	В	¥	J	^	^	В	¥	J	^	Α	
102	1.0 nF																
122	1.0 nF																<del>                                     </del>
152	1.5 nF																<del>                                     </del>
182	1.8 nF																
222	2.2 nF																
272	2.7 nF																
332	3.3 nF																
392	3.9 nF																
472	4.7 nF																<u> </u>
562	5.6 nF																<u> </u>
682	6.8 nF										<del>                                     </del>					<del>                                     </del>	<del>                                     </del>
822	8.2 nF																
103	10 nF		N	N	N	N		S	S	S	S		Α	Α	Α	Α	В
123	12 nF		N	N	N	N		S	S	S	S		Α	Α	Α	A	
153	15 nF		N	N	N	N		S	S	S	S		Α	Α	Α	A	В
183	18 nF		N	N	N	N		S	S	S	S		Α	Α	Α	Α	
223	22 nF		N	N	N	N		S	S	S	S		Α	Α	Α	Α	В
273	27 nF		N	N	N	N		S	S	S	S		Α	Α	Α	Α	
333	33 nF		N	N	N	N		S	S	S	S		Α	Α	Α	Α	В
393	39 nF		N	N	N			S	S	S	S		Α	Α	Α	Α	
473	47 nF		N	N	N			S	S	S	S		Α	Α	Α	Α	В
563	56 nF		N	N	N <sup>(1)</sup>			S	S	S	S		Α	Α	Α	Α	
683	68 nF		N	N	N			S	S	S	S		Α	Α	Α	Α	В
823	82 nF		N	N				S	S	S	S		Α	Α	Α	Α	
104	100 nF		N	N	N			S	S	S	S		Α	Α	Α	Α	В
154	150 nF		N					S	S	S	S		Α	Α	Α	Α	
224	220 nF	N	N					S	S	S	S		Α	Α	Α	Α	
334	330 nF	N	N					S	S	S			В	В	В	В	
474	470 nF	N	N					S	S				В	В	В	В	
684	680 nF							S	Х				В	В	D	D	
105	1.0 µF							S	Х				В	В	D	D	
155	1.5 µF							S					D	D			
225	2.2 µF							S					D	D			
335	3.3 µF										İ		D	D			
475	4.7 µF										İ		D	D			
685	6.8 µF										İ		I				
106	10 μF												I				
226	22 µF																
336	33 µF																
476	47 µF										İ						
686	68 µF										İ						
107	100 μF																

## Notes

• Letters indicate product thickness, please see packaging quantities

(1) Not in 20 % (code "M") tolerance

Vishay

SELECTION	1 01174111	1						\/F\/						
DIELECTRIC								Y5V						
STYLE				VJ1							VJ1210			
SIZE CODE			1	12		1				ı	1210	1	ı	1
VOLTAGE (V <sub>DC</sub>		10 V	16 V	25 V	35 V	50 V	100 V	6.3 V	10 V	16 V	25 V	35 V	50 V	100 V
VOLTAGE COD	)E	Q	J	Х	Z	Α	В	Υ	Q	J	Х	Z	Α	В
CAP. CODE	CAP.													
102	1.0 nF													
122	1.2 nF													
152	1.5 nF													
182	1.8 nF													
222	2.2 nF													
272	2.7 nF													<u> </u>
332	3.3 nF													<u> </u>
392	3.9 nF													<u> </u>
472	4.7 nF													
562	5.6 nF													
682	6.8 nF													
822	8.2 nF													
103	10 nF	В	В	В		В	В							С
123	12 nF	В	В	В		В								
153	15 nF	В	В	В		В	В							С
183	18 nF	В	В	В		В								
223	22 nF	В	В	В		В	В							С
273	27 nF	В	В	В		В								
333	33 nF	В	В	В		В	В							С
393	39 nF	В	В	В		В								
473	47 nF	В	В	В		В	В							С
563	56 nF	В	В	В		В								
683	68 nF	В	В	В		В	В							С
823	82 nF	В	В	В		В								
104	100 nF	В	В	В		В	В		С	С	С		С	С
154	150 nF	В	В	В		В	С		С	С	С		С	С
224	220 nF	В	В	В		В	С		С	С	С		С	С
334	330 nF	В	В	В		В			С	С	С		С	С
474	470 nF	В	В	В		В			С	С	С		С	
684	680 nF	В	В	В		В			С	С	С		С	
105	1.0 µF	С	С	С		С			С	С	С		С	
155	1.5 µF	С	С	С					С	С	С			
225	2.2 µF	С	С	С					С	С	С		G	
335	3.3 µF	J	J	J					С	С	С			
475	4.7 µF	J	J	J	J				С	С	D		G	
685	6.8 µF	J	J						С	С	D			
106	10 μF	J	J						D	D	G	K		
226	22 µF	Р							K	K				
336	33 µF													
476	47 μF							K	K					
686	68 μF													
107	100 μF							М						

## Note

• Letters indicate product thickness, please see packaging quantities




www.vishay.com


	MAX. THICKNESS (mm)	THICKNESS SYMBOL	PAPER TAPE		PLASTIC TAPE	
SIZE CODE (inch / mm)			7" REEL (C)	13" REEL (P)	7" REEL (T)	13" REEL (R)
0402 (1002)	0.55	N	10K	50K	( )	,
	0.70	E	10K			
	0.87	S	4K	15K		
0603 (1608)	0.95	Х	4K	15K		
	1.00	Χ'	4K	15K		
	0.75	А	4K	15K		
0005 (0010)	0.95	B, T	4K	15K		
0805 (2012)	1.40	D			ЗК	10K
	1.45	I			ЗК	10K
	0.95	В	4K	15K		
	1.05	С			зк	10K
1206 (3216)	1.30	J			зк	10K
1200 (3210)	1.35	D			зк	10K
	1.80	G			2K	
	1.90	Р			2K	
1210 (3225)	1.05	С			зк	10K
	1.35	D			3K	10K
	1.80	G			2K	
	2.20	K			1K	
	2.80	М			1K	

www.vishay.com

Vishay

## TAPE AND REEL SPECIFICATION





Dimensions of paper tape

Dimensions of plastic tape


SIZE CODE	0402		0603	0805		1206
THICKNESS	N	E	S, X, X'	Α	B, T	В
A <sub>0</sub>	0.62 ± 0.05	0.70 ± 0.10	1.02 ± 0.05	1.50 ± 0.10	1.50 ± 0.10	2.00 ± 0.10
B <sub>0</sub>	1.12 ± 0.05	1.20 ± 0.10	1.80 ± 0.05	2.30 ± 0.10	2.30 ± 0.10	3.50 ± 0.10
Т	$0.60 \pm 0.05$	0.70 ± 0.10	0.95 ± 0.05	0.75 ± 0.05	0.95 ± 0.05	0.95 ± 0.05
K <sub>0</sub>	-	-	-	-	-	-
W	8.00 ± 0.10	8.00 ± 0.10	8.00 ± 0.10	8.00 ± 0.10	8.00 ± 0.10	8.00 ± 0.10
P <sub>0</sub>	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10
10 x P <sub>0</sub>	40.0 ± 0.10	40.0 ± 0.10	40.0 ± 0.10	40.0 ± 0.10	40.0 ± 0.10	40.0 ± 0.10
P <sub>1</sub>	2.00 ± 0.05	2.00 ± 0.05	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10
P <sub>2</sub>	2.00 ± 0.05	2.00 ± 0.05	2.00 ± 0.05	2.00 ± 0.05	2.00 ± 0.05	2.00 ± 0.05
D <sub>0</sub>	1.55 ± 0.05	1.55 ± 0.05	1.55 ± 0.05	1.55 ± 0.05	1.55 ± 0.05	1.50 ± 0.05
D <sub>1</sub>	-	-	-	-	-	-
Е	1.75 ± 0.05	1.75 ± 0.05	1.75 ± 0.05	1.75 ± 0.05	1.75 ± 0.05	1.75 ± 0.10
F	$3.50 \pm 0.05$	$3.50 \pm 0.05$	$3.50 \pm 0.05$	3.50 ± 0.05	3.50 ± 0.05	3.50 ± 0.05

DIMENSIONS PLASTIC TAPE in millimeters						
SIZE CODE	0805	1206		1210		
THICKNESS	D, I	C, J, D	G, P	C, D	G, K	М
A <sub>0</sub>	< 1.57	< 1.85	< 1.95	< 2.97	< 2.97	< 2.97
B <sub>0</sub>	< 2.40	< 3.46	< 3.67	< 3.73	< 3.73	< 3.73
Т	0.23 ± 0.05	0.23 ± 0.05	0.23 ± 0.05	0.23 ± 0.05	0.23 ± 0.05	0.23 ± 0.05
K <sub>0</sub>	< 2.50	< 2.50	< 2.50	< 2.50	< 2.50	< 3.00
W	8.00 ± 0.10	8.00 ± 0.10	8.00 ± 0.10	8.00 ± 0.10	8.00 ± 0.10	8.00 ± 0.10
P <sub>0</sub>	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10
10 x P <sub>0</sub>	40.0 ± 0.10	40.0 ± 0.10	40.0 ± 0.10	40.0 ± 0.10	40.0 ± 0.10	40.0 ± 0.10
P <sub>1</sub>	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10	4.00 ± 0.10
P <sub>2</sub>	2.00 ± 0.05	2.00 ± 0.05	2.00 ± 0.05	2.00 ± 0.05	2.00 ± 0.05	2.00 ± 0.05
D <sub>0</sub>	1.50 ± 0.05	1.50 ± 0.05	1.50 ± 0.05	1.50 ± 0.05	1.50 ± 0.05	1.50 ± 0.05
D <sub>1</sub>	1.00 ± 0.10	1.00 ± 0.10	1.00 ± 0.10	1.00 ± 0.10	1.00 ± 0.10	1.00 ± 0.10
E	1.75 ± 0.10	1.75 ± 0.10	1.75 ± 0.10	1.75 ± 0.10	1.75 ± 0.10	1.75 ± 0.10
F	$3.50 \pm 0.05$	$3.50 \pm 0.05$	$3.50 \pm 0.05$	3.50 ± 0.05	$3.50 \pm 0.05$	3.50 ± 0.05




Vishay

## **REEL SPECIFICATION**



REEL DIMENSIONS in millimeters				
SYMBOL	7" REEL	13" REEL		
Α	13.0 ± 0.5	13.0 ± 0.5		
В	9.0 ± 1.0	9.0 ± 1.0		
С	178.0 ± 1.0	330.0 ± 1.0		
D	60.0 ± 1.0	100.0 ± 1.0		

CONSTRUCTION						
NO.	NA	C0G (NP0) / X5R / X7R / Y5V				
1	Ceramic	BaTiO <sub>3</sub> based				
2	Inner el	Ni				
3		Inner layer	Cu			
4	Termination	Middle layer				
5		Outer layer	Sn (matt)			



## STORAGE AND HANDLING CONDITIONS

- (1) To store products at 5 °C to 40 °C ambient temperature and 20 % to 70 % relative humidity conditions.
- (2) The product is recommended to be used within one year after shipment. Check solderability in case of shelf life extension is needed.

#### Cautions:

- a. The corrosive gas reacts on the terminal electrodes of capacitors, and results in the poor solderability.

  Do not store the capacitors in the ambience of corrosive gas (e.g., hydrogen sulfide, sulfur dioxide, chlorine, ammonia gas etc.)
- b.In corrosive atmosphere, solderability might be degraded, and silver migration might occur to cause low reliability.
- c.Due to the dewing by rapid humidity change, or the photochemical change of the terminal electrode by direct sunlight, the solderability and electrical performance may deteriorate. Do not store capacitors under direct sunlight or dewing condition. To store products on the shelf and avoid exposure to moisture.



## **Legal Disclaimer Notice**

Vishay

## **Disclaimer**

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Vishay makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Vishay disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Vishay's knowledge of typical requirements that are often placed on Vishay products in generic applications. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Parameters provided in datasheets and / or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts. Product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein.

Except as expressly indicated in writing, Vishay products are not designed for use in medical, life-saving, or life-sustaining applications or for any other application in which the failure of the Vishay product could result in personal injury or death. Customers using or selling Vishay products not expressly indicated for use in such applications do so at their own risk. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. Product names and markings noted herein may be trademarks of their respective owners.

## **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

VJ1206A180FXAPW1BC	VJ1206A1R8DXBPW1BC	VJ0805Y181KXBPW1BC	<u>VJ0805Y183KXBPW1BC</u>
VJ0805Y681MXXPW1BC	VJ0805Y102KXBPW1BC	VJ0805Y683MXXPW1BC	VJ0402A820JXAPW1BC
VJ1206A4R7DXQPW1BC	VJ0805V155MXQRW1BC	VJ0805Y682MXXPW1BC	VJ0603A3R9DXXCW1BC
VJ0805A561KXBCW1BC	VJ0402A390GXJCW1BC	VJ1206A8R2CXQCW1BC	VJ0603V223MXJPW1BC
VJ0805Y101KXBPW1BC	VJ0603V224MXJPW1BC	VJ0805Y103KXBPW1BC	VJ0805A560KXBCW1BC
VJ0402A391GXJCW1BC	VJ0402A3R9BXJPW1BC	VJ0402A5R6DXQCW1BC	VJ1206Y684MXQRW1BC
VJ0805Y822MXXPW1BC	VJ1206A4R7CXJCW1BC	VJ0805A391KXBCW1BC	VJ0805A390KXBCW1BC
VJ0805Y821MXXPW1BC	VJ0805A5R6BXXPW1BC	VJ0805Y823MXXPW1BC	VJ0402A1R8BXJPW1BC
VJ0805A5R6DXBCW1BC	VJ0805Y151KXBPW1BC	VJ0805Y153KXBPW1BC	VJ1206Y224MXJRW1BC
VJ0805Y152KXBPW1BC	VJ0603A3R3BXXPW1BC	VJ0603V273MXJPW1BC	VJ0603A4R7CXAPW1BC
VJ1206Y474MXQRW1BC	VJ1206A100FXAPW1BC	VJ1206A682FXATW1BC	VJ0805A331KXBCW1BC
VJ0805A330KXBCW1BC	VJ0805Y122KXBPW1BC	VJ1206A101FXAPW1BC	VJ1206Y274MXJRW1BC
VJ0805Y123KXBPW1BC	VJ1206A102FXAPW1BC	VJ0805Y121KXBPW1BC	VJ1206A8R2DXJPW1BC
VJ0402Y271JXACW1BC	VJ1206A2R7CXQCW1BC	VJ1206A2R2CXQCW1BC	VJ0402A330GXJCW1BC
VJ0805A152KXBCW1BC	VJ0805V335MXQRW1BC	VJ0402A150GXQCW1BC	VJ0805A151KXBCW1BC
VJ1206Y684MXJRW1BC	VJ0402A151GXQCW1BC	VJ1206V224ZXBRW1BC	VJ0402V393MXQPW1BC
VJ0402A180GXQCW1BC	VJ0402Y471JXACW1BC	VJ0402Y472JXACW1BC	VJ0603Y331MXBCW1BC
VJ0603Y332MXBCW1BC	VJ1206A2R7DXQPW1BC	VJ0402A1R8CXXPW1BC	VJ0402A3R3DXQCW1BC
VJ0805Y184MXXTW1BC	VJ1206A822FXATW1BC	VJ0402A120GXJCW1BC	VJ1206A2R2DXQPW1BC
VJ0402A120GXQCW1BC	VJ0402V333MXQPW1BC	VJ0805A150KXBCW1BC	VJ0805Y394JXJRW1BC
VJ0402A121GXQCW1BC	VJ0805A121KXBCW1BC	VJ0805A120KXBCW1BC	VJ0805A100KXBCW1BC
VJ0603A1R2BXXPW1BC	VJ0805A102KXBCW1BC	VJ0805A101KXBCW1BC	VJ0603A1R0BXXPW1BC
VJ0805A122KXBCW1BC	VJ0402A560GXQCW1BC	VJ0603V683MXJPW1BC	VJ0402A3R3DXJCW1BC
VJ0402Y821JXACW1BC	VJ0805Y562KXBPW1BC	VJ0603A5R6BXXPW1BC	VJ0805Y154MXXTW1BC
VJ0805A180KXBCW1BC	VJ0603A1R5BXXPW1BC	VJ0805A182KXBCW1BC	VJ0805A181KXBCW1BC