

Exhibit 5: Handpile Inspection Form

Forest	District	Stand #	Inspector (Govt.)	Date
Contractor	Contract Inspector	Contract #	Acres	

Plot #	Pile Number	Size (a)	Density (b)	Location (c)	Paper (d) Placement/Size	Comments
	Total:					

Directions: Contractor shall inspect one percent of piles per acre and rate each column (a, b, c, d) with a:

0 = unacceptable, or 1 = acceptable

Calculate by:

$$\frac{\text{Total number from column (a)+(b)+(c)+(d)}}{4 \times \text{number of piles inspected}} \times 100 = \%$$

Example: $(5+4+5+3) \times 100 = 85.0$ or 85%

4X5 piles

Rating Specs:

- Size - should be no smaller than 6'x6'x6' and no larger than maximum size specified in the silvicultural summary prescription. All required material within 50' of the pile has been piled.
- Density - pile should be compact with all material placed parallel within the pile including a good mix of fine fuels in addition to larger 1000-hour fuels (3+" diameter). The exterior of the pile shall be trimmed with no pieces remaining more than 2' beyond the majority of the material.
- Location - piles should be located outside the dripline of residual trees or in areas to avoid damage to residual trees. Material should be arranged perpendicular to the slope to prevent the pile from rolling downhill.
- Paper placement and size - paper should be located within the top 1/3rd of the pile. Paper should cover 3/4 of the diameter of the pile or 4'x4', whichever is larger. Heavy slash shall be placed on top of the paper to firmly hold the paper in place. Paper is required to be approved water-resistant burnable paper (Kraft #80).

Example Inspection Form

Forest	District	Stand #	Inspector (Govt.)	Date
Contractor	Contract Inspector	Contract #	Acres	

Plot #	Pile Number	Size (a)	Density (b)	Location (c)	Paper (d) Placement/Size	Comments
1	1	1	0	1	0	
	2	1	1	1	1	
	3	1	1	1	1	
	4	1	1	1	0	
	5	1	1	1	1	
	Total:	5	4	5	3	

Directions: Contractor shall inspect one percent of piles per acre and rate each column (a, b, c, d) with a:

0 = unacceptable, or 1 = acceptable

Calculate by:

$$\frac{\text{Total number from column (a)+(b)+(c)+(d)}}{4 \times \text{number of piles inspected}} \times 100 = \%$$

Example: $(5+4+5+3) \times 100 = 85.0$ or 85%

4X5 piles