

Q.1 What are the different protocols you observe at the following layers of the protocol stack?

A. Application Layer:—

- HTTP (HyperText Transfer protocol)
- DNS (Domain Name System)
- TLS (Transport Layer Security) / HTTPS

B. Transport Layer

- TCP (Transmission Control Protocol)
- UDP (User Datagram Protocol)

C. Network Layer

- IPV4 (Internet Protocol Version 4)
- ARP (Address Resolution Protocol)

Q.2 What is the total amount of Data being received?

A. When you access `http://neverssd.com/`
Ans 74 bytes

Explain - from the Wireshark capture with http filter, the server response from IP- 192.178.158.138 to my IP 10.85.16.108 has a Packet length of 74 bytes.

Info: HTTP/1.1 200 OK

B. When we Access `https://www.cornell.edu/`
Ans 1070 bytes

1110	8.334787700	216.239.36.223	10.85.16.108	QUIC	1292 Initial, SCID=e3486bf98ae25878, PKN: 4, CRYPTO, PADDING
1113	8.337889300	142.250.122.102	10.85.16.108	TLSv1.3	623 Application Data
1114	8.337890600	142.250.122.102	10.85.16.108	TLSv1.3	166 Application Data
1115	8.337891300	142.250.122.102	10.85.16.108	TLSv1.3	85 Application Data
1117	8.339683500	142.250.122.102	10.85.16.108	TLSv1.3	93 Application Data
1120	8.340043800	10.85.16.108	142.250.122.102	TLSv1.3	93 Application Data
1138	8.366202900	10.85.16.108	192.178.158.84	QUIC	1292 Initial, DCID=d6da8e1a2e4979f6, PKN: 2, PADDING, CRYPTO, PADDING, PING, PING, CRYPTO, PING, PADDING, CRYPTO, CRYPTO, PADDING, CRYPTO
1144	8.382706200	142.251.156.119	10.85.16.108	TLSv1.3	1070 Application Data, Application Data
1147	8.383041100	142.251.156.119	10.85.16.108	TLSv1.3	1070 Application Data, Application Data
1148	8.383041900	142.251.156.119	10.85.16.108	TLSv1.3	1070 Application Data, Application Data
1168	8.403924300	216.239.36.223	10.85.16.108	TLSv1.3	822 [TCP Previous segment not captured] , Application Data
1170	8.403930200	216.239.36.223	10.85.16.108	TLSv1.3	85 Application Data
1171	8.403932000	216.239.36.223	10.85.16.108	TLSv1.3	93 Application Data
1176	8.406179000	10.85.16.108	216.239.36.223	TLSv1.3	93 Application Data
1184	8.426520800	192.178.158.84	10.85.16.108	QUIC	1292 Initial, SCID=f6da8e1a2e4979f6, PKN: 3, CRYPTO, PADDING
1185	8.426600300	192.178.158.84	10.85.16.108	QUIC	1292 Initial, SCID=f6da8e1a2e4979f6, PKN: 4, CRYPTO, PADDING
1193	8.438001000	216.239.36.223	10.85.16.108	TLSv1.3	831 [TCP Previous segment not captured] , Application Data
1194	8.438001800	216.239.36.223	10.85.16.108	TLSv1.3	125 [TCP Out-Of-Order] , Application Data
1197	8.439067600	216.239.36.223	10.85.16.108	TLSv1.3	85 Application Data

▶ Frame 1148: Packet, 1070 bytes on wire (8560 bits), 1070 bytes captured (8560 bits) on interface \Device
 Ethernet II, Src: TPLink_74:07:b9 (b0:19:21:74:07:b9), Dst: ChongqingFug_8b:c2:05 (ac:d5:64:8b:c2:05)
 ▶ Internet Protocol Version 4, Src: 142.251.156.119, Dst: 10.85.16.108
 ▶ Transmission Control Protocol, Src Port: 443, Dst Port: 64357, Seq: 4078, Ack: 1896, Len: 1016
 ▶ Transport Layer Security

```

0000 ac d5 64 8b c2 05 b0 19 21 74 07 b9 08 00 45 80  --d----- !t---E-
0010 04 20 60 22 00 00 7a 06 96 02 8e fb 9c 77 0a 55  --"---z---...w-U
0020 10 6c 01 bb fb 65 6e 04 ad 52 9e 61 6a 49 50 18  --l---en---R-ajIP-
0030 04 17 81 ef 00 00 17 03 03 03 b5 30 05 ba ff b2  --.....-0----
0040 c1 6c e4 04 c7 5b 68 d3 70 ba 82 82 80 b2 78 f9  --l---[h- p-----x-
0050 bd 64 4d 76 72 1b 3d e8 d3 73 33 9f a6 81 ef b2  --dMvr---s3-----
0060 d8 9a f5 22 bc 82 9e 86 b4 1a c7 13 96 25 4f 52  --"...-----%OR
0070 06 bd 9d 20 c3 fb 2e 8a 77 3b aa 80 4a ee 57 2d  --...-...w;-J-W-
0080 86 ea 08 bf ca 87 0c 30 9f 48 7b 06 40 5c 04 3c  --.....0-H{ @\-<
0090 9f f0 25 b4 c1 cf 2e 55 3a 5d 8b 09 27 51 8c ea  --%---:U:]...Q-
00a0 4c fa 61 71 03 4d fb 47 f4 27 10 9b 88 bb 70 bd  --L-aq-M-G-'-----p-
00b0 8d 85 a8 95 f6 54 35 06 8b ee 66 17 ff e1 16 e1  --....T5-...f-----
00c0 f4 03 bd cc e8 a9 ec 71 32 c9 8d 21 7b 29 e9 f6  --.....q 2-!{)-
00d0 70 0b 76 59 4c e1 42 eb 77 a6 82 c2 f5 b6 40 6b  --p-vYL-B- w-----@k
00e0 41 1c 61 da 5d bc 0c 91 3e 0d 5b d7 77 2f c7 16  --A-a:]...>-[w/...
00f0 2a 52 ea 61 cd 19 e5 76 1a 8c 6a bc 13 a5 f2 da  --*R-a-v...j-----
0100 20 80 3a a6 59 36 57 1e cd 70 c5 72 5a a8 1a 52  --:Y6W-...p-rZ---R
0110 bb 2a 1b 33 c7 93 f3 cd 82 b0 0d d3 00 07 d4 f2  --.*-3-----
0120 35 7b 21 01 43 9c 69 e1 ea 02 a7 9b 43 46 e9 7c  --5[!-C-i-...CF-]
0130 ad ac 5f a4 21 60 75 2f b9 c2 55 ba ec 34 3b f2  --...!`u/-...U-4;-
0140 75 44 03 7f e4 b9 70 44 a6 23 2a 45 dd c8 c0 d4  --uD---pD-#*E-----
0150 18 b6 96 e3 5a eb 06 44 28 ed 45 f9 32 36 cb 97  --...Z-D(-E 26-

```


File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help



tcp.port==443

No.	Time	Source	Destination	Protocol	Length	Info
1128	8.343656200	10.85.16.108	192.178.158.84	TCP	54	64029 → 443 [FIN, ACK] Seq=9441 Ack=8634 Win=65024 Len=0
1132	8.353764900	192.178.158.84	10.85.16.108	TCP	60	443 → 64029 [ACK] Seq=8634 Ack=9441 Win=260864 Len=0
1139	8.373638900	216.239.36.223	10.85.16.108	TCP	66	443 → 63680 [ACK] Seq=6981 Ack=4751 Win=265472 Len=0 SLE=5946 SRE=6252
1140	8.373639800	216.239.36.223	10.85.16.108	TCP	60	443 → 63680 [ACK] Seq=6981 Ack=6252 Win=264192 Len=0
1141	8.379542700	104.18.25.232	10.85.16.108	TCP	60	443 → 64948 [ACK] Seq=9348 Ack=2352 Win=139264 Len=0
1144	8.382706200	142.251.156.119	10.85.16.108	TLSv1.3	1070	Application Data, Application Data
1145	8.382707300	142.251.156.119	10.85.16.108	TCP	60	443 → 49750 [FIN, ACK] Seq=5094 Ack=1896 Win=268032 Len=0
1146	8.382830200	10.85.16.108	142.251.156.119	TCP	54	49750 → 443 [RST, ACK] Seq=1896 Ack=5094 Win=0 Len=0
1147	8.383041100	142.251.156.119	10.85.16.108	TLSv1.3	1070	Application Data, Application Data
1148	8.383041900	142.251.156.119	10.85.16.108	TLSv1.3	1070	Application Data, Application Data
1149	8.383106300	10.85.16.108	142.251.156.119	TCP	54	65254 → 443 [RST, ACK] Seq=1800 Ack=5094 Win=0 Len=0
1150	8.383154700	10.85.16.108	142.251.156.119	TCP	54	64357 → 443 [RST, ACK] Seq=1896 Ack=5094 Win=0 Len=0
1151	8.384504200	142.251.156.119	10.85.16.108	TCP	60	443 → 64357 [FIN, ACK] Seq=5094 Ack=1896 Win=268032 Len=0
1152	8.384510900	142.251.156.119	10.85.16.108	TCP	60	443 → 65254 [FIN, ACK] Seq=5094 Ack=1800 Win=268032 Len=0
1153	8.392143800	104.18.25.232	10.85.16.108	TCP	60	443 → 64948 [FIN, ACK] Seq=9348 Ack=2353 Win=139264 Len=0
1154	8.392257800	10.85.16.108	104.18.25.232	TCP	54	64948 → 443 [ACK] Seq=2353 Ack=9349 Win=65280 Len=0
1164	8.402168100	192.178.158.84	10.85.16.108	TCP	60	443 → 64029 [FIN, ACK] Seq=8634 Ack=9442 Win=260864 Len=0
1167	8.402692400	10.85.16.108	192.178.158.84	TCP	54	64029 → 443 [ACK] Seq=9442 Ack=8635 Win=65024 Len=0
1168	8.403924300	216.239.36.223	10.85.16.108	TLSv1.3	822	[TCP Previous segment not captured] , Application Data

Frame 1148: Packet, 1070 bytes on wire (8560 bits), 1070 bytes captured (8560 bits) on interface \Device...
Ethernet II, Src: TPLink_74:07:b9 (b0:19:21:74:07:b9), Dst: ChongqingFug_8b:c2:05 (ac:d5:64:8b:c2:05)
Internet Protocol Version 4, Src: 142.251.156.119, Dst: 10.85.16.108
Transmission Control Protocol, Src Port: 443, Dst Port: 64357, Seq: 4078, Ack: 1896, Len: 1016
Transport Layer Security

0000 ac d5 64 8b c2 05 b0 19 21 74 07 b9 08 00 45 80 ..d....!t...E-
0010 04 20 60 22 00 00 7a 06 96 02 8e fb 9c 77 0a 55 ...".z.....w.U
0020 10 6c 01 bb fb 65 6e 04 ad 52 9e 61 6a 49 50 18 ..l...en...R-ajIP-
0030 04 17 81 ef 00 00 17 03 03 03 b5 30 05 ba ff b20....
0040 c1 6c e4 04 c7 5b 68 d3 70 ba 82 82 80 b2 78 f9 ..l...[h...p....x-
0050 bd 64 4d 76 72 1b 3d e8 d3 73 33 9f a6 81 ef b2 ..dMvr...=...s3....
0060 d8 9a f5 22 bc 82 9e 86 b4 1a c7 13 96 25 4f 52 ...".....%OR
0070 06 bd 9d 20 c3 fb 2e 8a 77 3b aa 80 4a ee 57 2dw;...J.W-
0080 86 ea 08 bf ca 87 0c 30 9f 48 7b 06 40 5c 04 3c0..H{.@\<
0090 9f f0 25 b4 c1 cf 2e 55 3a 5d 8b 09 27 51 8c ea ...%...U.:]...'Q..
00a0 4c fa 61 71 03 4d fb 47 f4 27 10 9b 88 bb 70 bd L-aq-M-G-'...p-
00b0 8d 85 a8 95 f6 54 35 06 8b ee 66 17 ff e1 16 e1T5...f....
00c0 f4 03 bd cc e8 a9 ec 71 32 c9 8d 21 7b 29 e9 f6q 2...!{)--
00d0 70 0b 76 59 4c e1 42 eb 77 a6 82 c2 f5 b6 40 6b p-vYL-B-w....@k
00e0 41 1c 61 da 5d bc 0c 91 3e 0d 5b d7 77 2f c7 16 A-a.]...>[.w/..
00f0 2a 52 ea 61 cd 19 e5 76 1a 8c 6a bc 13 a5 f2 da *R-a...v...j....
0100 20 80 3a a6 59 36 57 1e cd 70 c5 72 5a a8 1a 52 ...:Y6W...p-rZ...R
0110 bb 2a 1b 33 c7 93 f3 cd 82 b0 0d d3 00 07 d4 f2 ...*:3.....
0120 35 7b 21 01 43 9c 69 e1 ea 02 a7 9b 43 46 e9 7c 5{!-C-i-.....CF-|
0130 ad ac 5f a4 21 60 75 2f b9 c2 55 ba ec 34 3b f2 ..._!'u/...U-4;..
0140 75 44 03 7f e4 b9 70 44 a6 23 2a 45 dd c8 c0 d4 uD...pD-#*E....
0150 18 b6 96 e3 5a eb 06 44 28 ed 45 f9 32 36 cb 97Z-D(-E-26...

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help



http.request.method==GET

No.	Time	Source	Destination	Protocol	Length	Info
1163	8.399996300	10.85.16.108	192.178.158.138	HTTP	465	GET /time/1/current?cup2key=9:R0ahhH94FsQvN7L80yeNKsSmWD_WV2ywE1sRuc11t6I&cup2hreq=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca4...
6237	55.874746000	10.85.16.108	13.107.213.72	HTTP	857	GET / HTTP/1.1
47968	171.077851600	10.85.16.108	34.223.124.45	HTTP	564	GET /online HTTP/1.1
48299	174.457700600	10.85.16.108	34.223.124.45	HTTP	565	GET /online/ HTTP/1.1
48345	174.797539500	10.85.16.108	34.223.124.45	HTTP	500	GET /favicon.ico HTTP/1.1
51142	204.992501500	10.85.16.108	13.107.246.72	HTTP	919	GET / HTTP/1.1

Frame 1163: Packet, 465 bytes on wire (3720 bits), 465 bytes captured (3720 bits) on interface \Device\NPF{...} Ethernet II, Src: ChongqingFug_8b:c2:05 (ac:d5:64:8b:c2:05), Dst: ASIXElectron_35:2d:a0 (f8:e4:3b:35:2d:a0) Internet Protocol Version 4, Src: 10.85.16.108, Dst: 192.178.158.138 Transmission Control Protocol, Src Port: 52563, Dst Port: 80, Seq: 1, Ack: 1, Len: 411 Hypertext Transfer Protocol

```
0000 f8 e4 3b 35 2d a0 ac d5 64 8b c2 05 08 00 45 00 ..;5-... d....E-
0010 01 c3 4f 8c 40 00 80 06 2f ab 0a 55 10 6c c0 b2 ..0_@... /...U-1..
0020 9e 8a cd 53 00 50 8b 90 2f 2f 4e 8c 36 ba 50 18 ...S.P... //N.6.P.
0030 00 ff 45 17 00 00 47 45 54 20 2f 74 69 6d 65 2f ..E...GE T /time/
0040 31 2f 63 75 72 72 65 6e 74 3f 63 75 70 32 6b 65 1/current?cup2ke
0050 79 3d 39 3a 52 30 61 68 68 48 39 34 46 73 51 76 y=9:R0ah hH94FsQv
0060 4e 37 4c 38 30 79 65 4e 4b 73 53 6d 57 44 5f 57 N7L80yeN KsSmWD_W
0070 56 32 79 77 45 31 73 52 75 63 31 6c 74 36 49 26 V2ywE1sR uc11t6I&
0080 63 75 70 32 68 72 65 71 3d 65 33 62 30 63 34 34 cup2hreq =e3b0c44
0090 32 39 38 66 63 31 63 31 34 39 61 66 62 66 34 63 298fc1c1 49afb4c
00a0 38 39 39 36 66 62 39 32 34 32 37 61 65 34 31 65 8996fb92 427ae41e
00b0 34 36 34 39 62 39 33 34 63 61 34 39 35 39 39 31 4649b934 ca495991
00c0 62 37 38 35 32 62 38 35 35 20 48 54 54 50 2f 31 b7852b85 5 HTTP/1
00d0 2e 31 0d 0a 48 6f 73 74 3a 20 63 6c 69 65 6e 74 .1..Host : client
00e0 73 32 2e 67 6f 6f 67 6c 65 2e 63 6f 6d 0d 0a 43 s2.googl e.com..C
00f0 6f 6e 6e 65 63 74 69 6f 6e 3a 20 6b 65 65 70 2d onnectio n: keep-
0100 61 6c 69 76 65 0d 0a 50 72 61 67 6d 61 3a 20 6e alive..P ragma: n
0110 6f 2d 63 61 63 68 65 0d 0a 43 61 63 68 65 2d 43 o-cache..Cache-C
0120 6f 6e 74 72 6f 6c 3a 20 6e 6f 2d 63 61 63 68 65 ontrol: no-cache
0130 0d 0a 55 73 65 72 2d 41 67 65 6e 74 3a 20 4d 6f ..User-A gent: Mo
0140 7a 69 6c 6c 61 2f 35 2e 30 20 28 57 69 6e 64 6f zilla/5.0 (Windo
0150 77 73 20 4e 54 20 31 30 2e 30 3b 20 57 69 6e 36 ws NT 10 .0; Win6
```


Explanation:-

from the Wireshark capture with TLS filter, the server response from IP 142.251.156.119 to my IP 10.85.16.108 has a packet length of 1070 bytes.

Protocol:- TLSv 1.3, Info - Application Data

Q.3 Answer the following when you access the site <http://neverssl.com/>.

A. How many HTTP GET requests do you observe? List down the GET requests.

Ans HTTP GET request

List - GET /time / /current? cur2 key = ---
HTTP / 1.1

Proof: In Screenshot Info column HTTP/1.1.

B. What version of HTTP the server is running?

Ans: HTTP / 1.1

C. for the HTTP GET request:

(i) Total number of TCP segments received: 2 segments

(ii) Total amount of data in HTTP response: 74 bytes

D. What are the sequence numbers in the TCP 3-way handshake?

filter use: IP.addr == 192.178.158.138 and
tcp.flags.syn == 1 - Screenshot 3

lab02.pcapng

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

ip.addr==192.178.158.138 and tcp.flags.syn==1

No.	Time	Source	Destination	Protocol	Length	Info
597	7.960081900	10.85.16.108	192.178.158.138	TCP	66	58703 → 80 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
836	8.151562800	10.85.16.108	192.178.158.138	TCP	66	51599 → 80 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
1122	8.340904300	10.85.16.108	192.178.158.138	TCP	66	52563 → 80 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
1161	8.399447500	192.178.158.138	10.85.16.108	TCP	66	80 → 52563 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
1351	8.747357700	192.178.158.138	10.85.16.108	TCP	66	80 → 58703 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
1352	8.747358100	192.178.158.138	10.85.16.108	TCP	66	80 → 51599 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
1548	9.052470600	192.178.158.138	10.85.16.108	TCP	66	[TCP Retransmission] 80 → 51599 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
1549	9.054921900	192.178.158.138	10.85.16.108	TCP	66	[TCP Retransmission] 80 → 58703 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
1896	11.072118300	192.178.158.138	10.85.16.108	TCP	66	[TCP Retransmission] 80 → 58703 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
1897	11.086178000	192.178.158.138	10.85.16.108	TCP	66	[TCP Retransmission] 80 → 51599 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
2685	15.102015800	192.178.158.138	10.85.16.108	TCP	66	[TCP Retransmission] 80 → 58703 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
2686	15.118531700	192.178.158.138	10.85.16.108	TCP	66	[TCP Retransmission] 80 → 51599 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
3452	23.309895000	192.178.158.138	10.85.16.108	TCP	66	[TCP Retransmission] 80 → 51599 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
3459	23.423139900	192.178.158.138	10.85.16.108	TCP	66	[TCP Retransmission] 80 → 58703 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
4833	39.693602800	192.178.158.138	10.85.16.108	TCP	66	[TCP Retransmission] 80 → 51599 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
4840	39.806508800	192.178.158.138	10.85.16.108	TCP	66	[TCP Retransmission] 80 → 58703 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256
8275	67.545997500	10.85.16.108	192.178.158.138	TCP	66	63561 → 443 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
8292	67.604753000	192.178.158.138	10.85.16.108	TCP	66	443 → 63561 [SYN, ACK] Seq=0 Ack=1 Win=65535 Len=0 MSS=1412 SACK_PERM WS=256

Frame 1161: Packet, 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on interface \Device\NPF_{0000 ac d5 64 8b c2 05 f8 e4 3b 35 2d a0 08 00 45 80} ...d... ;5...E.

Ethernet II, Src: ASIXElectron_35:2d:a0 (f8:e4:3b:35:2d:a0), Dst: ChongqingFug_8b:c2:05 (ac:d5:64:8b:c2:0010 00 34 00 00 40 00 7a 06 86 46 c0 b2 9e 8a 0a 55) ...4...@...z...F...U.

Internet Protocol Version 4, Src: 192.178.158.138, Dst: 10.85.16.108 (10 6c 00 50 cd 53 4e 8c 36 b9 8b 90 2f 2f 80 12) ...1.P.SN.6...//...

Transmission Control Protocol, Src Port: 80, Dst Port: 52563, Seq: 0, Ack: 1, Len: 0 (0030 ff ff e7 89 00 00 02 04 05 84 01 01 04 02 01 03) 0040 03 08 ..

lab02.pcapng

Packets: 54632 - Displayed: 18 (0.0%) Profile: Default

30°C

ENG

06:31 PM

Wireshark - Packet 6237 - lab02.pcapng

▶ Frame 6237: Packet, 857 bytes on wire (6856 bits), 857 bytes captured (6856 bits) on interface \Device\NPF_{D93454E8-1742-4E92-B78F-3B2A145942F2}, id 0
▶ Ethernet II, Src: ChongqingFug_8b:c2:05 (ac:d5:64:8b:c2:05), Dst: ASIXElectron_35:2d:a0 (f8:e4:3b:35:2d:a0)
▶ Internet Protocol Version 4, Src: 10.85.16.108, Dst: 13.107.213.72
▶ Transmission Control Protocol, Src Port: 55754, Dst Port: 80, Seq: 1, Ack: 1, Len: 803
▶ Hypertext Transfer Protocol

```
0000 f8 e4 3b 35 2d a0 ac d5 64 8b c2 05 08 00 45 00 ...;5.... d.... E-
0010 03 4b 6b 7f 40 00 80 06 8e b9 0a 55 10 6c 0d 6b .Kk.@... ..U.l.k
0020 d5 48 d9 ca 00 50 f0 43 41 70 b7 f4 4b 3a 50 18 .H...P.C Ap..K:P
0030 00 ff 51 08 00 00 47 45 54 20 2f 20 48 54 54 50 ..Q...GE T / HTTP
0040 2f 31 2e 31 0d 0a 48 6f 73 74 3a 20 77 77 77 2e /1.1..Ho st: www.
0050 63 6f 72 6e 65 6c 6c 2e 65 64 75 0d 0a 43 6f 6e cornell. edu..Con
0060 6e 65 63 74 69 6f 6e 3a 20 6b 65 65 70 2d 61 6c nection: keep-al
0070 69 76 65 0d 0a 55 70 67 72 61 64 65 2d 49 6e 73 ive..Upg rade-Ins
0080 65 63 75 72 65 2d 52 65 71 75 65 73 74 73 3a 20 ecure-Re quests:
0090 31 0d 0a 55 73 65 72 2d 41 67 65 6e 74 3a 20 4d 1..User- Agent: M
00a0 6f 7a 69 6c 6c 61 2f 35 2e 30 20 28 57 69 6e 64 ozilla/5 .0 (Wind
00b0 6f 77 73 20 4e 54 20 31 30 2e 30 3b 20 57 69 6e ows NT 1 0.0; Win
00c0 36 34 3b 20 78 36 34 29 20 41 70 70 6c 65 57 65 64; x64) AppleWe
00d0 62 4b 69 74 2f 35 33 37 2e 33 36 20 28 4b 48 54 bKit/537 .36 (KHT
00e0 4d 4c 2c 20 6c 69 6b 65 20 47 65 63 6b 6f 29 20 ML, like Gecko)
00f0 43 68 72 6f 6d 65 2f 31 34 33 2e 30 2e 30 2e 30 Chrome/1 43.0.0.0
0100 20 53 61 66 61 72 69 2f 35 33 37 2e 33 36 0d 0a Safari/ 537.36..
0110 41 63 63 65 70 74 3a 20 74 65 78 74 2f 68 74 6d Accept: text/htm
0120 6c 2c 61 70 70 6c 69 63 61 74 69 6f 6e 2f 78 68 l,application/xh
0130 74 6d 6c 2b 78 6d 6c 2c 61 70 70 6c 69 63 61 74 tml+xml, applicat
0140 69 6f 6e 2f 78 6d 6c 3b 71 3d 30 2e 39 2c 69 6d ion/xml; q=0.9,im
0150 61 67 65 2f 61 76 69 66 2c 69 6d 61 67 65 2f 77 age/avif ,image/w
0160 65 62 70 2c 69 6d 61 67 65 2f 61 70 6e 67 2c 2a ebp,image/png,*
```

▶ Frame 1163: Packet, 465 bytes on wire (3720 bits), 465 bytes captured (3720 bits) on interface \Device\NPF_{D93454E8-1742-4E92-B78F-3B2A145942F2}, id 0
▶ Ethernet II, Src: ChongqingFug_8b:c2:05 (ac:d5:64:8b:c2:05), Dst: ASIXElectron_35:2d:a0 (f8:e4:3b:35:2d:a0)
▶ Internet Protocol Version 4, Src: 10.85.16.108, Dst: 192.178.158.138
▶ Transmission Control Protocol, Src Port: 52563, Dst Port: 80, Seq: 1, Ack: 1, Len: 411
▶ Hypertext Transfer Protocol

```
0000 f8 e4 3b 35 2d a0 ac d5 64 8b c2 05 08 00 45 00  ..;5-...d....E-
0010 01 c3 4f 8c 40 00 80 06 2f ab 0a 55 10 6c c0 b2  ..0.@.../..U.l..
0020 9e 8a cd 53 00 50 8b 90 2f 2f 4e 8c 36 ba 50 18  ...S.P...//N.6.P.
0030 00 ff 45 17 00 00 47 45 54 20 2f 74 69 6d 65 2f  ..E...GE T /time/
0040 31 2f 63 75 72 72 65 6e 74 3f 63 75 70 32 6b 65  1/curren t?cup2ke
0050 79 3d 39 3a 52 30 61 68 68 48 39 34 46 73 51 76  y=9:R0ah hH94FsQv
0060 4e 37 4c 38 30 79 65 4e 4b 73 53 6d 57 44 5f 57  N7L80yeN KsSmWD_W
0070 56 32 79 77 45 31 73 52 75 63 31 6c 74 36 49 26  V2ywE1sR uc1lt6I&
0080 63 75 70 32 68 72 65 71 3d 65 33 62 30 63 34 34  cup2hreq =e3b0c44
0090 32 39 38 66 63 31 63 31 34 39 61 66 62 66 34 63  298fc1c1 49afb4c
00a0 38 39 39 36 66 62 39 32 34 32 37 61 65 34 31 65  8996fb92 427ae41e
00b0 34 36 34 39 62 39 33 34 63 61 34 39 35 39 39 31  4649b934 ca495991
00c0 62 37 38 35 32 62 38 35 35 20 48 54 54 50 2f 31  b7852b85 5 HTTP/1
00d0 2e 31 0d 0a 48 6f 73 74 3a 20 63 6c 69 65 6e 74  .1..Host : client
00e0 73 32 2e 67 6f 6f 67 6c 65 2e 63 6f 6d 0d 0a 43  s2.googl e.com..C
00f0 6f 6e 6e 65 63 74 69 6f 6e 3a 20 6b 65 65 70 2d  onnectio n: keep-
0100 61 6c 69 76 65 0d 0a 50 72 61 67 6d 61 3a 20 6e  alive..P ragma: n
0110 6f 2d 63 61 63 68 65 0d 0a 43 61 63 68 65 2d 43  o-cache..Cache-C
0120 6f 6e 74 72 6f 6c 3a 20 6e 6f 2d 63 61 63 68 65  ontrol: no-cache
0130 0d 0a 55 73 65 72 2d 41 67 65 6e 74 3a 20 4d 6f  ..User-A gent: Mo
0140 7a 69 6c 6c 61 2f 35 2e 30 20 28 57 69 6e 64 6f  zilla/5. 0 (Windo
0150 77 73 20 4e 54 20 31 30 2e 30 3b 20 57 69 6e 36  ws NT 10 .0; Win6
0160 34 3b 20 78 36 34 29 20 41 70 70 6c 65 57 65 62  4; x64) AppleWeb
```

Info: 1163 · Time: 8.39996300 · Source: 10.85.16.108 · Destination: 192.178.158.138 · Protocol: HTTP · Length: 465 · Info: GET /time/1/current?cup2key=9:R0ahhH94FsQvN7L80yeNksSmWD_WV2ywE1sRuc1lt6l&cup2hreq=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855 HTTP/1.1

Show packet bytes

Layout: Vertical (Stacked)

Close

Help

30°C



Search



ENG

06:39 PM