



# ConfigureMe

Composite attributes



# Flat POJO

**flatBean.json**

```
{  
    foo: "string",  
    bar: true  
}
```



**FlatBean class**

```
@ConfigureMe(name="flatBean")  
public class FlatBean {  
    @Configure  
    public String foo;  
  
    @Configure  
    public Boolean bar;  
  
    @Override  
    public String toString() {  
        return "FlatPojo [foo=" + foo  
               + ", bar=" + bar + "]";  
    }  
}
```



**State**

```
FlatPojo [foo=string, bar=true]
```



# Nested Objects

**compositeBean.json**

```
{  
    foo: "string",  
    inner: {  
        bar: true,  
        baz: 42  
    }  
}
```



**CompositeBean class**

```
@ConfigureMe(name="CompositeBean")  
public class CompositeBean {  
    @Configure  
    public String foo;  
  
    @Configure  
    public InnerBean inner;  
  
public static class InnerBean {  
    @Configure  
    public boolean bar;  
  
    @Configure  
    public int baz;  
}
```



# Nested Objects

**compositeBean.json**

```
{  
    foo: "string",  
    inner: {  
        bar: true,  
        baz: 42  
    }  
}
```



**CompositeBean class**

```
@ConfigureMe(name="CompositeBean")  
public class CompositeBean {  
    @Configure  
    public String foo;  
  
    @Configure  
    public InnerBean inner;  
  
public static class InnerBean {  
    @Configure  
    public boolean bar;  
  
    @Configure  
    public int baz;  
}
```


**Nested JSON objects denotes conditional inclusions within flat configuration**



# Nested Objects

**compositeBean.json**

```
{  
    foo: "string",  
    @inner: {  
        bar: true,  
        baz: 42  
    }  
}
```



**CompositeBean class**

```
@ConfigureMe(name="CompositeBean")  
public class CompositeBean {  
    @Configure  
    public String foo;  
  
    @Configure  
    public InnerBean inner;  
  
    public static class InnerBean {  
        @Configure  
        public boolean bar;  
  
        @Configure  
        public int baz;  
    }  
}
```



# Nested Objects

## compositeBean.json

```
{  
    foo: "string",  
    @inner: {  
        bar: true,  
        baz: 42  
    }  
}
```



## CompositeBean class

```
@ConfigureMe(name="CompositeBean")  
public class CompositeBean {  
    @Configure  
    public String foo;  
  
    @Configure  
    public InnerBean inner;  
  
    public static class InnerBean {  
        @Configure  
        public boolean bar;  
  
        @Configure  
        public int baz;  
    }  
}
```



## State

```
CompositeBean [foo=string, inner=InnerBean [bar=true, baz=42]]
```



# Arbitrary nesting depth

a.json

```
{  
    foo: "string",  
    @innerB: [  
        {  
            bar: true,  
            @innerC: {  
                baz: 42.5,  
                foobar: [1,2,3,4]  
            }  
        },  
        {  
            bar: false,  
            @innerC: {  
                baz: -42.5,  
                foobar: [3,2,1]  
            }  
        }  
    ]  
}
```

Top level class

```
@ConfigureMe(name="a", allfields=true)  
public class A {  
    public String foo;  
    public B[] innerB;  
}
```

Inner classes

```
public class B {  
    @Configure  
    public boolean bar;  
    @Configure  
    public C innerC;  
}  
  
public class C {  
    @Configure  
    public float baz;  
    @Configure  
    public int[] foobar;  
}
```



# Arbitrary nesting depth

a.json

```
{  
    foo: "string",  
    @innerB: [  
        {  
            bar: true,  
            @innerC: {  
                baz: 42.5,  
                foobar: [1,2,3,4]  
            }  
        },  
        {  
            bar: false,  
            @innerC: {  
                baz: -42.5,  
                foobar: [3,2,1]  
            }  
        }  
    ]  
}
```

Top level class

```
@ConfigureMe(name="a", allfields=true)  
public class A {  
    public String foo;  
    public B[] innerB;  
}
```

Annotated  
class

Inner classes

```
public class B {  
    @Configure  
    public boolean bar;  
    @Configure  
    public C innerC;  
}
```

Not  
annotated  
classes

```
public class C {  
    @Configure  
    public float baz;  
    @Configure  
    public int[] foobar;  
}
```



# Arbitrary nesting depth

a.json

```
{  
    foo: "string",  
    @innerB: [  
        {  
            bar: true,  
            @innerC: {  
                baz: 42.5,  
                foobar: [1,2,3,4]  
            }  
        },  
        {  
            bar: false,  
            @innerC: {  
                baz: -42.5,  
                foobar: [3,2,1]  
            }  
        }  
    ]  
}
```

Top level class

```
@ConfigureMe(name="a", allfields=true)  
public class A {  
    public String foo;  
    public B[] innerB;  
}
```

Implicitly  
configured  
fields

Inner classes

```
public class B {  
    @Configure  
    public boolean bar;  
    @Configure  
    public C innerC;  
}
```

```
public class C {  
    @Configure  
    public float baz;  
    @Configure  
    public int[] foobar;  
}
```

Explicitly  
configured  
fields



# Method annotations

d.json

```
{  
    @inner: {  
        attr: 42  
    }  
}
```



D class

```
@ConfigureMe(name="d")  
public class D {  
    @Configure  
    public E inner;  
  
    public static class E {  
        @Configure  
        public int attr;  
  
        @BeforeConfiguration  
        public void before() {  
            System.out.println("before: " + attr);  
        }  
  
        @AfterConfiguration  
        public void after() {  
            System.out.println("after: " + attr);  
        }  
    }  
}
```

Output

```
before: 0  
after: 42
```





# String representation

f.json

```
{  
  @inner: {  
    attr: 42  
  }  
}
```

F class

```
@ConfigureMe(name="f")  
public class F {  
  public G inner;  
  
  public static class G {  
    @Configure  
    public int attr;  
  }  
  
  @SetIf(condition=SetIfCondition.matches,  
         value="inner")  
  public void after(String name, String value) {  
    System.out.println(value);  
  }  
}
```

Output

```
{"attr": "42"}
```



# Value resolution

f.json

```
{  
    @inner: {  
        attr: 42  
    }  
}
```



F class

```
@ConfigureMe(name="f")  
public class F {  
    public G inner;  
  
    public static class G {  
        @Configure  
        public int attr;  
    }  
  
    @SetIf(condition=SetIfCondition.matches,  
          value="inner")  
    public void after(String name, G value) {  
        System.out.println(value.attr);  
    }  
}
```

Output

```
42
```





# Raw composite values

f.json

```
{  
    @inner: {  
        attr: 42  
    }  
}
```



F class

```
@ConfigureMe(name="f")  
public class F {  
    public G inner;  
  
    public static class G {  
        @Configure  
        public int attr;  
    }  
  
    @SetIf(condition=SetIfCondition.matches,  
          value="inner")  
    public void after(String name, Object value) {  
        System.out.println(value.getClass());  
        System.out.println(value);  
    }  
}
```



Output

```
class java.util.HashMap  
{attr=42}
```



# Raw array values

f.json

```
{  
    @inner: [  
        {attr: 1},  
        {attr: 2}  
    ]  
}
```

F class

```
@ConfigureMe(name="f")  
public class F {  
    public G[] inner;  
  
    public static class G {  
        @Configure  
        public int attr;  
    }  
  
    @SetIf(condition=SetIfCondition.matches,  
          value="inner")  
    public void after(String name, Object value) {  
        System.out.println(value.getClass());  
        System.out.println(value);  
    }  
}
```

Output

```
class java.util.ArrayList  
[{attr=1}, {attr=2}]
```