Design and Implementation of Low-power High-throughput PRNGs for Security Applications

Bikram Paul* Sushree Sila P. Goswami* Apratim Khobragade**
Sunil Dutt*

Javvaji Sai Soumith** Gaurav Trivedi*

*Department of Electronics and Electrical Engineering, Indian Institute of Technology Guwahati, (bikram, sushree, sunil.dutt, trivedi)@iitg.ac.in

**Department of Electronics and Communication Engineering, National Institute of Technology Tiruchirapalli, (apratim.khobragade, soumith98)@gmail.com

Abstract—Pseudo-Random Number Generators (PRNGs) are an integral part of cryptographic applications, such as key generations, digital signatures, Internet-of-Things (IoT) security, etc. These applications require low-power and highthroughput PRNGs along with statistically secure random numbers generation capability. In this paper, we propose two PRNG methods based on Blum-Blum-Shub (BBS), Xorshift and Permuted Congruential PRNGs. The first PRNG is preferred for general purpose applications while the second is preferred for low-power IoT applications. The proposed PRNG methods are implemented on Xilinx FPGA ZedBoard $Zynq^{TM}-7000$ and generate 4.83×10^7 and 4.29×10^7 random numbers persecond, respectively. The total dynamic power consumption of the proposed PRNGs is 17mW at 48.31Mhz and 16mW at 42.90Mhz with a maximum throughput of 184.288MBps and 163.651MBps, respectively. The proposed PRNGs are tested on Diehard battery and US National Institute of Standard and Technology (NIST) SP 800 - 22 suites for analyzing the randomness quality.

Keywords-PRNG, FPGA, Cryptography, Blum-Blum-Shub, Xorshift, Permuted Congruential Generator.

I. Introduction

Pseudo-Random Number Generators (PRNGs) are deterministic and reproducible algorithms which are used to generate the random number sequences for cryptographic applications, e.g., key generation, digital signature, etc. Data and network security domains require PRNGs having various statistical properties, such as low autocorrelation values, secure, irreproachable and high linear span with nonrepeatability. The key design challenge is to develop secure PRNGs which can generate random numbers with high throughput as well as can stand against malicious attacks. In recent years, several random number generators, especially hardware True Random Number Generators (TRNGs) [1] have been proposed for the cryptographic applications. As compared to PRNGs, TRNGs have good quality of randomness, but due to the lower speed and non-reproducible with unknown period, it is difficult to employ them in most of the cryptographic application. On the other hand, PRNGs are widely used in encryption schemes and security-related systems due to higher speed, less complexity and fewer hardware requirements.

In this paper, we propose two PRNGs (BluXor and *Modified PCG* (MPCG)) by combining and modifying *Blum-Blum-Shub* (BBS) [2], Xorshift [3] and *Permuted Congruential Generator* (PCG) [4] algorithms. Note that BBS, Xorshift and PCG are based on modular exponent, *Liner*

Feedback Shift Register (LFSR) and Linear Congruential Generator (LCG) approaches, respectively. The key feature of the proposed PRNGs is that they are highly secure and exhibit low-power as well as high-throughput.

II. IMPLEMENTATION OF BLUXOR AND MPCG PRNG

BluXor and MPCG are designed and implemented using Verilog HDL and Xilinx Vivado on ZedBoard ZynqTM-7000 FPGA platform to generate random numbers. The binary outputs generated by FPGA are converted to single precision floating point value according to IEEE-754 format.

A. Implementation of BluXor

One 32-bit BBS module and three 64-bit Xorshift modules are proposed to design BluXor, where BBS module is employed to generate the initial seed values and its output is fed to Xorshift modules. Initial seed value of BBS module is provided in the beginning, whereas in Xorshift modules, the initial values are fed from the BBS module. Based on the precondition, Xorshift modules right shift their outputs fixed number of times continuously in each iteration. BluXor takes a few clock cycles for initialization and then at every clock cycle, it produces 32-bit random number. The sequence predictability problem of Xorshift is resolved by feeding new seeds to Xorshift module through BBS. Five LSB bits of BBS act as switches for Xorshift outputs which are checked at every iteration to determine the next state of Xorshift. If these bits are set, then the higher 32-bit of Xorshift output becomes the new state, otherwise, the lower 32-bit of Xorshift output are considered as the new state. In this way, the limitations of BBS and Xorshift are resolved in BluXor.

B. Implementation of Modified PCG

MPCG algorithm employed tuple based permutation technique to generate more secure pseudo-random sequences of 32-bit length. MPCG involves several transformations (bitwise XOR and shift) and parameters to generate random numbers. The algorithm initiates its execution with a seed value (k_0) . The first random number (k_1) is generated using (k_0) ; the next random number (k_2) is generated using (k_1) and this process continues till i=n-1, where n is the desired random number sequence. At the end of MPCG algorithm, a stream of (n-1), 32-bit random numbers is generated. One important aspect of MPCG is that the initial seed value need to be good enough to generate statistically secure random numbers.



 $\label{thm:local_transformation} \mbox{Table I} \\ \mbox{Hardware implementation results for the proposed PRNGs.}$

Parameters		Proposed PRNGs			
rarameters			BluXor	MPCG	
	LUTs		1267 (2.38%)	1371 (2.58%)	
Resources	Registers		730 (0.69%)	430 (0.40%)	
	DSP Blocks		3 (2.38%)	none	
Power	Dynamic	Logic	6 mW	7 mW	
		Other	11 mW	9 mW	
	Static		120 mW	120 mW	
Delay	Logic Path		13.409 nS	12.974 nS	
	Network Delay		7.291 nS	10.337 nS	
	Critical Path		10.407 nS	11.7125 nS	
Speed in Mhz		48.31 MhZ	42.90 MhZ		
Throughput	Generation		$4.83 \times 10^{7}/sec$	$4.29 \times 10^{7}/sec$	
	Memory		184.288 MBps	163.651 MBps	

Table II

COMPARISON OF THE PROPOSED PRNGS WITH EXISTING PRNGS
BASED ON DIEHARD BATTERY TEST.

Diehard	p-value (acceptable range $0.01 \le p\text{-}value < 1$)						
Battery	Existing	PRNGs	Proposed PRNGs				
Tests	AES(OFB)	MT19937	BluXor	MPCG			
Birthdays	0.09141	0.83079	0.89915	0.64816			
Operm5	0.31162	0.64989	0.37516	0.83809			
Rank 32×32	0.71908	0.75294	0.96346	0.90656			
Rank 6 × 8	0.07287	0.52856	0.44333	0.04604			
Bitstream	0.14959	0.61691	0.98372	0.64737			
DNA	0.79221	0.58120	0.38034	0.16069			
Parking Lot	0.24201	0.96263	0.69672	0.06102			
2-d Sphere	0.99533*	0.31825	0.21653	0.36845			
3-d Sphere	0.26868	0.55299	0.93923	0.99020			
Squeeze	0.79345	0.87338	0.12832	0.82152			
Diehard Sums	0.03846	0.01877	0.44894	0.00340*			
Diehard Runs	0.45078	0.13221	0.35698	0.59319			
Marsaglia GCD	0.61111	0.04368	0.89999	0.36776			
STS Monobit	0.08752	0.10336	0.12999	0.85297			
STS Runs	0.45966	0.60370	0.97132	0.06399			
Min. Distance	0.92905	0.90109	0.13589	0.24214			
Permutations	0.24814	0.68669	0.01729	0.24297			
DAB Monobit-2	0.37664	0.71992	0.24738	0.74744			

Here, * signifies that a particular PRNG fails to pass a perticular test.

III. RESULTS

Table I shows the hardware implementation results of the proposed BluXor and MPCG. In order to evaluate and compare the randomness quality, the proposed PRNGs are tested using the standard Diehard battery and US *National Institute of Standard and Technology* (NIST) SP 800 – 22 suites. Our test results are tabulated in Table II and Table III. As shown in Table II, in case of Diehard battery test (compared with *Advance Encryption System* (AES) [5] and *Mersenne Twister* (MT) [6]), BluXor passes all the 18 tests and MPCG passes 17 tests. Similar results are observed (see Table III) while performing the testes with NIST SP 800 – 22 suite (compared with LCG [7], BBS [8] and Xorshift [8]) where both BluXor and MPCG passes all the 14 NIST tests.

IV. CONCLUSION

In this paper, we proposed two PRNGs: (i) BluXor by combining the BBS and Xorshift; and (ii) MPCG by modifying the conventional PCG. Our experimental results (on Zed-Board ZynqTM-7000 FPGA) showed that BluXor generates 4.83×10^7 random numbers with 17mW at 48.31Mhz and MPCG generates 4.29×10^7 random numbers with 16mW

Table III Comparison of the proposed PRNGs with existing PRNGs based on NIST SP800-22 test.

NIST	n value (acceptable vange 0.01 < n audice < 1)						
	p-value (acceptable range $0.01 \le p\text{-}value < 1$)						
SP800 - 22	Existing PRNGs			Proposed PRNGs			
Tests	LCG	BBS	Xorshift	BluXor	MPCG		
Frequency	0.59035	0.32435	0.14533	0.50650	0.10663		
Block Frequency	0.49274	0.00000*	0.02882	0.48455	0.04156		
Cumulative Sums	0.52526	0.00000*	0.07440	0.55293	0.06733		
Runs	0.57225	0.00000*	0.73992	0.48909	0.28754		
Longest 1's	0.28407	0.00000*	0.55442	0.44052	0.05784		
Rank test	0.53949	0.00000*	0.23681	0.44333	0.15037		
DFT test	0.34448	0.00000*	0.51412	0.46412	0.41735		
Nonperiodic Tem-	0.49353	0.00000*	0.51236	0.79626	0.01231		
plate Matchings		0.00000					
Overlapping Tem-	0.49444	0.00000*	0.59550	0.55384	0.31532		
plate Matchings	0.42444	0.00000	0.57550				
Universal Stat.	0.53203	0.00000*	0.12232	0.45476	0.24316		
Rand. Excursions	0.05238	0.00000*	0.50781	0.28161	0.41754		
Random Excur-	Excur- 0.03655		0.28959	0.39831	0.38923		
sions Variant		0.00000*	0.120707		******		
Serial test	0.48996	0.04336	0.49585	0.49831	0.02652		
Linear Complexity	0.27462	0.00000*	0.24928	0.54371	0.21839		

Here, * signifies that a particular PRNG fails to pass a perticular test.

at 42.90*Mhz*. The maximum throughput of BluXor and MPCG is reported as 184.288*MBps* and 163.651*MBps*, respectively. We also evaluated and compared the randomness quality with existing PRNGs using the standard Diehard battery and NIST SP 800–22 suites. Our results showed that BluXor passes all the tests, whereas MPCG fails only in one Diehard battery test. Although MPCG fails marginally in one test, it does not show any significant decline in the security aspects. Consequently, MPCG can be used in low-power and area-constrained applications, such as IoT security applications. On the other hand, BluXor is recommended for the general purpose cryptographic applications.

REFERENCES

- C. Li, Q. Wang, J. Jiang, and N. Guan, "A metastability-based true random number generator on fpga," in 2017 IEEE 12th International Conference on ASIC, Oct 2017, pp. 738–741.
- [2] L. Blum, M. Blum, and M. Shub, "A simple unpredictable pseudo-random number generator," *SIAM Journal on Comput*ing, vol. 15, no. 2, pp. 364–383, 1986. [Online]. Available: https://doi.org/10.1137/0215025
- [3] G. Marsaglia, "Xorshift rngs," *Journal of Statistical Software, Articles*, vol. 8, no. 14, pp. 1–6, 2003. [Online]. Available: https://www.jstatsoft.org/v008/i14
- [4] R. S. Katti, R. G. Kavasseri, and V. Sai, "Pseudorandom bit generation using coupled congruential generators," *IEEE Transactions on Circuits and Systems II: Express Briefs*, vol. 57, no. 3, pp. 203–207, March 2010.
- [5] AES_CFB Mode cipher feedback (2017, December). [Online]. Available: https://www.cryptopp.com/wiki/CFB_Mode
- [6] Al-Khaffaf, H. S. M., A. Z. Talib, and R. Abdul Salam, "A study on the effects of noise level, cleaning method, and vectorization software on the quality of vector data." Springer, 2008, pp. 299–309.
- [7] J. Boyar, "Inferring sequences produced by a linear congruential generator missing low-order bits," *Journal of Cryptology*, vol. 1, no. 3, pp. 177–184, Oct 1989.
- [8] M. B. Jacques, F. Xiaole, G. Christophe, and L. Laurent, "Fpga design for PRNG based on chaotic iteration used in information hiding application," August 2016, pp. 1–24.