Construction Chemicals

Product Datasheet
Edition: 01 | Date: Nov 2026
Jointing and Tiling



Addmix HPMC

Modified Hydroxypropyl Methyl Cellulose Additive for Dry-Mix Mortars

Product Description

Addmix HPMC is a modified hydroxypropyl methyl cellulose ether for dry-mix mortars. It improves workability, water retention, open time, sag resistance and adhesion of cement- and gypsum-based products.

Uses

- EIFS and thermal insulation mortars.
- Tile adhesives and grouts.
- Masonry and plaster mortars.
- Gypsum plasters and putties.
- Repair mortars, self-levelling compounds and grouts.

Advantages

- High water retention.
- Improves workability and open time.
- Sag and slip resistance.
- Improves adhesion.
- Long shelf life: at least 2 years.

Application

1. **Dosage**
   Use 0.30 – 0.50 % of the total dry-mix weight.
2. **Dry Blending**
   Pre-blend with the other dry components before adding water.
3. **Testing**
   Verify workability, water retention and adhesion in laboratory trials.

Consumption

0.30 – 0.50 %
of total dry-mix weight
Optimum dosage to be set by laboratory trials.

Packaging

25 kg bags.

Storage & Shelf Life

At least 24 months in original, unopened bags.
Store dry, protected from moisture and heat.

Technical Data

Typical values at 25 °C

Property	Typical Value	Test Method
Type	Modified hydroxypropyl methyl cellulose	—
Appearance	White powder	—
Bulk density	250 – 550 g/L	—
Fineness	> 92 % passing 80 mesh	—
Viscosity (2 % solution)	55,000 – 65,000 mPa·s	—
Methoxyl content	19 – 24 %	—
Hydroxypropyl content	4 – 12 %	—
Shelf life	≥ 24 months	—
Classification	Non-hazardous	—

Consumption

Application	Typical dosage
Tile adhesives and grouts	0.30 – 0.50 %
Plasters and masonry mortars	0.30 – 0.50 %
EIFS / insulation mortars	0.30 – 0.50 %
Gypsum plasters and putties	0.30 – 0.50 %

Consumption is theoretical and varies with substrate porosity, profile and application method.

Application Conditions

- Add to the dry mix, not directly to water.
- Blend thoroughly for uniform distribution.
- Store dry; keep bags closed.
- Check compatibility with the full formulation.

Application Notes

- Add to the dry mix and blend thoroughly.
- Do not add directly to water.
- Set the final dosage by laboratory trials.
- Store bags closed to avoid moisture pick-up.

Health & Safety

- Wear a dust mask, goggles and gloves when handling.
- Avoid dust formation.
- Non-hazardous product.

First Aid & Cleaning

- Eyes: rinse with clean water and seek medical advice if irritation persists.
- Skin: wash with soap and water.
- Inhalation of dust: move to fresh air.
- Clean equipment with dry methods first, then water.

The information in this datasheet is based on laboratory tests and practical experience and is given in good faith. Users should verify product suitability for their specific application. O MIX reserves the right to update this information without prior notice.